




N41-15M-CSE-LCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N41-15M-CSE-LCH-CP-OFDM-QPSK-1RB0-10GHz-27GHz




N41-15M-CSE-MCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N41-15M-CSE-MCH-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz




N41-15M-CSE-MCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N41-15M-CSE-MCH-CP-OFDM-QPSK-1RB0-10GHz-27GHz




N41-15M-CSE-HCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N41-15M-CSE-HCH-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz




N41-15M-CSE-HCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N41-15M-CSE-HCH-CP-OFDM-QPSK-1RB0-10GHz-27GHz




N41-20M-CSE-LCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N41-20M-CSE-LCH-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz




N41-20M-CSE-LCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N41-20M-CSE-LCH-CP-OFDM-QPSK-1RB0-10GHz-27GHz




N41-20M-CSE-MCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N41-20M-CSE-MCH-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz




N41-20M-CSE-MCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N41-20M-CSE-MCH-CP-OFDM-QPSK-1RB0-10GHz-27GHz




N41-20M-CSE-HCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N41-20M-CSE-HCH-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz



N41-20M-CSE-HCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N41-20M-CSE-HCH-CP-OFDM-QPSK-1RB0-10GHz-27GHz



Effective (Isotropic) Radiated Power Output Data

Band width	Modulation	Frequency(MHz)	RB Allocation	Conducted Power(dBm)	EIRP(dBm)	Limit	Verdict	Gain
10MHz	DFT-s-OFDM PI/2 BPSK	2501.01MHz	Edge_Full_Left	23.46	26.46	33	Pass	3
			Edge_Full_Right	23.36	26.36	33	Pass	3
			Edge_1RB_Left	23.29	26.29	33	Pass	3
			Edge_1RB_Right	23.48	26.48	33	Pass	3
			Outer_Full	23.58	26.58	33	Pass	3
			Inner_Full	23.56	26.56	33	Pass	3
			Inner_1RB_Left	23.28	26.28	33	Pass	3
			Inner_1RB_Right	23.28	26.28	33	Pass	3
	DFT-s-OFDM QPSK		Edge_Full_Left	22.89	25.89	33	Pass	3
			Edge_Full_Right	22.9	25.9	33	Pass	3
			Edge_1RB_Left	23.01	26.01	33	Pass	3
			Edge_1RB_Right	23.01	26.01	33	Pass	3
			Outer_Full	22.91	25.91	33	Pass	3
			Inner_Full	23.83	26.83	33	Pass	3
			Inner_1RB_Left	23.75	26.75	33	Pass	3
			Inner_1RB_Right	23.91	26.91	33	Pass	3
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.83	24.83	33	Pass	3
			Edge_Full_Right	21.78	24.78	33	Pass	3
			Edge_1RB_Left	21.88	24.88	33	Pass	3
			Edge_1RB_Right	21.82	24.82	33	Pass	3
			Outer_Full	22.11	25.11	33	Pass	3
			Inner_Full	23.17	26.17	33	Pass	3
			Inner_1RB_Left	22.88	25.88	33	Pass	3
			Inner_1RB_Right	23.23	26.23	33	Pass	3
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.7	24.7	33	Pass	3
			Edge_Full_Right	21.68	24.68	33	Pass	3
			Edge_1RB_Left	22.04	25.04	33	Pass	3
			Edge_1RB_Right	22.05	25.05	33	Pass	3
			Outer_Full	21.6	24.6	33	Pass	3
			Inner_Full	21.49	24.49	33	Pass	3
			Inner_1RB_Left	22.09	25.09	33	Pass	3
			Inner_1RB_Right	22.05	25.05	33	Pass	3
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.62	22.62	33	Pass	3
			Edge_Full_Right	19.51	22.51	33	Pass	3
			Edge_1RB_Left	19.14	22.14	33	Pass	3
			Edge_1RB_Right	19.46	22.46	33	Pass	3
			Outer_Full	19.54	22.54	33	Pass	3
			Inner_Full	19.57	22.57	33	Pass	3
			Inner_1RB_Left	19.19	22.19	33	Pass	3

	CP-OFDM QPSK	2592.99MHz	Inner_1RB_Right	19.31	22.31	33	Pass	3
			Edge_Full_Left	21.12	24.12	33	Pass	3
			Edge_Full_Right	20.8	23.8	33	Pass	3
			Edge_1RB_Left	21.2	24.2	33	Pass	3
			Edge_1RB_Right	21.01	24.01	33	Pass	3
			Outer_Full	21.06	24.06	33	Pass	3
			Inner_Full	22.42	25.42	33	Pass	3
			Inner_1RB_Left	22.69	25.69	33	Pass	3
			Inner_1RB_Right	22.57	25.57	33	Pass	3
	CP-OFDM 16QAM		Edge_Full_Left	20.97	23.97	33	Pass	3
			Edge_Full_Right	20.76	23.76	33	Pass	3
			Edge_1RB_Left	20.78	23.78	33	Pass	3
			Edge_1RB_Right	20.76	23.76	33	Pass	3
			Outer_Full	21.08	24.08	33	Pass	3
			Inner_Full	22.19	25.19	33	Pass	3
			Inner_1RB_Left	21.68	24.68	33	Pass	3
			Inner_1RB_Right	21.71	24.71	33	Pass	3
			CP-OFDM 64QAM	Edge_Full_Left	20.63	23.63	33	Pass
	Edge_Full_Right			20.58	23.58	33	Pass	3
	Edge_1RB_Left			20.05	23.05	33	Pass	3
	Edge_1RB_Right			20.14	23.14	33	Pass	3
	Outer_Full			20.56	23.56	33	Pass	3
	Inner_Full			20.74	23.74	33	Pass	3
	Inner_1RB_Left			19.94	22.94	33	Pass	3
	Inner_1RB_Right			20.29	23.29	33	Pass	3
	CP-OFDM 256QAM			Edge_Full_Left	17.74	20.74	33	Pass
			Edge_Full_Right	17.57	20.57	33	Pass	3
			Edge_1RB_Left	18.03	21.03	33	Pass	3
			Edge_1RB_Right	17.97	20.97	33	Pass	3
			Outer_Full	17.61	20.61	33	Pass	3
Inner_Full		17.54	20.54	33	Pass	3		
Inner_1RB_Left		18.22	21.22	33	Pass	3		
Inner_1RB_Right		18.11	21.11	33	Pass	3		
DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.75	26.75	33	Pass	3	
	Edge_Full_Right	23.92	26.92	33	Pass	3		
	Edge_1RB_Left	23.77	26.77	33	Pass	3		
	Edge_1RB_Right	23.92	26.92	33	Pass	3		
	Outer_Full	23.94	26.94	33	Pass	3		
	Inner_Full	23.92	26.92	33	Pass	3		
	Inner_1RB_Left	23.84	26.84	33	Pass	3		
	Inner_1RB_Right	23.99	26.99	33	Pass	3		
	DFT-s-OFDM QPSK	Edge_Full_Left	23.49	26.49	33	Pass	3	
Edge_Full_Right		23.61	26.61	33	Pass	3		

		Edge_1RB_Left	23.57	26.57	33	Pass	3
		Edge_1RB_Right	23.47	26.47	33	Pass	3
		Outer_Full	23.66	26.66	33	Pass	3
		Inner_Full	23.9	26.9	33	Pass	3
		Inner_1RB_Left	23.85	26.85	33	Pass	3
		Inner_1RB_Right	23.96	26.96	33	Pass	3
	DFT-s-OFDM 16QAM	Edge_Full_Left	22.27	25.27	33	Pass	3
		Edge_Full_Right	22.53	25.53	33	Pass	3
		Edge_1RB_Left	22.21	25.21	33	Pass	3
		Edge_1RB_Right	22.21	25.21	33	Pass	3
		Outer_Full	22.65	25.65	33	Pass	3
		Inner_Full	23.68	26.68	33	Pass	3
		Inner_1RB_Left	23.56	26.56	33	Pass	3
		Inner_1RB_Right	23.45	26.45	33	Pass	3
		Edge_Full_Left	22.19	25.19	33	Pass	3
		Edge_Full_Right	22.44	25.44	33	Pass	3
	DFT-s-OFDM 64QAM	Edge_1RB_Left	22.55	25.55	33	Pass	3
		Edge_1RB_Right	22.72	25.72	33	Pass	3
		Outer_Full	22.26	25.26	33	Pass	3
		Inner_Full	22.18	25.18	33	Pass	3
		Inner_1RB_Left	22.68	25.68	33	Pass	3
		Inner_1RB_Right	22.47	25.47	33	Pass	3
		Edge_Full_Left	19.98	22.98	33	Pass	3
		Edge_Full_Right	19.98	22.98	33	Pass	3
	DFT-s-OFDM 256QAM	Edge_1RB_Left	19.84	22.84	33	Pass	3
		Edge_1RB_Right	19.82	22.82	33	Pass	3
		Outer_Full	19.96	22.96	33	Pass	3
		Inner_Full	20.13	23.13	33	Pass	3
		Inner_1RB_Left	19.63	22.63	33	Pass	3
		Inner_1RB_Right	19.73	22.73	33	Pass	3
		Edge_Full_Left	21.28	24.28	33	Pass	3
		Edge_Full_Right	21.5	24.5	33	Pass	3
	CP-OFDM QPSK	Edge_1RB_Left	21.43	24.43	33	Pass	3
		Edge_1RB_Right	21.51	24.51	33	Pass	3
		Outer_Full	21.73	24.73	33	Pass	3
		Inner_Full	23.1	26.1	33	Pass	3
		Inner_1RB_Left	22.93	25.93	33	Pass	3
		Inner_1RB_Right	23.28	26.28	33	Pass	3
		Edge_Full_Left	21.67	24.67	33	Pass	3
		Edge_Full_Right	21.46	24.46	33	Pass	3
	CP-OFDM 16QAM	Edge_1RB_Left	21.09	24.09	33	Pass	3
		Edge_1RB_Right	20.86	23.86	33	Pass	3
		Outer_Full	21.38	24.38	33	Pass	3

			Inner_Full	22.61	25.61	33	Pass	3				
			Inner_1RB_Left	22.17	25.17	33	Pass	3				
			Inner_1RB_Right	22.31	25.31	33	Pass	3				
	CP-OFDM 64QAM			Edge_Full_Left	21.2	24.2	33	Pass	3			
				Edge_Full_Right	21.15	24.15	33	Pass	3			
				Edge_1RB_Left	20.63	23.63	33	Pass	3			
				Edge_1RB_Right	20.85	23.85	33	Pass	3			
				Outer_Full	21.41	24.41	33	Pass	3			
				Inner_Full	20.91	23.91	33	Pass	3			
				Inner_1RB_Left	20.47	23.47	33	Pass	3			
				Inner_1RB_Right	20.95	23.95	33	Pass	3			
				Edge_Full_Left	18.19	21.19	33	Pass	3			
	CP-OFDM 256QAM			Edge_Full_Right	18.23	21.23	33	Pass	3			
				Edge_1RB_Left	18.47	21.47	33	Pass	3			
				Edge_1RB_Right	18.41	21.41	33	Pass	3			
				Outer_Full	18.15	21.15	33	Pass	3			
				Inner_Full	17.92	20.92	33	Pass	3			
				Inner_1RB_Left	18.63	21.63	33	Pass	3			
				Inner_1RB_Right	18.39	21.39	33	Pass	3			
				DFT-s-OFDM PI/2 BPSK			Edge_Full_Left	23.65	26.65	33	Pass	3
							Edge_Full_Right	23.87	26.87	33	Pass	3
	Edge_1RB_Left	23.52	26.52				33	Pass	3			
	Edge_1RB_Right	23.73	26.73				33	Pass	3			
	Outer_Full	23.87	26.87				33	Pass	3			
	Inner_Full	23.91	26.91				33	Pass	3			
	Inner_1RB_Left	23.91	26.91				33	Pass	3			
	Inner_1RB_Right	23.93	26.93				33	Pass	3			
	DFT-s-OFDM QPSK		2685MHz				Edge_Full_Left	23.17	26.17	33	Pass	3
				Edge_Full_Right	23.43	26.43	33	Pass	3			
				Edge_1RB_Left	23.25	26.25	33	Pass	3			
				Edge_1RB_Right	23.47	26.47	33	Pass	3			
				Outer_Full	23.6	26.6	33	Pass	3			
Inner_Full				23.99	26.99	33	Pass	3				
Inner_1RB_Left				23.93	26.93	33	Pass	3				
Inner_1RB_Right				23.85	26.85	33	Pass	3				
DFT-s-OFDM 16QAM						Edge_Full_Left	22.53	25.53	33	Pass	3	
	Edge_Full_Right	22.52	25.52			33	Pass	3				
	Edge_1RB_Left	22.28	25.28			33	Pass	3				
	Edge_1RB_Right	22.33	25.33			33	Pass	3				
	Outer_Full	22.29	25.29			33	Pass	3				
	Inner_Full	23.41	26.41			33	Pass	3				
	Inner_1RB_Left	23.27	26.27			33	Pass	3				
	Inner_1RB_Right	23.45	26.45			33	Pass	3				

	DFT-s-OFDM 64QAM	Edge_Full_Left	21.99	24.99	33	Pass	3
		Edge_Full_Right	22.01	25.01	33	Pass	3
		Edge_1RB_Left	22.27	25.27	33	Pass	3
		Edge_1RB_Right	22.55	25.55	33	Pass	3
		Outer_Full	22.1	25.1	33	Pass	3
		Inner_Full	21.78	24.78	33	Pass	3
		Inner_1RB_Left	22.38	25.38	33	Pass	3
		Inner_1RB_Right	22.45	25.45	33	Pass	3
	DFT-s-OFDM 256QAM	Edge_Full_Left	19.79	22.79	33	Pass	3
		Edge_Full_Right	19.9	22.9	33	Pass	3
		Edge_1RB_Left	19.6	22.6	33	Pass	3
		Edge_1RB_Right	19.69	22.69	33	Pass	3
		Outer_Full	19.74	22.74	33	Pass	3
		Inner_Full	19.65	22.65	33	Pass	3
		Inner_1RB_Left	19.57	22.57	33	Pass	3
		Inner_1RB_Right	19.41	22.41	33	Pass	3
	CP-OFDM QPSK	Edge_Full_Left	21.24	24.24	33	Pass	3
		Edge_Full_Right	21.12	24.12	33	Pass	3
		Edge_1RB_Left	21.39	24.39	33	Pass	3
		Edge_1RB_Right	21.34	24.34	33	Pass	3
		Outer_Full	21.25	24.25	33	Pass	3
		Inner_Full	22.59	25.59	33	Pass	3
		Inner_1RB_Left	22.75	25.75	33	Pass	3
		Inner_1RB_Right	23.15	26.15	33	Pass	3
	CP-OFDM 16QAM	Edge_Full_Left	21.68	24.68	33	Pass	3
		Edge_Full_Right	21.48	24.48	33	Pass	3
		Edge_1RB_Left	20.7	23.7	33	Pass	3
		Edge_1RB_Right	20.86	23.86	33	Pass	3
		Outer_Full	21.42	24.42	33	Pass	3
		Inner_Full	22.2	25.2	33	Pass	3
		Inner_1RB_Left	21.86	24.86	33	Pass	3
		Inner_1RB_Right	21.96	24.96	33	Pass	3
	CP-OFDM 64QAM	Edge_Full_Left	20.95	23.95	33	Pass	3
		Edge_Full_Right	20.96	23.96	33	Pass	3
		Edge_1RB_Left	20.29	23.29	33	Pass	3
		Edge_1RB_Right	20.6	23.6	33	Pass	3
		Outer_Full	21.02	24.02	33	Pass	3
		Inner_Full	21.01	24.01	33	Pass	3
		Inner_1RB_Left	20.34	23.34	33	Pass	3
		Inner_1RB_Right	20.53	23.53	33	Pass	3
	CP-OFDM 256QAM	Edge_Full_Left	17.87	20.87	33	Pass	3
		Edge_Full_Right	17.89	20.89	33	Pass	3
		Edge_1RB_Left	18.28	21.28	33	Pass	3

			Edge_1RB_Right	18.28	21.28	33	Pass	3
			Outer_Full	17.8	20.8	33	Pass	3
			Inner_Full	17.68	20.68	33	Pass	3
			Inner_1RB_Left	18.63	21.63	33	Pass	3
			Inner_1RB_Right	18.25	21.25	33	Pass	3
15MHz	DFT-s-OFDM PI/2 BPSK	2503.5MHz	Edge_Full_Left	23.4	26.4	33	Pass	3
			Edge_Full_Right	23.48	26.48	33	Pass	3
			Edge_1RB_Left	23.32	26.32	33	Pass	3
			Edge_1RB_Right	23.41	26.41	33	Pass	3
			Outer_Full	23.53	26.53	33	Pass	3
			Inner_Full	23.59	26.59	33	Pass	3
			Inner_1RB_Left	23.81	26.81	33	Pass	3
			Inner_1RB_Right	23.5	26.5	33	Pass	3
	DFT-s-OFDM QPSK		Edge_Full_Left	22.87	25.87	33	Pass	3
			Edge_Full_Right	22.91	25.91	33	Pass	3
			Edge_1RB_Left	22.46	25.46	33	Pass	3
			Edge_1RB_Right	22.54	25.54	33	Pass	3
			Outer_Full	23.07	26.07	33	Pass	3
			Inner_Full	23.89	26.89	33	Pass	3
			Inner_1RB_Left	23.61	26.61	33	Pass	3
			Inner_1RB_Right	23.53	26.53	33	Pass	3
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.9	24.9	33	Pass	3
			Edge_Full_Right	21.74	24.74	33	Pass	3
			Edge_1RB_Left	21.99	24.99	33	Pass	3
			Edge_1RB_Right	21.71	24.71	33	Pass	3
			Outer_Full	22.12	25.12	33	Pass	3
			Inner_Full	22.94	25.94	33	Pass	3
			Inner_1RB_Left	23.03	26.03	33	Pass	3
			Inner_1RB_Right	22.8	25.8	33	Pass	3
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.5	24.5	33	Pass	3
			Edge_Full_Right	21.54	24.54	33	Pass	3
			Edge_1RB_Left	21.25	24.25	33	Pass	3
			Edge_1RB_Right	21.13	24.13	33	Pass	3
			Outer_Full	21.7	24.7	33	Pass	3
			Inner_Full	21.44	24.44	33	Pass	3
			Inner_1RB_Left	21.25	24.25	33	Pass	3
			Inner_1RB_Right	21.14	24.14	33	Pass	3
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.89	22.89	33	Pass	3
			Edge_Full_Right	19.69	22.69	33	Pass	3
			Edge_1RB_Left	19.26	22.26	33	Pass	3
			Edge_1RB_Right	19.28	22.28	33	Pass	3
			Outer_Full	19.49	22.49	33	Pass	3
			Inner_Full	19.4	22.4	33	Pass	3

			Inner_1RB_Left	19.17	22.17	33	Pass	3	
			Inner_1RB_Right	19.25	22.25	33	Pass	3	
	CP-OFDM QPSK		Edge_Full_Left	21.43	24.43	33	Pass	3	
			Edge_Full_Right	21.25	24.25	33	Pass	3	
			Edge_1RB_Left	20.79	23.79	33	Pass	3	
			Edge_1RB_Right	20.71	23.71	33	Pass	3	
			Outer_Full	21	24	33	Pass	3	
			Inner_Full	22.45	25.45	33	Pass	3	
			Inner_1RB_Left	22.09	25.09	33	Pass	3	
			Inner_1RB_Right	22.42	25.42	33	Pass	3	
			Edge_Full_Left	20.61	23.61	33	Pass	3	
	CP-OFDM 16QAM		Edge_Full_Right	20.37	23.37	33	Pass	3	
			Edge_1RB_Left	20.93	23.93	33	Pass	3	
			Edge_1RB_Right	20.7	23.7	33	Pass	3	
			Outer_Full	21.05	24.05	33	Pass	3	
			Inner_Full	21.87	24.87	33	Pass	3	
			Inner_1RB_Left	21.38	24.38	33	Pass	3	
			Inner_1RB_Right	21.45	24.45	33	Pass	3	
			Edge_Full_Left	20.11	23.11	33	Pass	3	
			CP-OFDM 64QAM	Edge_Full_Right	20.07	23.07	33	Pass	3
	Edge_1RB_Left			20.53	23.53	33	Pass	3	
	Edge_1RB_Right			20.63	23.63	33	Pass	3	
	Outer_Full			20.45	23.45	33	Pass	3	
	Inner_Full			20.39	23.39	33	Pass	3	
	Inner_1RB_Left			20.69	23.69	33	Pass	3	
	Inner_1RB_Right			20.5	23.5	33	Pass	3	
	Edge_Full_Left			18.12	21.12	33	Pass	3	
	CP-OFDM 256QAM			Edge_Full_Right	17.8	20.8	33	Pass	3
			Edge_1RB_Left	18.33	21.33	33	Pass	3	
			Edge_1RB_Right	17.89	20.89	33	Pass	3	
			Outer_Full	17.79	20.79	33	Pass	3	
			Inner_Full	17.58	20.58	33	Pass	3	
			Inner_1RB_Left	17.93	20.93	33	Pass	3	
			Inner_1RB_Right	17.88	20.88	33	Pass	3	
			DFT-s-OFDM PI/2 BPSK	Edge_Full_Left	23.85	26.85	33	Pass	3
				Edge_Full_Right	23.81	26.81	33	Pass	3
	Edge_1RB_Left			23.91	26.91	33	Pass	3	
	Edge_1RB_Right			23.96	26.96	33	Pass	3	
	Outer_Full			23.96	26.96	33	Pass	3	
	Inner_Full			23.87	26.87	33	Pass	3	
	Inner_1RB_Left			23.98	26.98	33	Pass	3	
	Inner_1RB_Right			23.86	26.86	33	Pass	3	
	DFT-s-OFDM QPSK			Edge_Full_Left	23.5	26.5	33	Pass	3

		Edge_Full_Right	23.69	26.69	33	Pass	3
		Edge_1RB_Left	23.08	26.08	33	Pass	3
		Edge_1RB_Right	23.04	26.04	33	Pass	3
		Outer_Full	23.73	26.73	33	Pass	3
		Inner_Full	23.85	26.85	33	Pass	3
		Inner_1RB_Left	23.95	26.95	33	Pass	3
	DFT-s-OFDM 16QAM	Inner_1RB_Right	23.84	26.84	33	Pass	3
		Edge_Full_Left	22.45	25.45	33	Pass	3
		Edge_Full_Right	22.31	25.31	33	Pass	3
		Edge_1RB_Left	22.23	25.23	33	Pass	3
		Edge_1RB_Right	22.24	25.24	33	Pass	3
		Outer_Full	22.73	25.73	33	Pass	3
	DFT-s-OFDM 64QAM	Inner_Full	23.44	26.44	33	Pass	3
		Inner_1RB_Left	23.12	26.12	33	Pass	3
		Inner_1RB_Right	23.17	26.17	33	Pass	3
		Edge_Full_Left	21.88	24.88	33	Pass	3
		Edge_Full_Right	22.02	25.02	33	Pass	3
		Edge_1RB_Left	21.6	24.6	33	Pass	3
	DFT-s-OFDM 256QAM	Edge_1RB_Right	21.88	24.88	33	Pass	3
		Outer_Full	21.99	24.99	33	Pass	3
		Inner_Full	22.05	25.05	33	Pass	3
		Inner_1RB_Left	21.76	24.76	33	Pass	3
		Inner_1RB_Right	22.04	25.04	33	Pass	3
		Edge_Full_Left	20.05	23.05	33	Pass	3
	CP-OFDM QPSK	Edge_Full_Right	20.14	23.14	33	Pass	3
		Edge_1RB_Left	19.72	22.72	33	Pass	3
		Edge_1RB_Right	19.66	22.66	33	Pass	3
		Outer_Full	20.01	23.01	33	Pass	3
		Inner_Full	20.17	23.17	33	Pass	3
		Inner_1RB_Left	19.62	22.62	33	Pass	3
	CP-OFDM 16QAM	Inner_1RB_Right	19.61	22.61	33	Pass	3
		Edge_Full_Left	21.65	24.65	33	Pass	3
		Edge_Full_Right	21.71	24.71	33	Pass	3
		Edge_1RB_Left	21.16	24.16	33	Pass	3
		Edge_1RB_Right	21.26	24.26	33	Pass	3
		Outer_Full	21.5	24.5	33	Pass	3
		Inner_Full	22.92	25.92	33	Pass	3
		Inner_1RB_Left	22.79	25.79	33	Pass	3
		Inner_1RB_Right	22.42	25.42	33	Pass	3
		Edge_Full_Left	21.26	24.26	33	Pass	3
		Edge_Full_Right	21.23	24.23	33	Pass	3
		Edge_1RB_Left	21.26	24.26	33	Pass	3
		Edge_1RB_Right	21.64	24.64	33	Pass	3

			Outer_Full	21.7	24.7	33	Pass	3
			Inner_Full	22.44	25.44	33	Pass	3
			Inner_1RB_Left	21.93	24.93	33	Pass	3
			Inner_1RB_Right	21.76	24.76	33	Pass	3
	CP-OFDM 64QAM		Edge_Full_Left	20.64	23.64	33	Pass	3
			Edge_Full_Right	20.77	23.77	33	Pass	3
			Edge_1RB_Left	21.08	24.08	33	Pass	3
			Edge_1RB_Right	21.2	24.2	33	Pass	3
			Outer_Full	21.12	24.12	33	Pass	3
			Inner_Full	20.97	23.97	33	Pass	3
			Inner_1RB_Left	20.94	23.94	33	Pass	3
			Inner_1RB_Right	21.14	24.14	33	Pass	3
			Edge_Full_Left	18.51	21.51	33	Pass	3
			Edge_Full_Right	18.4	21.4	33	Pass	3
			Edge_1RB_Left	18.71	21.71	33	Pass	3
			Edge_1RB_Right	18.72	21.72	33	Pass	3
	CP-OFDM 256QAM		Outer_Full	18.14	21.14	33	Pass	3
			Inner_Full	18.09	21.09	33	Pass	3
			Inner_1RB_Left	18.36	21.36	33	Pass	3
			Inner_1RB_Right	18.42	21.42	33	Pass	3
			Edge_Full_Left	23.69	26.69	33	Pass	3
			Edge_Full_Right	23.67	26.67	33	Pass	3
			Edge_1RB_Left	23.67	26.67	33	Pass	3
			Edge_1RB_Right	23.98	26.98	33	Pass	3
	DFT-s-OFDM PI/2 BPSK		Outer_Full	23.74	26.74	33	Pass	3
			Inner_Full	23.99	26.99	33	Pass	3
			Inner_1RB_Left	23.89	26.89	33	Pass	3
			Inner_1RB_Right	23.89	26.89	33	Pass	3
			Edge_Full_Left	23.1	26.1	33	Pass	3
			Edge_Full_Right	23.11	26.11	33	Pass	3
			Edge_1RB_Left	22.65	25.65	33	Pass	3
			Edge_1RB_Right	22.96	25.96	33	Pass	3
	DFT-s-OFDM QPSK		Outer_Full	23.28	26.28	33	Pass	3
			Inner_Full	23.86	26.86	33	Pass	3
			Inner_1RB_Left	23.42	26.42	33	Pass	3
			Inner_1RB_Right	23.38	26.38	33	Pass	3
			Edge_Full_Left	22.15	25.15	33	Pass	3
			Edge_Full_Right	22.42	25.42	33	Pass	3
			Edge_1RB_Left	22.26	25.26	33	Pass	3
			Edge_1RB_Right	22.18	25.18	33	Pass	3
	DFT-s-OFDM 16QAM		Outer_Full	22.45	25.45	33	Pass	3
			Inner_Full	23.15	26.15	33	Pass	3
			Inner_1RB_Left	22.95	25.95	33	Pass	3
Outer_Full		22.45	25.45	33	Pass	3		
Inner_Full		23.15	26.15	33	Pass	3		
Inner_1RB_Left		22.95	25.95	33	Pass	3		

	DFT-s-OFDM 64QAM	Inner_1RB_Right	23.15	26.15	33	Pass	3
		Edge_Full_Left	21.91	24.91	33	Pass	3
		Edge_Full_Right	21.96	24.96	33	Pass	3
		Edge_1RB_Left	21.55	24.55	33	Pass	3
		Edge_1RB_Right	21.41	24.41	33	Pass	3
		Outer_Full	21.85	24.85	33	Pass	3
		Inner_Full	21.73	24.73	33	Pass	3
		Inner_1RB_Left	21.74	24.74	33	Pass	3
	DFT-s-OFDM 256QAM	Inner_1RB_Right	21.6	24.6	33	Pass	3
		Edge_Full_Left	20.07	23.07	33	Pass	3
		Edge_Full_Right	19.9	22.9	33	Pass	3
		Edge_1RB_Left	19.36	22.36	33	Pass	3
		Edge_1RB_Right	19.41	22.41	33	Pass	3
		Outer_Full	19.86	22.86	33	Pass	3
		Inner_Full	19.67	22.67	33	Pass	3
		Inner_1RB_Left	19.26	22.26	33	Pass	3
	CP-OFDM QPSK	Inner_1RB_Right	19.68	22.68	33	Pass	3
		Edge_Full_Left	21.75	24.75	33	Pass	3
		Edge_Full_Right	21.43	24.43	33	Pass	3
		Edge_1RB_Left	21.19	24.19	33	Pass	3
		Edge_1RB_Right	21.05	24.05	33	Pass	3
		Outer_Full	21.41	24.41	33	Pass	3
		Inner_Full	22.67	25.67	33	Pass	3
		Inner_1RB_Left	22.7	25.7	33	Pass	3
	CP-OFDM 16QAM	Inner_1RB_Right	22.49	25.49	33	Pass	3
		Edge_Full_Left	21.23	24.23	33	Pass	3
		Edge_Full_Right	20.56	23.56	33	Pass	3
		Edge_1RB_Left	20.86	23.86	33	Pass	3
		Edge_1RB_Right	20.86	23.86	33	Pass	3
		Outer_Full	21.2	24.2	33	Pass	3
		Inner_Full	22.13	25.13	33	Pass	3
		Inner_1RB_Left	22.08	25.08	33	Pass	3
	CP-OFDM 64QAM	Inner_1RB_Right	21.93	24.93	33	Pass	3
		Edge_Full_Left	20.49	23.49	33	Pass	3
		Edge_Full_Right	20.5	23.5	33	Pass	3
		Edge_1RB_Left	20.99	23.99	33	Pass	3
		Edge_1RB_Right	21.01	24.01	33	Pass	3
		Outer_Full	20.93	23.93	33	Pass	3
		Inner_Full	20.9	23.9	33	Pass	3
		Inner_1RB_Left	21.1	24.1	33	Pass	3
	CP-OFDM 256QAM	Inner_1RB_Right	20.97	23.97	33	Pass	3
		Edge_Full_Left	18.41	21.41	33	Pass	3
		Edge_Full_Right	18.37	21.37	33	Pass	3

			Edge_1RB_Left	18.36	21.36	33	Pass	3
			Edge_1RB_Right	18.43	21.43	33	Pass	3
20MHz	DFT-s-OFDM PI/2 BPSK	2506.02MHz	Outer_Full	18.12	21.12	33	Pass	3
			Inner_Full	17.89	20.89	33	Pass	3
			Inner_1RB_Left	18.54	21.54	33	Pass	3
			Inner_1RB_Right	18.16	21.16	33	Pass	3
			Edge_Full_Left	23.66	26.66	33	Pass	3
			Edge_Full_Right	23.6	26.6	33	Pass	3
			Edge_1RB_Left	23.6	26.6	33	Pass	3
			Edge_1RB_Right	23.36	26.36	33	Pass	3
	DFT-s-OFDM QPSK		Outer_Full	23.81	26.81	33	Pass	3
			Inner_Full	23.67	26.67	33	Pass	3
			Inner_1RB_Left	23.52	26.52	33	Pass	3
			Inner_1RB_Right	23.44	26.44	33	Pass	3
			Edge_Full_Left	22.99	25.99	33	Pass	3
			Edge_Full_Right	22.84	25.84	33	Pass	3
			Edge_1RB_Left	22.88	25.88	33	Pass	3
			Edge_1RB_Right	22.73	25.73	33	Pass	3
	DFT-s-OFDM 16QAM		Outer_Full	23.17	26.17	33	Pass	3
			Inner_Full	23.81	26.81	33	Pass	3
			Inner_1RB_Left	23.49	26.49	33	Pass	3
			Inner_1RB_Right	23.48	26.48	33	Pass	3
			Edge_Full_Left	22	25	33	Pass	3
			Edge_Full_Right	21.86	24.86	33	Pass	3
			Edge_1RB_Left	21.56	24.56	33	Pass	3
			Edge_1RB_Right	21.62	24.62	33	Pass	3
	DFT-s-OFDM 64QAM		Outer_Full	22.25	25.25	33	Pass	3
			Inner_Full	23.26	26.26	33	Pass	3
			Inner_1RB_Left	22.62	25.62	33	Pass	3
			Inner_1RB_Right	22.75	25.75	33	Pass	3
			Edge_Full_Left	21.54	24.54	33	Pass	3
			Edge_Full_Right	21.61	24.61	33	Pass	3
			Edge_1RB_Left	21.38	24.38	33	Pass	3
			Edge_1RB_Right	21.73	24.73	33	Pass	3
	DFT-s-OFDM 256QAM		Outer_Full	21.77	24.77	33	Pass	3
			Inner_Full	21.56	24.56	33	Pass	3
			Inner_1RB_Left	21.47	24.47	33	Pass	3
			Inner_1RB_Right	21.56	24.56	33	Pass	3
			Edge_Full_Left	19.8	22.8	33	Pass	3
			Edge_Full_Right	19.78	22.78	33	Pass	3
Edge_1RB_Left		19.74	22.74	33	Pass	3		
Edge_1RB_Right		19.42	22.42	33	Pass	3		
			Outer_Full	19.77	22.77	33	Pass	3

			Inner_Full	19.73	22.73	33	Pass	3
			Inner_1RB_Left	19.46	22.46	33	Pass	3
			Inner_1RB_Right	19.37	22.37	33	Pass	3
	CP-OFDM QPSK		Edge_Full_Left	20.78	23.78	33	Pass	3
			Edge_Full_Right	20.89	23.89	33	Pass	3
			Edge_1RB_Left	21.16	24.16	33	Pass	3
			Edge_1RB_Right	21.18	24.18	33	Pass	3
			Outer_Full	21.12	24.12	33	Pass	3
			Inner_Full	22.74	25.74	33	Pass	3
			Inner_1RB_Left	22.41	25.41	33	Pass	3
			Inner_1RB_Right	22.44	25.44	33	Pass	3
			Edge_Full_Left	20.84	23.84	33	Pass	3
	CP-OFDM 16QAM		Edge_Full_Right	20.86	23.86	33	Pass	3
			Edge_1RB_Left	21.25	24.25	33	Pass	3
			Edge_1RB_Right	20.87	23.87	33	Pass	3
			Outer_Full	21.31	24.31	33	Pass	3
			Inner_Full	21.86	24.86	33	Pass	3
			Inner_1RB_Left	22.24	25.24	33	Pass	3
			Inner_1RB_Right	21.98	24.98	33	Pass	3
			Edge_Full_Left	20.47	23.47	33	Pass	3
			CP-OFDM 64QAM	Edge_Full_Right	20.34	23.34	33	Pass
	Edge_1RB_Left			20.4	23.4	33	Pass	3
	Edge_1RB_Right			20.37	23.37	33	Pass	3
	Outer_Full			20.7	23.7	33	Pass	3
	Inner_Full			20.53	23.53	33	Pass	3
	Inner_1RB_Left			20.5	23.5	33	Pass	3
	Inner_1RB_Right			20.54	23.54	33	Pass	3
	Edge_Full_Left			18.38	21.38	33	Pass	3
	CP-OFDM 256QAM			Edge_Full_Right	17.93	20.93	33	Pass
			Edge_1RB_Left	18.69	21.69	33	Pass	3
			Edge_1RB_Right	18.15	21.15	33	Pass	3
			Outer_Full	17.96	20.96	33	Pass	3
Inner_Full		17.63	20.63	33	Pass	3		
Inner_1RB_Left		18.46	21.46	33	Pass	3		
Inner_1RB_Right		18.26	21.26	33	Pass	3		
DFT-s-OFDM PI/2 BPSK		2592.99MHz	Edge_Full_Left	23.95	26.95	33	Pass	3
			Edge_Full_Right	23.93	26.93	33	Pass	3
	Edge_1RB_Left		23.75	26.75	33	Pass	3	
	Edge_1RB_Right		23.91	26.91	33	Pass	3	
	Outer_Full		23.96	26.96	33	Pass	3	
	Inner_Full		23.96	26.96	33	Pass	3	
	Inner_1RB_Left		23.89	26.89	33	Pass	3	
	Inner_1RB_Right		23.89	26.89	33	Pass	3	

	DFT-s-OFDM QPSK	Edge_Full_Left	23.52	26.52	33	Pass	3
		Edge_Full_Right	23.53	26.53	33	Pass	3
		Edge_1RB_Left	23.34	26.34	33	Pass	3
		Edge_1RB_Right	23.23	26.23	33	Pass	3
		Outer_Full	23.63	26.63	33	Pass	3
		Inner_Full	23.86	26.86	33	Pass	3
		Inner_1RB_Left	23.91	26.91	33	Pass	3
		Inner_1RB_Right	23.95	26.95	33	Pass	3
	DFT-s-OFDM 16QAM	Edge_Full_Left	22.49	25.49	33	Pass	3
		Edge_Full_Right	22.49	25.49	33	Pass	3
		Edge_1RB_Left	22.1	25.1	33	Pass	3
		Edge_1RB_Right	22.3	25.3	33	Pass	3
		Outer_Full	22.71	25.71	33	Pass	3
		Inner_Full	23.58	26.58	33	Pass	3
		Inner_1RB_Left	23.2	26.2	33	Pass	3
		Inner_1RB_Right	23.28	26.28	33	Pass	3
	DFT-s-OFDM 64QAM	Edge_Full_Left	21.73	24.73	33	Pass	3
		Edge_Full_Right	21.99	24.99	33	Pass	3
		Edge_1RB_Left	22.03	25.03	33	Pass	3
		Edge_1RB_Right	21.9	24.9	33	Pass	3
		Outer_Full	22.26	25.26	33	Pass	3
		Inner_Full	21.92	24.92	33	Pass	3
		Inner_1RB_Left	22.04	25.04	33	Pass	3
		Inner_1RB_Right	22	25	33	Pass	3
	DFT-s-OFDM 256QAM	Edge_Full_Left	20.24	23.24	33	Pass	3
		Edge_Full_Right	20.49	23.49	33	Pass	3
		Edge_1RB_Left	20.16	23.16	33	Pass	3
		Edge_1RB_Right	19.89	22.89	33	Pass	3
		Outer_Full	20.16	23.16	33	Pass	3
		Inner_Full	19.94	22.94	33	Pass	3
		Inner_1RB_Left	19.83	22.83	33	Pass	3
		Inner_1RB_Right	19.9	22.9	33	Pass	3
	CP-OFDM QPSK	Edge_Full_Left	21.3	24.3	33	Pass	3
		Edge_Full_Right	21.29	24.29	33	Pass	3
		Edge_1RB_Left	21.48	24.48	33	Pass	3
		Edge_1RB_Right	21.39	24.39	33	Pass	3
		Outer_Full	21.63	24.63	33	Pass	3
		Inner_Full	23.25	26.25	33	Pass	3
		Inner_1RB_Left	22.82	25.82	33	Pass	3
		Inner_1RB_Right	22.95	25.95	33	Pass	3
	CP-OFDM 16QAM	Edge_Full_Left	21.36	24.36	33	Pass	3
		Edge_Full_Right	21.49	24.49	33	Pass	3
		Edge_1RB_Left	21.41	24.41	33	Pass	3

		2679.99MHz	Edge_1RB_Right	21.69	24.69	33	Pass	3
			Outer_Full	21.59	24.59	33	Pass	3
			Inner_Full	22.63	25.63	33	Pass	3
			Inner_1RB_Left	22.81	25.81	33	Pass	3
			Inner_1RB_Right	22.53	25.53	33	Pass	3
	CP-OFDM 64QAM		Edge_Full_Left	20.93	23.93	33	Pass	3
			Edge_Full_Right	20.99	23.99	33	Pass	3
			Edge_1RB_Left	20.62	23.62	33	Pass	3
			Edge_1RB_Right	21.05	24.05	33	Pass	3
			Outer_Full	20.98	23.98	33	Pass	3
			Inner_Full	21.13	24.13	33	Pass	3
			Inner_1RB_Left	20.91	23.91	33	Pass	3
			Inner_1RB_Right	20.74	23.74	33	Pass	3
	CP-OFDM 256QAM		Edge_Full_Left	18.41	21.41	33	Pass	3
			Edge_Full_Right	18.5	21.5	33	Pass	3
			Edge_1RB_Left	18.47	21.47	33	Pass	3
			Edge_1RB_Right	18.74	21.74	33	Pass	3
			Outer_Full	18.26	21.26	33	Pass	3
			Inner_Full	18.08	21.08	33	Pass	3
			Inner_1RB_Left	18.51	21.51	33	Pass	3
			Inner_1RB_Right	18.85	21.85	33	Pass	3
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.61	26.61	33	Pass	3
			Edge_Full_Right	23.97	26.97	33	Pass	3
			Edge_1RB_Left	23.75	26.75	33	Pass	3
			Edge_1RB_Right	23.74	26.74	33	Pass	3
			Outer_Full	23.86	26.86	33	Pass	3
			Inner_Full	23.92	26.92	33	Pass	3
			Inner_1RB_Left	23.77	26.77	33	Pass	3
			Inner_1RB_Right	23.76	26.76	33	Pass	3
	DFT-s-OFDM QPSK		Edge_Full_Left	23.09	26.09	33	Pass	3
Edge_Full_Right		23.14	26.14	33	Pass	3		
Edge_1RB_Left		22.94	25.94	33	Pass	3		
Edge_1RB_Right		23.11	26.11	33	Pass	3		
Outer_Full		23.4	26.4	33	Pass	3		
Inner_Full		23.99	26.99	33	Pass	3		
Inner_1RB_Left		23.89	26.89	33	Pass	3		
Inner_1RB_Right		23.77	26.77	33	Pass	3		
DFT-s-OFDM 16QAM	Edge_Full_Left	22.05	25.05	33	Pass	3		
	Edge_Full_Right	22.47	25.47	33	Pass	3		
	Edge_1RB_Left	22.12	25.12	33	Pass	3		
	Edge_1RB_Right	22.04	25.04	33	Pass	3		
	Outer_Full	22.19	25.19	33	Pass	3		
	Inner_Full	23.25	26.25	33	Pass	3		

	DFT-s-OFDM 64QAM	Inner_1RB_Left	22.96	25.96	33	Pass	3
		Inner_1RB_Right	22.97	25.97	33	Pass	3
		Edge_Full_Left	21.83	24.83	33	Pass	3
		Edge_Full_Right	21.7	24.7	33	Pass	3
		Edge_1RB_Left	21.56	24.56	33	Pass	3
		Edge_1RB_Right	21.82	24.82	33	Pass	3
		Outer_Full	21.94	24.94	33	Pass	3
		Inner_Full	21.91	24.91	33	Pass	3
		Inner_1RB_Left	21.39	24.39	33	Pass	3
	DFT-s-OFDM 256QAM	Inner_1RB_Right	21.75	24.75	33	Pass	3
		Edge_Full_Left	20.05	23.05	33	Pass	3
		Edge_Full_Right	19.99	22.99	33	Pass	3
		Edge_1RB_Left	19.77	22.77	33	Pass	3
		Edge_1RB_Right	19.97	22.97	33	Pass	3
		Outer_Full	19.8	22.8	33	Pass	3
		Inner_Full	19.85	22.85	33	Pass	3
		Inner_1RB_Left	19.64	22.64	33	Pass	3
		Inner_1RB_Right	19.71	22.71	33	Pass	3
	CP-OFDM QPSK	Edge_Full_Left	21.06	24.06	33	Pass	3
		Edge_Full_Right	21.53	24.53	33	Pass	3
		Edge_1RB_Left	21.38	24.38	33	Pass	3
		Edge_1RB_Right	21.2	24.2	33	Pass	3
		Outer_Full	21.27	24.27	33	Pass	3
		Inner_Full	22.68	25.68	33	Pass	3
		Inner_1RB_Left	22.6	25.6	33	Pass	3
		Inner_1RB_Right	22.83	25.83	33	Pass	3
		Edge_Full_Left	20.86	23.86	33	Pass	3
	CP-OFDM 16QAM	Edge_Full_Right	21.32	24.32	33	Pass	3
		Edge_1RB_Left	21.55	24.55	33	Pass	3
		Edge_1RB_Right	21.49	24.49	33	Pass	3
		Outer_Full	21.53	24.53	33	Pass	3
		Inner_Full	22.22	25.22	33	Pass	3
		Inner_1RB_Left	22.45	25.45	33	Pass	3
		Inner_1RB_Right	22.44	25.44	33	Pass	3
		Edge_Full_Left	20.73	23.73	33	Pass	3
		Edge_Full_Right	20.69	23.69	33	Pass	3
	CP-OFDM 64QAM	Edge_1RB_Left	20.72	23.72	33	Pass	3
		Edge_1RB_Right	20.69	23.69	33	Pass	3
		Outer_Full	21	24	33	Pass	3
		Inner_Full	20.89	23.89	33	Pass	3
		Inner_1RB_Left	20.72	23.72	33	Pass	3
		Inner_1RB_Right	20.6	23.6	33	Pass	3
		Edge_Full_Left	18.29	21.29	33	Pass	3
	CP-OFDM 256QAM						

			Edge_Full_Right	18.22	21.22	33	Pass	3
			Edge_1RB_Left	18.32	21.32	33	Pass	3
			Edge_1RB_Right	18.5	21.5	33	Pass	3
			Outer_Full	18.08	21.08	33	Pass	3
			Inner_Full	17.86	20.86	33	Pass	3
			Inner_1RB_Left	18.3	21.3	33	Pass	3
			Inner_1RB_Right	18.32	21.32	33	Pass	3

Frequency Stability

Bandwidth	Modulation	Frequency(MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Result (ppm)	Limit (ppm)	Verdict
10MHz	DFT-s-OFDM PI/2 BPSK	2592.99	Outer_Full	20	LV	7.12	0.0027	2.5	Pass
					HV	-2.44	-0.0009	2.5	Pass
				-30	NV	2.58	0.0010	2.5	Pass
				-20	NV	-4.93	-0.0019	2.5	Pass
				-10	NV	3.2	0.0012	2.5	Pass
				0	NV	7.16	0.0028	2.5	Pass
				10	NV	3.17	0.0012	2.5	Pass
				20	NV	-4.32	-0.0017	2.5	Pass
				30	NV	-5.91	-0.0023	2.5	Pass
				40	NV	1.91	0.0007	2.5	Pass
	50			NV	7.06	0.0027	2.5	Pass	
	CP-OFDM QPSK			20	LV	5.45	0.0021	2.5	Pass
					HV	-8.86	-0.0034	2.5	Pass
				-30	NV	-4.09	-0.0016	2.5	Pass
				-20	NV	3.97	0.0015	2.5	Pass
				-10	NV	2.09	0.0008	2.5	Pass
				0	NV	-4.29	-0.0017	2.5	Pass
				10	NV	2.77	0.0011	2.5	Pass
				20	NV	-5.93	-0.0023	2.5	Pass
				30	NV	-8.45	-0.0033	2.5	Pass
40		NV	3.49	0.0013	2.5	Pass			
50	NV	-5.07	-0.0020	2.5	Pass				
15MHz	DFT-s-OFDM PI/2 BPSK	2592.99	Outer_Full	20	LV	5.4	0.0021	2.5	Pass
					HV	-8.49	-0.0033	2.5	Pass
				-30	NV	-3.73	-0.0014	2.5	Pass
				-20	NV	-2.77	-0.0011	2.5	Pass
				-10	NV	-8.93	-0.0034	2.5	Pass
				0	NV	-3.69	-0.0014	2.5	Pass
				10	NV	-3.87	-0.0015	2.5	Pass
				20	NV	9.18	0.0035	2.5	Pass
				30	NV	-7.06	-0.0027	2.5	Pass
				40	NV	8.8	0.0034	2.5	Pass
	50			NV	7.57	0.0029	2.5	Pass	
	CP-OFDM QPSK			20	LV	4.42	0.0017	2.5	Pass
					HV	2.03	0.0008	2.5	Pass
				-30	NV	-8.01	-0.0031	2.5	Pass
				-20	NV	3.22	0.0012	2.5	Pass

				-10	NV	7.27	0.0028	2.5	Pass
				0	NV	-3.11	-0.0012	2.5	Pass
				10	NV	-9.47	-0.0037	2.5	Pass
				20	NV	5.9	0.0023	2.5	Pass
				30	NV	-4.95	-0.0019	2.5	Pass
				40	NV	2.27	0.0009	2.5	Pass
				50	NV	-4.99	-0.0019	2.5	Pass
20MHz	DFT-s-OFDM PI/2 BPSK	2592.99	Outer_Full	20	LV	3.78	0.0015	2.5	Pass
					HV	-7.56	-0.0029	2.5	Pass
				-30	NV	-9.39	-0.0036	2.5	Pass
				-20	NV	3.24	0.0012	2.5	Pass
				-10	NV	2.53	0.0010	2.5	Pass
				0	NV	8.65	0.0033	2.5	Pass
				10	NV	10.18	0.0039	2.5	Pass
				20	NV	-5.71	-0.0022	2.5	Pass
				30	NV	1.91	0.0007	2.5	Pass
				40	NV	7.93	0.0031	2.5	Pass
				50	NV	-3.44	-0.0013	2.5	Pass
	CP-OFDM QPSK			20	LV	3.74	0.0014	2.5	Pass
					HV	-4.77	-0.0018	2.5	Pass
				-30	NV	-4.78	-0.0018	2.5	Pass
				-20	NV	-4.78	-0.0018	2.5	Pass
				-10	NV	3.89	0.0015	2.5	Pass
				0	NV	-9.44	-0.0036	2.5	Pass
				10	NV	7.43	0.0029	2.5	Pass
				20	NV	8.94	0.0034	2.5	Pass
				30	NV	5.42	0.0021	2.5	Pass
				40	NV	-3.94	-0.0015	2.5	Pass
				50	NV	2.67	0.0010	2.5	Pass

Field Strength of Spurious Radiation

NR N41-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
4994.0	-62.71	-25	-37.71	-68.27	4.57	10.13	Horizontal	Pass
7491.0	-60.63	-25	-35.63	-67.42	4.94	11.73	Horizontal	Pass
9988.0	-56.48	-25	-31.48	-64.06	5.46	13.04	Horizontal	Pass
4994.0	-62.87	-25	-37.87	-68.43	4.57	10.13	Vertical	Pass
7491.0	-60.59	-25	-35.59	-67.38	4.94	11.73	Vertical	Pass
9988.0	-56.47	-25	-31.47	-64.05	5.46	13.04	Vertical	Pass

NR N41-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5168.0	-63.95	-25	-38.95	-69.57	4.62	10.24	Horizontal	Pass
7752.0	-59.27	-25	-34.27	-66.35	4.96	12.04	Horizontal	Pass
10336.0	-56.91	-25	-31.91	-64.49	5.51	13.09	Horizontal	Pass
5168.0	-63.37	-25	-38.37	-68.99	4.62	10.24	Vertical	Pass
7752.0	-59.49	-25	-34.49	-66.57	4.96	12.04	Vertical	Pass
10336.0	-56.87	-25	-31.87	-64.45	5.51	13.09	Vertical	Pass

NR N41-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5342.0	-63.09	-25	-38.09	-68.76	4.68	10.35	Horizontal	Pass
8013.0	-59.21	-25	-34.21	-66.58	4.98	12.35	Horizontal	Pass
10684.0	-56.42	-25	-31.42	-63.97	5.63	13.18	Horizontal	Pass
5342.0	-62.87	-25	-37.87	-68.54	4.68	10.35	Vertical	Pass
8013.0	-59.43	-25	-34.43	-66.8	4.98	12.35	Vertical	Pass
10684.0	-56.28	-25	-31.28	-63.83	5.63	13.18	Vertical	Pass