




N78a(3450-3550MHz)-20M-CSE-MCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N78a(3450-3550MHz)-20M-CSE-MCH-CP-OFDM-QPSK-1RB0-10GHz-40GHz




N78a(3450-3550MHz)-20M-CSE-HCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N78a(3450-3550MHz)-20M-CSE-HCH-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-40GHz



N78a(3450-3550MHz)-20M-CSE-HCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N78a(3450-3550MHz)-20M-CSE-HCH-CP-OFDM-QPSK-1RB0-10GHz-40GHz



Effective (Isotropic) Radiated Power Output Data

Band width	Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)	EIRP(dBm)	Limit	Verdict	Gain
10MHz	DFT-s-OFDM PI/2 BPSK	3455.01MHz	Edge_Full_Left	25.98	28.98	30	Pass	3
			Edge_Full_Right	25.89	28.89	30	Pass	3
			Edge_1RB_Left	25.65	28.65	30	Pass	3
			Edge_1RB_Right	25.74	28.74	30	Pass	3
			Outer_Full	25.99	28.99	30	Pass	3
			Inner_Full	26.18	29.18	30	Pass	3
			Inner_1RB_Left	26.17	29.17	30	Pass	3
			Inner_1RB_Right	26.03	29.03	30	Pass	3
	DFT-s-OFDM QPSK		Edge_Full_Left	25.51	28.51	30	Pass	3
			Edge_Full_Right	25.55	28.55	30	Pass	3
			Edge_1RB_Left	25.09	28.09	30	Pass	3
			Edge_1RB_Right	25.29	28.29	30	Pass	3
			Outer_Full	25.4	28.4	30	Pass	3
			Inner_Full	26.2	29.2	30	Pass	3
			Inner_1RB_Left	26.43	29.43	30	Pass	3
			Inner_1RB_Right	26.27	29.27	30	Pass	3
	DFT-s-OFDM 16QAM		Edge_Full_Left	24.47	27.47	30	Pass	3
			Edge_Full_Right	24.23	27.23	30	Pass	3
			Edge_1RB_Left	24.17	27.17	30	Pass	3
			Edge_1RB_Right	24.24	27.24	30	Pass	3
			Outer_Full	24.89	27.89	30	Pass	3
			Inner_Full	25.79	28.79	30	Pass	3
			Inner_1RB_Left	25.9	28.9	30	Pass	3
			Inner_1RB_Right	25.32	28.32	30	Pass	3
	DFT-s-OFDM 64QAM		Edge_Full_Left	24.23	27.23	30	Pass	3
			Edge_Full_Right	24.35	27.35	30	Pass	3
			Edge_1RB_Left	24.44	27.44	30	Pass	3
			Edge_1RB_Right	24.88	27.88	30	Pass	3
			Outer_Full	23.93	26.93	30	Pass	3
			Inner_Full	24.02	27.02	30	Pass	3
			Inner_1RB_Left	24.58	27.58	30	Pass	3
			Inner_1RB_Right	24.61	27.61	30	Pass	3
	DFT-s-OFDM 256QAM		Edge_Full_Left	22.19	25.19	30	Pass	3
			Edge_Full_Right	21.87	24.87	30	Pass	3
			Edge_1RB_Left	22.27	25.27	30	Pass	3
			Edge_1RB_Right	22.61	25.61	30	Pass	3
			Outer_Full	22.1	25.1	30	Pass	3
			Inner_Full	21.78	24.78	30	Pass	3
			Inner_1RB_Left	22.22	25.22	30	Pass	3

	CP-OFDM QPSK	3500.01MHz	Inner_1RB_Right	22.12	25.12	30	Pass	3
			Edge_Full_Left	23.65	26.65	30	Pass	3
			Edge_Full_Right	23.58	26.58	30	Pass	3
			Edge_1RB_Left	22.85	25.85	30	Pass	3
			Edge_1RB_Right	22.51	25.51	30	Pass	3
			Outer_Full	23.6	26.6	30	Pass	3
			Inner_Full	25.26	28.26	30	Pass	3
			Inner_1RB_Left	24.37	27.37	30	Pass	3
			Inner_1RB_Right	24.44	27.44	30	Pass	3
	CP-OFDM 16QAM		Edge_Full_Left	23.27	26.27	30	Pass	3
			Edge_Full_Right	23.25	26.25	30	Pass	3
			Edge_1RB_Left	22.59	25.59	30	Pass	3
			Edge_1RB_Right	22.78	25.78	30	Pass	3
			Outer_Full	23.97	26.97	30	Pass	3
			Inner_Full	24.4	27.4	30	Pass	3
			Inner_1RB_Left	24.19	27.19	30	Pass	3
			Inner_1RB_Right	23.82	26.82	30	Pass	3
			CP-OFDM 64QAM	Edge_Full_Left	22.44	25.44	30	Pass
	Edge_Full_Right			22.22	25.22	30	Pass	3
	Edge_1RB_Left			22.53	25.53	30	Pass	3
	Edge_1RB_Right			22.59	25.59	30	Pass	3
	Outer_Full			23.33	26.33	30	Pass	3
	Inner_Full			23	26	30	Pass	3
	Inner_1RB_Left			23	26	30	Pass	3
	Inner_1RB_Right			22.35	25.35	30	Pass	3
	CP-OFDM 256QAM			Edge_Full_Left	19.62	22.62	30	Pass
			Edge_Full_Right	19.72	22.72	30	Pass	3
			Edge_1RB_Left	21.11	24.11	30	Pass	3
			Edge_1RB_Right	20.87	23.87	30	Pass	3
			Outer_Full	19.84	22.84	30	Pass	3
Inner_Full		20.06	23.06	30	Pass	3		
Inner_1RB_Left		21.21	24.21	30	Pass	3		
Inner_1RB_Right		21.22	24.22	30	Pass	3		
DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	26.01	29.01	30	Pass	3	
	Edge_Full_Right	25.86	28.86	30	Pass	3		
	Edge_1RB_Left	25.89	28.89	30	Pass	3		
	Edge_1RB_Right	25.99	28.99	30	Pass	3		
	Outer_Full	25.95	28.95	30	Pass	3		
	Inner_Full	26.26	29.26	30	Pass	3		
	Inner_1RB_Left	26.33	29.33	30	Pass	3		
	Inner_1RB_Right	25.99	28.99	30	Pass	3		
	DFT-s-OFDM QPSK	Edge_Full_Left	25.73	28.73	30	Pass	3	
Edge_Full_Right		25.55	28.55	30	Pass	3		

		Edge_1RB_Left	25.62	28.62	30	Pass	3
		Edge_1RB_Right	25.61	28.61	30	Pass	3
		Outer_Full	25.62	28.62	30	Pass	3
		Inner_Full	26.17	29.17	30	Pass	3
		Inner_1RB_Left	25.9	28.9	30	Pass	3
		Inner_1RB_Right	26.12	29.12	30	Pass	3
	DFT-s-OFDM 16QAM	Edge_Full_Left	24.83	27.83	30	Pass	3
		Edge_Full_Right	24.61	27.61	30	Pass	3
		Edge_1RB_Left	24.63	27.63	30	Pass	3
		Edge_1RB_Right	24.32	27.32	30	Pass	3
		Outer_Full	24.73	27.73	30	Pass	3
		Inner_Full	25.68	28.68	30	Pass	3
	DFT-s-OFDM 64QAM	Inner_1RB_Left	25.53	28.53	30	Pass	3
		Inner_1RB_Right	25.67	28.67	30	Pass	3
		Edge_Full_Left	24.33	27.33	30	Pass	3
		Edge_Full_Right	24.09	27.09	30	Pass	3
		Edge_1RB_Left	24.74	27.74	30	Pass	3
		Edge_1RB_Right	24.89	27.89	30	Pass	3
	DFT-s-OFDM 256QAM	Outer_Full	24.31	27.31	30	Pass	3
		Inner_Full	24	27	30	Pass	3
		Inner_1RB_Left	24.85	27.85	30	Pass	3
		Inner_1RB_Right	24.56	27.56	30	Pass	3
		Edge_Full_Left	21.98	24.98	30	Pass	3
		Edge_Full_Right	21.79	24.79	30	Pass	3
	CP-OFDM QPSK	Edge_1RB_Left	22.57	25.57	30	Pass	3
		Edge_1RB_Right	22.2	25.2	30	Pass	3
		Outer_Full	21.97	24.97	30	Pass	3
		Inner_Full	21.82	24.82	30	Pass	3
		Inner_1RB_Left	22.12	25.12	30	Pass	3
		Inner_1RB_Right	22.31	25.31	30	Pass	3
	CP-OFDM 16QAM	Edge_Full_Left	24.03	27.03	30	Pass	3
		Edge_Full_Right	23.65	26.65	30	Pass	3
		Edge_1RB_Left	22.81	25.81	30	Pass	3
		Edge_1RB_Right	22.95	25.95	30	Pass	3
		Outer_Full	23.69	26.69	30	Pass	3
		Inner_Full	24.96	27.96	30	Pass	3
		Inner_1RB_Left	24.48	27.48	30	Pass	3
		Inner_1RB_Right	24.49	27.49	30	Pass	3
		Edge_Full_Left	23.42	26.42	30	Pass	3
		Edge_Full_Right	23.62	26.62	30	Pass	3
		Edge_1RB_Left	23.25	26.25	30	Pass	3
		Edge_1RB_Right	23.54	26.54	30	Pass	3
		Outer_Full	23.78	26.78	30	Pass	3

			Inner_Full	24.57	27.57	30	Pass	3		
			Inner_1RB_Left	23.97	26.97	30	Pass	3		
			Inner_1RB_Right	24.41	27.41	30	Pass	3		
	CP-OFDM 64QAM		Edge_Full_Left	22.27	25.27	30	Pass	3		
			Edge_Full_Right	22.41	25.41	30	Pass	3		
			Edge_1RB_Left	22.44	25.44	30	Pass	3		
			Edge_1RB_Right	22.37	25.37	30	Pass	3		
			Outer_Full	23.44	26.44	30	Pass	3		
			Inner_Full	22.83	25.83	30	Pass	3		
			Inner_1RB_Left	21.96	24.96	30	Pass	3		
			Inner_1RB_Right	22.46	25.46	30	Pass	3		
			Edge_Full_Left	19.81	22.81	30	Pass	3		
	Edge_Full_Right		19.77	22.77	30	Pass	3			
	CP-OFDM 256QAM		Edge_1RB_Left	21.67	24.67	30	Pass	3		
			Edge_1RB_Right	21.24	24.24	30	Pass	3		
			Outer_Full	20.17	23.17	30	Pass	3		
			Inner_Full	20.07	23.07	30	Pass	3		
			Inner_1RB_Left	21.48	24.48	30	Pass	3		
			Inner_1RB_Right	21.05	24.05	30	Pass	3		
			DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	25.9	28.9	30	Pass	3
					Edge_Full_Right	25.76	28.76	30	Pass	3
		Edge_1RB_Left			25.89	28.89	30	Pass	3	
	Edge_1RB_Right	25.74			28.74	30	Pass	3		
	Outer_Full	26.13			29.13	30	Pass	3		
	Inner_Full	26.26			29.26	30	Pass	3		
	Inner_1RB_Left	25.82			28.82	30	Pass	3		
	Inner_1RB_Right	26.43			29.43	30	Pass	3		
	Edge_Full_Left	25.2			28.2	30	Pass	3		
	Edge_Full_Right	25.54	28.54		30	Pass	3			
	DFT-s-OFDM QPSK	Edge_1RB_Left	25.11		28.11	30	Pass	3		
Edge_1RB_Right		25.07	28.07		30	Pass	3			
Outer_Full		25.66	28.66		30	Pass	3			
Inner_Full		26.08	29.08		30	Pass	3			
Inner_1RB_Left		26.22	29.22		30	Pass	3			
Inner_1RB_Right		26.15	29.15		30	Pass	3			
DFT-s-OFDM 16QAM		Edge_Full_Left	24.23		27.23	30	Pass	3		
		Edge_Full_Right	23.81		26.81	30	Pass	3		
		Edge_1RB_Left	24.23	27.23	30	Pass	3			
	Edge_1RB_Right	24.32	27.32	30	Pass	3				
	Outer_Full	24.63	27.63	30	Pass	3				
	Inner_Full	25.43	28.43	30	Pass	3				
	Inner_1RB_Left	25.5	28.5	30	Pass	3				
	Inner_1RB_Right	25.5	28.5	30	Pass	3				

	DFT-s-OFDM 64QAM	Edge_Full_Left	24.53	27.53	30	Pass	3
		Edge_Full_Right	24.37	27.37	30	Pass	3
		Edge_1RB_Left	24.9	27.9	30	Pass	3
		Edge_1RB_Right	24.73	27.73	30	Pass	3
		Outer_Full	24.12	27.12	30	Pass	3
		Inner_Full	23.77	26.77	30	Pass	3
		Inner_1RB_Left	24.83	27.83	30	Pass	3
		Inner_1RB_Right	24.96	27.96	30	Pass	3
	DFT-s-OFDM 256QAM	Edge_Full_Left	22.2	25.2	30	Pass	3
		Edge_Full_Right	22.13	25.13	30	Pass	3
		Edge_1RB_Left	22.38	25.38	30	Pass	3
		Edge_1RB_Right	22.21	25.21	30	Pass	3
		Outer_Full	21.62	24.62	30	Pass	3
		Inner_Full	21.58	24.58	30	Pass	3
		Inner_1RB_Left	22.34	25.34	30	Pass	3
		Inner_1RB_Right	22.07	25.07	30	Pass	3
	CP-OFDM QPSK	Edge_Full_Left	23.75	26.75	30	Pass	3
		Edge_Full_Right	23.49	26.49	30	Pass	3
		Edge_1RB_Left	22.96	25.96	30	Pass	3
		Edge_1RB_Right	22.93	25.93	30	Pass	3
		Outer_Full	23.67	26.67	30	Pass	3
		Inner_Full	24.91	27.91	30	Pass	3
		Inner_1RB_Left	24.5	27.5	30	Pass	3
		Inner_1RB_Right	24.61	27.61	30	Pass	3
	CP-OFDM 16QAM	Edge_Full_Left	23.48	26.48	30	Pass	3
		Edge_Full_Right	23.21	26.21	30	Pass	3
		Edge_1RB_Left	22.81	25.81	30	Pass	3
		Edge_1RB_Right	22.48	25.48	30	Pass	3
		Outer_Full	23.43	26.43	30	Pass	3
		Inner_Full	24.75	27.75	30	Pass	3
		Inner_1RB_Left	24.33	27.33	30	Pass	3
		Inner_1RB_Right	24	27	30	Pass	3
	CP-OFDM 64QAM	Edge_Full_Left	21.95	24.95	30	Pass	3
		Edge_Full_Right	22.23	25.23	30	Pass	3
		Edge_1RB_Left	22.68	25.68	30	Pass	3
		Edge_1RB_Right	22.43	25.43	30	Pass	3
		Outer_Full	23.25	26.25	30	Pass	3
		Inner_Full	22.76	25.76	30	Pass	3
		Inner_1RB_Left	22.93	25.93	30	Pass	3
		Inner_1RB_Right	22.75	25.75	30	Pass	3
	CP-OFDM 256QAM	Edge_Full_Left	19.69	22.69	30	Pass	3
		Edge_Full_Right	19.77	22.77	30	Pass	3
		Edge_1RB_Left	20.84	23.84	30	Pass	3

			Edge_1RB_Right	21.43	24.43	30	Pass	3
			Outer_Full	19.75	22.75	30	Pass	3
			Inner_Full	19.8	22.8	30	Pass	3
			Inner_1RB_Left	20.8	23.8	30	Pass	3
			Inner_1RB_Right	20.99	23.99	30	Pass	3
15MHz	DFT-s-OFDM PI/2 BPSK	3457.5MHz	Edge_Full_Left	26.23	29.23	30	Pass	3
			Edge_Full_Right	25.73	28.73	30	Pass	3
			Edge_1RB_Left	25.69	28.69	30	Pass	3
			Edge_1RB_Right	25.72	28.72	30	Pass	3
			Outer_Full	26.11	29.11	30	Pass	3
			Inner_Full	26.12	29.12	30	Pass	3
			Inner_1RB_Left	26.04	29.04	30	Pass	3
			Inner_1RB_Right	26.19	29.19	30	Pass	3
	DFT-s-OFDM QPSK		Edge_Full_Left	25.61	28.61	30	Pass	3
			Edge_Full_Right	25.54	28.54	30	Pass	3
			Edge_1RB_Left	25.28	28.28	30	Pass	3
			Edge_1RB_Right	25.26	28.26	30	Pass	3
			Outer_Full	25.39	28.39	30	Pass	3
			Inner_Full	26.27	29.27	30	Pass	3
			Inner_1RB_Left	26.28	29.28	30	Pass	3
			Inner_1RB_Right	26.08	29.08	30	Pass	3
	DFT-s-OFDM 16QAM		Edge_Full_Left	24.26	27.26	30	Pass	3
			Edge_Full_Right	24.27	27.27	30	Pass	3
			Edge_1RB_Left	24.46	27.46	30	Pass	3
			Edge_1RB_Right	24.17	27.17	30	Pass	3
			Outer_Full	24.67	27.67	30	Pass	3
			Inner_Full	25.79	28.79	30	Pass	3
			Inner_1RB_Left	25.37	28.37	30	Pass	3
			Inner_1RB_Right	25.64	28.64	30	Pass	3
	DFT-s-OFDM 64QAM		Edge_Full_Left	24.25	27.25	30	Pass	3
			Edge_Full_Right	24.18	27.18	30	Pass	3
			Edge_1RB_Left	24.18	27.18	30	Pass	3
			Edge_1RB_Right	23.63	26.63	30	Pass	3
			Outer_Full	24.17	27.17	30	Pass	3
			Inner_Full	24.42	27.42	30	Pass	3
			Inner_1RB_Left	23.79	26.79	30	Pass	3
			Inner_1RB_Right	23.65	26.65	30	Pass	3
	DFT-s-OFDM 256QAM		Edge_Full_Left	22.09	25.09	30	Pass	3
			Edge_Full_Right	21.92	24.92	30	Pass	3
			Edge_1RB_Left	21.69	24.69	30	Pass	3
			Edge_1RB_Right	21.56	24.56	30	Pass	3
			Outer_Full	21.98	24.98	30	Pass	3
			Inner_Full	22.25	25.25	30	Pass	3

			Inner_1RB_Left	21.65	24.65	30	Pass	3
			Inner_1RB_Right	21.97	24.97	30	Pass	3
	CP-OFDM QPSK		Edge_Full_Left	23.78	26.78	30	Pass	3
			Edge_Full_Right	23.69	26.69	30	Pass	3
			Edge_1RB_Left	23.44	26.44	30	Pass	3
			Edge_1RB_Right	23.44	26.44	30	Pass	3
			Outer_Full	23.69	26.69	30	Pass	3
			Inner_Full	24.62	27.62	30	Pass	3
			Inner_1RB_Left	24.75	27.75	30	Pass	3
			Inner_1RB_Right	24.99	27.99	30	Pass	3
			CP-OFDM 16QAM	Edge_Full_Left	23.37	26.37	30	Pass
	Edge_Full_Right			23.37	26.37	30	Pass	3
	Edge_1RB_Left			23.37	26.37	30	Pass	3
	Edge_1RB_Right			23.14	26.14	30	Pass	3
	Outer_Full			23.44	26.44	30	Pass	3
	Inner_Full			24.33	27.33	30	Pass	3
	Inner_1RB_Left			24.58	27.58	30	Pass	3
	Inner_1RB_Right			24.78	27.78	30	Pass	3
	CP-OFDM 64QAM			Edge_Full_Left	22.75	25.75	30	Pass
			Edge_Full_Right	22.8	25.8	30	Pass	3
			Edge_1RB_Left	23.3	26.3	30	Pass	3
			Edge_1RB_Right	23.22	26.22	30	Pass	3
			Outer_Full	22.71	25.71	30	Pass	3
			Inner_Full	22.76	25.76	30	Pass	3
			Inner_1RB_Left	23.36	26.36	30	Pass	3
			Inner_1RB_Right	23.47	26.47	30	Pass	3
			CP-OFDM 256QAM	Edge_Full_Left	20.09	23.09	30	Pass
	Edge_Full_Right	20.28		23.28	30	Pass	3	
	Edge_1RB_Left	20.59		23.59	30	Pass	3	
	Edge_1RB_Right	20.25		23.25	30	Pass	3	
	Outer_Full	20.19		23.19	30	Pass	3	
	Inner_Full	19.89		22.89	30	Pass	3	
	Inner_1RB_Left	20.4		23.4	30	Pass	3	
Inner_1RB_Right	19.86	22.86		30	Pass	3		
DFT-s-OFDM PI/2 BPSK	3500.01MHz	Edge_Full_Left		25.57	28.57	30	Pass	3
		Edge_Full_Right	25.98	28.98	30	Pass	3	
		Edge_1RB_Left	25.78	28.78	30	Pass	3	
		Edge_1RB_Right	25.76	28.76	30	Pass	3	
		Outer_Full	25.94	28.94	30	Pass	3	
		Inner_Full	26.33	29.33	30	Pass	3	
		Inner_1RB_Left	26.3	29.3	30	Pass	3	
		Inner_1RB_Right	26.58	29.58	30	Pass	3	
		DFT-s-OFDM QPSK	Edge_Full_Left	25.61	28.61	30	Pass	3

		Edge_Full_Right	25.59	28.59	30	Pass	3
		Edge_1RB_Left	25.5	28.5	30	Pass	3
		Edge_1RB_Right	25.37	28.37	30	Pass	3
		Outer_Full	25.73	28.73	30	Pass	3
		Inner_Full	26.31	29.31	30	Pass	3
		Inner_1RB_Left	26.09	29.09	30	Pass	3
		Inner_1RB_Right	26.28	29.28	30	Pass	3
	DFT-s-OFDM 16QAM	Edge_Full_Left	24.63	27.63	30	Pass	3
		Edge_Full_Right	24.69	27.69	30	Pass	3
		Edge_1RB_Left	24.74	27.74	30	Pass	3
		Edge_1RB_Right	24.59	27.59	30	Pass	3
		Outer_Full	24.8	27.8	30	Pass	3
		Inner_Full	25.67	28.67	30	Pass	3
		Inner_1RB_Left	25.19	28.19	30	Pass	3
	DFT-s-OFDM 64QAM	Inner_1RB_Right	25.45	28.45	30	Pass	3
		Edge_Full_Left	24.16	27.16	30	Pass	3
		Edge_Full_Right	24.44	27.44	30	Pass	3
		Edge_1RB_Left	24.07	27.07	30	Pass	3
		Edge_1RB_Right	24.02	27.02	30	Pass	3
		Outer_Full	24.03	27.03	30	Pass	3
		Inner_Full	24.29	27.29	30	Pass	3
	DFT-s-OFDM 256QAM	Inner_1RB_Left	24.02	27.02	30	Pass	3
		Inner_1RB_Right	23.92	26.92	30	Pass	3
		Edge_Full_Left	22.26	25.26	30	Pass	3
		Edge_Full_Right	21.98	24.98	30	Pass	3
		Edge_1RB_Left	21.79	24.79	30	Pass	3
		Edge_1RB_Right	22.19	25.19	30	Pass	3
		Outer_Full	22.23	25.23	30	Pass	3
	CP-OFDM QPSK	Inner_Full	22.09	25.09	30	Pass	3
		Inner_1RB_Left	21.96	24.96	30	Pass	3
		Inner_1RB_Right	21.88	24.88	30	Pass	3
		Edge_Full_Left	23.89	26.89	30	Pass	3
		Edge_Full_Right	23.61	26.61	30	Pass	3
		Edge_1RB_Left	23.62	26.62	30	Pass	3
		Edge_1RB_Right	23.32	26.32	30	Pass	3
	CP-OFDM 16QAM	Outer_Full	23.44	26.44	30	Pass	3
		Inner_Full	25.25	28.25	30	Pass	3
		Inner_1RB_Left	24.93	27.93	30	Pass	3
		Inner_1RB_Right	25.11	28.11	30	Pass	3
		Edge_Full_Left	23.62	26.62	30	Pass	3
		Edge_Full_Right	23.85	26.85	30	Pass	3
		Edge_1RB_Left	23.6	26.6	30	Pass	3
		Edge_1RB_Right	23.45	26.45	30	Pass	3

		3542.52MHz	Outer_Full	23.85	26.85	30	Pass	3	
			Inner_Full	24.82	27.82	30	Pass	3	
			Inner_1RB_Left	23.86	26.86	30	Pass	3	
			Inner_1RB_Right	24.29	27.29	30	Pass	3	
	CP-OFDM 64QAM		Edge_Full_Left	23.37	26.37	30	Pass	3	
			Edge_Full_Right	23.04	26.04	30	Pass	3	
			Edge_1RB_Left	23.39	26.39	30	Pass	3	
			Edge_1RB_Right	23.25	26.25	30	Pass	3	
			Outer_Full	22.83	25.83	30	Pass	3	
			Inner_Full	22.81	25.81	30	Pass	3	
			Inner_1RB_Left	23.36	26.36	30	Pass	3	
			Inner_1RB_Right	23.45	26.45	30	Pass	3	
			Edge_Full_Left	20.31	23.31	30	Pass	3	
			Edge_Full_Right	20.52	23.52	30	Pass	3	
			Edge_1RB_Left	20.63	23.63	30	Pass	3	
			Edge_1RB_Right	20.34	23.34	30	Pass	3	
	CP-OFDM 256QAM		Outer_Full	20.01	23.01	30	Pass	3	
			Inner_Full	19.97	22.97	30	Pass	3	
			Inner_1RB_Left	20.56	23.56	30	Pass	3	
			Inner_1RB_Right	20.35	23.35	30	Pass	3	
			DFT-s-OFDM PI/2 BPSK	Edge_Full_Left	26.13	29.13	30	Pass	3
				Edge_Full_Right	26.04	29.04	30	Pass	3
				Edge_1RB_Left	26.17	29.17	30	Pass	3
				Edge_1RB_Right	26.34	29.34	30	Pass	3
	Outer_Full			26.09	29.09	30	Pass	3	
	Inner_Full			26.26	29.26	30	Pass	3	
	Inner_1RB_Left			26.2	29.2	30	Pass	3	
	Inner_1RB_Right			26.31	29.31	30	Pass	3	
	DFT-s-OFDM QPSK		Edge_Full_Left	25.43	28.43	30	Pass	3	
			Edge_Full_Right	25.37	28.37	30	Pass	3	
Edge_1RB_Left		25.19	28.19	30	Pass	3			
Edge_1RB_Right		25.4	28.4	30	Pass	3			
Outer_Full		25.39	28.39	30	Pass	3			
Inner_Full		26.13	29.13	30	Pass	3			
Inner_1RB_Left		25.63	28.63	30	Pass	3			
Inner_1RB_Right		26.02	29.02	30	Pass	3			
DFT-s-OFDM 16QAM	Edge_Full_Left	24.04	27.04	30	Pass	3			
	Edge_Full_Right	24.35	27.35	30	Pass	3			
	Edge_1RB_Left	24	27	30	Pass	3			
	Edge_1RB_Right	24.42	27.42	30	Pass	3			
	Outer_Full	24.59	27.59	30	Pass	3			
	Inner_Full	25.66	28.66	30	Pass	3			
	Inner_1RB_Left	25.1	28.1	30	Pass	3			

	DFT-s-OFDM 64QAM	Inner_1RB_Right	25.36	28.36	30	Pass	3
		Edge_Full_Left	24.14	27.14	30	Pass	3
		Edge_Full_Right	24	27	30	Pass	3
		Edge_1RB_Left	23.97	26.97	30	Pass	3
		Edge_1RB_Right	23.81	26.81	30	Pass	3
		Outer_Full	23.63	26.63	30	Pass	3
		Inner_Full	24.12	27.12	30	Pass	3
		Inner_1RB_Left	23.71	26.71	30	Pass	3
		Inner_1RB_Right	23.75	26.75	30	Pass	3
	DFT-s-OFDM 256QAM	Edge_Full_Left	21.97	24.97	30	Pass	3
		Edge_Full_Right	21.88	24.88	30	Pass	3
		Edge_1RB_Left	21.86	24.86	30	Pass	3
		Edge_1RB_Right	21.57	24.57	30	Pass	3
		Outer_Full	21.95	24.95	30	Pass	3
		Inner_Full	21.99	24.99	30	Pass	3
		Inner_1RB_Left	21.61	24.61	30	Pass	3
		Inner_1RB_Right	21.44	24.44	30	Pass	3
		Edge_Full_Left	23.8	26.8	30	Pass	3
	CP-OFDM QPSK	Edge_Full_Right	23.82	26.82	30	Pass	3
		Edge_1RB_Left	23.53	26.53	30	Pass	3
		Edge_1RB_Right	23.4	26.4	30	Pass	3
		Outer_Full	23.6	26.6	30	Pass	3
		Inner_Full	24.94	27.94	30	Pass	3
		Inner_1RB_Left	25.01	28.01	30	Pass	3
		Inner_1RB_Right	25.02	28.02	30	Pass	3
		Edge_Full_Left	23.33	26.33	30	Pass	3
		Edge_Full_Right	22.9	25.9	30	Pass	3
	CP-OFDM 16QAM	Edge_1RB_Left	23.07	26.07	30	Pass	3
		Edge_1RB_Right	23.33	26.33	30	Pass	3
		Outer_Full	23.49	26.49	30	Pass	3
		Inner_Full	24.36	27.36	30	Pass	3
		Inner_1RB_Left	24.62	27.62	30	Pass	3
		Inner_1RB_Right	24.1	27.1	30	Pass	3
		Edge_Full_Left	23.04	26.04	30	Pass	3
		Edge_Full_Right	22.6	25.6	30	Pass	3
		Edge_1RB_Left	23.21	26.21	30	Pass	3
	CP-OFDM 64QAM	Edge_1RB_Right	23.39	26.39	30	Pass	3
		Outer_Full	22.63	25.63	30	Pass	3
		Inner_Full	23.05	26.05	30	Pass	3
		Inner_1RB_Left	23.54	26.54	30	Pass	3
		Inner_1RB_Right	23.12	26.12	30	Pass	3
	CP-OFDM 256QAM	Edge_Full_Left	20.69	23.69	30	Pass	3
		Edge_Full_Right	20.33	23.33	30	Pass	3

			Edge_1RB_Left	20.68	23.68	30	Pass	3
			Edge_1RB_Right	20.59	23.59	30	Pass	3
			Outer_Full	19.92	22.92	30	Pass	3
			Inner_Full	20.04	23.04	30	Pass	3
			Inner_1RB_Left	20.8	23.8	30	Pass	3
			Inner_1RB_Right	20.49	23.49	30	Pass	3
20MHz	DFT-s-OFDM PI/2 BPSK	3460.02MHz	Edge_Full_Left	26.1	29.1	30	Pass	3
			Edge_Full_Right	25.98	28.98	30	Pass	3
			Edge_1RB_Left	25.98	28.98	30	Pass	3
			Edge_1RB_Right	26.24	29.24	30	Pass	3
			Outer_Full	25.98	28.98	30	Pass	3
			Inner_Full	26.15	29.15	30	Pass	3
			Inner_1RB_Left	26.38	29.38	30	Pass	3
			Inner_1RB_Right	25.94	28.94	30	Pass	3
	DFT-s-OFDM QPSK		Edge_Full_Left	25.53	28.53	30	Pass	3
			Edge_Full_Right	25.44	28.44	30	Pass	3
			Edge_1RB_Left	25.72	28.72	30	Pass	3
			Edge_1RB_Right	25.93	28.93	30	Pass	3
			Outer_Full	25.98	28.98	30	Pass	3
			Inner_Full	26.23	29.23	30	Pass	3
			Inner_1RB_Left	26.1	29.1	30	Pass	3
			Inner_1RB_Right	25.86	28.86	30	Pass	3
	DFT-s-OFDM 16QAM		Edge_Full_Left	24.66	27.66	30	Pass	3
			Edge_Full_Right	24.77	27.77	30	Pass	3
			Edge_1RB_Left	24.46	27.46	30	Pass	3
			Edge_1RB_Right	24.25	27.25	30	Pass	3
			Outer_Full	24.63	27.63	30	Pass	3
			Inner_Full	25.36	28.36	30	Pass	3
			Inner_1RB_Left	25.25	28.25	30	Pass	3
			Inner_1RB_Right	25.37	28.37	30	Pass	3
	DFT-s-OFDM 64QAM		Edge_Full_Left	24.01	27.01	30	Pass	3
			Edge_Full_Right	24.31	27.31	30	Pass	3
			Edge_1RB_Left	24.12	27.12	30	Pass	3
			Edge_1RB_Right	23.93	26.93	30	Pass	3
			Outer_Full	24.26	27.26	30	Pass	3
			Inner_Full	23.91	26.91	30	Pass	3
			Inner_1RB_Left	23.91	26.91	30	Pass	3
			Inner_1RB_Right	23.9	26.9	30	Pass	3
	DFT-s-OFDM 256QAM		Edge_Full_Left	22.1	25.1	30	Pass	3
			Edge_Full_Right	22.26	25.26	30	Pass	3
			Edge_1RB_Left	22.21	25.21	30	Pass	3
			Edge_1RB_Right	21.77	24.77	30	Pass	3
			Outer_Full	22.19	25.19	30	Pass	3

	CP-OFDM QPSK	3500.01MHz	Inner_Full	22.26	25.26	30	Pass	3
			Inner_1RB_Left	21.8	24.8	30	Pass	3
			Inner_1RB_Right	21.63	24.63	30	Pass	3
			Edge_Full_Left	23.54	26.54	30	Pass	3
			Edge_Full_Right	23.44	26.44	30	Pass	3
			Edge_1RB_Left	23.82	26.82	30	Pass	3
			Edge_1RB_Right	23.52	26.52	30	Pass	3
			Outer_Full	23.35	26.35	30	Pass	3
			Inner_Full	25.41	28.41	30	Pass	3
	CP-OFDM 16QAM		Inner_1RB_Left	24.85	27.85	30	Pass	3
			Inner_1RB_Right	24.84	27.84	30	Pass	3
			Edge_Full_Left	23.42	26.42	30	Pass	3
			Edge_Full_Right	23.33	26.33	30	Pass	3
			Edge_1RB_Left	23.41	26.41	30	Pass	3
			Edge_1RB_Right	23.59	26.59	30	Pass	3
			Outer_Full	23.39	26.39	30	Pass	3
			Inner_Full	24.43	27.43	30	Pass	3
			Inner_1RB_Left	24.73	27.73	30	Pass	3
	CP-OFDM 64QAM		Inner_1RB_Right	24.57	27.57	30	Pass	3
			Edge_Full_Left	23.14	26.14	30	Pass	3
			Edge_Full_Right	23.02	26.02	30	Pass	3
			Edge_1RB_Left	23.24	26.24	30	Pass	3
			Edge_1RB_Right	22.57	25.57	30	Pass	3
			Outer_Full	23.09	26.09	30	Pass	3
			Inner_Full	23.21	26.21	30	Pass	3
			Inner_1RB_Left	22.92	25.92	30	Pass	3
			Inner_1RB_Right	22.74	25.74	30	Pass	3
	CP-OFDM 256QAM		Edge_Full_Left	20.54	23.54	30	Pass	3
			Edge_Full_Right	20.35	23.35	30	Pass	3
			Edge_1RB_Left	21.08	24.08	30	Pass	3
			Edge_1RB_Right	20.63	23.63	30	Pass	3
			Outer_Full	20.26	23.26	30	Pass	3
Inner_Full		20.1	23.1	30	Pass	3		
Inner_1RB_Left		20.86	23.86	30	Pass	3		
Inner_1RB_Right		20.55	23.55	30	Pass	3		
DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	26.48	29.48	30	Pass	3	
	Edge_Full_Right	26.28	29.28	30	Pass	3		
	Edge_1RB_Left	25.97	28.97	30	Pass	3		
	Edge_1RB_Right	25.88	28.88	30	Pass	3		
	Outer_Full	25.93	28.93	30	Pass	3		
	Inner_Full	26.4	29.4	30	Pass	3		
	Inner_1RB_Left	26.56	29.56	30	Pass	3		
	Inner_1RB_Right	26.47	29.47	30	Pass	3		

	DFT-s-OFDM QPSK	Edge_Full_Left	25.2	28.2	30	Pass	3
		Edge_Full_Right	25.71	28.71	30	Pass	3
		Edge_1RB_Left	25.47	28.47	30	Pass	3
		Edge_1RB_Right	25.33	28.33	30	Pass	3
		Outer_Full	25.77	28.77	30	Pass	3
		Inner_Full	26.2	29.2	30	Pass	3
		Inner_1RB_Left	26.42	29.42	30	Pass	3
		Inner_1RB_Right	25.87	28.87	30	Pass	3
	DFT-s-OFDM 16QAM	Edge_Full_Left	24.67	27.67	30	Pass	3
		Edge_Full_Right	24.55	27.55	30	Pass	3
		Edge_1RB_Left	24.08	27.08	30	Pass	3
		Edge_1RB_Right	24.07	27.07	30	Pass	3
		Outer_Full	24.72	27.72	30	Pass	3
		Inner_Full	25.58	28.58	30	Pass	3
		Inner_1RB_Left	25.29	28.29	30	Pass	3
		Inner_1RB_Right	25.09	28.09	30	Pass	3
	DFT-s-OFDM 64QAM	Edge_Full_Left	24.03	27.03	30	Pass	3
		Edge_Full_Right	24.27	27.27	30	Pass	3
		Edge_1RB_Left	24	27	30	Pass	3
		Edge_1RB_Right	23.92	26.92	30	Pass	3
		Outer_Full	24.11	27.11	30	Pass	3
		Inner_Full	24.29	27.29	30	Pass	3
		Inner_1RB_Left	24.27	27.27	30	Pass	3
		Inner_1RB_Right	24.38	27.38	30	Pass	3
	DFT-s-OFDM 256QAM	Edge_Full_Left	22.53	25.53	30	Pass	3
		Edge_Full_Right	22.13	25.13	30	Pass	3
		Edge_1RB_Left	22	25	30	Pass	3
		Edge_1RB_Right	21.89	24.89	30	Pass	3
		Outer_Full	22.37	25.37	30	Pass	3
		Inner_Full	22.2	25.2	30	Pass	3
		Inner_1RB_Left	22.01	25.01	30	Pass	3
		Inner_1RB_Right	21.82	24.82	30	Pass	3
	CP-OFDM QPSK	Edge_Full_Left	23.73	26.73	30	Pass	3
		Edge_Full_Right	23.48	26.48	30	Pass	3
		Edge_1RB_Left	23.63	26.63	30	Pass	3
		Edge_1RB_Right	23.88	26.88	30	Pass	3
		Outer_Full	23.57	26.57	30	Pass	3
		Inner_Full	25.31	28.31	30	Pass	3
		Inner_1RB_Left	25.32	28.32	30	Pass	3
		Inner_1RB_Right	24.79	27.79	30	Pass	3
	CP-OFDM 16QAM	Edge_Full_Left	24.04	27.04	30	Pass	3
		Edge_Full_Right	23.65	26.65	30	Pass	3
		Edge_1RB_Left	23.12	26.12	30	Pass	3

			Edge_1RB_Right	23.93	26.93	30	Pass	3
			Outer_Full	23.89	26.89	30	Pass	3
			Inner_Full	24.82	27.82	30	Pass	3
			Inner_1RB_Left	24.39	27.39	30	Pass	3
			Inner_1RB_Right	24.11	27.11	30	Pass	3
	CP-OFDM 64QAM		Edge_Full_Left	22.99	25.99	30	Pass	3
			Edge_Full_Right	23.26	26.26	30	Pass	3
			Edge_1RB_Left	23.35	26.35	30	Pass	3
			Edge_1RB_Right	22.99	25.99	30	Pass	3
			Outer_Full	23.11	26.11	30	Pass	3
			Inner_Full	23.06	26.06	30	Pass	3
			Inner_1RB_Left	23.45	26.45	30	Pass	3
			Inner_1RB_Right	23.07	26.07	30	Pass	3
	CP-OFDM 256QAM		Edge_Full_Left	20.32	23.32	30	Pass	3
			Edge_Full_Right	20.17	23.17	30	Pass	3
			Edge_1RB_Left	21.29	24.29	30	Pass	3
			Edge_1RB_Right	21.1	24.1	30	Pass	3
			Outer_Full	20.53	23.53	30	Pass	3
			Inner_Full	20.19	23.19	30	Pass	3
			Inner_1RB_Left	20.05	23.05	30	Pass	3
		Inner_1RB_Right	20.6	23.6	30	Pass	3	
	DFT-s-OFDM PI/2 BPSK	3540MHz	Edge_Full_Left	25.96	28.96	30	Pass	3
			Edge_Full_Right	26.24	29.24	30	Pass	3
			Edge_1RB_Left	26.19	29.19	30	Pass	3
			Edge_1RB_Right	25.89	28.89	30	Pass	3
			Outer_Full	26.09	29.09	30	Pass	3
			Inner_Full	25.96	28.96	30	Pass	3
			Inner_1RB_Left	26.29	29.29	30	Pass	3
			Inner_1RB_Right	26.26	29.26	30	Pass	3
	DFT-s-OFDM QPSK		Edge_Full_Left	25.42	28.42	30	Pass	3
Edge_Full_Right			25.52	28.52	30	Pass	3	
Edge_1RB_Left			25.67	28.67	30	Pass	3	
Edge_1RB_Right			25.42	28.42	30	Pass	3	
Outer_Full			25.68	28.68	30	Pass	3	
Inner_Full			26.17	29.17	30	Pass	3	
Inner_1RB_Left			26.17	29.17	30	Pass	3	
Inner_1RB_Right			25.89	28.89	30	Pass	3	
DFT-s-OFDM 16QAM	Edge_Full_Left		24.52	27.52	30	Pass	3	
	Edge_Full_Right		24.83	27.83	30	Pass	3	
	Edge_1RB_Left		24.41	27.41	30	Pass	3	
	Edge_1RB_Right		24.45	27.45	30	Pass	3	
	Outer_Full	24.56	27.56	30	Pass	3		
	Inner_Full	25.82	28.82	30	Pass	3		

	DFT-s-OFDM 64QAM	Inner_1RB_Left	25.43	28.43	30	Pass	3
		Inner_1RB_Right	25.13	28.13	30	Pass	3
		Edge_Full_Left	24.01	27.01	30	Pass	3
		Edge_Full_Right	24.33	27.33	30	Pass	3
		Edge_1RB_Left	23.66	26.66	30	Pass	3
		Edge_1RB_Right	24.27	27.27	30	Pass	3
		Outer_Full	23.96	26.96	30	Pass	3
		Inner_Full	24.27	27.27	30	Pass	3
		Inner_1RB_Left	24.13	27.13	30	Pass	3
	DFT-s-OFDM 256QAM	Inner_1RB_Right	23.8	26.8	30	Pass	3
		Edge_Full_Left	22.04	25.04	30	Pass	3
		Edge_Full_Right	22.13	25.13	30	Pass	3
		Edge_1RB_Left	21.62	24.62	30	Pass	3
		Edge_1RB_Right	21.64	24.64	30	Pass	3
		Outer_Full	21.89	24.89	30	Pass	3
		Inner_Full	21.81	24.81	30	Pass	3
		Inner_1RB_Left	21.54	24.54	30	Pass	3
		Inner_1RB_Right	21.83	24.83	30	Pass	3
	CP-OFDM QPSK	Edge_Full_Left	23.24	26.24	30	Pass	3
		Edge_Full_Right	23.16	26.16	30	Pass	3
		Edge_1RB_Left	23.67	26.67	30	Pass	3
		Edge_1RB_Right	23.75	26.75	30	Pass	3
		Outer_Full	23.92	26.92	30	Pass	3
		Inner_Full	25.13	28.13	30	Pass	3
		Inner_1RB_Left	24.81	27.81	30	Pass	3
		Inner_1RB_Right	24.97	27.97	30	Pass	3
		Edge_Full_Left	23.92	26.92	30	Pass	3
	CP-OFDM 16QAM	Edge_Full_Right	23.59	26.59	30	Pass	3
		Edge_1RB_Left	23.39	26.39	30	Pass	3
		Edge_1RB_Right	23.71	26.71	30	Pass	3
		Outer_Full	23.74	26.74	30	Pass	3
		Inner_Full	24.51	27.51	30	Pass	3
		Inner_1RB_Left	24.16	27.16	30	Pass	3
		Inner_1RB_Right	24.16	27.16	30	Pass	3
		Edge_Full_Left	22.78	25.78	30	Pass	3
		Edge_Full_Right	22.96	25.96	30	Pass	3
	CP-OFDM 64QAM	Edge_1RB_Left	22.85	25.85	30	Pass	3
		Edge_1RB_Right	22.99	25.99	30	Pass	3
		Outer_Full	22.93	25.93	30	Pass	3
		Inner_Full	23.18	26.18	30	Pass	3
		Inner_1RB_Left	23.16	26.16	30	Pass	3
		Inner_1RB_Right	23.35	26.35	30	Pass	3
		Edge_Full_Left	20.3	23.3	30	Pass	3
	CP-OFDM 256QAM						

			Edge_Full_Right	20.37	23.37	30	Pass	3
			Edge_1RB_Left	20.49	23.49	30	Pass	3
			Edge_1RB_Right	21.1	24.1	30	Pass	3
			Outer_Full	20.09	23.09	30	Pass	3
			Inner_Full	19.54	22.54	30	Pass	3
			Inner_1RB_Left	20.74	23.74	30	Pass	3
			Inner_1RB_Right	20.66	23.66	30	Pass	3

Frequency Stability

Bandwidth	Modulation	Frequency(MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Result (ppm)	Limit (ppm)	Verdict
10MHz	DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-5.56	-0.0016	2.5	Pass
					HV	4.71	0.0013	2.5	Pass
				-30	NV	-4.35	-0.0012	2.5	Pass
				-20	NV	4.91	0.0014	2.5	Pass
				-10	NV	5.27	0.0015	2.5	Pass
				0	NV	-7.83	-0.0022	2.5	Pass
				10	NV	-3.6	-0.0010	2.5	Pass
				20	NV	-3.52	-0.0010	2.5	Pass
				30	NV	2.47	0.0007	2.5	Pass
				40	NV	9.04	0.0026	2.5	Pass
	50			NV	-4.99	-0.0014	2.5	Pass	
	CP-OFDM QPSK			20	LV	2.89	0.0008	2.5	Pass
					HV	-2.9	-0.0008	2.5	Pass
				-30	NV	3.38	0.0010	2.5	Pass
				-20	NV	5.29	0.0015	2.5	Pass
				-10	NV	-3.29	-0.0009	2.5	Pass
				0	NV	6.96	0.0020	2.5	Pass
				10	NV	9.53	0.0027	2.5	Pass
				20	NV	-2.32	-0.0007	2.5	Pass
				30	NV	-6.05	-0.0017	2.5	Pass
40		NV	6.53	0.0019	2.5	Pass			
50	NV	-3.54	-0.0010	2.5	Pass				
15MHz	DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	8.22	0.0023	2.5	Pass
					HV	6.71	0.0019	2.5	Pass
				-30	NV	5.59	0.0016	2.5	Pass
				-20	NV	4.56	0.0013	2.5	Pass
				-10	NV	-8.99	-0.0026	2.5	Pass
				0	NV	-6.72	-0.0019	2.5	Pass
				10	NV	-4.09	-0.0012	2.5	Pass
				20	NV	-8.33	-0.0024	2.5	Pass
				30	NV	7.08	0.0020	2.5	Pass
				40	NV	7.2	0.0021	2.5	Pass
	50			NV	-4.21	-0.0012	2.5	Pass	
	CP-OFDM QPSK			20	LV	-4.26	-0.0012	2.5	Pass
					HV	4.55	0.0013	2.5	Pass
				-30	NV	10.39	0.0030	2.5	Pass
-20		NV	-3.31	-0.0009	2.5	Pass			

				-10	NV	-6.1	-0.0017	2.5	Pass
				0	NV	-3.17	-0.0009	2.5	Pass
				10	NV	2.99	0.0009	2.5	Pass
				20	NV	3.79	0.0011	2.5	Pass
				30	NV	6.04	0.0017	2.5	Pass
				40	NV	-8.6	-0.0025	2.5	Pass
				50	NV	-8.04	-0.0023	2.5	Pass
20MHz	DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-4.97	-0.0014	2.5	Pass
					HV	2.66	0.0008	2.5	Pass
				-30	NV	-9.66	-0.0028	2.5	Pass
				-20	NV	-8.56	-0.0024	2.5	Pass
				-10	NV	4.83	0.0014	2.5	Pass
				0	NV	-2.7	-0.0008	2.5	Pass
				10	NV	-3.56	-0.0010	2.5	Pass
				20	NV	4.4	0.0013	2.5	Pass
				30	NV	-4.27	-0.0012	2.5	Pass
				40	NV	6.49	0.0019	2.5	Pass
				50	NV	-4.36	-0.0012	2.5	Pass
				CP-OFDM QPSK	20	LV	-4.23	-0.0012	2.5
	HV					2.74	0.0008	2.5	Pass
	-30				NV	-2.06	-0.0006	2.5	Pass
	-20				NV	-3.94	-0.0011	2.5	Pass
	-10				NV	2.79	0.0008	2.5	Pass
	0				NV	6.22	0.0018	2.5	Pass
	10				NV	-6.91	-0.0020	2.5	Pass
	20				NV	-6.39	-0.0018	2.5	Pass
	30				NV	-7.13	-0.0020	2.5	Pass
	40				NV	8.27	0.0024	2.5	Pass
	50			NV	7.14	0.0020	2.5	Pass	

Field Strength of Spurious Radiation

NR N78a(3450-3550MHz)-FCC-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
6930.778	-60.24	-13	-47.24	-66.37	4.91	11.04	Horizontal	Pass
10363.68	-55.85	-13	-42.85	-63.43	5.52	13.1	Horizontal	Pass
14024.73	-53.36	-13	-40.36	-61.49	6.35	14.48	Horizontal	Pass
6973.265	-59.83	-13	-46.83	-66.01	4.92	11.1	Vertical	Pass
10405.99	-55.36	-13	-42.36	-62.94	5.52	13.1	Vertical	Pass
14024.73	-54.32	-13	-41.32	-62.45	6.35	14.48	Vertical	Pass