

Appendix A: Effective (Isotropic) Radiated Power Output Data

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted power(dBm)	Max Ant Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	22.05	1.16	23.21	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	22.03	1.16	23.19	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.08	1.16	23.24	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	22.32	1.16	23.48	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	22.32	1.16	23.48	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	22.30	1.16	23.46	33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	21.40	1.16	22.56	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	21.23	1.16	22.39	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	21.23	1.16	22.39	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	21.24	1.16	22.40	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	21.38	1.16	22.54	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	21.37	1.16	22.53	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	21.36	1.16	22.52	33	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	20.59	1.16	21.75	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.14	1.16	23.30	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.06	1.16	23.22	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.02	1.16	23.18	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	22.33	1.16	23.49	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	22.37	1.16	23.53	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	22.23	1.16	23.39	33	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	21.35	1.16	22.51	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	21.31	1.16	22.47	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	21.27	1.16	22.43	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	21.19	1.16	22.35	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	21.42	1.16	22.58	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	21.37	1.16	22.53	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	21.34	1.16	22.50	33	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	20.60	1.16	21.76	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	21.41	1.16	22.57	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	21.35	1.16	22.51	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	21.33	1.16	22.49	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	21.61	1.16	22.77	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	21.59	1.16	22.75	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	21.53	1.16	22.69	33	PASS

Band2	1.4MHz	QPSK	19193	6RB#0	20.65	1.16	21.81	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	20.57	1.16	21.73	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	20.54	1.16	21.70	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	20.51	1.16	21.67	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	20.65	1.16	21.81	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	20.70	1.16	21.86	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	20.62	1.16	21.78	33	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	19.93	1.16	21.09	33	PASS
Band2	3MHz	QPSK	18615	1RB#0	22.18	1.16	23.34	33	PASS
Band2	3MHz	QPSK	18615	1RB#8	22.20	1.16	23.36	33	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.25	1.16	23.41	33	PASS
Band2	3MHz	QPSK	18615	8RB#0	21.63	1.16	22.79	33	PASS
Band2	3MHz	QPSK	18615	8RB#4	21.62	1.16	22.78	33	PASS
Band2	3MHz	QPSK	18615	8RB#7	21.72	1.16	22.88	33	PASS
Band2	3MHz	QPSK	18615	15RB#0	21.65	1.16	22.81	33	PASS
Band2	3MHz	16QAM	18615	1RB#0	21.38	1.16	22.54	33	PASS
Band2	3MHz	16QAM	18615	1RB#8	21.43	1.16	22.59	33	PASS
Band2	3MHz	16QAM	18615	1RB#14	21.44	1.16	22.60	33	PASS
Band2	3MHz	16QAM	18615	8RB#0	20.88	1.16	22.04	33	PASS
Band2	3MHz	16QAM	18615	8RB#4	20.88	1.16	22.04	33	PASS
Band2	3MHz	16QAM	18615	8RB#7	20.94	1.16	22.10	33	PASS
Band2	3MHz	16QAM	18615	15RB#0	20.97	1.16	22.13	33	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.31	1.16	23.47	33	PASS
Band2	3MHz	QPSK	18900	1RB#8	22.12	1.16	23.28	33	PASS
Band2	3MHz	QPSK	18900	1RB#14	22.04	1.16	23.20	33	PASS
Band2	3MHz	QPSK	18900	8RB#0	21.68	1.16	22.84	33	PASS
Band2	3MHz	QPSK	18900	8RB#4	21.65	1.16	22.81	33	PASS
Band2	3MHz	QPSK	18900	8RB#7	21.57	1.16	22.73	33	PASS
Band2	3MHz	QPSK	18900	15RB#0	21.67	1.16	22.83	33	PASS
Band2	3MHz	16QAM	18900	1RB#0	21.53	1.16	22.69	33	PASS
Band2	3MHz	16QAM	18900	1RB#8	21.37	1.16	22.53	33	PASS
Band2	3MHz	16QAM	18900	1RB#14	21.32	1.16	22.48	33	PASS
Band2	3MHz	16QAM	18900	8RB#0	20.95	1.16	22.11	33	PASS
Band2	3MHz	16QAM	18900	8RB#4	20.97	1.16	22.13	33	PASS
Band2	3MHz	16QAM	18900	8RB#7	20.87	1.16	22.03	33	PASS
Band2	3MHz	16QAM	18900	15RB#0	20.95	1.16	22.11	33	PASS
Band2	3MHz	QPSK	19185	1RB#0	21.67	1.16	22.83	33	PASS
Band2	3MHz	QPSK	19185	1RB#8	21.57	1.16	22.73	33	PASS
Band2	3MHz	QPSK	19185	1RB#14	21.43	1.16	22.59	33	PASS
Band2	3MHz	QPSK	19185	8RB#0	21.07	1.16	22.23	33	PASS
Band2	3MHz	QPSK	19185	8RB#4	21.07	1.16	22.23	33	PASS
Band2	3MHz	QPSK	19185	8RB#7	20.99	1.16	22.15	33	PASS
Band2	3MHz	QPSK	19185	15RB#0	21.04	1.16	22.20	33	PASS

Band2	3MHz	16QAM	19185	1RB#0	20.91	1.16	22.07	33	PASS
Band2	3MHz	16QAM	19185	1RB#8	20.81	1.16	21.97	33	PASS
Band2	3MHz	16QAM	19185	1RB#14	20.72	1.16	21.88	33	PASS
Band2	3MHz	16QAM	19185	8RB#0	20.35	1.16	21.51	33	PASS
Band2	3MHz	16QAM	19185	8RB#4	20.32	1.16	21.48	33	PASS
Band2	3MHz	16QAM	19185	8RB#7	20.19	1.16	21.35	33	PASS
Band2	3MHz	16QAM	19185	15RB#0	20.34	1.16	21.50	33	PASS
Band2	5MHz	QPSK	18625	1RB#0	22.24	1.16	23.40	33	PASS
Band2	5MHz	QPSK	18625	1RB#12	22.56	1.16	23.72	33	PASS
Band2	5MHz	QPSK	18625	1RB#24	22.60	1.16	23.76	33	PASS
Band2	5MHz	QPSK	18625	12RB#0	21.82	1.16	22.98	33	PASS
Band2	5MHz	QPSK	18625	12RB#6	21.77	1.16	22.93	33	PASS
Band2	5MHz	QPSK	18625	12RB#13	21.87	1.16	23.03	33	PASS
Band2	5MHz	QPSK	18625	25RB#0	21.87	1.16	23.03	33	PASS
Band2	5MHz	16QAM	18625	1RB#0	21.61	1.16	22.77	33	PASS
Band2	5MHz	16QAM	18625	1RB#12	21.69	1.16	22.85	33	PASS
Band2	5MHz	16QAM	18625	1RB#24	21.72	1.16	22.88	33	PASS
Band2	5MHz	16QAM	18625	12RB#0	20.99	1.16	22.15	33	PASS
Band2	5MHz	16QAM	18625	12RB#6	20.98	1.16	22.14	33	PASS
Band2	5MHz	16QAM	18625	12RB#13	21.12	1.16	22.28	33	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.11	1.16	22.27	33	PASS
Band2	5MHz	QPSK	18900	1RB#0	22.69	1.16	23.85	33	PASS
Band2	5MHz	QPSK	18900	1RB#12	22.47	1.16	23.63	33	PASS
Band2	5MHz	QPSK	18900	1RB#24	22.28	1.16	23.44	33	PASS
Band2	5MHz	QPSK	18900	12RB#0	21.93	1.16	23.09	33	PASS
Band2	5MHz	QPSK	18900	12RB#6	21.96	1.16	23.12	33	PASS
Band2	5MHz	QPSK	18900	12RB#13	21.66	1.16	22.82	33	PASS
Band2	5MHz	QPSK	18900	25RB#0	21.82	1.16	22.98	33	PASS
Band2	5MHz	16QAM	18900	1RB#0	21.81	1.16	22.97	33	PASS
Band2	5MHz	16QAM	18900	1RB#12	21.64	1.16	22.80	33	PASS
Band2	5MHz	16QAM	18900	1RB#24	21.47	1.16	22.63	33	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.17	1.16	22.33	33	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.18	1.16	22.34	33	PASS
Band2	5MHz	16QAM	18900	12RB#13	20.90	1.16	22.06	33	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.10	1.16	22.26	33	PASS
Band2	5MHz	QPSK	19175	1RB#0	22.08	1.16	23.24	33	PASS
Band2	5MHz	QPSK	19175	1RB#12	21.90	1.16	23.06	33	PASS
Band2	5MHz	QPSK	19175	1RB#24	21.77	1.16	22.93	33	PASS
Band2	5MHz	QPSK	19175	12RB#0	21.43	1.16	22.59	33	PASS
Band2	5MHz	QPSK	19175	12RB#6	21.38	1.16	22.54	33	PASS
Band2	5MHz	QPSK	19175	12RB#13	21.11	1.16	22.27	33	PASS
Band2	5MHz	QPSK	19175	25RB#0	21.25	1.16	22.41	33	PASS
Band2	5MHz	16QAM	19175	1RB#0	21.23	1.16	22.39	33	PASS

Band2	5MHz	16QAM	19175	1RB#12	21.04	1.16	22.20	33	PASS
Band2	5MHz	16QAM	19175	1RB#24	20.96	1.16	22.12	33	PASS
Band2	5MHz	16QAM	19175	12RB#0	20.61	1.16	21.77	33	PASS
Band2	5MHz	16QAM	19175	12RB#6	20.62	1.16	21.78	33	PASS
Band2	5MHz	16QAM	19175	12RB#13	20.37	1.16	21.53	33	PASS
Band2	5MHz	16QAM	19175	25RB#0	20.55	1.16	21.71	33	PASS
Band2	10MHz	QPSK	18650	1RB#0	22.48	1.16	23.64	33	PASS
Band2	10MHz	QPSK	18650	1RB#24	22.56	1.16	23.72	33	PASS
Band2	10MHz	QPSK	18650	1RB#49	22.74	1.16	23.90	33	PASS
Band2	10MHz	QPSK	18650	25RB#0	21.82	1.16	22.98	33	PASS
Band2	10MHz	QPSK	18650	25RB#12	21.83	1.16	22.99	33	PASS
Band2	10MHz	QPSK	18650	25RB#25	22.11	1.16	23.27	33	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.05	1.16	23.21	33	PASS
Band2	10MHz	16QAM	18650	1RB#0	21.74	1.16	22.90	33	PASS
Band2	10MHz	16QAM	18650	1RB#24	21.84	1.16	23.00	33	PASS
Band2	10MHz	16QAM	18650	1RB#49	21.96	1.16	23.12	33	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.06	1.16	22.22	33	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.09	1.16	22.25	33	PASS
Band2	10MHz	16QAM	18650	25RB#25	21.32	1.16	22.48	33	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.26	1.16	22.42	33	PASS
Band2	10MHz	QPSK	18900	1RB#0	22.81	1.16	23.97	33	PASS
Band2	10MHz	QPSK	18900	1RB#24	22.43	1.16	23.59	33	PASS
Band2	10MHz	QPSK	18900	1RB#49	22.07	1.16	23.23	33	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.07	1.16	23.23	33	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.09	1.16	23.25	33	PASS
Band2	10MHz	QPSK	18900	25RB#25	21.61	1.16	22.77	33	PASS
Band2	10MHz	QPSK	18900	50RB#0	21.90	1.16	23.06	33	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.06	1.16	23.22	33	PASS
Band2	10MHz	16QAM	18900	1RB#24	21.72	1.16	22.88	33	PASS
Band2	10MHz	16QAM	18900	1RB#49	21.38	1.16	22.54	33	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.34	1.16	22.50	33	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.33	1.16	22.49	33	PASS
Band2	10MHz	16QAM	18900	25RB#25	20.85	1.16	22.01	33	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.15	1.16	22.31	33	PASS
Band2	10MHz	QPSK	19150	1RB#0	22.33	1.16	23.49	33	PASS
Band2	10MHz	QPSK	19150	1RB#24	21.97	1.16	23.13	33	PASS
Band2	10MHz	QPSK	19150	1RB#49	21.76	1.16	22.92	33	PASS
Band2	10MHz	QPSK	19150	25RB#0	21.69	1.16	22.85	33	PASS
Band2	10MHz	QPSK	19150	25RB#12	21.70	1.16	22.86	33	PASS
Band2	10MHz	QPSK	19150	25RB#25	21.13	1.16	22.29	33	PASS
Band2	10MHz	QPSK	19150	50RB#0	21.51	1.16	22.67	33	PASS
Band2	10MHz	16QAM	19150	1RB#0	21.59	1.16	22.75	33	PASS
Band2	10MHz	16QAM	19150	1RB#24	21.29	1.16	22.45	33	PASS

Band2	10MHz	16QAM	19150	1RB#49	21.03	1.16	22.19	33	PASS
Band2	10MHz	16QAM	19150	25RB#0	20.96	1.16	22.12	33	PASS
Band2	10MHz	16QAM	19150	25RB#12	20.98	1.16	22.14	33	PASS
Band2	10MHz	16QAM	19150	25RB#25	20.46	1.16	21.62	33	PASS
Band2	10MHz	16QAM	19150	50RB#0	20.78	1.16	21.94	33	PASS
Band2	15MHz	QPSK	18675	1RB#0	22.46	1.16	23.62	33	PASS
Band2	15MHz	QPSK	18675	1RB#38	22.65	1.16	23.81	33	PASS
Band2	15MHz	QPSK	18675	1RB#74	22.87	1.16	24.03	33	PASS
Band2	15MHz	QPSK	18675	38RB#0	21.71	1.16	22.87	33	PASS
Band2	15MHz	QPSK	18675	38RB#18	21.88	1.16	23.04	33	PASS
Band2	15MHz	QPSK	18675	38RB#37	22.12	1.16	23.28	33	PASS
Band2	15MHz	QPSK	18675	75RB#0	21.99	1.16	23.15	33	PASS
Band2	15MHz	16QAM	18675	1RB#0	21.73	1.16	22.89	33	PASS
Band2	15MHz	16QAM	18675	1RB#38	21.86	1.16	23.02	33	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.09	1.16	23.25	33	PASS
Band2	15MHz	16QAM	18675	38RB#0	21.72	1.16	22.88	33	PASS
Band2	15MHz	16QAM	18675	38RB#18	21.85	1.16	23.01	33	PASS
Band2	15MHz	16QAM	18675	38RB#37	22.08	1.16	23.24	33	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.16	1.16	22.32	33	PASS
Band2	15MHz	QPSK	18900	1RB#0	22.86	1.16	24.02	33	PASS
Band2	15MHz	QPSK	18900	1RB#38	22.38	1.16	23.54	33	PASS
Band2	15MHz	QPSK	18900	1RB#74	21.96	1.16	23.12	33	PASS
Band2	15MHz	QPSK	18900	38RB#0	22.17	1.16	23.33	33	PASS
Band2	15MHz	QPSK	18900	38RB#18	21.64	1.16	22.80	33	PASS
Band2	15MHz	QPSK	18900	38RB#37	21.23	1.16	22.39	33	PASS
Band2	15MHz	QPSK	18900	75RB#0	21.77	1.16	22.93	33	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.16	1.16	23.32	33	PASS
Band2	15MHz	16QAM	18900	1RB#38	21.59	1.16	22.75	33	PASS
Band2	15MHz	16QAM	18900	1RB#74	21.23	1.16	22.39	33	PASS
Band2	15MHz	16QAM	18900	38RB#0	22.10	1.16	23.26	33	PASS
Band2	15MHz	16QAM	18900	38RB#18	21.64	1.16	22.80	33	PASS
Band2	15MHz	16QAM	18900	38RB#37	21.21	1.16	22.37	33	PASS
Band2	15MHz	16QAM	18900	75RB#0	20.97	1.16	22.13	33	PASS
Band2	15MHz	QPSK	19125	1RB#0	22.14	1.16	23.30	33	PASS
Band2	15MHz	QPSK	19125	1RB#38	22.17	1.16	23.33	33	PASS
Band2	15MHz	QPSK	19125	1RB#74	21.71	1.16	22.87	33	PASS
Band2	15MHz	QPSK	19125	38RB#0	21.39	1.16	22.55	33	PASS
Band2	15MHz	QPSK	19125	38RB#18	21.45	1.16	22.61	33	PASS
Band2	15MHz	QPSK	19125	38RB#37	21.00	1.16	22.16	33	PASS
Band2	15MHz	QPSK	19125	75RB#0	21.38	1.16	22.54	33	PASS
Band2	15MHz	16QAM	19125	1RB#0	21.35	1.16	22.51	33	PASS
Band2	15MHz	16QAM	19125	1RB#38	21.43	1.16	22.59	33	PASS
Band2	15MHz	16QAM	19125	1RB#74	21.06	1.16	22.22	33	PASS

Band2	15MHz	16QAM	19125	38RB#0	21.38	1.16	22.54	33	PASS
Band2	15MHz	16QAM	19125	38RB#18	21.44	1.16	22.60	33	PASS
Band2	15MHz	16QAM	19125	38RB#37	21.02	1.16	22.18	33	PASS
Band2	15MHz	16QAM	19125	75RB#0	20.61	1.16	21.77	33	PASS
Band2	20MHz	QPSK	18700	1RB#0	22.08	1.16	23.24	33	PASS
Band2	20MHz	QPSK	18700	1RB#49	22.42	1.16	23.58	33	PASS
Band2	20MHz	QPSK	18700	1RB#99	22.61	1.16	23.77	33	PASS
Band2	20MHz	QPSK	18700	50RB#0	21.49	1.16	22.65	33	PASS
Band2	20MHz	QPSK	18700	50RB#25	21.48	1.16	22.64	33	PASS
Band2	20MHz	QPSK	18700	50RB#50	22.01	1.16	23.17	33	PASS
Band2	20MHz	QPSK	18700	100RB#0	21.77	1.16	22.93	33	PASS
Band2	20MHz	16QAM	18700	1RB#0	21.24	1.16	22.40	33	PASS
Band2	20MHz	16QAM	18700	1RB#49	21.53	1.16	22.69	33	PASS
Band2	20MHz	16QAM	18700	1RB#99	21.68	1.16	22.84	33	PASS
Band2	20MHz	16QAM	18700	50RB#0	20.69	1.16	21.85	33	PASS
Band2	20MHz	16QAM	18700	50RB#25	20.67	1.16	21.83	33	PASS
Band2	20MHz	16QAM	18700	50RB#50	21.21	1.16	22.37	33	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.01	1.16	22.17	33	PASS
Band2	20MHz	QPSK	18900	1RB#0	22.86	1.16	24.02	33	PASS
Band2	20MHz	QPSK	18900	1RB#49	22.40	1.16	23.56	33	PASS
Band2	20MHz	QPSK	18900	1RB#99	21.61	1.16	22.77	33	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.39	1.16	23.55	33	PASS
Band2	20MHz	QPSK	18900	50RB#25	22.42	1.16	23.58	33	PASS
Band2	20MHz	QPSK	18900	50RB#50	21.57	1.16	22.73	33	PASS
Band2	20MHz	QPSK	18900	100RB#0	21.98	1.16	23.14	33	PASS
Band2	20MHz	16QAM	18900	1RB#0	21.94	1.16	23.10	33	PASS
Band2	20MHz	16QAM	18900	1RB#49	21.47	1.16	22.63	33	PASS
Band2	20MHz	16QAM	18900	1RB#99	20.98	1.16	22.14	33	PASS
Band2	20MHz	16QAM	18900	50RB#0	21.61	1.16	22.77	33	PASS
Band2	20MHz	16QAM	18900	50RB#25	21.63	1.16	22.79	33	PASS
Band2	20MHz	16QAM	18900	50RB#50	20.83	1.16	21.99	33	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.22	1.16	22.38	33	PASS
Band2	20MHz	QPSK	19100	1RB#0	21.92	1.16	23.08	33	PASS
Band2	20MHz	QPSK	19100	1RB#49	22.28	1.16	23.44	33	PASS
Band2	20MHz	QPSK	19100	1RB#99	21.71	1.16	22.87	33	PASS
Band2	20MHz	QPSK	19100	50RB#0	21.28	1.16	22.44	33	PASS
Band2	20MHz	QPSK	19100	50RB#25	21.28	1.16	22.44	33	PASS
Band2	20MHz	QPSK	19100	50RB#50	21.22	1.16	22.38	33	PASS
Band2	20MHz	QPSK	19100	100RB#0	21.19	1.16	22.35	33	PASS
Band2	20MHz	16QAM	19100	1RB#0	21.27	1.16	22.43	33	PASS
Band2	20MHz	16QAM	19100	1RB#49	21.63	1.16	22.79	33	PASS
Band2	20MHz	16QAM	19100	1RB#99	21.11	1.16	22.27	33	PASS
Band2	20MHz	16QAM	19100	50RB#0	20.60	1.16	21.76	33	PASS

Band2	20MHz	16QAM	19100	50RB#25	20.61	1.16	21.77	33	PASS
Band2	20MHz	16QAM	19100	50RB#50	20.48	1.16	21.64	33	PASS
Band2	20MHz	16QAM	19100	100RB#0	20.50	1.16	21.66	33	PASS


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	5.29	13	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	5.42	13	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	6.22	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	6.15	13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	5.38	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	5.51	13	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	5.96	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	6.31	13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	5.42	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	5.51	13	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	6.54	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	6.31	13	PASS
Band2	3MHz	QPSK	18615	1RB#0	5.35	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	5.13	13	PASS
Band2	3MHz	16QAM	18615	1RB#0	6.15	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	6.06	13	PASS
Band2	3MHz	QPSK	18900	1RB#0	5.29	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.22	13	PASS
Band2	3MHz	16QAM	18900	1RB#0	5.90	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	6.09	13	PASS
Band2	3MHz	QPSK	19185	1RB#0	5.38	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	5.13	13	PASS
Band2	3MHz	16QAM	19185	1RB#0	6.51	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	6.15	13	PASS
Band2	5MHz	QPSK	18625	1RB#0	5.51	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	5.32	13	PASS
Band2	5MHz	16QAM	18625	1RB#0	5.80	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	6.09	13	PASS
Band2	5MHz	QPSK	18900	1RB#0	5.38	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.35	13	PASS
Band2	5MHz	16QAM	18900	1RB#0	5.96	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	6.12	13	PASS
Band2	5MHz	QPSK	19175	1RB#0	5.32	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	5.38	13	PASS
Band2	5MHz	16QAM	19175	1RB#0	5.83	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	6.22	13	PASS


Band2	10MHz	QPSK	18650	1RB#0	5.35	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	5.61	13	PASS
Band2	10MHz	16QAM	18650	1RB#0	6.19	13	PASS
Band2	10MHz	16QAM	18650	50RB#0	6.41	13	PASS
Band2	10MHz	QPSK	18900	1RB#0	5.10	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.51	13	PASS
Band2	10MHz	16QAM	18900	1RB#0	5.74	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	6.38	13	PASS
Band2	10MHz	QPSK	19150	1RB#0	5.10	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	5.45	13	PASS
Band2	10MHz	16QAM	19150	1RB#0	6.15	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	6.28	13	PASS
Band2	15MHz	QPSK	18675	1RB#0	8.24	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	6.09	13	PASS
Band2	15MHz	16QAM	18675	1RB#0	8.17	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	6.86	13	PASS
Band2	15MHz	QPSK	18900	1RB#0	8.21	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.74	13	PASS
Band2	15MHz	16QAM	18900	1RB#0	8.24	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	6.70	13	PASS
Band2	15MHz	QPSK	19125	1RB#0	8.21	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	5.54	13	PASS
Band2	15MHz	16QAM	19125	1RB#0	8.14	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	6.57	13	PASS
Band2	20MHz	QPSK	18700	1RB#0	8.46	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	6.63	13	PASS
Band2	20MHz	16QAM	18700	1RB#0	8.56	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	7.21	13	PASS
Band2	20MHz	QPSK	18900	1RB#0	8.37	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	6.38	13	PASS
Band2	20MHz	16QAM	18900	1RB#0	8.27	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	7.12	13	PASS
Band2	20MHz	QPSK	19100	1RB#0	8.59	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	6.35	13	PASS
Band2	20MHz	16QAM	19100	1RB#0	8.49	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	7.02	13	PASS


Test Graphs

































Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.095	1.29	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.105	1.30	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.1	1.29	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.1	1.29	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.095	1.29	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.1	1.30	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.7	2.98	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.68	2.97	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.7	2.98	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.69	2.97	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.7	2.97	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.69	3.00	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5	4.96	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5	4.93	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5	4.93	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.51	4.95	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.51	4.93	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.52	4.95	PASS
Band2	10MHz	QPSK	18650	50RB#0	9	9.93	PASS
Band2	10MHz	16QAM	18650	50RB#0	9	9.87	PASS
Band2	10MHz	QPSK	18900	50RB#0	9.033	9.90	PASS
Band2	10MHz	16QAM	18900	50RB#0	9	9.87	PASS
Band2	10MHz	QPSK	19150	50RB#0	9	9.80	PASS
Band2	10MHz	16QAM	19150	50RB#0	9	9.83	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.55	14.80	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.5	14.80	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.55	14.85	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.55	14.75	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.4	14.65	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.45	14.70	PASS
Band2	20MHz	QPSK	18700	100RB#0	18	19.73	PASS
Band2	20MHz	16QAM	18700	100RB#0	18.133	19.80	PASS
Band2	20MHz	QPSK	18900	100RB#0	18.133	19.93	PASS
Band2	20MHz	16QAM	18900	100RB#0	18.133	19.73	PASS


Band2	20MHz	QPSK	19100	100RB#0	17.867	19.60	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.933	19.53	PASS

Test Graphs






Date: 16.FEB.2025 01:58:48




Date: 16.FEB.2025 01:59:01

Band2-3MHz-QPSK-18615-15RB#0-PASS

Band2-3MHz-16QAM-18615-15RB#0-PASS




Date: 16.FEB.2025 01:59:17




Date: 16.FEB.2025 01:59:29

Band2-3MHz-QPSK-18900-15RB#0-PASS

Band2-3MHz-16QAM-18900-15RB#0-PASS




Date: 16.FEB.2025 01:59:45



Date: 16.FEB.2025 01:59:58


Band2-3MHz-QPSK-19185-15RB#0-PASS

Band2-3MHz-16QAM-19185-15RB#0-PASS




Date: 16.FEB.2025 02:31:36

Band2-5MHz-QPSK-18625-25RB#0-PASS




Date: 16.FEB.2025 02:31:56

Band2-5MHz-16QAM-18625-25RB#0-PASS




Date: 16.FEB.2025 02:32:20

Band2-5MHz-QPSK-18900-25RB#0-PASS




Date: 16.FEB.2025 02:32:40

Band2-5MHz-16QAM-18900-25RB#0-PASS




Date: 16.FEB.2025 02:33:06

Band2-5MHz-QPSK-19175-25RB#0-PASS




Date: 16.FEB.2025 02:33:28

Band2-5MHz-16QAM-19175-25RB#0-PASS




Date: 16-FEB-2025 03:04:51

Band2-10MHz-QPSK-18650-50RB#0-PASS




Date: 16-FEB-2025 03:05:04

Band2-10MHz-16QAM-18650-50RB#0-PASS




Date: 16 FEB 2025 03:05:20

Band2-10MHz-QPSK-18900-50RB#0-PASS




Date: 16 FEB 2025 03:05:33

Band2-10MHz-16QAM-18900-50RB#0-PASS



Date: 16.FEB.2025 03:05:50


Band2-10MHz-QPSK-19150-50RB#0-PASS




Date: 16.FEB.2025 03:06:03

Band2-10MHz-16QAM-19150-50RB#0-PASS






Date: 16.FEB.2025 04:10:30




Date: 16.FEB.2025 04:10:42

Band2-20MHz-QPSK-18700-100RB#0-PASS

Band2-20MHz-16QAM-18700-100RB#0-PASS




Date: 16.FEB.2025 04:10:58




Date: 16.FEB.2025 04:11:09

Band2-20MHz-QPSK-18900-100RB#0-PASS

Band2-20MHz-16QAM-18900-100RB#0-PASS



Date: 16.FEB.2025 04:11:23



Date: 16.FEB.2025 04:11:35

Band2-20MHz-QPSK-19100-100RB#0-PASS

Band2-20MHz-16QAM-19100-100RB#0-PASS


Appendix D: Band Edge


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	-31.08	-13	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	-46.78	-13	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	-35.89	-13	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	-32.72	-13	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	-47.13	-13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	-36.58	-13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	-49.42	-13	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	-33.52	-13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	-37.80	-13	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	-49.96	-13	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	-35.12	-13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	-37.86	-13	PASS
Band2	3MHz	QPSK	18615	1RB#0	-16.94	-13	PASS
Band2	3MHz	QPSK	18615	1RB#14	-41.79	-13	PASS
Band2	3MHz	QPSK	18615	15RB#0	-29.55	-13	PASS
Band2	3MHz	16QAM	18615	1RB#0	-18.47	-13	PASS
Band2	3MHz	16QAM	18615	1RB#14	-42.04	-13	PASS
Band2	3MHz	16QAM	18615	15RB#0	-31.40	-13	PASS
Band2	3MHz	QPSK	19185	1RB#0	-43.31	-13	PASS
Band2	3MHz	QPSK	19185	1RB#14	-20.36	-13	PASS
Band2	3MHz	QPSK	19185	15RB#0	-31.67	-13	PASS
Band2	3MHz	16QAM	19185	1RB#0	-43.79	-13	PASS
Band2	3MHz	16QAM	19185	1RB#14	-22.07	-13	PASS
Band2	3MHz	16QAM	19185	15RB#0	-32.54	-13	PASS
Band2	5MHz	QPSK	18625	1RB#0	-24.74	-13	PASS
Band2	5MHz	QPSK	18625	1RB#24	-44.11	-13	PASS
Band2	5MHz	QPSK	18625	25RB#0	-34.27	-13	PASS
Band2	5MHz	16QAM	18625	1RB#0	-24.97	-13	PASS
Band2	5MHz	16QAM	18625	1RB#24	-44.47	-13	PASS
Band2	5MHz	16QAM	18625	25RB#0	-34.47	-13	PASS
Band2	5MHz	QPSK	19175	1RB#0	-44.87	-13	PASS
Band2	5MHz	QPSK	19175	1RB#24	-25.99	-13	PASS
Band2	5MHz	QPSK	19175	25RB#0	-36.18	-13	PASS
Band2	5MHz	16QAM	19175	1RB#0	-45.61	-13	PASS
Band2	5MHz	16QAM	19175	1RB#24	-27.33	-13	PASS
Band2	5MHz	16QAM	19175	25RB#0	-35.97	-13	PASS


Band2	10MHz	QPSK	18650	1RB#0	-27.35	-13	PASS
Band2	10MHz	QPSK	18650	1RB#49	-43.80	-13	PASS
Band2	10MHz	QPSK	18650	50RB#0	-33.71	-13	PASS
Band2	10MHz	16QAM	18650	1RB#0	-28.23	-13	PASS
Band2	10MHz	16QAM	18650	1RB#49	-44.01	-13	PASS
Band2	10MHz	16QAM	18650	50RB#0	-34.65	-13	PASS
Band2	10MHz	QPSK	19150	1RB#0	-44.75	-13	PASS
Band2	10MHz	QPSK	19150	1RB#49	-28.59	-13	PASS
Band2	10MHz	QPSK	19150	50RB#0	-37.87	-13	PASS
Band2	10MHz	16QAM	19150	1RB#0	-45.31	-13	PASS
Band2	10MHz	16QAM	19150	1RB#49	-29.28	-13	PASS
Band2	10MHz	16QAM	19150	50RB#0	-37.95	-13	PASS
Band2	15MHz	QPSK	18675	1RB#0	-28.10	-13	PASS
Band2	15MHz	QPSK	18675	1RB#74	-40.39	-13	PASS
Band2	15MHz	QPSK	18675	75RB#0	-34.04	-13	PASS
Band2	15MHz	16QAM	18675	1RB#0	-28.75	-13	PASS
Band2	15MHz	16QAM	18675	1RB#74	-40.89	-13	PASS
Band2	15MHz	16QAM	18675	75RB#0	-34.84	-13	PASS
Band2	15MHz	QPSK	19125	1RB#0	-41.50	-13	PASS
Band2	15MHz	QPSK	19125	1RB#74	-29.93	-13	PASS
Band2	15MHz	QPSK	19125	75RB#0	-37.34	-13	PASS
Band2	15MHz	16QAM	19125	1RB#0	-41.68	-13	PASS
Band2	15MHz	16QAM	19125	1RB#74	-30.53	-13	PASS
Band2	15MHz	16QAM	19125	75RB#0	-37.55	-13	PASS
Band2	20MHz	QPSK	18700	1RB#0	-29.99	-13	PASS
Band2	20MHz	QPSK	18700	1RB#99	-40.61	-13	PASS
Band2	20MHz	QPSK	18700	100RB#0	-33.98	-13	PASS
Band2	20MHz	16QAM	18700	1RB#0	-30.08	-13	PASS
Band2	20MHz	16QAM	18700	1RB#99	-41.17	-13	PASS
Band2	20MHz	16QAM	18700	100RB#0	-34.75	-13	PASS
Band2	20MHz	QPSK	19100	1RB#0	-40.39	-13	PASS
Band2	20MHz	QPSK	19100	1RB#99	-32.02	-13	PASS
Band2	20MHz	QPSK	19100	100RB#0	-36.10	-13	PASS
Band2	20MHz	16QAM	19100	1RB#0	-40.74	-13	PASS
Band2	20MHz	16QAM	19100	1RB#99	-32.25	-13	PASS
Band2	20MHz	16QAM	19100	100RB#0	-36.60	-13	PASS


Test Graphs
































Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	0.009~0.15	-59.54	-43	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	0.15~30	-62.87	-33	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	30~1000	-58.63	-23	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	-21.11	-13	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	3000~20000	-29.96	-13	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.009~0.15	-58.95	-43	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.15~30	-63.02	-33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	30~1000	-58.68	-23	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	1000~3000	-21.99	-13	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	3000~20000	-31.31	-13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.009~0.15	-58.47	-43	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.15~30	-62.76	-33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	30~1000	-58.69	-23	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	1000~3000	-26.36	-13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	3000~20000	-36.42	-13	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.009~0.15	-57.97	-43	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.15~30	-63.11	-33	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	30~1000	-58.64	-23	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	1000~3000	-27.33	-13	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	3000~20000	-37.95	-13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.009~0.15	-59.22	-43	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.15~30	-62.90	-33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	30~1000	-58.61	-23	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	1000~3000	-30.40	-13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3000~20000	-30.29	-13	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.009~0.15	-58.57	-43	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.15~30	-63.16	-33	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	30~1000	-58.69	-23	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	1000~3000	-31.01	-13	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	3000~20000	-31.33	-13	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.009~0.15	-60.19	-43	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.15~30	-63.07	-33	PASS
Band2	3MHz	QPSK	18615	1RB#0	30~1000	-58.67	-23	PASS
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	-44.51	-13	PASS
Band2	3MHz	QPSK	18615	1RB#0	3000~20000	-29.98	-13	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.009~0.15	-58.40	-43	PASS


Band2	3MHz	16QAM	18615	1RB#0	0.15~30	-62.71	-33	PASS
Band2	3MHz	16QAM	18615	1RB#0	30~1000	-58.71	-23	PASS
Band2	3MHz	16QAM	18615	1RB#0	1000~3000	-44.95	-13	PASS
Band2	3MHz	16QAM	18615	1RB#0	3000~20000	-31.19	-13	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.009~0.15	-58.25	-43	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.15~30	-63.24	-33	PASS
Band2	3MHz	QPSK	18900	1RB#0	30~1000	-58.69	-23	PASS
Band2	3MHz	QPSK	18900	1RB#0	1000~3000	-45.01	-13	PASS
Band2	3MHz	QPSK	18900	1RB#0	3000~20000	-36.53	-13	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.009~0.15	-57.24	-43	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.15~30	-62.73	-33	PASS
Band2	3MHz	16QAM	18900	1RB#0	30~1000	-58.64	-23	PASS
Band2	3MHz	16QAM	18900	1RB#0	1000~3000	-45.55	-13	PASS
Band2	3MHz	16QAM	18900	1RB#0	3000~20000	-36.94	-13	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.009~0.15	-58.00	-43	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.15~30	-62.62	-33	PASS
Band2	3MHz	QPSK	19185	1RB#0	30~1000	-58.70	-23	PASS
Band2	3MHz	QPSK	19185	1RB#0	1000~3000	-43.53	-13	PASS
Band2	3MHz	QPSK	19185	1RB#0	3000~20000	-31.73	-13	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.009~0.15	-60.28	-43	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.15~30	-63.40	-33	PASS
Band2	3MHz	16QAM	19185	1RB#0	30~1000	-58.69	-23	PASS
Band2	3MHz	16QAM	19185	1RB#0	1000~3000	-43.91	-13	PASS
Band2	3MHz	16QAM	19185	1RB#0	3000~20000	-33.17	-13	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.009~0.15	-59.92	-43	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.15~30	-63.07	-33	PASS
Band2	5MHz	QPSK	18625	1RB#0	30~1000	-58.65	-23	PASS
Band2	5MHz	QPSK	18625	1RB#0	1000~3000	-47.59	-13	PASS
Band2	5MHz	QPSK	18625	1RB#0	3000~20000	-29.86	-13	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.009~0.15	-62.14	-43	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.15~30	-63.36	-33	PASS
Band2	5MHz	16QAM	18625	1RB#0	30~1000	-58.50	-23	PASS
Band2	5MHz	16QAM	18625	1RB#0	1000~3000	-47.60	-13	PASS
Band2	5MHz	16QAM	18625	1RB#0	3000~20000	-30.64	-13	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.009~0.15	-59.19	-43	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.15~30	-63.44	-33	PASS
Band2	5MHz	QPSK	18900	1RB#0	30~1000	-58.71	-23	PASS
Band2	5MHz	QPSK	18900	1RB#0	1000~3000	-47.71	-13	PASS
Band2	5MHz	QPSK	18900	1RB#0	3000~20000	-38.22	-13	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.009~0.15	-59.07	-43	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.15~30	-63.27	-33	PASS
Band2	5MHz	16QAM	18900	1RB#0	30~1000	-58.66	-23	PASS
Band2	5MHz	16QAM	18900	1RB#0	1000~3000	-47.54	-13	PASS


Band2	5MHz	16QAM	18900	1RB#0	3000~20000	-39.22	-13	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.009~0.15	-59.03	-43	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.15~30	-62.80	-33	PASS
Band2	5MHz	QPSK	19175	1RB#0	30~1000	-58.54	-23	PASS
Band2	5MHz	QPSK	19175	1RB#0	1000~3000	-47.94	-13	PASS
Band2	5MHz	QPSK	19175	1RB#0	3000~20000	-32.36	-13	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.009~0.15	-59.61	-43	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.15~30	-63.49	-33	PASS
Band2	5MHz	16QAM	19175	1RB#0	30~1000	-58.74	-23	PASS
Band2	5MHz	16QAM	19175	1RB#0	1000~3000	-48.03	-13	PASS
Band2	5MHz	16QAM	19175	1RB#0	3000~20000	-33.44	-13	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.009~0.15	-61.24	-43	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.15~30	-63.62	-33	PASS
Band2	10MHz	QPSK	18650	1RB#0	30~1000	-58.74	-23	PASS
Band2	10MHz	QPSK	18650	1RB#0	1000~3000	-48.47	-13	PASS
Band2	10MHz	QPSK	18650	1RB#0	3000~20000	-30.31	-13	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.009~0.15	-60.52	-43	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.15~30	-63.28	-33	PASS
Band2	10MHz	16QAM	18650	1RB#0	30~1000	-58.72	-23	PASS
Band2	10MHz	16QAM	18650	1RB#0	1000~3000	-48.23	-13	PASS
Band2	10MHz	16QAM	18650	1RB#0	3000~20000	-30.61	-13	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.009~0.15	-58.62	-43	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.15~30	-63.38	-33	PASS
Band2	10MHz	QPSK	18900	1RB#0	30~1000	-58.68	-23	PASS
Band2	10MHz	QPSK	18900	1RB#0	1000~3000	-48.05	-13	PASS
Band2	10MHz	QPSK	18900	1RB#0	3000~20000	-35.87	-13	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.009~0.15	-60.02	-43	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.15~30	-63.47	-33	PASS
Band2	10MHz	16QAM	18900	1RB#0	30~1000	-58.63	-23	PASS
Band2	10MHz	16QAM	18900	1RB#0	1000~3000	-47.51	-13	PASS
Band2	10MHz	16QAM	18900	1RB#0	3000~20000	-36.70	-13	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.009~0.15	-59.42	-43	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.15~30	-63.09	-33	PASS
Band2	10MHz	QPSK	19150	1RB#0	30~1000	-58.64	-23	PASS
Band2	10MHz	QPSK	19150	1RB#0	1000~3000	-48.33	-13	PASS
Band2	10MHz	QPSK	19150	1RB#0	3000~20000	-33.27	-13	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.009~0.15	-59.93	-43	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.15~30	-63.43	-33	PASS
Band2	10MHz	16QAM	19150	1RB#0	30~1000	-58.72	-23	PASS
Band2	10MHz	16QAM	19150	1RB#0	1000~3000	-47.53	-13	PASS
Band2	10MHz	16QAM	19150	1RB#0	3000~20000	-34.57	-13	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.009~0.15	-60.62	-43	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.15~30	-63.36	-33	PASS


Band2	15MHz	QPSK	18675	1RB#0	30~1000	-58.65	-23	PASS
Band2	15MHz	QPSK	18675	1RB#0	1000~3000	-48.86	-13	PASS
Band2	15MHz	QPSK	18675	1RB#0	3000~20000	-31.02	-13	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.009~0.15	-62.56	-43	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.15~30	-62.65	-33	PASS
Band2	15MHz	16QAM	18675	1RB#0	30~1000	-58.59	-23	PASS
Band2	15MHz	16QAM	18675	1RB#0	1000~3000	-48.98	-13	PASS
Band2	15MHz	16QAM	18675	1RB#0	3000~20000	-31.99	-13	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.009~0.15	-57.10	-43	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.15~30	-63.49	-33	PASS
Band2	15MHz	QPSK	18900	1RB#0	30~1000	-58.59	-23	PASS
Band2	15MHz	QPSK	18900	1RB#0	1000~3000	-48.37	-13	PASS
Band2	15MHz	QPSK	18900	1RB#0	3000~20000	-36.98	-13	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.009~0.15	-58.36	-43	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.15~30	-63.54	-33	PASS
Band2	15MHz	16QAM	18900	1RB#0	30~1000	-58.76	-23	PASS
Band2	15MHz	16QAM	18900	1RB#0	1000~3000	-48.03	-13	PASS
Band2	15MHz	16QAM	18900	1RB#0	3000~20000	-38.38	-13	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.009~0.15	-60.33	-43	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.15~30	-62.77	-33	PASS
Band2	15MHz	QPSK	19125	1RB#0	30~1000	-58.66	-23	PASS
Band2	15MHz	QPSK	19125	1RB#0	1000~3000	-48.57	-13	PASS
Band2	15MHz	QPSK	19125	1RB#0	3000~20000	-34.43	-13	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.009~0.15	-60.71	-43	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.15~30	-63.25	-33	PASS
Band2	15MHz	16QAM	19125	1RB#0	30~1000	-58.73	-23	PASS
Band2	15MHz	16QAM	19125	1RB#0	1000~3000	-48.60	-13	PASS
Band2	15MHz	16QAM	19125	1RB#0	3000~20000	-35.74	-13	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.009~0.15	-62.26	-43	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.15~30	-63.21	-33	PASS
Band2	20MHz	QPSK	18700	1RB#0	30~1000	-58.62	-23	PASS
Band2	20MHz	QPSK	18700	1RB#0	1000~3000	-48.84	-13	PASS
Band2	20MHz	QPSK	18700	1RB#0	3000~20000	-31.32	-13	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.009~0.15	-59.51	-43	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.15~30	-63.61	-33	PASS
Band2	20MHz	16QAM	18700	1RB#0	30~1000	-58.63	-23	PASS
Band2	20MHz	16QAM	18700	1RB#0	1000~3000	-48.99	-13	PASS
Band2	20MHz	16QAM	18700	1RB#0	3000~20000	-32.86	-13	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.009~0.15	-59.07	-43	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.15~30	-62.85	-33	PASS
Band2	20MHz	QPSK	18900	1RB#0	30~1000	-58.70	-23	PASS
Band2	20MHz	QPSK	18900	1RB#0	1000~3000	-48.56	-13	PASS
Band2	20MHz	QPSK	18900	1RB#0	3000~20000	-35.26	-13	PASS


Band2	20MHz	16QAM	18900	1RB#0	0.009~0.15	-59.46	-43	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.15~30	-62.85	-33	PASS
Band2	20MHz	16QAM	18900	1RB#0	30~1000	-58.76	-23	PASS
Band2	20MHz	16QAM	18900	1RB#0	1000~3000	-48.72	-13	PASS
Band2	20MHz	16QAM	18900	1RB#0	3000~20000	-35.72	-13	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.009~0.15	-61.60	-43	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.15~30	-63.40	-33	PASS
Band2	20MHz	QPSK	19100	1RB#0	30~1000	-58.61	-23	PASS
Band2	20MHz	QPSK	19100	1RB#0	1000~3000	-47.66	-13	PASS
Band2	20MHz	QPSK	19100	1RB#0	3000~20000	-35.43	-13	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.009~0.15	-61.54	-43	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.15~30	-63.09	-33	PASS
Band2	20MHz	16QAM	19100	1RB#0	30~1000	-58.66	-23	PASS
Band2	20MHz	16QAM	19100	1RB#0	1000~3000	-48.06	-13	PASS
Band2	20MHz	16QAM	19100	1RB#0	3000~20000	-36.26	-13	PASS


Test Graphs






















Date: 16.FEB.2025 02:06:39




Date: 16.FEB.2025 02:06:54

Band2-3MHz-QPSK-18900-1RB#0-0.009~0.15-P ASS

Band2-3MHz-QPSK-18900-1RB#0-0.15~30-PASS




Date: 16.FEB.2025 02:07:08




Date: 16.FEB.2025 02:07:22

Band2-3MHz-QPSK-18900-1RB#0-30~1000-PAS S

Band2-3MHz-QPSK-18900-1RB#0-1000~3000-PASS




Date: 16.FEB.2025 02:07:37





Date: 16.FEB.2025 02:07:49


Band2-3MHz-QPSK-18900-1RB#0-3000~20000-PASS

Band2-3MHz-16QAM-18900-1RB#0-0.009~0.15-P ASS











Date: 16.FEB.2025 02:38:36

Band2-5MHz-QPSK-18625-1RB#0-3000~20000-PASS




Date: 16.FEB.2025 02:38:48

Band2-5MHz-16QAM-18625-1RB#0-0.009~0.15-P ASS




Date: 16.FEB.2025 02:39:03

Band2-5MHz-16QAM-18625-1RB#0-0.15~30-PA SS




Date: 16.FEB.2025 02:39:17

Band2-5MHz-16QAM-18625-1RB#0-30~1000-PAS S




Date: 16.FEB.2025 02:39:31

Band2-5MHz-16QAM-18625-1RB#0-1000~3000-PASS




Date: 16.FEB.2025 02:39:47

Band2-5MHz-16QAM-18625-1RB#0-3000~20000-PASS




Date: 16.FEB.2025 02:40:03

Band2-5MHz-QPSK-18900-1RB#0-0.009~0.15-P
ASS




Date: 16.FEB.2025 02:40:18

Band2-5MHz-QPSK-18900-1RB#0-0.15~30-PASS




Date: 16.FEB.2025 02:40:32

Band2-5MHz-QPSK-18900-1RB#0-30~1000-PAS
S




Date: 16.FEB.2025 02:40:46

Band2-5MHz-QPSK-18900-1RB#0-1000~3000-PA
SS




Date: 16.FEB.2025 02:41:01

Band2-5MHz-QPSK-18900-1RB#0-3000~20000-
PASS



Date: 16.FEB.2025 02:41:13


Band2-5MHz-16QAM-18900-1RB#0-0.009~0.15-P
ASS



Date: 16.FEB.2025 02:41:28

Band2-5MHz-16QAM-18900-1RB#0-0.15~30-PA


SS



Date: 16.FEB.2025 02:41:42

Band2-5MHz-16QAM-18900-1RB#0-30~1000-PAS


S



Date: 16.FEB.2025 02:41:56

Band2-5MHz-16QAM-18900-1RB#0-1000~3000-PASS


PASS



Date: 16.FEB.2025 02:42:11

Band2-5MHz-16QAM-18900-1RB#0-3000~20000-PASS


PASS



Date: 16.FEB.2025 02:42:27

Band2-5MHz-QPSK-19175-1RB#0-0.009~0.15-P


ASS





Date: 16.FEB.2025 02:42:42


Band2-5MHz-QPSK-19175-1RB#0-0.15~30-PASS


PASS
















Date: 16.FEB.2025 03:15:29

Band2-10MHz-QPSK-19150-1RB#0-30~1000-PA
SS




Date: 16.FEB.2025 03:15:44

Band2-10MHz-QPSK-19150-1RB#0-1000~3000-P
ASS




Date: 16.FEB.2025 03:15:59

Band2-10MHz-QPSK-19150-1RB#0-3000~20000
-PASS




Date: 16.FEB.2025 03:16:11

Band2-10MHz-16QAM-19150-1RB#0-0.009~0.15-
PASS




Date: 16.FEB.2025 03:16:26

Band2-10MHz-16QAM-19150-1RB#0-0.15~30-PA
SS




Date: 16.FEB.2025 03:16:40


Band2-10MHz-16QAM-19150-1RB#0-30~1000-PA
SS




Band2-10MHz-16QAM-19150-1RB#0-1000~3000
-PASS




Band2-10MHz-16QAM-19150-1RB#0-3000~20000
-PASS




Band2-15MHz-QPSK-18675-1RB#0-0.009~0.15-
PASS



Band2-15MHz-QPSK-18675-1RB#0-0.15~30-PAS
S



Band2-15MHz-QPSK-18675-1RB#0-30~1000-PA
SS



Band2-15MHz-QPSK-18675-1RB#0-1000~3000-P
ASS

