

Appendix A: Effective Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted power(dBm)	Max Ant Gain (dBi)	ERP (dBm)	Limit (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	23.12	-2.36	18.61	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.13	-2.36	18.62	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.11	-2.36	18.60	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	23.37	-2.36	18.86	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	23.42	-2.36	18.91	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	23.39	-2.36	18.88	38.45	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.46	-2.36	17.95	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	22.29	-2.36	17.78	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.30	-2.36	17.79	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	22.30	-2.36	17.79	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	22.43	-2.36	17.92	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	22.41	-2.36	17.90	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#3	22.40	-2.36	17.89	38.45	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	21.81	-2.36	17.30	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.00	-2.36	18.49	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.01	-2.36	18.50	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	23.02	-2.36	18.51	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	23.20	-2.36	18.69	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.17	-2.36	18.66	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	23.22	-2.36	18.71	38.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	22.23	-2.36	17.72	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	22.04	-2.36	17.53	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	22.01	-2.36	17.50	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	22.10	-2.36	17.59	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	22.28	-2.36	17.77	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	22.23	-2.36	17.72	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#3	22.28	-2.36	17.77	38.45	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	21.26	-2.36	16.75	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	22.85	-2.36	18.34	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	22.78	-2.36	18.27	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	22.78	-2.36	18.27	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	23.07	-2.36	18.56	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	23.08	-2.36	18.57	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	22.97	-2.36	18.46	38.45	PASS

Band5	1.4MHz	QPSK	20643	6RB#0	22.16	-2.36	17.65	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	21.98	-2.36	17.47	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	21.99	-2.36	17.48	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	21.95	-2.36	17.44	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	22.05	-2.36	17.54	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	22.09	-2.36	17.58	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#3	22.05	-2.36	17.54	38.45	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	21.30	-2.36	16.79	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#0	23.15	-2.36	18.64	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#8	23.21	-2.36	18.70	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#14	23.22	-2.36	18.71	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.55	-2.36	18.04	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.53	-2.36	18.02	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#7	22.62	-2.36	18.11	38.45	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.63	-2.36	18.12	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.25	-2.36	17.74	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#8	22.25	-2.36	17.74	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#14	22.26	-2.36	17.75	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#0	21.80	-2.36	17.29	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#4	21.82	-2.36	17.31	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#7	21.82	-2.36	17.31	38.45	PASS
Band5	3MHz	16QAM	20415	15RB#0	21.83	-2.36	17.32	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#0	22.91	-2.36	18.40	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#8	22.98	-2.36	18.47	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#14	22.94	-2.36	18.43	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#0	22.39	-2.36	17.88	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.35	-2.36	17.84	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#7	22.43	-2.36	17.92	38.45	PASS
Band5	3MHz	QPSK	20525	15RB#0	22.41	-2.36	17.90	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#0	22.18	-2.36	17.67	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#8	22.19	-2.36	17.68	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#14	22.20	-2.36	17.69	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#0	21.60	-2.36	17.09	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#4	21.61	-2.36	17.10	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#7	21.66	-2.36	17.15	38.45	PASS
Band5	3MHz	16QAM	20525	15RB#0	21.69	-2.36	17.18	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#0	22.91	-2.36	18.40	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#8	22.90	-2.36	18.39	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#14	22.84	-2.36	18.33	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#0	22.29	-2.36	17.78	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#4	22.33	-2.36	17.82	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#7	22.29	-2.36	17.78	38.45	PASS
Band5	3MHz	QPSK	20635	15RB#0	22.33	-2.36	17.82	38.45	PASS

Band5	3MHz	16QAM	20635	1RB#0	22.00	-2.36	17.49	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#8	21.93	-2.36	17.42	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#14	21.89	-2.36	17.38	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#0	21.53	-2.36	17.02	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#4	21.51	-2.36	17.00	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#7	21.52	-2.36	17.01	38.45	PASS
Band5	3MHz	16QAM	20635	15RB#0	21.50	-2.36	16.99	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#0	23.36	-2.36	18.85	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#12	23.43	-2.36	18.92	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#24	23.25	-2.36	18.74	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.66	-2.36	18.15	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.67	-2.36	18.16	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#13	22.69	-2.36	18.18	38.45	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.75	-2.36	18.24	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#0	22.65	-2.36	18.14	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#12	22.75	-2.36	18.24	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#24	22.61	-2.36	18.10	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.96	-2.36	17.45	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.98	-2.36	17.47	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#13	21.97	-2.36	17.46	38.45	PASS
Band5	5MHz	16QAM	20425	25RB#0	21.99	-2.36	17.48	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#0	23.23	-2.36	18.72	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#12	23.29	-2.36	18.78	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#24	23.23	-2.36	18.72	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#0	22.51	-2.36	18.00	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#6	22.49	-2.36	17.98	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#13	22.57	-2.36	18.06	38.45	PASS
Band5	5MHz	QPSK	20525	25RB#0	22.50	-2.36	17.99	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#0	22.36	-2.36	17.85	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#12	22.40	-2.36	17.89	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#24	22.40	-2.36	17.89	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#0	21.73	-2.36	17.22	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#6	21.71	-2.36	17.20	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#13	21.76	-2.36	17.25	38.45	PASS
Band5	5MHz	16QAM	20525	25RB#0	21.77	-2.36	17.26	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#0	23.15	-2.36	18.64	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#12	23.10	-2.36	18.59	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#24	23.01	-2.36	18.50	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#0	22.44	-2.36	17.93	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#6	22.48	-2.36	17.97	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#13	22.35	-2.36	17.84	38.45	PASS
Band5	5MHz	QPSK	20625	25RB#0	22.47	-2.36	17.96	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#0	22.47	-2.36	17.96	38.45	PASS

Band5	5MHz	16QAM	20625	1RB#12	22.43	-2.36	17.92	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#24	22.33	-2.36	17.82	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#0	21.72	-2.36	17.21	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#6	21.73	-2.36	17.22	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#13	21.61	-2.36	17.10	38.45	PASS
Band5	5MHz	16QAM	20625	25RB#0	21.68	-2.36	17.17	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.00	-2.36	18.49	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.29	-2.36	18.78	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#49	23.19	-2.36	18.68	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.72	-2.36	18.21	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#12	22.73	-2.36	18.22	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#25	22.57	-2.36	18.06	38.45	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.68	-2.36	18.17	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.43	-2.36	17.92	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#24	22.39	-2.36	17.88	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#49	22.21	-2.36	17.70	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#0	22.00	-2.36	17.49	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#12	22.02	-2.36	17.51	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#25	21.83	-2.36	17.32	38.45	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.95	-2.36	17.44	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.21	-2.36	18.70	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.17	-2.36	18.66	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.21	-2.36	18.70	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#0	22.52	-2.36	18.01	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#12	22.47	-2.36	17.96	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#25	22.59	-2.36	18.08	38.45	PASS
Band5	10MHz	QPSK	20525	50RB#0	22.55	-2.36	18.04	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.46	-2.36	17.95	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#24	22.37	-2.36	17.86	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#49	22.45	-2.36	17.94	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#0	21.69	-2.36	17.18	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#12	21.76	-2.36	17.25	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#25	21.80	-2.36	17.29	38.45	PASS
Band5	10MHz	16QAM	20525	50RB#0	21.79	-2.36	17.28	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#0	23.30	-2.36	18.79	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.22	-2.36	18.71	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#49	23.08	-2.36	18.57	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#0	22.59	-2.36	18.08	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#12	22.64	-2.36	18.13	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#25	22.38	-2.36	17.87	38.45	PASS
Band5	10MHz	QPSK	20600	50RB#0	22.53	-2.36	18.02	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#0	22.30	-2.36	17.79	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#24	22.33	-2.36	17.82	38.45	PASS

Band5	10MHz	16QAM	20600	1RB#49	22.12	-2.36	17.61	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#0	21.87	-2.36	17.36	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#12	21.86	-2.36	17.35	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#25	21.67	-2.36	17.16	38.45	PASS
Band5	10MHz	16QAM	20600	50RB#0	21.82	-2.36	17.31	38.45	PASS


Appendix B: Peak-to-Average Ratio(CCDF)



Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	5.38	13	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	5.54	13	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	6.31	13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	6.28	13	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	5.13	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	5.32	13	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	5.77	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	6.12	13	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	5.51	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	5.54	13	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	6.44	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	6.31	13	PASS
Band5	3MHz	QPSK	20415	1RB#0	5.45	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	5.26	13	PASS
Band5	3MHz	16QAM	20415	1RB#0	6.28	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	6.19	13	PASS
Band5	3MHz	QPSK	20525	1RB#0	5.26	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	5.10	13	PASS
Band5	3MHz	16QAM	20525	1RB#0	5.90	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	5.93	13	PASS
Band5	3MHz	QPSK	20635	1RB#0	5.51	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	5.19	13	PASS
Band5	3MHz	16QAM	20635	1RB#0	6.76	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	6.22	13	PASS
Band5	5MHz	QPSK	20425	1RB#0	5.54	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	5.45	13	PASS
Band5	5MHz	16QAM	20425	1RB#0	5.93	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	6.25	13	PASS
Band5	5MHz	QPSK	20525	1RB#0	5.42	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.19	13	PASS
Band5	5MHz	16QAM	20525	1RB#0	6.06	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	5.99	13	PASS
Band5	5MHz	QPSK	20625	1RB#0	5.29	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	5.38	13	PASS
Band5	5MHz	16QAM	20625	1RB#0	5.83	13	PASS
Band5	5MHz	16QAM	20625	25RB#0	6.25	13	PASS

Band5	10MHz	QPSK	20450	1RB#0	5.42	13	PASS
Band5	10MHz	QPSK	20450	50RB#0	5.64	13	PASS
Band5	10MHz	16QAM	20450	1RB#0	6.22	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	6.47	13	PASS
Band5	10MHz	QPSK	20525	1RB#0	5.58	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.48	13	PASS
Band5	10MHz	16QAM	20525	1RB#0	6.25	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.31	13	PASS
Band5	10MHz	QPSK	20600	1RB#0	4.84	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	5.54	13	PASS
Band5	10MHz	16QAM	20600	1RB#0	5.90	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	6.38	13	PASS



Test Graphs







Band5-1.4MHz-16QAM-20525-1RB#0-PASS

Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-1.4MHz-QPSK-20643-1RB#0-PASS

Band5-1.4MHz-QPSK-20643-6RB#0-PASS




Band5-1.4MHz-16QAM-20643-1RB#0-PASS


Band5-1.4MHz-16QAM-20643-6RB#0-PASS




Band5-3MHz-QPSK-20415-1RB#0-PASS




Band5-3MHz-QPSK-20415-15RB#0-PASS




Band5-3MHz-16QAM-20415-1RB#0-PASS




Band5-3MHz-16QAM-20415-15RB#0-PASS




Band5-3MHz-QPSK-20525-1RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS




Band5-3MHz-16QAM-20525-1RB#0-PASS




Band5-3MHz-16QAM-20525-15RB#0-PASS




Band5-3MHz-QPSK-20635-1RB#0-PASS




Band5-3MHz-QPSK-20635-15RB#0-PASS




Band5-3MHz-16QAM-20635-1RB#0-PASS




Band5-3MHz-16QAM-20635-15RB#0-PASS




Band5-5MHz-QPSK-20425-1RB#0-PASS




Band5-5MHz-QPSK-20425-25RB#0-PASS




Band5-5MHz-16QAM-20425-1RB#0-PASS




Band5-5MHz-16QAM-20425-25RB#0-PASS




Band5-5MHz-QPSK-20525-1RB#0-PASS




Band5-5MHz-QPSK-20525-25RB#0-PASS




Band5-5MHz-16QAM-20525-1RB#0-PASS




Band5-5MHz-16QAM-20525-25RB#0-PASS




Band5-5MHz-QPSK-20625-1RB#0-PASS




Band5-5MHz-QPSK-20625-25RB#0-PASS




Band5-5MHz-16QAM-20625-1RB#0-PASS




Band5-5MHz-16QAM-20625-25RB#0-PASS




Band5-10MHz-QPSK-20450-1RB#0-PASS




Band5-10MHz-QPSK-20450-50RB#0-PASS




Band5-10MHz-16QAM-20450-1RB#0-PASS





Band5-10MHz-16QAM-20450-50RB#0-PASS



Band5-10MHz-QPSK-20525-1RB#0-PASS





Band5-10MHz-QPSK-20525-50RB#0-PASS





Band5-10MHz-16QAM-20525-1RB#0-PASS

Band5-10MHz-16QAM-20525-50RB#0-PASS



Band5-10MHz-16QAM-20600-1RB#0-PASS

Band5-10MHz-16QAM-20600-50RB#0-PASS



Band5-10MHz-QPSK-20600-1RB#0-PASS


Band5-10MHz-QPSK-20600-50RB#0-PASS


Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	1.095	1.28	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.1	1.30	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.095	1.29	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.1	1.28	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.11	1.30	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.095	1.28	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.7	2.96	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.68	2.98	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.69	2.96	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.68	2.98	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.7	2.96	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.69	2.97	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.51	4.95	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.5	4.93	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.5	4.92	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.51	4.94	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.51	4.98	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.51	4.96	PASS
Band5	10MHz	QPSK	20450	50RB#0	9.033	9.90	PASS
Band5	10MHz	16QAM	20450	50RB#0	9.033	9.90	PASS
Band5	10MHz	QPSK	20525	50RB#0	9	9.87	PASS
Band5	10MHz	16QAM	20525	50RB#0	9	9.87	PASS
Band5	10MHz	QPSK	20600	50RB#0	9	9.83	PASS
Band5	10MHz	16QAM	20600	50RB#0	9.033	9.87	PASS


Test Graphs






Date: 16.FEB.2025 08:35:02

Band5-3MHz-QPSK-20415-15RB#0-PASS




Date: 16.FEB.2025 08:35:14

Band5-3MHz-16QAM-20415-15RB#0-PASS




Date: 16.FEB.2025 08:35:31

Band5-3MHz-QPSK-20525-15RB#0-PASS




Date: 16.FEB.2025 08:35:44

Band5-3MHz-16QAM-20525-15RB#0-PASS




Date: 16.FEB.2025 08:36:00

Band5-3MHz-QPSK-20635-15RB#0-PASS




Date: 16.FEB.2025 08:36:13

Band5-3MHz-16QAM-20635-15RB#0-PASS




Date: 16.FEB.2025 09:09:45

Band5-5MHz-QPSK-20425-25RB#0-PASS




Date: 16.FEB.2025 09:10:06

Band5-5MHz-16QAM-20425-25RB#0-PASS




Date: 16.FEB.2025 09:10:34

Band5-5MHz-QPSK-20525-25RB#0-PASS




Date: 16.FEB.2025 09:10:58

Band5-5MHz-16QAM-20525-25RB#0-PASS




Date: 16.FEB.2025 09:11:23

Band5-5MHz-QPSK-20625-25RB#0-PASS




Date: 16.FEB.2025 09:11:44


Band5-5MHz-16QAM-20625-25RB#0-PASS




Band5-10MHz-QPSK-20450-50RB#0-PASS




Band5-10MHz-QPSK-20525-50RB#0-PASS




Band5-10MHz-QPSK-20600-50RB#0-PASS



Band5-10MHz-16QAM-20450-50RB#0-PASS



Band5-10MHz-16QAM-20525-50RB#0-PASS



Band5-10MHz-16QAM-20600-50RB#0-PASS


Appendix D: Band Edge



Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Limit(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	-31.82	-13	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	-47.97	-13	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	-38.40	-13	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	-33.60	-13	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	-48.84	-13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	-38.67	-13	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	-48.39	-13	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	-32.00	-13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	-38.41	-13	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	-48.98	-13	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	-34.73	-13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	-39.26	-13	PASS
Band5	3MHz	QPSK	20415	1RB#0	-18.87	-13	PASS
Band5	3MHz	QPSK	20415	1RB#14	-41.12	-13	PASS
Band5	3MHz	QPSK	20415	15RB#0	-28.93	-13	PASS
Band5	3MHz	16QAM	20415	1RB#0	-18.88	-13	PASS
Band5	3MHz	16QAM	20415	1RB#14	-41.59	-13	PASS
Band5	3MHz	16QAM	20415	15RB#0	-31.47	-13	PASS
Band5	3MHz	QPSK	20635	1RB#0	-41.75	-13	PASS
Band5	3MHz	QPSK	20635	1RB#14	-19.11	-13	PASS
Band5	3MHz	QPSK	20635	15RB#0	-31.01	-13	PASS
Band5	3MHz	16QAM	20635	1RB#0	-42.68	-13	PASS
Band5	3MHz	16QAM	20635	1RB#14	-20.87	-13	PASS
Band5	3MHz	16QAM	20635	15RB#0	-30.83	-13	PASS
Band5	5MHz	QPSK	20425	1RB#0	-24.48	-13	PASS
Band5	5MHz	QPSK	20425	1RB#24	-43.44	-13	PASS
Band5	5MHz	QPSK	20425	25RB#0	-34.30	-13	PASS
Band5	5MHz	16QAM	20425	1RB#0	-25.10	-13	PASS
Band5	5MHz	16QAM	20425	1RB#24	-44.01	-13	PASS
Band5	5MHz	16QAM	20425	25RB#0	-35.10	-13	PASS
Band5	5MHz	QPSK	20625	1RB#0	-43.74	-13	PASS
Band5	5MHz	QPSK	20625	1RB#24	-24.78	-13	PASS
Band5	5MHz	QPSK	20625	25RB#0	-36.12	-13	PASS
Band5	5MHz	16QAM	20625	1RB#0	-44.77	-13	PASS
Band5	5MHz	16QAM	20625	1RB#24	-26.00	-13	PASS
Band5	5MHz	16QAM	20625	25RB#0	-36.48	-13	PASS
Band5	10MHz	QPSK	20450	1RB#0	-27.59	-13	PASS

Band5	10MHz	QPSK	20450	1RB#49	-42.99	-13	PASS
Band5	10MHz	QPSK	20450	50RB#0	-33.95	-13	PASS
Band5	10MHz	16QAM	20450	1RB#0	-28.30	-13	PASS
Band5	10MHz	16QAM	20450	1RB#49	-43.56	-13	PASS
Band5	10MHz	16QAM	20450	50RB#0	-35.13	-13	PASS
Band5	10MHz	QPSK	20600	1RB#0	-43.42	-13	PASS
Band5	10MHz	QPSK	20600	1RB#49	-27.41	-13	PASS
Band5	10MHz	QPSK	20600	50RB#0	-37.97	-13	PASS
Band5	10MHz	16QAM	20600	1RB#0	-44.14	-13	PASS
Band5	10MHz	16QAM	20600	1RB#49	-27.81	-13	PASS
Band5	10MHz	16QAM	20600	50RB#0	-38.94	-13	PASS



Test Graphs







Band5-1.4MHz-16QAM-20407-1RB#5-PASS

Band5-1.4MHz-16QAM-20407-6RB#0-PASS




Band5-1.4MHz-QPSK-20643-1RB#0-PASS



Band5-1.4MHz-QPSK-20643-1RB#5-PASS



Band5-1.4MHz-QPSK-20643-6RB#0-PASS


Band5-1.4MHz-16QAM-20643-1RB#0-PASS







Band5-3MHz-16QAM-20415-1RB#14-PASS

Band5-3MHz-16QAM-20415-15RB#0-PASS









Band5-3MHz-QPSK-20635-1RB#0-PASS

Band5-3MHz-QPSK-20635-1RB#14-PASS




Band5-3MHz-QPSK-20635-15RB#0-PASS

Band5-3MHz-16QAM-20635-1RB#0-PASS




Band5-5MHz-QPSK-20425-25RB#0-PASS

Band5-5MHz-16QAM-20425-1RB#0-PASS




Date: 16.FEB.2025 09:13:03




Date: 16.FEB.2025 09:13:40

Band5-5MHz-16QAM-20425-1RB#24-PASS

Band5-5MHz-16QAM-20425-25RB#0-PASS




Date: 16.FEB.2025 09:14:01




Date: 16.FEB.2025 09:14:38

Band5-5MHz-QPSK-20625-1RB#0-PASS

Band5-5MHz-QPSK-20625-1RB#24-PASS









Date: 16.FEB.2025 09:15:15



Date: 16.FEB.2025 09:14:18



Band5-5MHz-QPSK-20625-25RB#0-PASS

Band5-5MHz-16QAM-20625-1RB#0-PASS





Band5-10MHz-QPSK-20450-50RB#0-PASS

Band5-10MHz-16QAM-20450-1RB#0-PASS





Band5-10MHz-16QAM-20450-1RB#49-PASS

Band5-10MHz-16QAM-20450-50RB#0-PASS




Band5-10MHz-QPSK-20600-1RB#0-PASS

Band5-10MHz-QPSK-20600-1RB#49-PASS




Band5-10MHz-QPSK-20600-50RB#0-PASS

Band5-10MHz-16QAM-20600-1RB#0-PASS



Date: 16.FEB.2025 09:49:16

Band5-10MHz-16QAM-20600-1RB#49-PASS



Date: 16.FEB.2025 09:49:53

Band5-10MHz-16QAM-20600-50RB#0-PASS

Appendix E: Conducted Spurious Emission


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	0.009~0.15	-61.80	-33	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	0.15~30	-63.42	-23	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	30~1000	-47.43	-13	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	1000~3000	-42.43	-13	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	3000~10000	-46.47	-13	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	0.009~0.15	-62.85	-33	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	0.15~30	-63.13	-23	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	30~1000	-45.10	-13	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	1000~3000	-43.23	-13	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	3000~10000	-46.51	-13	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.009~0.15	-61.92	-33	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.15~30	-63.46	-23	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	30~1000	-46.20	-13	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	1000~3000	-41.32	-13	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	3000~10000	-46.53	-13	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	0.009~0.15	-62.74	-33	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	0.15~30	-63.49	-23	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	30~1000	-45.84	-13	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	1000~3000	-42.17	-13	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	3000~10000	-46.50	-13	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.009~0.15	-60.89	-33	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.15~30	-63.39	-23	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	30~1000	-45.93	-13	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	1000~3000	-42.65	-13	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	3000~10000	-46.53	-13	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	0.009~0.15	-61.21	-33	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	0.15~30	-62.87	-23	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	30~1000	-44.40	-13	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	1000~3000	-43.74	-13	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	3000~10000	-46.47	-13	PASS
Band5	3MHz	QPSK	20415	1RB#0	0.009~0.15	-60.04	-33	PASS
Band5	3MHz	QPSK	20415	1RB#0	0.15~30	-63.57	-23	PASS
Band5	3MHz	QPSK	20415	1RB#0	30~1000	-48.77	-13	PASS
Band5	3MHz	QPSK	20415	1RB#0	1000~3000	-42.28	-13	PASS
Band5	3MHz	QPSK	20415	1RB#0	3000~10000	-46.52	-13	PASS
Band5	3MHz	16QAM	20415	1RB#0	0.009~0.15	-62.47	-33	PASS

Band5	3MHz	16QAM	20415	1RB#0	0.15~30	-63.30	-23	PASS
Band5	3MHz	16QAM	20415	1RB#0	30~1000	-49.02	-13	PASS
Band5	3MHz	16QAM	20415	1RB#0	1000~3000	-43.39	-13	PASS
Band5	3MHz	16QAM	20415	1RB#0	3000~10000	-46.58	-13	PASS
Band5	3MHz	QPSK	20525	1RB#0	0.009~0.15	-61.59	-33	PASS
Band5	3MHz	QPSK	20525	1RB#0	0.15~30	-63.25	-23	PASS
Band5	3MHz	QPSK	20525	1RB#0	30~1000	-48.54	-13	PASS
Band5	3MHz	QPSK	20525	1RB#0	1000~3000	-41.82	-13	PASS
Band5	3MHz	QPSK	20525	1RB#0	3000~10000	-46.48	-13	PASS
Band5	3MHz	16QAM	20525	1RB#0	0.009~0.15	-63.29	-33	PASS
Band5	3MHz	16QAM	20525	1RB#0	0.15~30	-63.20	-23	PASS
Band5	3MHz	16QAM	20525	1RB#0	30~1000	-48.50	-13	PASS
Band5	3MHz	16QAM	20525	1RB#0	1000~3000	-42.59	-13	PASS
Band5	3MHz	16QAM	20525	1RB#0	3000~10000	-46.48	-13	PASS
Band5	3MHz	QPSK	20635	1RB#0	0.009~0.15	-61.64	-33	PASS
Band5	3MHz	QPSK	20635	1RB#0	0.15~30	-63.63	-23	PASS
Band5	3MHz	QPSK	20635	1RB#0	30~1000	-48.29	-13	PASS
Band5	3MHz	QPSK	20635	1RB#0	1000~3000	-42.47	-13	PASS
Band5	3MHz	QPSK	20635	1RB#0	3000~10000	-46.59	-13	PASS
Band5	3MHz	16QAM	20635	1RB#0	0.009~0.15	-59.75	-33	PASS
Band5	3MHz	16QAM	20635	1RB#0	0.15~30	-63.08	-23	PASS
Band5	3MHz	16QAM	20635	1RB#0	30~1000	-48.20	-13	PASS
Band5	3MHz	16QAM	20635	1RB#0	1000~3000	-43.23	-13	PASS
Band5	3MHz	16QAM	20635	1RB#0	3000~10000	-46.50	-13	PASS
Band5	5MHz	QPSK	20425	1RB#0	0.009~0.15	-61.84	-33	PASS
Band5	5MHz	QPSK	20425	1RB#0	0.15~30	-63.36	-23	PASS
Band5	5MHz	QPSK	20425	1RB#0	30~1000	-48.79	-13	PASS
Band5	5MHz	QPSK	20425	1RB#0	1000~3000	-42.88	-13	PASS
Band5	5MHz	QPSK	20425	1RB#0	3000~10000	-46.55	-13	PASS
Band5	5MHz	16QAM	20425	1RB#0	0.009~0.15	-61.06	-33	PASS
Band5	5MHz	16QAM	20425	1RB#0	0.15~30	-63.25	-23	PASS
Band5	5MHz	16QAM	20425	1RB#0	30~1000	-49.04	-13	PASS
Band5	5MHz	16QAM	20425	1RB#0	1000~3000	-43.48	-13	PASS
Band5	5MHz	16QAM	20425	1RB#0	3000~10000	-46.57	-13	PASS
Band5	5MHz	QPSK	20525	1RB#0	0.009~0.15	-61.47	-33	PASS
Band5	5MHz	QPSK	20525	1RB#0	0.15~30	-63.24	-23	PASS
Band5	5MHz	QPSK	20525	1RB#0	30~1000	-48.90	-13	PASS
Band5	5MHz	QPSK	20525	1RB#0	1000~3000	-42.22	-13	PASS
Band5	5MHz	QPSK	20525	1RB#0	3000~10000	-46.59	-13	PASS
Band5	5MHz	16QAM	20525	1RB#0	0.009~0.15	-60.72	-33	PASS
Band5	5MHz	16QAM	20525	1RB#0	0.15~30	-63.18	-23	PASS
Band5	5MHz	16QAM	20525	1RB#0	30~1000	-48.85	-13	PASS
Band5	5MHz	16QAM	20525	1RB#0	1000~3000	-42.88	-13	PASS


Band5	5MHz	16QAM	20525	1RB#0	3000~10000	-46.54	-13	PASS
Band5	5MHz	QPSK	20625	1RB#0	0.009~0.15	-62.21	-33	PASS
Band5	5MHz	QPSK	20625	1RB#0	0.15~30	-63.35	-23	PASS
Band5	5MHz	QPSK	20625	1RB#0	30~1000	-48.96	-13	PASS
Band5	5MHz	QPSK	20625	1RB#0	1000~3000	-42.51	-13	PASS
Band5	5MHz	QPSK	20625	1RB#0	3000~10000	-46.53	-13	PASS
Band5	5MHz	16QAM	20625	1RB#0	0.009~0.15	-62.85	-33	PASS
Band5	5MHz	16QAM	20625	1RB#0	0.15~30	-63.41	-23	PASS
Band5	5MHz	16QAM	20625	1RB#0	30~1000	-48.69	-13	PASS
Band5	5MHz	16QAM	20625	1RB#0	1000~3000	-43.17	-13	PASS
Band5	5MHz	16QAM	20625	1RB#0	3000~10000	-46.54	-13	PASS
Band5	10MHz	QPSK	20450	1RB#0	0.009~0.15	-60.20	-33	PASS
Band5	10MHz	QPSK	20450	1RB#0	0.15~30	-63.01	-23	PASS
Band5	10MHz	QPSK	20450	1RB#0	30~1000	-48.86	-13	PASS
Band5	10MHz	QPSK	20450	1RB#0	1000~3000	-41.18	-13	PASS
Band5	10MHz	QPSK	20450	1RB#0	3000~10000	-46.56	-13	PASS
Band5	10MHz	16QAM	20450	1RB#0	0.009~0.15	-63.07	-33	PASS
Band5	10MHz	16QAM	20450	1RB#0	0.15~30	-63.19	-23	PASS
Band5	10MHz	16QAM	20450	1RB#0	30~1000	-49.09	-13	PASS
Band5	10MHz	16QAM	20450	1RB#0	1000~3000	-42.15	-13	PASS
Band5	10MHz	16QAM	20450	1RB#0	3000~10000	-46.51	-13	PASS
Band5	10MHz	QPSK	20525	1RB#0	0.009~0.15	-60.90	-33	PASS
Band5	10MHz	QPSK	20525	1RB#0	0.15~30	-63.18	-23	PASS
Band5	10MHz	QPSK	20525	1RB#0	30~1000	-49.02	-13	PASS
Band5	10MHz	QPSK	20525	1RB#0	1000~3000	-40.70	-13	PASS
Band5	10MHz	QPSK	20525	1RB#0	3000~10000	-46.52	-13	PASS
Band5	10MHz	16QAM	20525	1RB#0	0.009~0.15	-63.14	-33	PASS
Band5	10MHz	16QAM	20525	1RB#0	0.15~30	-63.44	-23	PASS
Band5	10MHz	16QAM	20525	1RB#0	30~1000	-48.86	-13	PASS
Band5	10MHz	16QAM	20525	1RB#0	1000~3000	-41.29	-13	PASS
Band5	10MHz	16QAM	20525	1RB#0	3000~10000	-46.55	-13	PASS
Band5	10MHz	QPSK	20600	1RB#0	0.009~0.15	-60.01	-33	PASS
Band5	10MHz	QPSK	20600	1RB#0	0.15~30	-62.93	-23	PASS
Band5	10MHz	QPSK	20600	1RB#0	30~1000	-49.04	-13	PASS
Band5	10MHz	QPSK	20600	1RB#0	1000~3000	-41.77	-13	PASS
Band5	10MHz	QPSK	20600	1RB#0	3000~10000	-46.47	-13	PASS
Band5	10MHz	16QAM	20600	1RB#0	0.009~0.15	-60.84	-33	PASS
Band5	10MHz	16QAM	20600	1RB#0	0.15~30	-63.28	-23	PASS
Band5	10MHz	16QAM	20600	1RB#0	30~1000	-49.10	-13	PASS
Band5	10MHz	16QAM	20600	1RB#0	1000~3000	-42.59	-13	PASS
Band5	10MHz	16QAM	20600	1RB#0	3000~10000	-46.51	-13	PASS

Test Graphs







Band5-1.4MHz-16QAM-20407-1RB#0-0.15~30-P
ASS




Band5-1.4MHz-16QAM-20407-1RB#0-30~1000-P
ASS




Band5-1.4MHz-16QAM-20407-1RB#0-1000~300
0-PASS




Band5-1.4MHz-16QAM-20407-1RB#0-3000~1000
0-PASS




Band5-1.4MHz-QPSK-20525-1RB#0-0.009~0.15-
PASS



Band5-1.4MHz-QPSK-20525-1RB#0-0.15~30-PAS
S




Date: 16.FEB.2025 08:09:25




Date: 16.FEB.2025 08:09:39

Band5-1.4MHz-QPSK-20525-1RB#0-30~1000-PA
SS

Band5-1.4MHz-QPSK-20525-1RB#0-1000~3000-P
ASS




Date: 16.FEB.2025 08:09:53




Date: 16.FEB.2025 08:10:05

Band5-1.4MHz-QPSK-20525-1RB#0-3000~10000
-PASS

Band5-1.4MHz-16QAM-20525-1RB#0-0.009~0.15-
PASS




Date: 16.FEB.2025 08:10:20




Date: 16.FEB.2025 08:10:48

Band5-1.4MHz-16QAM-20525-1RB#0-0.15~30-P
ASS


Band5-1.4MHz-16QAM-20525-1RB#0-30~1000-P
ASS




Band5-1.4MHz-16QAM-20525-1RB#0-1000~300
0-PASS




Band5-1.4MHz-16QAM-20525-1RB#0-3000~1000
0-PASS




Band5-1.4MHz-QPSK-20643-1RB#0-0.009~0.15-
PASS




Band5-1.4MHz-QPSK-20643-1RB#0-0.15~30-PAS
S




Band5-1.4MHz-QPSK-20643-1RB#0-30~1000-PA
SS




Band5-1.4MHz-QPSK-20643-1RB#0-1000~3000-P
ASS




Band5-1.4MHz-QPSK-20643-1RB#0-3000~10000
-PASS




Band5-1.4MHz-16QAM-20643-1RB#0-0.009~0.15-
PASS




Band5-1.4MHz-16QAM-20643-1RB#0-0.15~30-P
ASS




Band5-1.4MHz-16QAM-20643-1RB#0-30~1000-P
ASS



Band5-1.4MHz-16QAM-20643-1RB#0-1000~300
0-PASS




Band5-1.4MHz-16QAM-20643-1RB#0-3000~1000
0-PASS




Date: 16.FEB.2025 08:40:28

Band5-3MHz-QPSK-20415-1RB#0-0.009~0.15-P
ASS




Date: 16.FEB.2025 08:40:43

Band5-3MHz-QPSK-20415-1RB#0-0.15~30-PASS




Date: 16.FEB.2025 08:41:12

Band5-3MHz-QPSK-20415-1RB#0-30~1000-PASS




Date: 16.FEB.2025 08:41:26

Band5-3MHz-QPSK-20415-1RB#0-1000~3000-PASS




Date: 16.FEB.2025 08:41:40

Band5-3MHz-QPSK-20415-1RB#0-3000~10000-PASS




Date: 16.FEB.2025 08:41:52

Band5-3MHz-16QAM-20415-1RB#0-0.009~0.15-P
ASS




Date: 16.FEB.2025 08:42:07

Band5-3MHz-16QAM-20415-1RB#0-0.15~30-PA
SS




Date: 16.FEB.2025 08:42:35

Band5-3MHz-16QAM-20415-1RB#0-30~1000-PAS
S




Date: 16.FEB.2025 08:42:48

Band5-3MHz-16QAM-20415-1RB#0-1000~3000-PASS




Date: 16.FEB.2025 08:43:03

Band5-3MHz-16QAM-20415-1RB#0-3000~10000-PASS



Date: 16.FEB.2025 08:43:19

Band5-3MHz-QPSK-20525-1RB#0-0.009~0.15-P
ASS



Date: 16.FEB.2025 08:43:34

Band5-3MHz-QPSK-20525-1RB#0-0.15~30-PASS