

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted power(dBm)	Max Ant Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	22.46	0.88	23.34	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#12	22.53	0.88	23.41	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#24	22.58	0.88	23.46	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#0	20.15	0.88	21.03	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#6	20.18	0.88	21.06	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#13	20.25	0.88	21.13	38.45	PASS
Band7	5MHz	QPSK	20775	25RB#0	20.25	0.88	21.13	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#0	20.04	0.88	20.92	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#12	20.14	0.88	21.02	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#24	20.13	0.88	21.01	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#0	19.38	0.88	20.26	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#6	19.40	0.88	20.28	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#13	19.49	0.88	20.37	38.45	PASS
Band7	5MHz	16QAM	20775	25RB#0	19.45	0.88	20.33	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#0	22.71	0.88	23.59	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#12	22.74	0.88	23.62	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#24	22.73	0.88	23.61	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#0	22.06	0.88	22.94	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#6	22.15	0.88	23.03	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#13	22.06	0.88	22.94	38.45	PASS
Band7	5MHz	QPSK	21100	25RB#0	22.14	0.88	23.02	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#0	21.86	0.88	22.74	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#12	21.90	0.88	22.78	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#24	21.88	0.88	22.76	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#0	19.60	0.88	20.48	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#6	19.61	0.88	20.49	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#13	19.66	0.88	20.54	38.45	PASS
Band7	5MHz	16QAM	21100	25RB#0	19.68	0.88	20.56	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#0	22.11	0.88	22.99	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#12	21.92	0.88	22.80	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#24	21.69	0.88	22.57	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#0	19.48	0.88	20.36	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#6	19.44	0.88	20.32	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#13	19.39	0.88	20.27	38.45	PASS

Band7	5MHz	QPSK	21425	25RB#0	19.47	0.88	20.35	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#0	20.88	0.88	21.76	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#12	19.63	0.88	20.51	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#24	19.35	0.88	20.23	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#0	18.71	0.88	19.59	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#6	18.72	0.88	19.60	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#13	18.65	0.88	19.53	38.45	PASS
Band7	5MHz	16QAM	21425	25RB#0	18.68	0.88	19.56	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#0	22.50	0.88	23.38	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#24	22.52	0.88	23.40	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#49	22.32	0.88	23.20	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#0	19.83	0.88	20.71	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#12	19.85	0.88	20.73	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#25	19.99	0.88	20.87	38.45	PASS
Band7	10MHz	QPSK	20800	50RB#0	19.93	0.88	20.81	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#0	20.00	0.88	20.88	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#24	19.91	0.88	20.79	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#49	19.77	0.88	20.65	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#0	19.10	0.88	19.98	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#12	19.12	0.88	20.00	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#25	19.30	0.88	20.18	38.45	PASS
Band7	10MHz	16QAM	20800	50RB#0	19.21	0.88	20.09	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#0	22.38	0.88	23.26	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#24	22.26	0.88	23.14	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#49	22.33	0.88	23.21	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#0	20.09	0.88	20.97	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#12	20.11	0.88	20.99	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#25	20.04	0.88	20.92	38.45	PASS
Band7	10MHz	QPSK	21100	50RB#0	20.07	0.88	20.95	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#0	19.99	0.88	20.87	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#24	20.03	0.88	20.91	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#49	20.00	0.88	20.88	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#0	19.32	0.88	20.20	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#12	19.34	0.88	20.22	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#25	19.28	0.88	20.16	38.45	PASS
Band7	10MHz	16QAM	21100	50RB#0	19.36	0.88	20.24	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#0	21.96	0.88	22.84	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#24	21.76	0.88	22.64	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#49	21.80	0.88	22.68	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#0	19.65	0.88	20.53	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#12	19.64	0.88	20.52	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#25	19.52	0.88	20.40	38.45	PASS
Band7	10MHz	QPSK	21400	50RB#0	19.62	0.88	20.50	38.45	PASS

Band7	10MHz	16QAM	21400	1RB#0	19.45	0.88	20.33	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#24	19.35	0.88	20.23	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#49	19.23	0.88	20.11	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#0	18.83	0.88	19.71	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#12	18.88	0.88	19.76	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#25	18.77	0.88	19.65	38.45	PASS
Band7	10MHz	16QAM	21400	50RB#0	18.85	0.88	19.73	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#0	22.45	0.88	23.33	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#38	22.31	0.88	23.19	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#74	22.19	0.88	23.07	38.45	PASS
Band7	15MHz	QPSK	20825	38RB#0	19.86	0.88	20.74	38.45	PASS
Band7	15MHz	QPSK	20825	38RB#18	19.97	0.88	20.85	38.45	PASS
Band7	15MHz	QPSK	20825	38RB#37	20.00	0.88	20.88	38.45	PASS
Band7	15MHz	QPSK	20825	75RB#0	19.91	0.88	20.79	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#0	20.22	0.88	21.10	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#38	20.12	0.88	21.00	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#74	20.00	0.88	20.88	38.45	PASS
Band7	15MHz	16QAM	20825	38RB#0	19.84	0.88	20.72	38.45	PASS
Band7	15MHz	16QAM	20825	38RB#18	19.98	0.88	20.86	38.45	PASS
Band7	15MHz	16QAM	20825	38RB#37	19.97	0.88	20.85	38.45	PASS
Band7	15MHz	16QAM	20825	75RB#0	19.16	0.88	20.04	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#0	22.35	0.88	23.23	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#38	22.26	0.88	23.14	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#74	22.32	0.88	23.20	38.45	PASS
Band7	15MHz	QPSK	21100	38RB#0	20.00	0.88	20.88	38.45	PASS
Band7	15MHz	QPSK	21100	38RB#18	19.99	0.88	20.87	38.45	PASS
Band7	15MHz	QPSK	21100	38RB#37	19.96	0.88	20.84	38.45	PASS
Band7	15MHz	QPSK	21100	75RB#0	20.04	0.88	20.92	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#0	19.99	0.88	20.87	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#38	20.03	0.88	20.91	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#74	19.92	0.88	20.80	38.45	PASS
Band7	15MHz	16QAM	21100	38RB#0	20.01	0.88	20.89	38.45	PASS
Band7	15MHz	16QAM	21100	38RB#18	20.04	0.88	20.92	38.45	PASS
Band7	15MHz	16QAM	21100	38RB#37	19.92	0.88	20.80	38.45	PASS
Band7	15MHz	16QAM	21100	75RB#0	19.17	0.88	20.05	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#0	22.02	0.88	22.90	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#38	21.72	0.88	22.60	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#74	21.69	0.88	22.57	38.45	PASS
Band7	15MHz	QPSK	21375	38RB#0	19.71	0.88	20.59	38.45	PASS
Band7	15MHz	QPSK	21375	38RB#18	19.58	0.88	20.46	38.45	PASS
Band7	15MHz	QPSK	21375	38RB#37	19.44	0.88	20.32	38.45	PASS
Band7	15MHz	QPSK	21375	75RB#0	19.57	0.88	20.45	38.45	PASS
Band7	15MHz	16QAM	21375	1RB#0	19.74	0.88	20.62	38.45	PASS

Band7	15MHz	16QAM	21375	1RB#38	19.56	0.88	20.44	38.45	PASS
Band7	15MHz	16QAM	21375	1RB#74	19.43	0.88	20.31	38.45	PASS
Band7	15MHz	16QAM	21375	38RB#0	19.74	0.88	20.62	38.45	PASS
Band7	15MHz	16QAM	21375	38RB#18	19.61	0.88	20.49	38.45	PASS
Band7	15MHz	16QAM	21375	38RB#37	19.47	0.88	20.35	38.45	PASS
Band7	15MHz	16QAM	21375	75RB#0	18.76	0.88	19.64	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#0	22.45	0.88	23.33	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#49	22.64	0.88	23.52	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#99	22.62	0.88	23.50	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#0	19.92	0.88	20.80	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#25	19.95	0.88	20.83	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#50	20.07	0.88	20.95	38.45	PASS
Band7	20MHz	QPSK	20850	100RB#0	19.97	0.88	20.85	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#0	20.19	0.88	21.07	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#49	20.39	0.88	21.27	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#99	20.33	0.88	21.21	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#0	19.18	0.88	20.06	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#25	19.18	0.88	20.06	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#50	19.31	0.88	20.19	38.45	PASS
Band7	20MHz	16QAM	20850	100RB#0	19.23	0.88	20.11	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#0	22.32	0.88	23.20	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#49	22.35	0.88	23.23	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#99	22.25	0.88	23.13	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#0	20.13	0.88	21.01	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#25	20.11	0.88	20.99	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#50	20.06	0.88	20.94	38.45	PASS
Band7	20MHz	QPSK	21100	100RB#0	20.10	0.88	20.98	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#0	19.86	0.88	20.74	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#49	19.98	0.88	20.86	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#99	19.78	0.88	20.66	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#0	19.37	0.88	20.25	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#25	19.34	0.88	20.22	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#50	19.31	0.88	20.19	38.45	PASS
Band7	20MHz	16QAM	21100	100RB#0	19.31	0.88	20.19	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#0	22.21	0.88	23.09	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#49	21.88	0.88	22.76	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#99	21.73	0.88	22.61	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#0	19.90	0.88	20.78	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#25	19.86	0.88	20.74	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#50	19.59	0.88	20.47	38.45	PASS
Band7	20MHz	QPSK	21350	100RB#0	19.70	0.88	20.58	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#0	19.91	0.88	20.79	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#49	19.71	0.88	20.59	38.45	PASS

Band7	20MHz	16QAM	21350	1RB#99	19.46	0.88	20.34	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#0	19.10	0.88	19.98	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#25	19.08	0.88	19.96	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#50	18.81	0.88	19.69	38.45	PASS
Band7	20MHz	16QAM	21350	100RB#0	18.94	0.88	19.82	38.45	PASS


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	4.97	13	PASS
Band7	5MHz	QPSK	20775	25RB#0	5.42	13	PASS
Band7	5MHz	16QAM	20775	1RB#0	5.99	13	PASS
Band7	5MHz	16QAM	20775	25RB#0	6.22	13	PASS
Band7	5MHz	QPSK	21100	1RB#0	5.03	13	PASS
Band7	5MHz	QPSK	21100	25RB#0	5.45	13	PASS
Band7	5MHz	16QAM	21100	1RB#0	5.99	13	PASS
Band7	5MHz	16QAM	21100	25RB#0	6.25	13	PASS
Band7	5MHz	QPSK	21425	1RB#0	4.84	13	PASS
Band7	5MHz	QPSK	21425	25RB#0	5.35	13	PASS
Band7	5MHz	16QAM	21425	1RB#0	6.03	13	PASS
Band7	5MHz	16QAM	21425	25RB#0	6.15	13	PASS
Band7	10MHz	QPSK	20800	1RB#0	4.78	13	PASS
Band7	10MHz	QPSK	20800	50RB#0	5.67	13	PASS
Band7	10MHz	16QAM	20800	1RB#0	6.25	13	PASS
Band7	10MHz	16QAM	20800	50RB#0	6.47	13	PASS
Band7	10MHz	QPSK	21100	1RB#0	4.84	13	PASS
Band7	10MHz	QPSK	21100	50RB#0	5.67	13	PASS
Band7	10MHz	16QAM	21100	1RB#0	6.25	13	PASS
Band7	10MHz	16QAM	21100	50RB#0	6.47	13	PASS
Band7	10MHz	QPSK	21400	1RB#0	4.68	13	PASS
Band7	10MHz	QPSK	21400	50RB#0	5.54	13	PASS
Band7	10MHz	16QAM	21400	1RB#0	5.96	13	PASS
Band7	10MHz	16QAM	21400	50RB#0	6.41	13	PASS
Band7	15MHz	QPSK	20825	1RB#0	8.21	13	PASS
Band7	15MHz	QPSK	20825	75RB#0	5.90	13	PASS
Band7	15MHz	16QAM	20825	1RB#0	8.14	13	PASS
Band7	15MHz	16QAM	20825	75RB#0	6.79	13	PASS
Band7	15MHz	QPSK	21100	1RB#0	8.08	13	PASS
Band7	15MHz	QPSK	21100	75RB#0	5.90	13	PASS
Band7	15MHz	16QAM	21100	1RB#0	8.17	13	PASS
Band7	15MHz	16QAM	21100	75RB#0	6.83	13	PASS
Band7	15MHz	QPSK	21375	1RB#0	8.24	13	PASS
Band7	15MHz	QPSK	21375	75RB#0	5.87	13	PASS
Band7	15MHz	16QAM	21375	1RB#0	8.14	13	PASS
Band7	15MHz	16QAM	21375	75RB#0	6.79	13	PASS


Band7	20MHz	QPSK	20850	1RB#0	8.30	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	6.47	13	PASS
Band7	20MHz	16QAM	20850	1RB#0	8.27	13	PASS
Band7	20MHz	16QAM	20850	100RB#0	7.15	13	PASS
Band7	20MHz	QPSK	21100	1RB#0	8.27	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	6.51	13	PASS
Band7	20MHz	16QAM	21100	1RB#0	8.27	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	7.15	13	PASS
Band7	20MHz	QPSK	21350	1RB#0	8.24	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	6.47	13	PASS
Band7	20MHz	16QAM	21350	1RB#0	8.30	13	PASS
Band7	20MHz	16QAM	21350	100RB#0	7.15	13	PASS

Test Graphs







Band7-5MHz-16QAM-21100-1RB#0-PASS




Band7-5MHz-16QAM-21100-25RB#0-PASS




Band7-5MHz-QPSK-21425-1RB#0-PASS





Band7-5MHz-QPSK-21425-25RB#0-PASS



Band7-5MHz-16QAM-21425-1RB#0-PASS





Band7-5MHz-16QAM-21425-25RB#0-PASS





Band7-10MHz-QPSK-20800-1RB#0-PASS

Band7-10MHz-QPSK-20800-50RB#0-PASS





Band7-10MHz-16QAM-20800-1RB#0-PASS

Band7-10MHz-16QAM-20800-50RB#0-PASS





Band7-10MHz-QPSK-21100-1RB#0-PASS

Band7-10MHz-QPSK-21100-50RB#0-PASS





Band7-10MHz-16QAM-21100-1RB#0-PASS

Band7-10MHz-16QAM-21100-50RB#0-PASS




Band7-10MHz-QPSK-21400-1RB#0-PASS









Band7-10MHz-QPSK-21400-50RB#0-PASS




Band7-10MHz-16QAM-21400-1RB#0-PASS


Band7-10MHz-16QAM-21400-50RB#0-PASS









Band7-20MHz-QPSK-20850-1RB#0-PASS




Band7-20MHz-QPSK-20850-100RB#0-PASS




Band7-20MHz-16QAM-20850-1RB#0-PASS





Band7-20MHz-16QAM-20850-100RB#0-PASS



Band7-20MHz-QPSK-21100-1RB#0-PASS





Band7-20MHz-QPSK-21100-100RB#0-PASS





Band7-20MHz-16QAM-21100-1RB#0-PASS

Band7-20MHz-16QAM-21100-100RB#0-PASS



Band7-20MHz-QPSK-21350-1RB#0-PASS

Band7-20MHz-QPSK-21350-100RB#0-PASS



Band7-20MHz-16QAM-21350-1RB#0-PASS


Band7-20MHz-16QAM-21350-100RB#0-PASS

Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	4.51	4.94	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.5	4.93	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.51	4.93	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.5	4.92	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.5	4.93	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5	4.96	PASS
Band7	10MHz	QPSK	20800	50RB#0	9	10.33	PASS
Band7	10MHz	16QAM	20800	50RB#0	8.967	9.90	PASS
Band7	10MHz	QPSK	21100	50RB#0	9.033	9.90	PASS
Band7	10MHz	16QAM	21100	50RB#0	9	9.87	PASS
Band7	10MHz	QPSK	21400	50RB#0	9	9.90	PASS
Band7	10MHz	16QAM	21400	50RB#0	9	9.90	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.55	14.85	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.5	14.80	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.5	14.85	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.5	14.80	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.55	14.90	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.5	14.80	PASS
Band7	20MHz	QPSK	20850	100RB#0	18.067	19.73	PASS
Band7	20MHz	16QAM	20850	100RB#0	18.067	19.73	PASS
Band7	20MHz	QPSK	21100	100RB#0	18.067	19.80	PASS
Band7	20MHz	16QAM	21100	100RB#0	18.133	19.73	PASS
Band7	20MHz	QPSK	21350	100RB#0	18.067	19.80	PASS
Band7	20MHz	16QAM	21350	100RB#0	18.067	19.93	PASS

Test Graphs





Band7-15MHz-QPSK-20825-75RB#0-PASS



Band7-15MHz-16QAM-20825-75RB#0-PASS



Band7-15MHz-QPSK-21100-75RB#0-PASS




Band7-15MHz-16QAM-21100-75RB#0-PASS




Band7-15MHz-QPSK-21375-75RB#0-PASS



Band7-15MHz-16QAM-21375-75RB#0-PASS




Date: 16.FEB.2025 18:16:07




Date: 16.FEB.2025 18:16:19

Band7-20MHz-QPSK-20850-100RB#0-PASS

Band7-20MHz-16QAM-20850-100RB#0-PASS




Date: 16.FEB.2025 18:16:35




Date: 16.FEB.2025 18:16:47

Band7-20MHz-QPSK-21100-100RB#0-PASS

Band7-20MHz-16QAM-21100-100RB#0-PASS



Date: 16.FEB.2025 18:17:02



Date: 16.FEB.2025 18:17:14

Band7-20MHz-QPSK-21350-100RB#0-PASS

Band7-20MHz-16QAM-21350-100RB#0-PASS


Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Limitt(dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	-21.29	-10	PASS
Band7	5MHz	QPSK	20775	1RB#24	-38.53	-25	PASS
Band7	5MHz	QPSK	20775	25RB#0	-38.52	-25	PASS
Band7	5MHz	16QAM	20775	1RB#0	-38.51	-25	PASS
Band7	5MHz	16QAM	20775	1RB#24	-38.54	-25	PASS
Band7	5MHz	16QAM	20775	25RB#0	-38.51	-25	PASS
Band7	5MHz	QPSK	21425	1RB#0	-38.49	-25	PASS
Band7	5MHz	QPSK	21425	1RB#24	-20.91	-10	PASS
Band7	5MHz	QPSK	21425	25RB#0	-38.30	-25	PASS
Band7	5MHz	16QAM	21425	1RB#0	-38.53	-25	PASS
Band7	5MHz	16QAM	21425	1RB#24	-38.53	-25	PASS
Band7	5MHz	16QAM	21425	25RB#0	-38.42	-25	PASS
Band7	10MHz	QPSK	20800	1RB#0	-38.36	-25	PASS
Band7	10MHz	QPSK	20800	1RB#49	-38.54	-25	PASS
Band7	10MHz	QPSK	20800	50RB#0	-38.38	-25	PASS
Band7	10MHz	16QAM	20800	1RB#0	-38.43	-25	PASS
Band7	10MHz	16QAM	20800	1RB#49	-38.50	-25	PASS
Band7	10MHz	16QAM	20800	50RB#0	-38.42	-25	PASS
Band7	10MHz	QPSK	21400	1RB#0	-38.50	-25	PASS
Band7	10MHz	QPSK	21400	1RB#49	-38.37	-25	PASS
Band7	10MHz	QPSK	21400	50RB#0	-38.39	-25	PASS
Band7	10MHz	16QAM	21400	1RB#0	-38.58	-25	PASS
Band7	10MHz	16QAM	21400	1RB#49	-38.39	-25	PASS
Band7	10MHz	16QAM	21400	50RB#0	-38.42	-25	PASS
Band7	15MHz	QPSK	20825	1RB#0	-38.50	-25	PASS
Band7	15MHz	QPSK	20825	1RB#74	-38.50	-25	PASS
Band7	15MHz	QPSK	20825	75RB#0	-38.45	-25	PASS
Band7	15MHz	16QAM	20825	1RB#0	-38.50	-25	PASS
Band7	15MHz	16QAM	20825	1RB#74	-38.49	-25	PASS
Band7	15MHz	16QAM	20825	75RB#0	-38.42	-25	PASS
Band7	15MHz	QPSK	21375	1RB#0	-38.51	-25	PASS
Band7	15MHz	QPSK	21375	1RB#74	-38.48	-25	PASS
Band7	15MHz	QPSK	21375	75RB#0	-38.45	-25	PASS
Band7	15MHz	16QAM	21375	1RB#0	-38.59	-25	PASS
Band7	15MHz	16QAM	21375	1RB#74	-38.57	-25	PASS
Band7	15MHz	16QAM	21375	75RB#0	-38.49	-25	PASS
Band7	20MHz	QPSK	20850	1RB#0	-38.47	-25	PASS


Band7	20MHz	QPSK	20850	1RB#99	-38.47	-25	PASS
Band7	20MHz	QPSK	20850	100RB#0	-38.47	-25	PASS
Band7	20MHz	16QAM	20850	1RB#0	-38.37	-25	PASS
Band7	20MHz	16QAM	20850	1RB#99	-38.49	-25	PASS
Band7	20MHz	16QAM	20850	100RB#0	-38.52	-25	PASS
Band7	20MHz	QPSK	21350	1RB#0	-38.61	-25	PASS
Band7	20MHz	QPSK	21350	1RB#99	-38.63	-25	PASS
Band7	20MHz	QPSK	21350	100RB#0	-38.61	-25	PASS
Band7	20MHz	16QAM	21350	1RB#0	-38.57	-25	PASS
Band7	20MHz	16QAM	21350	1RB#99	-38.61	-25	PASS
Band7	20MHz	16QAM	21350	100RB#0	-38.59	-25	PASS

Test Graphs






Date: 16.FEB.2025 16:25:56




Date: 16.FEB.2025 16:27:04

Band7-5MHz-16QAM-20775-1RB#24-PASS

Band7-5MHz-16QAM-20775-25RB#0-PASS




Date: 16.FEB.2025 16:27:41




Date: 16.FEB.2025 16:28:49

Band7-5MHz-QPSK-21425-1RB#0-PASS

Band7-5MHz-QPSK-21425-1RB#24-PASS




Date: 16.FEB.2025 16:29:57




Date: 16.FEB.2025 16:28:14

Band7-5MHz-QPSK-21425-25RB#0-PASS

Band7-5MHz-16QAM-21425-1RB#0-PASS




Date: 16.FEB.2025 16:29:22




Date: 16.FEB.2025 16:30:29

Band7-5MHz-16QAM-21425-1RB#24-PASS

Band7-5MHz-16QAM-21425-25RB#0-PASS




Date: 16.FEB.2025 17:02:04




Date: 16.FEB.2025 17:03:12

Band7-10MHz-QPSK-20800-1RB#0-PASS

Band7-10MHz-QPSK-20800-1RB#49-PASS




Date: 16.FEB.2025 17:04:20




Date: 16.FEB.2025 17:02:37

Band7-10MHz-QPSK-20800-50RB#0-PASS

Band7-10MHz-16QAM-20800-1RB#0-PASS




Date: 16.FEB.2025 17:03:45




Date: 16.FEB.2025 17:04:53

Band7-10MHz-16QAM-20800-1RB#49-PASS

Band7-10MHz-16QAM-20800-50RB#0-PASS




Date: 16.FEB.2025 17:05:31




Date: 16.FEB.2025 17:06:39

Band7-10MHz-QPSK-21400-1RB#0-PASS

Band7-10MHz-QPSK-21400-1RB#49-PASS




Date: 16.FEB.2025 17:07:47




Date: 16.FEB.2025 17:06:03

Band7-10MHz-QPSK-21400-50RB#0-PASS

Band7-10MHz-16QAM-21400-1RB#0-PASS




Date: 16.FEB.2025 17:07:11




Date: 16.FEB.2025 17:08:20

Band7-10MHz-16QAM-21400-1RB#49-PASS

Band7-10MHz-16QAM-21400-50RB#0-PASS




Date: 16.FEB.2025 17:40:50




Date: 16.FEB.2025 17:42:00

Band7-15MHz-QPSK-20825-1RB#0-PASS

Band7-15MHz-QPSK-20825-1RB#74-PASS




Date: 16.FEB.2025 17:43:10




Date: 16.FEB.2025 17:41:24

Band7-15MHz-QPSK-20825-75RB#0-PASS

Band7-15MHz-16QAM-20825-1RB#0-PASS




Date: 16.FEB.2025 17:42:34




Date: 16.FEB.2025 17:43:45

Band7-15MHz-16QAM-20825-1RB#74-PASS

Band7-15MHz-16QAM-20825-75RB#0-PASS




Date: 16.FEB.2025 17:44:25




Date: 16.FEB.2025 17:45:39

Band7-15MHz-QPSK-21375-1RB#0-PASS

Band7-15MHz-QPSK-21375-1RB#74-PASS





Date: 16.FEB.2025 17:46:51



Date: 16.FEB.2025 17:45:01



Band7-15MHz-QPSK-21375-75RB#0-PASS

Band7-15MHz-16QAM-21375-1RB#0-PASS





Band7-15MHz-16QAM-21375-1RB#74-PASS

Band7-15MHz-16QAM-21375-75RB#0-PASS




Band7-20MHz-QPSK-20850-1RB#0-PASS

Band7-20MHz-QPSK-20850-1RB#99-PASS




Band7-20MHz-QPSK-20850-100RB#0-PASS

Band7-20MHz-16QAM-20850-1RB#0-PASS




Date: 16.FEB.2025 18:19:42




Date: 16.FEB.2025 18:20:54

Band7-20MHz-16QAM-20850-1RB#99-PASS

Band7-20MHz-16QAM-20850-100RB#0-PASS




Date: 16.FEB.2025 18:21:32




Date: 16.FEB.2025 18:22:43

Band7-20MHz-QPSK-21350-1RB#0-PASS

Band7-20MHz-QPSK-21350-1RB#99-PASS



Date: 16.FEB.2025 18:23:54



Date: 16.FEB.2025 18:22:07

Band7-20MHz-QPSK-21350-100RB#0-PASS

Band7-20MHz-16QAM-21350-1RB#0-PASS

Appendix E: Conducted Spurious Emission


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limitt (dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	0.009~0.15	-64.29	-55	PASS
Band7	5MHz	QPSK	20775	1RB#0	0.15~30	-70.08	-45	PASS
Band7	5MHz	QPSK	20775	1RB#0	30~1000	-45.25	-35	PASS
Band7	5MHz	QPSK	20775	1RB#0	1000~20000	-39.54	-25	PASS
Band7	5MHz	QPSK	20775	1RB#0	20000~27000	-44.76	-25	PASS
Band7	5MHz	16QAM	20775	1RB#0	0.009~0.15	-65.55	-55	PASS
Band7	5MHz	16QAM	20775	1RB#0	0.15~30	-71.96	-45	PASS
Band7	5MHz	16QAM	20775	1RB#0	30~1000	-48.73	-35	PASS
Band7	5MHz	16QAM	20775	1RB#0	1000~20000	-38.98	-25	PASS
Band7	5MHz	16QAM	20775	1RB#0	20000~27000	-44.70	-25	PASS
Band7	5MHz	QPSK	21100	1RB#0	0.009~0.15	-64.22	-55	PASS
Band7	5MHz	QPSK	21100	1RB#0	0.15~30	-70.03	-45	PASS
Band7	5MHz	QPSK	21100	1RB#0	30~1000	-44.40	-35	PASS
Band7	5MHz	QPSK	21100	1RB#0	1000~20000	-40.49	-25	PASS
Band7	5MHz	QPSK	21100	1RB#0	20000~27000	-44.72	-25	PASS
Band7	5MHz	16QAM	21100	1RB#0	0.009~0.15	-64.33	-55	PASS
Band7	5MHz	16QAM	21100	1RB#0	0.15~30	-72.57	-45	PASS
Band7	5MHz	16QAM	21100	1RB#0	30~1000	-48.50	-35	PASS
Band7	5MHz	16QAM	21100	1RB#0	1000~20000	-42.74	-25	PASS
Band7	5MHz	16QAM	21100	1RB#0	20000~27000	-44.73	-25	PASS
Band7	5MHz	QPSK	21425	1RB#0	0.009~0.15	-62.61	-55	PASS
Band7	5MHz	QPSK	21425	1RB#0	0.15~30	-71.38	-45	PASS
Band7	5MHz	QPSK	21425	1RB#0	30~1000	-44.70	-35	PASS
Band7	5MHz	QPSK	21425	1RB#0	1000~20000	-36.45	-25	PASS
Band7	5MHz	QPSK	21425	1RB#0	20000~27000	-44.65	-25	PASS
Band7	5MHz	16QAM	21425	1RB#0	0.009~0.15	-63.27	-55	PASS
Band7	5MHz	16QAM	21425	1RB#0	0.15~30	-72.21	-45	PASS
Band7	5MHz	16QAM	21425	1RB#0	30~1000	-48.22	-35	PASS
Band7	5MHz	16QAM	21425	1RB#0	1000~20000	-38.09	-25	PASS
Band7	5MHz	16QAM	21425	1RB#0	20000~27000	-44.74	-25	PASS
Band7	10MHz	QPSK	20800	1RB#0	0.009~0.15	-63.43	-55	PASS
Band7	10MHz	QPSK	20800	1RB#0	0.15~30	-70.68	-45	PASS
Band7	10MHz	QPSK	20800	1RB#0	30~1000	-44.26	-35	PASS
Band7	10MHz	QPSK	20800	1RB#0	1000~20000	-43.31	-25	PASS
Band7	10MHz	QPSK	20800	1RB#0	20000~27000	-44.75	-25	PASS
Band7	10MHz	16QAM	20800	1RB#0	0.009~0.15	-64.40	-55	PASS

Band7	10MHz	16QAM	20800	1RB#0	0.15~30	-72.40	-45	PASS
Band7	10MHz	16QAM	20800	1RB#0	30~1000	-48.37	-35	PASS
Band7	10MHz	16QAM	20800	1RB#0	1000~20000	-43.34	-25	PASS
Band7	10MHz	16QAM	20800	1RB#0	20000~27000	-44.73	-25	PASS
Band7	10MHz	QPSK	21100	1RB#0	0.009~0.15	-62.73	-55	PASS
Band7	10MHz	QPSK	21100	1RB#0	0.15~30	-70.89	-45	PASS
Band7	10MHz	QPSK	21100	1RB#0	30~1000	-43.63	-35	PASS
Band7	10MHz	QPSK	21100	1RB#0	1000~20000	-43.33	-25	PASS
Band7	10MHz	QPSK	21100	1RB#0	20000~27000	-44.61	-25	PASS
Band7	10MHz	16QAM	21100	1RB#0	0.009~0.15	-63.35	-55	PASS
Band7	10MHz	16QAM	21100	1RB#0	0.15~30	-71.60	-45	PASS
Band7	10MHz	16QAM	21100	1RB#0	30~1000	-47.50	-35	PASS
Band7	10MHz	16QAM	21100	1RB#0	1000~20000	-43.32	-25	PASS
Band7	10MHz	16QAM	21100	1RB#0	20000~27000	-44.75	-25	PASS
Band7	10MHz	QPSK	21400	1RB#0	0.009~0.15	-64.32	-55	PASS
Band7	10MHz	QPSK	21400	1RB#0	0.15~30	-71.38	-45	PASS
Band7	10MHz	QPSK	21400	1RB#0	30~1000	-43.53	-35	PASS
Band7	10MHz	QPSK	21400	1RB#0	1000~20000	-43.22	-25	PASS
Band7	10MHz	QPSK	21400	1RB#0	20000~27000	-44.74	-25	PASS
Band7	10MHz	16QAM	21400	1RB#0	0.009~0.15	-64.45	-55	PASS
Band7	10MHz	16QAM	21400	1RB#0	0.15~30	-71.89	-45	PASS
Band7	10MHz	16QAM	21400	1RB#0	30~1000	-47.25	-35	PASS
Band7	10MHz	16QAM	21400	1RB#0	1000~20000	-43.04	-25	PASS
Band7	10MHz	16QAM	21400	1RB#0	20000~27000	-44.69	-25	PASS
Band7	15MHz	QPSK	20825	1RB#0	0.009~0.15	-64.84	-55	PASS
Band7	15MHz	QPSK	20825	1RB#0	0.15~30	-70.02	-45	PASS
Band7	15MHz	QPSK	20825	1RB#0	30~1000	-44.74	-35	PASS
Band7	15MHz	QPSK	20825	1RB#0	1000~20000	-43.31	-25	PASS
Band7	15MHz	QPSK	20825	1RB#0	20000~27000	-44.69	-25	PASS
Band7	15MHz	16QAM	20825	1RB#0	0.009~0.15	-65.27	-55	PASS
Band7	15MHz	16QAM	20825	1RB#0	0.15~30	-72.16	-45	PASS
Band7	15MHz	16QAM	20825	1RB#0	30~1000	-48.38	-35	PASS
Band7	15MHz	16QAM	20825	1RB#0	1000~20000	-43.30	-25	PASS
Band7	15MHz	16QAM	20825	1RB#0	20000~27000	-44.73	-25	PASS
Band7	15MHz	QPSK	21100	1RB#0	0.009~0.15	-63.03	-55	PASS
Band7	15MHz	QPSK	21100	1RB#0	0.15~30	-70.47	-45	PASS
Band7	15MHz	QPSK	21100	1RB#0	30~1000	-45.12	-35	PASS
Band7	15MHz	QPSK	21100	1RB#0	1000~20000	-43.28	-25	PASS
Band7	15MHz	QPSK	21100	1RB#0	20000~27000	-44.69	-25	PASS
Band7	15MHz	16QAM	21100	1RB#0	0.009~0.15	-64.20	-55	PASS
Band7	15MHz	16QAM	21100	1RB#0	0.15~30	-71.11	-45	PASS
Band7	15MHz	16QAM	21100	1RB#0	30~1000	-48.23	-35	PASS
Band7	15MHz	16QAM	21100	1RB#0	1000~20000	-43.30	-25	PASS

Band7	15MHz	16QAM	21100	1RB#0	20000~27000	-44.65	-25	PASS
Band7	15MHz	QPSK	21375	1RB#0	0.009~0.15	-62.93	-55	PASS
Band7	15MHz	QPSK	21375	1RB#0	0.15~30	-70.07	-45	PASS
Band7	15MHz	QPSK	21375	1RB#0	30~1000	-44.29	-35	PASS
Band7	15MHz	QPSK	21375	1RB#0	1000~20000	-43.34	-25	PASS
Band7	15MHz	QPSK	21375	1RB#0	20000~27000	-44.70	-25	PASS
Band7	15MHz	16QAM	21375	1RB#0	0.009~0.15	-64.78	-55	PASS
Band7	15MHz	16QAM	21375	1RB#0	0.15~30	-72.86	-45	PASS
Band7	15MHz	16QAM	21375	1RB#0	30~1000	-48.31	-35	PASS
Band7	15MHz	16QAM	21375	1RB#0	1000~20000	-43.24	-25	PASS
Band7	15MHz	16QAM	21375	1RB#0	20000~27000	-44.67	-25	PASS
Band7	20MHz	QPSK	20850	1RB#0	0.009~0.15	-59.54	-55	PASS
Band7	20MHz	QPSK	20850	1RB#0	0.15~30	-70.82	-45	PASS
Band7	20MHz	QPSK	20850	1RB#0	30~1000	-45.09	-35	PASS
Band7	20MHz	QPSK	20850	1RB#0	1000~20000	-43.34	-25	PASS
Band7	20MHz	QPSK	20850	1RB#0	20000~27000	-44.75	-25	PASS
Band7	20MHz	16QAM	20850	1RB#0	0.009~0.15	-59.12	-55	PASS
Band7	20MHz	16QAM	20850	1RB#0	0.15~30	-71.83	-45	PASS
Band7	20MHz	16QAM	20850	1RB#0	30~1000	-49.22	-35	PASS
Band7	20MHz	16QAM	20850	1RB#0	1000~20000	-43.35	-25	PASS
Band7	20MHz	16QAM	20850	1RB#0	20000~27000	-44.70	-25	PASS
Band7	20MHz	QPSK	21100	1RB#0	0.009~0.15	-58.72	-55	PASS
Band7	20MHz	QPSK	21100	1RB#0	0.15~30	-71.22	-45	PASS
Band7	20MHz	QPSK	21100	1RB#0	30~1000	-44.42	-35	PASS
Band7	20MHz	QPSK	21100	1RB#0	1000~20000	-43.30	-25	PASS
Band7	20MHz	QPSK	21100	1RB#0	20000~27000	-44.69	-25	PASS
Band7	20MHz	16QAM	21100	1RB#0	0.009~0.15	-61.25	-55	PASS
Band7	20MHz	16QAM	21100	1RB#0	0.15~30	-72.47	-45	PASS
Band7	20MHz	16QAM	21100	1RB#0	30~1000	-47.78	-35	PASS
Band7	20MHz	16QAM	21100	1RB#0	1000~20000	-43.31	-25	PASS
Band7	20MHz	16QAM	21100	1RB#0	20000~27000	-44.75	-25	PASS
Band7	20MHz	QPSK	21350	1RB#0	0.009~0.15	-60.44	-55	PASS
Band7	20MHz	QPSK	21350	1RB#0	0.15~30	-71.30	-45	PASS
Band7	20MHz	QPSK	21350	1RB#0	30~1000	-45.63	-35	PASS
Band7	20MHz	QPSK	21350	1RB#0	1000~20000	-43.32	-25	PASS
Band7	20MHz	QPSK	21350	1RB#0	20000~27000	-44.73	-25	PASS
Band7	20MHz	16QAM	21350	1RB#0	0.009~0.15	-60.27	-55	PASS
Band7	20MHz	16QAM	21350	1RB#0	0.15~30	-72.34	-45	PASS
Band7	20MHz	16QAM	21350	1RB#0	30~1000	-48.77	-35	PASS
Band7	20MHz	16QAM	21350	1RB#0	1000~20000	-43.32	-25	PASS
Band7	20MHz	16QAM	21350	1RB#0	20000~27000	-44.67	-25	PASS


Test Graphs






Date: 16.FEB.2025 16:32:29

Band7-5MHz-16QAM-20775-1RB#0-0.15~30-PA
SS




Date: 16.FEB.2025 16:32:43

Band7-5MHz-16QAM-20775-1RB#0-30~1000-PAS
S




Date: 16.FEB.2025 16:32:59

Band7-5MHz-16QAM-20775-1RB#0-1000~20000
-PASS




Date: 16.FEB.2025 16:33:25

Band7-5MHz-16QAM-20775-1RB#0-20000~27000
-PASS




Date: 16.FEB.2025 16:33:41

Band7-5MHz-QPSK-21100-1RB#0-0.009~0.15-P
ASS



Date: 16.FEB.2025 16:33:56


Band7-5MHz-QPSK-21100-1RB#0-0.15~30-PASS



Date: 16.FEB.2025 16:34:10

Band7-5MHz-QPSK-21100-1RB#0-30~1000-PAS


S



Date: 16.FEB.2025 16:34:25

Band7-5MHz-QPSK-21100-1RB#0-1000~20000-P


ASS



Date: 16.FEB.2025 16:34:52

Band7-5MHz-QPSK-21100-1RB#0-20000~27000-PASS


PASS



Date: 16.FEB.2025 16:35:04

Band7-5MHz-16QAM-21100-1RB#0-0.009~0.15-P


ASS



Date: 16.FEB.2025 16:35:19

Band7-5MHz-16QAM-21100-1RB#0-0.15~30-PAS


S




Date: 16.FEB.2025 16:35:33

Band7-5MHz-16QAM-21100-1RB#0-30~1000-PAS


S




Band7-5MHz-16QAM-21100-1RB#0-1000~20000
-PASS




Band7-5MHz-16QAM-21100-1RB#0-20000~27000
-PASS




Band7-5MHz-QPSK-21425-1RB#0-0.009~0.15-P
ASS




Band7-5MHz-QPSK-21425-1RB#0-0.15~30-PASS




Band7-5MHz-QPSK-21425-1RB#0-30~1000-PAS
S




Band7-5MHz-QPSK-21425-1RB#0-1000~20000-P
ASS




Band7-5MHz-QPSK-21425-1RB#0-20000~27000
-PASS




Band7-5MHz-16QAM-21425-1RB#0-0.009~0.15-P
ASS




Band7-5MHz-16QAM-21425-1RB#0-0.15~30-PA
SS




Band7-5MHz-16QAM-21425-1RB#0-30~1000-PAS
S



Band7-5MHz-16QAM-21425-1RB#0-1000~20000
-PASS




Band7-5MHz-16QAM-21425-1RB#0-20000~27000
-PASS




Date: 16.FEB.2025 17:08:40

Band7-10MHz-QPSK-20800-1RB#0-0.009~0.15-PASS




Date: 16.FEB.2025 17:08:56

Band7-10MHz-QPSK-20800-1RB#0-0.15~30-PASS




Date: 16.FEB.2025 17:09:10

Band7-10MHz-QPSK-20800-1RB#0-30~1000-PASS




Date: 16.FEB.2025 17:09:25

Band7-10MHz-QPSK-20800-1RB#0-1000~20000-PASS




Date: 16.FEB.2025 17:09:52

Band7-10MHz-QPSK-20800-1RB#0-20000~27000-PASS




Date: 16.FEB.2025 17:10:03


Band7-10MHz-16QAM-20800-1RB#0-0.009~0.15-PASS




Band7-10MHz-16QAM-20800-1RB#0-0.15~30-PA
SS




Band7-10MHz-16QAM-20800-1RB#0-30~1000-PA
SS




Band7-10MHz-16QAM-20800-1RB#0-1000~2000
0-PASS



Band7-10MHz-16QAM-20800-1RB#0-20000~2700
0-PASS



Band7-10MHz-QPSK-21100-1RB#0-0.009~0.15-P
ASS



Band7-10MHz-QPSK-21100-1RB#0-0.15~30-PAS
S