

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Result (dBm)	Max Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	15.52	1.16	16.68	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	15.52	1.16	16.68	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	15.57	1.16	16.73	33	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	22.60	1.16	23.76	33	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	22.60	1.16	23.76	33	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	22.57	1.16	23.73	33	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	21.62	1.16	22.78	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	14.72	1.16	15.88	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	14.66	1.16	15.82	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	21.46	1.16	22.62	33	PASS
Band25	1.4MHz	16QAM	26047	3RB#0	21.62	1.16	22.78	33	PASS
Band25	1.4MHz	16QAM	26047	3RB#1	21.63	1.16	22.79	33	PASS
Band25	1.4MHz	16QAM	26047	3RB#3	21.64	1.16	22.80	33	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	20.73	1.16	21.89	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	22.39	1.16	23.55	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	22.31	1.16	23.47	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	22.30	1.16	23.46	33	PASS
Band25	1.4MHz	QPSK	26365	3RB#0	22.59	1.16	23.75	33	PASS
Band25	1.4MHz	QPSK	26365	3RB#1	22.54	1.16	23.70	33	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	22.51	1.16	23.67	33	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	21.66	1.16	22.82	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	21.52	1.16	22.68	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	21.47	1.16	22.63	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	21.47	1.16	22.63	33	PASS
Band25	1.4MHz	16QAM	26365	3RB#0	21.61	1.16	22.77	33	PASS
Band25	1.4MHz	16QAM	26365	3RB#1	21.60	1.16	22.76	33	PASS
Band25	1.4MHz	16QAM	26365	3RB#3	21.55	1.16	22.71	33	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	20.90	1.16	22.06	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	22.13	1.16	23.29	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	22.10	1.16	23.26	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	22.19	1.16	23.35	33	PASS
Band25	1.4MHz	QPSK	26683	3RB#0	22.34	1.16	23.50	33	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	22.33	1.16	23.49	33	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	22.38	1.16	23.54	33	PASS

Band25	1.4MHz	QPSK	26683	6RB#0	21.54	1.16	22.70	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	21.24	1.16	22.40	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	21.28	1.16	22.44	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	21.30	1.16	22.46	33	PASS
Band25	1.4MHz	16QAM	26683	3RB#0	21.32	1.16	22.48	33	PASS
Band25	1.4MHz	16QAM	26683	3RB#1	21.34	1.16	22.50	33	PASS
Band25	1.4MHz	16QAM	26683	3RB#3	21.41	1.16	22.57	33	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	20.74	1.16	21.90	33	PASS
Band25	3MHz	QPSK	26055	1RB#0	22.37	1.16	23.53	33	PASS
Band25	3MHz	QPSK	26055	1RB#8	22.42	1.16	23.58	33	PASS
Band25	3MHz	QPSK	26055	1RB#14	22.40	1.16	23.56	33	PASS
Band25	3MHz	QPSK	26055	8RB#0	21.79	1.16	22.95	33	PASS
Band25	3MHz	QPSK	26055	8RB#4	21.79	1.16	22.95	33	PASS
Band25	3MHz	QPSK	26055	8RB#7	21.86	1.16	23.02	33	PASS
Band25	3MHz	QPSK	26055	15RB#0	21.86	1.16	23.02	33	PASS
Band25	3MHz	16QAM	26055	1RB#0	21.61	1.16	22.77	33	PASS
Band25	3MHz	16QAM	26055	1RB#8	21.65	1.16	22.81	33	PASS
Band25	3MHz	16QAM	26055	1RB#14	21.62	1.16	22.78	33	PASS
Band25	3MHz	16QAM	26055	8RB#0	21.07	1.16	22.23	33	PASS
Band25	3MHz	16QAM	26055	8RB#4	21.07	1.16	22.23	33	PASS
Band25	3MHz	16QAM	26055	8RB#7	21.10	1.16	22.26	33	PASS
Band25	3MHz	16QAM	26055	15RB#0	21.15	1.16	22.31	33	PASS
Band25	3MHz	QPSK	26365	1RB#0	22.44	1.16	23.60	33	PASS
Band25	3MHz	QPSK	26365	1RB#8	22.33	1.16	23.49	33	PASS
Band25	3MHz	QPSK	26365	1RB#14	22.30	1.16	23.46	33	PASS
Band25	3MHz	QPSK	26365	8RB#0	21.80	1.16	22.96	33	PASS
Band25	3MHz	QPSK	26365	8RB#4	21.82	1.16	22.98	33	PASS
Band25	3MHz	QPSK	26365	8RB#7	21.77	1.16	22.93	33	PASS
Band25	3MHz	QPSK	26365	15RB#0	21.83	1.16	22.99	33	PASS
Band25	3MHz	16QAM	26365	1RB#0	21.66	1.16	22.82	33	PASS
Band25	3MHz	16QAM	26365	1RB#8	21.59	1.16	22.75	33	PASS
Band25	3MHz	16QAM	26365	1RB#14	21.56	1.16	22.72	33	PASS
Band25	3MHz	16QAM	26365	8RB#0	21.11	1.16	22.27	33	PASS
Band25	3MHz	16QAM	26365	8RB#4	21.11	1.16	22.27	33	PASS
Band25	3MHz	16QAM	26365	8RB#7	21.08	1.16	22.24	33	PASS
Band25	3MHz	16QAM	26365	15RB#0	21.10	1.16	22.26	33	PASS
Band25	3MHz	QPSK	26675	1RB#0	21.97	1.16	23.13	33	PASS
Band25	3MHz	QPSK	26675	1RB#8	22.18	1.16	23.34	33	PASS
Band25	3MHz	QPSK	26675	1RB#14	22.28	1.16	23.44	33	PASS
Band25	3MHz	QPSK	26675	8RB#0	21.48	1.16	22.64	33	PASS
Band25	3MHz	QPSK	26675	8RB#4	21.45	1.16	22.61	33	PASS
Band25	3MHz	QPSK	26675	8RB#7	21.65	1.16	22.81	33	PASS
Band25	3MHz	QPSK	26675	15RB#0	21.57	1.16	22.73	33	PASS

Band25	3MHz	16QAM	26675	1RB#0	21.18	1.16	22.34	33	PASS
Band25	3MHz	16QAM	26675	1RB#8	21.35	1.16	22.51	33	PASS
Band25	3MHz	16QAM	26675	1RB#14	21.54	1.16	22.70	33	PASS
Band25	3MHz	16QAM	26675	8RB#0	20.73	1.16	21.89	33	PASS
Band25	3MHz	16QAM	26675	8RB#4	20.72	1.16	21.88	33	PASS
Band25	3MHz	16QAM	26675	8RB#7	20.88	1.16	22.04	33	PASS
Band25	3MHz	16QAM	26675	15RB#0	20.86	1.16	22.02	33	PASS
Band25	5MHz	QPSK	26065	1RB#0	22.67	1.16	23.83	33	PASS
Band25	5MHz	QPSK	26065	1RB#12	22.74	1.16	23.90	33	PASS
Band25	5MHz	QPSK	26065	1RB#24	22.74	1.16	23.90	33	PASS
Band25	5MHz	QPSK	26065	12RB#0	21.92	1.16	23.08	33	PASS
Band25	5MHz	QPSK	26065	12RB#6	21.95	1.16	23.11	33	PASS
Band25	5MHz	QPSK	26065	12RB#13	22.06	1.16	23.22	33	PASS
Band25	5MHz	QPSK	26065	25RB#0	22.01	1.16	23.17	33	PASS
Band25	5MHz	16QAM	26065	1RB#0	21.79	1.16	22.95	33	PASS
Band25	5MHz	16QAM	26065	1RB#12	21.87	1.16	23.03	33	PASS
Band25	5MHz	16QAM	26065	1RB#24	21.84	1.16	23.00	33	PASS
Band25	5MHz	16QAM	26065	12RB#0	21.14	1.16	22.30	33	PASS
Band25	5MHz	16QAM	26065	12RB#6	21.15	1.16	22.31	33	PASS
Band25	5MHz	16QAM	26065	12RB#13	21.26	1.16	22.42	33	PASS
Band25	5MHz	16QAM	26065	25RB#0	21.31	1.16	22.47	33	PASS
Band25	5MHz	QPSK	26365	1RB#0	22.81	1.16	23.97	33	PASS
Band25	5MHz	QPSK	26365	1RB#12	22.67	1.16	23.83	33	PASS
Band25	5MHz	QPSK	26365	1RB#24	22.51	1.16	23.67	33	PASS
Band25	5MHz	QPSK	26365	12RB#0	21.98	1.16	23.14	33	PASS
Band25	5MHz	QPSK	26365	12RB#6	22.03	1.16	23.19	33	PASS
Band25	5MHz	QPSK	26365	12RB#13	21.88	1.16	23.04	33	PASS
Band25	5MHz	QPSK	26365	25RB#0	21.97	1.16	23.13	33	PASS
Band25	5MHz	16QAM	26365	1RB#0	21.90	1.16	23.06	33	PASS
Band25	5MHz	16QAM	26365	1RB#12	21.77	1.16	22.93	33	PASS
Band25	5MHz	16QAM	26365	1RB#24	21.67	1.16	22.83	33	PASS
Band25	5MHz	16QAM	26365	12RB#0	21.26	1.16	22.42	33	PASS
Band25	5MHz	16QAM	26365	12RB#6	21.24	1.16	22.40	33	PASS
Band25	5MHz	16QAM	26365	12RB#13	21.09	1.16	22.25	33	PASS
Band25	5MHz	16QAM	26365	25RB#0	21.22	1.16	22.38	33	PASS
Band25	5MHz	QPSK	26665	1RB#0	22.20	1.16	23.36	33	PASS
Band25	5MHz	QPSK	26665	1RB#12	22.32	1.16	23.48	33	PASS
Band25	5MHz	QPSK	26665	1RB#24	22.56	1.16	23.72	33	PASS
Band25	5MHz	QPSK	26665	12RB#0	21.39	1.16	22.55	33	PASS
Band25	5MHz	QPSK	26665	12RB#6	21.39	1.16	22.55	33	PASS
Band25	5MHz	QPSK	26665	12RB#13	21.75	1.16	22.91	33	PASS
Band25	5MHz	QPSK	26665	25RB#0	21.58	1.16	22.74	33	PASS
Band25	5MHz	16QAM	26665	1RB#0	21.29	1.16	22.45	33	PASS

Band25	5MHz	16QAM	26665	1RB#12	21.45	1.16	22.61	33	PASS
Band25	5MHz	16QAM	26665	1RB#24	21.66	1.16	22.82	33	PASS
Band25	5MHz	16QAM	26665	12RB#0	20.63	1.16	21.79	33	PASS
Band25	5MHz	16QAM	26665	12RB#6	20.65	1.16	21.81	33	PASS
Band25	5MHz	16QAM	26665	12RB#13	20.98	1.16	22.14	33	PASS
Band25	5MHz	16QAM	26665	25RB#0	20.89	1.16	22.05	33	PASS
Band25	10MHz	QPSK	26090	1RB#0	22.65	1.16	23.81	33	PASS
Band25	10MHz	QPSK	26090	1RB#24	22.71	1.16	23.87	33	PASS
Band25	10MHz	QPSK	26090	1RB#49	23.01	1.16	24.17	33	PASS
Band25	10MHz	QPSK	26090	25RB#0	21.96	1.16	23.12	33	PASS
Band25	10MHz	QPSK	26090	25RB#12	21.93	1.16	23.09	33	PASS
Band25	10MHz	QPSK	26090	25RB#25	22.31	1.16	23.47	33	PASS
Band25	10MHz	QPSK	26090	50RB#0	22.18	1.16	23.34	33	PASS
Band25	10MHz	16QAM	26090	1RB#0	21.91	1.16	23.07	33	PASS
Band25	10MHz	16QAM	26090	1RB#24	21.93	1.16	23.09	33	PASS
Band25	10MHz	16QAM	26090	1RB#49	22.23	1.16	23.39	33	PASS
Band25	10MHz	16QAM	26090	25RB#0	21.17	1.16	22.33	33	PASS
Band25	10MHz	16QAM	26090	25RB#12	21.22	1.16	22.38	33	PASS
Band25	10MHz	16QAM	26090	25RB#25	21.57	1.16	22.73	33	PASS
Band25	10MHz	16QAM	26090	50RB#0	21.45	1.16	22.61	33	PASS
Band25	10MHz	QPSK	26365	1RB#0	22.91	1.16	24.07	33	PASS
Band25	10MHz	QPSK	26365	1RB#24	22.58	1.16	23.74	33	PASS
Band25	10MHz	QPSK	26365	1RB#49	22.39	1.16	23.55	33	PASS
Band25	10MHz	QPSK	26365	25RB#0	22.15	1.16	23.31	33	PASS
Band25	10MHz	QPSK	26365	25RB#12	22.15	1.16	23.31	33	PASS
Band25	10MHz	QPSK	26365	25RB#25	21.82	1.16	22.98	33	PASS
Band25	10MHz	QPSK	26365	50RB#0	22.03	1.16	23.19	33	PASS
Band25	10MHz	16QAM	26365	1RB#0	22.15	1.16	23.31	33	PASS
Band25	10MHz	16QAM	26365	1RB#24	21.78	1.16	22.94	33	PASS
Band25	10MHz	16QAM	26365	1RB#49	21.69	1.16	22.85	33	PASS
Band25	10MHz	16QAM	26365	25RB#0	21.43	1.16	22.59	33	PASS
Band25	10MHz	16QAM	26365	25RB#12	21.42	1.16	22.58	33	PASS
Band25	10MHz	16QAM	26365	25RB#25	21.15	1.16	22.31	33	PASS
Band25	10MHz	16QAM	26365	50RB#0	21.34	1.16	22.50	33	PASS
Band25	10MHz	QPSK	26640	1RB#0	22.44	1.16	23.60	33	PASS
Band25	10MHz	QPSK	26640	1RB#24	22.07	1.16	23.23	33	PASS
Band25	10MHz	QPSK	26640	1RB#49	22.48	1.16	23.64	33	PASS
Band25	10MHz	QPSK	26640	25RB#0	21.65	1.16	22.81	33	PASS
Band25	10MHz	QPSK	26640	25RB#12	21.64	1.16	22.80	33	PASS
Band25	10MHz	QPSK	26640	25RB#25	21.77	1.16	22.93	33	PASS
Band25	10MHz	QPSK	26640	50RB#0	21.78	1.16	22.94	33	PASS
Band25	10MHz	16QAM	26640	1RB#0	21.72	1.16	22.88	33	PASS
Band25	10MHz	16QAM	26640	1RB#24	21.29	1.16	22.45	33	PASS

Band25	10MHz	16QAM	26640	1RB#49	21.69	1.16	22.85	33	PASS
Band25	10MHz	16QAM	26640	25RB#0	20.89	1.16	22.05	33	PASS
Band25	10MHz	16QAM	26640	25RB#12	20.93	1.16	22.09	33	PASS
Band25	10MHz	16QAM	26640	25RB#25	21.04	1.16	22.20	33	PASS
Band25	10MHz	16QAM	26640	50RB#0	21.00	1.16	22.16	33	PASS
Band25	15MHz	QPSK	26115	1RB#0	22.67	1.16	23.83	33	PASS
Band25	15MHz	QPSK	26115	1RB#38	22.91	1.16	24.07	33	PASS
Band25	15MHz	QPSK	26115	1RB#74	23.19	1.16	24.35	33	PASS
Band25	15MHz	QPSK	26115	38RB#0	21.91	1.16	23.07	33	PASS
Band25	15MHz	QPSK	26115	38RB#18	22.17	1.16	23.33	33	PASS
Band25	15MHz	QPSK	26115	38RB#37	22.41	1.16	23.57	33	PASS
Band25	15MHz	QPSK	26115	75RB#0	22.21	1.16	23.37	33	PASS
Band25	15MHz	16QAM	26115	1RB#0	21.92	1.16	23.08	33	PASS
Band25	15MHz	16QAM	26115	1RB#38	22.13	1.16	23.29	33	PASS
Band25	15MHz	16QAM	26115	1RB#74	22.41	1.16	23.57	33	PASS
Band25	15MHz	16QAM	26115	38RB#0	21.93	1.16	23.09	33	PASS
Band25	15MHz	16QAM	26115	38RB#18	22.15	1.16	23.31	33	PASS
Band25	15MHz	16QAM	26115	38RB#37	22.37	1.16	23.53	33	PASS
Band25	15MHz	16QAM	26115	75RB#0	21.39	1.16	22.55	33	PASS
Band25	15MHz	QPSK	26365	1RB#0	23.06	1.16	24.22	33	PASS
Band25	15MHz	QPSK	26365	1RB#38	22.57	1.16	23.73	33	PASS
Band25	15MHz	QPSK	26365	1RB#74	22.38	1.16	23.54	33	PASS
Band25	15MHz	QPSK	26365	38RB#0	22.29	1.16	23.45	33	PASS
Band25	15MHz	QPSK	26365	38RB#18	21.79	1.16	22.95	33	PASS
Band25	15MHz	QPSK	26365	38RB#37	21.59	1.16	22.75	33	PASS
Band25	15MHz	QPSK	26365	75RB#0	21.92	1.16	23.08	33	PASS
Band25	15MHz	16QAM	26365	1RB#0	22.32	1.16	23.48	33	PASS
Band25	15MHz	16QAM	26365	1RB#38	21.82	1.16	22.98	33	PASS
Band25	15MHz	16QAM	26365	1RB#74	21.59	1.16	22.75	33	PASS
Band25	15MHz	16QAM	26365	38RB#0	22.29	1.16	23.45	33	PASS
Band25	15MHz	16QAM	26365	38RB#18	21.80	1.16	22.96	33	PASS
Band25	15MHz	16QAM	26365	38RB#37	21.60	1.16	22.76	33	PASS
Band25	15MHz	16QAM	26365	75RB#0	21.16	1.16	22.32	33	PASS
Band25	15MHz	QPSK	26615	1RB#0	22.62	1.16	23.78	33	PASS
Band25	15MHz	QPSK	26615	1RB#38	22.23	1.16	23.39	33	PASS
Band25	15MHz	QPSK	26615	1RB#74	22.42	1.16	23.58	33	PASS
Band25	15MHz	QPSK	26615	38RB#0	21.82	1.16	22.98	33	PASS
Band25	15MHz	QPSK	26615	38RB#18	21.50	1.16	22.66	33	PASS
Band25	15MHz	QPSK	26615	38RB#37	21.67	1.16	22.83	33	PASS
Band25	15MHz	QPSK	26615	75RB#0	21.74	1.16	22.90	33	PASS
Band25	15MHz	16QAM	26615	1RB#0	21.83	1.16	22.99	33	PASS
Band25	15MHz	16QAM	26615	1RB#38	21.51	1.16	22.67	33	PASS
Band25	15MHz	16QAM	26615	1RB#74	21.65	1.16	22.81	33	PASS

Band25	15MHz	16QAM	26615	38RB#0	21.85	1.16	23.01	33	PASS
Band25	15MHz	16QAM	26615	38RB#18	21.52	1.16	22.68	33	PASS
Band25	15MHz	16QAM	26615	38RB#37	21.65	1.16	22.81	33	PASS
Band25	15MHz	16QAM	26615	75RB#0	20.91	1.16	22.07	33	PASS
Band25	20MHz	QPSK	26140	1RB#0	22.63	1.16	23.79	33	PASS
Band25	20MHz	QPSK	26140	1RB#49	23.11	1.16	24.27	33	PASS
Band25	20MHz	QPSK	26140	1RB#99	23.27	1.16	24.43	33	PASS
Band25	20MHz	QPSK	26140	50RB#0	22.03	1.16	23.19	33	PASS
Band25	20MHz	QPSK	26140	50RB#25	21.98	1.16	23.14	33	PASS
Band25	20MHz	QPSK	26140	50RB#50	22.64	1.16	23.80	33	PASS
Band25	20MHz	QPSK	26140	100RB#0	22.37	1.16	23.53	33	PASS
Band25	20MHz	16QAM	26140	1RB#0	21.74	1.16	22.90	33	PASS
Band25	20MHz	16QAM	26140	1RB#49	22.20	1.16	23.36	33	PASS
Band25	20MHz	16QAM	26140	1RB#99	22.37	1.16	23.53	33	PASS
Band25	20MHz	16QAM	26140	50RB#0	21.22	1.16	22.38	33	PASS
Band25	20MHz	16QAM	26140	50RB#25	21.24	1.16	22.40	33	PASS
Band25	20MHz	16QAM	26140	50RB#50	21.88	1.16	23.04	33	PASS
Band25	20MHz	16QAM	26140	100RB#0	21.62	1.16	22.78	33	PASS
Band25	20MHz	QPSK	26365	1RB#0	23.19	1.16	24.35	33	PASS
Band25	20MHz	QPSK	26365	1RB#49	22.60	1.16	23.76	33	PASS
Band25	20MHz	QPSK	26365	1RB#99	22.35	1.16	23.51	33	PASS
Band25	20MHz	QPSK	26365	50RB#0	22.53	1.16	23.69	33	PASS
Band25	20MHz	QPSK	26365	50RB#25	22.50	1.16	23.66	33	PASS
Band25	20MHz	QPSK	26365	50RB#50	21.99	1.16	23.15	33	PASS
Band25	20MHz	QPSK	26365	100RB#0	22.23	1.16	23.39	33	PASS
Band25	20MHz	16QAM	26365	1RB#0	22.33	1.16	23.49	33	PASS
Band25	20MHz	16QAM	26365	1RB#49	21.76	1.16	22.92	33	PASS
Band25	20MHz	16QAM	26365	1RB#99	21.44	1.16	22.60	33	PASS
Band25	20MHz	16QAM	26365	50RB#0	21.76	1.16	22.92	33	PASS
Band25	20MHz	16QAM	26365	50RB#25	21.77	1.16	22.93	33	PASS
Band25	20MHz	16QAM	26365	50RB#50	21.23	1.16	22.39	33	PASS
Band25	20MHz	16QAM	26365	100RB#0	21.48	1.16	22.64	33	PASS
Band25	20MHz	QPSK	26590	1RB#0	22.40	1.16	23.56	33	PASS
Band25	20MHz	QPSK	26590	1RB#49	22.54	1.16	23.70	33	PASS
Band25	20MHz	QPSK	26590	1RB#99	22.35	1.16	23.51	33	PASS
Band25	20MHz	QPSK	26590	50RB#0	22.14	1.16	23.30	33	PASS
Band25	20MHz	QPSK	26590	50RB#25	22.13	1.16	23.29	33	PASS
Band25	20MHz	QPSK	26590	50RB#50	21.72	1.16	22.88	33	PASS
Band25	20MHz	QPSK	26590	100RB#0	21.89	1.16	23.05	33	PASS
Band25	20MHz	16QAM	26590	1RB#0	21.58	1.16	22.74	33	PASS
Band25	20MHz	16QAM	26590	1RB#49	21.67	1.16	22.83	33	PASS
Band25	20MHz	16QAM	26590	1RB#99	21.50	1.16	22.66	33	PASS
Band25	20MHz	16QAM	26590	50RB#0	21.36	1.16	22.52	33	PASS

Band25	20MHz	16QAM	26590	50RB#25	21.35	1.16	22.51	33	PASS
Band25	20MHz	16QAM	26590	50RB#50	21.00	1.16	22.16	33	PASS
Band25	20MHz	16QAM	26590	100RB#0	21.13	1.16	22.29	33	PASS


Appendix B: Peak-to-Average Ratio(CCDF)



Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	5.22	13	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	5.35	13	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	6.12	13	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	6.09	13	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	5.29	13	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	5.45	13	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	5.87	13	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	6.22	13	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	5.06	13	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	5.22	13	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	5.99	13	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	5.96	13	PASS
Band25	3MHz	QPSK	26055	1RB#0	5.26	13	PASS
Band25	3MHz	QPSK	26055	15RB#0	5.06	13	PASS
Band25	3MHz	16QAM	26055	1RB#0	6.03	13	PASS
Band25	3MHz	16QAM	26055	15RB#0	5.99	13	PASS
Band25	3MHz	QPSK	26365	1RB#0	5.22	13	PASS
Band25	3MHz	QPSK	26365	15RB#0	5.16	13	PASS
Band25	3MHz	16QAM	26365	1RB#0	5.80	13	PASS
Band25	3MHz	16QAM	26365	15RB#0	6.03	13	PASS
Band25	3MHz	QPSK	26675	1RB#0	5.22	13	PASS
Band25	3MHz	QPSK	26675	15RB#0	5.00	13	PASS
Band25	3MHz	16QAM	26675	1RB#0	6.03	13	PASS
Band25	3MHz	16QAM	26675	15RB#0	5.96	13	PASS
Band25	5MHz	QPSK	26065	1RB#0	5.42	13	PASS
Band25	5MHz	QPSK	26065	25RB#0	5.26	13	PASS
Band25	5MHz	16QAM	26065	1RB#0	5.71	13	PASS
Band25	5MHz	16QAM	26065	25RB#0	6.03	13	PASS
Band25	5MHz	QPSK	26365	1RB#0	5.35	13	PASS
Band25	5MHz	QPSK	26365	25RB#0	5.29	13	PASS
Band25	5MHz	16QAM	26365	1RB#0	5.90	13	PASS
Band25	5MHz	16QAM	26365	25RB#0	6.06	13	PASS
Band25	5MHz	QPSK	26665	1RB#0	5.51	13	PASS
Band25	5MHz	QPSK	26665	25RB#0	5.26	13	PASS
Band25	5MHz	16QAM	26665	1RB#0	5.80	13	PASS
Band25	5MHz	16QAM	26665	25RB#0	6.09	13	PASS

Band25	10MHz	QPSK	26090	1RB#0	5.22	13	PASS
Band25	10MHz	QPSK	26090	50RB#0	5.58	13	PASS
Band25	10MHz	16QAM	26090	1RB#0	6.03	13	PASS
Band25	10MHz	16QAM	26090	50RB#0	6.38	13	PASS
Band25	10MHz	QPSK	26365	1RB#0	5.13	13	PASS
Band25	10MHz	QPSK	26365	50RB#0	5.51	13	PASS
Band25	10MHz	16QAM	26365	1RB#0	5.74	13	PASS
Band25	10MHz	16QAM	26365	50RB#0	6.35	13	PASS
Band25	10MHz	QPSK	26640	1RB#0	5.26	13	PASS
Band25	10MHz	QPSK	26640	50RB#0	5.77	13	PASS
Band25	10MHz	16QAM	26640	1RB#0	6.35	13	PASS
Band25	10MHz	16QAM	26640	50RB#0	6.57	13	PASS
Band25	15MHz	QPSK	26115	1RB#0	8.21	13	PASS
Band25	15MHz	QPSK	26115	75RB#0	6.09	13	PASS
Band25	15MHz	16QAM	26115	1RB#0	8.21	13	PASS
Band25	15MHz	16QAM	26115	75RB#0	6.86	13	PASS
Band25	15MHz	QPSK	26365	1RB#0	8.24	13	PASS
Band25	15MHz	QPSK	26365	75RB#0	5.87	13	PASS
Band25	15MHz	16QAM	26365	1RB#0	8.27	13	PASS
Band25	15MHz	16QAM	26365	75RB#0	6.76	13	PASS
Band25	15MHz	QPSK	26615	1RB#0	8.33	13	PASS
Band25	15MHz	QPSK	26615	75RB#0	5.99	13	PASS
Band25	15MHz	16QAM	26615	1RB#0	8.30	13	PASS
Band25	15MHz	16QAM	26615	75RB#0	6.83	13	PASS
Band25	20MHz	QPSK	26140	1RB#0	8.53	13	PASS
Band25	20MHz	QPSK	26140	100RB#0	6.63	13	PASS
Band25	20MHz	16QAM	26140	1RB#0	8.56	13	PASS
Band25	20MHz	16QAM	26140	100RB#0	7.21	13	PASS
Band25	20MHz	QPSK	26365	1RB#0	8.49	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	6.47	13	PASS
Band25	20MHz	16QAM	26365	1RB#0	8.46	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	7.18	13	PASS
Band25	20MHz	QPSK	26590	1RB#0	8.62	13	PASS
Band25	20MHz	QPSK	26590	100RB#0	6.35	13	PASS
Band25	20MHz	16QAM	26590	1RB#0	8.49	13	PASS
Band25	20MHz	16QAM	26590	100RB#0	7.05	13	PASS



Test Graphs







Band25-1.4MHz-16QAM-26365-1RB#0-PASS

Band25-1.4MHz-16QAM-26365-6RB#0-PASS





Band25-1.4MHz-QPSK-26683-1RB#0-PASS

Band25-1.4MHz-QPSK-26683-6RB#0-PASS





Band25-1.4MHz-16QAM-26683-1RB#0-PASS

Band25-1.4MHz-16QAM-26683-6RB#0-PASS





Band25-3MHz-QPSK-26055-1RB#0-PASS

Band25-3MHz-QPSK-26055-15RB#0-PASS





Band25-3MHz-16QAM-26055-1RB#0-PASS

Band25-3MHz-16QAM-26055-15RB#0-PASS





Band25-3MHz-QPSK-26365-1RB#0-PASS

Band25-3MHz-QPSK-26365-15RB#0-PASS





Band25-3MHz-16QAM-26365-1RB#0-PASS

Band25-3MHz-16QAM-26365-15RB#0-PASS





Band25-3MHz-QPSK-26675-1RB#0-PASS

Band25-3MHz-QPSK-26675-15RB#0-PASS





Band25-3MHz-16QAM-26675-1RB#0-PASS

Band25-3MHz-16QAM-26675-15RB#0-PASS





Band25-5MHz-QPSK-26065-1RB#0-PASS

Band25-5MHz-QPSK-26065-25RB#0-PASS





Band25-5MHz-16QAM-26065-1RB#0-PASS

Band25-5MHz-16QAM-26065-25RB#0-PASS





Band25-5MHz-QPSK-26365-1RB#0-PASS

Band25-5MHz-QPSK-26365-25RB#0-PASS





Band25-5MHz-16QAM-26365-1RB#0-PASS

Band25-5MHz-16QAM-26365-25RB#0-PASS





Band25-5MHz-QPSK-26665-1RB#0-PASS

Band25-5MHz-QPSK-26665-25RB#0-PASS





Band25-5MHz-16QAM-26665-1RB#0-PASS

Band25-5MHz-16QAM-26665-25RB#0-PASS





Band25-10MHz-QPSK-26090-1RB#0-PASS

Band25-10MHz-QPSK-26090-50RB#0-PASS





Band25-10MHz-16QAM-26090-1RB#0-PASS

Band25-10MHz-16QAM-26090-50RB#0-PASS





Band25-10MHz-QPSK-26365-1RB#0-PASS

Band25-10MHz-QPSK-26365-50RB#0-PASS





Band25-10MHz-16QAM-26365-1RB#0-PASS

Band25-10MHz-16QAM-26365-50RB#0-PASS





Band25-10MHz-QPSK-26640-1RB#0-PASS

Band25-10MHz-QPSK-26640-50RB#0-PASS





Band25-10MHz-16QAM-26640-1RB#0-PASS

Band25-10MHz-16QAM-26640-50RB#0-PASS





Band25-15MHz-QPSK-26115-1RB#0-PASS

Band25-15MHz-QPSK-26115-75RB#0-PASS





Band25-15MHz-16QAM-26115-1RB#0-PASS

Band25-15MHz-16QAM-26115-75RB#0-PASS





Band25-15MHz-QPSK-26365-1RB#0-PASS

Band25-15MHz-QPSK-26365-75RB#0-PASS





Band25-15MHz-16QAM-26365-1RB#0-PASS

Band25-15MHz-16QAM-26365-75RB#0-PASS





Band25-15MHz-QPSK-26615-1RB#0-PASS

Band25-15MHz-QPSK-26615-75RB#0-PASS





Band25-15MHz-16QAM-26615-1RB#0-PASS

Band25-15MHz-16QAM-26615-75RB#0-PASS





Band25-20MHz-QPSK-26140-1RB#0-PASS

Band25-20MHz-QPSK-26140-100RB#0-PASS





Band25-20MHz-16QAM-26140-1RB#0-PASS

Band25-20MHz-16QAM-26140-100RB#0-PASS





Band25-20MHz-QPSK-26365-1RB#0-PASS

Band25-20MHz-QPSK-26365-100RB#0-PASS





Band25-20MHz-16QAM-26365-1RB#0-PASS

Band25-20MHz-16QAM-26365-100RB#0-PASS



Band25-20MHz-QPSK-26590-1RB#0-PASS

Band25-20MHz-QPSK-26590-100RB#0-PASS



Band25-20MHz-16QAM-26590-1RB#0-PASS

Band25-20MHz-16QAM-26590-100RB#0-PASS


Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	1.095	1.29	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1.105	1.30	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.1	1.30	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.095	1.29	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.095	1.30	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.105	1.30	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.69	2.96	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.68	2.98	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.7	2.97	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.69	2.96	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.69	2.95	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.69	2.98	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.5	4.95	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.5	4.94	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.5	4.93	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.52	4.95	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.51	4.95	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.5	4.95	PASS
Band25	10MHz	QPSK	26090	50RB#0	9	10.30	PASS
Band25	10MHz	16QAM	26090	50RB#0	9	9.87	PASS
Band25	10MHz	QPSK	26365	50RB#0	9	9.90	PASS
Band25	10MHz	16QAM	26365	50RB#0	9	9.83	PASS
Band25	10MHz	QPSK	26640	50RB#0	9	9.90	PASS
Band25	10MHz	16QAM	26640	50RB#0	9	9.90	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.5	14.85	PASS
Band25	15MHz	16QAM	26115	75RB#0	13.5	14.75	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.55	14.95	PASS
Band25	15MHz	16QAM	26365	75RB#0	13.55	14.95	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.6	14.75	PASS
Band25	15MHz	16QAM	26615	75RB#0	13.6	14.85	PASS
Band25	20MHz	QPSK	26140	100RB#0	18	19.73	PASS
Band25	20MHz	16QAM	26140	100RB#0	18	19.67	PASS
Band25	20MHz	QPSK	26365	100RB#0	18.133	19.87	PASS
Band25	20MHz	16QAM	26365	100RB#0	18.067	19.80	PASS

Band25	20MHz	QPSK	26590	100RB#0	18.067	19.80	PASS
Band25	20MHz	16QAM	26590	100RB#0	18.067	19.87	PASS


Test Graphs









Band25-5MHz-QPSK-26065-25RB#0-PASS




Band25-5MHz-16QAM-26065-25RB#0-PASS




Band25-5MHz-QPSK-26365-25RB#0-PASS




Band25-5MHz-16QAM-26365-25RB#0-PASS




Band25-5MHz-QPSK-26665-25RB#0-PASS



Band25-5MHz-16QAM-26665-25RB#0-PASS




Date: 17.FEB.2025 03:49:34




Date: 17.FEB.2025 03:49:47

Band25-10MHz-QPSK-26090-50RB#0-PASS

Band25-10MHz-16QAM-26090-50RB#0-PASS




Date: 17.FEB.2025 03:50:03




Date: 17.FEB.2025 03:50:16

Band25-10MHz-QPSK-26365-50RB#0-PASS

Band25-10MHz-16QAM-26365-50RB#0-PASS




Date: 17.FEB.2025 03:50:34



Date: 17.FEB.2025 03:50:47


Band25-10MHz-QPSK-26640-50RB#0-PASS

Band25-10MHz-16QAM-26640-50RB#0-PASS




Date: 17.FEB.2025 04:24:16

Band25-15MHz-QPSK-26115-75RB#0-PASS




Date: 17.FEB.2025 04:24:30

Band25-15MHz-16QAM-26115-75RB#0-PASS




Date: 17.FEB.2025 04:24:47

Band25-15MHz-QPSK-26365-75RB#0-PASS




Date: 17.FEB.2025 04:24:59

Band25-15MHz-16QAM-26365-75RB#0-PASS





Date: 17.FEB.2025 04:25:17

Band25-15MHz-QPSK-26615-75RB#0-PASS





Date: 17.FEB.2025 04:25:30

Band25-15MHz-16QAM-26615-75RB#0-PASS





Band25-20MHz-QPSK-26140-100RB#0-PASS

Band25-20MHz-16QAM-26140-100RB#0-PASS



Band25-20MHz-QPSK-26365-100RB#0-PASS

Band25-20MHz-16QAM-26365-100RB#0-PASS



Band25-20MHz-QPSK-26590-100RB#0-PASS

Band25-20MHz-16QAM-26590-100RB#0-PASS


Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Limit(dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	-30.01	-13	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	-47.15	-13	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	-35.79	-13	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	-32.17	-13	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	-47.91	-13	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	-35.90	-13	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	-49.73	-13	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	-31.31	-13	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	-34.72	-13	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	-49.32	-13	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	-32.73	-13	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	-35.35	-13	PASS
Band25	3MHz	QPSK	26055	1RB#0	-18.28	-13	PASS
Band25	3MHz	QPSK	26055	1RB#14	-41.99	-13	PASS
Band25	3MHz	QPSK	26055	15RB#0	-29.34	-13	PASS
Band25	3MHz	16QAM	26055	1RB#0	-17.93	-13	PASS
Band25	3MHz	16QAM	26055	1RB#14	-42.20	-13	PASS
Band25	3MHz	16QAM	26055	15RB#0	-30.93	-13	PASS
Band25	3MHz	QPSK	26675	1RB#0	-41.75	-13	PASS
Band25	3MHz	QPSK	26675	1RB#14	-19.04	-13	PASS
Band25	3MHz	QPSK	26675	15RB#0	-31.22	-13	PASS
Band25	3MHz	16QAM	26675	1RB#0	-42.15	-13	PASS
Band25	3MHz	16QAM	26675	1RB#14	-19.66	-13	PASS
Band25	3MHz	16QAM	26675	15RB#0	-31.46	-13	PASS
Band25	5MHz	QPSK	26065	1RB#0	-24.11	-13	PASS
Band25	5MHz	QPSK	26065	1RB#24	-43.92	-13	PASS
Band25	5MHz	QPSK	26065	25RB#0	-34.75	-13	PASS
Band25	5MHz	16QAM	26065	1RB#0	-24.76	-13	PASS
Band25	5MHz	16QAM	26065	1RB#24	-44.17	-13	PASS
Band25	5MHz	16QAM	26065	25RB#0	-34.50	-13	PASS
Band25	5MHz	QPSK	26665	1RB#0	-42.88	-13	PASS
Band25	5MHz	QPSK	26665	1RB#24	-24.59	-13	PASS
Band25	5MHz	QPSK	26665	25RB#0	-34.77	-13	PASS
Band25	5MHz	16QAM	26665	1RB#0	-42.98	-13	PASS
Band25	5MHz	16QAM	26665	1RB#24	-25.94	-13	PASS
Band25	5MHz	16QAM	26665	25RB#0	-34.65	-13	PASS


Band25	10MHz	QPSK	26090	1RB#0	-26.92	-13	PASS
Band25	10MHz	QPSK	26090	1RB#49	-44.21	-13	PASS
Band25	10MHz	QPSK	26090	50RB#0	-35.39	-13	PASS
Band25	10MHz	16QAM	26090	1RB#0	-28.30	-13	PASS
Band25	10MHz	16QAM	26090	1RB#49	-44.25	-13	PASS
Band25	10MHz	16QAM	26090	50RB#0	-35.75	-13	PASS
Band25	10MHz	QPSK	26640	1RB#0	-41.54	-13	PASS
Band25	10MHz	QPSK	26640	1RB#49	-28.08	-13	PASS
Band25	10MHz	QPSK	26640	50RB#0	-36.09	-13	PASS
Band25	10MHz	16QAM	26640	1RB#0	-42.21	-13	PASS
Band25	10MHz	16QAM	26640	1RB#49	-28.96	-13	PASS
Band25	10MHz	16QAM	26640	50RB#0	-35.96	-13	PASS
Band25	15MHz	QPSK	26115	1RB#0	-27.52	-13	PASS
Band25	15MHz	QPSK	26115	1RB#74	-40.48	-13	PASS
Band25	15MHz	QPSK	26115	75RB#0	-33.78	-13	PASS
Band25	15MHz	16QAM	26115	1RB#0	-28.20	-13	PASS
Band25	15MHz	16QAM	26115	1RB#74	-40.91	-13	PASS
Band25	15MHz	16QAM	26115	75RB#0	-34.75	-13	PASS
Band25	15MHz	QPSK	26615	1RB#0	-39.29	-13	PASS
Band25	15MHz	QPSK	26615	1RB#74	-29.99	-13	PASS
Band25	15MHz	QPSK	26615	75RB#0	-36.09	-13	PASS
Band25	15MHz	16QAM	26615	1RB#0	-39.53	-13	PASS
Band25	15MHz	16QAM	26615	1RB#74	-30.18	-13	PASS
Band25	15MHz	16QAM	26615	75RB#0	-36.83	-13	PASS
Band25	20MHz	QPSK	26140	1RB#0	-29.38	-13	PASS
Band25	20MHz	QPSK	26140	1RB#99	-40.45	-13	PASS
Band25	20MHz	QPSK	26140	100RB#0	-33.78	-13	PASS
Band25	20MHz	16QAM	26140	1RB#0	-29.74	-13	PASS
Band25	20MHz	16QAM	26140	1RB#99	-41.28	-13	PASS
Band25	20MHz	16QAM	26140	100RB#0	-34.63	-13	PASS
Band25	20MHz	QPSK	26590	1RB#0	-39.47	-13	PASS
Band25	20MHz	QPSK	26590	1RB#99	-31.35	-13	PASS
Band25	20MHz	QPSK	26590	100RB#0	-36.97	-13	PASS
Band25	20MHz	16QAM	26590	1RB#0	-39.81	-13	PASS
Band25	20MHz	16QAM	26590	1RB#99	-31.56	-13	PASS
Band25	20MHz	16QAM	26590	100RB#0	-36.52	-13	PASS

Test Graphs






Date: 17.FEB.2025 02:10:37




Date: 17.FEB.2025 02:11:14

Band25-1.4MHz-QPSK-26683-1RB#0-PASS

Band25-1.4MHz-QPSK-26683-1RB#5-PASS




Date: 17.FEB.2025 02:11:51




Date: 17.FEB.2025 02:10:54

Band25-1.4MHz-QPSK-26683-6RB#0-PASS

Band25-1.4MHz-16QAM-26683-1RB#0-PASS




Date: 17.FEB.2025 02:11:31



Date: 17.FEB.2025 02:12:08


Band25-1.4MHz-16QAM-26683-1RB#5-PASS

Band25-1.4MHz-16QAM-26683-6RB#0-PASS




Date: 17.FEB.2025 02:42:42

Band25-3MHz-QPSK-26055-1RB#0-PASS




Date: 17.FEB.2025 02:43:20

Band25-3MHz-QPSK-26055-1RB#14-PASS




Date: 17.FEB.2025 02:43:57

Band25-3MHz-QPSK-26055-15RB#0-PASS




Date: 17.FEB.2025 02:43:00

Band25-3MHz-16QAM-26055-1RB#0-PASS




Date: 17.FEB.2025 02:43:38

Band25-3MHz-16QAM-26055-1RB#14-PASS




Date: 17.FEB.2025 02:44:16


Band25-3MHz-16QAM-26055-15RB#0-PASS




Band25-3MHz-QPSK-26675-1RB#0-PASS




Band25-3MHz-QPSK-26675-1RB#14-PASS




Band25-3MHz-QPSK-26675-15RB#0-PASS




Band25-3MHz-QPSK-26675-1RB#14-PASS



Band25-3MHz-16QAM-26675-1RB#0-PASS




Band25-3MHz-16QAM-26675-1RB#14-PASS




Date: 17.FEB.2025 03:17:26

Band25-5MHz-QPSK-26065-1RB#0-PASS




Date: 17.FEB.2025 03:18:03

Band25-5MHz-QPSK-26065-1RB#24-PASS




Date: 17.FEB.2025 03:18:41

Band25-5MHz-QPSK-26065-25RB#0-PASS




Date: 17.FEB.2025 03:17:43

Band25-5MHz-16QAM-26065-1RB#0-PASS



Date: 17.FEB.2025 03:18:21

Band25-5MHz-16QAM-26065-1RB#24-PASS



Date: 17.FEB.2025 03:18:58


Band25-5MHz-16QAM-26065-25RB#0-PASS




Band25-5MHz-QPSK-26665-1RB#0-PASS




Band25-5MHz-QPSK-26665-1RB#24-PASS




Band25-5MHz-QPSK-26665-25RB#0-PASS




Band25-5MHz-16QAM-26665-1RB#0-PASS



Band25-5MHz-16QAM-26665-1RB#24-PASS




Band25-5MHz-16QAM-26665-25RB#0-PASS




Date: 17.FEB.2025 03:51:12

Band25-10MHz-QPSK-26090-1RB#0-PASS




Date: 17.FEB.2025 03:51:50

Band25-10MHz-QPSK-26090-1RB#49-PASS




Date: 17.FEB.2025 03:52:27

Band25-10MHz-QPSK-26090-50RB#0-PASS




Date: 17.FEB.2025 03:51:30

Band25-10MHz-16QAM-26090-1RB#0-PASS




Date: 17.FEB.2025 03:52:07

Band25-10MHz-16QAM-26090-1RB#49-PASS




Date: 17.FEB.2025 03:52:44

Band25-10MHz-16QAM-26090-50RB#0-PASS




Date: 17.FEB.2025 03:53:06




Date: 17.FEB.2025 03:53:43

Band25-10MHz-QPSK-26640-1RB#0-PASS

Band25-10MHz-QPSK-26640-1RB#49-PASS




Date: 17.FEB.2025 03:54:21




Date: 17.FEB.2025 03:53:24

Band25-10MHz-QPSK-26640-50RB#0-PASS

Band25-10MHz-16QAM-26640-1RB#0-PASS




Date: 17.FEB.2025 03:54:00




Date: 17.FEB.2025 03:54:38

Band25-10MHz-16QAM-26640-1RB#49-PASS

Band25-10MHz-16QAM-26640-50RB#0-PASS




Date: 17.FEB.2025 04:25:56




Date: 17.FEB.2025 04:26:36

Band25-15MHz-QPSK-26115-1RB#0-PASS

Band25-15MHz-QPSK-26115-1RB#74-PASS




Date: 17.FEB.2025 04:27:16




Date: 17.FEB.2025 04:26:15

Band25-15MHz-QPSK-26115-75RB#0-PASS

Band25-15MHz-16QAM-26115-1RB#0-PASS




Date: 17.FEB.2025 04:26:55




Date: 17.FEB.2025 04:27:35

Band25-15MHz-16QAM-26115-1RB#74-PASS

Band25-15MHz-16QAM-26115-75RB#0-PASS




Date: 17.FEB.2025 04:27:56




Date: 17.FEB.2025 04:28:35

Band25-15MHz-QPSK-26615-1RB#0-PASS

Band25-15MHz-QPSK-26615-1RB#74-PASS




Date: 17.FEB.2025 04:29:14




Date: 17.FEB.2025 04:28:15

Band25-15MHz-QPSK-26615-75RB#0-PASS

Band25-15MHz-16QAM-26615-1RB#0-PASS




Date: 17.FEB.2025 04:28:54




Date: 17.FEB.2025 04:29:33

Band25-15MHz-16QAM-26615-1RB#74-PASS

Band25-15MHz-16QAM-26615-75RB#0-PASS




Date: 17.FEB.2025 04:59:01




Date: 17.FEB.2025 04:59:40

Band25-20MHz-QPSK-26140-1RB#0-PASS

Band25-20MHz-QPSK-26140-1RB#99-PASS




Date: 17.FEB.2025 05:00:20




Date: 17.FEB.2025 04:59:20

Band25-20MHz-QPSK-26140-100RB#0-PASS

Band25-20MHz-16QAM-26140-1RB#0-PASS





Date: 17.FEB.2025 04:59:59



Date: 17.FEB.2025 05:00:40



Band25-20MHz-16QAM-26140-1RB#99-PASS

Band25-20MHz-16QAM-26140-100RB#0-PASS





Band25-20MHz-QPSK-26590-1RB#0-PASS

Band25-20MHz-QPSK-26590-1RB#99-PASS



Band25-20MHz-QPSK-26590-100RB#0-PASS

Band25-20MHz-16QAM-26590-1RB#0-PASS



Band25-20MHz-16QAM-26590-1RB#99-PASS

Band25-20MHz-16QAM-26590-100RB#0-PASS

Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	0.009~0.15	-62.12	-43	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	0.15~30	-62.92	-33	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	30~1000	-58.65	-23	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	1000~3000	-20.95	-13	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	3000~20000	-30.82	-13	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	0.009~0.15	-62.79	-43	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	0.15~30	-63.01	-33	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	30~1000	-58.76	-23	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	1000~3000	-21.78	-13	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	3000~20000	-31.79	-13	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	0.009~0.15	-61.35	-43	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	0.15~30	-62.91	-33	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	30~1000	-58.71	-23	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	1000~3000	-18.62	-13	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	3000~20000	-38.83	-13	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	0.009~0.15	-61.87	-43	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	0.15~30	-62.77	-33	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	30~1000	-58.68	-23	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	1000~3000	-19.67	-13	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	3000~20000	-39.73	-13	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	0.009~0.15	-61.90	-43	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	0.15~30	-63.57	-33	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	30~1000	-58.59	-23	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	1000~3000	-29.89	-13	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	3000~20000	-23.02	-13	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	0.009~0.15	-63.02	-43	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	0.15~30	-62.84	-33	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	30~1000	-58.61	-23	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	1000~3000	-30.84	-13	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	3000~20000	-24.46	-13	PASS
Band25	3MHz	QPSK	26055	1RB#0	0.009~0.15	-62.38	-43	PASS
Band25	3MHz	QPSK	26055	1RB#0	0.15~30	-63.10	-33	PASS
Band25	3MHz	QPSK	26055	1RB#0	30~1000	-58.77	-23	PASS
Band25	3MHz	QPSK	26055	1RB#0	1000~3000	-44.39	-13	PASS
Band25	3MHz	QPSK	26055	1RB#0	3000~20000	-31.15	-13	PASS
Band25	3MHz	16QAM	26055	1RB#0	0.009~0.15	-60.21	-43	PASS


Band25	3MHz	16QAM	26055	1RB#0	0.15~30	-62.78	-33	PASS
Band25	3MHz	16QAM	26055	1RB#0	30~1000	-58.70	-23	PASS
Band25	3MHz	16QAM	26055	1RB#0	1000~3000	-44.31	-13	PASS
Band25	3MHz	16QAM	26055	1RB#0	3000~20000	-31.83	-13	PASS
Band25	3MHz	QPSK	26365	1RB#0	0.009~0.15	-63.12	-43	PASS
Band25	3MHz	QPSK	26365	1RB#0	0.15~30	-63.20	-33	PASS
Band25	3MHz	QPSK	26365	1RB#0	30~1000	-58.69	-23	PASS
Band25	3MHz	QPSK	26365	1RB#0	1000~3000	-44.02	-13	PASS
Band25	3MHz	QPSK	26365	1RB#0	3000~20000	-35.80	-13	PASS
Band25	3MHz	16QAM	26365	1RB#0	0.009~0.15	-62.59	-43	PASS
Band25	3MHz	16QAM	26365	1RB#0	0.15~30	-62.98	-33	PASS
Band25	3MHz	16QAM	26365	1RB#0	30~1000	-58.61	-23	PASS
Band25	3MHz	16QAM	26365	1RB#0	1000~3000	-44.02	-13	PASS
Band25	3MHz	16QAM	26365	1RB#0	3000~20000	-37.20	-13	PASS
Band25	3MHz	QPSK	26675	1RB#0	0.009~0.15	-62.85	-43	PASS
Band25	3MHz	QPSK	26675	1RB#0	0.15~30	-63.07	-33	PASS
Band25	3MHz	QPSK	26675	1RB#0	30~1000	-58.72	-23	PASS
Band25	3MHz	QPSK	26675	1RB#0	1000~3000	-45.32	-13	PASS
Band25	3MHz	QPSK	26675	1RB#0	3000~20000	-24.96	-13	PASS
Band25	3MHz	16QAM	26675	1RB#0	0.009~0.15	-61.18	-43	PASS
Band25	3MHz	16QAM	26675	1RB#0	0.15~30	-62.95	-33	PASS
Band25	3MHz	16QAM	26675	1RB#0	30~1000	-58.56	-23	PASS
Band25	3MHz	16QAM	26675	1RB#0	1000~3000	-45.50	-13	PASS
Band25	3MHz	16QAM	26675	1RB#0	3000~20000	-25.31	-13	PASS
Band25	5MHz	QPSK	26065	1RB#0	0.009~0.15	-63.33	-43	PASS
Band25	5MHz	QPSK	26065	1RB#0	0.15~30	-63.03	-33	PASS
Band25	5MHz	QPSK	26065	1RB#0	30~1000	-58.62	-23	PASS
Band25	5MHz	QPSK	26065	1RB#0	1000~3000	-47.32	-13	PASS
Band25	5MHz	QPSK	26065	1RB#0	3000~20000	-31.11	-13	PASS
Band25	5MHz	16QAM	26065	1RB#0	0.009~0.15	-62.21	-43	PASS
Band25	5MHz	16QAM	26065	1RB#0	0.15~30	-63.24	-33	PASS
Band25	5MHz	16QAM	26065	1RB#0	30~1000	-58.70	-23	PASS
Band25	5MHz	16QAM	26065	1RB#0	1000~3000	-47.32	-13	PASS
Band25	5MHz	16QAM	26065	1RB#0	3000~20000	-32.15	-13	PASS
Band25	5MHz	QPSK	26365	1RB#0	0.009~0.15	-61.59	-43	PASS
Band25	5MHz	QPSK	26365	1RB#0	0.15~30	-63.50	-33	PASS
Band25	5MHz	QPSK	26365	1RB#0	30~1000	-58.67	-23	PASS
Band25	5MHz	QPSK	26365	1RB#0	1000~3000	-47.61	-13	PASS
Band25	5MHz	QPSK	26365	1RB#0	3000~20000	-37.73	-13	PASS
Band25	5MHz	16QAM	26365	1RB#0	0.009~0.15	-62.02	-43	PASS
Band25	5MHz	16QAM	26365	1RB#0	0.15~30	-63.59	-33	PASS
Band25	5MHz	16QAM	26365	1RB#0	30~1000	-58.66	-23	PASS
Band25	5MHz	16QAM	26365	1RB#0	1000~3000	-47.73	-13	PASS


Band25	5MHz	16QAM	26365	1RB#0	3000~20000	-39.64	-13	PASS
Band25	5MHz	QPSK	26665	1RB#0	0.009~0.15	-62.39	-43	PASS
Band25	5MHz	QPSK	26665	1RB#0	0.15~30	-63.22	-33	PASS
Band25	5MHz	QPSK	26665	1RB#0	30~1000	-58.71	-23	PASS
Band25	5MHz	QPSK	26665	1RB#0	1000~3000	-47.27	-13	PASS
Band25	5MHz	QPSK	26665	1RB#0	3000~20000	-26.77	-13	PASS
Band25	5MHz	16QAM	26665	1RB#0	0.009~0.15	-61.28	-43	PASS
Band25	5MHz	16QAM	26665	1RB#0	0.15~30	-63.43	-33	PASS
Band25	5MHz	16QAM	26665	1RB#0	30~1000	-58.59	-23	PASS
Band25	5MHz	16QAM	26665	1RB#0	1000~3000	-47.78	-13	PASS
Band25	5MHz	16QAM	26665	1RB#0	3000~20000	-27.61	-13	PASS
Band25	10MHz	QPSK	26090	1RB#0	0.009~0.15	-62.43	-43	PASS
Band25	10MHz	QPSK	26090	1RB#0	0.15~30	-63.62	-33	PASS
Band25	10MHz	QPSK	26090	1RB#0	30~1000	-58.65	-23	PASS
Band25	10MHz	QPSK	26090	1RB#0	1000~3000	-48.49	-13	PASS
Band25	10MHz	QPSK	26090	1RB#0	3000~20000	-30.40	-13	PASS
Band25	10MHz	16QAM	26090	1RB#0	0.009~0.15	-62.26	-43	PASS
Band25	10MHz	16QAM	26090	1RB#0	0.15~30	-62.81	-33	PASS
Band25	10MHz	16QAM	26090	1RB#0	30~1000	-58.63	-23	PASS
Band25	10MHz	16QAM	26090	1RB#0	1000~3000	-48.42	-13	PASS
Band25	10MHz	16QAM	26090	1RB#0	3000~20000	-32.22	-13	PASS
Band25	10MHz	QPSK	26365	1RB#0	0.009~0.15	-61.39	-43	PASS
Band25	10MHz	QPSK	26365	1RB#0	0.15~30	-63.30	-33	PASS
Band25	10MHz	QPSK	26365	1RB#0	30~1000	-58.69	-23	PASS
Band25	10MHz	QPSK	26365	1RB#0	1000~3000	-47.99	-13	PASS
Band25	10MHz	QPSK	26365	1RB#0	3000~20000	-35.96	-13	PASS
Band25	10MHz	16QAM	26365	1RB#0	0.009~0.15	-61.59	-43	PASS
Band25	10MHz	16QAM	26365	1RB#0	0.15~30	-63.66	-33	PASS
Band25	10MHz	16QAM	26365	1RB#0	30~1000	-58.70	-23	PASS
Band25	10MHz	16QAM	26365	1RB#0	1000~3000	-48.22	-13	PASS
Band25	10MHz	16QAM	26365	1RB#0	3000~20000	-37.27	-13	PASS
Band25	10MHz	QPSK	26640	1RB#0	0.009~0.15	-62.36	-43	PASS
Band25	10MHz	QPSK	26640	1RB#0	0.15~30	-63.29	-33	PASS
Band25	10MHz	QPSK	26640	1RB#0	30~1000	-58.69	-23	PASS
Band25	10MHz	QPSK	26640	1RB#0	1000~3000	-48.40	-13	PASS
Band25	10MHz	QPSK	26640	1RB#0	3000~20000	-30.62	-13	PASS
Band25	10MHz	16QAM	26640	1RB#0	0.009~0.15	-62.71	-43	PASS
Band25	10MHz	16QAM	26640	1RB#0	0.15~30	-63.13	-33	PASS
Band25	10MHz	16QAM	26640	1RB#0	30~1000	-58.60	-23	PASS
Band25	10MHz	16QAM	26640	1RB#0	1000~3000	-48.58	-13	PASS
Band25	10MHz	16QAM	26640	1RB#0	3000~20000	-31.92	-13	PASS
Band25	15MHz	QPSK	26115	1RB#0	0.009~0.15	-62.12	-43	PASS
Band25	15MHz	QPSK	26115	1RB#0	0.15~30	-62.91	-33	PASS

Band25	15MHz	QPSK	26115	1RB#0	30~1000	-58.65	-23	PASS
Band25	15MHz	QPSK	26115	1RB#0	1000~3000	-48.47	-13	PASS
Band25	15MHz	QPSK	26115	1RB#0	3000~20000	-30.13	-13	PASS
Band25	15MHz	16QAM	26115	1RB#0	0.009~0.15	-61.12	-43	PASS
Band25	15MHz	16QAM	26115	1RB#0	0.15~30	-62.83	-33	PASS
Band25	15MHz	16QAM	26115	1RB#0	30~1000	-58.74	-23	PASS
Band25	15MHz	16QAM	26115	1RB#0	1000~3000	-48.41	-13	PASS
Band25	15MHz	16QAM	26115	1RB#0	3000~20000	-31.59	-13	PASS
Band25	15MHz	QPSK	26365	1RB#0	0.009~0.15	-62.05	-43	PASS
Band25	15MHz	QPSK	26365	1RB#0	0.15~30	-62.82	-33	PASS
Band25	15MHz	QPSK	26365	1RB#0	30~1000	-58.66	-23	PASS
Band25	15MHz	QPSK	26365	1RB#0	1000~3000	-48.48	-13	PASS
Band25	15MHz	QPSK	26365	1RB#0	3000~20000	-36.08	-13	PASS
Band25	15MHz	16QAM	26365	1RB#0	0.009~0.15	-61.35	-43	PASS
Band25	15MHz	16QAM	26365	1RB#0	0.15~30	-63.08	-33	PASS
Band25	15MHz	16QAM	26365	1RB#0	30~1000	-58.74	-23	PASS
Band25	15MHz	16QAM	26365	1RB#0	1000~3000	-48.52	-13	PASS
Band25	15MHz	16QAM	26365	1RB#0	3000~20000	-36.60	-13	PASS
Band25	15MHz	QPSK	26615	1RB#0	0.009~0.15	-62.28	-43	PASS
Band25	15MHz	QPSK	26615	1RB#0	0.15~30	-63.43	-33	PASS
Band25	15MHz	QPSK	26615	1RB#0	30~1000	-58.59	-23	PASS
Band25	15MHz	QPSK	26615	1RB#0	1000~3000	-48.90	-13	PASS
Band25	15MHz	QPSK	26615	1RB#0	3000~20000	-32.49	-13	PASS
Band25	15MHz	16QAM	26615	1RB#0	0.009~0.15	-62.20	-43	PASS
Band25	15MHz	16QAM	26615	1RB#0	0.15~30	-62.96	-33	PASS
Band25	15MHz	16QAM	26615	1RB#0	30~1000	-58.62	-23	PASS
Band25	15MHz	16QAM	26615	1RB#0	1000~3000	-48.78	-13	PASS
Band25	15MHz	16QAM	26615	1RB#0	3000~20000	-33.38	-13	PASS
Band25	20MHz	QPSK	26140	1RB#0	0.009~0.15	-62.20	-43	PASS
Band25	20MHz	QPSK	26140	1RB#0	0.15~30	-63.44	-33	PASS
Band25	20MHz	QPSK	26140	1RB#0	30~1000	-58.67	-23	PASS
Band25	20MHz	QPSK	26140	1RB#0	1000~3000	-48.89	-13	PASS
Band25	20MHz	QPSK	26140	1RB#0	3000~20000	-30.47	-13	PASS
Band25	20MHz	16QAM	26140	1RB#0	0.009~0.15	-62.46	-43	PASS
Band25	20MHz	16QAM	26140	1RB#0	0.15~30	-63.10	-33	PASS
Band25	20MHz	16QAM	26140	1RB#0	30~1000	-58.65	-23	PASS
Band25	20MHz	16QAM	26140	1RB#0	1000~3000	-48.85	-13	PASS
Band25	20MHz	16QAM	26140	1RB#0	3000~20000	-31.79	-13	PASS
Band25	20MHz	QPSK	26365	1RB#0	0.009~0.15	-61.83	-43	PASS
Band25	20MHz	QPSK	26365	1RB#0	0.15~30	-63.13	-33	PASS
Band25	20MHz	QPSK	26365	1RB#0	30~1000	-58.71	-23	PASS
Band25	20MHz	QPSK	26365	1RB#0	1000~3000	-48.62	-13	PASS
Band25	20MHz	QPSK	26365	1RB#0	3000~20000	-37.74	-13	PASS


Band25	20MHz	16QAM	26365	1RB#0	0.009~0.15	-61.79	-43	PASS
Band25	20MHz	16QAM	26365	1RB#0	0.15~30	-63.43	-33	PASS
Band25	20MHz	16QAM	26365	1RB#0	30~1000	-58.71	-23	PASS
Band25	20MHz	16QAM	26365	1RB#0	1000~3000	-48.60	-13	PASS
Band25	20MHz	16QAM	26365	1RB#0	3000~20000	-39.13	-13	PASS
Band25	20MHz	QPSK	26590	1RB#0	0.009~0.15	-63.28	-43	PASS
Band25	20MHz	QPSK	26590	1RB#0	0.15~30	-63.68	-33	PASS
Band25	20MHz	QPSK	26590	1RB#0	30~1000	-58.48	-23	PASS
Band25	20MHz	QPSK	26590	1RB#0	1000~3000	-48.96	-13	PASS
Band25	20MHz	QPSK	26590	1RB#0	3000~20000	-33.74	-13	PASS
Band25	20MHz	16QAM	26590	1RB#0	0.009~0.15	-62.10	-43	PASS
Band25	20MHz	16QAM	26590	1RB#0	0.15~30	-63.22	-33	PASS
Band25	20MHz	16QAM	26590	1RB#0	30~1000	-58.64	-23	PASS
Band25	20MHz	16QAM	26590	1RB#0	1000~3000	-48.88	-13	PASS
Band25	20MHz	16QAM	26590	1RB#0	3000~20000	-35.16	-13	PASS

Test Graphs







Band25-1.4MHz-QPSK-26047-1RB#0-3000~2000
0-PASS




Band25-1.4MHz-16QAM-26047-1RB#0-0.009~0.1
5-PASS




Band25-1.4MHz-16QAM-26047-1RB#0-0.15~30-PASS




Band25-1.4MHz-16QAM-26047-1RB#0-30~1000-P
ASS




Band25-1.4MHz-16QAM-26047-1RB#0-1000~30
00-PASS




Band25-1.4MHz-16QAM-26047-1RB#0-3000~200
00-PASS




Band25-1.4MHz-QPSK-26365-1RB#0-0.009~0.15
-PASS




Band25-1.4MHz-QPSK-26365-1RB#0-0.15~30-PA
SS




Band25-1.4MHz-QPSK-26365-1RB#0-30~1000-P
ASS




Band25-1.4MHz-QPSK-26365-1RB#0-1000~3000-P
PASS




Band25-1.4MHz-QPSK-26365-1RB#0-3000~2000
0-PASS




Band25-1.4MHz-16QAM-26365-1RB#0-0.009~0.1
5-PASS




Band25-1.4MHz-16QAM-26365-1RB#0-0.15~30-PASS




Band25-1.4MHz-16QAM-26365-1RB#0-30~1000-PASS




Band25-1.4MHz-16QAM-26365-1RB#0-1000~3000-PASS





Band25-1.4MHz-16QAM-26365-1RB#0-3000~20000-PASS



Band25-1.4MHz-QPSK-26683-1RB#0-0.009~0.15-PASS





Band25-1.4MHz-QPSK-26683-1RB#0-0.15~30-PASS





Band25-1.4MHz-QPSK-26683-1RB#0-30~1000-P
ASS

Band25-1.4MHz-QPSK-26683-1RB#0-1000~3000-
PASS




Band25-1.4MHz-QPSK-26683-1RB#0-3000~2000
0-PASS

Band25-1.4MHz-16QAM-26683-1RB#0-0.009~0.1
5-PASS




Band25-1.4MHz-16QAM-26683-1RB#0-0.15~30-
PASS

Band25-1.4MHz-16QAM-26683-1RB#0-30~1000-P
ASS




Date: 17.FEB.2025 02:19:11

Band25-1.4MHz-16QAM-26683-1RB#0-1000~30
00-PASS




Date: 17.FEB.2025 02:19:26

Band25-1.4MHz-16QAM-26683-1RB#0-3000~200
00-PASS




Date: 17.FEB.2025 02:46:33

Band25-3MHz-QPSK-26055-1RB#0-0.009~0.15-
PASS




Date: 17.FEB.2025 02:46:48

Band25-3MHz-QPSK-26055-1RB#0-0.15~30-PAS
S




Date: 17.FEB.2025 02:47:02

Band25-3MHz-QPSK-26055-1RB#0-30~1000-PA
SS




Date: 17.FEB.2025 02:47:16


Band25-3MHz-QPSK-26055-1RB#0-1000~3000-P
ASS




Band25-3MHz-QPSK-26055-1RB#0-3000~20000
-PASS




Band25-3MHz-16QAM-26055-1RB#0-0.009~0.15-
PASS




Band25-3MHz-16QAM-26055-1RB#0-0.15~30-PA
SS




Band25-3MHz-16QAM-26055-1RB#0-30~1000-PA
SS




Band25-3MHz-16QAM-26055-1RB#0-1000~3000
-PASS




Band25-3MHz-16QAM-26055-1RB#0-3000~20000
-PASS




Band25-3MHz-QPSK-26365-1RB#0-0.009~0.15-PASS




Band25-3MHz-QPSK-26365-1RB#0-0.15~30-PAS




Band25-3MHz-QPSK-26365-1RB#0-30~1000-PA




Band25-3MHz-QPSK-26365-1RB#0-1000~3000-P




Band25-3MHz-QPSK-26365-1RB#0-3000~20000-PA




Band25-3MHz-16QAM-26365-1RB#0-0.009~0.15-PASS




Band25-3MHz-16QAM-26365-1RB#0-0.15~30-PA
SS




Band25-3MHz-16QAM-26365-1RB#0-30~1000-PA
SS




Band25-3MHz-16QAM-26365-1RB#0-1000~3000
-PASS




Band25-3MHz-16QAM-26365-1RB#0-3000~20000
-PASS




Band25-3MHz-QPSK-26675-1RB#0-0.009~0.15-
PASS




Band25-3MHz-QPSK-26675-1RB#0-0.15~30-PAS
S




Band25-3MHz-QPSK-26675-1RB#0-30~1000-PA
SS




Band25-3MHz-QPSK-26675-1RB#0-1000~3000-P
ASS




Band25-3MHz-QPSK-26675-1RB#0-3000~20000
-PASS



Band25-3MHz-16QAM-26675-1RB#0-0.009~0.15-
PASS



Band25-3MHz-16QAM-26675-1RB#0-0.15~30-PA
SS



Band25-3MHz-16QAM-26675-1RB#0-30~1000-PA
SS



The screenshot shows a Spectrum Analyzer interface with the following details:

- Top Bar:**
 - Frequency: 14.1 MHz
 - Span: 100 kHz
 - Resolution Bandwidth (RBW): 1 kHz
 - Video Bandwidth (VBW): 3 kHz
 - Sweep Time: 1.43 ms
 - Marker 1: 171.1
 - Reference Level (Ref): 0 dBm
 - Attenuation (Att): 3.5 dB
 - Marker 1 Level: -63.33 dBm
 - Marker 1 Frequency: 12.2430000000 MHz
- Grid:** A standard 10x10 grid is displayed.
- Signal:** A noisy blue trace is visible, centered around -70 dBm.
- Reference Line:** A horizontal red line is drawn at -13 dBm, labeled "D1 -13 dBm".
- Measurements:**
 - SWP: 10 dB
 - SP: 10
 - GP: 10
- Axis Labels:**
 - Vertical Axis (dBm): -10, -20, -30, -40, -50, -60, -70, -80, -90, -100
 - Horizontal Axis (MHz): 14.1 MHz, Span 100 kHz
- UI Elements:**
 - A red square icon with a white 'X' is in the top left corner.
 - A blue square icon with a white 'X' is in the top left corner.
 - A green square icon with a white 'X' is in the top right corner.
 - A green square icon with a white 'X' is in the bottom right corner.

Date: 17.FEB.2025 03:21:11

• BW 100 kHz
 • VM 300 kHz
 • SW 1 s

Marker 1 [T1]
 -58.42 dBm
 252.615000000 GHz

Ref 20 dBm
 A15 30 dB

0 dB
 -10 dB
 -20 dB
 -30 dB
 -40 dB
 -50 dB
 -60 dB
 -70 dB
 -80 dB

252.592 GHz
 252.638 GHz

0 dBm
 -80 dBm

D1 -13 dBm
 SW 10 dB 10

97.9004 /
 25.000 1 GHz

Date: 17.FEB.2025 03:21:40



Ref: 10 dBm Att: 30 dB Marker 1 [T1] -83.03 dBm

150.00000000000000 MHz

10 OFF PWR 10 dBm

0

-10

-20

-30

-40

-50

-60

-70

-80

-90

SWP 10 dB 10 10

Start 120 kHz 2.952 MHz/ Stop 30 MHz

Date: 17.FEB.2025 03:21:26

Pre F 20 dBm

Marker 1 [F1] -47.32 dBm

Start 1 GHz

Stop 3 GHz

200 MHz

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

-60 dBm

-70 dBm

-80 dBm

C1 -13 dBm

30 dB

10 dB

1 GHz

2 GHz


3 GHz

dBm


MHz

Date: 17.FEB.2025 03:21:54

Band25-5MHz-QPSK-26065-1RB#0-1000~3000-P
ASS




Date: 17.FEB.2025 03:22:09




Date: 17.FEB.2025 03:22:20

Band25-5MHz-QPSK-26065-1RB#0-3000~20000
-PASS

Band25-5MHz-16QAM-26065-1RB#0-0.009~0.15-
PASS




Date: 17.FEB.2025 03:22:36




Date: 17.FEB.2025 03:22:50

Band25-5MHz-16QAM-26065-1RB#0-0.15~30-PA
SS

Band25-5MHz-16QAM-26065-1RB#0-30~1000-PA
SS




Date: 17.FEB.2025 03:23:04




Date: 17.FEB.2025 03:23:20

Band25-5MHz-16QAM-26065-1RB#0-1000~3000
-PASS


Band25-5MHz-16QAM-26065-1RB#0-3000~20000
-PASS




Band25-5MHz-QPSK-26365-1RB#0-0.009~0.15-PASS




Band25-5MHz-QPSK-26365-1RB#0-0.15~30-PAS




Band25-5MHz-QPSK-26365-1RB#0-30~1000-PA




Band25-5MHz-QPSK-26365-1RB#0-1000~3000-P




Band25-5MHz-QPSK-26365-1RB#0-3000~20000-PA




Band25-5MHz-16QAM-26365-1RB#0-0.009~0.15-PASS




Band25-5MHz-16QAM-26365-1RB#0-0.15~30-PA
SS




Band25-5MHz-16QAM-26365-1RB#0-30~1000-PA
SS




Band25-5MHz-16QAM-26365-1RB#0-1000~3000
-PASS




Band25-5MHz-16QAM-26365-1RB#0-3000~20000
-PASS




Band25-5MHz-QPSK-26665-1RB#0-0.009~0.15-
PASS



Band25-5MHz-QPSK-26665-1RB#0-0.15~30-PAS
S




Date: 17.FEB.2025 03:26:28




Date: 17.FEB.2025 03:26:42

Band25-5MHz-QPSK-26665-1RB#0-30~1000-PA SS

Band25-5MHz-QPSK-26665-1RB#0-1000~3000-P ASS




Date: 17.FEB.2025 03:26:57




Date: 17.FEB.2025 03:27:08

Band25-5MHz-QPSK-26665-1RB#0-3000~20000 -PASS

Band25-5MHz-16QAM-26665-1RB#0-0.009~0.15- PASS




Date: 17.FEB.2025 03:27:24



Date: 17.FEB.2025 03:27:38


Band25-5MHz-16QAM-26665-1RB#0-0.15~30-PA SS

Band25-5MHz-16QAM-26665-1RB#0-30~1000-PA SS




Date: 17.FEB.2025 03:27:52

Band25-5MHz-16QAM-26665-1RB#0-1000~3000
-PASS




Date: 17.FEB.2025 03:28:07

Band25-5MHz-16QAM-26665-1RB#0-3000~20000
-PASS




Date: 17.FEB.2025 03:54:58

Band25-10MHz-QPSK-26090-1RB#0-0.009~0.15
-PASS




Date: 17.FEB.2025 03:55:14

Band25-10MHz-QPSK-26090-1RB#0-0.15~30-PA
SS





Date: 17.FEB.2025 03:55:27

Band25-10MHz-QPSK-26090-1RB#0-30~1000-P
ASS





Date: 17.FEB.2025 03:55:42

Band25-10MHz-QPSK-26090-1RB#0-1000~3000-P
PASS





Band25-10MHz-QPSK-26090-1RB#0-3000~2000
0-PASS

Band25-10MHz-16QAM-26090-1RB#0-0.009~0.15
-PASS




Band25-10MHz-16QAM-26090-1RB#0-0.15~30-P
ASS

Band25-10MHz-16QAM-26090-1RB#0-30~1000-P
ASS




Band25-10MHz-16QAM-26090-1RB#0-1000~300
0-PASS


Band25-10MHz-16QAM-26090-1RB#0-3000~2000
0-PASS




Band25-10MHz-QPSK-26365-1RB#0-0.009~0.15
-PASS




Band25-10MHz-QPSK-26365-1RB#0-0.15~30-PA
SS




Band25-10MHz-QPSK-26365-1RB#0-30~1000-P
ASS




Band25-10MHz-QPSK-26365-1RB#0-1000~3000-P
PASS



Band25-10MHz-QPSK-26365-1RB#0-3000~2000
0-PASS




Band25-10MHz-16QAM-26365-1RB#0-0.009~0.15
-PASS




Date: 17.FEB.2025 03:58:49

Band25-10MHz-16QAM-26365-1RB#0-0.15~30-P
ASS




Date: 17.FEB.2025 03:59:03

Band25-10MHz-16QAM-26365-1RB#0-30~1000-P
ASS




Date: 17.FEB.2025 03:59:17

Band25-10MHz-16QAM-26365-1RB#0-1000~300
0-PASS




Date: 17.FEB.2025 03:59:32

Band25-10MHz-16QAM-26365-1RB#0-3000~2000
0-PASS





Date: 17.FEB.2025 03:59:48

Band25-10MHz-QPSK-26640-1RB#0-0.009~0.15
-PASS





Date: 17.FEB.2025 04:00:03

Band25-10MHz-QPSK-26640-1RB#0-0.15~30-PA
SS





Band25-10MHz-QPSK-26640-1RB#0-30~1000-P
ASS

Band25-10MHz-QPSK-26640-1RB#0-1000~3000-
PASS




Band25-10MHz-QPSK-26640-1RB#0-3000~2000
0-PASS

Band25-10MHz-16QAM-26640-1RB#0-0.009~0.15
-PASS




Band25-10MHz-16QAM-26640-1RB#0-0.15~30-P
ASS

Band25-10MHz-16QAM-26640-1RB#0-30~1000-P
ASS




Date: 17.FEB.2025 04:01:41

Band25-10MHz-16QAM-26640-1RB#0-1000~300
0-PASS




Date: 17.FEB.2025 04:01:56

Band25-10MHz-16QAM-26640-1RB#0-3000~2000
0-PASS




Date: 17.FEB.2025 04:29:54

Band25-15MHz-QPSK-26115-1RB#0-0.009~0.15-
PASS




Date: 17.FEB.2025 04:30:09

Band25-15MHz-QPSK-26115-1RB#0-0.15~30-PA
SS





Date: 17.FEB.2025 04:30:23

Band25-15MHz-QPSK-26115-1RB#0-30~1000-P
ASS





Date: 17.FEB.2025 04:30:37

Band25-15MHz-QPSK-26115-1RB#0-1000~3000-
PASS





Band25-15MHz-QPSK-26115-1RB#0-3000~2000
0-PASS

Band25-15MHz-16QAM-26115-1RB#0-0.009~0.15
-PASS




Band25-15MHz-16QAM-26115-1RB#0-0.15~30-P
ASS

Band25-15MHz-16QAM-26115-1RB#0-30~1000-P
ASS




Band25-15MHz-16QAM-26115-1RB#0-1000~300
0-PASS


Band25-15MHz-16QAM-26115-1RB#0-3000~2000
0-PASS




Band25-15MHz-QPSK-26365-1RB#0-0.009~0.15
-PASS




Band25-15MHz-QPSK-26365-1RB#0-0.15~30-PA
SS




Band25-15MHz-QPSK-26365-1RB#0-30~1000-P
ASS



Band25-15MHz-QPSK-26365-1RB#0-1000~3000-P
PASS



Band25-15MHz-QPSK-26365-1RB#0-3000~2000
0-PASS



Band25-15MHz-16QAM-26365-1RB#0-0.009~0.15
-PASS