

Appendix A: Effective Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Result(dBm)	Max Gain (dBi)	ERP (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	22.57	-2.36	18.06	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#2	22.11	-2.36	17.60	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	22.32	-2.36	17.81	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	3RB#0	22.39	-2.36	17.88	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	3RB#1	22.80	-2.36	18.29	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	3RB#3	22.67	-2.36	18.16	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	22.46	-2.36	17.95	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	21.70	-2.36	17.19	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#2	22.39	-2.36	17.88	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	22.45	-2.36	17.94	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	3RB#0	22.15	-2.36	17.64	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	3RB#1	22.08	-2.36	17.57	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	3RB#3	22.62	-2.36	18.11	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	21.42	-2.36	16.91	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	23.59	-2.36	19.08	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#2	23.50	-2.36	18.99	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	23.57	-2.36	19.06	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	3RB#0	23.75	-2.36	19.24	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	3RB#1	23.74	-2.36	19.23	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	3RB#3	23.72	-2.36	19.21	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	22.89	-2.36	18.38	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	22.52	-2.36	18.01	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#2	22.46	-2.36	17.95	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	22.49	-2.36	17.98	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	3RB#0	22.73	-2.36	18.22	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	3RB#1	22.68	-2.36	18.17	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	3RB#3	22.67	-2.36	18.16	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	22.06	-2.36	17.55	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	23.48	-2.36	18.97	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#2	23.49	-2.36	18.98	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	23.43	-2.36	18.92	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	3RB#0	23.70	-2.36	19.19	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	3RB#1	23.73	-2.36	19.22	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	3RB#3	23.69	-2.36	19.18	50	PASS

Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	22.79	-2.36	18.28	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	22.63	-2.36	18.12	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#2	22.61	-2.36	18.10	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	22.60	-2.36	18.09	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	3RB#0	22.77	-2.36	18.26	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	3RB#1	22.69	-2.36	18.18	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	3RB#3	22.72	-2.36	18.21	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	22.96	-2.36	18.45	50	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	20.10	-2.36	15.59	50	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#8	21.76	-2.36	17.25	50	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	22.32	-2.36	17.81	50	PASS
Band26(814-824)	3MHz	QPSK	26705	8RB#0	16.07	-2.36	11.56	50	PASS
Band26(814-824)	3MHz	QPSK	26705	8RB#4	16.33	-2.36	11.82	50	PASS
Band26(814-824)	3MHz	QPSK	26705	8RB#7	22.03	-2.36	17.52	50	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	20.02	-2.36	15.51	50	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	19.98	-2.36	15.47	50	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#8	20.92	-2.36	16.41	50	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	21.82	-2.36	17.31	50	PASS
Band26(814-824)	3MHz	16QAM	26705	8RB#0	15.18	-2.36	10.67	50	PASS
Band26(814-824)	3MHz	16QAM	26705	8RB#4	15.22	-2.36	10.71	50	PASS
Band26(814-824)	3MHz	16QAM	26705	8RB#7	21.73	-2.36	17.22	50	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	19.38	-2.36	14.87	50	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	23.10	-2.36	18.59	50	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#8	23.15	-2.36	18.64	50	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	23.37	-2.36	18.86	50	PASS
Band26(814-824)	3MHz	QPSK	26740	8RB#0	22.87	-2.36	18.36	50	PASS
Band26(814-824)	3MHz	QPSK	26740	8RB#4	22.58	-2.36	18.07	50	PASS
Band26(814-824)	3MHz	QPSK	26740	8RB#7	22.97	-2.36	18.46	50	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	23.03	-2.36	18.52	50	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	22.11	-2.36	17.60	50	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#8	22.10	-2.36	17.59	50	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	22.23	-2.36	17.72	50	PASS
Band26(814-824)	3MHz	16QAM	26740	8RB#0	21.88	-2.36	17.37	50	PASS
Band26(814-824)	3MHz	16QAM	26740	8RB#4	21.97	-2.36	17.46	50	PASS
Band26(814-824)	3MHz	16QAM	26740	8RB#7	22.19	-2.36	17.68	50	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	22.05	-2.36	17.54	50	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	23.48	-2.36	18.97	50	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#8	23.48	-2.36	18.97	50	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	23.42	-2.36	18.91	50	PASS
Band26(814-824)	3MHz	QPSK	26775	8RB#0	22.87	-2.36	18.36	50	PASS
Band26(814-824)	3MHz	QPSK	26775	8RB#4	22.88	-2.36	18.37	50	PASS
Band26(814-824)	3MHz	QPSK	26775	8RB#7	22.97	-2.36	18.46	50	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	22.94	-2.36	18.43	50	PASS

Band26(814-824)	3MHz	16QAM	26775	1RB#0	22.67	-2.36	18.16	50	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#8	22.68	-2.36	18.17	50	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	22.68	-2.36	18.17	50	PASS
Band26(814-824)	3MHz	16QAM	26775	8RB#0	22.17	-2.36	17.66	50	PASS
Band26(814-824)	3MHz	16QAM	26775	8RB#4	22.17	-2.36	17.66	50	PASS
Band26(814-824)	3MHz	16QAM	26775	8RB#7	22.16	-2.36	17.65	50	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	22.19	-2.36	17.68	50	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	24.28	-2.36	19.77	50	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#12	24.38	-2.36	19.87	50	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	24.24	-2.36	19.73	50	PASS
Band26(814-824)	5MHz	QPSK	26715	12RB#0	23.19	-2.36	18.68	50	PASS
Band26(814-824)	5MHz	QPSK	26715	12RB#6	23.22	-2.36	18.71	50	PASS
Band26(814-824)	5MHz	QPSK	26715	12RB#13	23.11	-2.36	18.60	50	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	23.22	-2.36	18.71	50	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	23.18	-2.36	18.67	50	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#12	23.35	-2.36	18.84	50	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	23.18	-2.36	18.67	50	PASS
Band26(814-824)	5MHz	16QAM	26715	12RB#0	22.18	-2.36	17.67	50	PASS
Band26(814-824)	5MHz	16QAM	26715	12RB#6	22.20	-2.36	17.69	50	PASS
Band26(814-824)	5MHz	16QAM	26715	12RB#13	22.12	-2.36	17.61	50	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	22.24	-2.36	17.73	50	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	24.25	-2.36	19.74	50	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#12	24.30	-2.36	19.79	50	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	24.30	-2.36	19.79	50	PASS
Band26(814-824)	5MHz	QPSK	26740	12RB#0	23.36	-2.36	18.85	50	PASS
Band26(814-824)	5MHz	QPSK	26740	12RB#6	23.32	-2.36	18.81	50	PASS
Band26(814-824)	5MHz	QPSK	26740	12RB#13	23.24	-2.36	18.73	50	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	23.35	-2.36	18.84	50	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	23.25	-2.36	18.74	50	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#12	23.45	-2.36	18.94	50	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	23.33	-2.36	18.82	50	PASS
Band26(814-824)	5MHz	16QAM	26740	12RB#0	22.38	-2.36	17.87	50	PASS
Band26(814-824)	5MHz	16QAM	26740	12RB#6	22.40	-2.36	17.89	50	PASS
Band26(814-824)	5MHz	16QAM	26740	12RB#13	22.25	-2.36	17.74	50	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	22.33	-2.36	17.82	50	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	24.28	-2.36	19.77	50	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#12	24.50	-2.36	19.99	50	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	24.34	-2.36	19.83	50	PASS
Band26(814-824)	5MHz	QPSK	26765	12RB#0	23.31	-2.36	18.80	50	PASS
Band26(814-824)	5MHz	QPSK	26765	12RB#6	23.31	-2.36	18.80	50	PASS
Band26(814-824)	5MHz	QPSK	26765	12RB#13	23.35	-2.36	18.84	50	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	23.36	-2.36	18.85	50	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	23.21	-2.36	18.70	50	PASS

Band26(814-824)	5MHz	16QAM	26765	1RB#12	23.30	-2.36	18.79	50	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	23.21	-2.36	18.70	50	PASS
Band26(814-824)	5MHz	16QAM	26765	12RB#0	22.32	-2.36	17.81	50	PASS
Band26(814-824)	5MHz	16QAM	26765	12RB#6	22.31	-2.36	17.80	50	PASS
Band26(814-824)	5MHz	16QAM	26765	12RB#13	22.37	-2.36	17.86	50	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	22.38	-2.36	17.87	50	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	24.31	-2.36	19.80	50	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#24	24.41	-2.36	19.90	50	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	24.38	-2.36	19.87	50	PASS
Band26(814-824)	10MHz	QPSK	26740	25RB#0	23.35	-2.36	18.84	50	PASS
Band26(814-824)	10MHz	QPSK	26740	25RB#12	23.40	-2.36	18.89	50	PASS
Band26(814-824)	10MHz	QPSK	26740	25RB#25	23.28	-2.36	18.77	50	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	23.33	-2.36	18.82	50	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	23.13	-2.36	18.62	50	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#24	23.24	-2.36	18.73	50	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	23.15	-2.36	18.64	50	PASS
Band26(814-824)	10MHz	16QAM	26740	25RB#0	22.38	-2.36	17.87	50	PASS
Band26(814-824)	10MHz	16QAM	26740	25RB#12	22.42	-2.36	17.91	50	PASS
Band26(814-824)	10MHz	16QAM	26740	25RB#25	22.31	-2.36	17.80	50	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	22.40	-2.36	17.89	50	PASS


Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	2.31	13	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	4.74	13	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	2.82	13	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	5.00	13	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	3.97	13	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	4.84	13	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	4.68	13	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	5.58	13	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	5.19	13	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	5.45	13	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	6.09	13	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	6.22	13	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	3.04	13	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	4.39	13	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	3.40	13	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	5.45	13	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	3.56	13	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	4.68	13	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	4.39	13	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	5.51	13	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	4.87	13	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	5.10	13	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	5.54	13	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	5.99	13	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	4.94	13	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	5.48	13	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	5.58	13	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	6.35	13	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	5.51	13	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	5.51	13	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	6.19	13	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	6.35	13	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	5.16	13	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	5.38	13	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	5.87	13	PASS

Band26(814-824)	5MHz	16QAM	26765	25RB#0	6.28	13	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	4.81	13	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	5.54	13	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	5.67	13	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	6.47	13	PASS

Test Graphs






Date: 17.FEB.2025 06:05:23


Date: 17.FEB.2025 06:05:52

Date: 17.FEB.2025 06:06:19


8 / 75



ASS



ASS



PASS




PASS


Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	1.11	1.36	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	1.155	1.90	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	1.11	1.30	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	1.105	1.31	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	1.1	1.30	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	1.095	1.27	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	2.59	3.48	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	2.58	3.52	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	2.69	2.98	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	2.69	2.99	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	2.69	2.95	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	2.68	2.96	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	4.5	4.94	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	4.49	4.92	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	4.5	4.92	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	4.51	4.96	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	4.51	4.93	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	4.52	4.96	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	9	9.90	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	9	9.87	PASS


Test Graphs






Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-P

ASS




Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-P

PASS




Band26(814-824)-3MHz-QPSK-26705-15RB#0-P

ASS



Band26(814-824)-3MHz-16QAM-26705-15RB#0-P


ASS



Date: 17.FEB.2025 06:18:58

Band26(814-824)-3MHz-QPSK-26740-15RB#0-P


ASS



Date: 17.FEB.2025 06:19:11

Band26(814-824)-3MHz-16QAM-26740-15RB#0-P


ASS



Date: 17.FEB.2025 06:19:27

Band26(814-824)-3MHz-QPSK-26775-15RB#0-P


ASS



Date: 17.FEB.2025 06:19:40


Band26(814-824)-3MHz-16QAM-26775-15RB#0-P

ASS




Band26(814-824)-5MHz-QPSK-26715-25RB#0-P

ASS




Band26(814-824)-5MHz-16QAM-26715-25RB#0-P

ASS




Band26(814-824)-5MHz-QPSK-26740-25RB#0-P

ASS




Band26(814-824)-5MHz-16QAM-26740-25RB#0-P

ASS




Date: 4.MAR.2025 15:41:41

Band26(814-824)-5MHz-QPSK-26765-25RB#0-P
ASS




Date: 4.MAR.2025 15:42:01

Band26(814-824)-5MHz-16QAM-26765-25RB#0-P
ASS



Date: 4.MAR.2025 16:11:36

Band26(814-824)-10MHz-QPSK-26740-50RB#0-P
ASS



Date: 4.MAR.2025 16:11:49

Band26(814-824)-10MHz-16QAM-26740-50RB#0-P
PASS


Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Limit(dBm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	-40.30	-13	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	-21.97	-13	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	-19.05	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	-43.20	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	-24.62	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	-17.96	-13	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	-26.01	-13	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	-26.65	-13	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	-31.98	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	-27.33	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	-28.87	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	-31.83	-13	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	-37.26	-13	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	-13.70	-13	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	-14.69	-13	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	-37.69	-13	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	-14.75	-13	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	-14.00	-13	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	-16.59	-13	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	-16.34	-13	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	-29.07	-13	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	-17.52	-13	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	-17.12	-13	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	-28.79	-13	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	-25.17	-13	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	-25.03	-13	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	-31.16	-13	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	-25.97	-13	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	-25.80	-13	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	-31.78	-13	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	-24.41	-13	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	-24.34	-13	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	-34.02	-13	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	-26.67	-13	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	-25.76	-13	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	-33.26	-13	PASS

Band26(814-824)	10MHz	QPSK	26740	1RB#0	-29.29	-13	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	-29.08	-13	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	-34.87	-13	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	-30.59	-13	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	-30.26	-13	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	-35.04	-13	PASS


Test Graphs






Band26(814-824)-1.4MHz-16QAM-26697-1RB#5-

PASS




Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-

PASS





Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-P

ASS





Band26(814-824)-1.4MHz-QPSK-26783-1RB#5-P

ASS




Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-P
ASS

Band26(814-824)-1.4MHz-16QAM-26783-1RB#0-P
PASS




Band26(814-824)-1.4MHz-16QAM-26783-1RB#5-P
PASS

Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-P
PASS




Band26(814-824)-3MHz-QPSK-26705-1RB#0-PA

SS




Band26(814-824)-3MHz-QPSK-26705-1RB#14-P

ASS




Band26(814-824)-3MHz-QPSK-26705-15RB#0-P


ASS



Band26(814-824)-3MHz-16QAM-26705-1RB#0-P


ASS






Band26(814-824)-3MHz-QPSK-26775-15RB#0-P

ASS




Band26(814-824)-3MHz-16QAM-26775-1RB#0-P

ASS




Band26(814-824)-3MHz-16QAM-26775-1RB#14-P

ASS




Band26(814-824)-3MHz-16QAM-26775-15RB#0-P

ASS




Band26(814-824)-5MHz-QPSK-26715-1RB#0-PA

SS




Band26(814-824)-5MHz-QPSK-26715-1RB#24-P

ASS




Band26(814-824)-5MHz-QPSK-26715-25RB#0-P

ASS




Band26(814-824)-5MHz-16QAM-26715-1RB#0-P


ASS




Band26(814-824)-5MHz-16QAM-26715-1RB#24-P
ASS




Band26(814-824)-5MHz-16QAM-26715-25RB#0-P
ASS



Band26(814-824)-5MHz-QPSK-26765-1RB#0-PA
SS




Band26(814-824)-5MHz-QPSK-26765-1RB#24-P
ASS




Band26(814-824)-5MHz-QPSK-26765-25RB#0-P

ASS




Band26(814-824)-5MHz-16QAM-26765-1RB#0-P

ASS




Band26(814-824)-5MHz-16QAM-26765-1RB#24-P

ASS




Band26(814-824)-5MHz-16QAM-26765-25RB#0-P

ASS




Band26(814-824)-10MHz-QPSK-26740-1RB#0-P

ASS




Band26(814-824)-10MHz-QPSK-26740-1RB#49-P

ASS



Band26(814-824)-10MHz-QPSK-26740-50RB#0-P

ASS



Band26(814-824)-10MHz-16QAM-26740-1RB#0-P

ASS



PASS



PASS

Appendix E: Conducted Spurious Emission


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit(dBm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	0.009~0.15	-62.23	-33	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	0.15~30	-63.73	-23	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	30~1000	-50.89	-13	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	1000~3000	-45.39	-13	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	3000~10000	-45.71	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	0.009~0.15	-61.50	-33	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	0.15~30	-63.19	-23	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	30~1000	-49.39	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	1000~3000	-45.24	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	3000~10000	-45.73	-13	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	0.009~0.15	-62.28	-33	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	0.15~30	-62.81	-23	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	30~1000	-47.12	-13	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	1000~3000	-39.20	-13	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	3000~10000	-45.66	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	0.009~0.15	-61.82	-33	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	0.15~30	-63.12	-23	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	30~1000	-47.11	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	1000~3000	-40.52	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	3000~10000	-45.57	-13	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	0.009~0.15	-62.40	-33	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	0.15~30	-63.48	-23	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	30~1000	-46.86	-13	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	1000~3000	-41.88	-13	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	3000~10000	-45.85	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	0.009~0.15	-62.46	-33	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	0.15~30	-63.49	-23	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	30~1000	-45.91	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	1000~3000	-42.73	-13	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	3000~10000	-45.77	-13	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	0.009~0.15	-61.28	-33	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	0.15~30	-63.49	-23	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	30~1000	-55.74	-13	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	1000~3000	-45.44	-13	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	3000~10000	-46.49	-13	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	0.009~0.15	-62.07	-33	PASS

Band26(814-824)	3MHz	16QAM	26705	1RB#0	0.15~30	-63.70	-23	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	30~1000	-55.98	-13	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	1000~3000	-45.70	-13	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	3000~10000	-46.15	-13	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	0.009~0.15	-62.27	-33	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	0.15~30	-63.41	-23	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	30~1000	-48.66	-13	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	1000~3000	-41.77	-13	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	3000~10000	-45.99	-13	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	0.009~0.15	-62.79	-33	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	0.15~30	-63.69	-23	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	30~1000	-48.89	-13	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	1000~3000	-44.07	-13	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	3000~10000	-46.10	-13	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	0.009~0.15	-62.89	-33	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	0.15~30	-63.23	-23	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	30~1000	-48.94	-13	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	1000~3000	-40.66	-13	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	3000~10000	-46.31	-13	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	0.009~0.15	-62.11	-33	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	0.15~30	-63.10	-23	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	30~1000	-48.81	-13	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	1000~3000	-41.51	-13	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	3000~10000	-46.17	-13	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	0.009~0.15	-61.71	-33	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	0.15~30	-63.42	-23	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	30~1000	-48.11	-13	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	1000~3000	-40.31	-13	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	3000~10000	-46.16	-13	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	0.009~0.15	-61.18	-33	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	0.15~30	-63.11	-23	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	30~1000	-48.39	-13	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	1000~3000	-41.63	-13	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	3000~10000	-46.17	-13	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	0.009~0.15	-62.85	-33	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	0.15~30	-63.19	-23	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	30~1000	-47.35	-13	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	1000~3000	-40.22	-13	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	3000~10000	-46.28	-13	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	0.009~0.15	-62.96	-33	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	0.15~30	-62.98	-23	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	30~1000	-47.67	-13	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	1000~3000	-41.39	-13	PASS


Band26(814-824)	5MHz	16QAM	26740	1RB#0	3000~10000	-46.19	-13	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	0.009~0.15	-61.65	-33	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	0.15~30	-62.84	-23	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	30~1000	-47.77	-13	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	1000~3000	-40.55	-13	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	3000~10000	-46.23	-13	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	0.009~0.15	-62.27	-33	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	0.15~30	-63.20	-23	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	30~1000	-47.84	-13	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	1000~3000	-41.78	-13	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	3000~10000	-46.12	-13	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	0.009~0.15	-63.43	-33	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	0.15~30	-63.19	-23	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	30~1000	-48.89	-13	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	1000~3000	-38.76	-13	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	3000~10000	-46.54	-13	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	0.009~0.15	-62.55	-33	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	0.15~30	-63.10	-23	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	30~1000	-48.88	-13	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	1000~3000	-40.16	-13	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	3000~10000	-46.14	-13	PASS

Test Graphs







Band26(814-824)-1.4MHz-QPSK-26697-1RB#0-3
000~10000-PASS




Band26(814-824)-1.4MHz-16QAM-26697-1RB#0-0.009~0.15-PASS



Band26(814-824)-1.4MHz-16QAM-26697-1RB#0-0.15~30-PASS




Band26(814-824)-1.4MHz-16QAM-26697-1RB#0-30~1000-PASS




Date: 17.FEB.2025 05:43:10

Band26(814-824)-1.4MHz-16QAM-26697-1RB#0-
1000~3000-PASS




Date: 17.FEB.2025 05:43:25

Band26(814-824)-1.4MHz-16QAM-26697-1RB#0-
3000~10000-PASS




Date: 17.FEB.2025 05:43:40

Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-0.
.009~0.15-PASS




Date: 17.FEB.2025 05:43:55


Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-0.
15~30-PASS




Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-3
0~1000-PASS




Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-10
00~3000-PASS




Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-3
000~10000-PASS




Band26(814-824)-1.4MHz-16QAM-26740-1RB#0-
0.009~0.15-PASS




Band26(814-824)-1.4MHz-16QAM-26740-1RB#0-0.15~30-PASS




Band26(814-824)-1.4MHz-16QAM-26740-1RB#0-30~1000-PASS



Band26(814-824)-1.4MHz-16QAM-26740-1RB#0-1000~3000-PASS




Band26(814-824)-1.4MHz-16QAM-26740-1RB#0-3000~10000-PASS




Date: 17.FEB.2025 05:46:32

Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-0.009~0.15-PASS




Date: 17.FEB.2025 05:46:47

Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-0.15~30-PASS




Date: 17.FEB.2025 05:47:14

Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-3 0~1000-PASS




Date: 17.FEB.2025 05:47:29

Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-10 00~3000-PASS




Date: 17.FEB.2025 05:47:43

Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-3
000~10000-PASS




Date: 17.FEB.2025 05:47:55

Band26(814-824)-1.4MHz-16QAM-26783-1RB#0-0.009~0.15-PASS




Date: 17.FEB.2025 05:48:10

Band26(814-824)-1.4MHz-16QAM-26783-1RB#0-0.15~30-PASS




Date: 17.FEB.2025 05:48:37


Band26(814-824)-1.4MHz-16QAM-26783-1RB#0-30~1000-PASS




Band26(814-824)-1.4MHz-16QAM-26783-1RB#0-1000~3000-PASS




Band26(814-824)-1.4MHz-16QAM-26783-1RB#0-3000~10000-PASS



Band26(814-824)-3MHz-QPSK-26705-1RB#0-0.009~0.15-PASS




Band26(814-824)-3MHz-QPSK-26705-1RB#0-0.15~30-PASS




Date: 17.FEB.2025 06:50:05

Band26(814-824)-3MHz-QPSK-26705-1RB#0-30
~1000-PASS




Date: 17.FEB.2025 06:50:20

Band26(814-824)-3MHz-QPSK-26705-1RB#0-100
0~3000-PASS




Date: 17.FEB.2025 06:50:34


Band26(814-824)-3MHz-QPSK-26705-1RB#0-30
00~10000-PASS




Date: 17.FEB.2025 06:50:46


Band26(814-824)-3MHz-16QAM-26705-1RB#0-0.
009~0.15-PASS









Band26(814-824)-3MHz-QPSK-26740-1RB#0-30
00~10000-PASS




Band26(814-824)-3MHz-16QAM-26740-1RB#0-0.
009~0.15-PASS




Band26(814-824)-3MHz-16QAM-26740-1RB#0-0.
15~30-PASS




Band26(814-824)-3MHz-16QAM-26740-1RB#0-30
~1000-PASS




Band26(814-824)-3MHz-16QAM-26740-1RB#0-1
000~3000-PASS




Band26(814-824)-3MHz-16QAM-26740-1RB#0-30
00~10000-PASS



Band26(814-824)-3MHz-QPSK-26775-1RB#0-0.0
09~0.15-PASS




Band26(814-824)-3MHz-QPSK-26775-1RB#0-0.15
~30-PASS




Date: 17.FEB.2025 06:55:37

Band26(814-824)-3MHz-QPSK-26775-1RB#0-30
~1000-PASS




Date: 17.FEB.2025 06:55:51

Band26(814-824)-3MHz-QPSK-26775-1RB#0-100
0~3000-PASS




Date: 17.FEB.2025 06:56:06

Band26(814-824)-3MHz-QPSK-26775-1RB#0-30
00~10000-PASS



Date: 17.FEB.2025 06:56:18


Band26(814-824)-3MHz-16QAM-26775-1RB#0-0.
009~0.15-PASS



Date: 17.FEB.2025 06:56:33

Band26(814-824)-3MHz-16QAM-26775-1RB#0-0.


15~30-PASS



Date: 17.FEB.2025 06:57:02

Band26(814-824)-3MHz-16QAM-26775-1RB#0-30


~1000-PASS



Date: 17.FEB.2025 06:57:16

Band26(814-824)-3MHz-16QAM-26775-1RB#0-1


000~3000-PASS




Date: 17.FEB.2025 06:57:30

Band26(814-824)-3MHz-16QAM-26775-1RB#0-30


00~10000-PASS






Date: 4.MAR.2025 15:50:37

Band26(814-824)-5MHz-QPSK-26715-1RB#0-30
00~10000-PASS




Date: 4.MAR.2025 15:50:49

Band26(814-824)-5MHz-16QAM-26715-1RB#0-0.
009~0.15-PASS




Date: 4.MAR.2025 15:51:05

Band26(814-824)-5MHz-16QAM-26715-1RB#0-0.
15~30-PASS




Date: 4.MAR.2025 15:51:34


Band26(814-824)-5MHz-16QAM-26715-1RB#0-30
~1000-PASS




Band26(814-824)-5MHz-16QAM-26715-1RB#0-1
000~3000-PASS




Band26(814-824)-5MHz-16QAM-26715-1RB#0-30
00~10000-PASS




Band26(814-824)-5MHz-QPSK-26740-1RB#0-0.0
09~0.15-PASS




Band26(814-824)-5MHz-QPSK-26740-1RB#0-0.15
~30-PASS




Band26(814-824)-5MHz-QPSK-26740-1RB#0-30
~1000-PASS




Band26(814-824)-5MHz-QPSK-26740-1RB#0-100
0~3000-PASS




Band26(814-824)-5MHz-QPSK-26740-1RB#0-30
00~10000-PASS



Band26(814-824)-5MHz-16QAM-26740-1RB#0-0.
009~0.15-PASS




Band26(814-824)-5MHz-16QAM-26740-1RB#0-0.
15~30-PASS




Band26(814-824)-5MHz-16QAM-26740-1RB#0-30
~1000-PASS



Band26(814-824)-5MHz-16QAM-26740-1RB#0-1
000~3000-PASS




Band26(814-824)-5MHz-16QAM-26740-1RB#0-30
00~10000-PASS




Date: 4.MAR.2025 15:55:13

Band26(814-824)-5MHz-QPSK-26765-1RB#0-0.0
09~0.15-PASS




Date: 4.MAR.2025 15:55:28

Band26(814-824)-5MHz-QPSK-26765-1RB#0-0.15
~30-PASS




Date: 4.MAR.2025 15:55:57

Band26(814-824)-5MHz-QPSK-26765-1RB#0-30
~1000-PASS




Date: 4.MAR.2025 15:56:11


Band26(814-824)-5MHz-QPSK-26765-1RB#0-100
0~3000-PASS




Band26(814-824)-5MHz-QPSK-26765-1RB#0-30
00~10000-PASS




Band26(814-824)-5MHz-16QAM-26765-1RB#0-0.
009~0.15-PASS




Band26(814-824)-5MHz-16QAM-26765-1RB#0-0.
15~30-PASS




Band26(814-824)-5MHz-16QAM-26765-1RB#0-30
~1000-PASS




Band26(814-824)-5MHz-16QAM-26765-1RB#0-1
000~3000-PASS




Band26(814-824)-5MHz-16QAM-26765-1RB#0-30
00~10000-PASS




Band26(814-824)-10MHz-QPSK-26740-1RB#0-0.
009~0.15-PASS




Band26(814-824)-10MHz-QPSK-26740-1RB#0-0.1
5~30-PASS




Band26(814-824)-10MHz-QPSK-26740-1RB#0-3
0~1000-PASS




Band26(814-824)-10MHz-QPSK-26740-1RB#0-10
00~3000-PASS




Band26(814-824)-10MHz-QPSK-26740-1RB#0-3
000~10000-PASS




Band26(814-824)-10MHz-16QAM-26740-1RB#0-0
.009~0.15-PASS




Band26(814-824)-10MHz-16QAM-26740-1RB#0-0.15~30-PASS



Band26(814-824)-10MHz-16QAM-26740-1RB#0-30~1000-PASS



Band26(814-824)-10MHz-16QAM-26740-1RB#0-1000~3000-PASS



Band26(814-824)-10MHz-16QAM-26740-1RB#0-3000~10000-PASS

Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	VN	NT	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	VL	NT	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	VH	NT	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	VN	NT	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	VL	NT	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	VH	NT	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	VN	NT	4.68	0.005714	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	VL	NT	-5.75	-0.007021	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	VH	NT	-15.26	-0.018632	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	VN	NT	7.75	0.009463	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	VL	NT	-1.52	-0.001856	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	VH	NT	-4.58	-0.005592	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	VN	NT	-6.90	-0.008381	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	VL	NT	-7.22	-0.008770	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	VH	NT	-3.52	-0.004275	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	VN	NT	-4.69	-0.005697	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	VL	NT	4.19	0.005089	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	VH	NT	-4.81	-0.005842	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	VN	NT	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	VL	NT	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	VH	NT	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	VN	NT	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	VL	NT	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	VH	NT	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	VN	NT	-8.24	-0.010061	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	VL	NT	4.31	0.005263	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	VH	NT	-3.39	-0.004139	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	VN	NT	-7.02	-0.008571	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	VL	NT	4.49	0.005482	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	VH	NT	-6.12	-0.007473	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	VN	NT	-1.97	-0.002395	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	VL	NT	-3.65	-0.004438	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	VH	NT	-6.68	-0.008122	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	VN	NT	3.25	0.003951	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	VL	NT	-6.74	-0.008195	±2.5	PASS

Band26(814-824)	3MHz	16QAM	26775	15RB#0	VH	NT	-6.54	-0.007951	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	VN	NT	-8.94	-0.010949	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	VL	NT	-6.22	-0.007618	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	VH	NT	-2.10	-0.002572	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	VN	NT	5.88	0.007201	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	VL	NT	-8.65	-0.010594	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	VH	NT	3.86	0.004727	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	VN	NT	-6.07	-0.007411	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	VL	NT	-5.38	-0.006569	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	VH	NT	-5.15	-0.006288	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	VN	NT	-8.91	-0.010879	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	VL	NT	3.30	0.004029	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	VH	NT	-2.63	-0.003211	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	VN	NT	-3.39	-0.004127	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	VL	NT	-7.81	-0.009507	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	VH	NT	-2.23	-0.002715	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	VN	NT	-2.17	-0.002642	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	VL	NT	-8.37	-0.010189	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	VH	NT	-8.03	-0.009775	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	VN	NT	-7.67	-0.009365	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	VL	NT	-9.14	-0.011160	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	VH	NT	-7.98	-0.009744	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	VN	NT	-3.95	-0.004823	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	VL	NT	-3.99	-0.004872	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	VH	NT	-4.62	-0.005641	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-30	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-20	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-10	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	0	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	10	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	20	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	30	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	40	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	50	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	-30	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	-20	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	-10	0.00	0.000000	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	0	-7.15	-0.008776	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	10	-10.50	-0.012888	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	20	-6.95	-0.008531	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	30	-5.81	-0.007131	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	40	-10.44	-0.012815	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	50	-6.82	-0.008371	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	-30	-22.75	-0.027778	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	-20	-20.44	-0.024957	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	-10	-12.59	-0.015372	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	0	-11.01	-0.013443	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	10	-10.79	-0.013175	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	20	-3.76	-0.004591	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	30	1.83	0.002234	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	40	-9.03	-0.011026	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	50	5.79	0.007070	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	-30	2.40	0.002930	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	-20	-4.56	-0.005568	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	-10	3.62	0.004420	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	0	3.25	0.003968	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	10	-5.34	-0.006520	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	20	1.80	0.002198	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	30	-2.29	-0.002796	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	40	-2.60	-0.003175	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	50	2.55	0.003114	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	-30	-7.04	-0.008551	±2.5	PASS

Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	-20	2.27	0.002757	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	-10	-4.02	-0.004883	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	0	-5.78	-0.007021	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	10	2.36	0.002867	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	20	-5.15	-0.006255	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	30	-8.04	-0.009766	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	40	-8.08	-0.009814	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	50	2.37	0.002879	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	-30	2.50	0.003037	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	-20	-3.86	-0.004688	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	-10	-6.22	-0.007555	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	0	-5.81	-0.007057	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	10	1.72	0.002089	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	20	4.31	0.005235	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	30	-5.25	-0.006377	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	40	6.39	0.007761	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	50	-2.88	-0.003498	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	-30	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	-20	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	-10	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	0	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	10	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	20	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	30	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	40	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	50	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	-30	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	-20	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	-10	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	0	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	10	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	20	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	30	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	40	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	50	0.00	0.000000	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	-30	-5.88	-0.007179	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	-20	1.39	0.001697	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	-10	-5.11	-0.006239	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	0	3.29	0.004017	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	10	-1.46	-0.001783	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	20	2.63	0.003211	±2.5	PASS

Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	30	-1.92	-0.002344	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	40	-4.76	-0.005812	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	50	2.65	0.003236	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	-30	-4.36	-0.005324	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	-20	-6.55	-0.007998	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	-10	2.30	0.002808	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	0	-5.22	-0.006374	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	10	-2.89	-0.003529	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	20	-5.22	-0.006374	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	30	2.47	0.003016	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	40	-4.51	-0.005507	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	50	-7.51	-0.009170	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	-30	-2.99	-0.003635	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	-20	-2.06	-0.002505	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	-10	-6.49	-0.007891	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	0	-6.90	-0.008389	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	10	-6.49	-0.007891	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	20	4.99	0.006067	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	30	-6.57	-0.007988	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	40	-5.19	-0.006310	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	50	-6.87	-0.008353	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	-30	4.33	0.005264	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	-20	-6.01	-0.007307	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	-10	-6.12	-0.007441	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	0	2.52	0.003064	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	10	-9.17	-0.011149	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	20	-6.62	-0.008049	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	30	3.42	0.004158	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	40	-2.19	-0.002663	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	50	3.18	0.003866	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	-30	-6.79	-0.008316	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	-20	4.96	0.006075	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	-10	-4.31	-0.005279	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	0	-5.32	-0.006516	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	10	-7.08	-0.008671	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	20	-7.90	-0.009675	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	30	-4.79	-0.005867	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	40	-4.18	-0.005119	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	50	3.86	0.004727	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	-30	-4.52	-0.005536	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	-20	-6.01	-0.007361	±2.5	PASS

Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	-10	-5.65	-0.006920	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	0	-6.19	-0.007581	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	10	4.59	0.005622	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	20	-7.45	-0.009124	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	30	-4.22	-0.005168	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	40	3.89	0.004764	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	50	-4.02	-0.004923	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	-30	-3.99	-0.004872	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	-20	-5.91	-0.007216	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	-10	-5.41	-0.006606	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	0	-5.28	-0.006447	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	10	-5.94	-0.007253	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	20	-7.10	-0.008669	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	30	-4.02	-0.004908	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	40	3.79	0.004628	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	50	-10.09	-0.012320	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	-30	-2.66	-0.003248	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	-20	2.05	0.002503	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	-10	6.38	0.007790	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	0	5.98	0.007302	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	10	-5.61	-0.006850	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	20	-10.00	-0.012210	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	30	1.13	0.001380	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	40	-6.24	-0.007619	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	50	-3.55	-0.004335	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	-30	-7.02	-0.008545	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	-20	-6.21	-0.007559	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	-10	-3.09	-0.003761	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	0	-6.27	-0.007632	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	10	-2.80	-0.003408	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	20	-2.93	-0.003567	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	30	4.39	0.005344	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	40	-5.82	-0.007085	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	50	-1.44	-0.001753	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	-30	4.92	0.005989	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	-20	-1.89	-0.002301	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	-10	-1.86	-0.002264	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	0	-11.80	-0.014364	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	10	-4.42	-0.005380	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	20	-8.74	-0.010639	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	30	5.24	0.006379	±2.5	PASS

Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	40	4.75	0.005782	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	50	-2.98	-0.003628	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	-30	-7.61	-0.009292	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	-20	-8.41	-0.010269	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	-10	-7.93	-0.009683	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	0	-7.11	-0.008681	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	10	-3.45	-0.004212	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	20	-6.21	-0.007582	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	30	-7.34	-0.008962	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	40	-9.11	-0.011123	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	50	2.37	0.002894	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	-30	-10.46	-0.012772	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	-20	-4.75	-0.005800	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	-10	-6.81	-0.008315	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	0	-2.52	-0.003077	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	10	-9.28	-0.011331	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	20	-5.36	-0.006545	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	30	-6.68	-0.008156	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	40	-9.38	-0.011453	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	50	-6.92	-0.008449	±2.5	PASS

Appendix G: Modulation Characteristics

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	PASS

Test Graphs

