
Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Result (dBm)	Max Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	19.52	0.88	20.40	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#12	19.58	0.88	20.46	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	19.52	0.88	20.40	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#0	19.80	0.88	20.68	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#6	19.84	0.88	20.72	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#13	17.99	0.88	18.87	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	19.97	0.88	20.85	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	19.83	0.88	20.71	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#12	19.88	0.88	20.76	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	19.83	0.88	20.71	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#0	18.02	0.88	18.90	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#6	18.03	0.88	18.91	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#13	18.21	0.88	19.09	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	18.20	0.88	19.08	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	18.93	0.88	19.81	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#12	18.91	0.88	19.79	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#24	18.75	0.88	19.63	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#0	18.24	0.88	19.12	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#6	18.23	0.88	19.11	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#13	18.17	0.88	19.05	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	18.23	0.88	19.11	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	18.51	0.88	19.39	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#12	18.50	0.88	19.38	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#24	18.33	0.88	19.21	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#0	17.48	0.88	18.36	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#6	17.46	0.88	18.34	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#13	17.39	0.88	18.27	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	17.48	0.88	18.36	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	19.96	0.88	20.84	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#12	19.93	0.88	20.81	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	19.91	0.88	20.79	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#0	19.46	0.88	20.34	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#6	19.48	0.88	20.36	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#13	19.35	0.88	20.23	33	PASS

Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	19.45	0.88	20.33	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	19.54	0.88	20.42	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#12	19.53	0.88	20.41	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	19.52	0.88	20.40	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#0	16.98	0.88	17.86	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#6	16.98	0.88	17.86	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#13	16.90	0.88	17.78	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	17.02	0.88	17.90	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	19.62	0.88	20.50	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#24	19.02	0.88	19.90	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	19.75	0.88	20.63	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#0	19.80	0.88	20.68	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#12	19.80	0.88	20.68	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#25	19.32	0.88	20.20	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	19.99	0.88	20.87	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	19.08	0.88	19.96	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#24	19.11	0.88	19.99	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	19.90	0.88	20.78	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#0	19.19	0.88	20.07	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#12	19.19	0.88	20.07	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#25	19.40	0.88	20.28	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	19.25	0.88	20.13	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	19.16	0.88	20.04	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#24	19.03	0.88	19.91	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#49	18.83	0.88	19.71	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#0	18.35	0.88	19.23	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#12	18.35	0.88	19.23	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#25	18.22	0.88	19.10	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	18.38	0.88	19.26	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	18.04	0.88	18.92	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#24	17.83	0.88	18.71	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#49	17.73	0.88	18.61	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#0	17.61	0.88	18.49	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#12	17.60	0.88	18.48	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#25	17.48	0.88	18.36	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	17.64	0.88	18.52	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	20.20	0.88	21.08	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#24	19.95	0.88	20.83	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	20.03	0.88	20.91	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#0	19.62	0.88	20.50	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#12	19.63	0.88	20.51	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#25	19.41	0.88	20.29	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	19.56	0.88	20.44	33	PASS

Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	19.37	0.88	20.25	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#24	19.24	0.88	20.12	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	19.26	0.88	20.14	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#0	17.18	0.88	18.06	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#12	17.19	0.88	18.07	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#25	16.98	0.88	17.86	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	17.11	0.88	17.99	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	19.59	0.88	20.47	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#38	19.62	0.88	20.50	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	19.05	0.88	19.93	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#0	19.18	0.88	20.06	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#18	19.18	0.88	20.06	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#37	19.20	0.88	20.08	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	19.20	0.88	20.08	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	19.07	0.88	19.95	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#38	19.75	0.88	20.63	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	19.20	0.88	20.08	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#0	19.17	0.88	20.05	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#18	19.18	0.88	20.06	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#37	19.19	0.88	20.07	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	19.14	0.88	20.02	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	19.18	0.88	20.06	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#38	19.05	0.88	19.93	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#74	18.76	0.88	19.64	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#0	18.21	0.88	19.09	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#18	18.20	0.88	19.08	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#37	18.22	0.88	19.10	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	18.22	0.88	19.10	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	18.23	0.88	19.11	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#38	18.01	0.88	18.89	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#74	17.74	0.88	18.62	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#0	18.21	0.88	19.09	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#18	18.17	0.88	19.05	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#37	18.18	0.88	19.06	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	17.45	0.88	18.33	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	20.39	0.88	21.27	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#38	20.05	0.88	20.93	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	20.03	0.88	20.91	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#0	19.44	0.88	20.32	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#18	19.45	0.88	20.33	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#37	19.48	0.88	20.36	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	19.46	0.88	20.34	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	19.62	0.88	20.50	33	PASS

Band41(2535-2655)	15MHz	16QAM	41165	1RB#38	19.27	0.88	20.15	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	19.24	0.88	20.12	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#0	19.44	0.88	20.32	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#18	19.45	0.88	20.33	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#37	19.46	0.88	20.34	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	17.09	0.88	17.97	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	18.51	0.88	19.39	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#49	18.88	0.88	19.76	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	18.80	0.88	19.68	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#0	18.83	0.88	19.71	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#25	18.83	0.88	19.71	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#50	18.95	0.88	19.83	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	18.40	0.88	19.28	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	18.78	0.88	19.66	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#49	18.87	0.88	19.75	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	18.78	0.88	19.66	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#0	18.04	0.88	18.92	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#25	18.06	0.88	18.94	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#50	18.92	0.88	19.80	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	18.34	0.88	19.22	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	19.04	0.88	19.92	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#49	18.89	0.88	19.77	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#99	20.17	0.88	21.05	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#0	18.41	0.88	19.29	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#25	18.44	0.88	19.32	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#50	18.20	0.88	19.08	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	18.27	0.88	19.15	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	17.86	0.88	18.74	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#49	17.76	0.88	18.64	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#99	17.38	0.88	18.26	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#0	17.75	0.88	18.63	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#25	17.73	0.88	18.61	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#50	17.51	0.88	18.39	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	17.57	0.88	18.45	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	20.49	0.88	21.37	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#49	20.07	0.88	20.95	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	19.98	0.88	20.86	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#0	18.19	0.88	19.07	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#25	18.22	0.88	19.10	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#50	19.42	0.88	20.30	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	19.68	0.88	20.56	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	17.87	0.88	18.75	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#49	19.02	0.88	19.90	33	PASS

Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	18.92	0.88	19.80	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#0	17.45	0.88	18.33	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#25	17.42	0.88	18.30	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#50	16.91	0.88	17.79	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	17.26	0.88	18.14	33	PASS


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result







Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	9.71	13	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	9.33	13	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	9.81	13	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	10.00	13	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	9.58	13	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	9.17	13	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	9.90	13	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	9.84	13	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	8.88	13	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	8.94	13	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	9.23	13	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	9.78	13	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	9.71	13	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	9.42	13	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	10.10	13	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	10.16	13	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	9.42	13	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	9.36	13	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	9.84	13	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	10.06	13	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	8.97	13	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	9.20	13	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	9.52	13	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	10.03	13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	10.61	13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	9.62	13	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	10.51	13	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	10.45	13	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	11.28	13	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	9.55	13	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	11.15	13	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	10.38	13	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	11.35	13	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	9.52	13	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	11.25	13	PASS


Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	10.35	13	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	10.58	13	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	10.19	13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	10.48	13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	10.71	13	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	11.31	13	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	10.06	13	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	11.19	13	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	10.67	13	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	11.35	13	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	10.03	13	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	10.99	13	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	10.64	13	PASS







Test Graphs








 Ref: 30 dBm * Axis: 45 dB AGF: 312.5 ms Center: 2.54 GHz 2 dB/ Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 5.65 dBm Peak 16.96 dBm Crest 11.31 dB 10 % 5.13 dB 1 % 7.98 dB .1 % 9.71 dB .01 % 10.58 dB Date: 19.FEB.2025 00:51:58	 Ref: 30 dBm * Axis: 45 dB AGF: 312.5 ms Center: 2.54 GHz 2 dB/ Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 7.01 dBm Peak 18.72 dBm Crest 11.72 dB 10 % 5.35 dB 1 % 8.08 dB .1 % 9.42 dB .01 % 10.35 dB Date: 19.FEB.2025 00:52:45
Band41(2535-2655)-10MHz-QPSK-40090-1RB#0- PASS	Band41(2535-2655)-10MHz-QPSK-40090-50RB# 0-PASS
 Ref: 30 dBm * Axis: 45 dB AGF: 312.5 ms Center: 2.54 GHz 2 dB/ Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 4.91 dBm Peak 16.68 dBm Crest 11.76 dB 10 % 5.67 dB 1 % 8.53 dB .1 % 10.10 dB .01 % 11.06 dB Date: 19.FEB.2025 00:52:21	 Ref: 30 dBm * Axis: 45 dB AGF: 312.5 ms Center: 2.54 GHz 2 dB/ Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 6.28 dBm Peak 18.79 dBm Crest 12.52 dB 10 % 5.54 dB 1 % 8.59 dB .1 % 10.16 dB .01 % 11.25 dB Date: 19.FEB.2025 00:53:08
Band41(2535-2655)-10MHz-16QAM-40090-1RB# 0-PASS	Band41(2535-2655)-10MHz-16QAM-40090-50RB #0-PASS
 Ref: 30 dBm * Axis: 45 dB AGF: 312.5 ms Center: 2.59 GHz 2 dB/ Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 12.40 dBm Peak 23.17 dBm Crest 10.77 dB 10 % 5.16 dB 1 % 7.76 dB .1 % 9.42 dB .01 % 10.22 dB Date: 19.FEB.2025 00:53:35	 Ref: 30 dBm * Axis: 45 dB AGF: 312.5 ms Center: 2.59 GHz 2 dB/ Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 13.69 dBm Peak 25.28 dBm Crest 11.60 dB 10 % 5.32 dB 1 % 7.95 dB .1 % 9.36 dB .01 % 10.26 dB Date: 19.FEB.2025 00:54:25
Band41(2535-2655)-10MHz-QPSK-40590-1RB#0- PASS	Band41(2535-2655)-10MHz-QPSK-40590-50RB# 0-PASS



 Ref: 30 dBm * Axis: 45 dB AGF: 312.5 ms Center: 2.5425 GHz 2 dB/ Complementary Cumulative Distribution Function (10000000 samples) Trace 1 <table border="1"> <tr><td>Mean</td><td>-17.80 dBm</td></tr> <tr><td>Peak</td><td>-2.80 dBm</td></tr> <tr><td>Crest</td><td>15.00 dB</td></tr> <tr><td>10 %</td><td>4.23 dB</td></tr> <tr><td>1 %</td><td>8.49 dB</td></tr> <tr><td>.1 %</td><td>10.61 dB</td></tr> <tr><td>.01 %</td><td>12.08 dB</td></tr> </table> Date: 19.FEB.2025 01:29:04	Mean	-17.80 dBm	Peak	-2.80 dBm	Crest	15.00 dB	10 %	4.23 dB	1 %	8.49 dB	.1 %	10.61 dB	.01 %	12.08 dB	 Ref: 30 dBm * Axis: 45 dB AGF: 312.5 ms Center: 2.5425 GHz 2 dB/ Complementary Cumulative Distribution Function (10000000 samples) Trace 1 <table border="1"> <tr><td>Mean</td><td>5.96 dBm</td></tr> <tr><td>Peak</td><td>17.10 dBm</td></tr> <tr><td>Crest</td><td>11.14 dB</td></tr> <tr><td>10 %</td><td>5.71 dB</td></tr> <tr><td>1 %</td><td>8.53 dB</td></tr> <tr><td>.1 %</td><td>9.62 dB</td></tr> <tr><td>.01 %</td><td>10.29 dB</td></tr> </table> Date: 19.FEB.2025 01:29:51	Mean	5.96 dBm	Peak	17.10 dBm	Crest	11.14 dB	10 %	5.71 dB	1 %	8.53 dB	.1 %	9.62 dB	.01 %	10.29 dB
Mean	-17.80 dBm																												
Peak	-2.80 dBm																												
Crest	15.00 dB																												
10 %	4.23 dB																												
1 %	8.49 dB																												
.1 %	10.61 dB																												
.01 %	12.08 dB																												
Mean	5.96 dBm																												
Peak	17.10 dBm																												
Crest	11.14 dB																												
10 %	5.71 dB																												
1 %	8.53 dB																												
.1 %	9.62 dB																												
.01 %	10.29 dB																												
Band41(2535-2655)-15MHz-QPSK-40115-1RB#0-PASS	Band41(2535-2655)-15MHz-QPSK-40115-75RB#0-PASS																												
 Ref: 30 dBm * Axis: 45 dB AGF: 312.5 ms Center: 2.5425 GHz 2 dB/ Complementary Cumulative Distribution Function (10000000 samples) Trace 1 <table border="1"> <tr><td>Mean</td><td>-17.87 dBm</td></tr> <tr><td>Peak</td><td>-3.43 dBm</td></tr> <tr><td>Crest</td><td>14.44 dB</td></tr> <tr><td>10 %</td><td>4.23 dB</td></tr> <tr><td>1 %</td><td>8.43 dB</td></tr> <tr><td>.1 %</td><td>10.51 dB</td></tr> <tr><td>.01 %</td><td>11.86 dB</td></tr> </table> Date: 19.FEB.2025 01:29:28	Mean	-17.87 dBm	Peak	-3.43 dBm	Crest	14.44 dB	10 %	4.23 dB	1 %	8.43 dB	.1 %	10.51 dB	.01 %	11.86 dB	 Ref: 30 dBm * Axis: 45 dB AGF: 312.5 ms Center: 2.5425 GHz 2 dB/ Complementary Cumulative Distribution Function (10000000 samples) Trace 1 <table border="1"> <tr><td>Mean</td><td>4.89 dBm</td></tr> <tr><td>Peak</td><td>17.52 dBm</td></tr> <tr><td>Crest</td><td>12.63 dB</td></tr> <tr><td>10 %</td><td>5.67 dB</td></tr> <tr><td>1 %</td><td>8.91 dB</td></tr> <tr><td>.1 %</td><td>10.45 dB</td></tr> <tr><td>.01 %</td><td>11.38 dB</td></tr> </table> Date: 19.FEB.2025 01:30:14	Mean	4.89 dBm	Peak	17.52 dBm	Crest	12.63 dB	10 %	5.67 dB	1 %	8.91 dB	.1 %	10.45 dB	.01 %	11.38 dB
Mean	-17.87 dBm																												
Peak	-3.43 dBm																												
Crest	14.44 dB																												
10 %	4.23 dB																												
1 %	8.43 dB																												
.1 %	10.51 dB																												
.01 %	11.86 dB																												
Mean	4.89 dBm																												
Peak	17.52 dBm																												
Crest	12.63 dB																												
10 %	5.67 dB																												
1 %	8.91 dB																												
.1 %	10.45 dB																												
.01 %	11.38 dB																												
Band41(2535-2655)-15MHz-16QAM-40115-1RB#0-PASS	Band41(2535-2655)-15MHz-16QAM-40115-75RB#0-PASS																												
 Ref: 30 dBm * Axis: 45 dB AGF: 312.5 ms Center: 2.538 GHz 2 dB/ Complementary Cumulative Distribution Function (10000000 samples) Trace 1 <table border="1"> <tr><td>Mean</td><td>-14.57 dBm</td></tr> <tr><td>Peak</td><td>1.93 dBm</td></tr> <tr><td>Crest</td><td>16.50 dB</td></tr> <tr><td>10 %</td><td>4.87 dB</td></tr> <tr><td>1 %</td><td>9.13 dB</td></tr> <tr><td>.1 %</td><td>11.28 dB</td></tr> <tr><td>.01 %</td><td>12.88 dB</td></tr> </table> Date: 19.FEB.2025 01:30:40	Mean	-14.57 dBm	Peak	1.93 dBm	Crest	16.50 dB	10 %	4.87 dB	1 %	9.13 dB	.1 %	11.28 dB	.01 %	12.88 dB	 Ref: 30 dBm * Axis: 45 dB AGF: 312.5 ms Center: 2.538 GHz 2 dB/ Complementary Cumulative Distribution Function (10000000 samples) Trace 1 <table border="1"> <tr><td>Mean</td><td>12.13 dBm</td></tr> <tr><td>Peak</td><td>23.10 dBm</td></tr> <tr><td>Crest</td><td>10.97 dB</td></tr> <tr><td>10 %</td><td>5.74 dB</td></tr> <tr><td>1 %</td><td>8.53 dB</td></tr> <tr><td>.1 %</td><td>9.55 dB</td></tr> <tr><td>.01 %</td><td>10.19 dB</td></tr> </table> Date: 19.FEB.2025 01:31:26	Mean	12.13 dBm	Peak	23.10 dBm	Crest	10.97 dB	10 %	5.74 dB	1 %	8.53 dB	.1 %	9.55 dB	.01 %	10.19 dB
Mean	-14.57 dBm																												
Peak	1.93 dBm																												
Crest	16.50 dB																												
10 %	4.87 dB																												
1 %	9.13 dB																												
.1 %	11.28 dB																												
.01 %	12.88 dB																												
Mean	12.13 dBm																												
Peak	23.10 dBm																												
Crest	10.97 dB																												
10 %	5.74 dB																												
1 %	8.53 dB																												
.1 %	9.55 dB																												
.01 %	10.19 dB																												
Band41(2535-2655)-15MHz-QPSK-40590-1RB#0-PASS	Band41(2535-2655)-15MHz-QPSK-40590-75RB#0-PASS																												









Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	4.5	4.94	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	4.5	4.95	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	4.5	5.02	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	4.51	4.95	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	4.5	5.07	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	4.49	4.91	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	8.967	9.83	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	8.967	9.73	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	9.033	9.90	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	9	9.80	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	8.967	9.80	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	9	9.83	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	13.5	14.70	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	13.5	14.95	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	13.5	14.80	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	13.5	14.80	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	13.55	14.85	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	13.5	14.80	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	18	19.60	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	17.867	19.73	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	18.067	19.73	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	18	19.80	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	18	19.60	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	17.933	19.73	PASS

Test Graphs









Date: 19.FEB.2025 01:05:47

Band41(2535-2655)-15MHz-QPSK-40115-75RB#
0-PASS




Date: 19.FEB.2025 01:05:59

Band41(2535-2655)-15MHz-16QAM-40115-75RB#
0-PASS




Date: 19.FEB.2025 01:06:14

Band41(2535-2655)-15MHz-QPSK-40590-75RB#
0-PASS




Date: 19.FEB.2025 01:06:25

Band41(2535-2655)-15MHz-16QAM-40590-75RB#
0-PASS



Date: 19.FEB.2025 01:06:40

Band41(2535-2655)-15MHz-QPSK-41165-75RB#
0-PASS



Date: 19.FEB.2025 01:06:52

Band41(2535-2655)-15MHz-16QAM-41165-75RB#
0-PASS



Date: 19.FEB.2025 01:40:58

Date: 19.FEB.2025 01:41:20

Date: 19.FEB.2025 01:40:46

Date: 19.FEB.2025 01:41:08

Date: 19.FEB.2025 01:41:31

20 / 66


Appendix D: Band Edge


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Limit(dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	-38.33	-25	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	-38.32	-25	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	-38.32	-25	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	-38.30	-25	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	-38.34	-25	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	-38.33	-25	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	-38.58	-25	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	-38.56	-25	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	-38.25	-25	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	-38.58	-25	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	-38.52	-25	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	-38.54	-25	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	-38.31	-25	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	-38.34	-25	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	-38.35	-25	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	-38.33	-25	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	-38.28	-25	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	-38.34	-25	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	-38.49	-25	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	-38.37	-25	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	-38.31	-25	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	-38.46	-25	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	-38.49	-25	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	-38.48	-25	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	-38.32	-25	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	-38.36	-25	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	-38.33	-25	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	-38.37	-25	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	-38.31	-25	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	-38.33	-25	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	-38.49	-25	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	-38.47	-25	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	-38.34	-25	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	-38.49	-25	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	-38.46	-25	PASS


Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	-38.44	-25	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	-38.34	-25	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	-38.33	-25	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	-38.33	-25	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	-38.33	-25	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	-38.28	-25	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	-38.35	-25	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	-38.46	-25	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	-38.47	-25	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	-38.32	-25	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	-38.47	-25	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	-38.45	-25	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	-38.44	-25	PASS


Test Graphs



















Band41(2535-2655)-15MHz-16QAM-40115-1RB#
74-PASS

Band41(2535-2655)-15MHz-16QAM-40115-75RB#
0-PASS




Band41(2535-2655)-15MHz-QPSK-41165-1RB#0
-PASS


Band41(2535-2655)-15MHz-QPSK-41165-1RB#74
-PASS



Band41(2535-2655)-15MHz-QPSK-41165-75RB#
0-PASS

Band41(2535-2655)-15MHz-16QAM-41165-1RB#0
-PASS







Date: 19.FEB.2025 01:47:49

30 / 66

Appendix E: Conducted Spurious Emission


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	0.009~0.15	-60.58	-55	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	0.15~30	-73.53	-45	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	30~1000	-58.35	-35	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	1000~20000	-43.31	-25	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	20000~27000	-44.68	-25	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	0.009~0.15	-61.96	-55	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	0.15~30	-73.16	-45	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	30~1000	-58.20	-35	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	1000~20000	-43.25	-25	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	20000~27000	-44.60	-25	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	0.009~0.15	-62.31	-55	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	0.15~30	-72.74	-45	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	30~1000	-52.32	-35	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	1000~20000	-29.92	-25	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	20000~27000	-44.72	-25	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	0.009~0.15	-63.14	-55	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	0.15~30	-73.17	-45	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	30~1000	-52.25	-35	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	1000~20000	-29.00	-25	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	20000~27000	-44.69	-25	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	0.009~0.15	-62.37	-55	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	0.15~30	-73.19	-45	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	30~1000	-50.50	-35	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	1000~20000	-43.26	-25	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	20000~27000	-44.70	-25	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	0.009~0.15	-63.44	-55	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	0.15~30	-73.23	-45	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	30~1000	-53.89	-35	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	1000~20000	-43.28	-25	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	20000~27000	-44.63	-25	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	0.009~0.15	-60.18	-55	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	0.15~30	-73.52	-45	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	30~1000	-58.59	-35	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	1000~20000	-43.22	-25	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	20000~27000	-44.64	-25	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	0.009~0.15	-60.69	-55	PASS

Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	0.15~30	-72.90	-45	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	30~1000	-58.57	-35	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	1000~20000	-43.32	-25	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	20000~27000	-44.66	-25	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	0.009~0.15	-61.83	-55	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	0.15~30	-73.21	-45	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	30~1000	-53.12	-35	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	1000~20000	-43.28	-25	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	20000~27000	-44.67	-25	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	0.009~0.15	-60.76	-55	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	0.15~30	-73.35	-45	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	30~1000	-52.52	-35	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	1000~20000	-43.25	-25	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	20000~27000	-44.68	-25	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	0.009~0.15	-60.70	-55	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	0.15~30	-72.35	-45	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	30~1000	-50.06	-35	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	1000~20000	-43.30	-25	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	20000~27000	-44.69	-25	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	0.009~0.15	-60.47	-55	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	0.15~30	-72.97	-45	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	30~1000	-57.73	-35	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	1000~20000	-43.25	-25	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	20000~27000	-44.54	-25	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	0.009~0.15	-60.76	-55	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	0.15~30	-73.31	-45	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	30~1000	-57.92	-35	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	1000~20000	-43.29	-25	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	20000~27000	-44.64	-25	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	0.009~0.15	-60.08	-55	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	0.15~30	-72.83	-45	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	30~1000	-58.38	-35	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	1000~20000	-43.31	-25	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	20000~27000	-44.64	-25	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	0.009~0.15	-62.21	-55	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	0.15~30	-73.51	-45	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	30~1000	-49.97	-35	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	1000~20000	-43.32	-25	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	20000~27000	-44.73	-25	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	0.009~0.15	-61.28	-55	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	0.15~30	-73.89	-45	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	30~1000	-58.61	-35	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	1000~20000	-43.31	-25	PASS


Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	20000~27000	-44.66	-25	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	0.009~0.15	-61.03	-55	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	0.15~30	-72.72	-45	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	30~1000	-58.60	-35	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	1000~20000	-43.30	-25	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	20000~27000	-44.60	-25	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	0.009~0.15	-60.92	-55	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	0.15~30	-73.10	-45	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	30~1000	-52.93	-35	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	1000~20000	-43.15	-25	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	20000~27000	-44.65	-25	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	0.009~0.15	-59.27	-55	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	0.15~30	-72.77	-45	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	30~1000	-58.64	-35	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	1000~20000	-43.28	-25	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	20000~27000	-44.69	-25	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	0.009~0.15	-60.00	-55	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	0.15~30	-73.47	-45	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	30~1000	-58.68	-35	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	1000~20000	-43.27	-25	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	20000~27000	-44.67	-25	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	0.009~0.15	-59.99	-55	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	0.15~30	-73.30	-45	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	30~1000	-50.68	-35	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	1000~20000	-43.21	-25	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	20000~27000	-44.69	-25	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	0.009~0.15	-62.63	-55	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	0.15~30	-72.89	-45	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	30~1000	-58.59	-35	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	1000~20000	-43.23	-25	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	20000~27000	-44.62	-25	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	0.009~0.15	-60.17	-55	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	0.15~30	-72.96	-45	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	30~1000	-51.86	-35	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	1000~20000	-43.21	-25	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	20000~27000	-44.66	-25	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	0.009~0.15	-61.19	-55	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	0.15~30	-73.18	-45	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	30~1000	-55.80	-35	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	1000~20000	-43.21	-25	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	20000~27000	-44.56	-25	PASS

Test Graphs






Date: 19.FEB.2025 00:02:24




Date: 19.FEB.2025 00:02:38

Band41(2535-2655)-5MHz-16QAM-40065-1RB#0
-0.15~30-PASS

Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-
30~1000-PASS




Date: 19.FEB.2025 00:02:53




Date: 19.FEB.2025 00:03:20

Band41(2535-2655)-5MHz-16QAM-40065-1RB#0
-1000~20000-PASS

Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-
20000~27000-PASS




Date: 19.FEB.2025 00:03:33





Date: 19.FEB.2025 00:03:48


Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-
0.009~0.15-PASS


Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-0.
15~30-PASS

















Band41(2535-2655)-10MHz-QPSK-40590-1RB#0
-30~1000-PASS




Band41(2535-2655)-10MHz-QPSK-40590-1RB#0-
1000~20000-PASS




Band41(2535-2655)-10MHz-QPSK-40590-1RB#0
-20000~27000-PASS



Band41(2535-2655)-10MHz-16QAM-40590-1RB#0
-0.009~0.15-PASS



Band41(2535-2655)-10MHz-16QAM-40590-1RB#
0-0.15~30-PASS



Band41(2535-2655)-10MHz-16QAM-40590-1RB#0
-30~1000-PASS

