

Appendix-FCC-LTE-B41

1.1 Appendix A: Effective (Isotropic) Radiated Power Output Data

1.1.1 Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	conducted power(dBm)	Max AntGain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	21.36	0.77	22.13	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#12	21.44	0.77	22.21	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	21.26	0.77	22.03	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#0	20.41	0.77	21.18	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#6	20.34	0.77	21.11	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#13	20.34	0.77	21.11	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	20.36	0.77	21.13	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	20.75	0.77	21.52	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#12	20.76	0.77	21.53	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	20.63	0.77	21.40	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#0	19.40	0.77	20.17	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#6	19.44	0.77	20.21	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#13	19.34	0.77	20.11	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	19.41	0.77	20.18	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	21.58	0.77	22.35	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#12	21.70	0.77	22.47	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#24	21.62	0.77	22.39	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#0	20.61	0.77	21.38	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#6	20.63	0.77	21.40	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#13	20.56	0.77	21.33	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	20.56	0.77	21.33	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	20.57	0.77	21.34	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#12	20.74	0.77	21.51	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#24	20.63	0.77	21.40	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#0	19.54	0.77	20.31	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#6	19.55	0.77	20.32	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#13	19.53	0.77	20.30	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	19.61	0.77	20.38	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	22.35	0.77	23.12	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#12	22.61	0.77	23.38	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	22.49	0.77	23.26	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#0	21.51	0.77	22.28	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#6	21.52	0.77	22.29	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#13	21.47	0.77	22.24	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	21.50	0.77	22.27	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	21.62	0.77	22.39	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#12	21.84	0.77	22.61	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	21.70	0.77	22.47	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#0	20.44	0.77	21.21	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#6	20.44	0.77	21.21	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#13	20.36	0.77	21.13	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	20.51	0.77	21.28	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	21.48	0.77	22.25	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#24	21.41	0.77	22.18	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	21.29	0.77	22.06	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#0	20.30	0.77	21.07	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#12	20.34	0.77	21.11	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#25	20.32	0.77	21.09	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	20.39	0.77	21.16	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	20.64	0.77	21.41	33	PASS

Band41(2535-2655)	10MHz	16QAM	40090	1RB#24	20.59	0.77	21.36	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	20.50	0.77	21.27	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#0	19.42	0.77	20.19	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#12	19.42	0.77	20.19	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#25	19.41	0.77	20.18	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	19.36	0.77	20.13	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	21.62	0.77	22.39	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#24	21.69	0.77	22.46	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#49	21.69	0.77	22.46	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#0	20.61	0.77	21.38	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#12	20.59	0.77	21.36	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#25	20.63	0.77	21.40	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	20.63	0.77	21.40	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	20.26	0.77	21.03	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#24	20.35	0.77	21.12	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#49	20.36	0.77	21.13	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#0	19.65	0.77	20.42	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#12	19.65	0.77	20.42	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#25	19.57	0.77	20.34	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	19.66	0.77	20.43	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	22.39	0.77	23.16	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#24	22.56	0.77	23.33	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	22.58	0.77	23.35	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#0	21.37	0.77	22.14	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#12	21.43	0.77	22.20	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#25	21.45	0.77	22.22	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	21.44	0.77	22.21	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	21.29	0.77	22.06	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#24	21.42	0.77	22.19	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	21.48	0.77	22.25	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#0	20.46	0.77	21.23	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#12	20.44	0.77	21.21	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#25	20.43	0.77	21.20	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	20.45	0.77	21.22	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	21.45	0.77	22.22	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#38	21.44	0.77	22.21	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	21.33	0.77	22.10	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#0	20.32	0.77	21.09	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#18	20.35	0.77	21.12	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#37	20.32	0.77	21.09	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	20.32	0.77	21.09	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	20.60	0.77	21.37	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#38	20.60	0.77	21.37	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	20.48	0.77	21.25	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#0	20.29	0.77	21.06	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#18	20.34	0.77	21.11	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#37	20.33	0.77	21.10	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	19.33	0.77	20.10	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	21.61	0.77	22.38	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#38	21.75	0.77	22.52	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#74	21.76	0.77	22.53	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#0	20.59	0.77	21.36	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#18	20.59	0.77	21.36	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#37	20.60	0.77	21.37	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	20.64	0.77	21.41	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	20.43	0.77	21.20	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#38	20.53	0.77	21.30	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#74	20.57	0.77	21.34	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#0	20.62	0.77	21.39	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#18	20.62	0.77	21.39	33	PASS


Band41(2535-2655)	15MHz	16QAM	40590	38RB#37	20.59	0.77	21.36	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	19.59	0.77	20.36	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	22.15	0.77	22.92	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#38	22.47	0.77	23.24	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	22.47	0.77	23.24	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#0	21.37	0.77	22.14	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#18	21.37	0.77	22.14	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#37	21.39	0.77	22.16	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	21.38	0.77	22.15	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	21.07	0.77	21.84	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#38	21.40	0.77	22.17	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	21.40	0.77	22.17	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#0	21.35	0.77	22.12	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#18	21.35	0.77	22.12	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#37	21.40	0.77	22.17	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	20.32	0.77	21.09	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	21.35	0.77	22.12	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#49	21.41	0.77	22.18	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	21.42	0.77	22.19	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#0	20.21	0.77	20.98	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#25	20.21	0.77	20.98	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#50	20.47	0.77	21.24	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	20.36	0.77	21.13	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	20.41	0.77	21.18	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#49	20.46	0.77	21.23	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	20.43	0.77	21.20	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#0	19.27	0.77	20.04	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#25	19.24	0.77	20.01	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#50	19.51	0.77	20.28	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	19.37	0.77	20.14	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	21.46	0.77	22.23	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#49	21.64	0.77	22.41	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#99	21.74	0.77	22.51	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#0	20.64	0.77	21.41	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#25	20.65	0.77	21.42	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#50	20.59	0.77	21.36	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	20.58	0.77	21.35	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	20.13	0.77	20.90	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#49	20.24	0.77	21.01	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#99	20.29	0.77	21.06	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#0	19.66	0.77	20.43	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#25	19.68	0.77	20.45	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#50	19.67	0.77	20.44	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	19.60	0.77	20.37	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	22.08	0.77	22.85	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#49	22.52	0.77	23.29	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	22.55	0.77	23.32	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#0	21.25	0.77	22.02	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#25	21.27	0.77	22.04	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#50	21.35	0.77	22.12	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	21.27	0.77	22.04	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	20.71	0.77	21.48	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#49	21.12	0.77	21.89	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	21.08	0.77	21.85	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#0	20.18	0.77	20.95	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#25	20.24	0.77	21.01	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#50	20.30	0.77	21.07	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	20.30	0.77	21.07	33	PASS


1.2 Appendix B: Peak-to-Average Ratio(CCDF)


1.2.1 Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	9.23	13	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	9.10	13	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	9.65	13	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	9.84	13	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	9.36	13	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	9.04	13	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	9.78	13	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	9.78	13	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	8.21	13	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	8.78	13	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	8.85	13	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	9.49	13	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	9.04	13	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	9.36	13	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	9.62	13	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	10.13	13	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	9.20	13	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	9.29	13	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	9.81	13	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	10.00	13	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	8.37	13	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	9.10	13	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	9.20	13	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	9.81	13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	11.38	13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	9.58	13	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	11.38	13	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	10.45	13	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	11.31	13	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	9.55	13	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	11.22	13	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	10.35	13	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	11.41	13	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	9.49	13	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	11.35	13	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	10.32	13	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	11.57	13	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	10.19	13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	11.57	13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	10.80	13	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	11.44	13	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	10.06	13	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	11.38	13	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	10.71	13	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	11.57	13	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	10.10	13	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	11.51	13	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	10.64	13	PASS


1.2.2 Test Graphs


































1.3 Appendix C: 26dB Bandwidth and Occupied Bandwidth

1.3.1 Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	4.5	4.94	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	4.5	5.00	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	4.5	4.95	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	4.51	4.97	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	4.5	5.13	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	4.5	5.07	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	9	9.90	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	9	9.97	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	8.967	9.83	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	8.967	9.80	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	9.033	9.70	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	9	9.87	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	13.55	14.95	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	13.5	15.55	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	13.5	14.85	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	13.5	14.80	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	13.5	15.00	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	13.5	14.95	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	18.067	19.73	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	18	19.80	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	18.067	19.67	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	18.067	19.80	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	18.067	19.60	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	18	19.73	PASS

1.3.2 Test Graphs






Date: 31.MAY.2025 04:55:23




Date: 31.MAY.2025 04:55:43

Band41(2535-2655)-5MHz-QPSK-41215-25RB#0-PASS



Date: 31.MAY.2025 05:28:31


Band41(2535-2655)-5MHz-16QAM-41215-25RB#0-PASS




Date: 31.MAY.2025 05:28:44

Band41(2535-2655)-10MHz-QPSK-40090-50RB#0-PASS

Band41(2535-2655)-10MHz-16QAM-40090-50RB#0-PASS




Date: 31.MAY.2025 05:28:59




Date: 31.MAY.2025 05:29:11

Band41(2535-2655)-10MHz-QPSK-40590-50RB#0-PASS



Date: 31.MAY.2025 05:29:26


Band41(2535-2655)-10MHz-16QAM-40590-50RB#0-PASS




Date: 31.MAY.2025 05:29:37

Band41(2535-2655)-10MHz-QPSK-41190-50RB#0-PASS

Band41(2535-2655)-10MHz-16QAM-41190-50RB#0-PASS




Date: 31.MAY.2025 06:02:54




Date: 31.MAY.2025 06:03:06

Band41(2535-2655)-15MHz-QPSK-40115-75RB#0-PASS





Date: 31.MAY.2025 06:03:22



Date: 31.MAY.2025 06:03:34



Band41(2535-2655)-15MHz-QPSK-40590-75RB#0-PASS

Band41(2535-2655)-15MHz-16QAM-40590-75RB#0-PASS





Band41(2535-2655)-15MHz-QPSK-41165-75RB#0-PASS

Band41(2535-2655)-15MHz-16QAM-41165-75RB#0-PASS





Band41(2535-2655)-20MHz-QPSK-40140-100RB#0-PASS

Band41(2535-2655)-20MHz-16QAM-40140-100RB#0-PASS



Band41(2535-2655)-20MHz-QPSK-40590-100RB#0-PASS

Band41(2535-2655)-20MHz-16QAM-40590-100RB#0-PASS



Band41(2535-2655)-20MHz-QPSK-41140-100RB#0-PASS

Band41(2535-2655)-20MHz-16QAM-41140-100RB#0-PASS


1.4 Appendix D: Band Edge


1.4.1 Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	-38.30	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	-38.26	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	-38.27	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	-38.29	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	-38.33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	-38.28	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	-37.95	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	-36.88	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	-36.42	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	-38.10	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	-37.48	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	-36.90	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	-38.26	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	-38.28	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	-38.31	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	-38.31	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	-38.24	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	-38.26	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	-38.44	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	-38.25	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	-37.64	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	-38.44	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	-38.25	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	-37.77	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	-38.30	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	-38.33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	-38.19	PASS

Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	-38.26	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	-38.28	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	-38.28	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	-38.44	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	-38.42	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	-37.60	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	-38.43	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	-38.40	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	-38.07	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	-38.32	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	-38.30	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	-38.29	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	-38.28	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	-38.29	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	-38.29	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	-38.38	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	-38.36	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	-38.19	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	-38.41	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	-38.37	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	-38.26	PASS


1.4.2 Test Graphs






























1.5 Appendix E: Conducted Spurious Emission


1.5.1 Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	0.009~0.15	-65.37	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	0.15~30	-72.38	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	30~1000	-53.17	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	1000~20000	-43.22	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	20000~27000	-44.51	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	0.009~0.15	-66.28	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	0.15~30	-71.62	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	30~1000	-58.59	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	1000~20000	-43.25	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	20000~27000	-44.60	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	0.009~0.15	-65.41	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	0.15~30	-72.85	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	30~1000	-48.31	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	1000~20000	-34.81	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	20000~27000	-44.54	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	0.009~0.15	-65.44	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	0.15~30	-72.39	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	30~1000	-49.85	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	1000~20000	-29.82	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	20000~27000	-44.56	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	0.009~0.15	-65.08	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	0.15~30	-72.72	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	30~1000	-45.66	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	1000~20000	-39.70	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	20000~27000	-44.60	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	0.009~0.15	-64.36	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	0.15~30	-71.79	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	30~1000	-54.20	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	1000~20000	-43.21	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	20000~27000	-44.55	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	0.009~0.15	-64.63	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	0.15~30	-72.24	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	30~1000	-46.21	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	1000~20000	-43.20	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	20000~27000	-44.58	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	0.009~0.15	-65.41	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	0.15~30	-73.20	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	30~1000	-49.76	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	1000~20000	-43.17	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	20000~27000	-44.56	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	0.009~0.15	-64.83	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	0.15~30	-72.28	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	30~1000	-52.40	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	1000~20000	-43.19	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	20000~27000	-44.51	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	0.009~0.15	-65.51	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	0.15~30	-72.44	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	30~1000	-55.97	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	1000~20000	-43.17	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	20000~27000	-44.58	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	0.009~0.15	-65.70	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	0.15~30	-72.23	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	30~1000	-46.21	PASS

Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	1000~20000	-43.14	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	20000~27000	-44.57	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	0.009~0.15	-63.99	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	0.15~30	-71.94	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	30~1000	-52.53	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	1000~20000	-43.18	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	20000~27000	-44.61	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	0.009~0.15	-65.66	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	0.15~30	-71.08	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	30~1000	-46.71	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	1000~20000	-43.21	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	20000~27000	-44.57	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	0.009~0.15	-65.40	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	0.15~30	-72.49	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	30~1000	-47.91	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	1000~20000	-43.19	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	20000~27000	-44.53	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	0.009~0.15	-65.45	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	0.15~30	-71.97	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	30~1000	-48.43	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	1000~20000	-43.18	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	20000~27000	-44.58	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	0.009~0.15	-66.24	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	0.15~30	-72.54	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	30~1000	-49.15	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	1000~20000	-43.20	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	20000~27000	-44.60	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	0.009~0.15	-64.57	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	0.15~30	-69.78	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	30~1000	-47.79	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	1000~20000	-43.16	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	20000~27000	-44.62	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	0.009~0.15	-64.25	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	0.15~30	-72.08	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	30~1000	-49.04	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	1000~20000	-43.20	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	20000~27000	-44.56	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	0.009~0.15	-64.75	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	0.15~30	-72.95	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	30~1000	-51.73	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	1000~20000	-43.21	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	20000~27000	-44.57	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	0.009~0.15	-67.31	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	0.15~30	-72.44	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	30~1000	-48.92	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	1000~20000	-43.16	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	20000~27000	-44.49	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	0.009~0.15	-66.27	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	0.15~30	-72.71	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	30~1000	-46.59	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	1000~20000	-43.18	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	20000~27000	-44.54	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	0.009~0.15	-65.00	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	0.15~30	-72.28	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	30~1000	-51.17	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	1000~20000	-43.17	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	20000~27000	-44.59	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	0.009~0.15	-63.91	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	0.15~30	-72.10	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	30~1000	-45.23	PASS


Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	1000~20000	-43.23	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	20000~27000	-44.50	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	0.009~0.15	-64.86	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	0.15~30	-72.40	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	30~1000	-48.62	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	1000~20000	-43.19	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	20000~27000	-44.54	PASS

1.5.2 Test Graphs






Date: 31.MAY.2025 05:03:20




Date: 31.MAY.2025 05:03:31

Band41(2535-2655)-5MHz-QPSK-40065-1RB#0-20000~27000-PASS



Date: 31.MAY.2025 05:03:46


Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-0.009~0.15-PASS




Date: 31.MAY.2025 05:04:00

Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-0.15~30-PASS

Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-30~1000-PASS




Date: 31.MAY.2025 05:04:16




Date: 31.MAY.2025 05:04:43

Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-1000-20000-PASS

Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-20000-27000-PASS




Date: 31.MAY.2025 05:05:15






Date: 31.MAY.2025 05:05:30

Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-0.009-0.15-PASS

Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-0.15-30-PASS










Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-0.009~0.15-PASS

Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-0.15~30-PASS




Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-30~1000-PASS

Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-1000~20000-PASS




Date: 31.MAY.2025 05:09:16




Date: 31.MAY.2025 05:09:27

Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-20000~27000-PASS



Date: 31.MAY.2025 05:09:42


Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-0.009~0.15-PASS




Date: 31.MAY.2025 05:09:56

Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-0.15~30-PASS

Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-30~1000-PASS




Date: 31.MAY.2025 05:10:12




Date: 31.MAY.2025 05:10:40

Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-1000-20000-PASS

Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-20000-27000-PASS





Date: 31.MAY.2025 05:36:04



Date: 31.MAY.2025 05:36:19



Band41(2535-2655)-10MHz-QPSK-40090-1RB#0-0.009-0.15-PASS

Band41(2535-2655)-10MHz-QPSK-40090-1RB#0-0.15-30-PASS



Band41(2535-2655)-10MHz-QPSK-40090-1RB#0-30~1000-PASS

Band41(2535-2655)-10MHz-QPSK-40090-1RB#0-1000~20000-PASS



Band41(2535-2655)-10MHz-QPSK-40090-1RB#0-20000~27000-PASS

Band41(2535-2655)-10MHz-16QAM-40090-1RB#0-0.009~0.15-PASS

