

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Conducted Power of LTE Band 41						
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
				39675	40620	41565
5MHz	QPSK	1	0.00	23.09	21.88	21.42
			12.00	23.08	22.30	21.39
			24.00	22.43	21.46	21.15
		12	0.00	21.43	20.65	20.42
			6.00	22.83	21.28	20.55
			13.00	21.92	20.88	19.89
		25	0.00	21.84	20.35	20.60
	16QAM	1	0.00	22.84	21.62	20.95
			12.00	22.25	21.96	21.03
			24.00	21.09	20.32	20.01
		12	0.00	20.92	19.11	20.02
			6.00	21.03	20.06	19.69
			13.00	21.09	19.80	20.09
		25	0.00	20.85	19.83	18.74
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
				39700	40620	41540
10MHz	QPSK	1	0.00	23.60	22.36	21.31
			24.00	23.55	22.42	22.37
			49.00	22.42	21.50	21.78
		25	0.00	21.90	20.95	20.79
			12.00	21.88	21.26	20.53
			25.00	21.50	21.54	20.99
		50	0.00	21.23	21.28	20.57
	16QAM	1	0.00	21.73	20.69	20.19
			24.00	22.17	21.07	21.01
			49.00	21.72	20.65	21.07
		25	0.00	21.19	19.66	19.34
			12.00	21.22	19.69	19.10
			25.00	21.11	19.77	19.67
		50	0.00	21.60	19.73	19.69

Conducted Power of LTE Band 41						
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
				39725	40620	41515
15MHz	QPSK	1	0.00	23.69	22.06	21.68
			37.00	23.25	22.65	21.32
			74.00	22.27	22.01	21.44
		37	0.00	21.89	21.38	20.78
			18.00	21.44	20.25	19.99
			38.00	21.49	20.71	19.93
		75	0.00	21.23	20.71	20.78
	16QAM	1	0.00	23.03	21.40	20.79
			37.00	21.12	20.66	20.30
			74.00	20.82	20.88	20.71
		37	0.00	21.99	20.81	20.99
			18.00	22.06	20.75	20.88
			38.00	21.36	21.74	20.48
		75	0.00	20.86	20.19	19.05
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
				39750	40620	41490
20MHz	QPSK	1	0.00	23.81	22.96	22.68
			49.00	22.40	22.01	21.66
			99.00	22.00	21.46	21.99
		50	0.00	21.40	20.79	19.94
			25.00	21.65	20.60	20.37
			50.00	21.34	21.05	20.29
		100	0.00	21.32	20.76	20.37
	16QAM	1	0.00	22.24	20.48	20.31
			49.00	21.22	20.61	20.09
			99.00	21.06	20.62	19.72
		50	0.00	21.04	19.51	19.00
			25.00	20.87	20.22	19.71
			50.00	21.03	20.13	20.15
		100	0.00	20.55	20.42	19.58


Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	9.94	13	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	9.33	13	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	10.26	13	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	10.00	13	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	9.62	13	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	9.17	13	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	9.94	13	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	9.87	13	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	8.97	13	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	9.01	13	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	9.29	13	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	9.78	13	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	9.74	13	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	9.46	13	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	10.13	13	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	10.19	13	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	9.46	13	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	9.39	13	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	9.90	13	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	10.06	13	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	9.07	13	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	9.23	13	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	9.62	13	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	10.03	13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	10.67	13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	9.68	13	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	10.51	13	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	10.51	13	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	11.25	13	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	9.58	13	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	11.15	13	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	10.38	13	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	11.31	13	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	9.49	13	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	11.22	13	PASS

Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	10.38	13	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	10.64	13	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	10.16	13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	10.51	13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	10.77	13	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	11.25	13	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	10.16	13	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	11.15	13	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	10.71	13	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	11.35	13	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	10.06	13	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	10.99	13	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	10.61	13	PASS

Test Graphs





Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	4.5	4.94	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	4.5	4.99	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	4.5	4.95	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	4.51	5.01	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	4.49	5.10	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	4.49	4.93	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	8.967	9.80	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	8.967	9.87	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	9	9.83	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	9	9.87	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	9	9.80	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	9	9.77	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	13.45	14.65	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	13.45	14.85	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	13.5	14.80	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	13.5	14.85	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	13.55	14.80	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	13.5	14.80	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	17.933	19.67	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	17.933	19.73	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	18.067	19.73	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	18	19.87	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	18	19.67	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	18	19.80	PASS


Test Graphs






Date: 11.FEB.2025 10:45:07

Band41(2535-2655)-5MHz-QPSK-41215-25RB#0
-PASS




Date: 11.FEB.2025 10:45:25

Band41(2535-2655)-5MHz-16QAM-41215-25RB#0
-PASS




Date: 11.FEB.2025 11:17:21

Band41(2535-2655)-10MHz-QPSK-40090-50RB#
0-PASS



Date: 11.FEB.2025 11:17:33


Band41(2535-2655)-10MHz-16QAM-40090-50RB#
0-PASS



Date: 11.FEB.2025 11:17:48

Band41(2535-2655)-10MHz-QPSK-40590-50RB#


0-PASS



Date: 11.FEB.2025 11:17:59

Band41(2535-2655)-10MHz-16QAM-40590-50RB#


0-PASS



Date: 11.FEB.2025 11:18:14

Band41(2535-2655)-10MHz-QPSK-41190-50RB#


0-PASS



Date: 11.FEB.2025 11:18:25


Band41(2535-2655)-10MHz-16QAM-41190-50RB#

0-PASS




Date: 11.FEB.2025 11:51:15

Band41(2535-2655)-15MHz-QPSK-40115-75RB#
0-PASS




Date: 11.FEB.2025 11:51:27

Band41(2535-2655)-15MHz-16QAM-40115-75RB#
0-PASS




Date: 11.FEB.2025 11:51:42

Band41(2535-2655)-15MHz-QPSK-40590-75RB#
0-PASS




Date: 11.FEB.2025 11:51:54


Band41(2535-2655)-15MHz-16QAM-40590-75RB#
0-PASS




Band41(2535-2655)-15MHz-QPSK-41165-75RB#
0-PASS




Band41(2535-2655)-15MHz-16QAM-41165-75RB#
0-PASS



Band41(2535-2655)-20MHz-QPSK-40140-100RB
#0-PASS




Band41(2535-2655)-20MHz-16QAM-40140-100RB
#0-PASS




Date: 11.FEB.2025 12:23:52

Band41(2535-2655)-20MHz-QPSK-40590-100RB
#0-PASS




Date: 11.FEB.2025 12:24:03

Band41(2535-2655)-20MHz-16QAM-40590-100RB
#0-PASS



Date: 11.FEB.2025 12:24:15

Band41(2535-2655)-20MHz-QPSK-41140-100RB
#0-PASS



Date: 11.FEB.2025 12:24:26

Band41(2535-2655)-20MHz-16QAM-41140-100RB
#0-PASS


Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	-38.68	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	-38.63	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	-38.63	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	-38.66	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	-38.66	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	-38.64	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	-39.01	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	-38.97	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	-38.79	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	-38.88	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	-38.89	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	-38.99	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	-38.63	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	-38.64	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	-38.64	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	-38.65	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	-38.63	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	-38.66	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	-38.92	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	-38.88	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	-38.74	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	-38.88	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	-38.79	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	-38.91	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	-38.66	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	-38.67	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	-38.68	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	-38.66	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	-38.66	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	-38.62	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	-38.86	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	-38.88	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	-38.86	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	-38.87	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	-38.90	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	-38.89	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	-38.69	PASS


Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	-38.68	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	-38.69	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	-38.65	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	-38.66	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	-38.60	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	-38.88	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	-38.91	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	-38.86	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	-38.94	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	-38.89	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	-38.91	PASS

Test Graphs







Band41(2535-2655)-5MHz-QPSK-40065-25RB#0
-PASS




Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-
PASS




Band41(2535-2655)-5MHz-16QAM-40065-1RB#2
4-PASS




Band41(2535-2655)-5MHz-16QAM-40065-25RB#0
-PASS




Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-
PASS




Band41(2535-2655)-5MHz-QPSK-41215-1RB#24-
PASS




Band41(2535-2655)-5MHz-QPSK-41215-25RB#0-
-PASS




Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-
PASS




Band41(2535-2655)-5MHz-16QAM-41215-1RB#2
4-PASS




Band41(2535-2655)-5MHz-16QAM-41215-25RB#0
-PASS




Band41(2535-2655)-10MHz-QPSK-40090-1RB#0
-PASS




Band41(2535-2655)-10MHz-QPSK-40090-1RB#49
-PASS




Band41(2535-2655)-10MHz-QPSK-40090-50RB#
0-PASS




Band41(2535-2655)-10MHz-16QAM-40090-1RB#0
-PASS




Band41(2535-2655)-10MHz-16QAM-40090-1RB#
49-PASS




Band41(2535-2655)-10MHz-16QAM-40090-50RB#
0-PASS




Band41(2535-2655)-10MHz-QPSK-41190-1RB#0
-PASS




Band41(2535-2655)-10MHz-QPSK-41190-1RB#49
-PASS



Band41(2535-2655)-10MHz-QPSK-41190-50RB#0-PASS




Band41(2535-2655)-10MHz-16QAM-41190-1RB#0 -PASS




Date: 11.FEB.2025 11:23:29

Band41(2535-2655)-10MHz-16QAM-41190-1RB#
49-PASS




Date: 11.FEB.2025 11:24:34

Band41(2535-2655)-10MHz-16QAM-41190-50RB#
0-PASS





Date: 11.FEB.2025 11:52:56

Band41(2535-2655)-15MHz-QPSK-40115-1RB#0
-PASS





Date: 11.FEB.2025 11:53:53

Band41(2535-2655)-15MHz-QPSK-40115-1RB#74
-PASS




Band41(2535-2655)-15MHz-QPSK-40115-75RB#
0-PASS

Band41(2535-2655)-15MHz-16QAM-40115-1RB#0
-PASS




Band41(2535-2655)-15MHz-16QAM-40115-1RB#
74-PASS


Band41(2535-2655)-15MHz-16QAM-40115-75RB#
0-PASS




Band41(2535-2655)-15MHz-QPSK-41165-1RB#0
-PASS





Band41(2535-2655)-15MHz-QPSK-41165-1RB#74
-PASS



Band41(2535-2655)-15MHz-QPSK-41165-75RB#
0-PASS





Band41(2535-2655)-15MHz-16QAM-41165-1RB#0
-PASS





Band41(2535-2655)-15MHz-16QAM-41165-1RB#
74-PASS

Band41(2535-2655)-15MHz-16QAM-41165-75RB#
0-PASS





Band41(2535-2655)-20MHz-QPSK-40140-1RB#0
-PASS

Band41(2535-2655)-20MHz-QPSK-40140-1RB#99
-PASS




Band41(2535-2655)-20MHz-QPSK-40140-100RB
#0-PASS

Band41(2535-2655)-20MHz-16QAM-40140-1RB#0
-PASS




Band41(2535-2655)-20MHz-16QAM-40140-1RB#
99-PASS


Band41(2535-2655)-20MHz-16QAM-40140-100RB
#0-PASS




Band41(2535-2655)-20MHz-QPSK-41140-1RB#0
-PASS



Band41(2535-2655)-20MHz-QPSK-41140-1RB#99
-PASS



Band41(2535-2655)-20MHz-QPSK-41140-100RB
#0-PASS



Band41(2535-2655)-20MHz-16QAM-41140-1RB#0
-PASS



Date: 11.FEB.2025 12:30:47

Band41(2535-2655)-20MHz-16QAM-41140-100RB
#0-PASS

Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	0.009~0.15	-66.61	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	0.15~30	-70.68	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	30~1000	-58.64	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	1000~20000	-43.93	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	20000~27000	-45.32	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	0.009~0.15	-63.86	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	0.15~30	-71.12	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	30~1000	-58.86	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	1000~20000	-43.88	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	20000~27000	-45.31	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	0.009~0.15	-65.89	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	0.15~30	-70.35	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	30~1000	-56.43	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	1000~20000	-28.51	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	20000~27000	-45.34	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	0.009~0.15	-61.24	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	0.15~30	-70.97	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	30~1000	-52.8	PASS

5)						1	
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	1000~20000	-28.34	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	20000~27000	-45.27	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	0.009~0.15	-65.07	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	0.15~30	-70.43	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	30~1000	-51.73	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	1000~20000	-43.91	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	20000~27000	-45.37	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	0.009~0.15	-65.71	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	0.15~30	-70.63	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	30~1000	-58.73	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	1000~20000	-43.90	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	20000~27000	-45.34	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	0.009~0.15	-63.06	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	0.15~30	-71.14	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	30~1000	-59.33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	1000~20000	-43.96	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	20000~27000	-45.35	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	0.009~0.15	-63.98	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	0.15~30	-71.29	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	30~1000	-59.23	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	1000~20000	-43.93	PASS


Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	20000~27000	-45.38	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	0.009~0.15	-61.67	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	0.15~30	-70.88	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	30~1000	-59.24	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	1000~20000	-43.93	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	20000~27000	-45.37	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	0.009~0.15	-65.69	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	0.15~30	-70.83	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	30~1000	-55.36	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	1000~20000	-43.80	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	20000~27000	-45.33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	0.009~0.15	-64.32	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	0.15~30	-70.28	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	30~1000	-56.78	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	1000~20000	-43.90	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	20000~27000	-45.35	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	0.009~0.15	-66.89	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	0.15~30	-70.66	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	30~1000	-51.31	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	1000~20000	-43.94	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	20000~27000	-45.34	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	0.009~0.15	-65.14	PASS


Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	0.15~30	-70.95	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	30~1000	-59.17	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	1000~20000	-43.97	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	20000~27000	-45.40	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	0.009~0.15	-63.62	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	0.15~30	-70.81	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	30~1000	-59.19	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	1000~20000	-43.93	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	20000~27000	-45.37	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	0.009~0.15	-66.78	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	0.15~30	-70.90	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	30~1000	-51.92	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	1000~20000	-43.98	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	20000~27000	-45.42	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	0.009~0.15	-61.34	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	0.15~30	-70.32	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	30~1000	-51.93	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	1000~20000	-43.92	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	20000~27000	-45.34	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	0.009~0.15	-62.76	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	0.15~30	-71.29	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	30~1000	-53.81	PASS

Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	1000~20000	-43.9 2	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	20000~27000	-45.2 9	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	0.009~0.15	-63.0 5	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	0.15~30	-71.0 0	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	30~1000	-56.8 7	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	1000~20000	-43.9 4	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	20000~27000	-45.3 1	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	0.009~0.15	-68.7 9	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	0.15~30	-70.6 4	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	30~1000	-59.1 7	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	1000~20000	-43.9 7	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	20000~27000	-45.3 4	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	0.009~0.15	-62.6 5	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	0.15~30	-71.5 1	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	30~1000	-59.1 8	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	1000~20000	-43.9 7	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	20000~27000	-45.3 9	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	0.009~0.15	-63.8 1	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	0.15~30	-71.2 2	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	30~1000	-52.2 9	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	1000~20000	-43.9 3	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	20000~27000	-45.4 0	PASS


Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	0.009~0.15	-64.9 1	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	0.15~30	-71.1 4	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	30~1000	-59.2 4	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	1000~20000	-43.9 1	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	20000~27000	-45.3 9	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	0.009~0.15	-65.2 8	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	0.15~30	-70.2 5	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	30~1000	-50.8 6	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	1000~20000	-43.9 1	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	20000~27000	-45.3 1	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	0.009~0.15	-63.8 0	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	0.15~30	-70.3 0	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	30~1000	-54.9 2	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	1000~20000	-43.9 6	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	20000~27000	-45.4 0	PASS

Test Graphs







Band41(2535-2655)-5MHz-QPSK-40065-1RB#0-20000~27000-PASS




Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-0.009~0.15-PASS




Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-0.15~30-PASS




Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-30~1000-PASS




Band41(2535-2655)-5MHz-16QAM-40065-1RB#0
-1000~20000-PASS




Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-
20000~27000-PASS




Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-
0.009~0.15-PASS




Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-0.
15~30-PASS




Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-30~1000-PASS




Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-000~20000-PASS




Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-20000~27000-PASS




Band41(2535-2655)-5MHz-16QAM-40590-1RB#0-0.009~0.15-PASS




Band41(2535-2655)-5MHz-16QAM-40590-1RB#0
-0.15~30-PASS




Band41(2535-2655)-5MHz-16QAM-40590-1RB#0-
30~1000-PASS




Band41(2535-2655)-5MHz-16QAM-40590-1RB#0
-1000~20000-PASS




Band41(2535-2655)-5MHz-16QAM-40590-1RB#0-
20000~27000-PASS




Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-0.009~0.15-PASS




Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-0.15~30-PASS




Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-30~1000-PASS




Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-1000~20000-PASS




Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-20000~27000-PASS




Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-0.009~0.15-PASS




Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-0.15~30-PASS




Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-30~1000-PASS




Band41(2535-2655)-5MHz-16QAM-41215-1RB#0
-1000~20000-PASS




Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-
20000~27000-PASS




Band41(2535-2655)-10MHz-QPSK-40090-1RB#0
-0.009~0.15-PASS




Band41(2535-2655)-10MHz-QPSK-40090-1RB#0-
0.15~30-PASS




Band41(2535-2655)-10MHz-QPSK-40090-1RB#0
-30~1000-PASS







Band41(2535-2655)-10MHz-QPSK-40090-1RB#0-
1000~20000-PASS




Band41(2535-2655)-10MHz-QPSK-40090-1RB#0
-20000~27000-PASS




Band41(2535-2655)-10MHz-16QAM-40090-1RB#0
-0.009~0.15-PASS







Band41(2535-2655)-10MHz-QPSK-40590-1RB#0
-0.009~0.15-PASS




Band41(2535-2655)-10MHz-QPSK-40590-1RB#0-
0.15~30-PASS




Band41(2535-2655)-10MHz-QPSK-40590-1RB#0
-30~1000-PASS




Band41(2535-2655)-10MHz-QPSK-40590-1RB#0-
1000~20000-PASS




Band41(2535-2655)-10MHz-QPSK-40590-1RB#0
-20000~27000-PASS




Band41(2535-2655)-10MHz-16QAM-40590-1RB#0
-0.009~0.15-PASS




Band41(2535-2655)-10MHz-16QAM-40590-1RB#0
0-0.15~30-PASS




Band41(2535-2655)-10MHz-16QAM-40590-1RB#0
-30~1000-PASS




Band41(2535-2655)-10MHz-16QAM-40590-1RB#
0-1000~20000-PASS




Band41(2535-2655)-10MHz-16QAM-40590-1RB#0
-20000~27000-PASS




Band41(2535-2655)-10MHz-QPSK-41190-1RB#0-
0.009~0.15-PASS




Band41(2535-2655)-10MHz-QPSK-41190-1RB#0-
0.15~30-PASS




Band41(2535-2655)-10MHz-QPSK-41190-1RB#0-30~1000-PASS




Band41(2535-2655)-10MHz-QPSK-41190-1RB#0-20000~27000-PASS




Band41(2535-2655)-10MHz-QPSK-41190-1RB#0-1000~20000-PASS




Band41(2535-2655)-10MHz-16QAM-41190-1RB#0-0.009~0.15-PASS




Band41(2535-2655)-10MHz-16QAM-41190-1RB#
0-0.15~30-PASS




Band41(2535-2655)-10MHz-16QAM-41190-1RB#0
-30~1000-PASS




Band41(2535-2655)-10MHz-16QAM-41190-1RB#
0-1000~20000-PASS




Band41(2535-2655)-10MHz-16QAM-41190-1RB#0
-20000~27000-PASS




Band41(2535-2655)-15MHz-QPSK-40115-1RB#0-0.009~0.15-PASS




Band41(2535-2655)-15MHz-QPSK-40115-1RB#0-0.15~30-PASS




Band41(2535-2655)-15MHz-QPSK-40115-1RB#0-30~1000-PASS




Band41(2535-2655)-15MHz-QPSK-40115-1RB#0-1000~20000-PASS




Band41(2535-2655)-15MHz-QPSK-40115-1RB#0-20000~27000-PASS




Band41(2535-2655)-15MHz-16QAM-40115-1RB#0-0.009~0.15-PASS




Band41(2535-2655)-15MHz-16QAM-40115-1RB#0-0.0.15~30-PASS




Band41(2535-2655)-15MHz-16QAM-40115-1RB#0-30~1000-PASS




Band41(2535-2655)-15MHz-16QAM-40115-1RB#
0-1000~20000-PASS




Band41(2535-2655)-15MHz-16QAM-40115-1RB#0
-20000~27000-PASS




Band41(2535-2655)-15MHz-QPSK-40590-1RB#0
-0.009~0.15-PASS




Band41(2535-2655)-15MHz-QPSK-40590-1RB#0-
0.15~30-PASS




Band41(2535-2655)-15MHz-QPSK-40590-1RB#0
-30~1000-PASS




Band41(2535-2655)-15MHz-QPSK-40590-1RB#0-
1000~20000-PASS




Band41(2535-2655)-15MHz-QPSK-40590-1RB#0
-20000~27000-PASS




Band41(2535-2655)-15MHz-16QAM-40590-1RB#0
-0.009~0.15-PASS




Band41(2535-2655)-15MHz-16QAM-40590-1RB#
0-0.15~30-PASS




Band41(2535-2655)-15MHz-16QAM-40590-1RB#0
-30~1000-PASS




Band41(2535-2655)-15MHz-16QAM-40590-1RB#
0-1000~20000-PASS




Band41(2535-2655)-15MHz-16QAM-40590-1RB#0
-20000~27000-PASS




Band41(2535-2655)-15MHz-QPSK-41165-1RB#0-0.009~0.15-PASS




Band41(2535-2655)-15MHz-QPSK-41165-1RB#0-0.15~30-PASS




Band41(2535-2655)-15MHz-QPSK-41165-1RB#0-30~1000-PASS




Band41(2535-2655)-15MHz-QPSK-41165-1RB#0-1000~20000-PASS




Band41(2535-2655)-15MHz-QPSK-41165-1RB#0-20000~27000-PASS




Band41(2535-2655)-15MHz-16QAM-41165-1RB#0-0.009~0.15-PASS




Band41(2535-2655)-15MHz-16QAM-41165-1RB#0-0.0.15~30-PASS




Band41(2535-2655)-15MHz-16QAM-41165-1RB#0-30~1000-PASS




Band41(2535-2655)-15MHz-16QAM-41165-1RB#
0-1000~20000-PASS




Band41(2535-2655)-15MHz-16QAM-41165-1RB#0
-20000~27000-PASS




Band41(2535-2655)-20MHz-QPSK-40140-1RB#0
-0.009~0.15-PASS




Band41(2535-2655)-20MHz-QPSK-40140-1RB#0-
0.15~30-PASS




Band41(2535-2655)-20MHz-QPSK-40140-1RB#0
-30~1000-PASS




Band41(2535-2655)-20MHz-QPSK-40140-1RB#0-
1000~20000-PASS




Band41(2535-2655)-20MHz-QPSK-40140-1RB#0
-20000~27000-PASS




Band41(2535-2655)-20MHz-16QAM-40140-1RB#0
-0.009~0.15-PASS




Band41(2535-2655)-20MHz-16QAM-40140-1RB#
0-0.15~30-PASS




Band41(2535-2655)-20MHz-16QAM-40140-1RB#0
-30~1000-PASS




Band41(2535-2655)-20MHz-16QAM-40140-1RB#
0-1000~20000-PASS




Band41(2535-2655)-20MHz-16QAM-40140-1RB#0
-20000~27000-PASS




Band41(2535-2655)-20MHz-QPSK-40590-1RB#0
-0.009~0.15-PASS




Band41(2535-2655)-20MHz-QPSK-40590-1RB#0-
0.15~30-PASS




Band41(2535-2655)-20MHz-QPSK-40590-1RB#0
-30~1000-PASS




Band41(2535-2655)-20MHz-QPSK-40590-1RB#0-
1000~20000-PASS




Band41(2535-2655)-20MHz-QPSK-40590-1RB#0
-20000~27000-PASS




Band41(2535-2655)-20MHz-16QAM-40590-1RB#0
-0.009~0.15-PASS




Band41(2535-2655)-20MHz-16QAM-40590-1RB#0
0-0.15~30-PASS




Band41(2535-2655)-20MHz-16QAM-40590-1RB#0
-30~1000-PASS




Band41(2535-2655)-20MHz-16QAM-40590-1RB#
0-1000~20000-PASS




Band41(2535-2655)-20MHz-16QAM-40590-1RB#
-20000~27000-PASS




Band41(2535-2655)-20MHz-QPSK-41140-1RB#0-
0.009~0.15-PASS




Band41(2535-2655)-20MHz-QPSK-41140-1RB#0-
0.15~30-PASS




Band41(2535-2655)-20MHz-QPSK-41140-1RB#0-30~1000-PASS




Band41(2535-2655)-20MHz-QPSK-41140-1RB#0-1000~20000-PASS




Band41(2535-2655)-20MHz-QPSK-41140-1RB#0-20000~27000-PASS




Band41(2535-2655)-20MHz-16QAM-41140-1RB#0-0.009~0.15-PASS




Band41(2535-2655)-20MHz-16QAM-41140-1RB#
0-0.15~30-PASS



Band41(2535-2655)-20MHz-16QAM-41140-1RB#0
-30~1000-PASS



Band41(2535-2655)-20MHz-16QAM-41140-1RB#
0-1000~20000-PASS



Band41(2535-2655)-20MHz-16QAM-41140-1RB#0
-20000~27000-PASS

Appendix F: Frequency Stability

Test Result

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage		Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
					Voltage [Vdc]	Temperature (°C)				
Band41 (2535-2655)	5MHz	QPSK	40065	25RB#0	VN	NT	-4.23	-0.001667	±2.5	PASS
Band41 (2535-2655)	5MHz	QPSK	40065	25RB#0	VL	NT	-8.50	-0.003350	±2.5	PASS
Band41 (2535-2655)	5MHz	QPSK	40065	25RB#0	VH	NT	-14.88	-0.005864	±2.5	PASS
Band41 (2535-2655)	5MHz	16QAM	40065	25RB#0	VN	NT	-19.33	-0.007618	±2.5	PASS
Band41 (2535-2655)	5MHz	16QAM	40065	25RB#0	VL	NT	-11.64	-0.004587	±2.5	PASS
Band41 (2535-2655)	5MHz	16QAM	40065	25RB#0	VH	NT	-16.64	-0.006558	±2.5	PASS
Band41 (2535-2655)	5MHz	QPSK	40590	25RB#0	VN	NT	-9.31	-0.003595	±2.5	PASS
Band41 (2535-2655)	5MHz	QPSK	40590	25RB#0	VL	NT	-6.68	-0.002579	±2.5	PASS
Band41 (2535-2655)	5MHz	QPSK	40590	25RB#0	VH	NT	7.91	0.003054	±2.5	PASS
Band41 (2535-2655)	5MHz	16QAM	40590	25RB#0	VN	NT	9.36	0.003614	±2.5	PASS
Band41 (2535-2655)	5MHz	16QAM	40590	25RB#0	VL	NT	13.90	0.005367	±2.5	PASS
Band41 (2535-2655)	5MHz	16QAM	40590	25RB#0	VH	NT	13.79	0.005324	±2.5	PASS

Band41 (2535-2 655)	5MHz	QPSK	41215	25RB#0	VN	NT	8.63	0.003254	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	41215	25RB#0	VL	NT	-5.72	-0.002156	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	41215	25RB#0	VH	NT	7.45	0.002809	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	41215	25RB#0	VN	NT	-12.32	-0.004645	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	41215	25RB#0	VL	NT	-12.43	-0.004686	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	41215	25RB#0	VH	NT	-9.80	-0.003695	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40090	50RB#0	VN	NT	-7.22	-0.002843	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40090	50RB#0	VL	NT	-13.22	-0.005205	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40090	50RB#0	VH	NT	-8.93	-0.003516	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40090	50RB#0	VN	NT	-8.67	-0.003413	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40090	50RB#0	VL	NT	-7.01	-0.002760	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40090	50RB#0	VH	NT	-11.54	-0.004543	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40590	50RB#0	VN	NT	-12.65	-0.004884	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40590	50RB#0	VL	NT	-8.48	-0.003274	±2.5	PASS
Band41	10MHz	QPSK	40590	50RB#0	VH	NT	-5.95	-0.002297	±2.5	PASS

(2535-2 655)										
Band41 (2535-2 655)	10MHz	16QAM	40590	50RB#0	VN	NT	-7.67	-0.002961	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40590	50RB#0	VL	NT	6.07	0.002344	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40590	50RB#0	VH	NT	-8.43	-0.003255	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	41190	50RB#0	VN	NT	-14.92	-0.005630	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	41190	50RB#0	VL	NT	-5.15	-0.001943	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	41190	50RB#0	VH	NT	-5.26	-0.001985	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	41190	50RB#0	VN	NT	4.96	0.001872	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	41190	50RB#0	VL	NT	-12.30	-0.004642	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	41190	50RB#0	VH	NT	-12.95	-0.004887	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40115	75RB#0	VN	NT	-8.33	-0.003276	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40115	75RB#0	VL	NT	-6.59	-0.002592	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40115	75RB#0	VH	NT	-8.84	-0.003477	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40115	75RB#0	VN	NT	5.28	0.002077	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40115	75RB#0	VL	NT	6.58	0.002588	±2.5	PASS

655)										
Band41 (2535-2 655)	15MHz	16QAM	40115	75RB#0	VH	NT	-8.38	-0.003296	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40590	75RB#0	VN	NT	-16.22	-0.006263	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40590	75RB#0	VL	NT	-6.11	-0.002359	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40590	75RB#0	VH	NT	-8.38	-0.003236	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40590	75RB#0	VN	NT	-9.06	-0.003498	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40590	75RB#0	VL	NT	-8.20	-0.003166	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40590	75RB#0	VH	NT	-5.69	-0.002197	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	41165	75RB#0	VN	NT	-6.15	-0.002323	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	41165	75RB#0	VL	NT	-4.48	-0.001692	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	41165	75RB#0	VH	NT	-2.72	-0.001027	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	41165	75RB#0	VN	NT	-7.37	-0.002784	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	41165	75RB#0	VL	NT	-6.51	-0.002459	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	41165	75RB#0	VH	NT	-7.82	-0.002954	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40140	100RB#0	VN	NT	-10.99	-0.004318	±2.5	PASS

Band41 (2535-2 655)	20MHz	QPSK	40140	100RB#0	VL	NT	-5.32	-0.002090	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40140	100RB#0	VH	NT	-10.03	-0.003941	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40140	100RB#0	VN	NT	-3.03	-0.001191	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40140	100RB#0	VL	NT	-5.85	-0.002299	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40140	100RB#0	VH	NT	-8.10	-0.003183	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40590	100RB#0	VN	NT	-8.60	-0.003320	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40590	100RB#0	VL	NT	-12.19	-0.004707	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40590	100RB#0	VH	NT	-11.37	-0.004390	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40590	100RB#0	VN	NT	-13.82	-0.005336	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40590	100RB#0	VL	NT	-7.81	-0.003015	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40590	100RB#0	VH	NT	-5.21	-0.002012	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	41140	100RB#0	VN	NT	5.79	0.002189	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	41140	100RB#0	VL	NT	-6.22	-0.002352	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	41140	100RB#0	VH	NT	-9.91	-0.003747	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	VN	NT	-9.21	-0.003482	±2.5	PASS

(2535-2 655)										
Band41 (2535-2 655)	20MHz	16QAM	41140	100RB#0	VL	NT	-5.85	-0.002212	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	41140	100RB#0	VH	NT	-8.03	-0.003036	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band41 (2535-2 655)	5MHz	QPSK	40065	25RB#0	NV	-30	-17.82	-0.007023	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40065	25RB#0	NV	-20	-19.74	-0.007779	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40065	25RB#0	NV	-10	-16.57	-0.006530	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40065	25RB#0	NV	0	-15.99	-0.006301	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40065	25RB#0	NV	10	-18.73	-0.007381	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40065	25RB#0	NV	20	-16.97	-0.006688	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40065	25RB#0	NV	30	-12.04	-0.004745	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40065	25RB#0	NV	40	-16.97	-0.006688	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40065	25RB#0	NV	50	-19.35	-0.007626	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40065	25RB#0	NV	-30	-17.94	-0.007070	±2.5	PASS
Band41	5MHz	16QAM	40065	25RB#0	NV	-20	-27.97	-0.011023	±2.5	PASS

(2535-2 655)										
Band41 (2535-2 655)	5MHz	16QAM	40065	25RB#0	NV	-10	-23.36	-0.009206	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40065	25RB#0	NV	0	3.15	0.001241	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40065	25RB#0	NV	10	-10.64	-0.004193	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40065	25RB#0	NV	20	-10.60	-0.004177	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40065	25RB#0	NV	30	-15.81	-0.006231	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40065	25RB#0	NV	40	-8.04	-0.003168	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40065	25RB#0	NV	50	-14.68	-0.005785	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40590	25RB#0	NV	-30	-10.10	-0.003900	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40590	25RB#0	NV	-20	4.35	0.001680	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40590	25RB#0	NV	-10	8.81	0.003402	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40590	25RB#0	NV	0	8.25	0.003185	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40590	25RB#0	NV	10	3.43	0.001324	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40590	25RB#0	NV	20	4.25	0.001641	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40590	25RB#0	NV	30	10.70	0.004131	±2.5	PASS

655)										
Band41 (2535-2 655)	5MHz	QPSK	40590	25RB#0	NV	40	7.91	0.003054	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	40590	25RB#0	NV	50	13.00	0.005019	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40590	25RB#0	NV	-30	5.02	0.001938	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40590	25RB#0	NV	-20	6.88	0.002656	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40590	25RB#0	NV	-10	12.20	0.004710	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40590	25RB#0	NV	0	-9.41	-0.003633	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40590	25RB#0	NV	10	11.63	0.004490	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40590	25RB#0	NV	20	7.37	0.002846	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40590	25RB#0	NV	30	6.94	0.002680	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40590	25RB#0	NV	40	6.38	0.002463	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	40590	25RB#0	NV	50	8.14	0.003143	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	41215	25RB#0	NV	-30	12.50	0.004713	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	41215	25RB#0	NV	-20	-5.08	-0.001915	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	41215	25RB#0	NV	-10	-13.78	-0.005195	±2.5	PASS

Band41 (2535-2 655)	5MHz	QPSK	41215	25RB#0	NV	0	-9.87	-0.003721	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	41215	25RB#0	NV	10	-9.14	-0.003446	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	41215	25RB#0	NV	20	-8.00	-0.003016	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	41215	25RB#0	NV	30	-4.42	-0.001666	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	41215	25RB#0	NV	40	-3.81	-0.001436	±2.5	PASS
Band41 (2535-2 655)	5MHz	QPSK	41215	25RB#0	NV	50	-9.27	-0.003495	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	41215	25RB#0	NV	-30	-10.33	-0.003894	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	41215	25RB#0	NV	-20	4.56	0.001719	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	41215	25RB#0	NV	-10	-19.71	-0.007431	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	41215	25RB#0	NV	0	-9.70	-0.003657	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	41215	25RB#0	NV	10	-14.71	-0.005546	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	41215	25RB#0	NV	20	-11.33	-0.004271	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	41215	25RB#0	NV	30	-10.06	-0.003793	±2.5	PASS
Band41 (2535-2 655)	5MHz	16QAM	41215	25RB#0	NV	40	-12.15	-0.004581	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	50	-13.46	-0.005074	±2.5	PASS

(2535-2 655)										
Band41 (2535-2 655)	10MHz	QPSK	40090	50RB#0	NV	-30	-7.70	-0.003031	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40090	50RB#0	NV	-20	-6.07	-0.002390	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40090	50RB#0	NV	-10	-5.28	-0.002079	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40090	50RB#0	NV	0	-13.15	-0.005177	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40090	50RB#0	NV	10	-11.93	-0.004697	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40090	50RB#0	NV	20	-4.29	-0.001689	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40090	50RB#0	NV	30	-4.98	-0.001961	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40090	50RB#0	NV	40	-5.88	-0.002315	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40090	50RB#0	NV	50	-8.13	-0.003201	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40090	50RB#0	NV	-30	-7.61	-0.002996	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40090	50RB#0	NV	-20	4.52	0.001780	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40090	50RB#0	NV	-10	-10.17	-0.004004	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40090	50RB#0	NV	0	-9.80	-0.003858	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40090	50RB#0	NV	10	-5.08	-0.002000	±2.5	PASS

655)										
Band41 (2535-2 655)	10MHz	16QAM	40090	50RB#0	NV	20	-10.53	-0.004146	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40090	50RB#0	NV	30	-6.79	-0.002673	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40090	50RB#0	NV	40	-5.38	-0.002118	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40090	50RB#0	NV	50	-6.69	-0.002634	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40590	50RB#0	NV	-30	-9.84	-0.003799	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40590	50RB#0	NV	-20	-7.55	-0.002915	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40590	50RB#0	NV	-10	-3.96	-0.001529	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40590	50RB#0	NV	0	-11.84	-0.004571	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40590	50RB#0	NV	10	-9.34	-0.003606	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40590	50RB#0	NV	20	-4.78	-0.001846	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40590	50RB#0	NV	30	-6.05	-0.002336	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40590	50RB#0	NV	40	4.32	0.001668	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	40590	50RB#0	NV	50	7.54	0.002911	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40590	50RB#0	NV	-30	7.27	0.002807	±2.5	PASS

Band41 (2535-2 655)	10MHz	16QAM	40590	50RB#0	NV	-20	-10.41	-0.004019	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40590	50RB#0	NV	-10	13.42	0.005181	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40590	50RB#0	NV	0	3.88	0.001498	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40590	50RB#0	NV	10	4.41	0.001703	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40590	50RB#0	NV	20	-9.84	-0.003799	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40590	50RB#0	NV	30	-9.78	-0.003776	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40590	50RB#0	NV	40	-6.24	-0.002409	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	40590	50RB#0	NV	50	-3.50	-0.001351	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	41190	50RB#0	NV	-30	-12.92	-0.004875	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	41190	50RB#0	NV	-20	-10.33	-0.003898	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	41190	50RB#0	NV	-10	-7.02	-0.002649	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	41190	50RB#0	NV	0	-10.90	-0.004113	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	41190	50RB#0	NV	10	-8.96	-0.003381	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	41190	50RB#0	NV	20	-7.94	-0.002996	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	30	-9.24	-0.003487	±2.5	PASS

(2535-2 655)										
Band41 (2535-2 655)	10MHz	QPSK	41190	50RB#0	NV	40	-9.86	-0.003721	±2.5	PASS
Band41 (2535-2 655)	10MHz	QPSK	41190	50RB#0	NV	50	-3.79	-0.001430	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	41190	50RB#0	NV	-30	3.02	0.001140	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	41190	50RB#0	NV	-20	-3.72	-0.001404	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	41190	50RB#0	NV	-10	-8.91	-0.003362	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	41190	50RB#0	NV	0	-7.38	-0.002785	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	41190	50RB#0	NV	10	9.40	0.003547	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	41190	50RB#0	NV	20	-5.41	-0.002042	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	41190	50RB#0	NV	30	3.73	0.001408	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	41190	50RB#0	NV	40	5.06	0.001909	±2.5	PASS
Band41 (2535-2 655)	10MHz	16QAM	41190	50RB#0	NV	50	-5.11	-0.001928	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40115	75RB#0	NV	-30	4.62	0.001817	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40115	75RB#0	NV	-20	-6.55	-0.002576	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40115	75RB#0	NV	-10	-7.30	-0.002871	±2.5	PASS

655)										
Band41 (2535-2 655)	15MHz	QPSK	40115	75RB#0	NV	0	-5.11	-0.002010	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40115	75RB#0	NV	10	-8.58	-0.003375	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40115	75RB#0	NV	20	-4.68	-0.001841	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40115	75RB#0	NV	30	2.10	0.000826	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40115	75RB#0	NV	40	-6.35	-0.002498	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40115	75RB#0	NV	50	6.90	0.002714	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40115	75RB#0	NV	-30	-7.91	-0.003111	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40115	75RB#0	NV	-20	-6.02	-0.002368	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40115	75RB#0	NV	-10	5.31	0.002088	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40115	75RB#0	NV	0	-8.67	-0.003410	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40115	75RB#0	NV	10	-6.92	-0.002722	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40115	75RB#0	NV	20	5.97	0.002348	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40115	75RB#0	NV	30	-9.00	-0.003540	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40115	75RB#0	NV	40	4.86	0.001912	±2.5	PASS

Band41 (2535-2 655)	15MHz	16QAM	40115	75RB#0	NV	50	8.10	0.003186	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40590	75RB#0	NV	-30	-6.49	-0.002506	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40590	75RB#0	NV	-20	-5.31	-0.002050	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40590	75RB#0	NV	-10	-8.71	-0.003363	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40590	75RB#0	NV	0	-7.37	-0.002846	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40590	75RB#0	NV	10	-6.71	-0.002591	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40590	75RB#0	NV	20	1.89	0.000730	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40590	75RB#0	NV	30	7.37	0.002846	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40590	75RB#0	NV	40	-10.14	-0.003915	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	40590	75RB#0	NV	50	-5.56	-0.002147	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40590	75RB#0	NV	-30	-9.81	-0.003788	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40590	75RB#0	NV	-20	-7.42	-0.002865	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40590	75RB#0	NV	-10	-11.60	-0.004479	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40590	75RB#0	NV	0	5.92	0.002286	±2.5	PASS
Band41	15MHz	16QAM	40590	75RB#0	NV	10	-5.88	-0.002270	±2.5	PASS

(2535-2 655)										
Band41 (2535-2 655)	15MHz	16QAM	40590	75RB#0	NV	20	6.15	0.002375	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40590	75RB#0	NV	30	-8.75	-0.003378	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40590	75RB#0	NV	40	-10.59	-0.004089	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	40590	75RB#0	NV	50	-9.30	-0.003591	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	41165	75RB#0	NV	-30	-9.41	-0.003554	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	41165	75RB#0	NV	-20	-15.22	-0.005749	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	41165	75RB#0	NV	-10	-6.55	-0.002474	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	41165	75RB#0	NV	0	-7.17	-0.002708	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	41165	75RB#0	NV	10	7.88	0.002976	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	41165	75RB#0	NV	20	3.86	0.001458	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	41165	75RB#0	NV	30	-9.03	-0.003411	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	41165	75RB#0	NV	40	-4.33	-0.001636	±2.5	PASS
Band41 (2535-2 655)	15MHz	QPSK	41165	75RB#0	NV	50	-13.79	-0.005209	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	41165	75RB#0	NV	-30	7.44	0.002810	±2.5	PASS

655)										
Band41 (2535-2 655)	15MHz	16QAM	41165	75RB#0	NV	-20	7.67	0.002897	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	41165	75RB#0	NV	-10	-8.35	-0.003154	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	41165	75RB#0	NV	0	-8.57	-0.003237	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	41165	75RB#0	NV	10	-8.70	-0.003286	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	41165	75RB#0	NV	20	5.44	0.002055	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	41165	75RB#0	NV	30	7.97	0.003010	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	41165	75RB#0	NV	40	-8.65	-0.003267	±2.5	PASS
Band41 (2535-2 655)	15MHz	16QAM	41165	75RB#0	NV	50	-8.20	-0.003097	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40140	100RB#0	NV	-30	5.61	0.002204	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40140	100RB#0	NV	-20	-6.01	-0.002361	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40140	100RB#0	NV	-10	2.57	0.001010	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40140	100RB#0	NV	0	-5.85	-0.002299	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40140	100RB#0	NV	10	-7.84	-0.003081	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40140	100RB#0	NV	20	-4.81	-0.001890	±2.5	PASS

Band41 (2535-2 655)	20MHz	QPSK	40140	100RB#0	NV	30	9.06	0.003560	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40140	100RB#0	NV	40	-9.96	-0.003914	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40140	100RB#0	NV	50	-9.54	-0.003749	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40140	100RB#0	NV	-30	-4.92	-0.001933	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40140	100RB#0	NV	-20	-3.81	-0.001497	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40140	100RB#0	NV	-10	-11.27	-0.004428	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40140	100RB#0	NV	0	-10.67	-0.004193	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40140	100RB#0	NV	10	-5.87	-0.002306	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40140	100RB#0	NV	20	10.77	0.004232	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40140	100RB#0	NV	30	4.06	0.001595	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40140	100RB#0	NV	40	-6.52	-0.002562	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40140	100RB#0	NV	50	-7.44	-0.002923	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40590	100RB#0	NV	-30	-10.86	-0.004193	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40590	100RB#0	NV	-20	-9.73	-0.003757	±2.5	PASS
Band41	20MHz	QPSK	40590	100RB#0	NV	-10	-5.21	-0.002012	±2.5	PASS

(2535-2 655)										
Band41 (2535-2 655)	20MHz	QPSK	40590	100RB#0	NV	0	-10.77	-0.004158	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40590	100RB#0	NV	10	-14.73	-0.005687	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40590	100RB#0	NV	20	-7.24	-0.002795	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40590	100RB#0	NV	30	-9.86	-0.003807	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40590	100RB#0	NV	40	-10.94	-0.004224	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	40590	100RB#0	NV	50	-13.18	-0.005089	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40590	100RB#0	NV	-30	-9.56	-0.003691	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40590	100RB#0	NV	-20	-10.30	-0.003977	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40590	100RB#0	NV	-10	-12.04	-0.004649	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40590	100RB#0	NV	0	-6.19	-0.002390	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40590	100RB#0	NV	10	-7.02	-0.002710	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40590	100RB#0	NV	20	-11.80	-0.004556	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40590	100RB#0	NV	30	-7.31	-0.002822	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	40590	100RB#0	NV	40	3.86	0.001490	±2.5	PASS

655)										
Band41 (2535-2 655)	20MHz	16QAM	40590	100RB#0	NV	50	-13.39	-0.005170	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	41140	100RB#0	NV	-30	3.63	0.001372	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	41140	100RB#0	NV	-20	-11.47	-0.004336	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	41140	100RB#0	NV	-10	-7.04	-0.002662	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	41140	100RB#0	NV	0	-5.99	-0.002265	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	41140	100RB#0	NV	10	6.51	0.002461	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	41140	100RB#0	NV	20	-8.83	-0.003338	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	41140	100RB#0	NV	30	-4.03	-0.001524	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	41140	100RB#0	NV	40	-11.69	-0.004420	±2.5	PASS
Band41 (2535-2 655)	20MHz	QPSK	41140	100RB#0	NV	50	-6.34	-0.002397	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	41140	100RB#0	NV	-30	-9.18	-0.003471	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	41140	100RB#0	NV	-20	-6.05	-0.002287	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	41140	100RB#0	NV	-10	-3.12	-0.001180	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	41140	100RB#0	NV	0	-8.48	-0.003206	±2.5	PASS

Band41 (2535-2 655)	20MHz	16QAM	41140	100RB#0	NV	10	-3.06	-0.001157	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	41140	100RB#0	NV	20	-10.06	-0.003803	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	41140	100RB#0	NV	30	-5.51	-0.002083	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	41140	100RB#0	NV	40	-3.12	-0.001180	±2.5	PASS
Band41 (2535-2 655)	20MHz	16QAM	41140	100RB#0	NV	50	4.72	0.001784	±2.5	PASS