

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	23.14	21.69	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.14	21.69	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	23.21	21.76	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.26	21.81	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.25	21.8	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#2	23.27	21.82	33.01	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.37	20.92	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	23.47	22.02	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	23.50	22.05	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	23.39	21.94	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	23.51	22.06	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	23.52	22.07	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#2	23.51	22.06	33.01	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	22.68	21.23	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	23.52	22.07	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	23.54	22.09	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	23.52	22.07	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	23.58	22.13	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	23.56	22.11	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#2	23.55	22.1	33.01	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.65	21.2	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.03	20.58	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.08	20.63	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	22.09	20.64	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.12	20.67	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.13	20.68	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#2	22.10	20.65	33.01	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	21.21	19.76	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	22.38	20.93	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.38	20.93	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	22.30	20.85	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	22.32	20.87	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	22.34	20.89	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#2	22.35	20.9	33.01	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	21.62	20.17	33.01	PASS

Band2	1.4MHz	16QAM	19193	1RB#0	22.34	20.89	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	22.40	20.95	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	22.34	20.89	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	22.42	20.97	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	22.43	20.98	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#2	22.42	20.97	33.01	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	21.50	20.05	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	21.04	19.59	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#2	21.07	19.62	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#5	20.99	19.54	33.01	PASS
Band2	1.4MHz	64QAM	18607	3RB#0	21.24	19.79	33.01	PASS
Band2	1.4MHz	64QAM	18607	3RB#1	21.17	19.72	33.01	PASS
Band2	1.4MHz	64QAM	18607	3RB#2	21.19	19.74	33.01	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	20.18	18.73	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	21.77	20.32	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#2	21.81	20.36	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#5	21.74	20.29	33.01	PASS
Band2	1.4MHz	64QAM	18900	3RB#0	21.60	20.15	33.01	PASS
Band2	1.4MHz	64QAM	18900	3RB#1	21.60	20.15	33.01	PASS
Band2	1.4MHz	64QAM	18900	3RB#2	21.59	20.14	33.01	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	20.47	19.02	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	21.36	19.91	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#2	21.39	19.94	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#5	21.37	19.92	33.01	PASS
Band2	1.4MHz	64QAM	19193	3RB#0	21.51	20.06	33.01	PASS
Band2	1.4MHz	64QAM	19193	3RB#1	21.51	20.06	33.01	PASS
Band2	1.4MHz	64QAM	19193	3RB#2	21.49	20.04	33.01	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	20.53	19.08	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#0	23.02	21.57	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#7	23.02	21.57	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#14	23.01	21.56	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.12	20.67	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.06	20.61	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#7	22.07	20.62	33.01	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.09	20.64	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#0	23.26	21.81	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#7	23.19	21.74	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.30	21.85	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#0	22.22	20.77	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#4	22.22	20.77	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#7	22.22	20.77	33.01	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.28	20.83	33.01	PASS

Band2	3MHz	QPSK	19185	1RB#0	23.12	21.67	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#7	23.10	21.65	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#14	23.23	21.78	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#0	22.25	20.8	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#4	22.31	20.86	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#7	22.30	20.85	33.01	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.26	20.81	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.27	20.82	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#7	22.19	20.74	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#14	22.21	20.76	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#0	21.07	19.62	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#4	21.09	19.64	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#7	21.10	19.65	33.01	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.01	19.56	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#0	22.36	20.91	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#7	22.33	20.88	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.35	20.9	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#0	21.27	19.82	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#4	21.30	19.85	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#7	21.27	19.82	33.01	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.26	19.81	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#0	22.39	20.94	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#7	22.32	20.87	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#14	22.42	20.97	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#0	21.24	19.79	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#4	21.29	19.84	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#7	21.27	19.82	33.01	PASS
Band2	3MHz	16QAM	19185	15RB#0	21.16	19.71	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#0	21.06	19.61	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#7	21.08	19.63	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#14	21.10	19.65	33.01	PASS
Band2	3MHz	64QAM	18615	8RB#0	20.26	18.81	33.01	PASS
Band2	3MHz	64QAM	18615	8RB#4	20.32	18.87	33.01	PASS
Band2	3MHz	64QAM	18615	8RB#7	20.29	18.84	33.01	PASS
Band2	3MHz	64QAM	18615	15RB#0	20.19	18.74	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#0	21.10	19.65	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#7	21.20	19.75	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#14	21.21	19.76	33.01	PASS
Band2	3MHz	64QAM	18900	8RB#0	20.47	19.02	33.01	PASS
Band2	3MHz	64QAM	18900	8RB#4	20.47	19.02	33.01	PASS
Band2	3MHz	64QAM	18900	8RB#7	20.42	18.97	33.01	PASS
Band2	3MHz	64QAM	18900	15RB#0	20.50	19.05	33.01	PASS

Band2	3MHz	64QAM	19185	1RB#0	21.23	19.78	33.01	PASS
Band2	3MHz	64QAM	19185	1RB#7	21.25	19.8	33.01	PASS
Band2	3MHz	64QAM	19185	1RB#14	21.30	19.85	33.01	PASS
Band2	3MHz	64QAM	19185	8RB#0	20.35	18.9	33.01	PASS
Band2	3MHz	64QAM	19185	8RB#4	20.33	18.88	33.01	PASS
Band2	3MHz	64QAM	19185	8RB#7	20.37	18.92	33.01	PASS
Band2	3MHz	64QAM	19185	15RB#0	20.28	18.83	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#0	23.35	21.9	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.54	22.09	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#24	23.51	22.06	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#0	22.47	21.02	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#6	22.41	20.96	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#11	22.46	21.01	33.01	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.49	21.04	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#0	24.06	22.61	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#12	24.08	22.63	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#24	24.02	22.57	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#0	23.01	21.56	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#6	22.99	21.54	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#11	23.00	21.55	33.01	PASS
Band2	5MHz	QPSK	18900	25RB#0	23.06	21.61	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#0	24.15	22.7	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#12	24.33	22.88	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#24	24.26	22.81	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#0	23.23	21.78	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#6	23.19	21.74	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#11	23.27	21.82	33.01	PASS
Band2	5MHz	QPSK	19175	25RB#0	23.24	21.79	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#0	22.43	20.98	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#12	22.64	21.19	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#24	22.63	21.18	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#0	21.48	20.03	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#6	21.49	20.04	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#11	21.49	20.04	33.01	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.47	20.02	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.91	21.46	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#12	23.05	21.6	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#24	23.01	21.56	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#0	22.00	20.55	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.97	20.52	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#11	21.99	20.54	33.01	PASS
Band2	5MHz	16QAM	18900	25RB#0	22.10	20.65	33.01	PASS

Band2	5MHz	16QAM	19175	1RB#0	23.16	21.71	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#12	23.34	21.89	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#24	23.27	21.82	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#0	22.30	20.85	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#6	22.28	20.83	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#11	22.29	20.84	33.01	PASS
Band2	5MHz	16QAM	19175	25RB#0	22.26	20.81	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#0	21.87	20.42	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#12	22.06	20.61	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#24	21.97	20.52	33.01	PASS
Band2	5MHz	64QAM	18625	12RB#0	20.46	19.01	33.01	PASS
Band2	5MHz	64QAM	18625	12RB#6	20.51	19.06	33.01	PASS
Band2	5MHz	64QAM	18625	12RB#11	20.48	19.03	33.01	PASS
Band2	5MHz	64QAM	18625	25RB#0	20.50	19.05	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#0	21.86	20.41	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#12	21.94	20.49	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#24	21.82	20.37	33.01	PASS
Band2	5MHz	64QAM	18900	12RB#0	21.06	19.61	33.01	PASS
Band2	5MHz	64QAM	18900	12RB#6	21.03	19.58	33.01	PASS
Band2	5MHz	64QAM	18900	12RB#11	21.07	19.62	33.01	PASS
Band2	5MHz	64QAM	18900	25RB#0	21.12	19.67	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#0	22.63	21.18	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#12	22.80	21.35	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#24	22.72	21.27	33.01	PASS
Band2	5MHz	64QAM	19175	12RB#0	21.28	19.83	33.01	PASS
Band2	5MHz	64QAM	19175	12RB#6	21.29	19.84	33.01	PASS
Band2	5MHz	64QAM	19175	12RB#11	21.34	19.89	33.01	PASS
Band2	5MHz	64QAM	19175	25RB#0	21.31	19.86	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#0	22.85	21.4	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#24	22.85	21.4	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#49	22.81	21.36	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#0	21.84	20.39	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#12	21.82	20.37	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#24	21.86	20.41	33.01	PASS
Band2	10MHz	QPSK	18650	50RB#0	21.85	20.4	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#0	23.06	21.61	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.12	21.67	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#49	23.09	21.64	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.13	20.68	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.15	20.7	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#24	22.14	20.69	33.01	PASS
Band2	10MHz	QPSK	18900	50RB#0	22.13	20.68	33.01	PASS

Band2	10MHz	QPSK	19150	1RB#0	22.85	21.4	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#24	22.91	21.46	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#49	23.10	21.65	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#0	21.99	20.54	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#12	22.01	20.56	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#24	22.02	20.57	33.01	PASS
Band2	10MHz	QPSK	19150	50RB#0	22.02	20.57	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#0	22.09	20.64	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#24	21.98	20.53	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.04	20.59	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#0	20.81	19.36	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#12	20.83	19.38	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#24	20.83	19.38	33.01	PASS
Band2	10MHz	16QAM	18650	50RB#0	20.84	19.39	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.23	20.78	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.24	20.79	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#49	22.30	20.85	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.11	19.66	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.13	19.68	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#24	21.12	19.67	33.01	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.10	19.65	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#0	22.11	20.66	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#24	22.17	20.72	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#49	22.35	20.9	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.02	19.57	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#12	21.01	19.56	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#24	21.01	19.56	33.01	PASS
Band2	10MHz	16QAM	19150	50RB#0	21.02	19.57	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#0	20.87	19.42	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#24	20.79	19.34	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#49	20.82	19.37	33.01	PASS
Band2	10MHz	64QAM	18650	25RB#0	19.95	18.5	33.01	PASS
Band2	10MHz	64QAM	18650	25RB#12	19.92	18.47	33.01	PASS
Band2	10MHz	64QAM	18650	25RB#24	19.94	18.49	33.01	PASS
Band2	10MHz	64QAM	18650	50RB#0	19.94	18.49	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#0	21.06	19.61	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#24	21.12	19.67	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#49	21.09	19.64	33.01	PASS
Band2	10MHz	64QAM	18900	25RB#0	20.26	18.81	33.01	PASS
Band2	10MHz	64QAM	18900	25RB#12	20.26	18.81	33.01	PASS
Band2	10MHz	64QAM	18900	25RB#24	20.27	18.82	33.01	PASS
Band2	10MHz	64QAM	18900	50RB#0	20.23	18.78	33.01	PASS

Band2	10MHz	64QAM	19150	1RB#0	20.95	19.5	33.01	PASS
Band2	10MHz	64QAM	19150	1RB#24	21.00	19.55	33.01	PASS
Band2	10MHz	64QAM	19150	1RB#49	21.18	19.73	33.01	PASS
Band2	10MHz	64QAM	19150	25RB#0	20.09	18.64	33.01	PASS
Band2	10MHz	64QAM	19150	25RB#12	20.06	18.61	33.01	PASS
Band2	10MHz	64QAM	19150	25RB#24	20.07	18.62	33.01	PASS
Band2	10MHz	64QAM	19150	50RB#0	20.08	18.63	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#0	22.86	21.41	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#37	22.92	21.47	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#74	22.83	21.38	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#0	21.87	20.42	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#16	21.88	20.43	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#35	21.88	20.43	33.01	PASS
Band2	15MHz	QPSK	18675	75RB#0	21.92	20.47	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.05	21.6	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#37	23.14	21.69	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#74	23.09	21.64	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#0	22.08	20.63	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#16	22.11	20.66	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#35	22.09	20.64	33.01	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.08	20.63	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#0	22.88	21.43	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#37	22.97	21.52	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#74	23.10	21.65	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#0	21.91	20.46	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#16	21.90	20.45	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#35	21.90	20.45	33.01	PASS
Band2	15MHz	QPSK	19125	75RB#0	21.98	20.53	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.17	20.72	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#37	22.10	20.65	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.07	20.62	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#0	20.87	19.42	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#16	20.89	19.44	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#35	20.89	19.44	33.01	PASS
Band2	15MHz	16QAM	18675	75RB#0	20.92	19.47	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.23	20.78	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#37	22.32	20.87	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#74	22.23	20.78	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#0	21.08	19.63	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#16	21.09	19.64	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#35	21.07	19.62	33.01	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.07	19.62	33.01	PASS

Band2	15MHz	16QAM	19125	1RB#0	22.17	20.72	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#37	22.22	20.77	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#74	22.40	20.95	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#0	20.98	19.53	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#16	20.97	19.52	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#35	20.98	19.53	33.01	PASS
Band2	15MHz	16QAM	19125	75RB#0	21.00	19.55	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#0	20.94	19.49	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#37	20.95	19.5	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#74	20.88	19.43	33.01	PASS
Band2	15MHz	64QAM	18675	36RB#0	20.04	18.59	33.01	PASS
Band2	15MHz	64QAM	18675	36RB#16	20.05	18.6	33.01	PASS
Band2	15MHz	64QAM	18675	36RB#35	20.05	18.6	33.01	PASS
Band2	15MHz	64QAM	18675	75RB#0	19.98	18.53	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#0	21.08	19.63	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#37	21.17	19.72	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#74	21.06	19.61	33.01	PASS
Band2	15MHz	64QAM	18900	36RB#0	20.29	18.84	33.01	PASS
Band2	15MHz	64QAM	18900	36RB#16	20.29	18.84	33.01	PASS
Band2	15MHz	64QAM	18900	36RB#35	20.28	18.83	33.01	PASS
Band2	15MHz	64QAM	18900	75RB#0	20.22	18.77	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#0	21.23	19.78	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#37	21.30	19.85	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#74	21.41	19.96	33.01	PASS
Band2	15MHz	64QAM	19125	36RB#0	20.04	18.59	33.01	PASS
Band2	15MHz	64QAM	19125	36RB#16	20.04	18.59	33.01	PASS
Band2	15MHz	64QAM	19125	36RB#35	20.04	18.59	33.01	PASS
Band2	15MHz	64QAM	19125	75RB#0	20.11	18.66	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#0	22.95	21.5	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#49	22.96	21.51	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#99	22.86	21.41	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#0	21.86	20.41	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#24	21.87	20.42	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#49	21.86	20.41	33.01	PASS
Band2	20MHz	QPSK	18700	100RB#0	21.93	20.48	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#0	23.16	21.71	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.28	21.83	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#99	23.19	21.74	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.14	20.69	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#24	22.12	20.67	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#49	22.15	20.7	33.01	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.14	20.69	33.01	PASS

Band2	20MHz	QPSK	19100	1RB#0	22.98	21.53	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#49	23.06	21.61	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#99	23.16	21.71	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#0	21.99	20.54	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#24	21.99	20.54	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#49	22.00	20.55	33.01	PASS
Band2	20MHz	QPSK	19100	100RB#0	22.01	20.56	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#0	22.12	20.67	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#49	22.15	20.7	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.12	20.67	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#0	20.90	19.45	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#24	20.88	19.43	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#49	20.88	19.43	33.01	PASS
Band2	20MHz	16QAM	18700	100RB#0	20.90	19.45	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#0	22.20	20.75	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#49	22.31	20.86	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#99	22.15	20.7	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#0	21.13	19.68	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#24	21.13	19.68	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#49	21.12	19.67	33.01	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.10	19.65	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#0	22.31	20.86	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#49	22.21	20.76	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#99	22.44	20.99	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#0	20.98	19.53	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#24	20.97	19.52	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#49	20.99	19.54	33.01	PASS
Band2	20MHz	16QAM	19100	100RB#0	21.02	19.57	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#0	21.16	19.71	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#49	21.19	19.74	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#99	21.13	19.68	33.01	PASS
Band2	20MHz	64QAM	18700	50RB#0	19.97	18.52	33.01	PASS
Band2	20MHz	64QAM	18700	50RB#24	19.97	18.52	33.01	PASS
Band2	20MHz	64QAM	18700	50RB#49	19.97	18.52	33.01	PASS
Band2	20MHz	64QAM	18700	100RB#0	20.00	18.55	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#0	21.50	20.05	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#49	21.55	20.1	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#99	21.44	19.99	33.01	PASS
Band2	20MHz	64QAM	18900	50RB#0	20.27	18.82	33.01	PASS
Band2	20MHz	64QAM	18900	50RB#24	20.26	18.81	33.01	PASS
Band2	20MHz	64QAM	18900	50RB#49	20.27	18.82	33.01	PASS
Band2	20MHz	64QAM	18900	100RB#0	20.20	18.75	33.01	PASS

Band2	20MHz	64QAM	19100	1RB#0	21.30	19.85	33.01	PASS
Band2	20MHz	64QAM	19100	1RB#49	21.35	19.9	33.01	PASS
Band2	20MHz	64QAM	19100	1RB#99	21.39	19.94	33.01	PASS
Band2	20MHz	64QAM	19100	50RB#0	20.11	18.66	33.01	PASS
Band2	20MHz	64QAM	19100	50RB#24	20.12	18.67	33.01	PASS
Band2	20MHz	64QAM	19100	50RB#49	20.12	18.67	33.01	PASS
Band2	20MHz	64QAM	19100	100RB#0	20.17	18.72	33.01	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	22.61	22.44	30.00	PASS
Band4	1.4MHz	QPSK	19957	1RB#2	22.63	22.46	30.00	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	22.62	22.45	30.00	PASS
Band4	1.4MHz	QPSK	19957	3RB#0	22.66	22.49	30.00	PASS
Band4	1.4MHz	QPSK	19957	3RB#1	22.73	22.56	30.00	PASS
Band4	1.4MHz	QPSK	19957	3RB#2	22.72	22.55	30.00	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	21.70	21.53	30.00	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	22.86	22.69	30.00	PASS
Band4	1.4MHz	QPSK	20175	1RB#2	22.71	22.54	30.00	PASS
Band4	1.4MHz	QPSK	20175	1RB#5	22.77	22.6	30.00	PASS
Band4	1.4MHz	QPSK	20175	3RB#0	22.91	22.74	30.00	PASS
Band4	1.4MHz	QPSK	20175	3RB#1	22.92	22.75	30.00	PASS
Band4	1.4MHz	QPSK	20175	3RB#2	22.90	22.73	30.00	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	21.92	21.75	30.00	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	22.63	22.46	30.00	PASS
Band4	1.4MHz	QPSK	20393	1RB#2	22.69	22.52	30.00	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	22.74	22.57	30.00	PASS
Band4	1.4MHz	QPSK	20393	3RB#0	22.82	22.65	30.00	PASS
Band4	1.4MHz	QPSK	20393	3RB#1	22.74	22.57	30.00	PASS
Band4	1.4MHz	QPSK	20393	3RB#2	22.81	22.64	30.00	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	21.81	21.64	30.00	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	21.81	21.64	30.00	PASS
Band4	1.4MHz	16QAM	19957	1RB#2	21.80	21.63	30.00	PASS
Band4	1.4MHz	16QAM	19957	1RB#5	21.75	21.58	30.00	PASS
Band4	1.4MHz	16QAM	19957	3RB#0	21.75	21.58	30.00	PASS
Band4	1.4MHz	16QAM	19957	3RB#1	21.62	21.45	30.00	PASS
Band4	1.4MHz	16QAM	19957	3RB#2	21.65	21.48	30.00	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	20.94	20.77	30.00	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	22.07	21.9	30.00	PASS
Band4	1.4MHz	16QAM	20175	1RB#2	22.07	21.9	30.00	PASS
Band4	1.4MHz	16QAM	20175	1RB#5	22.06	21.89	30.00	PASS
Band4	1.4MHz	16QAM	20175	3RB#0	21.79	21.62	30.00	PASS
Band4	1.4MHz	16QAM	20175	3RB#1	21.83	21.66	30.00	PASS
Band4	1.4MHz	16QAM	20175	3RB#2	21.86	21.69	30.00	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	20.86	20.69	30.00	PASS

Band4	1.4MHz	16QAM	20393	1RB#0	21.91	21.74	30.00	PASS
Band4	1.4MHz	16QAM	20393	1RB#2	21.95	21.78	30.00	PASS
Band4	1.4MHz	16QAM	20393	1RB#5	21.90	21.73	30.00	PASS
Band4	1.4MHz	16QAM	20393	3RB#0	21.69	21.52	30.00	PASS
Band4	1.4MHz	16QAM	20393	3RB#1	21.64	21.47	30.00	PASS
Band4	1.4MHz	16QAM	20393	3RB#2	21.74	21.57	30.00	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	20.82	20.65	30.00	PASS
Band4	1.4MHz	64QAM	19957	1RB#0	21.33	21.16	30.00	PASS
Band4	1.4MHz	64QAM	19957	1RB#2	21.32	21.15	30.00	PASS
Band4	1.4MHz	64QAM	19957	1RB#5	21.36	21.19	30.00	PASS
Band4	1.4MHz	64QAM	19957	3RB#0	20.95	20.78	30.00	PASS
Band4	1.4MHz	64QAM	19957	3RB#1	20.89	20.72	30.00	PASS
Band4	1.4MHz	64QAM	19957	3RB#2	20.95	20.78	30.00	PASS
Band4	1.4MHz	64QAM	19957	6RB#0	19.71	19.54	30.00	PASS
Band4	1.4MHz	64QAM	20175	1RB#0	21.00	20.83	30.00	PASS
Band4	1.4MHz	64QAM	20175	1RB#2	21.05	20.88	30.00	PASS
Band4	1.4MHz	64QAM	20175	1RB#5	21.03	20.86	30.00	PASS
Band4	1.4MHz	64QAM	20175	3RB#0	20.81	20.64	30.00	PASS
Band4	1.4MHz	64QAM	20175	3RB#1	20.85	20.68	30.00	PASS
Band4	1.4MHz	64QAM	20175	3RB#2	20.75	20.58	30.00	PASS
Band4	1.4MHz	64QAM	20175	6RB#0	19.79	19.62	30.00	PASS
Band4	1.4MHz	64QAM	20393	1RB#0	20.89	20.72	30.00	PASS
Band4	1.4MHz	64QAM	20393	1RB#2	20.93	20.76	30.00	PASS
Band4	1.4MHz	64QAM	20393	1RB#5	21.01	20.84	30.00	PASS
Band4	1.4MHz	64QAM	20393	3RB#0	20.80	20.63	30.00	PASS
Band4	1.4MHz	64QAM	20393	3RB#1	20.83	20.66	30.00	PASS
Band4	1.4MHz	64QAM	20393	3RB#2	20.82	20.65	30.00	PASS
Band4	1.4MHz	64QAM	20393	6RB#0	19.77	19.6	30.00	PASS
Band4	3MHz	QPSK	19965	1RB#0	22.56	22.39	30.00	PASS
Band4	3MHz	QPSK	19965	1RB#7	22.53	22.36	30.00	PASS
Band4	3MHz	QPSK	19965	1RB#14	22.45	22.28	30.00	PASS
Band4	3MHz	QPSK	19965	8RB#0	21.67	21.5	30.00	PASS
Band4	3MHz	QPSK	19965	8RB#4	21.62	21.45	30.00	PASS
Band4	3MHz	QPSK	19965	8RB#7	21.68	21.51	30.00	PASS
Band4	3MHz	QPSK	19965	15RB#0	21.67	21.5	30.00	PASS
Band4	3MHz	QPSK	20175	1RB#0	22.73	22.56	30.00	PASS
Band4	3MHz	QPSK	20175	1RB#7	22.76	22.59	30.00	PASS
Band4	3MHz	QPSK	20175	1RB#14	22.74	22.57	30.00	PASS
Band4	3MHz	QPSK	20175	8RB#0	21.85	21.68	30.00	PASS
Band4	3MHz	QPSK	20175	8RB#4	21.79	21.62	30.00	PASS
Band4	3MHz	QPSK	20175	8RB#7	21.83	21.66	30.00	PASS
Band4	3MHz	QPSK	20175	15RB#0	21.84	21.67	30.00	PASS

Band4	3MHz	QPSK	20385	1RB#0	22.70	22.53	30.00	PASS
Band4	3MHz	QPSK	20385	1RB#7	22.77	22.6	30.00	PASS
Band4	3MHz	QPSK	20385	1RB#14	22.68	22.51	30.00	PASS
Band4	3MHz	QPSK	20385	8RB#0	21.73	21.56	30.00	PASS
Band4	3MHz	QPSK	20385	8RB#4	21.74	21.57	30.00	PASS
Band4	3MHz	QPSK	20385	8RB#7	21.76	21.59	30.00	PASS
Band4	3MHz	QPSK	20385	15RB#0	21.72	21.55	30.00	PASS
Band4	3MHz	16QAM	19965	1RB#0	21.75	21.58	30.00	PASS
Band4	3MHz	16QAM	19965	1RB#7	21.73	21.56	30.00	PASS
Band4	3MHz	16QAM	19965	1RB#14	21.73	21.56	30.00	PASS
Band4	3MHz	16QAM	19965	8RB#0	20.84	20.67	30.00	PASS
Band4	3MHz	16QAM	19965	8RB#4	20.79	20.62	30.00	PASS
Band4	3MHz	16QAM	19965	8RB#7	20.78	20.61	30.00	PASS
Band4	3MHz	16QAM	19965	15RB#0	20.73	20.56	30.00	PASS
Band4	3MHz	16QAM	20175	1RB#0	21.69	21.52	30.00	PASS
Band4	3MHz	16QAM	20175	1RB#7	21.74	21.57	30.00	PASS
Band4	3MHz	16QAM	20175	1RB#14	21.72	21.55	30.00	PASS
Band4	3MHz	16QAM	20175	8RB#0	20.99	20.82	30.00	PASS
Band4	3MHz	16QAM	20175	8RB#4	20.96	20.79	30.00	PASS
Band4	3MHz	16QAM	20175	8RB#7	20.97	20.8	30.00	PASS
Band4	3MHz	16QAM	20175	15RB#0	20.86	20.69	30.00	PASS
Band4	3MHz	16QAM	20385	1RB#0	21.74	21.57	30.00	PASS
Band4	3MHz	16QAM	20385	1RB#7	21.70	21.53	30.00	PASS
Band4	3MHz	16QAM	20385	1RB#14	21.79	21.62	30.00	PASS
Band4	3MHz	16QAM	20385	8RB#0	20.97	20.8	30.00	PASS
Band4	3MHz	16QAM	20385	8RB#4	20.94	20.77	30.00	PASS
Band4	3MHz	16QAM	20385	8RB#7	21.00	20.83	30.00	PASS
Band4	3MHz	16QAM	20385	15RB#0	20.93	20.76	30.00	PASS
Band4	3MHz	64QAM	19965	1RB#0	20.80	20.63	30.00	PASS
Band4	3MHz	64QAM	19965	1RB#7	20.77	20.6	30.00	PASS
Band4	3MHz	64QAM	19965	1RB#14	20.71	20.54	30.00	PASS
Band4	3MHz	64QAM	19965	8RB#0	19.81	19.64	30.00	PASS
Band4	3MHz	64QAM	19965	8RB#4	19.87	19.7	30.00	PASS
Band4	3MHz	64QAM	19965	8RB#7	19.77	19.6	30.00	PASS
Band4	3MHz	64QAM	19965	15RB#0	19.75	19.58	30.00	PASS
Band4	3MHz	64QAM	20175	1RB#0	21.33	21.16	30.00	PASS
Band4	3MHz	64QAM	20175	1RB#7	21.27	21.1	30.00	PASS
Band4	3MHz	64QAM	20175	1RB#14	21.26	21.09	30.00	PASS
Band4	3MHz	64QAM	20175	8RB#0	19.91	19.74	30.00	PASS
Band4	3MHz	64QAM	20175	8RB#4	19.92	19.75	30.00	PASS
Band4	3MHz	64QAM	20175	8RB#7	19.93	19.76	30.00	PASS
Band4	3MHz	64QAM	20175	15RB#0	19.82	19.65	30.00	PASS

Band4	3MHz	64QAM	20385	1RB#0	20.90	20.73	30.00	PASS
Band4	3MHz	64QAM	20385	1RB#7	20.84	20.67	30.00	PASS
Band4	3MHz	64QAM	20385	1RB#14	20.94	20.77	30.00	PASS
Band4	3MHz	64QAM	20385	8RB#0	19.99	19.82	30.00	PASS
Band4	3MHz	64QAM	20385	8RB#4	19.98	19.81	30.00	PASS
Band4	3MHz	64QAM	20385	8RB#7	19.96	19.79	30.00	PASS
Band4	3MHz	64QAM	20385	15RB#0	19.96	19.79	30.00	PASS
Band4	5MHz	QPSK	19975	1RB#0	22.67	22.5	30.00	PASS
Band4	5MHz	QPSK	19975	1RB#12	22.64	22.47	30.00	PASS
Band4	5MHz	QPSK	19975	1RB#24	22.70	22.53	30.00	PASS
Band4	5MHz	QPSK	19975	12RB#0	21.56	21.39	30.00	PASS
Band4	5MHz	QPSK	19975	12RB#6	21.56	21.39	30.00	PASS
Band4	5MHz	QPSK	19975	12RB#11	21.55	21.38	30.00	PASS
Band4	5MHz	QPSK	19975	25RB#0	21.59	21.42	30.00	PASS
Band4	5MHz	QPSK	20175	1RB#0	22.94	22.77	30.00	PASS
Band4	5MHz	QPSK	20175	1RB#12	22.95	22.78	30.00	PASS
Band4	5MHz	QPSK	20175	1RB#24	23.01	22.84	30.00	PASS
Band4	5MHz	QPSK	20175	12RB#0	21.79	21.62	30.00	PASS
Band4	5MHz	QPSK	20175	12RB#6	21.78	21.61	30.00	PASS
Band4	5MHz	QPSK	20175	12RB#11	21.82	21.65	30.00	PASS
Band4	5MHz	QPSK	20175	25RB#0	21.85	21.68	30.00	PASS
Band4	5MHz	QPSK	20375	1RB#0	22.78	22.61	30.00	PASS
Band4	5MHz	QPSK	20375	1RB#12	22.88	22.71	30.00	PASS
Band4	5MHz	QPSK	20375	1RB#24	23.02	22.85	30.00	PASS
Band4	5MHz	QPSK	20375	12RB#0	21.73	21.56	30.00	PASS
Band4	5MHz	QPSK	20375	12RB#6	21.74	21.57	30.00	PASS
Band4	5MHz	QPSK	20375	12RB#11	21.74	21.57	30.00	PASS
Band4	5MHz	QPSK	20375	25RB#0	21.80	21.63	30.00	PASS
Band4	5MHz	16QAM	19975	1RB#0	21.80	21.63	30.00	PASS
Band4	5MHz	16QAM	19975	1RB#12	21.76	21.59	30.00	PASS
Band4	5MHz	16QAM	19975	1RB#24	21.69	21.52	30.00	PASS
Band4	5MHz	16QAM	19975	12RB#0	20.80	20.63	30.00	PASS
Band4	5MHz	16QAM	19975	12RB#6	20.81	20.64	30.00	PASS
Band4	5MHz	16QAM	19975	12RB#11	20.82	20.65	30.00	PASS
Band4	5MHz	16QAM	19975	25RB#0	20.73	20.56	30.00	PASS
Band4	5MHz	16QAM	20175	1RB#0	21.85	21.68	30.00	PASS
Band4	5MHz	16QAM	20175	1RB#12	21.85	21.68	30.00	PASS
Band4	5MHz	16QAM	20175	1RB#24	21.92	21.75	30.00	PASS
Band4	5MHz	16QAM	20175	12RB#0	20.96	20.79	30.00	PASS
Band4	5MHz	16QAM	20175	12RB#6	20.93	20.76	30.00	PASS
Band4	5MHz	16QAM	20175	12RB#11	20.94	20.77	30.00	PASS
Band4	5MHz	16QAM	20175	25RB#0	21.00	20.83	30.00	PASS

Band4	5MHz	16QAM	20375	1RB#0	21.74	21.57	30.00	PASS
Band4	5MHz	16QAM	20375	1RB#12	21.68	21.51	30.00	PASS
Band4	5MHz	16QAM	20375	1RB#24	21.74	21.57	30.00	PASS
Band4	5MHz	16QAM	20375	12RB#0	20.93	20.76	30.00	PASS
Band4	5MHz	16QAM	20375	12RB#6	20.94	20.77	30.00	PASS
Band4	5MHz	16QAM	20375	12RB#11	20.95	20.78	30.00	PASS
Band4	5MHz	16QAM	20375	25RB#0	20.95	20.78	30.00	PASS
Band4	5MHz	64QAM	19975	1RB#0	21.41	21.24	30.00	PASS
Band4	5MHz	64QAM	19975	1RB#12	21.31	21.14	30.00	PASS
Band4	5MHz	64QAM	19975	1RB#24	21.30	21.13	30.00	PASS
Band4	5MHz	64QAM	19975	12RB#0	19.80	19.63	30.00	PASS
Band4	5MHz	64QAM	19975	12RB#6	19.78	19.61	30.00	PASS
Band4	5MHz	64QAM	19975	12RB#11	19.80	19.63	30.00	PASS
Band4	5MHz	64QAM	19975	25RB#0	19.68	19.51	30.00	PASS
Band4	5MHz	64QAM	20175	1RB#0	21.23	21.06	30.00	PASS
Band4	5MHz	64QAM	20175	1RB#12	21.24	21.07	30.00	PASS
Band4	5MHz	64QAM	20175	1RB#24	21.26	21.09	30.00	PASS
Band4	5MHz	64QAM	20175	12RB#0	20.00	19.83	30.00	PASS
Band4	5MHz	64QAM	20175	12RB#6	20.00	19.83	30.00	PASS
Band4	5MHz	64QAM	20175	12RB#11	19.99	19.82	30.00	PASS
Band4	5MHz	64QAM	20175	25RB#0	19.95	19.78	30.00	PASS
Band4	5MHz	64QAM	20375	1RB#0	20.84	20.67	30.00	PASS
Band4	5MHz	64QAM	20375	1RB#12	20.98	20.81	30.00	PASS
Band4	5MHz	64QAM	20375	1RB#24	20.91	20.74	30.00	PASS
Band4	5MHz	64QAM	20375	12RB#0	19.94	19.77	30.00	PASS
Band4	5MHz	64QAM	20375	12RB#6	19.96	19.79	30.00	PASS
Band4	5MHz	64QAM	20375	12RB#11	19.94	19.77	30.00	PASS
Band4	5MHz	64QAM	20375	25RB#0	19.95	19.78	30.00	PASS
Band4	10MHz	QPSK	20000	1RB#0	22.55	22.38	30.00	PASS
Band4	10MHz	QPSK	20000	1RB#24	22.52	22.35	30.00	PASS
Band4	10MHz	QPSK	20000	1RB#49	22.61	22.44	30.00	PASS
Band4	10MHz	QPSK	20000	25RB#0	21.66	21.49	30.00	PASS
Band4	10MHz	QPSK	20000	25RB#12	21.67	21.5	30.00	PASS
Band4	10MHz	QPSK	20000	25RB#24	21.67	21.5	30.00	PASS
Band4	10MHz	QPSK	20000	50RB#0	21.67	21.5	30.00	PASS
Band4	10MHz	QPSK	20175	1RB#0	22.75	22.58	30.00	PASS
Band4	10MHz	QPSK	20175	1RB#24	22.79	22.62	30.00	PASS
Band4	10MHz	QPSK	20175	1RB#49	22.85	22.68	30.00	PASS
Band4	10MHz	QPSK	20175	25RB#0	21.82	21.65	30.00	PASS
Band4	10MHz	QPSK	20175	25RB#12	21.81	21.64	30.00	PASS
Band4	10MHz	QPSK	20175	25RB#24	21.81	21.64	30.00	PASS
Band4	10MHz	QPSK	20175	50RB#0	21.81	21.64	30.00	PASS

Band4	10MHz	QPSK	20350	1RB#0	22.77	22.6	30.00	PASS
Band4	10MHz	QPSK	20350	1RB#24	22.73	22.56	30.00	PASS
Band4	10MHz	QPSK	20350	1RB#49	22.82	22.65	30.00	PASS
Band4	10MHz	QPSK	20350	25RB#0	21.76	21.59	30.00	PASS
Band4	10MHz	QPSK	20350	25RB#12	21.75	21.58	30.00	PASS
Band4	10MHz	QPSK	20350	25RB#24	21.74	21.57	30.00	PASS
Band4	10MHz	QPSK	20350	50RB#0	21.74	21.57	30.00	PASS
Band4	10MHz	16QAM	20000	1RB#0	21.81	21.64	30.00	PASS
Band4	10MHz	16QAM	20000	1RB#24	21.76	21.59	30.00	PASS
Band4	10MHz	16QAM	20000	1RB#49	21.88	21.71	30.00	PASS
Band4	10MHz	16QAM	20000	25RB#0	20.79	20.62	30.00	PASS
Band4	10MHz	16QAM	20000	25RB#12	20.78	20.61	30.00	PASS
Band4	10MHz	16QAM	20000	25RB#24	20.76	20.59	30.00	PASS
Band4	10MHz	16QAM	20000	50RB#0	20.77	20.6	30.00	PASS
Band4	10MHz	16QAM	20175	1RB#0	21.70	21.53	30.00	PASS
Band4	10MHz	16QAM	20175	1RB#24	21.73	21.56	30.00	PASS
Band4	10MHz	16QAM	20175	1RB#49	21.76	21.59	30.00	PASS
Band4	10MHz	16QAM	20175	25RB#0	20.94	20.77	30.00	PASS
Band4	10MHz	16QAM	20175	25RB#12	20.95	20.78	30.00	PASS
Band4	10MHz	16QAM	20175	25RB#24	20.93	20.76	30.00	PASS
Band4	10MHz	16QAM	20175	50RB#0	20.93	20.76	30.00	PASS
Band4	10MHz	16QAM	20350	1RB#0	21.88	21.71	30.00	PASS
Band4	10MHz	16QAM	20350	1RB#24	21.84	21.67	30.00	PASS
Band4	10MHz	16QAM	20350	1RB#49	21.94	21.77	30.00	PASS
Band4	10MHz	16QAM	20350	25RB#0	20.80	20.63	30.00	PASS
Band4	10MHz	16QAM	20350	25RB#12	20.80	20.63	30.00	PASS
Band4	10MHz	16QAM	20350	25RB#24	20.81	20.64	30.00	PASS
Band4	10MHz	16QAM	20350	50RB#0	20.81	20.64	30.00	PASS
Band4	10MHz	64QAM	20000	1RB#0	20.82	20.65	30.00	PASS
Band4	10MHz	64QAM	20000	1RB#24	20.82	20.65	30.00	PASS
Band4	10MHz	64QAM	20000	1RB#49	20.89	20.72	30.00	PASS
Band4	10MHz	64QAM	20000	25RB#0	19.73	19.56	30.00	PASS
Band4	10MHz	64QAM	20000	25RB#12	19.71	19.54	30.00	PASS
Band4	10MHz	64QAM	20000	25RB#24	19.69	19.52	30.00	PASS
Band4	10MHz	64QAM	20000	50RB#0	19.75	19.58	30.00	PASS
Band4	10MHz	64QAM	20175	1RB#0	21.20	21.03	30.00	PASS
Band4	10MHz	64QAM	20175	1RB#24	21.32	21.15	30.00	PASS
Band4	10MHz	64QAM	20175	1RB#49	21.24	21.07	30.00	PASS
Band4	10MHz	64QAM	20175	25RB#0	19.88	19.71	30.00	PASS
Band4	10MHz	64QAM	20175	25RB#12	19.86	19.69	30.00	PASS
Band4	10MHz	64QAM	20175	25RB#24	19.85	19.68	30.00	PASS
Band4	10MHz	64QAM	20175	50RB#0	19.87	19.7	30.00	PASS

Band4	10MHz	64QAM	20350	1RB#0	20.77	20.6	30.00	PASS
Band4	10MHz	64QAM	20350	1RB#24	20.77	20.6	30.00	PASS
Band4	10MHz	64QAM	20350	1RB#49	20.90	20.73	30.00	PASS
Band4	10MHz	64QAM	20350	25RB#0	19.82	19.65	30.00	PASS
Band4	10MHz	64QAM	20350	25RB#12	19.81	19.64	30.00	PASS
Band4	10MHz	64QAM	20350	25RB#24	19.83	19.66	30.00	PASS
Band4	10MHz	64QAM	20350	50RB#0	19.80	19.63	30.00	PASS
Band4	15MHz	QPSK	20025	1RB#0	22.59	22.42	30.00	PASS
Band4	15MHz	QPSK	20025	1RB#37	22.72	22.55	30.00	PASS
Band4	15MHz	QPSK	20025	1RB#74	22.77	22.6	30.00	PASS
Band4	15MHz	QPSK	20025	36RB#0	21.63	21.46	30.00	PASS
Band4	15MHz	QPSK	20025	36RB#16	21.64	21.47	30.00	PASS
Band4	15MHz	QPSK	20025	36RB#35	21.63	21.46	30.00	PASS
Band4	15MHz	QPSK	20025	75RB#0	21.69	21.52	30.00	PASS
Band4	15MHz	QPSK	20175	1RB#0	22.85	22.68	30.00	PASS
Band4	15MHz	QPSK	20175	1RB#37	22.89	22.72	30.00	PASS
Band4	15MHz	QPSK	20175	1RB#74	22.80	22.63	30.00	PASS
Band4	15MHz	QPSK	20175	36RB#0	21.78	21.61	30.00	PASS
Band4	15MHz	QPSK	20175	36RB#16	21.79	21.62	30.00	PASS
Band4	15MHz	QPSK	20175	36RB#35	21.77	21.6	30.00	PASS
Band4	15MHz	QPSK	20175	75RB#0	21.87	21.7	30.00	PASS
Band4	15MHz	QPSK	20325	1RB#0	22.82	22.65	30.00	PASS
Band4	15MHz	QPSK	20325	1RB#37	22.81	22.64	30.00	PASS
Band4	15MHz	QPSK	20325	1RB#74	22.72	22.55	30.00	PASS
Band4	15MHz	QPSK	20325	36RB#0	21.72	21.55	30.00	PASS
Band4	15MHz	QPSK	20325	36RB#16	21.73	21.56	30.00	PASS
Band4	15MHz	QPSK	20325	36RB#35	21.72	21.55	30.00	PASS
Band4	15MHz	QPSK	20325	75RB#0	21.75	21.58	30.00	PASS
Band4	15MHz	16QAM	20025	1RB#0	21.87	21.7	30.00	PASS
Band4	15MHz	16QAM	20025	1RB#37	21.96	21.79	30.00	PASS
Band4	15MHz	16QAM	20025	1RB#74	22.07	21.9	30.00	PASS
Band4	15MHz	16QAM	20025	36RB#0	20.79	20.62	30.00	PASS
Band4	15MHz	16QAM	20025	36RB#16	20.81	20.64	30.00	PASS
Band4	15MHz	16QAM	20025	36RB#35	20.78	20.61	30.00	PASS
Band4	15MHz	16QAM	20025	75RB#0	20.82	20.65	30.00	PASS
Band4	15MHz	16QAM	20175	1RB#0	21.77	21.6	30.00	PASS
Band4	15MHz	16QAM	20175	1RB#37	21.83	21.66	30.00	PASS
Band4	15MHz	16QAM	20175	1RB#74	21.85	21.68	30.00	PASS
Band4	15MHz	16QAM	20175	36RB#0	20.87	20.7	30.00	PASS
Band4	15MHz	16QAM	20175	36RB#16	20.86	20.69	30.00	PASS
Band4	15MHz	16QAM	20175	36RB#35	20.85	20.68	30.00	PASS
Band4	15MHz	16QAM	20175	75RB#0	20.91	20.74	30.00	PASS

Band4	15MHz	16QAM	20325	1RB#0	21.91	21.74	30.00	PASS
Band4	15MHz	16QAM	20325	1RB#37	21.89	21.72	30.00	PASS
Band4	15MHz	16QAM	20325	1RB#74	21.99	21.82	30.00	PASS
Band4	15MHz	16QAM	20325	36RB#0	20.84	20.67	30.00	PASS
Band4	15MHz	16QAM	20325	36RB#16	20.84	20.67	30.00	PASS
Band4	15MHz	16QAM	20325	36RB#35	20.82	20.65	30.00	PASS
Band4	15MHz	16QAM	20325	75RB#0	20.82	20.65	30.00	PASS
Band4	15MHz	64QAM	20025	1RB#0	20.97	20.8	30.00	PASS
Band4	15MHz	64QAM	20025	1RB#37	21.14	20.97	30.00	PASS
Band4	15MHz	64QAM	20025	1RB#74	21.20	21.03	30.00	PASS
Band4	15MHz	64QAM	20025	36RB#0	19.76	19.59	30.00	PASS
Band4	15MHz	64QAM	20025	36RB#16	19.78	19.61	30.00	PASS
Band4	15MHz	64QAM	20025	36RB#35	19.76	19.59	30.00	PASS
Band4	15MHz	64QAM	20025	75RB#0	19.84	19.67	30.00	PASS
Band4	15MHz	64QAM	20175	1RB#0	21.25	21.08	30.00	PASS
Band4	15MHz	64QAM	20175	1RB#37	21.33	21.16	30.00	PASS
Band4	15MHz	64QAM	20175	1RB#74	21.29	21.12	30.00	PASS
Band4	15MHz	64QAM	20175	36RB#0	19.85	19.68	30.00	PASS
Band4	15MHz	64QAM	20175	36RB#16	19.85	19.68	30.00	PASS
Band4	15MHz	64QAM	20175	36RB#35	19.87	19.7	30.00	PASS
Band4	15MHz	64QAM	20175	75RB#0	19.93	19.76	30.00	PASS
Band4	15MHz	64QAM	20325	1RB#0	20.90	20.73	30.00	PASS
Band4	15MHz	64QAM	20325	1RB#37	20.86	20.69	30.00	PASS
Band4	15MHz	64QAM	20325	1RB#74	20.92	20.75	30.00	PASS
Band4	15MHz	64QAM	20325	36RB#0	19.89	19.72	30.00	PASS
Band4	15MHz	64QAM	20325	36RB#16	19.88	19.71	30.00	PASS
Band4	15MHz	64QAM	20325	36RB#35	19.89	19.72	30.00	PASS
Band4	15MHz	64QAM	20325	75RB#0	19.84	19.67	30.00	PASS
Band4	20MHz	QPSK	20050	1RB#0	22.59	22.42	30.00	PASS
Band4	20MHz	QPSK	20050	1RB#49	22.69	22.52	30.00	PASS
Band4	20MHz	QPSK	20050	1RB#99	22.81	22.64	30.00	PASS
Band4	20MHz	QPSK	20050	50RB#0	21.66	21.49	30.00	PASS
Band4	20MHz	QPSK	20050	50RB#24	21.67	21.5	30.00	PASS
Band4	20MHz	QPSK	20050	50RB#49	21.66	21.49	30.00	PASS
Band4	20MHz	QPSK	20050	100RB#0	21.75	21.58	30.00	PASS
Band4	20MHz	QPSK	20175	1RB#0	22.59	22.42	30.00	PASS
Band4	20MHz	QPSK	20175	1RB#49	22.81	22.64	30.00	PASS
Band4	20MHz	QPSK	20175	1RB#99	22.69	22.52	30.00	PASS
Band4	20MHz	QPSK	20175	50RB#0	21.85	21.68	30.00	PASS
Band4	20MHz	QPSK	20175	50RB#24	21.87	21.7	30.00	PASS
Band4	20MHz	QPSK	20175	50RB#49	21.85	21.68	30.00	PASS
Band4	20MHz	QPSK	20175	100RB#0	21.88	21.71	30.00	PASS

Band4	20MHz	QPSK	20300	1RB#0	22.95	22.78	30.00	PASS
Band4	20MHz	QPSK	20300	1RB#49	22.85	22.68	30.00	PASS
Band4	20MHz	QPSK	20300	1RB#99	22.87	22.7	30.00	PASS
Band4	20MHz	QPSK	20300	50RB#0	21.86	21.69	30.00	PASS
Band4	20MHz	QPSK	20300	50RB#24	21.86	21.69	30.00	PASS
Band4	20MHz	QPSK	20300	50RB#49	21.87	21.7	30.00	PASS
Band4	20MHz	QPSK	20300	100RB#0	21.85	21.68	30.00	PASS
Band4	20MHz	16QAM	20050	1RB#0	21.92	21.75	30.00	PASS
Band4	20MHz	16QAM	20050	1RB#49	22.00	21.83	30.00	PASS
Band4	20MHz	16QAM	20050	1RB#99	22.10	21.93	30.00	PASS
Band4	20MHz	16QAM	20050	50RB#0	20.77	20.6	30.00	PASS
Band4	20MHz	16QAM	20050	50RB#24	20.77	20.6	30.00	PASS
Band4	20MHz	16QAM	20050	50RB#49	20.77	20.6	30.00	PASS
Band4	20MHz	16QAM	20050	100RB#0	20.84	20.67	30.00	PASS
Band4	20MHz	16QAM	20175	1RB#0	21.77	21.6	30.00	PASS
Band4	20MHz	16QAM	20175	1RB#49	22.03	21.86	30.00	PASS
Band4	20MHz	16QAM	20175	1RB#99	21.99	21.82	30.00	PASS
Band4	20MHz	16QAM	20175	50RB#0	20.98	20.81	30.00	PASS
Band4	20MHz	16QAM	20175	50RB#24	20.97	20.8	30.00	PASS
Band4	20MHz	16QAM	20175	50RB#49	20.97	20.8	30.00	PASS
Band4	20MHz	16QAM	20175	100RB#0	20.95	20.78	30.00	PASS
Band4	20MHz	16QAM	20300	1RB#0	21.93	21.76	30.00	PASS
Band4	20MHz	16QAM	20300	1RB#49	21.90	21.73	30.00	PASS
Band4	20MHz	16QAM	20300	1RB#99	21.91	21.74	30.00	PASS
Band4	20MHz	16QAM	20300	50RB#0	20.94	20.77	30.00	PASS
Band4	20MHz	16QAM	20300	50RB#24	20.94	20.77	30.00	PASS
Band4	20MHz	16QAM	20300	50RB#49	20.93	20.76	30.00	PASS
Band4	20MHz	16QAM	20300	100RB#0	20.91	20.74	30.00	PASS
Band4	20MHz	64QAM	20050	1RB#0	21.01	20.84	30.00	PASS
Band4	20MHz	64QAM	20050	1RB#49	21.14	20.97	30.00	PASS
Band4	20MHz	64QAM	20050	1RB#99	21.21	21.04	30.00	PASS
Band4	20MHz	64QAM	20050	50RB#0	19.80	19.63	30.00	PASS
Band4	20MHz	64QAM	20050	50RB#24	19.78	19.61	30.00	PASS
Band4	20MHz	64QAM	20050	50RB#49	19.79	19.62	30.00	PASS
Band4	20MHz	64QAM	20050	100RB#0	19.84	19.67	30.00	PASS
Band4	20MHz	64QAM	20175	1RB#0	20.82	20.65	30.00	PASS
Band4	20MHz	64QAM	20175	1RB#49	20.92	20.75	30.00	PASS
Band4	20MHz	64QAM	20175	1RB#99	20.89	20.72	30.00	PASS
Band4	20MHz	64QAM	20175	50RB#0	19.91	19.74	30.00	PASS
Band4	20MHz	64QAM	20175	50RB#24	19.92	19.75	30.00	PASS
Band4	20MHz	64QAM	20175	50RB#49	19.91	19.74	30.00	PASS
Band4	20MHz	64QAM	20175	100RB#0	19.93	19.76	30.00	PASS

Band4	20MHz	64QAM	20300	1RB#0	21.23	21.06	30.00	PASS
Band4	20MHz	64QAM	20300	1RB#49	21.16	20.99	30.00	PASS
Band4	20MHz	64QAM	20300	1RB#99	21.29	21.12	30.00	PASS
Band4	20MHz	64QAM	20300	50RB#0	19.95	19.78	30.00	PASS
Band4	20MHz	64QAM	20300	50RB#24	19.94	19.77	30.00	PASS
Band4	20MHz	64QAM	20300	50RB#49	19.95	19.78	30.00	PASS
Band4	20MHz	64QAM	20300	100RB#0	19.89	19.72	30.00	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	23.33	16.35	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.09	16.11	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.02	16.04	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	23.08	16.1	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	23.05	16.07	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#2	23.04	16.06	38.45	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.96	15.98	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.98	17	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.83	16.85	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	23.76	16.78	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	23.77	16.79	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.73	16.75	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#2	23.71	16.73	38.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	23.66	16.68	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	22.84	15.86	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	22.31	15.33	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	22.02	15.04	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	22.53	15.55	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	22.48	15.5	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#2	22.47	15.49	38.45	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	22.25	15.27	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	23.06	16.08	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.89	15.91	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	22.80	15.82	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	22.87	15.89	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	22.84	15.86	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#2	22.83	15.85	38.45	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	22.34	15.36	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	23.54	16.56	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	23.55	16.57	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	23.56	16.58	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	23.48	16.5	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	23.47	16.49	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#2	23.45	16.47	38.45	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	22.49	15.51	38.45	PASS

Band5	1.4MHz	16QAM	20643	1RB#0	22.58	15.6	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	22.14	15.16	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	21.82	14.84	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	22.32	15.34	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	22.29	15.31	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#2	22.26	15.28	38.45	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	22.08	15.1	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	22.20	15.22	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#2	22.29	15.31	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#5	22.27	15.29	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#0	22.29	15.31	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#1	22.29	15.31	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#2	22.31	15.33	38.45	PASS
Band5	1.4MHz	64QAM	20407	6RB#0	21.30	14.32	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#0	22.44	15.46	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#2	22.44	15.46	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#5	22.44	15.46	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#0	22.46	15.48	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#1	22.44	15.46	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#2	22.45	15.47	38.45	PASS
Band5	1.4MHz	64QAM	20525	6RB#0	21.47	14.49	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	22.22	15.24	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#2	22.02	15.04	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#5	21.68	14.7	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#0	22.29	15.31	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#1	22.28	15.3	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#2	22.25	15.27	38.45	PASS
Band5	1.4MHz	64QAM	20643	6RB#0	21.36	14.38	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#0	23.43	16.45	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#7	22.97	15.99	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#14	22.86	15.88	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#0	23.09	16.11	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#4	23.08	16.1	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#7	22.82	15.84	38.45	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.93	15.95	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#0	23.95	16.97	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#7	23.71	16.73	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#14	23.62	16.64	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#0	23.72	16.74	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#4	23.73	16.75	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#7	23.65	16.67	38.45	PASS
Band5	3MHz	QPSK	20525	15RB#0	23.66	16.68	38.45	PASS

Band5	3MHz	QPSK	20635	1RB#0	23.43	16.45	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#7	22.56	15.58	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#14	21.79	14.81	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#0	23.10	16.12	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#4	23.09	16.11	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#7	22.32	15.34	38.45	PASS
Band5	3MHz	QPSK	20635	15RB#0	22.70	15.72	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#0	23.19	16.21	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#7	22.73	15.75	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#14	22.61	15.63	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#0	22.54	15.56	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#4	22.50	15.52	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#7	22.55	15.57	38.45	PASS
Band5	3MHz	16QAM	20415	15RB#0	22.44	15.46	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#0	23.44	16.46	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#7	23.44	16.46	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#14	23.36	16.38	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#0	22.69	15.71	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#4	22.69	15.71	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#7	22.69	15.71	38.45	PASS
Band5	3MHz	16QAM	20525	15RB#0	22.58	15.6	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#0	23.34	16.36	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#7	22.53	15.55	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#14	21.78	14.8	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#0	22.67	15.69	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#4	22.61	15.63	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#7	22.30	15.32	38.45	PASS
Band5	3MHz	16QAM	20635	15RB#0	22.55	15.57	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#0	22.24	15.26	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#7	22.28	15.3	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#14	22.28	15.3	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#0	21.54	14.56	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#4	21.52	14.54	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#7	21.56	14.58	38.45	PASS
Band5	3MHz	64QAM	20415	15RB#0	21.49	14.51	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#0	22.79	15.81	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#7	22.80	15.82	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#14	22.80	15.82	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#0	21.63	14.65	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#4	21.62	14.64	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#7	21.60	14.62	38.45	PASS
Band5	3MHz	64QAM	20525	15RB#0	21.58	14.6	38.45	PASS

Band5	3MHz	64QAM	20635	1RB#0	22.36	15.38	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#7	22.38	15.4	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#14	21.64	14.66	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#0	21.60	14.62	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#4	21.58	14.6	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#7	21.49	14.51	38.45	PASS
Band5	3MHz	64QAM	20635	15RB#0	21.60	14.62	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#0	23.42	16.44	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#12	22.90	15.92	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#24	22.83	15.85	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#0	23.09	16.11	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#6	23.08	16.1	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#11	23.06	16.08	38.45	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.92	15.94	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#0	23.95	16.97	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#12	23.77	16.79	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#24	23.51	16.53	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#0	23.71	16.73	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#6	23.73	16.75	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#11	23.73	16.75	38.45	PASS
Band5	5MHz	QPSK	20525	25RB#0	23.68	16.7	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#0	23.82	16.84	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#12	23.09	16.11	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#24	21.83	14.85	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#0	23.47	16.49	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#6	23.45	16.47	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#11	23.44	16.46	38.45	PASS
Band5	5MHz	QPSK	20625	25RB#0	23.02	16.04	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#0	23.41	16.43	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#12	22.93	15.95	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#24	22.85	15.87	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#0	22.64	15.66	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#6	22.66	15.68	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#11	22.65	15.67	38.45	PASS
Band5	5MHz	16QAM	20425	25RB#0	22.59	15.61	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#0	23.66	16.68	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#12	23.61	16.63	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#24	23.37	16.39	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#0	22.73	15.75	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#6	22.73	15.75	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#11	22.72	15.74	38.45	PASS
Band5	5MHz	16QAM	20525	25RB#0	22.76	15.78	38.45	PASS

Band5	5MHz	16QAM	20625	1RB#0	23.72	16.74	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#12	23.12	16.14	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#24	21.88	14.9	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#0	22.70	15.72	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#6	22.70	15.72	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#11	22.71	15.73	38.45	PASS
Band5	5MHz	16QAM	20625	25RB#0	22.58	15.6	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#0	22.94	15.96	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#12	22.99	16.01	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#24	23.00	16.02	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#0	21.62	14.64	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#6	21.60	14.62	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#11	21.61	14.63	38.45	PASS
Band5	5MHz	64QAM	20425	25RB#0	21.57	14.59	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#0	22.83	15.85	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#12	22.83	15.85	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#24	22.86	15.88	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#0	21.77	14.79	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#6	21.80	14.82	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#11	21.78	14.8	38.45	PASS
Band5	5MHz	64QAM	20525	25RB#0	21.70	14.72	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#0	23.02	16.04	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#12	23.02	16.04	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#24	22.16	15.18	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#0	21.69	14.71	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#6	21.67	14.69	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#11	21.69	14.71	38.45	PASS
Band5	5MHz	64QAM	20625	25RB#0	21.62	14.64	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.11	16.13	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.09	16.11	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#49	23.33	16.35	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.91	15.93	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#12	22.90	15.92	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#24	22.88	15.9	38.45	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.98	16	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.28	16.3	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.73	16.75	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.26	16.28	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#0	23.49	16.51	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#12	23.51	16.53	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#24	23.50	16.52	38.45	PASS
Band5	10MHz	QPSK	20525	50RB#0	23.48	16.5	38.45	PASS

Band5	10MHz	QPSK	20600	1RB#0	23.48	16.5	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.36	16.38	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#49	21.85	14.87	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#0	23.40	16.42	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#12	23.40	16.42	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#24	23.41	16.43	38.45	PASS
Band5	10MHz	QPSK	20600	50RB#0	23.20	16.22	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.90	15.92	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#24	22.86	15.88	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#49	23.11	16.13	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#0	22.59	15.61	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#12	22.57	15.59	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#24	22.57	15.59	38.45	PASS
Band5	10MHz	16QAM	20450	50RB#0	22.61	15.63	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.96	15.98	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#24	23.44	16.46	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#49	22.97	15.99	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#0	22.66	15.68	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#12	22.66	15.68	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#24	22.65	15.67	38.45	PASS
Band5	10MHz	16QAM	20525	50RB#0	22.66	15.68	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#0	23.41	16.43	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#24	23.34	16.36	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#49	21.83	14.85	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#0	22.54	15.56	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#12	22.54	15.56	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#24	22.54	15.56	38.45	PASS
Band5	10MHz	16QAM	20600	50RB#0	22.53	15.55	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#0	22.30	15.32	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#24	22.31	15.33	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#49	22.50	15.52	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#0	21.53	14.55	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#12	21.53	14.55	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#24	21.55	14.57	38.45	PASS
Band5	10MHz	64QAM	20450	50RB#0	21.59	14.61	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#0	22.87	15.89	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#24	22.78	15.8	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#49	22.89	15.91	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#0	21.61	14.63	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#12	21.59	14.61	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#24	21.63	14.65	38.45	PASS
Band5	10MHz	64QAM	20525	50RB#0	21.63	14.65	38.45	PASS

Band5	10MHz	64QAM	20600	1RB#0	22.53	15.55	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#24	22.28	15.3	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#49	21.65	14.67	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#0	21.54	14.56	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#12	21.55	14.57	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#24	21.57	14.59	38.45	PASS
Band5	10MHz	64QAM	20600	50RB#0	21.53	14.55	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#0	23.19	23.47	33.01	PASS
Band7	5MHz	QPSK	20775	1RB#12	23.11	23.39	33.01	PASS
Band7	5MHz	QPSK	20775	1RB#24	22.97	23.25	33.01	PASS
Band7	5MHz	QPSK	20775	12RB#0	21.63	21.91	33.01	PASS
Band7	5MHz	QPSK	20775	12RB#6	21.71	21.99	33.01	PASS
Band7	5MHz	QPSK	20775	12RB#11	22.02	22.3	33.01	PASS
Band7	5MHz	QPSK	20775	25RB#0	22.08	22.36	33.01	PASS
Band7	5MHz	QPSK	21100	1RB#0	23.11	23.39	33.01	PASS
Band7	5MHz	QPSK	21100	1RB#12	23.03	23.31	33.01	PASS
Band7	5MHz	QPSK	21100	1RB#24	23.19	23.47	33.01	PASS
Band7	5MHz	QPSK	21100	12RB#0	22.07	22.35	33.01	PASS
Band7	5MHz	QPSK	21100	12RB#6	22.09	22.37	33.01	PASS
Band7	5MHz	QPSK	21100	12RB#11	22.12	22.4	33.01	PASS
Band7	5MHz	QPSK	21100	25RB#0	22.16	22.44	33.01	PASS
Band7	5MHz	QPSK	21425	1RB#0	23.29	23.57	33.01	PASS
Band7	5MHz	QPSK	21425	1RB#12	23.25	23.53	33.01	PASS
Band7	5MHz	QPSK	21425	1RB#24	23.01	23.29	33.01	PASS
Band7	5MHz	QPSK	21425	12RB#0	22.33	22.61	33.01	PASS
Band7	5MHz	QPSK	21425	12RB#6	22.33	22.61	33.01	PASS
Band7	5MHz	QPSK	21425	12RB#11	22.35	22.63	33.01	PASS
Band7	5MHz	QPSK	21425	25RB#0	22.39	22.67	33.01	PASS
Band7	5MHz	16QAM	20775	1RB#0	21.99	22.27	33.01	PASS
Band7	5MHz	16QAM	20775	1RB#12	21.86	22.14	33.01	PASS
Band7	5MHz	16QAM	20775	1RB#24	21.88	22.16	33.01	PASS
Band7	5MHz	16QAM	20775	12RB#0	20.76	21.04	33.01	PASS
Band7	5MHz	16QAM	20775	12RB#6	20.76	21.04	33.01	PASS
Band7	5MHz	16QAM	20775	12RB#11	21.09	21.37	33.01	PASS
Band7	5MHz	16QAM	20775	25RB#0	21.10	21.38	33.01	PASS
Band7	5MHz	16QAM	21100	1RB#0	22.26	22.54	33.01	PASS
Band7	5MHz	16QAM	21100	1RB#12	21.78	22.06	33.01	PASS
Band7	5MHz	16QAM	21100	1RB#24	22.27	22.55	33.01	PASS
Band7	5MHz	16QAM	21100	12RB#0	21.16	21.44	33.01	PASS
Band7	5MHz	16QAM	21100	12RB#6	21.23	21.51	33.01	PASS
Band7	5MHz	16QAM	21100	12RB#11	21.19	21.47	33.01	PASS
Band7	5MHz	16QAM	21100	25RB#0	21.19	21.47	33.01	PASS

Band7	5MHz	16QAM	21425	1RB#0	22.30	22.58	33.01	PASS
Band7	5MHz	16QAM	21425	1RB#12	22.25	22.53	33.01	PASS
Band7	5MHz	16QAM	21425	1RB#24	22.24	22.52	33.01	PASS
Band7	5MHz	16QAM	21425	12RB#0	21.41	21.69	33.01	PASS
Band7	5MHz	16QAM	21425	12RB#6	21.42	21.7	33.01	PASS
Band7	5MHz	16QAM	21425	12RB#11	21.41	21.69	33.01	PASS
Band7	5MHz	16QAM	21425	25RB#0	21.41	21.69	33.01	PASS
Band7	5MHz	64QAM	20775	1RB#0	20.83	21.11	33.01	PASS
Band7	5MHz	64QAM	20775	1RB#12	20.92	21.2	33.01	PASS
Band7	5MHz	64QAM	20775	1RB#24	20.77	21.05	33.01	PASS
Band7	5MHz	64QAM	20775	12RB#0	19.77	20.05	33.01	PASS
Band7	5MHz	64QAM	20775	12RB#6	20.10	20.38	33.01	PASS
Band7	5MHz	64QAM	20775	12RB#11	20.11	20.39	33.01	PASS
Band7	5MHz	64QAM	20775	25RB#0	20.09	20.37	33.01	PASS
Band7	5MHz	64QAM	21100	1RB#0	21.60	21.88	33.01	PASS
Band7	5MHz	64QAM	21100	1RB#12	21.67	21.95	33.01	PASS
Band7	5MHz	64QAM	21100	1RB#24	21.71	21.99	33.01	PASS
Band7	5MHz	64QAM	21100	12RB#0	20.20	20.48	33.01	PASS
Band7	5MHz	64QAM	21100	12RB#6	20.22	20.5	33.01	PASS
Band7	5MHz	64QAM	21100	12RB#11	20.23	20.51	33.01	PASS
Band7	5MHz	64QAM	21100	25RB#0	20.18	20.46	33.01	PASS
Band7	5MHz	64QAM	21425	1RB#0	21.52	21.8	33.01	PASS
Band7	5MHz	64QAM	21425	1RB#12	21.48	21.76	33.01	PASS
Band7	5MHz	64QAM	21425	1RB#24	21.50	21.78	33.01	PASS
Band7	5MHz	64QAM	21425	12RB#0	20.45	20.73	33.01	PASS
Band7	5MHz	64QAM	21425	12RB#6	20.45	20.73	33.01	PASS
Band7	5MHz	64QAM	21425	12RB#11	20.43	20.71	33.01	PASS
Band7	5MHz	64QAM	21425	25RB#0	20.39	20.67	33.01	PASS
Band7	10MHz	QPSK	20800	1RB#0	23.26	23.54	33.01	PASS
Band7	10MHz	QPSK	20800	1RB#24	23.05	23.33	33.01	PASS
Band7	10MHz	QPSK	20800	1RB#49	23.19	23.47	33.01	PASS
Band7	10MHz	QPSK	20800	25RB#0	22.25	22.53	33.01	PASS
Band7	10MHz	QPSK	20800	25RB#12	22.28	22.56	33.01	PASS
Band7	10MHz	QPSK	20800	25RB#24	22.26	22.54	33.01	PASS
Band7	10MHz	QPSK	20800	50RB#0	22.24	22.52	33.01	PASS
Band7	10MHz	QPSK	21100	1RB#0	23.07	23.35	33.01	PASS
Band7	10MHz	QPSK	21100	1RB#24	23.05	23.33	33.01	PASS
Band7	10MHz	QPSK	21100	1RB#49	23.15	23.43	33.01	PASS
Band7	10MHz	QPSK	21100	25RB#0	22.33	22.61	33.01	PASS
Band7	10MHz	QPSK	21100	25RB#12	22.27	22.55	33.01	PASS
Band7	10MHz	QPSK	21100	25RB#24	22.23	22.51	33.01	PASS
Band7	10MHz	QPSK	21100	50RB#0	22.31	22.59	33.01	PASS

Band7	10MHz	QPSK	21400	1RB#0	23.17	23.45	33.01	PASS
Band7	10MHz	QPSK	21400	1RB#24	22.85	23.13	33.01	PASS
Band7	10MHz	QPSK	21400	1RB#49	22.61	22.89	33.01	PASS
Band7	10MHz	QPSK	21400	25RB#0	22.24	22.52	33.01	PASS
Band7	10MHz	QPSK	21400	25RB#12	22.29	22.57	33.01	PASS
Band7	10MHz	QPSK	21400	25RB#24	22.29	22.57	33.01	PASS
Band7	10MHz	QPSK	21400	50RB#0	22.35	22.63	33.01	PASS
Band7	10MHz	16QAM	20800	1RB#0	22.38	22.66	33.01	PASS
Band7	10MHz	16QAM	20800	1RB#24	22.29	22.57	33.01	PASS
Band7	10MHz	16QAM	20800	1RB#49	22.44	22.72	33.01	PASS
Band7	10MHz	16QAM	20800	25RB#0	21.29	21.57	33.01	PASS
Band7	10MHz	16QAM	20800	25RB#12	21.25	21.53	33.01	PASS
Band7	10MHz	16QAM	20800	25RB#24	21.23	21.51	33.01	PASS
Band7	10MHz	16QAM	20800	50RB#0	21.20	21.48	33.01	PASS
Band7	10MHz	16QAM	21100	1RB#0	22.35	22.63	33.01	PASS
Band7	10MHz	16QAM	21100	1RB#24	22.30	22.58	33.01	PASS
Band7	10MHz	16QAM	21100	1RB#49	22.38	22.66	33.01	PASS
Band7	10MHz	16QAM	21100	25RB#0	21.35	21.63	33.01	PASS
Band7	10MHz	16QAM	21100	25RB#12	21.29	21.57	33.01	PASS
Band7	10MHz	16QAM	21100	25RB#24	21.27	21.55	33.01	PASS
Band7	10MHz	16QAM	21100	50RB#0	21.28	21.56	33.01	PASS
Band7	10MHz	16QAM	21400	1RB#0	22.00	22.28	33.01	PASS
Band7	10MHz	16QAM	21400	1RB#24	21.64	21.92	33.01	PASS
Band7	10MHz	16QAM	21400	1RB#49	21.66	21.94	33.01	PASS
Band7	10MHz	16QAM	21400	25RB#0	21.35	21.63	33.01	PASS
Band7	10MHz	16QAM	21400	25RB#12	21.31	21.59	33.01	PASS
Band7	10MHz	16QAM	21400	25RB#24	21.34	21.62	33.01	PASS
Band7	10MHz	16QAM	21400	50RB#0	21.31	21.59	33.01	PASS
Band7	10MHz	64QAM	20800	1RB#0	21.20	21.48	33.01	PASS
Band7	10MHz	64QAM	20800	1RB#24	21.22	21.5	33.01	PASS
Band7	10MHz	64QAM	20800	1RB#49	21.32	21.6	33.01	PASS
Band7	10MHz	64QAM	20800	25RB#0	20.27	20.55	33.01	PASS
Band7	10MHz	64QAM	20800	25RB#12	20.28	20.56	33.01	PASS
Band7	10MHz	64QAM	20800	25RB#24	20.25	20.53	33.01	PASS
Band7	10MHz	64QAM	20800	50RB#0	20.22	20.5	33.01	PASS
Band7	10MHz	64QAM	21100	1RB#0	21.10	21.38	33.01	PASS
Band7	10MHz	64QAM	21100	1RB#24	21.17	21.45	33.01	PASS
Band7	10MHz	64QAM	21100	1RB#49	21.38	21.66	33.01	PASS
Band7	10MHz	64QAM	21100	25RB#0	20.27	20.55	33.01	PASS
Band7	10MHz	64QAM	21100	25RB#12	20.26	20.54	33.01	PASS
Band7	10MHz	64QAM	21100	25RB#24	20.26	20.54	33.01	PASS
Band7	10MHz	64QAM	21100	50RB#0	20.27	20.55	33.01	PASS

Band7	10MHz	64QAM	21400	1RB#0	21.16	21.44	33.01	PASS
Band7	10MHz	64QAM	21400	1RB#24	21.15	21.43	33.01	PASS
Band7	10MHz	64QAM	21400	1RB#49	21.08	21.36	33.01	PASS
Band7	10MHz	64QAM	21400	25RB#0	20.33	20.61	33.01	PASS
Band7	10MHz	64QAM	21400	25RB#12	20.29	20.57	33.01	PASS
Band7	10MHz	64QAM	21400	25RB#24	20.28	20.56	33.01	PASS
Band7	10MHz	64QAM	21400	50RB#0	20.30	20.58	33.01	PASS
Band7	15MHz	QPSK	20825	1RB#0	23.13	23.41	33.01	PASS
Band7	15MHz	QPSK	20825	1RB#37	22.89	23.17	33.01	PASS
Band7	15MHz	QPSK	20825	1RB#74	23.19	23.47	33.01	PASS
Band7	15MHz	QPSK	20825	36RB#0	22.13	22.41	33.01	PASS
Band7	15MHz	QPSK	20825	36RB#16	22.15	22.43	33.01	PASS
Band7	15MHz	QPSK	20825	36RB#35	22.15	22.43	33.01	PASS
Band7	15MHz	QPSK	20825	75RB#0	22.14	22.42	33.01	PASS
Band7	15MHz	QPSK	21100	1RB#0	23.06	23.34	33.01	PASS
Band7	15MHz	QPSK	21100	1RB#37	23.05	23.33	33.01	PASS
Band7	15MHz	QPSK	21100	1RB#74	23.30	23.58	33.01	PASS
Band7	15MHz	QPSK	21100	36RB#0	22.17	22.45	33.01	PASS
Band7	15MHz	QPSK	21100	36RB#16	22.19	22.47	33.01	PASS
Band7	15MHz	QPSK	21100	36RB#35	22.18	22.46	33.01	PASS
Band7	15MHz	QPSK	21100	75RB#0	22.24	22.52	33.01	PASS
Band7	15MHz	QPSK	21375	1RB#0	22.99	23.27	33.01	PASS
Band7	15MHz	QPSK	21375	1RB#37	22.82	23.1	33.01	PASS
Band7	15MHz	QPSK	21375	1RB#74	22.69	22.97	33.01	PASS
Band7	15MHz	QPSK	21375	36RB#0	22.25	22.53	33.01	PASS
Band7	15MHz	QPSK	21375	36RB#16	22.23	22.51	33.01	PASS
Band7	15MHz	QPSK	21375	36RB#35	22.24	22.52	33.01	PASS
Band7	15MHz	QPSK	21375	75RB#0	22.32	22.6	33.01	PASS
Band7	15MHz	16QAM	20825	1RB#0	21.95	22.23	33.01	PASS
Band7	15MHz	16QAM	20825	1RB#37	21.92	22.2	33.01	PASS
Band7	15MHz	16QAM	20825	1RB#74	21.95	22.23	33.01	PASS
Band7	15MHz	16QAM	20825	36RB#0	21.23	21.51	33.01	PASS
Band7	15MHz	16QAM	20825	36RB#16	21.24	21.52	33.01	PASS
Band7	15MHz	16QAM	20825	36RB#35	21.24	21.52	33.01	PASS
Band7	15MHz	16QAM	20825	75RB#0	21.21	21.49	33.01	PASS
Band7	15MHz	16QAM	21100	1RB#0	21.88	22.16	33.01	PASS
Band7	15MHz	16QAM	21100	1RB#37	22.06	22.34	33.01	PASS
Band7	15MHz	16QAM	21100	1RB#74	21.73	22.01	33.01	PASS
Band7	15MHz	16QAM	21100	36RB#0	21.20	21.48	33.01	PASS
Band7	15MHz	16QAM	21100	36RB#16	21.18	21.46	33.01	PASS
Band7	15MHz	16QAM	21100	36RB#35	21.19	21.47	33.01	PASS
Band7	15MHz	16QAM	21100	75RB#0	21.26	21.54	33.01	PASS

Band7	15MHz	16QAM	21375	1RB#0	21.84	22.12	33.01	PASS
Band7	15MHz	16QAM	21375	1RB#37	21.86	22.14	33.01	PASS
Band7	15MHz	16QAM	21375	1RB#74	22.03	22.31	33.01	PASS
Band7	15MHz	16QAM	21375	36RB#0	21.27	21.55	33.01	PASS
Band7	15MHz	16QAM	21375	36RB#16	21.28	21.56	33.01	PASS
Band7	15MHz	16QAM	21375	36RB#35	21.26	21.54	33.01	PASS
Band7	15MHz	16QAM	21375	75RB#0	21.30	21.58	33.01	PASS
Band7	15MHz	64QAM	20825	1RB#0	21.40	21.68	33.01	PASS
Band7	15MHz	64QAM	20825	1RB#37	21.09	21.37	33.01	PASS
Band7	15MHz	64QAM	20825	1RB#74	21.01	21.29	33.01	PASS
Band7	15MHz	64QAM	20825	36RB#0	20.18	20.46	33.01	PASS
Band7	15MHz	64QAM	20825	36RB#16	20.16	20.44	33.01	PASS
Band7	15MHz	64QAM	20825	36RB#35	20.17	20.45	33.01	PASS
Band7	15MHz	64QAM	20825	75RB#0	20.19	20.47	33.01	PASS
Band7	15MHz	64QAM	21100	1RB#0	21.32	21.6	33.01	PASS
Band7	15MHz	64QAM	21100	1RB#37	21.42	21.7	33.01	PASS
Band7	15MHz	64QAM	21100	1RB#74	21.16	21.44	33.01	PASS
Band7	15MHz	64QAM	21100	36RB#0	20.19	20.47	33.01	PASS
Band7	15MHz	64QAM	21100	36RB#16	20.21	20.49	33.01	PASS
Band7	15MHz	64QAM	21100	36RB#35	20.21	20.49	33.01	PASS
Band7	15MHz	64QAM	21100	75RB#0	20.26	20.54	33.01	PASS
Band7	15MHz	64QAM	21375	1RB#0	20.78	21.06	33.01	PASS
Band7	15MHz	64QAM	21375	1RB#37	20.80	21.08	33.01	PASS
Band7	15MHz	64QAM	21375	1RB#74	20.86	21.14	33.01	PASS
Band7	15MHz	64QAM	21375	36RB#0	20.33	20.61	33.01	PASS
Band7	15MHz	64QAM	21375	36RB#16	20.32	20.6	33.01	PASS
Band7	15MHz	64QAM	21375	36RB#35	20.34	20.62	33.01	PASS
Band7	15MHz	64QAM	21375	75RB#0	20.31	20.59	33.01	PASS
Band7	20MHz	QPSK	20850	1RB#0	23.23	23.51	33.01	PASS
Band7	20MHz	QPSK	20850	1RB#49	23.12	23.4	33.01	PASS
Band7	20MHz	QPSK	20850	1RB#99	23.14	23.42	33.01	PASS
Band7	20MHz	QPSK	20850	50RB#0	22.23	22.51	33.01	PASS
Band7	20MHz	QPSK	20850	50RB#24	22.24	22.52	33.01	PASS
Band7	20MHz	QPSK	20850	50RB#49	22.24	22.52	33.01	PASS
Band7	20MHz	QPSK	20850	100RB#0	22.20	22.48	33.01	PASS
Band7	20MHz	QPSK	21100	1RB#0	22.89	23.17	33.01	PASS
Band7	20MHz	QPSK	21100	1RB#49	23.01	23.29	33.01	PASS
Band7	20MHz	QPSK	21100	1RB#99	23.10	23.38	33.01	PASS
Band7	20MHz	QPSK	21100	50RB#0	22.24	22.52	33.01	PASS
Band7	20MHz	QPSK	21100	50RB#24	22.25	22.53	33.01	PASS
Band7	20MHz	QPSK	21100	50RB#49	22.22	22.5	33.01	PASS
Band7	20MHz	QPSK	21100	100RB#0	22.25	22.53	33.01	PASS

Band7	20MHz	QPSK	21350	1RB#0	23.28	23.56	33.01	PASS
Band7	20MHz	QPSK	21350	1RB#49	23.10	23.38	33.01	PASS
Band7	20MHz	QPSK	21350	1RB#99	22.77	23.05	33.01	PASS
Band7	20MHz	QPSK	21350	50RB#0	22.19	22.47	33.01	PASS
Band7	20MHz	QPSK	21350	50RB#24	22.23	22.51	33.01	PASS
Band7	20MHz	QPSK	21350	50RB#49	22.21	22.49	33.01	PASS
Band7	20MHz	QPSK	21350	100RB#0	22.29	22.57	33.01	PASS
Band7	20MHz	16QAM	20850	1RB#0	22.49	22.77	33.01	PASS
Band7	20MHz	16QAM	20850	1RB#49	22.35	22.63	33.01	PASS
Band7	20MHz	16QAM	20850	1RB#99	22.46	22.74	33.01	PASS
Band7	20MHz	16QAM	20850	50RB#0	21.25	21.53	33.01	PASS
Band7	20MHz	16QAM	20850	50RB#24	21.25	21.53	33.01	PASS
Band7	20MHz	16QAM	20850	50RB#49	21.24	21.52	33.01	PASS
Band7	20MHz	16QAM	20850	100RB#0	21.22	21.5	33.01	PASS
Band7	20MHz	16QAM	21100	1RB#0	22.18	22.46	33.01	PASS
Band7	20MHz	16QAM	21100	1RB#49	22.27	22.55	33.01	PASS
Band7	20MHz	16QAM	21100	1RB#99	22.36	22.64	33.01	PASS
Band7	20MHz	16QAM	21100	50RB#0	21.29	21.57	33.01	PASS
Band7	20MHz	16QAM	21100	50RB#24	21.30	21.58	33.01	PASS
Band7	20MHz	16QAM	21100	50RB#49	21.28	21.56	33.01	PASS
Band7	20MHz	16QAM	21100	100RB#0	21.26	21.54	33.01	PASS
Band7	20MHz	16QAM	21350	1RB#0	22.27	22.55	33.01	PASS
Band7	20MHz	16QAM	21350	1RB#49	21.76	22.04	33.01	PASS
Band7	20MHz	16QAM	21350	1RB#99	21.89	22.17	33.01	PASS
Band7	20MHz	16QAM	21350	50RB#0	21.21	21.49	33.01	PASS
Band7	20MHz	16QAM	21350	50RB#24	21.26	21.54	33.01	PASS
Band7	20MHz	16QAM	21350	50RB#49	21.25	21.53	33.01	PASS
Band7	20MHz	16QAM	21350	100RB#0	21.30	21.58	33.01	PASS
Band7	20MHz	64QAM	20850	1RB#0	21.40	21.68	33.01	PASS
Band7	20MHz	64QAM	20850	1RB#49	21.32	21.6	33.01	PASS
Band7	20MHz	64QAM	20850	1RB#99	21.35	21.63	33.01	PASS
Band7	20MHz	64QAM	20850	50RB#0	20.28	20.56	33.01	PASS
Band7	20MHz	64QAM	20850	50RB#24	20.28	20.56	33.01	PASS
Band7	20MHz	64QAM	20850	50RB#49	20.27	20.55	33.01	PASS
Band7	20MHz	64QAM	20850	100RB#0	20.25	20.53	33.01	PASS
Band7	20MHz	64QAM	21100	1RB#0	21.06	21.34	33.01	PASS
Band7	20MHz	64QAM	21100	1RB#49	21.23	21.51	33.01	PASS
Band7	20MHz	64QAM	21100	1RB#99	21.24	21.52	33.01	PASS
Band7	20MHz	64QAM	21100	50RB#0	20.27	20.55	33.01	PASS
Band7	20MHz	64QAM	21100	50RB#24	20.27	20.55	33.01	PASS
Band7	20MHz	64QAM	21100	50RB#49	20.23	20.51	33.01	PASS
Band7	20MHz	64QAM	21100	100RB#0	20.26	20.54	33.01	PASS

Band7	20MHz	64QAM	21350	1RB#0	21.51	21.79	33.01	PASS
Band7	20MHz	64QAM	21350	1RB#49	21.29	21.57	33.01	PASS
Band7	20MHz	64QAM	21350	1RB#99	21.06	21.34	33.01	PASS
Band7	20MHz	64QAM	21350	50RB#0	20.25	20.53	33.01	PASS
Band7	20MHz	64QAM	21350	50RB#24	20.26	20.54	33.01	PASS
Band7	20MHz	64QAM	21350	50RB#49	20.28	20.56	33.01	PASS
Band7	20MHz	64QAM	21350	100RB#0	20.26	20.54	33.01	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	23.30	23.13	33.01	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	23.20	23.03	33.01	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	23.27	23.1	33.01	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	23.32	23.15	33.01	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	23.28	23.11	33.01	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	23.29	23.12	33.01	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	22.32	22.15	33.01	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	23.42	23.25	33.01	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	23.49	23.32	33.01	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	23.48	23.31	33.01	PASS
Band25	1.4MHz	QPSK	26365	3RB#0	23.52	23.35	33.01	PASS
Band25	1.4MHz	QPSK	26365	3RB#1	23.59	23.42	33.01	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	23.56	23.39	33.01	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	22.51	22.34	33.01	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	23.50	23.33	33.01	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	23.32	23.15	33.01	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	23.45	23.28	33.01	PASS
Band25	1.4MHz	QPSK	26683	3RB#0	23.60	23.43	33.01	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	23.54	23.37	33.01	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	23.65	23.48	33.01	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	22.59	22.42	33.01	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	22.42	22.25	33.01	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	22.44	22.27	33.01	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	22.39	22.22	33.01	PASS
Band25	1.4MHz	16QAM	26047	3RB#0	22.27	22.1	33.01	PASS
Band25	1.4MHz	16QAM	26047	3RB#1	22.21	22.04	33.01	PASS
Band25	1.4MHz	16QAM	26047	3RB#3	22.24	22.07	33.01	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	21.41	21.24	33.01	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	22.68	22.51	33.01	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	22.69	22.52	33.01	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	22.63	22.46	33.01	PASS
Band25	1.4MHz	16QAM	26365	3RB#0	22.67	22.5	33.01	PASS
Band25	1.4MHz	16QAM	26365	3RB#1	22.47	22.3	33.01	PASS
Band25	1.4MHz	16QAM	26365	3RB#3	22.44	22.27	33.01	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	21.64	21.47	33.01	PASS

Band25	1.4MHz	16QAM	26683	1RB#0	22.70	22.53	33.01	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	22.67	22.5	33.01	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	22.68	22.51	33.01	PASS
Band25	1.4MHz	16QAM	26683	3RB#0	22.49	22.32	33.01	PASS
Band25	1.4MHz	16QAM	26683	3RB#1	22.45	22.28	33.01	PASS
Band25	1.4MHz	16QAM	26683	3RB#3	22.49	22.32	33.01	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	21.46	21.29	33.01	PASS
Band25	1.4MHz	64QAM	26047	1RB#0	21.66	21.49	33.01	PASS
Band25	1.4MHz	64QAM	26047	1RB#2	21.71	21.54	33.01	PASS
Band25	1.4MHz	64QAM	26047	1RB#5	21.90	21.73	33.01	PASS
Band25	1.4MHz	64QAM	26047	3RB#0	21.36	21.19	33.01	PASS
Band25	1.4MHz	64QAM	26047	3RB#1	21.47	21.3	33.01	PASS
Band25	1.4MHz	64QAM	26047	3RB#3	21.34	21.17	33.01	PASS
Band25	1.4MHz	64QAM	26047	6RB#0	20.25	20.08	33.01	PASS
Band25	1.4MHz	64QAM	26365	1RB#0	21.99	21.82	33.01	PASS
Band25	1.4MHz	64QAM	26365	1RB#2	21.91	21.74	33.01	PASS
Band25	1.4MHz	64QAM	26365	1RB#5	21.90	21.73	33.01	PASS
Band25	1.4MHz	64QAM	26365	3RB#0	21.59	21.42	33.01	PASS
Band25	1.4MHz	64QAM	26365	3RB#1	21.64	21.47	33.01	PASS
Band25	1.4MHz	64QAM	26365	3RB#3	21.54	21.37	33.01	PASS
Band25	1.4MHz	64QAM	26365	6RB#0	20.61	20.44	33.01	PASS
Band25	1.4MHz	64QAM	26683	1RB#0	21.57	21.4	33.01	PASS
Band25	1.4MHz	64QAM	26683	1RB#2	21.66	21.49	33.01	PASS
Band25	1.4MHz	64QAM	26683	1RB#5	21.63	21.46	33.01	PASS
Band25	1.4MHz	64QAM	26683	3RB#0	21.42	21.25	33.01	PASS
Band25	1.4MHz	64QAM	26683	3RB#1	21.41	21.24	33.01	PASS
Band25	1.4MHz	64QAM	26683	3RB#3	21.40	21.23	33.01	PASS
Band25	1.4MHz	64QAM	26683	6RB#0	20.62	20.45	33.01	PASS
Band25	3MHz	QPSK	26055	1RB#0	23.27	23.1	33.01	PASS
Band25	3MHz	QPSK	26055	1RB#8	23.11	22.94	33.01	PASS
Band25	3MHz	QPSK	26055	1RB#14	23.22	23.05	33.01	PASS
Band25	3MHz	QPSK	26055	8RB#0	22.14	21.97	33.01	PASS
Band25	3MHz	QPSK	26055	8RB#4	22.12	21.95	33.01	PASS
Band25	3MHz	QPSK	26055	8RB#7	22.16	21.99	33.01	PASS
Band25	3MHz	QPSK	26055	15RB#0	22.16	21.99	33.01	PASS
Band25	3MHz	QPSK	26365	1RB#0	23.40	23.23	33.01	PASS
Band25	3MHz	QPSK	26365	1RB#8	23.37	23.2	33.01	PASS
Band25	3MHz	QPSK	26365	1RB#14	23.38	23.21	33.01	PASS
Band25	3MHz	QPSK	26365	8RB#0	22.41	22.24	33.01	PASS
Band25	3MHz	QPSK	26365	8RB#4	22.41	22.24	33.01	PASS
Band25	3MHz	QPSK	26365	8RB#7	22.38	22.21	33.01	PASS
Band25	3MHz	QPSK	26365	15RB#0	22.37	22.2	33.01	PASS

Band25	3MHz	QPSK	26675	1RB#0	23.39	23.22	33.01	PASS
Band25	3MHz	QPSK	26675	1RB#8	23.36	23.19	33.01	PASS
Band25	3MHz	QPSK	26675	1RB#14	23.36	23.19	33.01	PASS
Band25	3MHz	QPSK	26675	8RB#0	22.46	22.29	33.01	PASS
Band25	3MHz	QPSK	26675	8RB#4	22.43	22.26	33.01	PASS
Band25	3MHz	QPSK	26675	8RB#7	22.47	22.3	33.01	PASS
Band25	3MHz	QPSK	26675	15RB#0	22.44	22.27	33.01	PASS
Band25	3MHz	16QAM	26055	1RB#0	22.47	22.3	33.01	PASS
Band25	3MHz	16QAM	26055	1RB#8	22.40	22.23	33.01	PASS
Band25	3MHz	16QAM	26055	1RB#14	22.37	22.2	33.01	PASS
Band25	3MHz	16QAM	26055	8RB#0	21.17	21	33.01	PASS
Band25	3MHz	16QAM	26055	8RB#4	21.18	21.01	33.01	PASS
Band25	3MHz	16QAM	26055	8RB#7	21.21	21.04	33.01	PASS
Band25	3MHz	16QAM	26055	15RB#0	21.20	21.03	33.01	PASS
Band25	3MHz	16QAM	26365	1RB#0	22.54	22.37	33.01	PASS
Band25	3MHz	16QAM	26365	1RB#8	22.52	22.35	33.01	PASS
Band25	3MHz	16QAM	26365	1RB#14	22.50	22.33	33.01	PASS
Band25	3MHz	16QAM	26365	8RB#0	21.45	21.28	33.01	PASS
Band25	3MHz	16QAM	26365	8RB#4	21.45	21.28	33.01	PASS
Band25	3MHz	16QAM	26365	8RB#7	21.43	21.26	33.01	PASS
Band25	3MHz	16QAM	26365	15RB#0	21.38	21.21	33.01	PASS
Band25	3MHz	16QAM	26675	1RB#0	22.61	22.44	33.01	PASS
Band25	3MHz	16QAM	26675	1RB#8	22.53	22.36	33.01	PASS
Band25	3MHz	16QAM	26675	1RB#14	22.51	22.34	33.01	PASS
Band25	3MHz	16QAM	26675	8RB#0	21.46	21.29	33.01	PASS
Band25	3MHz	16QAM	26675	8RB#4	21.49	21.32	33.01	PASS
Band25	3MHz	16QAM	26675	8RB#7	21.49	21.32	33.01	PASS
Band25	3MHz	16QAM	26675	15RB#0	21.34	21.17	33.01	PASS
Band25	3MHz	64QAM	26055	1RB#0	21.23	21.06	33.01	PASS
Band25	3MHz	64QAM	26055	1RB#8	21.27	21.1	33.01	PASS
Band25	3MHz	64QAM	26055	1RB#14	21.14	20.97	33.01	PASS
Band25	3MHz	64QAM	26055	8RB#0	20.31	20.14	33.01	PASS
Band25	3MHz	64QAM	26055	8RB#4	20.27	20.1	33.01	PASS
Band25	3MHz	64QAM	26055	8RB#7	20.28	20.11	33.01	PASS
Band25	3MHz	64QAM	26055	15RB#0	20.31	20.14	33.01	PASS
Band25	3MHz	64QAM	26365	1RB#0	21.37	21.2	33.01	PASS
Band25	3MHz	64QAM	26365	1RB#8	21.36	21.19	33.01	PASS
Band25	3MHz	64QAM	26365	1RB#14	21.37	21.2	33.01	PASS
Band25	3MHz	64QAM	26365	8RB#0	20.61	20.44	33.01	PASS
Band25	3MHz	64QAM	26365	8RB#4	20.61	20.44	33.01	PASS
Band25	3MHz	64QAM	26365	8RB#7	20.57	20.4	33.01	PASS
Band25	3MHz	64QAM	26365	15RB#0	20.62	20.45	33.01	PASS

Band25	3MHz	64QAM	26675	1RB#0	21.42	21.25	33.01	PASS
Band25	3MHz	64QAM	26675	1RB#8	21.40	21.23	33.01	PASS
Band25	3MHz	64QAM	26675	1RB#14	21.41	21.24	33.01	PASS
Band25	3MHz	64QAM	26675	8RB#0	20.63	20.46	33.01	PASS
Band25	3MHz	64QAM	26675	8RB#4	20.63	20.46	33.01	PASS
Band25	3MHz	64QAM	26675	8RB#7	20.64	20.47	33.01	PASS
Band25	3MHz	64QAM	26675	15RB#0	20.57	20.4	33.01	PASS
Band25	5MHz	QPSK	26065	1RB#0	23.50	23.33	33.01	PASS
Band25	5MHz	QPSK	26065	1RB#12	23.42	23.25	33.01	PASS
Band25	5MHz	QPSK	26065	1RB#24	23.59	23.42	33.01	PASS
Band25	5MHz	QPSK	26065	12RB#0	22.41	22.24	33.01	PASS
Band25	5MHz	QPSK	26065	12RB#6	22.37	22.2	33.01	PASS
Band25	5MHz	QPSK	26065	12RB#13	22.36	22.19	33.01	PASS
Band25	5MHz	QPSK	26065	25RB#0	22.41	22.24	33.01	PASS
Band25	5MHz	QPSK	26365	1RB#0	23.75	23.58	33.01	PASS
Band25	5MHz	QPSK	26365	1RB#12	23.60	23.43	33.01	PASS
Band25	5MHz	QPSK	26365	1RB#24	23.59	23.42	33.01	PASS
Band25	5MHz	QPSK	26365	12RB#0	22.56	22.39	33.01	PASS
Band25	5MHz	QPSK	26365	12RB#6	22.57	22.4	33.01	PASS
Band25	5MHz	QPSK	26365	12RB#13	22.52	22.35	33.01	PASS
Band25	5MHz	QPSK	26365	25RB#0	22.59	22.42	33.01	PASS
Band25	5MHz	QPSK	26665	1RB#0	23.59	23.42	33.01	PASS
Band25	5MHz	QPSK	26665	1RB#12	23.71	23.54	33.01	PASS
Band25	5MHz	QPSK	26665	1RB#24	23.66	23.49	33.01	PASS
Band25	5MHz	QPSK	26665	12RB#0	22.58	22.41	33.01	PASS
Band25	5MHz	QPSK	26665	12RB#6	22.58	22.41	33.01	PASS
Band25	5MHz	QPSK	26665	12RB#13	22.57	22.4	33.01	PASS
Band25	5MHz	QPSK	26665	25RB#0	22.62	22.45	33.01	PASS
Band25	5MHz	16QAM	26065	1RB#0	22.36	22.19	33.01	PASS
Band25	5MHz	16QAM	26065	1RB#12	22.39	22.22	33.01	PASS
Band25	5MHz	16QAM	26065	1RB#24	22.42	22.25	33.01	PASS
Band25	5MHz	16QAM	26065	12RB#0	21.42	21.25	33.01	PASS
Band25	5MHz	16QAM	26065	12RB#6	21.42	21.25	33.01	PASS
Band25	5MHz	16QAM	26065	12RB#13	21.40	21.23	33.01	PASS
Band25	5MHz	16QAM	26065	25RB#0	21.42	21.25	33.01	PASS
Band25	5MHz	16QAM	26365	1RB#0	22.61	22.44	33.01	PASS
Band25	5MHz	16QAM	26365	1RB#12	22.58	22.41	33.01	PASS
Band25	5MHz	16QAM	26365	1RB#24	22.59	22.42	33.01	PASS
Band25	5MHz	16QAM	26365	12RB#0	21.60	21.43	33.01	PASS
Band25	5MHz	16QAM	26365	12RB#6	21.60	21.43	33.01	PASS
Band25	5MHz	16QAM	26365	12RB#13	21.56	21.39	33.01	PASS
Band25	5MHz	16QAM	26365	25RB#0	21.59	21.42	33.01	PASS

Band25	5MHz	16QAM	26665	1RB#0	22.77	22.6	33.01	PASS
Band25	5MHz	16QAM	26665	1RB#12	22.80	22.63	33.01	PASS
Band25	5MHz	16QAM	26665	1RB#24	22.81	22.64	33.01	PASS
Band25	5MHz	16QAM	26665	12RB#0	21.66	21.49	33.01	PASS
Band25	5MHz	16QAM	26665	12RB#6	21.67	21.5	33.01	PASS
Band25	5MHz	16QAM	26665	12RB#13	21.65	21.48	33.01	PASS
Band25	5MHz	16QAM	26665	25RB#0	21.59	21.42	33.01	PASS
Band25	5MHz	64QAM	26065	1RB#0	21.36	21.19	33.01	PASS
Band25	5MHz	64QAM	26065	1RB#12	21.39	21.22	33.01	PASS
Band25	5MHz	64QAM	26065	1RB#24	21.43	21.26	33.01	PASS
Band25	5MHz	64QAM	26065	12RB#0	20.55	20.38	33.01	PASS
Band25	5MHz	64QAM	26065	12RB#6	20.53	20.36	33.01	PASS
Band25	5MHz	64QAM	26065	12RB#13	20.53	20.36	33.01	PASS
Band25	5MHz	64QAM	26065	25RB#0	20.51	20.34	33.01	PASS
Band25	5MHz	64QAM	26365	1RB#0	21.66	21.49	33.01	PASS
Band25	5MHz	64QAM	26365	1RB#12	21.55	21.38	33.01	PASS
Band25	5MHz	64QAM	26365	1RB#24	21.55	21.38	33.01	PASS
Band25	5MHz	64QAM	26365	12RB#0	20.76	20.59	33.01	PASS
Band25	5MHz	64QAM	26365	12RB#6	20.77	20.6	33.01	PASS
Band25	5MHz	64QAM	26365	12RB#13	20.74	20.57	33.01	PASS
Band25	5MHz	64QAM	26365	25RB#0	20.72	20.55	33.01	PASS
Band25	5MHz	64QAM	26665	1RB#0	22.18	22.01	33.01	PASS
Band25	5MHz	64QAM	26665	1RB#12	22.16	21.99	33.01	PASS
Band25	5MHz	64QAM	26665	1RB#24	22.15	21.98	33.01	PASS
Band25	5MHz	64QAM	26665	12RB#0	20.78	20.61	33.01	PASS
Band25	5MHz	64QAM	26665	12RB#6	20.81	20.64	33.01	PASS
Band25	5MHz	64QAM	26665	12RB#13	20.80	20.63	33.01	PASS
Band25	5MHz	64QAM	26665	25RB#0	20.67	20.5	33.01	PASS
Band25	10MHz	QPSK	26090	1RB#0	23.34	23.17	33.01	PASS
Band25	10MHz	QPSK	26090	1RB#24	23.30	23.13	33.01	PASS
Band25	10MHz	QPSK	26090	1RB#49	23.39	23.22	33.01	PASS
Band25	10MHz	QPSK	26090	25RB#0	22.38	22.21	33.01	PASS
Band25	10MHz	QPSK	26090	25RB#12	22.38	22.21	33.01	PASS
Band25	10MHz	QPSK	26090	25RB#25	22.41	22.24	33.01	PASS
Band25	10MHz	QPSK	26090	50RB#0	22.38	22.21	33.01	PASS
Band25	10MHz	QPSK	26365	1RB#0	23.63	23.46	33.01	PASS
Band25	10MHz	QPSK	26365	1RB#24	23.54	23.37	33.01	PASS
Band25	10MHz	QPSK	26365	1RB#49	23.57	23.4	33.01	PASS
Band25	10MHz	QPSK	26365	25RB#0	22.58	22.41	33.01	PASS
Band25	10MHz	QPSK	26365	25RB#12	22.59	22.42	33.01	PASS
Band25	10MHz	QPSK	26365	25RB#25	22.55	22.38	33.01	PASS
Band25	10MHz	QPSK	26365	50RB#0	22.57	22.4	33.01	PASS

Band25	10MHz	QPSK	26640	1RB#0	23.40	23.23	33.01	PASS
Band25	10MHz	QPSK	26640	1RB#24	23.51	23.34	33.01	PASS
Band25	10MHz	QPSK	26640	1RB#49	23.57	23.4	33.01	PASS
Band25	10MHz	QPSK	26640	25RB#0	22.58	22.41	33.01	PASS
Band25	10MHz	QPSK	26640	25RB#12	22.57	22.4	33.01	PASS
Band25	10MHz	QPSK	26640	25RB#25	22.57	22.4	33.01	PASS
Band25	10MHz	QPSK	26640	50RB#0	22.57	22.4	33.01	PASS
Band25	10MHz	16QAM	26090	1RB#0	22.60	22.43	33.01	PASS
Band25	10MHz	16QAM	26090	1RB#24	22.59	22.42	33.01	PASS
Band25	10MHz	16QAM	26090	1RB#49	22.60	22.43	33.01	PASS
Band25	10MHz	16QAM	26090	25RB#0	21.41	21.24	33.01	PASS
Band25	10MHz	16QAM	26090	25RB#12	21.40	21.23	33.01	PASS
Band25	10MHz	16QAM	26090	25RB#25	21.42	21.25	33.01	PASS
Band25	10MHz	16QAM	26090	50RB#0	21.37	21.2	33.01	PASS
Band25	10MHz	16QAM	26365	1RB#0	22.84	22.67	33.01	PASS
Band25	10MHz	16QAM	26365	1RB#24	22.73	22.56	33.01	PASS
Band25	10MHz	16QAM	26365	1RB#49	22.72	22.55	33.01	PASS
Band25	10MHz	16QAM	26365	25RB#0	21.58	21.41	33.01	PASS
Band25	10MHz	16QAM	26365	25RB#12	21.58	21.41	33.01	PASS
Band25	10MHz	16QAM	26365	25RB#25	21.54	21.37	33.01	PASS
Band25	10MHz	16QAM	26365	50RB#0	21.56	21.39	33.01	PASS
Band25	10MHz	16QAM	26640	1RB#0	22.60	22.43	33.01	PASS
Band25	10MHz	16QAM	26640	1RB#24	22.71	22.54	33.01	PASS
Band25	10MHz	16QAM	26640	1RB#49	22.79	22.62	33.01	PASS
Band25	10MHz	16QAM	26640	25RB#0	21.61	21.44	33.01	PASS
Band25	10MHz	16QAM	26640	25RB#12	21.57	21.4	33.01	PASS
Band25	10MHz	16QAM	26640	25RB#25	21.61	21.44	33.01	PASS
Band25	10MHz	16QAM	26640	50RB#0	21.55	21.38	33.01	PASS
Band25	10MHz	64QAM	26090	1RB#0	21.47	21.3	33.01	PASS
Band25	10MHz	64QAM	26090	1RB#24	21.44	21.27	33.01	PASS
Band25	10MHz	64QAM	26090	1RB#49	21.47	21.3	33.01	PASS
Band25	10MHz	64QAM	26090	25RB#0	20.40	20.23	33.01	PASS
Band25	10MHz	64QAM	26090	25RB#12	20.37	20.2	33.01	PASS
Band25	10MHz	64QAM	26090	25RB#25	20.45	20.28	33.01	PASS
Band25	10MHz	64QAM	26090	50RB#0	20.45	20.28	33.01	PASS
Band25	10MHz	64QAM	26365	1RB#0	21.60	21.43	33.01	PASS
Band25	10MHz	64QAM	26365	1RB#24	21.54	21.37	33.01	PASS
Band25	10MHz	64QAM	26365	1RB#49	21.54	21.37	33.01	PASS
Band25	10MHz	64QAM	26365	25RB#0	20.70	20.53	33.01	PASS
Band25	10MHz	64QAM	26365	25RB#12	20.72	20.55	33.01	PASS
Band25	10MHz	64QAM	26365	25RB#25	20.67	20.5	33.01	PASS
Band25	10MHz	64QAM	26365	50RB#0	20.66	20.49	33.01	PASS

Band25	10MHz	64QAM	26640	1RB#0	21.45	21.28	33.01	PASS
Band25	10MHz	64QAM	26640	1RB#24	21.65	21.48	33.01	PASS
Band25	10MHz	64QAM	26640	1RB#49	21.66	21.49	33.01	PASS
Band25	10MHz	64QAM	26640	25RB#0	20.62	20.45	33.01	PASS
Band25	10MHz	64QAM	26640	25RB#12	20.61	20.44	33.01	PASS
Band25	10MHz	64QAM	26640	25RB#25	20.61	20.44	33.01	PASS
Band25	10MHz	64QAM	26640	50RB#0	20.64	20.47	33.01	PASS
Band25	15MHz	QPSK	26115	1RB#0	23.48	23.31	33.01	PASS
Band25	15MHz	QPSK	26115	1RB#38	23.47	23.3	33.01	PASS
Band25	15MHz	QPSK	26115	1RB#74	23.47	23.3	33.01	PASS
Band25	15MHz	QPSK	26115	38RB#0	21.72	21.55	33.01	PASS
Band25	15MHz	QPSK	26115	38RB#18	21.74	21.57	33.01	PASS
Band25	15MHz	QPSK	26115	38RB#37	21.73	21.56	33.01	PASS
Band25	15MHz	QPSK	26115	75RB#0	22.40	22.23	33.01	PASS
Band25	15MHz	QPSK	26365	1RB#0	23.63	23.46	33.01	PASS
Band25	15MHz	QPSK	26365	1RB#38	23.67	23.5	33.01	PASS
Band25	15MHz	QPSK	26365	1RB#74	23.50	23.33	33.01	PASS
Band25	15MHz	QPSK	26365	38RB#0	21.64	21.47	33.01	PASS
Band25	15MHz	QPSK	26365	38RB#18	21.60	21.43	33.01	PASS
Band25	15MHz	QPSK	26365	38RB#37	21.50	21.33	33.01	PASS
Band25	15MHz	QPSK	26365	75RB#0	22.58	22.41	33.01	PASS
Band25	15MHz	QPSK	26615	1RB#0	23.45	23.28	33.01	PASS
Band25	15MHz	QPSK	26615	1RB#38	23.57	23.4	33.01	PASS
Band25	15MHz	QPSK	26615	1RB#74	23.61	23.44	33.01	PASS
Band25	15MHz	QPSK	26615	38RB#0	21.78	21.61	33.01	PASS
Band25	15MHz	QPSK	26615	38RB#18	21.88	21.71	33.01	PASS
Band25	15MHz	QPSK	26615	38RB#37	21.88	21.71	33.01	PASS
Band25	15MHz	QPSK	26615	75RB#0	22.57	22.4	33.01	PASS
Band25	15MHz	16QAM	26115	1RB#0	22.70	22.53	33.01	PASS
Band25	15MHz	16QAM	26115	1RB#38	22.72	22.55	33.01	PASS
Band25	15MHz	16QAM	26115	1RB#74	22.73	22.56	33.01	PASS
Band25	15MHz	16QAM	26115	38RB#0	21.75	21.58	33.01	PASS
Band25	15MHz	16QAM	26115	38RB#18	21.74	21.57	33.01	PASS
Band25	15MHz	16QAM	26115	38RB#37	21.75	21.58	33.01	PASS
Band25	15MHz	16QAM	26115	75RB#0	21.44	21.27	33.01	PASS
Band25	15MHz	16QAM	26365	1RB#0	22.84	22.67	33.01	PASS
Band25	15MHz	16QAM	26365	1RB#38	22.81	22.64	33.01	PASS
Band25	15MHz	16QAM	26365	1RB#74	22.74	22.57	33.01	PASS
Band25	15MHz	16QAM	26365	38RB#0	21.63	21.46	33.01	PASS
Band25	15MHz	16QAM	26365	38RB#18	21.60	21.43	33.01	PASS
Band25	15MHz	16QAM	26365	38RB#37	21.50	21.33	33.01	PASS
Band25	15MHz	16QAM	26365	75RB#0	21.55	21.38	33.01	PASS

Band25	15MHz	16QAM	26615	1RB#0	22.70	22.53	33.01	PASS
Band25	15MHz	16QAM	26615	1RB#38	22.85	22.68	33.01	PASS
Band25	15MHz	16QAM	26615	1RB#74	22.89	22.72	33.01	PASS
Band25	15MHz	16QAM	26615	38RB#0	21.73	21.56	33.01	PASS
Band25	15MHz	16QAM	26615	38RB#18	21.84	21.67	33.01	PASS
Band25	15MHz	16QAM	26615	38RB#37	21.89	21.72	33.01	PASS
Band25	15MHz	16QAM	26615	75RB#0	21.56	21.39	33.01	PASS
Band25	15MHz	64QAM	26115	1RB#0	21.73	21.56	33.01	PASS
Band25	15MHz	64QAM	26115	1RB#38	21.74	21.57	33.01	PASS
Band25	15MHz	64QAM	26115	1RB#74	21.76	21.59	33.01	PASS
Band25	15MHz	64QAM	26115	38RB#0	21.71	21.54	33.01	PASS
Band25	15MHz	64QAM	26115	38RB#18	21.74	21.57	33.01	PASS
Band25	15MHz	64QAM	26115	38RB#37	21.75	21.58	33.01	PASS
Band25	15MHz	64QAM	26115	75RB#0	20.54	20.37	33.01	PASS
Band25	15MHz	64QAM	26365	1RB#0	21.62	21.45	33.01	PASS
Band25	15MHz	64QAM	26365	1RB#38	21.60	21.43	33.01	PASS
Band25	15MHz	64QAM	26365	1RB#74	21.52	21.35	33.01	PASS
Band25	15MHz	64QAM	26365	38RB#0	21.63	21.46	33.01	PASS
Band25	15MHz	64QAM	26365	38RB#18	21.62	21.45	33.01	PASS
Band25	15MHz	64QAM	26365	38RB#37	21.49	21.32	33.01	PASS
Band25	15MHz	64QAM	26365	75RB#0	20.69	20.52	33.01	PASS
Band25	15MHz	64QAM	26615	1RB#0	21.72	21.55	33.01	PASS
Band25	15MHz	64QAM	26615	1RB#38	21.85	21.68	33.01	PASS
Band25	15MHz	64QAM	26615	1RB#74	21.88	21.71	33.01	PASS
Band25	15MHz	64QAM	26615	38RB#0	21.77	21.6	33.01	PASS
Band25	15MHz	64QAM	26615	38RB#18	21.88	21.71	33.01	PASS
Band25	15MHz	64QAM	26615	38RB#37	21.94	21.77	33.01	PASS
Band25	15MHz	64QAM	26615	75RB#0	20.67	20.5	33.01	PASS
Band25	20MHz	QPSK	26140	1RB#0	23.43	23.26	33.01	PASS
Band25	20MHz	QPSK	26140	1RB#49	23.47	23.3	33.01	PASS
Band25	20MHz	QPSK	26140	1RB#99	23.45	23.28	33.01	PASS
Band25	20MHz	QPSK	26140	50RB#0	22.38	22.21	33.01	PASS
Band25	20MHz	QPSK	26140	50RB#25	22.39	22.22	33.01	PASS
Band25	20MHz	QPSK	26140	50RB#50	22.47	22.3	33.01	PASS
Band25	20MHz	QPSK	26140	100RB#0	22.44	22.27	33.01	PASS
Band25	20MHz	QPSK	26365	1RB#0	23.72	23.55	33.01	PASS
Band25	20MHz	QPSK	26365	1RB#49	23.69	23.52	33.01	PASS
Band25	20MHz	QPSK	26365	1RB#99	23.72	23.55	33.01	PASS
Band25	20MHz	QPSK	26365	50RB#0	22.67	22.5	33.01	PASS
Band25	20MHz	QPSK	26365	50RB#25	22.67	22.5	33.01	PASS
Band25	20MHz	QPSK	26365	50RB#50	22.58	22.41	33.01	PASS
Band25	20MHz	QPSK	26365	100RB#0	22.63	22.46	33.01	PASS

Band25	20MHz	QPSK	26590	1RB#0	23.49	23.32	33.01	PASS
Band25	20MHz	QPSK	26590	1RB#49	23.64	23.47	33.01	PASS
Band25	20MHz	QPSK	26590	1RB#99	23.70	23.53	33.01	PASS
Band25	20MHz	QPSK	26590	50RB#0	22.56	22.39	33.01	PASS
Band25	20MHz	QPSK	26590	50RB#25	22.57	22.4	33.01	PASS
Band25	20MHz	QPSK	26590	50RB#50	22.64	22.47	33.01	PASS
Band25	20MHz	QPSK	26590	100RB#0	22.59	22.42	33.01	PASS
Band25	20MHz	16QAM	26140	1RB#0	22.72	22.55	33.01	PASS
Band25	20MHz	16QAM	26140	1RB#49	22.78	22.61	33.01	PASS
Band25	20MHz	16QAM	26140	1RB#99	22.71	22.54	33.01	PASS
Band25	20MHz	16QAM	26140	50RB#0	21.41	21.24	33.01	PASS
Band25	20MHz	16QAM	26140	50RB#25	21.39	21.22	33.01	PASS
Band25	20MHz	16QAM	26140	50RB#50	21.45	21.28	33.01	PASS
Band25	20MHz	16QAM	26140	100RB#0	21.42	21.25	33.01	PASS
Band25	20MHz	16QAM	26365	1RB#0	22.75	22.58	33.01	PASS
Band25	20MHz	16QAM	26365	1RB#49	22.72	22.55	33.01	PASS
Band25	20MHz	16QAM	26365	1RB#99	22.68	22.51	33.01	PASS
Band25	20MHz	16QAM	26365	50RB#0	21.67	21.5	33.01	PASS
Band25	20MHz	16QAM	26365	50RB#25	21.67	21.5	33.01	PASS
Band25	20MHz	16QAM	26365	50RB#50	21.57	21.4	33.01	PASS
Band25	20MHz	16QAM	26365	100RB#0	21.62	21.45	33.01	PASS
Band25	20MHz	16QAM	26590	1RB#0	22.72	22.55	33.01	PASS
Band25	20MHz	16QAM	26590	1RB#49	22.90	22.73	33.01	PASS
Band25	20MHz	16QAM	26590	1RB#99	22.93	22.76	33.01	PASS
Band25	20MHz	16QAM	26590	50RB#0	21.57	21.4	33.01	PASS
Band25	20MHz	16QAM	26590	50RB#25	21.57	21.4	33.01	PASS
Band25	20MHz	16QAM	26590	50RB#50	21.65	21.48	33.01	PASS
Band25	20MHz	16QAM	26590	100RB#0	21.57	21.4	33.01	PASS
Band25	20MHz	64QAM	26140	1RB#0	21.78	21.61	33.01	PASS
Band25	20MHz	64QAM	26140	1RB#49	21.69	21.52	33.01	PASS
Band25	20MHz	64QAM	26140	1RB#99	21.71	21.54	33.01	PASS
Band25	20MHz	64QAM	26140	50RB#0	20.53	20.36	33.01	PASS
Band25	20MHz	64QAM	26140	50RB#25	20.51	20.34	33.01	PASS
Band25	20MHz	64QAM	26140	50RB#50	20.53	20.36	33.01	PASS
Band25	20MHz	64QAM	26140	100RB#0	20.52	20.35	33.01	PASS
Band25	20MHz	64QAM	26365	1RB#0	22.04	21.87	33.01	PASS
Band25	20MHz	64QAM	26365	1RB#49	22.02	21.85	33.01	PASS
Band25	20MHz	64QAM	26365	1RB#99	21.94	21.77	33.01	PASS
Band25	20MHz	64QAM	26365	50RB#0	20.78	20.61	33.01	PASS
Band25	20MHz	64QAM	26365	50RB#25	20.77	20.6	33.01	PASS
Band25	20MHz	64QAM	26365	50RB#50	20.68	20.51	33.01	PASS
Band25	20MHz	64QAM	26365	100RB#0	20.69	20.52	33.01	PASS

Band25	20MHz	64QAM	26590	1RB#0	21.73	21.56	33.01	PASS
Band25	20MHz	64QAM	26590	1RB#49	21.86	21.69	33.01	PASS
Band25	20MHz	64QAM	26590	1RB#99	22.00	21.83	33.01	PASS
Band25	20MHz	64QAM	26590	50RB#0	20.69	20.52	33.01	PASS
Band25	20MHz	64QAM	26590	50RB#25	20.69	20.52	33.01	PASS
Band25	20MHz	64QAM	26590	50RB#50	20.74	20.57	33.01	PASS
Band25	20MHz	64QAM	26590	100RB#0	20.69	20.52	33.01	PASS
Band26	1.4MHz	QPSK	26697	1RB#0	23.14	16.16	50	PASS
Band26	1.4MHz	QPSK	26697	1RB#2	23.04	16.06	50	PASS
Band26	1.4MHz	QPSK	26697	1RB#5	23.07	16.09	50	PASS
Band26	1.4MHz	QPSK	26697	3RB#0	23.04	16.06	50	PASS
Band26	1.4MHz	QPSK	26697	3RB#1	23.03	16.05	50	PASS
Band26	1.4MHz	QPSK	26697	3RB#2	23.03	16.05	50	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	23.01	16.03	50	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	23.56	16.58	50	PASS
Band26	1.4MHz	QPSK	26740	1RB#2	23.49	16.51	50	PASS
Band26	1.4MHz	QPSK	26740	1RB#5	23.45	16.47	50	PASS
Band26	1.4MHz	QPSK	26740	3RB#0	23.48	16.5	50	PASS
Band26	1.4MHz	QPSK	26740	3RB#1	23.48	16.5	50	PASS
Band26	1.4MHz	QPSK	26740	3RB#2	23.47	16.49	50	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	23.45	16.47	50	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	23.33	16.35	50	PASS
Band26	1.4MHz	QPSK	26783	1RB#2	23.09	16.11	50	PASS
Band26	1.4MHz	QPSK	26783	1RB#5	23.01	16.03	50	PASS
Band26	1.4MHz	QPSK	26783	3RB#0	23.20	16.22	50	PASS
Band26	1.4MHz	QPSK	26783	3RB#1	23.21	16.23	50	PASS
Band26	1.4MHz	QPSK	26783	3RB#2	23.21	16.23	50	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	23.14	16.16	50	PASS
Band26	1.4MHz	QPSK	26797	1RB#0	23.18	16.2	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#2	23.02	16.04	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	22.98	16	38.45	PASS
Band26	1.4MHz	QPSK	26797	3RB#0	23.06	16.08	38.45	PASS
Band26	1.4MHz	QPSK	26797	3RB#1	23.05	16.07	38.45	PASS
Band26	1.4MHz	QPSK	26797	3RB#3	22.94	15.96	38.45	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	22.99	16.01	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	23.89	16.91	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#2	23.75	16.77	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#5	23.70	16.72	38.45	PASS
Band26	1.4MHz	QPSK	26915	3RB#0	23.76	16.78	38.45	PASS
Band26	1.4MHz	QPSK	26915	3RB#1	23.75	16.77	38.45	PASS
Band26	1.4MHz	QPSK	26915	3RB#3	23.68	16.7	38.45	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	23.69	16.71	38.45	PASS

Band26	1.4MHz	QPSK	27033	1RB#0	22.66	15.68	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#2	22.17	15.19	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	21.90	14.92	38.45	PASS
Band26	1.4MHz	QPSK	27033	3RB#0	22.49	15.51	38.45	PASS
Band26	1.4MHz	QPSK	27033	3RB#1	22.48	15.5	38.45	PASS
Band26	1.4MHz	QPSK	27033	3RB#3	22.02	15.04	38.45	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	22.30	15.32	38.45	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	22.87	15.89	50	PASS
Band26	1.4MHz	16QAM	26697	1RB#2	22.86	15.88	50	PASS
Band26	1.4MHz	16QAM	26697	1RB#5	22.85	15.87	50	PASS
Band26	1.4MHz	16QAM	26697	3RB#0	22.82	15.84	50	PASS
Band26	1.4MHz	16QAM	26697	3RB#1	22.82	15.84	50	PASS
Band26	1.4MHz	16QAM	26697	3RB#2	22.81	15.83	50	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	22.34	15.36	50	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	23.23	16.25	50	PASS
Band26	1.4MHz	16QAM	26740	1RB#2	23.22	16.24	50	PASS
Band26	1.4MHz	16QAM	26740	1RB#5	23.14	16.16	50	PASS
Band26	1.4MHz	16QAM	26740	3RB#0	23.20	16.22	50	PASS
Band26	1.4MHz	16QAM	26740	3RB#1	23.20	16.22	50	PASS
Band26	1.4MHz	16QAM	26740	3RB#2	23.19	16.21	50	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	22.55	15.57	50	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	23.15	16.17	50	PASS
Band26	1.4MHz	16QAM	26783	1RB#2	23.00	16.02	50	PASS
Band26	1.4MHz	16QAM	26783	1RB#5	22.87	15.89	50	PASS
Band26	1.4MHz	16QAM	26783	3RB#0	22.96	15.98	50	PASS
Band26	1.4MHz	16QAM	26783	3RB#1	22.95	15.97	50	PASS
Band26	1.4MHz	16QAM	26783	3RB#2	22.95	15.97	50	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	22.63	15.65	50	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	22.92	15.94	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#2	22.83	15.85	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#5	22.75	15.77	38.45	PASS
Band26	1.4MHz	16QAM	26797	3RB#0	22.82	15.84	38.45	PASS
Band26	1.4MHz	16QAM	26797	3RB#1	22.82	15.84	38.45	PASS
Band26	1.4MHz	16QAM	26797	3RB#3	22.72	15.74	38.45	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	22.44	15.46	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	23.51	16.53	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#2	23.45	16.47	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#5	23.39	16.41	38.45	PASS
Band26	1.4MHz	16QAM	26915	3RB#0	23.45	16.47	38.45	PASS
Band26	1.4MHz	16QAM	26915	3RB#1	23.47	16.49	38.45	PASS
Band26	1.4MHz	16QAM	26915	3RB#3	23.37	16.39	38.45	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	22.66	15.68	38.45	PASS

Band26	1.4MHz	16QAM	27033	1RB#0	22.52	15.54	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#2	22.10	15.12	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#5	21.76	14.78	38.45	PASS
Band26	1.4MHz	16QAM	27033	3RB#0	22.25	15.27	38.45	PASS
Band26	1.4MHz	16QAM	27033	3RB#1	22.23	15.25	38.45	PASS
Band26	1.4MHz	16QAM	27033	3RB#3	21.80	14.82	38.45	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	22.24	15.26	38.45	PASS
Band26	1.4MHz	64QAM	26697	1RB#0	22.25	15.27	50	PASS
Band26	1.4MHz	64QAM	26697	1RB#2	22.28	15.3	50	PASS
Band26	1.4MHz	64QAM	26697	1RB#5	22.26	15.28	50	PASS
Band26	1.4MHz	64QAM	26697	3RB#0	22.31	15.33	50	PASS
Band26	1.4MHz	64QAM	26697	3RB#1	22.31	15.33	50	PASS
Band26	1.4MHz	64QAM	26697	3RB#2	22.31	15.33	50	PASS
Band26	1.4MHz	64QAM	26697	6RB#0	21.28	14.3	50	PASS
Band26	1.4MHz	64QAM	26740	1RB#0	22.70	15.72	50	PASS
Band26	1.4MHz	64QAM	26740	1RB#2	22.70	15.72	50	PASS
Band26	1.4MHz	64QAM	26740	1RB#5	22.66	15.68	50	PASS
Band26	1.4MHz	64QAM	26740	3RB#0	22.57	15.59	50	PASS
Band26	1.4MHz	64QAM	26740	3RB#1	22.55	15.57	50	PASS
Band26	1.4MHz	64QAM	26740	3RB#2	22.57	15.59	50	PASS
Band26	1.4MHz	64QAM	26740	6RB#0	21.47	14.49	50	PASS
Band26	1.4MHz	64QAM	26783	1RB#0	22.83	15.85	50	PASS
Band26	1.4MHz	64QAM	26783	1RB#2	22.77	15.79	50	PASS
Band26	1.4MHz	64QAM	26783	1RB#5	22.87	15.89	50	PASS
Band26	1.4MHz	64QAM	26783	3RB#0	22.55	15.57	50	PASS
Band26	1.4MHz	64QAM	26783	3RB#1	22.55	15.57	50	PASS
Band26	1.4MHz	64QAM	26783	3RB#2	22.56	15.58	50	PASS
Band26	1.4MHz	64QAM	26783	6RB#0	21.40	14.42	50	PASS
Band26	1.4MHz	64QAM	26797	1RB#0	22.31	15.33	38.45	PASS
Band26	1.4MHz	64QAM	26797	1RB#2	22.35	15.37	38.45	PASS
Band26	1.4MHz	64QAM	26797	1RB#5	22.32	15.34	38.45	PASS
Band26	1.4MHz	64QAM	26797	3RB#0	22.42	15.44	38.45	PASS
Band26	1.4MHz	64QAM	26797	3RB#1	22.40	15.42	38.45	PASS
Band26	1.4MHz	64QAM	26797	3RB#3	22.37	15.39	38.45	PASS
Band26	1.4MHz	64QAM	26797	6RB#0	21.42	14.44	38.45	PASS
Band26	1.4MHz	64QAM	26915	1RB#0	22.82	15.84	38.45	PASS
Band26	1.4MHz	64QAM	26915	1RB#2	22.82	15.84	38.45	PASS
Band26	1.4MHz	64QAM	26915	1RB#5	22.83	15.85	38.45	PASS
Band26	1.4MHz	64QAM	26915	3RB#0	22.71	15.73	38.45	PASS
Band26	1.4MHz	64QAM	26915	3RB#1	22.70	15.72	38.45	PASS
Band26	1.4MHz	64QAM	26915	3RB#3	22.72	15.74	38.45	PASS
Band26	1.4MHz	64QAM	26915	6RB#0	21.58	14.6	38.45	PASS

Band26	1.4MHz	64QAM	27033	1RB#0	22.77	15.79	38.45	PASS
Band26	1.4MHz	64QAM	27033	1RB#2	22.33	15.35	38.45	PASS
Band26	1.4MHz	64QAM	27033	1RB#5	22.06	15.08	38.45	PASS
Band26	1.4MHz	64QAM	27033	3RB#0	22.37	15.39	38.45	PASS
Band26	1.4MHz	64QAM	27033	3RB#1	22.36	15.38	38.45	PASS
Band26	1.4MHz	64QAM	27033	3RB#3	21.93	14.95	38.45	PASS
Band26	1.4MHz	64QAM	27033	6RB#0	21.39	14.41	38.45	PASS
Band26	3MHz	QPSK	26705	1RB#0	23.06	16.08	50	PASS
Band26	3MHz	QPSK	26705	1RB#7	22.90	15.92	50	PASS
Band26	3MHz	QPSK	26705	1RB#14	23.03	16.05	50	PASS
Band26	3MHz	QPSK	26705	8RB#0	22.90	15.92	50	PASS
Band26	3MHz	QPSK	26705	8RB#4	22.89	15.91	50	PASS
Band26	3MHz	QPSK	26705	8RB#7	22.88	15.9	50	PASS
Band26	3MHz	QPSK	26705	15RB#0	22.86	15.88	50	PASS
Band26	3MHz	QPSK	26740	1RB#0	23.33	16.35	50	PASS
Band26	3MHz	QPSK	26740	1RB#7	23.17	16.19	50	PASS
Band26	3MHz	QPSK	26740	1RB#14	23.10	16.12	50	PASS
Band26	3MHz	QPSK	26740	8RB#0	23.22	16.24	50	PASS
Band26	3MHz	QPSK	26740	8RB#4	23.22	16.24	50	PASS
Band26	3MHz	QPSK	26740	8RB#7	23.11	16.13	50	PASS
Band26	3MHz	QPSK	26740	15RB#0	23.13	16.15	50	PASS
Band26	3MHz	QPSK	26775	1RB#0	23.35	16.37	50	PASS
Band26	3MHz	QPSK	26775	1RB#7	22.90	15.92	50	PASS
Band26	3MHz	QPSK	26775	1RB#14	22.67	15.69	50	PASS
Band26	3MHz	QPSK	26775	8RB#0	23.14	16.16	50	PASS
Band26	3MHz	QPSK	26775	8RB#4	23.15	16.17	50	PASS
Band26	3MHz	QPSK	26775	8RB#7	22.84	15.86	50	PASS
Band26	3MHz	QPSK	26775	15RB#0	22.98	16	50	PASS
Band26	3MHz	QPSK	26805	1RB#0	23.52	16.54	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#8	23.07	16.09	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#14	22.94	15.96	38.45	PASS
Band26	3MHz	QPSK	26805	8RB#0	23.18	16.2	38.45	PASS
Band26	3MHz	QPSK	26805	8RB#4	23.17	16.19	38.45	PASS
Band26	3MHz	QPSK	26805	8RB#7	22.92	15.94	38.45	PASS
Band26	3MHz	QPSK	26805	15RB#0	23.04	16.06	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#0	24.04	17.06	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#8	23.80	16.82	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#14	23.73	16.75	38.45	PASS
Band26	3MHz	QPSK	26915	8RB#0	23.71	16.73	38.45	PASS
Band26	3MHz	QPSK	26915	8RB#4	23.72	16.74	38.45	PASS
Band26	3MHz	QPSK	26915	8RB#7	23.72	16.74	38.45	PASS
Band26	3MHz	QPSK	26915	15RB#0	23.66	16.68	38.45	PASS

Band26	3MHz	QPSK	27025	1RB#0	23.57	16.59	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#8	22.72	15.74	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#14	21.94	14.96	38.45	PASS
Band26	3MHz	QPSK	27025	8RB#0	23.24	16.26	38.45	PASS
Band26	3MHz	QPSK	27025	8RB#4	23.24	16.26	38.45	PASS
Band26	3MHz	QPSK	27025	8RB#7	22.46	15.48	38.45	PASS
Band26	3MHz	QPSK	27025	15RB#0	22.83	15.85	38.45	PASS
Band26	3MHz	16QAM	26705	1RB#0	22.84	15.86	50	PASS
Band26	3MHz	16QAM	26705	1RB#7	22.66	15.68	50	PASS
Band26	3MHz	16QAM	26705	1RB#14	22.79	15.81	50	PASS
Band26	3MHz	16QAM	26705	8RB#0	22.55	15.57	50	PASS
Band26	3MHz	16QAM	26705	8RB#4	22.55	15.57	50	PASS
Band26	3MHz	16QAM	26705	8RB#7	22.56	15.58	50	PASS
Band26	3MHz	16QAM	26705	15RB#0	22.48	15.5	50	PASS
Band26	3MHz	16QAM	26740	1RB#0	22.81	15.83	50	PASS
Band26	3MHz	16QAM	26740	1RB#7	22.84	15.86	50	PASS
Band26	3MHz	16QAM	26740	1RB#14	22.81	15.83	50	PASS
Band26	3MHz	16QAM	26740	8RB#0	22.57	15.59	50	PASS
Band26	3MHz	16QAM	26740	8RB#4	22.56	15.58	50	PASS
Band26	3MHz	16QAM	26740	8RB#7	22.58	15.6	50	PASS
Band26	3MHz	16QAM	26740	15RB#0	22.49	15.51	50	PASS
Band26	3MHz	16QAM	26775	1RB#0	23.08	16.1	50	PASS
Band26	3MHz	16QAM	26775	1RB#7	22.84	15.86	50	PASS
Band26	3MHz	16QAM	26775	1RB#14	22.64	15.66	50	PASS
Band26	3MHz	16QAM	26775	8RB#0	22.64	15.66	50	PASS
Band26	3MHz	16QAM	26775	8RB#4	22.64	15.66	50	PASS
Band26	3MHz	16QAM	26775	8RB#7	22.62	15.64	50	PASS
Band26	3MHz	16QAM	26775	15RB#0	22.65	15.67	50	PASS
Band26	3MHz	16QAM	26805	1RB#0	23.26	16.28	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#8	22.79	15.81	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#14	22.68	15.7	38.45	PASS
Band26	3MHz	16QAM	26805	8RB#0	22.59	15.61	38.45	PASS
Band26	3MHz	16QAM	26805	8RB#4	22.59	15.61	38.45	PASS
Band26	3MHz	16QAM	26805	8RB#7	22.58	15.6	38.45	PASS
Band26	3MHz	16QAM	26805	15RB#0	22.52	15.54	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#0	23.44	16.46	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#8	23.47	16.49	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#14	23.45	16.47	38.45	PASS
Band26	3MHz	16QAM	26915	8RB#0	22.71	15.73	38.45	PASS
Band26	3MHz	16QAM	26915	8RB#4	22.67	15.69	38.45	PASS
Band26	3MHz	16QAM	26915	8RB#7	22.69	15.71	38.45	PASS
Band26	3MHz	16QAM	26915	15RB#0	22.59	15.61	38.45	PASS

Band26	3MHz	16QAM	27025	1RB#0	23.48	16.5	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#8	22.66	15.68	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#14	21.89	14.91	38.45	PASS
Band26	3MHz	16QAM	27025	8RB#0	22.66	15.68	38.45	PASS
Band26	3MHz	16QAM	27025	8RB#4	22.67	15.69	38.45	PASS
Band26	3MHz	16QAM	27025	8RB#7	22.40	15.42	38.45	PASS
Band26	3MHz	16QAM	27025	15RB#0	22.57	15.59	38.45	PASS
Band26	3MHz	64QAM	26705	1RB#0	21.79	14.81	50	PASS
Band26	3MHz	64QAM	26705	1RB#7	21.80	14.82	50	PASS
Band26	3MHz	64QAM	26705	1RB#14	21.82	14.84	50	PASS
Band26	3MHz	64QAM	26705	8RB#0	21.55	14.57	50	PASS
Band26	3MHz	64QAM	26705	8RB#4	21.57	14.59	50	PASS
Band26	3MHz	64QAM	26705	8RB#7	21.56	14.58	50	PASS
Band26	3MHz	64QAM	26705	15RB#0	21.52	14.54	50	PASS
Band26	3MHz	64QAM	26740	1RB#0	22.17	15.19	50	PASS
Band26	3MHz	64QAM	26740	1RB#7	22.17	15.19	50	PASS
Band26	3MHz	64QAM	26740	1RB#14	22.19	15.21	50	PASS
Band26	3MHz	64QAM	26740	8RB#0	21.51	14.53	50	PASS
Band26	3MHz	64QAM	26740	8RB#4	21.51	14.53	50	PASS
Band26	3MHz	64QAM	26740	8RB#7	21.52	14.54	50	PASS
Band26	3MHz	64QAM	26740	15RB#0	21.48	14.5	50	PASS
Band26	3MHz	64QAM	26775	1RB#0	21.90	14.92	50	PASS
Band26	3MHz	64QAM	26775	1RB#7	21.96	14.98	50	PASS
Band26	3MHz	64QAM	26775	1RB#14	22.01	15.03	50	PASS
Band26	3MHz	64QAM	26775	8RB#0	21.62	14.64	50	PASS
Band26	3MHz	64QAM	26775	8RB#4	21.60	14.62	50	PASS
Band26	3MHz	64QAM	26775	8RB#7	21.61	14.63	50	PASS
Band26	3MHz	64QAM	26775	15RB#0	21.68	14.7	50	PASS
Band26	3MHz	64QAM	26805	1RB#0	22.33	15.35	38.45	PASS
Band26	3MHz	64QAM	26805	1RB#8	22.30	15.32	38.45	PASS
Band26	3MHz	64QAM	26805	1RB#14	22.29	15.31	38.45	PASS
Band26	3MHz	64QAM	26805	8RB#0	21.57	14.59	38.45	PASS
Band26	3MHz	64QAM	26805	8RB#4	21.62	14.64	38.45	PASS
Band26	3MHz	64QAM	26805	8RB#7	21.56	14.58	38.45	PASS
Band26	3MHz	64QAM	26805	15RB#0	21.51	14.53	38.45	PASS
Band26	3MHz	64QAM	26915	1RB#0	22.80	15.82	38.45	PASS
Band26	3MHz	64QAM	26915	1RB#8	22.77	15.79	38.45	PASS
Band26	3MHz	64QAM	26915	1RB#14	22.81	15.83	38.45	PASS
Band26	3MHz	64QAM	26915	8RB#0	21.62	14.64	38.45	PASS
Band26	3MHz	64QAM	26915	8RB#4	21.61	14.63	38.45	PASS
Band26	3MHz	64QAM	26915	8RB#7	21.64	14.66	38.45	PASS
Band26	3MHz	64QAM	26915	15RB#0	21.58	14.6	38.45	PASS

Band26	3MHz	64QAM	27025	1RB#0	22.40	15.42	38.45	PASS
Band26	3MHz	64QAM	27025	1RB#8	22.46	15.48	38.45	PASS
Band26	3MHz	64QAM	27025	1RB#14	21.76	14.78	38.45	PASS
Band26	3MHz	64QAM	27025	8RB#0	21.62	14.64	38.45	PASS
Band26	3MHz	64QAM	27025	8RB#4	21.64	14.66	38.45	PASS
Band26	3MHz	64QAM	27025	8RB#7	21.57	14.59	38.45	PASS
Band26	3MHz	64QAM	27025	15RB#0	21.63	14.65	38.45	PASS
Band26	5MHz	QPSK	26715	1RB#0	23.19	16.21	50	PASS
Band26	5MHz	QPSK	26715	1RB#12	23.09	16.11	50	PASS
Band26	5MHz	QPSK	26715	1RB#24	23.13	16.15	50	PASS
Band26	5MHz	QPSK	26715	12RB#0	22.97	15.99	50	PASS
Band26	5MHz	QPSK	26715	12RB#6	22.96	15.98	50	PASS
Band26	5MHz	QPSK	26715	12RB#11	22.95	15.97	50	PASS
Band26	5MHz	QPSK	26715	25RB#0	23.00	16.02	50	PASS
Band26	5MHz	QPSK	26740	1RB#0	23.35	16.37	50	PASS
Band26	5MHz	QPSK	26740	1RB#12	23.26	16.28	50	PASS
Band26	5MHz	QPSK	26740	1RB#24	23.08	16.1	50	PASS
Band26	5MHz	QPSK	26740	12RB#0	23.19	16.21	50	PASS
Band26	5MHz	QPSK	26740	12RB#6	23.18	16.2	50	PASS
Band26	5MHz	QPSK	26740	12RB#11	23.17	16.19	50	PASS
Band26	5MHz	QPSK	26740	25RB#0	23.14	16.16	50	PASS
Band26	5MHz	QPSK	26765	1RB#0	23.51	16.53	50	PASS
Band26	5MHz	QPSK	26765	1RB#12	23.12	16.14	50	PASS
Band26	5MHz	QPSK	26765	1RB#24	22.66	15.68	50	PASS
Band26	5MHz	QPSK	26765	12RB#0	23.22	16.24	50	PASS
Band26	5MHz	QPSK	26765	12RB#6	23.21	16.23	50	PASS
Band26	5MHz	QPSK	26765	12RB#11	23.20	16.22	50	PASS
Band26	5MHz	QPSK	26765	25RB#0	23.02	16.04	50	PASS
Band26	5MHz	QPSK	26815	1RB#0	23.46	16.48	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#12	22.93	15.95	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#24	22.89	15.91	38.45	PASS
Band26	5MHz	QPSK	26815	12RB#0	23.15	16.17	38.45	PASS
Band26	5MHz	QPSK	26815	12RB#6	23.14	16.16	38.45	PASS
Band26	5MHz	QPSK	26815	12RB#13	22.81	15.83	38.45	PASS
Band26	5MHz	QPSK	26815	25RB#0	23.00	16.02	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#0	24.05	17.07	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#12	23.86	16.88	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#24	23.62	16.64	38.45	PASS
Band26	5MHz	QPSK	26915	12RB#0	23.75	16.77	38.45	PASS
Band26	5MHz	QPSK	26915	12RB#6	23.72	16.74	38.45	PASS
Band26	5MHz	QPSK	26915	12RB#13	23.66	16.68	38.45	PASS
Band26	5MHz	QPSK	26915	25RB#0	23.77	16.79	38.45	PASS

Band26	5MHz	QPSK	27015	1RB#0	23.93	16.95	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#12	23.25	16.27	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#24	21.98	15	38.45	PASS
Band26	5MHz	QPSK	27015	12RB#0	23.60	16.62	38.45	PASS
Band26	5MHz	QPSK	27015	12RB#6	23.61	16.63	38.45	PASS
Band26	5MHz	QPSK	27015	12RB#13	22.65	15.67	38.45	PASS
Band26	5MHz	QPSK	27015	25RB#0	23.19	16.21	38.45	PASS
Band26	5MHz	16QAM	26715	1RB#0	23.16	16.18	50	PASS
Band26	5MHz	16QAM	26715	1RB#12	23.08	16.1	50	PASS
Band26	5MHz	16QAM	26715	1RB#24	23.15	16.17	50	PASS
Band26	5MHz	16QAM	26715	12RB#0	22.67	15.69	50	PASS
Band26	5MHz	16QAM	26715	12RB#6	22.66	15.68	50	PASS
Band26	5MHz	16QAM	26715	12RB#11	22.65	15.67	50	PASS
Band26	5MHz	16QAM	26715	25RB#0	22.60	15.62	50	PASS
Band26	5MHz	16QAM	26740	1RB#0	23.02	16.04	50	PASS
Band26	5MHz	16QAM	26740	1RB#12	23.04	16.06	50	PASS
Band26	5MHz	16QAM	26740	1RB#24	22.91	15.93	50	PASS
Band26	5MHz	16QAM	26740	12RB#0	22.64	15.66	50	PASS
Band26	5MHz	16QAM	26740	12RB#6	22.62	15.64	50	PASS
Band26	5MHz	16QAM	26740	12RB#11	22.64	15.66	50	PASS
Band26	5MHz	16QAM	26740	25RB#0	22.69	15.71	50	PASS
Band26	5MHz	16QAM	26765	1RB#0	23.08	16.1	50	PASS
Band26	5MHz	16QAM	26765	1RB#12	22.98	16	50	PASS
Band26	5MHz	16QAM	26765	1RB#24	22.53	15.55	50	PASS
Band26	5MHz	16QAM	26765	12RB#0	22.64	15.66	50	PASS
Band26	5MHz	16QAM	26765	12RB#6	22.62	15.64	50	PASS
Band26	5MHz	16QAM	26765	12RB#11	22.62	15.64	50	PASS
Band26	5MHz	16QAM	26765	25RB#0	22.66	15.68	50	PASS
Band26	5MHz	16QAM	26815	1RB#0	23.42	16.44	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#12	22.94	15.96	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#24	22.91	15.93	38.45	PASS
Band26	5MHz	16QAM	26815	12RB#0	22.70	15.72	38.45	PASS
Band26	5MHz	16QAM	26815	12RB#6	22.73	15.75	38.45	PASS
Band26	5MHz	16QAM	26815	12RB#13	22.68	15.7	38.45	PASS
Band26	5MHz	16QAM	26815	25RB#0	22.62	15.64	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#0	23.70	16.72	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#12	23.68	16.7	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#24	23.46	16.48	38.45	PASS
Band26	5MHz	16QAM	26915	12RB#0	22.75	15.77	38.45	PASS
Band26	5MHz	16QAM	26915	12RB#6	22.76	15.78	38.45	PASS
Band26	5MHz	16QAM	26915	12RB#13	22.75	15.77	38.45	PASS
Band26	5MHz	16QAM	26915	25RB#0	22.75	15.77	38.45	PASS

Band26	5MHz	16QAM	27015	1RB#0	23.65	16.67	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#12	23.11	16.13	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#24	21.86	14.88	38.45	PASS
Band26	5MHz	16QAM	27015	12RB#0	22.64	15.66	38.45	PASS
Band26	5MHz	16QAM	27015	12RB#6	22.64	15.66	38.45	PASS
Band26	5MHz	16QAM	27015	12RB#13	22.58	15.6	38.45	PASS
Band26	5MHz	16QAM	27015	25RB#0	22.67	15.69	38.45	PASS
Band26	5MHz	64QAM	26715	1RB#0	23.00	16.02	50	PASS
Band26	5MHz	64QAM	26715	1RB#12	22.98	16	50	PASS
Band26	5MHz	64QAM	26715	1RB#24	22.52	15.54	50	PASS
Band26	5MHz	64QAM	26715	12RB#0	21.64	14.66	50	PASS
Band26	5MHz	64QAM	26715	12RB#6	21.62	14.64	50	PASS
Band26	5MHz	64QAM	26715	12RB#11	21.62	14.64	50	PASS
Band26	5MHz	64QAM	26715	25RB#0	21.60	14.62	50	PASS
Band26	5MHz	64QAM	26740	1RB#0	22.21	15.23	50	PASS
Band26	5MHz	64QAM	26740	1RB#12	22.22	15.24	50	PASS
Band26	5MHz	64QAM	26740	1RB#24	22.29	15.31	50	PASS
Band26	5MHz	64QAM	26740	12RB#0	21.68	14.7	50	PASS
Band26	5MHz	64QAM	26740	12RB#6	21.68	14.7	50	PASS
Band26	5MHz	64QAM	26740	12RB#11	21.68	14.7	50	PASS
Band26	5MHz	64QAM	26740	25RB#0	21.64	14.66	50	PASS
Band26	5MHz	64QAM	26765	1RB#0	21.91	14.93	50	PASS
Band26	5MHz	64QAM	26765	1RB#12	21.95	14.97	50	PASS
Band26	5MHz	64QAM	26765	1RB#24	22.05	15.07	50	PASS
Band26	5MHz	64QAM	26765	12RB#0	21.67	14.69	50	PASS
Band26	5MHz	64QAM	26765	12RB#6	21.66	14.68	50	PASS
Band26	5MHz	64QAM	26765	12RB#11	21.67	14.69	50	PASS
Band26	5MHz	64QAM	26765	25RB#0	21.65	14.67	50	PASS
Band26	5MHz	64QAM	26815	1RB#0	23.02	16.04	38.45	PASS
Band26	5MHz	64QAM	26815	1RB#12	22.99	16.01	38.45	PASS
Band26	5MHz	64QAM	26815	1RB#24	22.99	16.01	38.45	PASS
Band26	5MHz	64QAM	26815	12RB#0	21.68	14.7	38.45	PASS
Band26	5MHz	64QAM	26815	12RB#6	21.68	14.7	38.45	PASS
Band26	5MHz	64QAM	26815	12RB#13	21.64	14.66	38.45	PASS
Band26	5MHz	64QAM	26815	25RB#0	21.60	14.62	38.45	PASS
Band26	5MHz	64QAM	26915	1RB#0	22.86	15.88	38.45	PASS
Band26	5MHz	64QAM	26915	1RB#12	22.86	15.88	38.45	PASS
Band26	5MHz	64QAM	26915	1RB#24	22.86	15.88	38.45	PASS
Band26	5MHz	64QAM	26915	12RB#0	21.80	14.82	38.45	PASS
Band26	5MHz	64QAM	26915	12RB#6	21.80	14.82	38.45	PASS
Band26	5MHz	64QAM	26915	12RB#13	21.79	14.81	38.45	PASS
Band26	5MHz	64QAM	26915	25RB#0	21.74	14.76	38.45	PASS

Band26	5MHz	64QAM	27015	1RB#0	22.46	15.48	38.45	PASS
Band26	5MHz	64QAM	27015	1RB#12	22.44	15.46	38.45	PASS
Band26	5MHz	64QAM	27015	1RB#24	21.72	14.74	38.45	PASS
Band26	5MHz	64QAM	27015	12RB#0	21.68	14.7	38.45	PASS
Band26	5MHz	64QAM	27015	12RB#6	21.65	14.67	38.45	PASS
Band26	5MHz	64QAM	27015	12RB#13	21.63	14.65	38.45	PASS
Band26	5MHz	64QAM	27015	25RB#0	21.63	14.65	38.45	PASS
Band26	10MHz	QPSK	26740	1RB#0	22.55	15.57	50	PASS
Band26	10MHz	QPSK	26740	1RB#24	23.12	16.14	50	PASS
Band26	10MHz	QPSK	26740	1RB#49	22.58	15.6	50	PASS
Band26	10MHz	QPSK	26740	25RB#0	22.81	15.83	50	PASS
Band26	10MHz	QPSK	26740	25RB#12	22.83	15.85	50	PASS
Band26	10MHz	QPSK	26740	25RB#24	22.83	15.85	50	PASS
Band26	10MHz	QPSK	26740	50RB#0	22.87	15.89	50	PASS
Band26	10MHz	QPSK	26840	1RB#0	23.05	16.07	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#24	23.08	16.1	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#49	23.32	16.34	38.45	PASS
Band26	10MHz	QPSK	26840	25RB#0	22.87	15.89	38.45	PASS
Band26	10MHz	QPSK	26840	25RB#12	22.88	15.9	38.45	PASS
Band26	10MHz	QPSK	26840	25RB#25	23.19	16.21	38.45	PASS
Band26	10MHz	QPSK	26840	50RB#0	23.03	16.05	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#0	23.27	16.29	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#24	23.76	16.78	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#49	23.35	16.37	38.45	PASS
Band26	10MHz	QPSK	26915	25RB#0	23.54	16.56	38.45	PASS
Band26	10MHz	QPSK	26915	25RB#12	23.55	16.57	38.45	PASS
Band26	10MHz	QPSK	26915	25RB#25	23.59	16.61	38.45	PASS
Band26	10MHz	QPSK	26915	50RB#0	23.56	16.58	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#0	23.54	16.56	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#24	23.51	16.53	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#49	22.03	15.05	38.45	PASS
Band26	10MHz	QPSK	26990	25RB#0	23.47	16.49	38.45	PASS
Band26	10MHz	QPSK	26990	25RB#12	23.48	16.5	38.45	PASS
Band26	10MHz	QPSK	26990	25RB#25	23.11	16.13	38.45	PASS
Band26	10MHz	QPSK	26990	50RB#0	23.29	16.31	38.45	PASS
Band26	10MHz	16QAM	26740	1RB#0	22.34	15.36	50	PASS
Band26	10MHz	16QAM	26740	1RB#24	22.91	15.93	50	PASS
Band26	10MHz	16QAM	26740	1RB#49	22.37	15.39	50	PASS
Band26	10MHz	16QAM	26740	25RB#0	22.57	15.59	50	PASS
Band26	10MHz	16QAM	26740	25RB#12	22.54	15.56	50	PASS
Band26	10MHz	16QAM	26740	25RB#24	22.55	15.57	50	PASS
Band26	10MHz	16QAM	26740	50RB#0	22.60	15.62	50	PASS

Band26	10MHz	16QAM	26840	1RB#0	22.71	15.73	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#24	22.76	15.78	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#49	23.01	16.03	38.45	PASS
Band26	10MHz	16QAM	26840	25RB#0	22.59	15.61	38.45	PASS
Band26	10MHz	16QAM	26840	25RB#12	22.60	15.62	38.45	PASS
Band26	10MHz	16QAM	26840	25RB#25	22.65	15.67	38.45	PASS
Band26	10MHz	16QAM	26840	50RB#0	22.64	15.66	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#0	23.20	16.22	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#24	23.71	16.73	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#49	23.32	16.34	38.45	PASS
Band26	10MHz	16QAM	26915	25RB#0	22.65	15.67	38.45	PASS
Band26	10MHz	16QAM	26915	25RB#12	22.65	15.67	38.45	PASS
Band26	10MHz	16QAM	26915	25RB#25	22.67	15.69	38.45	PASS
Band26	10MHz	16QAM	26915	50RB#0	22.68	15.7	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#0	23.31	16.33	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#24	23.31	16.33	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#49	21.82	14.84	38.45	PASS
Band26	10MHz	16QAM	26990	25RB#0	22.64	15.66	38.45	PASS
Band26	10MHz	16QAM	26990	25RB#12	22.63	15.65	38.45	PASS
Band26	10MHz	16QAM	26990	25RB#25	22.60	15.62	38.45	PASS
Band26	10MHz	16QAM	26990	50RB#0	22.60	15.62	38.45	PASS
Band26	10MHz	64QAM	26740	1RB#0	21.87	14.89	50	PASS
Band26	10MHz	64QAM	26740	1RB#24	21.86	14.88	50	PASS
Band26	10MHz	64QAM	26740	1RB#49	22.03	15.05	50	PASS
Band26	10MHz	64QAM	26740	25RB#0	21.54	14.56	50	PASS
Band26	10MHz	64QAM	26740	25RB#12	21.53	14.55	50	PASS
Band26	10MHz	64QAM	26740	25RB#24	21.53	14.55	50	PASS
Band26	10MHz	64QAM	26740	50RB#0	21.61	14.63	50	PASS
Band26	10MHz	64QAM	26840	1RB#0	22.77	15.79	38.45	PASS
Band26	10MHz	64QAM	26840	1RB#24	22.69	15.71	38.45	PASS
Band26	10MHz	64QAM	26840	1RB#49	22.86	15.88	38.45	PASS
Band26	10MHz	64QAM	26840	25RB#0	21.54	14.56	38.45	PASS
Band26	10MHz	64QAM	26840	25RB#12	21.53	14.55	38.45	PASS
Band26	10MHz	64QAM	26840	25RB#25	21.62	14.64	38.45	PASS
Band26	10MHz	64QAM	26840	50RB#0	21.60	14.62	38.45	PASS
Band26	10MHz	64QAM	26915	1RB#0	22.57	15.59	38.45	PASS
Band26	10MHz	64QAM	26915	1RB#24	22.53	15.55	38.45	PASS
Band26	10MHz	64QAM	26915	1RB#49	22.61	15.63	38.45	PASS
Band26	10MHz	64QAM	26915	25RB#0	21.64	14.66	38.45	PASS
Band26	10MHz	64QAM	26915	25RB#12	21.65	14.67	38.45	PASS
Band26	10MHz	64QAM	26915	25RB#25	21.67	14.69	38.45	PASS
Band26	10MHz	64QAM	26915	50RB#0	21.67	14.69	38.45	PASS

Band26	10MHz	64QAM	26990	1RB#0	22.48	15.5	38.45	PASS
Band26	10MHz	64QAM	26990	1RB#24	22.39	15.41	38.45	PASS
Band26	10MHz	64QAM	26990	1RB#49	21.74	14.76	38.45	PASS
Band26	10MHz	64QAM	26990	25RB#0	21.60	14.62	38.45	PASS
Band26	10MHz	64QAM	26990	25RB#12	21.61	14.63	38.45	PASS
Band26	10MHz	64QAM	26990	25RB#25	21.54	14.56	38.45	PASS
Band26	10MHz	64QAM	26990	50RB#0	21.61	14.63	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#0	22.98	16	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#38	23.28	16.3	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#74	23.60	16.62	38.45	PASS
Band26	15MHz	QPSK	26865	38RB#0	22.72	15.74	38.45	PASS
Band26	15MHz	QPSK	26865	38RB#18	22.84	15.86	38.45	PASS
Band26	15MHz	QPSK	26865	38RB#37	22.86	15.88	38.45	PASS
Band26	15MHz	QPSK	26865	75RB#0	23.27	16.29	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#0	23.21	16.23	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#38	23.86	16.88	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#74	23.55	16.57	38.45	PASS
Band26	15MHz	QPSK	26915	38RB#0	22.83	15.85	38.45	PASS
Band26	15MHz	QPSK	26915	38RB#18	22.90	15.92	38.45	PASS
Band26	15MHz	QPSK	26915	38RB#37	22.87	15.89	38.45	PASS
Band26	15MHz	QPSK	26915	75RB#0	23.52	16.54	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#0	23.70	16.72	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#38	23.58	16.6	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#74	22.40	15.42	38.45	PASS
Band26	15MHz	QPSK	26965	38RB#0	22.53	15.55	38.45	PASS
Band26	15MHz	QPSK	26965	38RB#18	22.55	15.57	38.45	PASS
Band26	15MHz	QPSK	26965	38RB#37	22.20	15.22	38.45	PASS
Band26	15MHz	QPSK	26965	75RB#0	23.49	16.51	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#0	23.06	16.08	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#38	23.38	16.4	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#74	23.69	16.71	38.45	PASS
Band26	15MHz	16QAM	26865	38RB#0	22.74	15.76	38.45	PASS
Band26	15MHz	16QAM	26865	38RB#18	22.86	15.88	38.45	PASS
Band26	15MHz	16QAM	26865	38RB#37	22.87	15.89	38.45	PASS
Band26	15MHz	16QAM	26865	75RB#0	22.73	15.75	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#0	22.89	15.91	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#38	23.55	16.57	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#74	23.23	16.25	38.45	PASS
Band26	15MHz	16QAM	26915	38RB#0	22.82	15.84	38.45	PASS
Band26	15MHz	16QAM	26915	38RB#18	22.90	15.92	38.45	PASS
Band26	15MHz	16QAM	26915	38RB#37	22.90	15.92	38.45	PASS
Band26	15MHz	16QAM	26915	75RB#0	22.74	15.76	38.45	PASS

Band26	15MHz	16QAM	26965	1RB#0	23.61	16.63	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#38	23.52	16.54	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#74	22.35	15.37	38.45	PASS
Band26	15MHz	16QAM	26965	38RB#0	22.54	15.56	38.45	PASS
Band26	15MHz	16QAM	26965	38RB#18	22.54	15.56	38.45	PASS
Band26	15MHz	16QAM	26965	38RB#37	22.17	15.19	38.45	PASS
Band26	15MHz	16QAM	26965	75RB#0	22.65	15.67	38.45	PASS
Band26	15MHz	64QAM	26865	1RB#0	22.72	15.74	38.45	PASS
Band26	15MHz	64QAM	26865	1RB#38	22.84	15.86	38.45	PASS
Band26	15MHz	64QAM	26865	1RB#74	22.87	15.89	38.45	PASS
Band26	15MHz	64QAM	26865	38RB#0	22.77	15.79	38.45	PASS
Band26	15MHz	64QAM	26865	38RB#18	22.85	15.87	38.45	PASS
Band26	15MHz	64QAM	26865	38RB#37	22.87	15.89	38.45	PASS
Band26	15MHz	64QAM	26865	75RB#0	21.73	14.75	38.45	PASS
Band26	15MHz	64QAM	26915	1RB#0	22.81	15.83	38.45	PASS
Band26	15MHz	64QAM	26915	1RB#38	22.90	15.92	38.45	PASS
Band26	15MHz	64QAM	26915	1RB#74	22.90	15.92	38.45	PASS
Band26	15MHz	64QAM	26915	38RB#0	22.81	15.83	38.45	PASS
Band26	15MHz	64QAM	26915	38RB#18	22.92	15.94	38.45	PASS
Band26	15MHz	64QAM	26915	38RB#37	22.88	15.9	38.45	PASS
Band26	15MHz	64QAM	26915	75RB#0	21.75	14.77	38.45	PASS
Band26	15MHz	64QAM	26965	1RB#0	22.55	15.57	38.45	PASS
Band26	15MHz	64QAM	26965	1RB#38	22.56	15.58	38.45	PASS
Band26	15MHz	64QAM	26965	1RB#74	22.16	15.18	38.45	PASS
Band26	15MHz	64QAM	26965	38RB#0	22.54	15.56	38.45	PASS
Band26	15MHz	64QAM	26965	38RB#18	22.55	15.57	38.45	PASS
Band26	15MHz	64QAM	26965	38RB#37	22.18	15.2	38.45	PASS
Band26	15MHz	64QAM	26965	75RB#0	21.71	14.73	38.45	PASS
Band38	5MHz	QPSK	37775	1RB#0	23.69	23.97	33.01	PASS
Band38	5MHz	QPSK	37775	1RB#12	23.71	23.99	33.01	PASS
Band38	5MHz	QPSK	37775	1RB#24	23.64	23.92	33.01	PASS
Band38	5MHz	QPSK	37775	12RB#0	22.70	22.98	33.01	PASS
Band38	5MHz	QPSK	37775	12RB#6	22.66	22.94	33.01	PASS
Band38	5MHz	QPSK	37775	12RB#11	22.68	22.96	33.01	PASS
Band38	5MHz	QPSK	37775	25RB#0	22.69	22.97	33.01	PASS
Band38	5MHz	QPSK	38000	1RB#0	23.71	23.99	33.01	PASS
Band38	5MHz	QPSK	38000	1RB#12	23.88	24.16	33.01	PASS
Band38	5MHz	QPSK	38000	1RB#24	23.85	24.13	33.01	PASS
Band38	5MHz	QPSK	38000	12RB#0	22.85	23.13	33.01	PASS
Band38	5MHz	QPSK	38000	12RB#6	22.80	23.08	33.01	PASS
Band38	5MHz	QPSK	38000	12RB#11	22.82	23.1	33.01	PASS
Band38	5MHz	QPSK	38000	25RB#0	22.89	23.17	33.01	PASS

Band38	5MHz	QPSK	38225	1RB#0	23.76	24.04	33.01	PASS
Band38	5MHz	QPSK	38225	1RB#12	23.82	24.1	33.01	PASS
Band38	5MHz	QPSK	38225	1RB#24	23.69	23.97	33.01	PASS
Band38	5MHz	QPSK	38225	12RB#0	22.85	23.13	33.01	PASS
Band38	5MHz	QPSK	38225	12RB#6	22.85	23.13	33.01	PASS
Band38	5MHz	QPSK	38225	12RB#11	22.87	23.15	33.01	PASS
Band38	5MHz	QPSK	38225	25RB#0	22.91	23.19	33.01	PASS
Band38	5MHz	16QAM	37775	1RB#0	22.97	23.25	33.01	PASS
Band38	5MHz	16QAM	37775	1RB#12	23.08	23.36	33.01	PASS
Band38	5MHz	16QAM	37775	1RB#24	23.00	23.28	33.01	PASS
Band38	5MHz	16QAM	37775	12RB#0	21.64	21.92	33.01	PASS
Band38	5MHz	16QAM	37775	12RB#6	21.66	21.94	33.01	PASS
Band38	5MHz	16QAM	37775	12RB#11	21.67	21.95	33.01	PASS
Band38	5MHz	16QAM	37775	25RB#0	21.70	21.98	33.01	PASS
Band38	5MHz	16QAM	38000	1RB#0	23.16	23.44	33.01	PASS
Band38	5MHz	16QAM	38000	1RB#12	23.24	23.52	33.01	PASS
Band38	5MHz	16QAM	38000	1RB#24	23.20	23.48	33.01	PASS
Band38	5MHz	16QAM	38000	12RB#0	21.75	22.03	33.01	PASS
Band38	5MHz	16QAM	38000	12RB#6	21.74	22.02	33.01	PASS
Band38	5MHz	16QAM	38000	12RB#11	21.73	22.01	33.01	PASS
Band38	5MHz	16QAM	38000	25RB#0	21.85	22.13	33.01	PASS
Band38	5MHz	16QAM	38225	1RB#0	22.97	23.25	33.01	PASS
Band38	5MHz	16QAM	38225	1RB#12	22.97	23.25	33.01	PASS
Band38	5MHz	16QAM	38225	1RB#24	22.89	23.17	33.01	PASS
Band38	5MHz	16QAM	38225	12RB#0	21.81	22.09	33.01	PASS
Band38	5MHz	16QAM	38225	12RB#6	21.81	22.09	33.01	PASS
Band38	5MHz	16QAM	38225	12RB#11	21.82	22.1	33.01	PASS
Band38	5MHz	16QAM	38225	25RB#0	21.87	22.15	33.01	PASS
Band38	5MHz	64QAM	37775	1RB#0	21.97	22.25	33.01	PASS
Band38	5MHz	64QAM	37775	1RB#12	22.02	22.3	33.01	PASS
Band38	5MHz	64QAM	37775	1RB#24	21.97	22.25	33.01	PASS
Band38	5MHz	64QAM	37775	12RB#0	20.68	20.96	33.01	PASS
Band38	5MHz	64QAM	37775	12RB#6	20.70	20.98	33.01	PASS
Band38	5MHz	64QAM	37775	12RB#11	20.68	20.96	33.01	PASS
Band38	5MHz	64QAM	37775	25RB#0	20.74	21.02	33.01	PASS
Band38	5MHz	64QAM	38000	1RB#0	22.04	22.32	33.01	PASS
Band38	5MHz	64QAM	38000	1RB#12	22.16	22.44	33.01	PASS
Band38	5MHz	64QAM	38000	1RB#24	22.14	22.42	33.01	PASS
Band38	5MHz	64QAM	38000	12RB#0	20.77	21.05	33.01	PASS
Band38	5MHz	64QAM	38000	12RB#6	20.83	21.11	33.01	PASS
Band38	5MHz	64QAM	38000	12RB#11	20.77	21.05	33.01	PASS
Band38	5MHz	64QAM	38000	25RB#0	20.92	21.2	33.01	PASS

Band38	5MHz	64QAM	38225	1RB#0	22.24	22.52	33.01	PASS
Band38	5MHz	64QAM	38225	1RB#12	22.31	22.59	33.01	PASS
Band38	5MHz	64QAM	38225	1RB#24	22.27	22.55	33.01	PASS
Band38	5MHz	64QAM	38225	12RB#0	20.89	21.17	33.01	PASS
Band38	5MHz	64QAM	38225	12RB#6	20.87	21.15	33.01	PASS
Band38	5MHz	64QAM	38225	12RB#11	20.94	21.22	33.01	PASS
Band38	5MHz	64QAM	38225	25RB#0	20.91	21.19	33.01	PASS
Band38	10MHz	QPSK	37800	1RB#0	0.00	0.28	33.01	PASS
Band38	10MHz	QPSK	37800	1RB#24	23.72	24	33.01	PASS
Band38	10MHz	QPSK	37800	1RB#49	23.71	23.99	33.01	PASS
Band38	10MHz	QPSK	37800	25RB#0	22.63	22.91	33.01	PASS
Band38	10MHz	QPSK	37800	25RB#12	22.64	22.92	33.01	PASS
Band38	10MHz	QPSK	37800	25RB#24	22.64	22.92	33.01	PASS
Band38	10MHz	QPSK	37800	50RB#0	22.61	22.89	33.01	PASS
Band38	10MHz	QPSK	38000	1RB#0	23.73	24.01	33.01	PASS
Band38	10MHz	QPSK	38000	1RB#24	23.89	24.17	33.01	PASS
Band38	10MHz	QPSK	38000	1RB#49	23.82	24.1	33.01	PASS
Band38	10MHz	QPSK	38000	25RB#0	22.81	23.09	33.01	PASS
Band38	10MHz	QPSK	38000	25RB#12	22.82	23.1	33.01	PASS
Band38	10MHz	QPSK	38000	25RB#24	22.79	23.07	33.01	PASS
Band38	10MHz	QPSK	38000	50RB#0	22.81	23.09	33.01	PASS
Band38	10MHz	QPSK	38200	1RB#0	23.73	24.01	33.01	PASS
Band38	10MHz	QPSK	38200	1RB#24	23.87	24.15	33.01	PASS
Band38	10MHz	QPSK	38200	1RB#49	23.85	24.13	33.01	PASS
Band38	10MHz	QPSK	38200	25RB#0	22.82	23.1	33.01	PASS
Band38	10MHz	QPSK	38200	25RB#12	22.79	23.07	33.01	PASS
Band38	10MHz	QPSK	38200	25RB#24	22.80	23.08	33.01	PASS
Band38	10MHz	QPSK	38200	50RB#0	22.83	23.11	33.01	PASS
Band38	10MHz	16QAM	37800	1RB#0	22.63	22.91	33.01	PASS
Band38	10MHz	16QAM	37800	1RB#24	22.65	22.93	33.01	PASS
Band38	10MHz	16QAM	37800	1RB#49	22.56	22.84	33.01	PASS
Band38	10MHz	16QAM	37800	25RB#0	21.65	21.93	33.01	PASS
Band38	10MHz	16QAM	37800	25RB#12	21.67	21.95	33.01	PASS
Band38	10MHz	16QAM	37800	25RB#24	21.65	21.93	33.01	PASS
Band38	10MHz	16QAM	37800	50RB#0	21.64	21.92	33.01	PASS
Band38	10MHz	16QAM	38000	1RB#0	22.98	23.26	33.01	PASS
Band38	10MHz	16QAM	38000	1RB#24	23.10	23.38	33.01	PASS
Band38	10MHz	16QAM	38000	1RB#49	23.07	23.35	33.01	PASS
Band38	10MHz	16QAM	38000	25RB#0	21.83	22.11	33.01	PASS
Band38	10MHz	16QAM	38000	25RB#12	21.88	22.16	33.01	PASS
Band38	10MHz	16QAM	38000	25RB#24	21.84	22.12	33.01	PASS
Band38	10MHz	16QAM	38000	50RB#0	21.77	22.05	33.01	PASS

Band38	10MHz	16QAM	38200	1RB#0	22.50	22.78	33.01	PASS
Band38	10MHz	16QAM	38200	1RB#24	22.49	22.77	33.01	PASS
Band38	10MHz	16QAM	38200	1RB#49	22.50	22.78	33.01	PASS
Band38	10MHz	16QAM	38200	25RB#0	21.77	22.05	33.01	PASS
Band38	10MHz	16QAM	38200	25RB#12	21.78	22.06	33.01	PASS
Band38	10MHz	16QAM	38200	25RB#24	21.78	22.06	33.01	PASS
Band38	10MHz	16QAM	38200	50RB#0	21.82	22.1	33.01	PASS
Band38	10MHz	64QAM	37800	1RB#0	22.06	22.34	33.01	PASS
Band38	10MHz	64QAM	37800	1RB#24	22.13	22.41	33.01	PASS
Band38	10MHz	64QAM	37800	1RB#49	22.01	22.29	33.01	PASS
Band38	10MHz	64QAM	37800	25RB#0	20.73	21.01	33.01	PASS
Band38	10MHz	64QAM	37800	25RB#12	20.69	20.97	33.01	PASS
Band38	10MHz	64QAM	37800	25RB#24	20.72	21	33.01	PASS
Band38	10MHz	64QAM	37800	50RB#0	20.66	20.94	33.01	PASS
Band38	10MHz	64QAM	38000	1RB#0	22.03	22.31	33.01	PASS
Band38	10MHz	64QAM	38000	1RB#24	22.21	22.49	33.01	PASS
Band38	10MHz	64QAM	38000	1RB#49	22.14	22.42	33.01	PASS
Band38	10MHz	64QAM	38000	25RB#0	20.78	21.06	33.01	PASS
Band38	10MHz	64QAM	38000	25RB#12	20.86	21.14	33.01	PASS
Band38	10MHz	64QAM	38000	25RB#24	20.82	21.1	33.01	PASS
Band38	10MHz	64QAM	38000	50RB#0	20.81	21.09	33.01	PASS
Band38	10MHz	64QAM	38200	1RB#0	21.47	21.75	33.01	PASS
Band38	10MHz	64QAM	38200	1RB#24	21.53	21.81	33.01	PASS
Band38	10MHz	64QAM	38200	1RB#49	21.40	21.68	33.01	PASS
Band38	10MHz	64QAM	38200	25RB#0	20.76	21.04	33.01	PASS
Band38	10MHz	64QAM	38200	25RB#12	20.73	21.01	33.01	PASS
Band38	10MHz	64QAM	38200	25RB#24	20.70	20.98	33.01	PASS
Band38	10MHz	64QAM	38200	50RB#0	20.79	21.07	33.01	PASS
Band38	15MHz	QPSK	37825	1RB#0	23.79	24.07	33.01	PASS
Band38	15MHz	QPSK	37825	1RB#37	23.86	24.14	33.01	PASS
Band38	15MHz	QPSK	37825	1RB#74	23.86	24.14	33.01	PASS
Band38	15MHz	QPSK	37825	36RB#0	22.71	22.99	33.01	PASS
Band38	15MHz	QPSK	37825	36RB#16	22.70	22.98	33.01	PASS
Band38	15MHz	QPSK	37825	36RB#35	22.70	22.98	33.01	PASS
Band38	15MHz	QPSK	37825	75RB#0	22.75	23.03	33.01	PASS
Band38	15MHz	QPSK	38000	1RB#0	23.79	24.07	33.01	PASS
Band38	15MHz	QPSK	38000	1RB#37	23.94	24.22	33.01	PASS
Band38	15MHz	QPSK	38000	1RB#74	23.88	24.16	33.01	PASS
Band38	15MHz	QPSK	38000	36RB#0	22.82	23.1	33.01	PASS
Band38	15MHz	QPSK	38000	36RB#16	22.80	23.08	33.01	PASS
Band38	15MHz	QPSK	38000	36RB#35	22.81	23.09	33.01	PASS
Band38	15MHz	QPSK	38000	75RB#0	22.87	23.15	33.01	PASS

Band38	15MHz	QPSK	38175	1RB#0	24.00	24.28	33.01	PASS
Band38	15MHz	QPSK	38175	1RB#37	24.06	24.34	33.01	PASS
Band38	15MHz	QPSK	38175	1RB#74	24.01	24.29	33.01	PASS
Band38	15MHz	QPSK	38175	36RB#0	22.88	23.16	33.01	PASS
Band38	15MHz	QPSK	38175	36RB#16	22.87	23.15	33.01	PASS
Band38	15MHz	QPSK	38175	36RB#35	22.86	23.14	33.01	PASS
Band38	15MHz	QPSK	38175	75RB#0	22.92	23.2	33.01	PASS
Band38	15MHz	16QAM	37825	1RB#0	22.55	22.83	33.01	PASS
Band38	15MHz	16QAM	37825	1RB#37	22.62	22.9	33.01	PASS
Band38	15MHz	16QAM	37825	1RB#74	22.51	22.79	33.01	PASS
Band38	15MHz	16QAM	37825	36RB#0	21.69	21.97	33.01	PASS
Band38	15MHz	16QAM	37825	36RB#16	21.73	22.01	33.01	PASS
Band38	15MHz	16QAM	37825	36RB#35	21.71	21.99	33.01	PASS
Band38	15MHz	16QAM	37825	75RB#0	21.75	22.03	33.01	PASS
Band38	15MHz	16QAM	38000	1RB#0	22.90	23.18	33.01	PASS
Band38	15MHz	16QAM	38000	1RB#37	23.16	23.44	33.01	PASS
Band38	15MHz	16QAM	38000	1RB#74	23.04	23.32	33.01	PASS
Band38	15MHz	16QAM	38000	36RB#0	21.81	22.09	33.01	PASS
Band38	15MHz	16QAM	38000	36RB#16	21.80	22.08	33.01	PASS
Band38	15MHz	16QAM	38000	36RB#35	21.81	22.09	33.01	PASS
Band38	15MHz	16QAM	38000	75RB#0	21.84	22.12	33.01	PASS
Band38	15MHz	16QAM	38175	1RB#0	22.73	23.01	33.01	PASS
Band38	15MHz	16QAM	38175	1RB#37	22.79	23.07	33.01	PASS
Band38	15MHz	16QAM	38175	1RB#74	22.75	23.03	33.01	PASS
Band38	15MHz	16QAM	38175	36RB#0	21.85	22.13	33.01	PASS
Band38	15MHz	16QAM	38175	36RB#16	21.83	22.11	33.01	PASS
Band38	15MHz	16QAM	38175	36RB#35	21.83	22.11	33.01	PASS
Band38	15MHz	16QAM	38175	75RB#0	21.88	22.16	33.01	PASS
Band38	15MHz	64QAM	37825	1RB#0	21.86	22.14	33.01	PASS
Band38	15MHz	64QAM	37825	1RB#37	22.00	22.28	33.01	PASS
Band38	15MHz	64QAM	37825	1RB#74	21.94	22.22	33.01	PASS
Band38	15MHz	64QAM	37825	36RB#0	20.80	21.08	33.01	PASS
Band38	15MHz	64QAM	37825	36RB#16	20.78	21.06	33.01	PASS
Band38	15MHz	64QAM	37825	36RB#35	20.77	21.05	33.01	PASS
Band38	15MHz	64QAM	37825	75RB#0	20.76	21.04	33.01	PASS
Band38	15MHz	64QAM	38000	1RB#0	22.09	22.37	33.01	PASS
Band38	15MHz	64QAM	38000	1RB#37	22.26	22.54	33.01	PASS
Band38	15MHz	64QAM	38000	1RB#74	22.10	22.38	33.01	PASS
Band38	15MHz	64QAM	38000	36RB#0	20.85	21.13	33.01	PASS
Band38	15MHz	64QAM	38000	36RB#16	20.90	21.18	33.01	PASS
Band38	15MHz	64QAM	38000	36RB#35	20.83	21.11	33.01	PASS
Band38	15MHz	64QAM	38000	75RB#0	20.91	21.19	33.01	PASS

Band38	15MHz	64QAM	38175	1RB#0	22.04	22.32	33.01	PASS
Band38	15MHz	64QAM	38175	1RB#37	22.14	22.42	33.01	PASS
Band38	15MHz	64QAM	38175	1RB#74	22.08	22.36	33.01	PASS
Band38	15MHz	64QAM	38175	36RB#0	20.92	21.2	33.01	PASS
Band38	15MHz	64QAM	38175	36RB#16	20.92	21.2	33.01	PASS
Band38	15MHz	64QAM	38175	36RB#35	20.94	21.22	33.01	PASS
Band38	15MHz	64QAM	38175	75RB#0	20.93	21.21	33.01	PASS
Band38	20MHz	QPSK	37850	1RB#0	23.72	24	33.01	PASS
Band38	20MHz	QPSK	37850	1RB#49	23.91	24.19	33.01	PASS
Band38	20MHz	QPSK	37850	1RB#99	23.88	24.16	33.01	PASS
Band38	20MHz	QPSK	37850	50RB#0	22.75	23.03	33.01	PASS
Band38	20MHz	QPSK	37850	50RB#24	22.75	23.03	33.01	PASS
Band38	20MHz	QPSK	37850	50RB#49	22.73	23.01	33.01	PASS
Band38	20MHz	QPSK	37850	100RB#0	22.71	22.99	33.01	PASS
Band38	20MHz	QPSK	38000	1RB#0	23.79	24.07	33.01	PASS
Band38	20MHz	QPSK	38000	1RB#49	24.00	24.28	33.01	PASS
Band38	20MHz	QPSK	38000	1RB#99	23.83	24.11	33.01	PASS
Band38	20MHz	QPSK	38000	50RB#0	22.78	23.06	33.01	PASS
Band38	20MHz	QPSK	38000	50RB#24	22.81	23.09	33.01	PASS
Band38	20MHz	QPSK	38000	50RB#49	22.82	23.1	33.01	PASS
Band38	20MHz	QPSK	38000	100RB#0	22.86	23.14	33.01	PASS
Band38	20MHz	QPSK	38150	1RB#0	23.80	24.08	33.01	PASS
Band38	20MHz	QPSK	38150	1RB#49	23.88	24.16	33.01	PASS
Band38	20MHz	QPSK	38150	1RB#99	23.72	24	33.01	PASS
Band38	20MHz	QPSK	38150	50RB#0	22.84	23.12	33.01	PASS
Band38	20MHz	QPSK	38150	50RB#24	22.86	23.14	33.01	PASS
Band38	20MHz	QPSK	38150	50RB#49	22.89	23.17	33.01	PASS
Band38	20MHz	QPSK	38150	100RB#0	22.90	23.18	33.01	PASS
Band38	20MHz	16QAM	37850	1RB#0	22.39	22.67	33.01	PASS
Band38	20MHz	16QAM	37850	1RB#49	22.54	22.82	33.01	PASS
Band38	20MHz	16QAM	37850	1RB#99	22.44	22.72	33.01	PASS
Band38	20MHz	16QAM	37850	50RB#0	21.71	21.99	33.01	PASS
Band38	20MHz	16QAM	37850	50RB#24	21.70	21.98	33.01	PASS
Band38	20MHz	16QAM	37850	50RB#49	21.69	21.97	33.01	PASS
Band38	20MHz	16QAM	37850	100RB#0	21.76	22.04	33.01	PASS
Band38	20MHz	16QAM	38000	1RB#0	22.76	23.04	33.01	PASS
Band38	20MHz	16QAM	38000	1RB#49	23.00	23.28	33.01	PASS
Band38	20MHz	16QAM	38000	1RB#99	22.93	23.21	33.01	PASS
Band38	20MHz	16QAM	38000	50RB#0	21.78	22.06	33.01	PASS
Band38	20MHz	16QAM	38000	50RB#24	21.78	22.06	33.01	PASS
Band38	20MHz	16QAM	38000	50RB#49	21.80	22.08	33.01	PASS
Band38	20MHz	16QAM	38000	100RB#0	21.83	22.11	33.01	PASS

Band38	20MHz	16QAM	38150	1RB#0	22.37	22.65	33.01	PASS
Band38	20MHz	16QAM	38150	1RB#49	22.45	22.73	33.01	PASS
Band38	20MHz	16QAM	38150	1RB#99	22.21	22.49	33.01	PASS
Band38	20MHz	16QAM	38150	50RB#0	21.89	22.17	33.01	PASS
Band38	20MHz	16QAM	38150	50RB#24	21.89	22.17	33.01	PASS
Band38	20MHz	16QAM	38150	50RB#49	21.88	22.16	33.01	PASS
Band38	20MHz	16QAM	38150	100RB#0	21.84	22.12	33.01	PASS
Band38	20MHz	64QAM	37850	1RB#0	21.86	22.14	33.01	PASS
Band38	20MHz	64QAM	37850	1RB#49	21.99	22.27	33.01	PASS
Band38	20MHz	64QAM	37850	1RB#99	21.87	22.15	33.01	PASS
Band38	20MHz	64QAM	37850	50RB#0	20.72	21	33.01	PASS
Band38	20MHz	64QAM	37850	50RB#24	20.76	21.04	33.01	PASS
Band38	20MHz	64QAM	37850	50RB#49	20.70	20.98	33.01	PASS
Band38	20MHz	64QAM	37850	100RB#0	20.70	20.98	33.01	PASS
Band38	20MHz	64QAM	38000	1RB#0	21.68	21.96	33.01	PASS
Band38	20MHz	64QAM	38000	1RB#49	21.90	22.18	33.01	PASS
Band38	20MHz	64QAM	38000	1RB#99	21.85	22.13	33.01	PASS
Band38	20MHz	64QAM	38000	50RB#0	20.77	21.05	33.01	PASS
Band38	20MHz	64QAM	38000	50RB#24	20.79	21.07	33.01	PASS
Band38	20MHz	64QAM	38000	50RB#49	20.77	21.05	33.01	PASS
Band38	20MHz	64QAM	38000	100RB#0	20.87	21.15	33.01	PASS
Band38	20MHz	64QAM	38150	1RB#0	21.84	22.12	33.01	PASS
Band38	20MHz	64QAM	38150	1RB#49	21.96	22.24	33.01	PASS
Band38	20MHz	64QAM	38150	1RB#99	21.75	22.03	33.01	PASS
Band38	20MHz	64QAM	38150	50RB#0	20.97	21.25	33.01	PASS
Band38	20MHz	64QAM	38150	50RB#24	20.94	21.22	33.01	PASS
Band38	20MHz	64QAM	38150	50RB#49	20.95	21.23	33.01	PASS
Band38	20MHz	64QAM	38150	100RB#0	20.96	21.24	33.01	PASS
Band41	5MHz	QPSK	39675	1RB#0	23.47	23.92	33.01	PASS
Band41	5MHz	QPSK	39675	1RB#12	23.63	24.08	33.01	PASS
Band41	5MHz	QPSK	39675	1RB#24	23.45	23.9	33.01	PASS
Band41	5MHz	QPSK	39675	12RB#0	22.53	22.98	33.01	PASS
Band41	5MHz	QPSK	39675	12RB#6	22.54	22.99	33.01	PASS
Band41	5MHz	QPSK	39675	12RB#11	22.54	22.99	33.01	PASS
Band41	5MHz	QPSK	39675	25RB#0	22.56	23.01	33.01	PASS
Band41	5MHz	QPSK	40620	1RB#0	23.60	24.05	33.01	PASS
Band41	5MHz	QPSK	40620	1RB#12	23.79	24.24	33.01	PASS
Band41	5MHz	QPSK	40620	1RB#24	23.71	24.16	33.01	PASS
Band41	5MHz	QPSK	40620	12RB#0	22.66	23.11	33.01	PASS
Band41	5MHz	QPSK	40620	12RB#6	22.66	23.11	33.01	PASS
Band41	5MHz	QPSK	40620	12RB#11	22.65	23.1	33.01	PASS
Band41	5MHz	QPSK	40620	25RB#0	22.73	23.18	33.01	PASS

Band41	5MHz	QPSK	41565	1RB#0	23.12	23.57	33.01	PASS
Band41	5MHz	QPSK	41565	1RB#12	23.22	23.67	33.01	PASS
Band41	5MHz	QPSK	41565	1RB#24	23.09	23.54	33.01	PASS
Band41	5MHz	QPSK	41565	12RB#0	22.20	22.65	33.01	PASS
Band41	5MHz	QPSK	41565	12RB#6	22.17	22.62	33.01	PASS
Band41	5MHz	QPSK	41565	12RB#11	22.17	22.62	33.01	PASS
Band41	5MHz	QPSK	41565	25RB#0	22.24	22.69	33.01	PASS
Band41	5MHz	16QAM	39675	1RB#0	22.60	23.05	33.01	PASS
Band41	5MHz	16QAM	39675	1RB#12	22.73	23.18	33.01	PASS
Band41	5MHz	16QAM	39675	1RB#24	22.61	23.06	33.01	PASS
Band41	5MHz	16QAM	39675	12RB#0	21.56	22.01	33.01	PASS
Band41	5MHz	16QAM	39675	12RB#6	21.55	22	33.01	PASS
Band41	5MHz	16QAM	39675	12RB#11	21.52	21.97	33.01	PASS
Band41	5MHz	16QAM	39675	25RB#0	21.55	22	33.01	PASS
Band41	5MHz	16QAM	40620	1RB#0	22.94	23.39	33.01	PASS
Band41	5MHz	16QAM	40620	1RB#12	23.08	23.53	33.01	PASS
Band41	5MHz	16QAM	40620	1RB#24	22.98	23.43	33.01	PASS
Band41	5MHz	16QAM	40620	12RB#0	21.64	22.09	33.01	PASS
Band41	5MHz	16QAM	40620	12RB#6	21.64	22.09	33.01	PASS
Band41	5MHz	16QAM	40620	12RB#11	21.62	22.07	33.01	PASS
Band41	5MHz	16QAM	40620	25RB#0	21.74	22.19	33.01	PASS
Band41	5MHz	16QAM	41565	1RB#0	22.24	22.69	33.01	PASS
Band41	5MHz	16QAM	41565	1RB#12	22.37	22.82	33.01	PASS
Band41	5MHz	16QAM	41565	1RB#24	22.24	22.69	33.01	PASS
Band41	5MHz	16QAM	41565	12RB#0	21.21	21.66	33.01	PASS
Band41	5MHz	16QAM	41565	12RB#6	21.23	21.68	33.01	PASS
Band41	5MHz	16QAM	41565	12RB#11	21.22	21.67	33.01	PASS
Band41	5MHz	16QAM	41565	25RB#0	21.23	21.68	33.01	PASS
Band41	5MHz	64QAM	39675	1RB#0	21.90	22.35	33.01	PASS
Band41	5MHz	64QAM	39675	1RB#12	22.05	22.5	33.01	PASS
Band41	5MHz	64QAM	39675	1RB#24	21.90	22.35	33.01	PASS
Band41	5MHz	64QAM	39675	12RB#0	20.64	21.09	33.01	PASS
Band41	5MHz	64QAM	39675	12RB#6	20.67	21.12	33.01	PASS
Band41	5MHz	64QAM	39675	12RB#11	20.68	21.13	33.01	PASS
Band41	5MHz	64QAM	39675	25RB#0	20.55	21	33.01	PASS
Band41	5MHz	64QAM	40620	1RB#0	21.86	22.31	33.01	PASS
Band41	5MHz	64QAM	40620	1RB#12	22.03	22.48	33.01	PASS
Band41	5MHz	64QAM	40620	1RB#24	21.93	22.38	33.01	PASS
Band41	5MHz	64QAM	40620	12RB#0	20.73	21.18	33.01	PASS
Band41	5MHz	64QAM	40620	12RB#6	20.71	21.16	33.01	PASS
Band41	5MHz	64QAM	40620	12RB#11	20.74	21.19	33.01	PASS
Band41	5MHz	64QAM	40620	25RB#0	20.83	21.28	33.01	PASS

Band41	5MHz	64QAM	41565	1RB#0	21.59	22.04	33.01	PASS
Band41	5MHz	64QAM	41565	1RB#12	21.69	22.14	33.01	PASS
Band41	5MHz	64QAM	41565	1RB#24	21.55	22	33.01	PASS
Band41	5MHz	64QAM	41565	12RB#0	20.32	20.77	33.01	PASS
Band41	5MHz	64QAM	41565	12RB#6	20.32	20.77	33.01	PASS
Band41	5MHz	64QAM	41565	12RB#11	20.36	20.81	33.01	PASS
Band41	5MHz	64QAM	41565	25RB#0	20.27	20.72	33.01	PASS
Band41	10MHz	QPSK	39700	1RB#0	23.56	24.01	33.01	PASS
Band41	10MHz	QPSK	39700	1RB#24	23.57	24.02	33.01	PASS
Band41	10MHz	QPSK	39700	1RB#49	23.53	23.98	33.01	PASS
Band41	10MHz	QPSK	39700	25RB#0	22.48	22.93	33.01	PASS
Band41	10MHz	QPSK	39700	25RB#12	22.48	22.93	33.01	PASS
Band41	10MHz	QPSK	39700	25RB#24	22.49	22.94	33.01	PASS
Band41	10MHz	QPSK	39700	50RB#0	22.48	22.93	33.01	PASS
Band41	10MHz	QPSK	40620	1RB#0	23.67	24.12	33.01	PASS
Band41	10MHz	QPSK	40620	1RB#24	23.77	24.22	33.01	PASS
Band41	10MHz	QPSK	40620	1RB#49	23.75	24.2	33.01	PASS
Band41	10MHz	QPSK	40620	25RB#0	22.67	23.12	33.01	PASS
Band41	10MHz	QPSK	40620	25RB#12	22.64	23.09	33.01	PASS
Band41	10MHz	QPSK	40620	25RB#24	22.66	23.11	33.01	PASS
Band41	10MHz	QPSK	40620	50RB#0	22.70	23.15	33.01	PASS
Band41	10MHz	QPSK	41540	1RB#0	23.23	23.68	33.01	PASS
Band41	10MHz	QPSK	41540	1RB#24	23.30	23.75	33.01	PASS
Band41	10MHz	QPSK	41540	1RB#49	23.27	23.72	33.01	PASS
Band41	10MHz	QPSK	41540	25RB#0	22.21	22.66	33.01	PASS
Band41	10MHz	QPSK	41540	25RB#12	22.20	22.65	33.01	PASS
Band41	10MHz	QPSK	41540	25RB#24	22.22	22.67	33.01	PASS
Band41	10MHz	QPSK	41540	50RB#0	22.20	22.65	33.01	PASS
Band41	10MHz	16QAM	39700	1RB#0	22.21	22.66	33.01	PASS
Band41	10MHz	16QAM	39700	1RB#24	22.22	22.67	33.01	PASS
Band41	10MHz	16QAM	39700	1RB#49	22.18	22.63	33.01	PASS
Band41	10MHz	16QAM	39700	25RB#0	21.44	21.89	33.01	PASS
Band41	10MHz	16QAM	39700	25RB#12	21.44	21.89	33.01	PASS
Band41	10MHz	16QAM	39700	25RB#24	21.47	21.92	33.01	PASS
Band41	10MHz	16QAM	39700	50RB#0	21.48	21.93	33.01	PASS
Band41	10MHz	16QAM	40620	1RB#0	22.84	23.29	33.01	PASS
Band41	10MHz	16QAM	40620	1RB#24	22.92	23.37	33.01	PASS
Band41	10MHz	16QAM	40620	1RB#49	22.92	23.37	33.01	PASS
Band41	10MHz	16QAM	40620	25RB#0	21.73	22.18	33.01	PASS
Band41	10MHz	16QAM	40620	25RB#12	21.71	22.16	33.01	PASS
Band41	10MHz	16QAM	40620	25RB#24	21.72	22.17	33.01	PASS
Band41	10MHz	16QAM	40620	50RB#0	21.68	22.13	33.01	PASS

Band41	10MHz	16QAM	41540	1RB#0	21.90	22.35	33.01	PASS
Band41	10MHz	16QAM	41540	1RB#24	21.95	22.4	33.01	PASS
Band41	10MHz	16QAM	41540	1RB#49	21.94	22.39	33.01	PASS
Band41	10MHz	16QAM	41540	25RB#0	21.22	21.67	33.01	PASS
Band41	10MHz	16QAM	41540	25RB#12	21.20	21.65	33.01	PASS
Band41	10MHz	16QAM	41540	25RB#24	21.21	21.66	33.01	PASS
Band41	10MHz	16QAM	41540	50RB#0	21.24	21.69	33.01	PASS
Band41	10MHz	64QAM	39700	1RB#0	21.25	21.7	33.01	PASS
Band41	10MHz	64QAM	39700	1RB#24	21.29	21.74	33.01	PASS
Band41	10MHz	64QAM	39700	1RB#49	21.24	21.69	33.01	PASS
Band41	10MHz	64QAM	39700	25RB#0	20.44	20.89	33.01	PASS
Band41	10MHz	64QAM	39700	25RB#12	20.42	20.87	33.01	PASS
Band41	10MHz	64QAM	39700	25RB#24	20.44	20.89	33.01	PASS
Band41	10MHz	64QAM	39700	50RB#0	20.49	20.94	33.01	PASS
Band41	10MHz	64QAM	40620	1RB#0	21.91	22.36	33.01	PASS
Band41	10MHz	64QAM	40620	1RB#24	22.06	22.51	33.01	PASS
Band41	10MHz	64QAM	40620	1RB#49	21.99	22.44	33.01	PASS
Band41	10MHz	64QAM	40620	25RB#0	20.71	21.16	33.01	PASS
Band41	10MHz	64QAM	40620	25RB#12	20.74	21.19	33.01	PASS
Band41	10MHz	64QAM	40620	25RB#24	20.72	21.17	33.01	PASS
Band41	10MHz	64QAM	40620	50RB#0	20.77	21.22	33.01	PASS
Band41	10MHz	64QAM	41540	1RB#0	20.92	21.37	33.01	PASS
Band41	10MHz	64QAM	41540	1RB#24	20.99	21.44	33.01	PASS
Band41	10MHz	64QAM	41540	1RB#49	20.95	21.4	33.01	PASS
Band41	10MHz	64QAM	41540	25RB#0	20.20	20.65	33.01	PASS
Band41	10MHz	64QAM	41540	25RB#12	20.18	20.63	33.01	PASS
Band41	10MHz	64QAM	41540	25RB#24	20.15	20.6	33.01	PASS
Band41	10MHz	64QAM	41540	50RB#0	20.25	20.7	33.01	PASS
Band41	15MHz	QPSK	39725	1RB#0	23.59	24.04	33.01	PASS
Band41	15MHz	QPSK	39725	1RB#37	23.69	24.14	33.01	PASS
Band41	15MHz	QPSK	39725	1RB#74	23.55	24	33.01	PASS
Band41	15MHz	QPSK	39725	36RB#0	22.44	22.89	33.01	PASS
Band41	15MHz	QPSK	39725	36RB#16	22.48	22.93	33.01	PASS
Band41	15MHz	QPSK	39725	36RB#35	22.45	22.9	33.01	PASS
Band41	15MHz	QPSK	39725	75RB#0	22.51	22.96	33.01	PASS
Band41	15MHz	QPSK	40620	1RB#0	23.59	24.04	33.01	PASS
Band41	15MHz	QPSK	40620	1RB#37	23.78	24.23	33.01	PASS
Band41	15MHz	QPSK	40620	1RB#74	23.69	24.14	33.01	PASS
Band41	15MHz	QPSK	40620	36RB#0	22.63	23.08	33.01	PASS
Band41	15MHz	QPSK	40620	36RB#16	22.66	23.11	33.01	PASS
Band41	15MHz	QPSK	40620	36RB#35	22.65	23.1	33.01	PASS
Band41	15MHz	QPSK	40620	75RB#0	22.71	23.16	33.01	PASS

Band41	15MHz	QPSK	41515	1RB#0	23.22	23.67	33.01	PASS
Band41	15MHz	QPSK	41515	1RB#37	23.39	23.84	33.01	PASS
Band41	15MHz	QPSK	41515	1RB#74	23.24	23.69	33.01	PASS
Band41	15MHz	QPSK	41515	36RB#0	22.16	22.61	33.01	PASS
Band41	15MHz	QPSK	41515	36RB#16	22.18	22.63	33.01	PASS
Band41	15MHz	QPSK	41515	36RB#35	22.16	22.61	33.01	PASS
Band41	15MHz	QPSK	41515	75RB#0	22.19	22.64	33.01	PASS
Band41	15MHz	16QAM	39725	1RB#0	22.34	22.79	33.01	PASS
Band41	15MHz	16QAM	39725	1RB#37	22.44	22.89	33.01	PASS
Band41	15MHz	16QAM	39725	1RB#74	22.29	22.74	33.01	PASS
Band41	15MHz	16QAM	39725	36RB#0	21.41	21.86	33.01	PASS
Band41	15MHz	16QAM	39725	36RB#16	21.42	21.87	33.01	PASS
Band41	15MHz	16QAM	39725	36RB#35	21.40	21.85	33.01	PASS
Band41	15MHz	16QAM	39725	75RB#0	21.47	21.92	33.01	PASS
Band41	15MHz	16QAM	40620	1RB#0	22.76	23.21	33.01	PASS
Band41	15MHz	16QAM	40620	1RB#37	22.94	23.39	33.01	PASS
Band41	15MHz	16QAM	40620	1RB#74	22.83	23.28	33.01	PASS
Band41	15MHz	16QAM	40620	36RB#0	21.65	22.1	33.01	PASS
Band41	15MHz	16QAM	40620	36RB#16	21.63	22.08	33.01	PASS
Band41	15MHz	16QAM	40620	36RB#35	21.62	22.07	33.01	PASS
Band41	15MHz	16QAM	40620	75RB#0	21.69	22.14	33.01	PASS
Band41	15MHz	16QAM	41515	1RB#0	21.98	22.43	33.01	PASS
Band41	15MHz	16QAM	41515	1RB#37	22.14	22.59	33.01	PASS
Band41	15MHz	16QAM	41515	1RB#74	21.99	22.44	33.01	PASS
Band41	15MHz	16QAM	41515	36RB#0	21.15	21.6	33.01	PASS
Band41	15MHz	16QAM	41515	36RB#16	21.16	21.61	33.01	PASS
Band41	15MHz	16QAM	41515	36RB#35	21.16	21.61	33.01	PASS
Band41	15MHz	16QAM	41515	75RB#0	21.17	21.62	33.01	PASS
Band41	15MHz	64QAM	39725	1RB#0	21.65	22.1	33.01	PASS
Band41	15MHz	64QAM	39725	1RB#37	21.77	22.22	33.01	PASS
Band41	15MHz	64QAM	39725	1RB#74	21.65	22.1	33.01	PASS
Band41	15MHz	64QAM	39725	36RB#0	20.52	20.97	33.01	PASS
Band41	15MHz	64QAM	39725	36RB#16	20.50	20.95	33.01	PASS
Band41	15MHz	64QAM	39725	36RB#35	20.54	20.99	33.01	PASS
Band41	15MHz	64QAM	39725	75RB#0	20.51	20.96	33.01	PASS
Band41	15MHz	64QAM	40620	1RB#0	21.90	22.35	33.01	PASS
Band41	15MHz	64QAM	40620	1RB#37	22.05	22.5	33.01	PASS
Band41	15MHz	64QAM	40620	1RB#74	21.93	22.38	33.01	PASS
Band41	15MHz	64QAM	40620	36RB#0	20.68	21.13	33.01	PASS
Band41	15MHz	64QAM	40620	36RB#16	20.68	21.13	33.01	PASS
Band41	15MHz	64QAM	40620	36RB#35	20.66	21.11	33.01	PASS
Band41	15MHz	64QAM	40620	75RB#0	20.75	21.2	33.01	PASS

Band41	15MHz	64QAM	41515	1RB#0	21.30	21.75	33.01	PASS
Band41	15MHz	64QAM	41515	1RB#37	21.49	21.94	33.01	PASS
Band41	15MHz	64QAM	41515	1RB#74	21.33	21.78	33.01	PASS
Band41	15MHz	64QAM	41515	36RB#0	20.26	20.71	33.01	PASS
Band41	15MHz	64QAM	41515	36RB#16	20.26	20.71	33.01	PASS
Band41	15MHz	64QAM	41515	36RB#35	20.24	20.69	33.01	PASS
Band41	15MHz	64QAM	41515	75RB#0	20.19	20.64	33.01	PASS
Band41	20MHz	QPSK	39750	1RB#0	23.44	23.89	33.01	PASS
Band41	20MHz	QPSK	39750	1RB#49	23.59	24.04	33.01	PASS
Band41	20MHz	QPSK	39750	1RB#99	23.38	23.83	33.01	PASS
Band41	20MHz	QPSK	39750	50RB#0	22.40	22.85	33.01	PASS
Band41	20MHz	QPSK	39750	50RB#24	22.40	22.85	33.01	PASS
Band41	20MHz	QPSK	39750	50RB#49	22.42	22.87	33.01	PASS
Band41	20MHz	QPSK	39750	100RB#0	22.48	22.93	33.01	PASS
Band41	20MHz	QPSK	40620	1RB#0	23.51	23.96	33.01	PASS
Band41	20MHz	QPSK	40620	1RB#49	23.80	24.25	33.01	PASS
Band41	20MHz	QPSK	40620	1RB#99	23.65	24.1	33.01	PASS
Band41	20MHz	QPSK	40620	50RB#0	22.58	23.03	33.01	PASS
Band41	20MHz	QPSK	40620	50RB#24	22.55	23	33.01	PASS
Band41	20MHz	QPSK	40620	50RB#49	22.60	23.05	33.01	PASS
Band41	20MHz	QPSK	40620	100RB#0	22.60	23.05	33.01	PASS
Band41	20MHz	QPSK	41490	1RB#0	22.97	23.42	33.01	PASS
Band41	20MHz	QPSK	41490	1RB#49	23.25	23.7	33.01	PASS
Band41	20MHz	QPSK	41490	1RB#99	23.05	23.5	33.01	PASS
Band41	20MHz	QPSK	41490	50RB#0	22.17	22.62	33.01	PASS
Band41	20MHz	QPSK	41490	50RB#24	22.15	22.6	33.01	PASS
Band41	20MHz	QPSK	41490	50RB#49	22.18	22.63	33.01	PASS
Band41	20MHz	QPSK	41490	100RB#0	22.11	22.56	33.01	PASS
Band41	20MHz	16QAM	39750	1RB#0	22.44	22.89	33.01	PASS
Band41	20MHz	16QAM	39750	1RB#49	22.60	23.05	33.01	PASS
Band41	20MHz	16QAM	39750	1RB#99	22.38	22.83	33.01	PASS
Band41	20MHz	16QAM	39750	50RB#0	21.42	21.87	33.01	PASS
Band41	20MHz	16QAM	39750	50RB#24	21.41	21.86	33.01	PASS
Band41	20MHz	16QAM	39750	50RB#49	21.41	21.86	33.01	PASS
Band41	20MHz	16QAM	39750	100RB#0	21.45	21.9	33.01	PASS
Band41	20MHz	16QAM	40620	1RB#0	22.49	22.94	33.01	PASS
Band41	20MHz	16QAM	40620	1RB#49	22.81	23.26	33.01	PASS
Band41	20MHz	16QAM	40620	1RB#99	22.65	23.1	33.01	PASS
Band41	20MHz	16QAM	40620	50RB#0	21.60	22.05	33.01	PASS
Band41	20MHz	16QAM	40620	50RB#24	21.60	22.05	33.01	PASS
Band41	20MHz	16QAM	40620	50RB#49	21.60	22.05	33.01	PASS
Band41	20MHz	16QAM	40620	100RB#0	21.61	22.06	33.01	PASS

Band41	20MHz	16QAM	41490	1RB#0	21.53	21.98	33.01	PASS
Band41	20MHz	16QAM	41490	1RB#49	21.82	22.27	33.01	PASS
Band41	20MHz	16QAM	41490	1RB#99	21.61	22.06	33.01	PASS
Band41	20MHz	16QAM	41490	50RB#0	21.19	21.64	33.01	PASS
Band41	20MHz	16QAM	41490	50RB#24	21.20	21.65	33.01	PASS
Band41	20MHz	16QAM	41490	50RB#49	21.19	21.64	33.01	PASS
Band41	20MHz	16QAM	41490	100RB#0	21.11	21.56	33.01	PASS
Band41	20MHz	64QAM	39750	1RB#0	21.31	21.76	33.01	PASS
Band41	20MHz	64QAM	39750	1RB#49	21.51	21.96	33.01	PASS
Band41	20MHz	64QAM	39750	1RB#99	21.28	21.73	33.01	PASS
Band41	20MHz	64QAM	39750	50RB#0	20.42	20.87	33.01	PASS
Band41	20MHz	64QAM	39750	50RB#24	20.44	20.89	33.01	PASS
Band41	20MHz	64QAM	39750	50RB#49	20.45	20.9	33.01	PASS
Band41	20MHz	64QAM	39750	100RB#0	20.54	20.99	33.01	PASS
Band41	20MHz	64QAM	40620	1RB#0	21.39	21.84	33.01	PASS
Band41	20MHz	64QAM	40620	1RB#49	21.71	22.16	33.01	PASS
Band41	20MHz	64QAM	40620	1RB#99	21.51	21.96	33.01	PASS
Band41	20MHz	64QAM	40620	50RB#0	20.64	21.09	33.01	PASS
Band41	20MHz	64QAM	40620	50RB#24	20.63	21.08	33.01	PASS
Band41	20MHz	64QAM	40620	50RB#49	20.63	21.08	33.01	PASS
Band41	20MHz	64QAM	40620	100RB#0	20.65	21.1	33.01	PASS
Band41	20MHz	64QAM	41490	1RB#0	21.02	21.47	33.01	PASS
Band41	20MHz	64QAM	41490	1RB#49	21.33	21.78	33.01	PASS
Band41	20MHz	64QAM	41490	1RB#99	21.09	21.54	33.01	PASS
Band41	20MHz	64QAM	41490	50RB#0	20.30	20.75	33.01	PASS
Band41	20MHz	64QAM	41490	50RB#24	20.32	20.77	33.01	PASS
Band41	20MHz	64QAM	41490	50RB#49	20.30	20.75	33.01	PASS
Band41	20MHz	64QAM	41490	100RB#0	20.22	20.67	33.01	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	22.61	22.44	30.00	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	22.55	22.38	30.00	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	22.60	22.43	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	22.60	22.43	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	22.65	22.48	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#2	22.66	22.49	30.00	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	21.67	21.5	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	22.62	22.45	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	22.54	22.37	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	22.59	22.42	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	22.81	22.64	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	22.81	22.64	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#2	22.80	22.63	30.00	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	21.70	21.53	30.00	PASS

Band66	1.4MHz	QPSK	132665	1RB#0	22.74	22.57	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	22.64	22.47	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	22.77	22.6	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#0	22.81	22.64	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	22.89	22.72	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#2	22.81	22.64	30.00	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	21.83	21.66	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	21.78	21.61	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	21.80	21.63	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	21.78	21.61	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	21.61	21.44	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	21.63	21.46	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#2	21.62	21.45	30.00	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	20.85	20.68	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	21.84	21.67	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	21.82	21.65	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	21.84	21.67	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	21.63	21.46	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	21.69	21.52	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#2	21.65	21.48	30.00	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	20.78	20.61	30.00	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	21.94	21.77	30.00	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	22.01	21.84	30.00	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	22.00	21.83	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	21.81	21.64	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	21.84	21.67	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#2	21.81	21.64	30.00	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	20.91	20.74	30.00	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	21.16	20.99	30.00	PASS
Band66	1.4MHz	64QAM	131979	1RB#2	21.07	20.9	30.00	PASS
Band66	1.4MHz	64QAM	131979	1RB#5	21.12	20.95	30.00	PASS
Band66	1.4MHz	64QAM	131979	3RB#0	20.84	20.67	30.00	PASS
Band66	1.4MHz	64QAM	131979	3RB#1	20.83	20.66	30.00	PASS
Band66	1.4MHz	64QAM	131979	3RB#2	20.86	20.69	30.00	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	19.64	19.47	30.00	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	20.78	20.61	30.00	PASS
Band66	1.4MHz	64QAM	132322	1RB#2	20.80	20.63	30.00	PASS
Band66	1.4MHz	64QAM	132322	1RB#5	20.80	20.63	30.00	PASS
Band66	1.4MHz	64QAM	132322	3RB#0	20.74	20.57	30.00	PASS
Band66	1.4MHz	64QAM	132322	3RB#1	20.71	20.54	30.00	PASS
Band66	1.4MHz	64QAM	132322	3RB#2	20.76	20.59	30.00	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	19.74	19.57	30.00	PASS

Band66	1.4MHz	64QAM	132665	1RB#0	20.99	20.82	30.00	PASS
Band66	1.4MHz	64QAM	132665	1RB#2	20.98	20.81	30.00	PASS
Band66	1.4MHz	64QAM	132665	1RB#5	21.06	20.89	30.00	PASS
Band66	1.4MHz	64QAM	132665	3RB#0	20.87	20.7	30.00	PASS
Band66	1.4MHz	64QAM	132665	3RB#1	20.86	20.69	30.00	PASS
Band66	1.4MHz	64QAM	132665	3RB#2	20.85	20.68	30.00	PASS
Band66	1.4MHz	64QAM	132665	6RB#0	19.87	19.7	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#0	22.72	22.55	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#7	22.59	22.42	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#14	22.74	22.57	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#0	21.68	21.51	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#4	21.66	21.49	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#7	21.67	21.5	30.00	PASS
Band66	3MHz	QPSK	131987	15RB#0	21.66	21.49	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#0	22.62	22.45	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#7	22.55	22.38	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#14	22.68	22.51	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#0	21.79	21.62	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#4	21.81	21.64	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#7	21.75	21.58	30.00	PASS
Band66	3MHz	QPSK	132322	15RB#0	21.78	21.61	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#0	22.79	22.62	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#7	22.75	22.58	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#14	22.75	22.58	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#0	21.88	21.71	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#4	21.92	21.75	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#7	21.90	21.73	30.00	PASS
Band66	3MHz	QPSK	132657	15RB#0	21.95	21.78	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#0	21.85	21.68	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#7	21.67	21.5	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#14	21.69	21.52	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#0	20.84	20.67	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#4	20.82	20.65	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#7	20.82	20.65	30.00	PASS
Band66	3MHz	16QAM	131987	15RB#0	20.81	20.64	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#0	21.81	21.64	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#7	21.84	21.67	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#14	21.90	21.73	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#0	20.96	20.79	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#4	20.95	20.78	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#7	20.99	20.82	30.00	PASS
Band66	3MHz	16QAM	132322	15RB#0	20.87	20.7	30.00	PASS

Band66	3MHz	16QAM	132657	1RB#0	21.77	21.6	30.00	PASS
Band66	3MHz	16QAM	132657	1RB#7	21.71	21.54	30.00	PASS
Band66	3MHz	16QAM	132657	1RB#14	21.75	21.58	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#0	21.11	20.94	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#4	21.14	20.97	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#7	21.15	20.98	30.00	PASS
Band66	3MHz	16QAM	132657	15RB#0	21.05	20.88	30.00	PASS
Band66	3MHz	64QAM	131987	1RB#0	20.77	20.6	30.00	PASS
Band66	3MHz	64QAM	131987	1RB#7	20.70	20.53	30.00	PASS
Band66	3MHz	64QAM	131987	1RB#14	20.73	20.56	30.00	PASS
Band66	3MHz	64QAM	131987	8RB#0	19.84	19.67	30.00	PASS
Band66	3MHz	64QAM	131987	8RB#4	19.81	19.64	30.00	PASS
Band66	3MHz	64QAM	131987	8RB#7	19.84	19.67	30.00	PASS
Band66	3MHz	64QAM	131987	15RB#0	19.84	19.67	30.00	PASS
Band66	3MHz	64QAM	132322	1RB#0	20.82	20.65	30.00	PASS
Band66	3MHz	64QAM	132322	1RB#7	20.85	20.68	30.00	PASS
Band66	3MHz	64QAM	132322	1RB#14	20.71	20.54	30.00	PASS
Band66	3MHz	64QAM	132322	8RB#0	20.01	19.84	30.00	PASS
Band66	3MHz	64QAM	132322	8RB#4	19.96	19.79	30.00	PASS
Band66	3MHz	64QAM	132322	8RB#7	19.97	19.8	30.00	PASS
Band66	3MHz	64QAM	132322	15RB#0	19.90	19.73	30.00	PASS
Band66	3MHz	64QAM	132657	1RB#0	21.27	21.1	30.00	PASS
Band66	3MHz	64QAM	132657	1RB#7	21.47	21.3	30.00	PASS
Band66	3MHz	64QAM	132657	1RB#14	21.38	21.21	30.00	PASS
Band66	3MHz	64QAM	132657	8RB#0	20.15	19.98	30.00	PASS
Band66	3MHz	64QAM	132657	8RB#4	20.14	19.97	30.00	PASS
Band66	3MHz	64QAM	132657	8RB#7	20.10	19.93	30.00	PASS
Band66	3MHz	64QAM	132657	15RB#0	19.98	19.81	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#0	22.90	22.73	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#12	22.82	22.65	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#24	22.81	22.64	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#0	21.71	21.54	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#6	21.72	21.55	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#11	21.69	21.52	30.00	PASS
Band66	5MHz	QPSK	131997	25RB#0	21.74	21.57	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#0	22.87	22.7	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#12	22.87	22.7	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#24	22.90	22.73	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#0	21.78	21.61	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#6	21.81	21.64	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#11	21.79	21.62	30.00	PASS
Band66	5MHz	QPSK	132322	25RB#0	21.83	21.66	30.00	PASS

Band66	5MHz	QPSK	132647	1RB#0	23.03	22.86	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#12	22.92	22.75	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#24	23.12	22.95	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#0	21.90	21.73	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#6	21.97	21.8	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#11	21.94	21.77	30.00	PASS
Band66	5MHz	QPSK	132647	25RB#0	21.96	21.79	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#0	21.99	21.82	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#12	21.84	21.67	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#24	21.87	21.7	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#0	20.89	20.72	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#6	20.91	20.74	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#11	20.90	20.73	30.00	PASS
Band66	5MHz	16QAM	131997	25RB#0	20.84	20.67	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#0	21.86	21.69	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#12	21.77	21.6	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#24	21.85	21.68	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#0	21.01	20.84	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#6	21.01	20.84	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#11	21.02	20.85	30.00	PASS
Band66	5MHz	16QAM	132322	25RB#0	21.02	20.85	30.00	PASS
Band66	5MHz	16QAM	132647	1RB#0	21.96	21.79	30.00	PASS
Band66	5MHz	16QAM	132647	1RB#12	22.01	21.84	30.00	PASS
Band66	5MHz	16QAM	132647	1RB#24	21.96	21.79	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#0	21.16	20.99	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#6	21.15	20.98	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#11	21.15	20.98	30.00	PASS
Band66	5MHz	16QAM	132647	25RB#0	21.12	20.95	30.00	PASS
Band66	5MHz	64QAM	131997	1RB#0	21.42	21.25	30.00	PASS
Band66	5MHz	64QAM	131997	1RB#12	21.45	21.28	30.00	PASS
Band66	5MHz	64QAM	131997	1RB#24	21.39	21.22	30.00	PASS
Band66	5MHz	64QAM	131997	12RB#0	19.90	19.73	30.00	PASS
Band66	5MHz	64QAM	131997	12RB#6	19.88	19.71	30.00	PASS
Band66	5MHz	64QAM	131997	12RB#11	19.89	19.72	30.00	PASS
Band66	5MHz	64QAM	131997	25RB#0	19.81	19.64	30.00	PASS
Band66	5MHz	64QAM	132322	1RB#0	21.17	21	30.00	PASS
Band66	5MHz	64QAM	132322	1RB#12	21.21	21.04	30.00	PASS
Band66	5MHz	64QAM	132322	1RB#24	21.16	20.99	30.00	PASS
Band66	5MHz	64QAM	132322	12RB#0	20.04	19.87	30.00	PASS
Band66	5MHz	64QAM	132322	12RB#6	20.07	19.9	30.00	PASS
Band66	5MHz	64QAM	132322	12RB#11	20.06	19.89	30.00	PASS
Band66	5MHz	64QAM	132322	25RB#0	19.99	19.82	30.00	PASS

Band66	5MHz	64QAM	132647	1RB#0	21.07	20.9	30.00	PASS
Band66	5MHz	64QAM	132647	1RB#12	21.18	21.01	30.00	PASS
Band66	5MHz	64QAM	132647	1RB#24	21.11	20.94	30.00	PASS
Band66	5MHz	64QAM	132647	12RB#0	20.15	19.98	30.00	PASS
Band66	5MHz	64QAM	132647	12RB#6	20.15	19.98	30.00	PASS
Band66	5MHz	64QAM	132647	12RB#11	20.16	19.99	30.00	PASS
Band66	5MHz	64QAM	132647	25RB#0	20.10	19.93	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#0	22.68	22.51	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#24	22.53	22.36	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#49	22.63	22.46	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#0	21.69	21.52	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#12	21.70	21.53	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#24	21.71	21.54	30.00	PASS
Band66	10MHz	QPSK	132022	50RB#0	21.72	21.55	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#0	22.80	22.63	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#24	22.73	22.56	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#49	22.70	22.53	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#0	21.78	21.61	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#12	21.77	21.6	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#24	21.81	21.64	30.00	PASS
Band66	10MHz	QPSK	132322	50RB#0	21.85	21.68	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#0	22.87	22.7	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#24	22.85	22.68	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#49	22.98	22.81	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#0	21.91	21.74	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#12	21.93	21.76	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#24	21.95	21.78	30.00	PASS
Band66	10MHz	QPSK	132622	50RB#0	21.92	21.75	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#0	21.99	21.82	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#24	21.80	21.63	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#49	21.86	21.69	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#0	20.76	20.59	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#12	20.78	20.61	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#24	20.78	20.61	30.00	PASS
Band66	10MHz	16QAM	132022	50RB#0	20.77	20.6	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#0	21.75	21.58	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#24	21.75	21.58	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#49	21.74	21.57	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#0	20.98	20.81	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#12	20.97	20.8	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#24	20.98	20.81	30.00	PASS
Band66	10MHz	16QAM	132322	50RB#0	20.96	20.79	30.00	PASS

Band66	10MHz	16QAM	132622	1RB#0	21.93	21.76	30.00	PASS
Band66	10MHz	16QAM	132622	1RB#24	22.08	21.91	30.00	PASS
Band66	10MHz	16QAM	132622	1RB#49	22.10	21.93	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#0	21.09	20.92	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#12	21.05	20.88	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#24	21.07	20.9	30.00	PASS
Band66	10MHz	16QAM	132622	50RB#0	21.04	20.87	30.00	PASS
Band66	10MHz	64QAM	132022	1RB#0	20.86	20.69	30.00	PASS
Band66	10MHz	64QAM	132022	1RB#24	20.70	20.53	30.00	PASS
Band66	10MHz	64QAM	132022	1RB#49	20.84	20.67	30.00	PASS
Band66	10MHz	64QAM	132022	25RB#0	19.71	19.54	30.00	PASS
Band66	10MHz	64QAM	132022	25RB#12	19.74	19.57	30.00	PASS
Band66	10MHz	64QAM	132022	25RB#24	19.74	19.57	30.00	PASS
Band66	10MHz	64QAM	132022	50RB#0	19.77	19.6	30.00	PASS
Band66	10MHz	64QAM	132322	1RB#0	21.27	21.1	30.00	PASS
Band66	10MHz	64QAM	132322	1RB#24	21.18	21.01	30.00	PASS
Band66	10MHz	64QAM	132322	1RB#49	21.26	21.09	30.00	PASS
Band66	10MHz	64QAM	132322	25RB#0	19.93	19.76	30.00	PASS
Band66	10MHz	64QAM	132322	25RB#12	19.94	19.77	30.00	PASS
Band66	10MHz	64QAM	132322	25RB#24	19.94	19.77	30.00	PASS
Band66	10MHz	64QAM	132322	50RB#0	19.89	19.72	30.00	PASS
Band66	10MHz	64QAM	132622	1RB#0	21.09	20.92	30.00	PASS
Band66	10MHz	64QAM	132622	1RB#24	20.96	20.79	30.00	PASS
Band66	10MHz	64QAM	132622	1RB#49	21.02	20.85	30.00	PASS
Band66	10MHz	64QAM	132622	25RB#0	20.08	19.91	30.00	PASS
Band66	10MHz	64QAM	132622	25RB#12	20.08	19.91	30.00	PASS
Band66	10MHz	64QAM	132622	25RB#24	20.03	19.86	30.00	PASS
Band66	10MHz	64QAM	132622	50RB#0	20.02	19.85	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#0	22.80	22.63	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#37	22.78	22.61	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#74	22.83	22.66	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#0	21.71	21.54	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#16	21.73	21.56	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#35	21.72	21.55	30.00	PASS
Band66	15MHz	QPSK	132047	75RB#0	21.72	21.55	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#0	22.83	22.66	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#37	22.84	22.67	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#74	22.83	22.66	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#0	21.80	21.63	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#16	21.81	21.64	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#35	21.82	21.65	30.00	PASS
Band66	15MHz	QPSK	132322	75RB#0	21.82	21.65	30.00	PASS

Band66	15MHz	QPSK	132597	1RB#0	22.92	22.75	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#37	22.92	22.75	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#74	23.01	22.84	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#0	21.87	21.7	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#16	21.86	21.69	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#35	21.87	21.7	30.00	PASS
Band66	15MHz	QPSK	132597	75RB#0	21.95	21.78	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#0	22.05	21.88	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#37	22.03	21.86	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#74	22.14	21.97	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#0	20.86	20.69	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#16	20.86	20.69	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#35	20.86	20.69	30.00	PASS
Band66	15MHz	16QAM	132047	75RB#0	20.87	20.7	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#0	21.84	21.67	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#37	21.82	21.65	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#74	21.77	21.6	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#0	20.93	20.76	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#16	20.94	20.77	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#35	20.94	20.77	30.00	PASS
Band66	15MHz	16QAM	132322	75RB#0	20.96	20.79	30.00	PASS
Band66	15MHz	16QAM	132597	1RB#0	22.00	21.83	30.00	PASS
Band66	15MHz	16QAM	132597	1RB#37	22.07	21.9	30.00	PASS
Band66	15MHz	16QAM	132597	1RB#74	22.05	21.88	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#0	21.02	20.85	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#16	21.02	20.85	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#35	21.02	20.85	30.00	PASS
Band66	15MHz	16QAM	132597	75RB#0	21.06	20.89	30.00	PASS
Band66	15MHz	64QAM	132047	1RB#0	21.13	20.96	30.00	PASS
Band66	15MHz	64QAM	132047	1RB#37	21.17	21	30.00	PASS
Band66	15MHz	64QAM	132047	1RB#74	21.20	21.03	30.00	PASS
Band66	15MHz	64QAM	132047	36RB#0	19.79	19.62	30.00	PASS
Band66	15MHz	64QAM	132047	36RB#16	19.80	19.63	30.00	PASS
Band66	15MHz	64QAM	132047	36RB#35	19.81	19.64	30.00	PASS
Band66	15MHz	64QAM	132047	75RB#0	19.85	19.68	30.00	PASS
Band66	15MHz	64QAM	132322	1RB#0	21.29	21.12	30.00	PASS
Band66	15MHz	64QAM	132322	1RB#37	21.23	21.06	30.00	PASS
Band66	15MHz	64QAM	132322	1RB#74	21.24	21.07	30.00	PASS
Band66	15MHz	64QAM	132322	36RB#0	19.94	19.77	30.00	PASS
Band66	15MHz	64QAM	132322	36RB#16	19.95	19.78	30.00	PASS
Band66	15MHz	64QAM	132322	36RB#35	19.94	19.77	30.00	PASS
Band66	15MHz	64QAM	132322	75RB#0	19.97	19.8	30.00	PASS

Band66	15MHz	64QAM	132597	1RB#0	20.97	20.8	30.00	PASS
Band66	15MHz	64QAM	132597	1RB#37	21.18	21.01	30.00	PASS
Band66	15MHz	64QAM	132597	1RB#74	21.12	20.95	30.00	PASS
Band66	15MHz	64QAM	132597	36RB#0	20.05	19.88	30.00	PASS
Band66	15MHz	64QAM	132597	36RB#16	20.04	19.87	30.00	PASS
Band66	15MHz	64QAM	132597	36RB#35	20.05	19.88	30.00	PASS
Band66	15MHz	64QAM	132597	75RB#0	20.08	19.91	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#0	24.27	24.1	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#49	24.33	24.16	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#99	24.28	24.11	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#0	23.11	22.94	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#24	23.12	22.95	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#49	23.14	22.97	30.00	PASS
Band66	20MHz	QPSK	132072	100RB#0	23.18	23.01	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#0	24.18	24.01	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#49	24.14	23.97	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#99	24.26	24.09	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#0	23.14	22.97	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#24	23.14	22.97	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#49	23.15	22.98	30.00	PASS
Band66	20MHz	QPSK	132322	100RB#0	23.14	22.97	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#0	24.08	23.91	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#49	24.00	23.83	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#99	24.03	23.86	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#0	23.11	22.94	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#24	23.12	22.95	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#49	23.11	22.94	30.00	PASS
Band66	20MHz	QPSK	132572	100RB#0	23.12	22.95	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#0	23.11	22.94	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#49	23.15	22.98	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#99	23.18	23.01	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#0	22.09	21.92	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#24	22.10	21.93	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#49	22.12	21.95	30.00	PASS
Band66	20MHz	16QAM	132072	100RB#0	22.12	21.95	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#0	23.34	23.17	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#49	23.35	23.18	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#99	23.61	23.44	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#0	22.14	21.97	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#24	22.14	21.97	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#49	22.15	21.98	30.00	PASS
Band66	20MHz	16QAM	132322	100RB#0	22.15	21.98	30.00	PASS

Band66	20MHz	16QAM	132572	1RB#0	23.01	22.84	30.00	PASS
Band66	20MHz	16QAM	132572	1RB#49	22.91	22.74	30.00	PASS
Band66	20MHz	16QAM	132572	1RB#99	23.05	22.88	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#0	22.15	21.98	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#24	22.16	21.99	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#49	22.15	21.98	30.00	PASS
Band66	20MHz	16QAM	132572	100RB#0	22.11	21.94	30.00	PASS
Band66	20MHz	64QAM	132072	1RB#0	22.30	22.13	30.00	PASS
Band66	20MHz	64QAM	132072	1RB#49	22.36	22.19	30.00	PASS
Band66	20MHz	64QAM	132072	1RB#99	22.37	22.2	30.00	PASS
Band66	20MHz	64QAM	132072	50RB#0	21.19	21.02	30.00	PASS
Band66	20MHz	64QAM	132072	50RB#24	21.19	21.02	30.00	PASS
Band66	20MHz	64QAM	132072	50RB#49	21.20	21.03	30.00	PASS
Band66	20MHz	64QAM	132072	100RB#0	21.18	21.01	30.00	PASS
Band66	20MHz	64QAM	132322	1RB#0	22.28	22.11	30.00	PASS
Band66	20MHz	64QAM	132322	1RB#49	22.39	22.22	30.00	PASS
Band66	20MHz	64QAM	132322	1RB#99	22.48	22.31	30.00	PASS
Band66	20MHz	64QAM	132322	50RB#0	21.26	21.09	30.00	PASS
Band66	20MHz	64QAM	132322	50RB#24	21.25	21.08	30.00	PASS
Band66	20MHz	64QAM	132322	50RB#49	21.26	21.09	30.00	PASS
Band66	20MHz	64QAM	132322	100RB#0	21.28	21.11	30.00	PASS
Band66	20MHz	64QAM	132572	1RB#0	21.92	21.75	30.00	PASS
Band66	20MHz	64QAM	132572	1RB#49	21.85	21.68	30.00	PASS
Band66	20MHz	64QAM	132572	1RB#99	21.98	21.81	30.00	PASS
Band66	20MHz	64QAM	132572	50RB#0	21.20	21.03	30.00	PASS
Band66	20MHz	64QAM	132572	50RB#24	21.20	21.03	30.00	PASS
Band66	20MHz	64QAM	132572	50RB#49	21.19	21.02	30.00	PASS
Band66	20MHz	64QAM	132572	100RB#0	21.16	20.99	30.00	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band 2 & 4 & 7 & 25 & 38 & 41 & 66)
ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band 5 & 26)


Appendix B: Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band7	20MHz	QPSK	21100	100RB#0	4.45	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	5.22	13	PASS
Band7	20MHz	64QAM	21100	100RB#0	5.78	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	5.16	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	5.95	13	PASS
Band25	20MHz	64QAM	26365	100RB#0	6.37	13	PASS
Band26	10MHz	QPSK	26740	50RB#0	5.48	13	PASS
Band26	10MHz	16QAM	26740	50RB#0	6.10	13	PASS
Band26	10MHz	64QAM	26740	50RB#0	6.47	13	PASS
Band26	15MHz	QPSK	26915	1RB#0	4.87	13	PASS
Band26	15MHz	QPSK	26915	75RB#0	5.57	13	PASS
Band26	15MHz	16QAM	26915	1RB#0	5.38	13	PASS
Band26	15MHz	16QAM	26915	75RB#0	6.20	13	PASS
Band26	15MHz	64QAM	26915	1RB#0	5.52	13	PASS
Band26	15MHz	64QAM	26915	75RB#0	6.47	13	PASS
Band38	20MHz	QPSK	38000	100RB#0	5.65	13	PASS
Band38	20MHz	16QAM	38000	100RB#0	6.39	13	PASS
Band38	20MHz	64QAM	38000	100RB#0	6.56	13	PASS
Band41	20MHz	QPSK	40620	100RB#0	5.38	13	PASS
Band41	20MHz	16QAM	40620	100RB#0	6.18	13	PASS
Band41	20MHz	64QAM	40620	100RB#0	6.56	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	4.62	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	5.39	13	PASS
Band66	20MHz	64QAM	132322	100RB#0	5.88	13	PASS


Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

Test Graphs









Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	4.5194	5.026	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.5003	5.011	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.5131	5.039	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.5017	5.392	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.5254	5.036	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5260	4.996	PASS
Band7	5MHz	64QAM	20775	25RB#0	4.5018	4.961	PASS
Band7	5MHz	64QAM	21100	25RB#0	4.5007	4.981	PASS
Band7	5MHz	64QAM	21425	25RB#0	4.5158	4.983	PASS
Band7	10MHz	QPSK	20800	50RB#0	9.0114	10.00	PASS
Band7	10MHz	QPSK	21100	50RB#0	8.9956	9.877	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.9890	9.880	PASS
Band7	10MHz	16QAM	20800	50RB#0	8.9931	9.937	PASS
Band7	10MHz	16QAM	21100	50RB#0	8.9974	9.831	PASS
Band7	10MHz	16QAM	21400	50RB#0	8.9949	9.786	PASS
Band7	10MHz	64QAM	20800	50RB#0	8.9898	9.852	PASS
Band7	10MHz	64QAM	21100	50RB#0	8.9959	9.859	PASS
Band7	10MHz	64QAM	21400	50RB#0	8.9750	9.825	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.525	14.86	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.501	14.79	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.452	14.73	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.498	14.80	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.466	14.69	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.493	14.69	PASS
Band7	15MHz	64QAM	20825	75RB#0	13.463	14.69	PASS
Band7	15MHz	64QAM	21100	75RB#0	13.507	14.72	PASS
Band7	15MHz	64QAM	21375	75RB#0	13.483	14.71	PASS
Band7	20MHz	QPSK	20850	100RB#0	18.013	20.13	PASS
Band7	20MHz	QPSK	21100	100RB#0	17.981	19.63	PASS
Band7	20MHz	QPSK	21350	100RB#0	17.975	19.49	PASS
Band7	20MHz	16QAM	20850	100RB#0	17.996	19.74	PASS
Band7	20MHz	16QAM	21100	100RB#0	17.954	19.60	PASS
Band7	20MHz	16QAM	21350	100RB#0	17.977	19.47	PASS
Band7	20MHz	64QAM	20850	100RB#0	17.934	19.55	PASS
Band7	20MHz	64QAM	21100	100RB#0	17.957	19.33	PASS

Band7	20MHz	64QAM	21350	100RB#0	17.933	19.47	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	1.0917	1.307	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.0937	1.302	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.0969	1.323	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1.1003	1.314	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.1008	1.308	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.0905	1.275	PASS
Band25	1.4MHz	64QAM	26047	6RB#0	1.0926	1.298	PASS
Band25	1.4MHz	64QAM	26365	6RB#0	1.0912	1.285	PASS
Band25	1.4MHz	64QAM	26683	6RB#0	1.1009	1.306	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.6953	2.931	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.6963	2.919	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.7002	2.924	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.6926	2.946	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.6912	2.942	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.6916	2.949	PASS
Band25	3MHz	64QAM	26055	15RB#0	2.6985	2.942	PASS
Band25	3MHz	64QAM	26365	15RB#0	2.6937	2.947	PASS
Band25	3MHz	64QAM	26675	15RB#0	2.6960	2.945	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.5149	4.994	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.5160	4.972	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.4995	4.981	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.4965	4.966	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.4966	4.969	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.5145	5.006	PASS
Band25	5MHz	64QAM	26065	25RB#0	4.4973	4.976	PASS
Band25	5MHz	64QAM	26365	25RB#0	4.4994	5.129	PASS
Band25	5MHz	64QAM	26665	25RB#0	4.4989	4.981	PASS
Band25	10MHz	QPSK	26090	50RB#0	8.9894	9.890	PASS
Band25	10MHz	QPSK	26365	50RB#0	8.9973	9.930	PASS
Band25	10MHz	QPSK	26640	50RB#0	8.9959	9.842	PASS
Band25	10MHz	16QAM	26090	50RB#0	8.9735	9.795	PASS
Band25	10MHz	16QAM	26365	50RB#0	8.9780	9.806	PASS
Band25	10MHz	16QAM	26640	50RB#0	8.9937	9.846	PASS
Band25	10MHz	64QAM	26090	50RB#0	8.9698	9.807	PASS
Band25	10MHz	64QAM	26365	50RB#0	8.9855	9.811	PASS
Band25	10MHz	64QAM	26640	50RB#0	8.9821	9.744	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.476	14.83	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.491	14.82	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.478	14.71	PASS
Band25	15MHz	16QAM	26115	75RB#0	13.487	14.75	PASS
Band25	15MHz	16QAM	26365	75RB#0	13.485	14.70	PASS

Band25	15MHz	16QAM	26615	75RB#0	13.484	14.70	PASS
Band25	15MHz	64QAM	26115	75RB#0	13.450	14.67	PASS
Band25	15MHz	64QAM	26365	75RB#0	13.443	14.71	PASS
Band25	15MHz	64QAM	26615	75RB#0	13.463	14.67	PASS
Band25	20MHz	QPSK	26140	100RB#0	17.960	19.42	PASS
Band25	20MHz	QPSK	26365	100RB#0	17.956	19.35	PASS
Band25	20MHz	QPSK	26590	100RB#0	17.978	19.58	PASS
Band25	20MHz	16QAM	26140	100RB#0	17.970	19.52	PASS
Band25	20MHz	16QAM	26365	100RB#0	17.980	19.55	PASS
Band25	20MHz	16QAM	26590	100RB#0	17.943	19.47	PASS
Band25	20MHz	64QAM	26140	100RB#0	17.904	19.53	PASS
Band25	20MHz	64QAM	26365	100RB#0	17.964	19.43	PASS
Band25	20MHz	64QAM	26590	100RB#0	17.954	19.40	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	1.0936	1.283	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	1.0933	1.285	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	1.0978	1.318	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	1.0932	1.303	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	1.0913	1.274	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	1.0926	1.273	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	1.0976	1.299	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	1.0942	1.290	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	1.0873	1.269	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	1.0986	1.294	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	1.0962	1.295	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	1.0978	1.305	PASS
Band26	1.4MHz	64QAM	26697	6RB#0	1.0914	1.280	PASS
Band26	1.4MHz	64QAM	26740	6RB#0	1.0911	1.290	PASS
Band26	1.4MHz	64QAM	26783	6RB#0	1.1008	1.319	PASS
Band26	1.4MHz	64QAM	26797	6RB#0	1.0909	1.301	PASS
Band26	1.4MHz	64QAM	26915	6RB#0	1.0909	1.285	PASS
Band26	1.4MHz	64QAM	27033	6RB#0	1.0961	1.327	PASS
Band26	3MHz	QPSK	26705	15RB#0	2.6929	2.923	PASS
Band26	3MHz	QPSK	26740	15RB#0	2.6927	2.924	PASS
Band26	3MHz	QPSK	26775	15RB#0	2.6993	2.927	PASS
Band26	3MHz	QPSK	26805	15RB#0	2.7005	2.949	PASS
Band26	3MHz	QPSK	26915	15RB#0	2.6900	2.936	PASS
Band26	3MHz	QPSK	27025	15RB#0	2.6933	2.922	PASS
Band26	3MHz	16QAM	26705	15RB#0	2.6858	2.944	PASS
Band26	3MHz	16QAM	26740	15RB#0	2.6890	2.938	PASS
Band26	3MHz	16QAM	26775	15RB#0	2.6947	2.931	PASS
Band26	3MHz	16QAM	26805	15RB#0	2.6866	2.923	PASS
Band26	3MHz	16QAM	26915	15RB#0	2.6882	2.947	PASS

Band26	3MHz	16QAM	27025	15RB#0	2.6851	3.035	PASS
Band26	3MHz	64QAM	26705	15RB#0	2.6966	2.948	PASS
Band26	3MHz	64QAM	26740	15RB#0	2.6964	2.935	PASS
Band26	3MHz	64QAM	26775	15RB#0	2.6890	2.916	PASS
Band26	3MHz	64QAM	26805	15RB#0	2.6926	2.942	PASS
Band26	3MHz	64QAM	26915	15RB#0	2.6980	2.941	PASS
Band26	3MHz	64QAM	27025	15RB#0	2.6890	2.930	PASS
Band26	5MHz	QPSK	26715	25RB#0	4.5039	5.219	PASS
Band26	5MHz	QPSK	26740	25RB#0	4.4933	4.966	PASS
Band26	5MHz	QPSK	26765	25RB#0	4.5044	4.968	PASS
Band26	5MHz	QPSK	26815	25RB#0	4.5050	5.921	PASS
Band26	5MHz	QPSK	26915	25RB#0	4.5011	4.981	PASS
Band26	5MHz	QPSK	27015	25RB#0	4.4968	4.960	PASS
Band26	5MHz	16QAM	26715	25RB#0	4.4947	4.948	PASS
Band26	5MHz	16QAM	26740	25RB#0	4.4978	4.988	PASS
Band26	5MHz	16QAM	26765	25RB#0	4.5077	4.993	PASS
Band26	5MHz	16QAM	26815	25RB#0	4.5004	4.965	PASS
Band26	5MHz	16QAM	26915	25RB#0	4.4918	4.940	PASS
Band26	5MHz	16QAM	27015	25RB#0	4.5043	4.964	PASS
Band26	5MHz	64QAM	26715	25RB#0	4.4999	4.963	PASS
Band26	5MHz	64QAM	26740	25RB#0	4.4947	5.148	PASS
Band26	5MHz	64QAM	26765	25RB#0	4.5010	4.959	PASS
Band26	5MHz	64QAM	26815	25RB#0	4.5034	4.962	PASS
Band26	5MHz	64QAM	26915	25RB#0	4.4984	4.975	PASS
Band26	5MHz	64QAM	27015	25RB#0	4.4947	4.944	PASS
Band26	10MHz	QPSK	26740	50RB#0	8.9777	9.832	PASS
Band26	10MHz	QPSK	26840	50RB#0	8.9897	9.847	PASS
Band26	10MHz	QPSK	26915	50RB#0	8.9785	9.891	PASS
Band26	10MHz	QPSK	26990	50RB#0	8.9641	9.796	PASS
Band26	10MHz	16QAM	26740	50RB#0	8.9708	9.829	PASS
Band26	10MHz	16QAM	26840	50RB#0	8.9739	9.759	PASS
Band26	10MHz	16QAM	26915	50RB#0	8.9874	9.787	PASS
Band26	10MHz	16QAM	26990	50RB#0	8.9717	10.44	PASS
Band26	10MHz	64QAM	26740	50RB#0	8.9593	9.756	PASS
Band26	10MHz	64QAM	26840	50RB#0	8.9814	9.850	PASS
Band26	10MHz	64QAM	26915	50RB#0	8.9724	9.815	PASS
Band26	10MHz	64QAM	26990	50RB#0	8.9678	9.802	PASS
Band26	15MHz	QPSK	26865	75RB#0	13.510	14.81	PASS
Band26	15MHz	QPSK	26915	75RB#0	13.457	14.84	PASS
Band26	15MHz	QPSK	26965	75RB#0	13.405	14.58	PASS
Band26	15MHz	16QAM	26865	75RB#0	13.495	14.68	PASS
Band26	15MHz	16QAM	26915	75RB#0	13.460	14.62	PASS

Band26	15MHz	16QAM	26965	75RB#0	13.453	14.64	PASS
Band26	15MHz	64QAM	26865	75RB#0	13.460	14.65	PASS
Band26	15MHz	64QAM	26915	75RB#0	13.467	14.69	PASS
Band26	15MHz	64QAM	26965	75RB#0	13.439	14.75	PASS
Band38	5MHz	QPSK	37775	25RB#0	4.4971	5.164	PASS
Band38	5MHz	QPSK	38000	25RB#0	4.4937	4.913	PASS
Band38	5MHz	QPSK	38225	25RB#0	4.4892	4.987	PASS
Band38	5MHz	16QAM	37775	25RB#0	4.4998	4.992	PASS
Band38	5MHz	16QAM	38000	25RB#0	4.5001	5.021	PASS
Band38	5MHz	16QAM	38225	25RB#0	4.4880	4.893	PASS
Band38	5MHz	64QAM	37775	25RB#0	4.5050	4.994	PASS
Band38	5MHz	64QAM	38000	25RB#0	4.5050	5.131	PASS
Band38	5MHz	64QAM	38225	25RB#0	4.4913	4.905	PASS
Band38	10MHz	QPSK	37800	50RB#0	8.9808	9.723	PASS
Band38	10MHz	QPSK	38000	50RB#0	8.9764	9.748	PASS
Band38	10MHz	QPSK	38200	50RB#0	8.9764	9.756	PASS
Band38	10MHz	16QAM	37800	50RB#0	8.9826	9.721	PASS
Band38	10MHz	16QAM	38000	50RB#0	8.9783	9.722	PASS
Band38	10MHz	16QAM	38200	50RB#0	8.9853	10.38	PASS
Band38	10MHz	64QAM	37800	50RB#0	8.9471	10.01	PASS
Band38	10MHz	64QAM	38000	50RB#0	8.9661	9.921	PASS
Band38	10MHz	64QAM	38200	50RB#0	8.9752	9.896	PASS
Band38	15MHz	QPSK	37825	75RB#0	13.484	14.82	PASS
Band38	15MHz	QPSK	38000	75RB#0	13.468	14.83	PASS
Band38	15MHz	QPSK	38175	75RB#0	13.447	15.03	PASS
Band38	15MHz	16QAM	37825	75RB#0	13.470	15.04	PASS
Band38	15MHz	16QAM	38000	75RB#0	13.471	14.76	PASS
Band38	15MHz	16QAM	38175	75RB#0	13.477	14.88	PASS
Band38	15MHz	64QAM	37825	75RB#0	13.440	14.78	PASS
Band38	15MHz	64QAM	38000	75RB#0	13.410	14.65	PASS
Band38	15MHz	64QAM	38175	75RB#0	13.438	14.63	PASS
Band38	20MHz	QPSK	37850	100RB#0	17.958	19.33	PASS
Band38	20MHz	QPSK	38000	100RB#0	17.934	19.37	PASS
Band38	20MHz	QPSK	38150	100RB#0	17.910	19.24	PASS
Band38	20MHz	16QAM	37850	100RB#0	17.885	19.31	PASS
Band38	20MHz	16QAM	38000	100RB#0	17.922	19.24	PASS
Band38	20MHz	16QAM	38150	100RB#0	17.920	19.92	PASS
Band38	20MHz	64QAM	37850	100RB#0	17.877	19.36	PASS
Band38	20MHz	64QAM	38000	100RB#0	17.950	20.23	PASS
Band38	20MHz	64QAM	38150	100RB#0	17.936	19.44	PASS
Band41	5MHz	QPSK	39675	25RB#0	4.4937	4.919	PASS
Band41	5MHz	QPSK	40620	25RB#0	4.4925	4.915	PASS

Band41	5MHz	QPSK	41565	25RB#0	4.4955	5.077	PASS
Band41	5MHz	16QAM	39675	25RB#0	4.5018	4.922	PASS
Band41	5MHz	16QAM	40620	25RB#0	4.4971	4.949	PASS
Band41	5MHz	16QAM	41565	25RB#0	4.4970	4.977	PASS
Band41	5MHz	64QAM	39675	25RB#0	4.5097	5.011	PASS
Band41	5MHz	64QAM	40620	25RB#0	4.5013	4.968	PASS
Band41	5MHz	64QAM	41565	25RB#0	4.5096	4.963	PASS
Band41	10MHz	QPSK	39700	50RB#0	8.9804	10.02	PASS
Band41	10MHz	QPSK	40620	50RB#0	8.9771	9.739	PASS
Band41	10MHz	QPSK	41540	50RB#0	8.9769	9.767	PASS
Band41	10MHz	16QAM	39700	50RB#0	8.9825	9.748	PASS
Band41	10MHz	16QAM	40620	50RB#0	8.9683	10.09	PASS
Band41	10MHz	16QAM	41540	50RB#0	8.9795	9.743	PASS
Band41	10MHz	64QAM	39700	50RB#0	8.9779	10.01	PASS
Band41	10MHz	64QAM	40620	50RB#0	8.9683	10.03	PASS
Band41	10MHz	64QAM	41540	50RB#0	8.9680	10.40	PASS
Band41	15MHz	QPSK	39725	75RB#0	13.472	14.60	PASS
Band41	15MHz	QPSK	40620	75RB#0	13.482	14.87	PASS
Band41	15MHz	QPSK	41515	75RB#0	13.478	14.90	PASS
Band41	15MHz	16QAM	39725	75RB#0	13.464	14.84	PASS
Band41	15MHz	16QAM	40620	75RB#0	13.475	15.10	PASS
Band41	15MHz	16QAM	41515	75RB#0	13.469	14.76	PASS
Band41	15MHz	64QAM	39725	75RB#0	13.439	15.02	PASS
Band41	15MHz	64QAM	40620	75RB#0	13.438	14.50	PASS
Band41	15MHz	64QAM	41515	75RB#0	13.446	14.50	PASS
Band41	20MHz	QPSK	39750	100RB#0	17.987	19.25	PASS
Band41	20MHz	QPSK	40620	100RB#0	17.937	19.26	PASS
Band41	20MHz	QPSK	41490	100RB#0	17.940	19.35	PASS
Band41	20MHz	16QAM	39750	100RB#0	17.925	19.46	PASS
Band41	20MHz	16QAM	40620	100RB#0	17.874	19.34	PASS
Band41	20MHz	16QAM	41490	100RB#0	17.875	19.40	PASS
Band41	20MHz	64QAM	39750	100RB#0	17.923	19.66	PASS
Band41	20MHz	64QAM	40620	100RB#0	17.891	19.57	PASS
Band41	20MHz	64QAM	41490	100RB#0	17.880	19.45	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	1.0956	1.294	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.1000	1.332	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0995	1.294	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.0986	1.304	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.1044	1.312	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.0969	1.292	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	1.0912	1.291	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	1.0924	1.285	PASS

Band66	1.4MHz	64QAM	132665	6RB#0	1.0955	1.313	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.6968	2.925	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.7017	3.020	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.6969	2.947	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.6936	2.955	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.6916	2.972	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.6907	2.944	PASS
Band66	3MHz	64QAM	131987	15RB#0	2.7008	2.963	PASS
Band66	3MHz	64QAM	132322	15RB#0	2.7024	2.961	PASS
Band66	3MHz	64QAM	132657	15RB#0	2.6978	2.940	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5151	4.993	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5236	5.023	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.4979	5.020	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.4979	4.966	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.5069	5.008	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.5199	5.017	PASS
Band66	5MHz	64QAM	131997	25RB#0	4.5001	4.979	PASS
Band66	5MHz	64QAM	132322	25RB#0	4.5018	5.010	PASS
Band66	5MHz	64QAM	132647	25RB#0	4.5047	4.978	PASS
Band66	10MHz	QPSK	132022	50RB#0	8.9818	9.907	PASS
Band66	10MHz	QPSK	132322	50RB#0	9.0031	10.02	PASS
Band66	10MHz	QPSK	132622	50RB#0	9.0070	9.866	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.9781	9.780	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.9892	9.844	PASS
Band66	10MHz	16QAM	132622	50RB#0	9.0001	9.885	PASS
Band66	10MHz	64QAM	132022	50RB#0	8.9747	9.817	PASS
Band66	10MHz	64QAM	132322	50RB#0	8.9661	9.829	PASS
Band66	10MHz	64QAM	132622	50RB#0	8.9843	9.813	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.476	14.75	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.510	14.80	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.489	14.90	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.467	14.67	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.510	14.72	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.500	14.80	PASS
Band66	15MHz	64QAM	132047	75RB#0	13.438	14.67	PASS
Band66	15MHz	64QAM	132322	75RB#0	13.441	14.70	PASS
Band66	15MHz	64QAM	132597	75RB#0	13.492	14.67	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.960	19.69	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.975	19.49	PASS
Band66	20MHz	QPSK	132572	100RB#0	17.980	19.52	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.942	19.43	PASS
Band66	20MHz	16QAM	132322	100RB#0	18.011	19.53	PASS

Band66	20MHz	16QAM	132572	100RB#0	17.940	19.48	PASS
Band66	20MHz	64QAM	132072	100RB#0	17.947	19.44	PASS
Band66	20MHz	64QAM	132322	100RB#0	17.888	19.45	PASS
Band66	20MHz	64QAM	132572	100RB#0	17.945	19.45	PASS

Test Graphs

