

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41	5MHz	QPSK	40065	1RB#0	21.92	PASS
Band41	5MHz	QPSK	40065	1RB#12	22.02	PASS
Band41	5MHz	QPSK	40065	1RB#24	21.86	PASS
Band41	5MHz	QPSK	40065	12RB#0	21.03	PASS
Band41	5MHz	QPSK	40065	12RB#6	21.03	PASS
Band41	5MHz	QPSK	40065	12RB#13	20.92	PASS
Band41	5MHz	QPSK	40065	25RB#0	20.89	PASS
Band41	5MHz	QPSK	40590	1RB#0	22.08	PASS
Band41	5MHz	QPSK	40590	1RB#12	22.18	PASS
Band41	5MHz	QPSK	40590	1RB#24	22.12	PASS
Band41	5MHz	QPSK	40590	12RB#0	21.15	PASS
Band41	5MHz	QPSK	40590	12RB#6	21.10	PASS
Band41	5MHz	QPSK	40590	12RB#13	21.26	PASS
Band41	5MHz	QPSK	40590	25RB#0	21.28	PASS
Band41	5MHz	QPSK	41215	1RB#0	23.04	PASS
Band41	5MHz	QPSK	41215	1RB#12	23.02	PASS
Band41	5MHz	QPSK	41215	1RB#24	22.98	PASS
Band41	5MHz	QPSK	41215	12RB#0	22.03	PASS
Band41	5MHz	QPSK	41215	12RB#6	22.04	PASS
Band41	5MHz	QPSK	41215	12RB#13	22.09	PASS
Band41	5MHz	QPSK	41215	25RB#0	21.97	PASS
Band41	5MHz	16QAM	40065	1RB#0	21.58	PASS
Band41	5MHz	16QAM	40065	1RB#12	21.82	PASS
Band41	5MHz	16QAM	40065	1RB#24	21.46	PASS
Band41	5MHz	16QAM	40065	12RB#0	20.00	PASS
Band41	5MHz	16QAM	40065	12RB#6	20.05	PASS
Band41	5MHz	16QAM	40065	12RB#13	19.96	PASS
Band41	5MHz	16QAM	40065	25RB#0	20.11	PASS
Band41	5MHz	16QAM	40590	1RB#0	21.61	PASS
Band41	5MHz	16QAM	40590	1RB#12	21.58	PASS
Band41	5MHz	16QAM	40590	1RB#24	21.84	PASS
Band41	5MHz	16QAM	40590	12RB#0	20.13	PASS

Band41	5MHz	16QAM	40590	12RB#6	20.13	PASS
Band41	5MHz	16QAM	40590	12RB#13	20.25	PASS
Band41	5MHz	16QAM	40590	25RB#0	20.39	PASS
Band41	5MHz	16QAM	41215	1RB#0	22.99	PASS
Band41	5MHz	16QAM	41215	1RB#12	22.87	PASS
Band41	5MHz	16QAM	41215	1RB#24	22.85	PASS
Band41	5MHz	16QAM	41215	12RB#0	21.07	PASS
Band41	5MHz	16QAM	41215	12RB#6	21.06	PASS
Band41	5MHz	16QAM	41215	12RB#13	21.06	PASS
Band41	5MHz	16QAM	41215	25RB#0	21.00	PASS
Band41	10MHz	QPSK	40090	1RB#0	22.30	PASS
Band41	10MHz	QPSK	40090	1RB#24	22.12	PASS
Band41	10MHz	QPSK	40090	1RB#49	21.93	PASS
Band41	10MHz	QPSK	40090	25RB#0	20.93	PASS
Band41	10MHz	QPSK	40090	25RB#12	20.94	PASS
Band41	10MHz	QPSK	40090	25RB#25	20.85	PASS
Band41	10MHz	QPSK	40090	50RB#0	20.81	PASS
Band41	10MHz	QPSK	40590	1RB#0	22.30	PASS
Band41	10MHz	QPSK	40590	1RB#24	22.34	PASS
Band41	10MHz	QPSK	40590	1RB#49	22.43	PASS
Band41	10MHz	QPSK	40590	25RB#0	21.40	PASS
Band41	10MHz	QPSK	40590	25RB#12	21.23	PASS
Band41	10MHz	QPSK	40590	25RB#25	21.45	PASS
Band41	10MHz	QPSK	40590	50RB#0	21.34	PASS
Band41	10MHz	QPSK	41190	1RB#0	23.14	PASS
Band41	10MHz	QPSK	41190	1RB#24	23.09	PASS
Band41	10MHz	QPSK	41190	1RB#49	23.11	PASS
Band41	10MHz	QPSK	41190	25RB#0	22.08	PASS
Band41	10MHz	QPSK	41190	25RB#12	22.12	PASS
Band41	10MHz	QPSK	41190	25RB#25	22.02	PASS
Band41	10MHz	QPSK	41190	50RB#0	22.15	PASS
Band41	10MHz	16QAM	40090	1RB#0	21.60	PASS
Band41	10MHz	16QAM	40090	1RB#24	21.49	PASS
Band41	10MHz	16QAM	40090	1RB#49	21.44	PASS
Band41	10MHz	16QAM	40090	25RB#0	19.95	PASS
Band41	10MHz	16QAM	40090	25RB#12	19.98	PASS
Band41	10MHz	16QAM	40090	25RB#25	19.89	PASS

Band41	10MHz	16QAM	40090	50RB#0	20.03	PASS
Band41	10MHz	16QAM	40590	1RB#0	21.42	PASS
Band41	10MHz	16QAM	40590	1RB#24	21.45	PASS
Band41	10MHz	16QAM	40590	1RB#49	21.48	PASS
Band41	10MHz	16QAM	40590	25RB#0	20.69	PASS
Band41	10MHz	16QAM	40590	25RB#12	20.70	PASS
Band41	10MHz	16QAM	40590	25RB#25	20.73	PASS
Band41	10MHz	16QAM	40590	50RB#0	20.43	PASS
Band41	10MHz	16QAM	41190	1RB#0	22.89	PASS
Band41	10MHz	16QAM	41190	1RB#24	22.98	PASS
Band41	10MHz	16QAM	41190	1RB#49	22.87	PASS
Band41	10MHz	16QAM	41190	25RB#0	21.40	PASS
Band41	10MHz	16QAM	41190	25RB#12	21.41	PASS
Band41	10MHz	16QAM	41190	25RB#25	21.35	PASS
Band41	10MHz	16QAM	41190	50RB#0	21.40	PASS
Band41	15MHz	QPSK	40115	1RB#0	22.25	PASS
Band41	15MHz	QPSK	40115	1RB#38	22.04	PASS
Band41	15MHz	QPSK	40115	1RB#74	22.03	PASS
Band41	15MHz	QPSK	40115	38RB#0	20.93	PASS
Band41	15MHz	QPSK	40115	38RB#18	20.93	PASS
Band41	15MHz	QPSK	40115	38RB#37	20.93	PASS
Band41	15MHz	QPSK	40115	75RB#0	20.93	PASS
Band41	15MHz	QPSK	40590	1RB#0	22.58	PASS
Band41	15MHz	QPSK	40590	1RB#38	22.65	PASS
Band41	15MHz	QPSK	40590	1RB#74	22.80	PASS
Band41	15MHz	QPSK	40590	38RB#0	21.49	PASS
Band41	15MHz	QPSK	40590	38RB#18	21.44	PASS
Band41	15MHz	QPSK	40590	38RB#37	21.37	PASS
Band41	15MHz	QPSK	40590	75RB#0	21.33	PASS
Band41	15MHz	QPSK	41165	1RB#0	23.05	PASS
Band41	15MHz	QPSK	41165	1RB#38	23.16	PASS
Band41	15MHz	QPSK	41165	1RB#74	23.14	PASS
Band41	15MHz	QPSK	41165	38RB#0	22.13	PASS
Band41	15MHz	QPSK	41165	38RB#18	22.13	PASS
Band41	15MHz	QPSK	41165	38RB#37	22.12	PASS
Band41	15MHz	QPSK	41165	75RB#0	22.13	PASS
Band41	15MHz	16QAM	40115	1RB#0	21.73	PASS

Band41	15MHz	16QAM	40115	1RB#38	21.44	PASS
Band41	15MHz	16QAM	40115	1RB#74	21.53	PASS
Band41	15MHz	16QAM	40115	38RB#0	20.93	PASS
Band41	15MHz	16QAM	40115	38RB#18	20.93	PASS
Band41	15MHz	16QAM	40115	38RB#37	20.93	PASS
Band41	15MHz	16QAM	40115	75RB#0	20.06	PASS
Band41	15MHz	16QAM	40590	1RB#0	20.80	PASS
Band41	15MHz	16QAM	40590	1RB#38	20.74	PASS
Band41	15MHz	16QAM	40590	1RB#74	21.26	PASS
Band41	15MHz	16QAM	40590	38RB#0	21.48	PASS
Band41	15MHz	16QAM	40590	38RB#18	21.34	PASS
Band41	15MHz	16QAM	40590	38RB#37	21.30	PASS
Band41	15MHz	16QAM	40590	75RB#0	20.59	PASS
Band41	15MHz	16QAM	41165	1RB#0	22.40	PASS
Band41	15MHz	16QAM	41165	1RB#38	22.74	PASS
Band41	15MHz	16QAM	41165	1RB#74	22.54	PASS
Band41	15MHz	16QAM	41165	38RB#0	22.13	PASS
Band41	15MHz	16QAM	41165	38RB#18	22.13	PASS
Band41	15MHz	16QAM	41165	38RB#37	22.13	PASS
Band41	15MHz	16QAM	41165	75RB#0	21.29	PASS
Band41	20MHz	QPSK	40140	1RB#0	22.06	PASS
Band41	20MHz	QPSK	40140	1RB#49	21.73	PASS
Band41	20MHz	QPSK	40140	1RB#99	21.99	PASS
Band41	20MHz	QPSK	40140	50RB#0	20.86	PASS
Band41	20MHz	QPSK	40140	50RB#25	20.88	PASS
Band41	20MHz	QPSK	40140	50RB#50	20.93	PASS
Band41	20MHz	QPSK	40140	100RB#0	20.95	PASS
Band41	20MHz	QPSK	40590	1RB#0	22.52	PASS
Band41	20MHz	QPSK	40590	1RB#49	22.51	PASS
Band41	20MHz	QPSK	40590	1RB#99	22.63	PASS
Band41	20MHz	QPSK	40590	50RB#0	21.36	PASS
Band41	20MHz	QPSK	40590	50RB#25	21.50	PASS
Band41	20MHz	QPSK	40590	50RB#50	21.52	PASS
Band41	20MHz	QPSK	40590	100RB#0	21.41	PASS
Band41	20MHz	QPSK	41140	1RB#0	22.79	PASS
Band41	20MHz	QPSK	41140	1RB#49	22.91	PASS
Band41	20MHz	QPSK	41140	1RB#99	23.03	PASS

Band41	20MHz	QPSK	41140	50RB#0	21.93	PASS
Band41	20MHz	QPSK	41140	50RB#25	21.95	PASS
Band41	20MHz	QPSK	41140	50RB#50	22.07	PASS
Band41	20MHz	QPSK	41140	100RB#0	21.96	PASS
Band41	20MHz	16QAM	40140	1RB#0	21.76	PASS
Band41	20MHz	16QAM	40140	1RB#49	21.57	PASS
Band41	20MHz	16QAM	40140	1RB#99	21.68	PASS
Band41	20MHz	16QAM	40140	50RB#0	20.14	PASS
Band41	20MHz	16QAM	40140	50RB#25	20.20	PASS
Band41	20MHz	16QAM	40140	50RB#50	20.17	PASS
Band41	20MHz	16QAM	40140	100RB#0	20.08	PASS
Band41	20MHz	16QAM	40590	1RB#0	21.72	PASS
Band41	20MHz	16QAM	40590	1RB#49	21.75	PASS
Band41	20MHz	16QAM	40590	1RB#99	21.84	PASS
Band41	20MHz	16QAM	40590	50RB#0	20.51	PASS
Band41	20MHz	16QAM	40590	50RB#25	20.51	PASS
Band41	20MHz	16QAM	40590	50RB#50	20.69	PASS
Band41	20MHz	16QAM	40590	100RB#0	20.68	PASS
Band41	20MHz	16QAM	41140	1RB#0	21.47	PASS
Band41	20MHz	16QAM	41140	1RB#49	21.66	PASS
Band41	20MHz	16QAM	41140	1RB#99	21.68	PASS
Band41	20MHz	16QAM	41140	50RB#0	21.10	PASS
Band41	20MHz	16QAM	41140	50RB#25	21.11	PASS
Band41	20MHz	16QAM	41140	50RB#50	21.17	PASS
Band41	20MHz	16QAM	41140	100RB#0	21.21	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41	5MHz	QPSK	40065	1RB#0	9.12	13	PASS
Band41	5MHz	QPSK	40065	25RB#0	9.35	13	PASS
Band41	5MHz	QPSK	40590	1RB#0	9.13	13	PASS
Band41	5MHz	QPSK	40590	25RB#0	9.90	13	PASS
Band41	5MHz	QPSK	41215	1RB#0	9.25	13	PASS
Band41	5MHz	QPSK	41215	25RB#0	9.78	13	PASS
Band41	5MHz	16QAM	40065	1RB#0	9.11	13	PASS
Band41	5MHz	16QAM	40065	25RB#0	9.85	13	PASS
Band41	5MHz	16QAM	40590	1RB#0	8.52	13	PASS
Band41	5MHz	16QAM	40590	25RB#0	8.99	13	PASS
Band41	5MHz	16QAM	41215	1RB#0	8.98	13	PASS
Band41	5MHz	16QAM	41215	25RB#0	9.76	13	PASS
Band41	10MHz	QPSK	40090	1RB#0	8.85	13	PASS
Band41	10MHz	QPSK	40090	50RB#0	9.43	13	PASS
Band41	10MHz	QPSK	40590	1RB#0	9.38	13	PASS
Band41	10MHz	QPSK	40590	50RB#0	10.01	13	PASS
Band41	10MHz	QPSK	41190	1RB#0	9.03	13	PASS
Band41	10MHz	QPSK	41190	50RB#0	9.65	13	PASS
Band41	10MHz	16QAM	40090	1RB#0	9.38	13	PASS
Band41	10MHz	16QAM	40090	50RB#0	10.12	13	PASS
Band41	10MHz	16QAM	40590	1RB#0	8.43	13	PASS
Band41	10MHz	16QAM	40590	50RB#0	9.15	13	PASS
Band41	10MHz	16QAM	41190	1RB#0	9.21	13	PASS
Band41	10MHz	16QAM	41190	50RB#0	10.01	13	PASS
Band41	15MHz	QPSK	40115	1RB#0	10.03	13	PASS
Band41	15MHz	QPSK	40115	75RB#0	9.68	13	PASS
Band41	15MHz	QPSK	40590	1RB#0	9.57	13	PASS
Band41	15MHz	QPSK	40590	75RB#0	10.42	13	PASS
Band41	15MHz	QPSK	41165	1RB#0	10.01	13	PASS
Band41	15MHz	QPSK	41165	75RB#0	10.68	13	PASS
Band41	15MHz	16QAM	40115	1RB#0	9.53	13	PASS
Band41	15MHz	16QAM	40115	75RB#0	10.41	13	PASS
Band41	15MHz	16QAM	40590	1RB#0	10.53	13	PASS
Band41	15MHz	16QAM	40590	75RB#0	10.12	13	PASS
Band41	15MHz	16QAM	41165	1RB#0	9.45	13	PASS
Band41	15MHz	16QAM	41165	75RB#0	10.38	13	PASS

Band41	20MHz	QPSK	40140	1RB#0	10.31	13	PASS
Band41	20MHz	QPSK	40140	100RB#0	10.02	13	PASS
Band41	20MHz	QPSK	40590	1RB#0	10.13	13	PASS
Band41	20MHz	QPSK	40590	100RB#0	10.79	13	PASS
Band41	20MHz	QPSK	41140	1RB#0	10.39	13	PASS
Band41	20MHz	QPSK	41140	100RB#0	10.27	13	PASS
Band41	20MHz	16QAM	40140	1RB#0	10.13	13	PASS
Band41	20MHz	16QAM	40140	100RB#0	10.72	13	PASS
Band41	20MHz	16QAM	40590	1RB#0	10.59	13	PASS
Band41	20MHz	16QAM	40590	100RB#0	10.49	13	PASS
Band41	20MHz	16QAM	41140	1RB#0	10.12	13	PASS
Band41	20MHz	16QAM	41140	100RB#0	10.73	13	PASS


Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41	5MHz	QPSK	40065	25RB#0	4.49	4.79	PASS
Band41	5MHz	QPSK	40590	25RB#0	4.49	4.81	PASS
Band41	5MHz	QPSK	41215	25RB#0	4.5	4.77	PASS
Band41	5MHz	16QAM	40065	25RB#0	4.5	4.80	PASS
Band41	5MHz	16QAM	40590	25RB#0	4.5	4.82	PASS
Band41	5MHz	16QAM	41215	25RB#0	4.5	4.80	PASS
Band41	10MHz	QPSK	40090	50RB#0	9	9.97	PASS
Band41	10MHz	QPSK	40590	50RB#0	9	9.67	PASS
Band41	10MHz	QPSK	41190	50RB#0	9	9.70	PASS
Band41	10MHz	16QAM	40090	50RB#0	9	9.70	PASS
Band41	10MHz	16QAM	40590	50RB#0	9	9.70	PASS
Band41	10MHz	16QAM	41190	50RB#0	9	9.70	PASS
Band41	15MHz	QPSK	40115	75RB#0	13.6	16.65	PASS
Band41	15MHz	QPSK	40590	75RB#0	13.5	14.55	PASS
Band41	15MHz	QPSK	41165	75RB#0	13.5	14.55	PASS
Band41	15MHz	16QAM	40115	75RB#0	13.5	14.55	PASS
Band41	15MHz	16QAM	40590	75RB#0	13.5	14.60	PASS
Band41	15MHz	16QAM	41165	75RB#0	13.5	14.55	PASS
Band41	20MHz	QPSK	40140	100RB#0	18.133	20.20	PASS
Band41	20MHz	QPSK	40590	100RB#0	18.133	19.73	PASS
Band41	20MHz	QPSK	41140	100RB#0	18.067	19.67	PASS
Band41	20MHz	16QAM	40140	100RB#0	18.067	19.73	PASS
Band41	20MHz	16QAM	40590	100RB#0	18.133	19.73	PASS
Band41	20MHz	16QAM	41140	100RB#0	18.067	20.80	PASS

Test Graphs


Band41-5MHz-QPSK-40065-25RB#0




Band41-5MHz-QPSK-40590-25RB#0




Band41-5MHz-QPSK-41215-25RB#0




Band41-5MHz-16QAM-40065-25RB#0




Band41-5MHz-16QAM-40590-25RB#0




Band41-5MHz-16QAM-41215-25RB#0




Band41-10MHz-QPSK-40090-50RB#0




Band41-10MHz-QPSK-40590-50RB#0




Band41-10MHz-QPSK-41190-50RB#0




Band41-10MHz-16QAM-40090-50RB#0




Band41-10MHz-16QAM-40590-50RB#0




Band41-10MHz-16QAM-41190-50RB#0




Band41-15MHz-QPSK-40115-75RB#0




Band41-15MHz-QPSK-40590-75RB#0




Band41-15MHz-QPSK-41165-75RB#0




Band41-15MHz-16QAM-40115-75RB#0




Band41-15MHz-16QAM-40590-75RB#0




Band41-15MHz-16QAM-41165-75RB#0




Band41-20MHz-QPSK-40140-100RB#0




Band41-20MHz-QPSK-40590-100RB#0




Band41-20MHz-QPSK-41140-100RB#0




Band41-20MHz-16QAM-40140-100RB#0



Band41-20MHz-16QAM-40590-100RB#0



Band41-20MHz-16QAM-41140-100RB#0



Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41	5MHz	QPSK	40065	1RB#0	-43.97,-43.35,-38.97,-18.21	PASS
Band41	5MHz	QPSK	40065	1RB#24	-44.09,-45.00,-35.97,-37.57	PASS
Band41	5MHz	QPSK	40065	25RB#0	-42.48,-41.35,-29.25,-24.35	PASS
Band41	5MHz	QPSK	41215	1RB#0	-36.97,-39.04,-45.02,-43.99	PASS
Band41	5MHz	QPSK	41215	1RB#24	-14.53,-37.54,-43.66,-43.66	PASS
Band41	5MHz	QPSK	41215	25RB#0	-27.53,-33.40,-39.88,-41.03	PASS
Band41	5MHz	16QAM	40065	1RB#0	-43.83,-43.85,-38.36,-18.86	PASS
Band41	5MHz	16QAM	40065	1RB#24	-44.27,-45.04,-37.76,-37.02	PASS
Band41	5MHz	16QAM	40065	25RB#0	-40.64,-41.26,-27.90,-25.87	PASS
Band41	5MHz	16QAM	41215	1RB#0	-37.74,-38.63,-43.86,-44.34	PASS
Band41	5MHz	16QAM	41215	1RB#24	-16.16,-37.79,-42.81,-44.16	PASS
Band41	5MHz	16QAM	41215	25RB#0	-28.40,-31.04,-39.90,-41.57	PASS
Band41	10MHz	QPSK	40090	1RB#0	-41.53,-42.89,-37.04,-15.02	PASS
Band41	10MHz	QPSK	40090	1RB#49	-33.97,-43.87,-38.18,-39.95	PASS
Band41	10MHz	QPSK	40090	50RB#0	-35.80,-32.26,-28.25,-26.99	PASS
Band41	10MHz	QPSK	41190	1RB#0	-39.92,-39.51,-36.56,-44.36	PASS
Band41	10MHz	QPSK	41190	1RB#49	-13.29,-37.87,-41.15,-43.78	PASS
Band41	10MHz	QPSK	41190	50RB#0	-28.77,-32.07,-34.48,-38.87	PASS
Band41	10MHz	16QAM	40090	1RB#0	-43.94,-42.45,-39.31,-17.25	PASS
Band41	10MHz	16QAM	40090	1RB#49	-44.15,-33.84,-38.62,-41.15	PASS
Band41	10MHz	16QAM	40090	50RB#0	-40.57,-32.36,-28.64,-26.87	PASS
Band41	10MHz	16QAM	41190	1RB#0	-40.24,-38.72,-36.76,-44.51	PASS
Band41	10MHz	16QAM	41190	1RB#49	-14.77,-38.49,-42.25,-44.10	PASS
Band41	10MHz	16QAM	41190	50RB#0	-28.30,-30.24,-33.76,-39.46	PASS
Band41	15MHz	QPSK	40115	1RB#0	-40.67,-38.22,-37.65,-14.15	PASS
Band41	15MHz	QPSK	40115	1RB#74	-32.82,-37.66,-43.60,-41.72	PASS
Band41	15MHz	QPSK	40115	75RB#0	-34.35,-31.31,-28.20,-27.89	PASS
Band41	15MHz	QPSK	41165	1RB#0	-41.76,-43.57,-36.65,-44.06	PASS
Band41	15MHz	QPSK	41165	1RB#74	-12.83,-36.71,-39.02,-43.90	PASS
Band41	15MHz	QPSK	41165	75RB#0	-28.49,-29.25,-33.14,-38.49	PASS
Band41	15MHz	16QAM	40115	1RB#0	-43.71,-40.36,-39.25,-15.56	PASS
Band41	15MHz	16QAM	40115	1RB#74	-43.58,-32.94,-43.20,-42.02	PASS
Band41	15MHz	16QAM	40115	75RB#0	-39.27,-30.21,-27.65,-27.20	PASS
Band41	15MHz	16QAM	41165	1RB#0	-41.95,-43.31,-34.90,-44.04	PASS
Band41	15MHz	16QAM	41165	1RB#74	-13.21,-39.03,-39.90,-44.24	PASS


Band41	15MHz	16QAM	41165	75RB#0	-28.89,-29.74,-32.83,-39.15	PASS
Band41	20MHz	QPSK	40140	1RB#0	-39.55,-38.90,-32.77,-12.43	PASS
Band41	20MHz	QPSK	40140	1RB#99	-30.92,-36.78,-41.93,-40.55	PASS
Band41	20MHz	QPSK	40140	100RB#0	-34.14,-29.67,-27.84,-24.34	PASS
Band41	20MHz	QPSK	41140	1RB#0	-40.66,-42.09,-36.08,-42.88	PASS
Band41	20MHz	QPSK	41140	1RB#99	-15.33,-29.80,-38.32,-42.67	PASS
Band41	20MHz	QPSK	41140	100RB#0	-23.91,-29.62,-32.68,-38.93	PASS
Band41	20MHz	16QAM	40140	1RB#0	-42.54,-38.88,-32.01,-13.31	PASS
Band41	20MHz	16QAM	40140	1RB#99	-42.49,-30.35,-41.67,-40.04	PASS
Band41	20MHz	16QAM	40140	100RB#0	-39.04,-29.22,-26.99,-24.36	PASS
Band41	20MHz	16QAM	41140	1RB#0	-40.17,-42.09,-35.79,-42.85	PASS
Band41	20MHz	16QAM	41140	1RB#99	-15.73,-30.27,-38.05,-42.51	PASS
Band41	20MHz	16QAM	41140	100RB#0	-24.45,-30.34,-31.20,-39.09	PASS

Test Graphs







Band41-5MHz-QPSK-41215-1RB#0




Band41-5MHz-QPSK-41215-1RB#24




Band41-5MHz-QPSK-41215-25RB#0




Band41-5MHz-16QAM-40065-1RB#0




Band41-5MHz-16QAM-40065-1RB#24




Band41-5MHz-16QAM-40065-25RB#0




Band41-5MHz-16QAM-41215-1RB#0




Band41-5MHz-16QAM-41215-1RB#24




Band41-5MHz-16QAM-41215-25RB#0




Band41-10MHz-QPSK-40090-1RB#0




Band41-10MHz-QPSK-40090-1RB#49




Band41-10MHz-QPSK-40090-50RB#0




Band41-10MHz-QPSK-41190-1RB#0




Band41-10MHz-QPSK-41190-1RB#49




Band41-10MHz-QPSK-41190-50RB#0




Band41-10MHz-16QAM-40090-1RB#0




Band41-10MHz-16QAM-40090-1RB#49




Band41-10MHz-16QAM-40090-50RB#0




Band41-10MHz-16QAM-41190-1RB#0




Band41-10MHz-16QAM-41190-1RB#49




Band41-10MHz-16QAM-41190-50RB#0




Band41-15MHz-QPSK-40115-1RB#0




Band41-15MHz-QPSK-40115-1RB#74




Band41-15MHz-QPSK-40115-75RB#0




Band41-15MHz-QPSK-41165-1RB#0




Band41-15MHz-QPSK-41165-1RB#74




Band41-15MHz-QPSK-41165-75RB#0






Band41-15MHz-16QAM-40115-1RB#0




Band41-15MHz-16QAM-40115-1RB#74




Band41-15MHz-16QAM-40115-75RB#0







Band41-20MHz-QPSK-40140-1RB#99




Band41-20MHz-QPSK-40140-100RB#0




Band41-20MHz-QPSK-41140-1RB#0



Band41-20MHz-QPSK-41140-100RB#0



Band41-20MHz-16QAM-40140-1RB#99



Band41-20MHz-16QAM-40140-100RB#0

Appendix E: Conducted Spurious Emission


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band41	5MHz	QPSK	40065	1RB#0	Range1:0.009~0.15MHz	-70.67	PASS
Band41	5MHz	QPSK	40065	1RB#0	Range2:0.15~30MHz	-62.23	PASS
Band41	5MHz	QPSK	40065	1RB#0	Range3:30~1000MHz	-38.18	PASS
Band41	5MHz	QPSK	40065	1RB#0	Range4:1000~20000MHz	-47.64	PASS
Band41	5MHz	QPSK	40065	1RB#0	Range5:20000~27000MHz	-41.02	PASS
Band41	5MHz	QPSK	40590	1RB#0	Range1:0.009~0.15MHz	-72.18	PASS
Band41	5MHz	QPSK	40590	1RB#0	Range2:0.15~30MHz	-62.75	PASS
Band41	5MHz	QPSK	40590	1RB#0	Range3:30~1000MHz	-40.04	PASS
Band41	5MHz	QPSK	40590	1RB#0	Range4:1000~20000MHz	-47.62	PASS
Band41	5MHz	QPSK	40590	1RB#0	Range5:20000~27000MHz	-41.44	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range1:0.009~0.15MHz	-71.4	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range2:0.15~30MHz	-63.34	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range3:30~1000MHz	-42.73	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range4:1000~20000MHz	-47.73	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range5:20000~27000MHz	-40.92	PASS
Band41	5MHz	16QAM	40065	1RB#0	Range1:0.009~0.15MHz	-71.48	PASS
Band41	5MHz	16QAM	40065	1RB#0	Range2:0.15~30MHz	-63.41	PASS
Band41	5MHz	16QAM	40065	1RB#0	Range3:30~1000MHz	-41.91	PASS
Band41	5MHz	16QAM	40065	1RB#0	Range4:1000~20000MHz	-47.78	PASS
Band41	5MHz	16QAM	40065	1RB#0	Range5:20000~27000MHz	-41.49	PASS
Band41	5MHz	16QAM	40590	1RB#0	Range1:0.009~0.15MHz	-73.34	PASS
Band41	5MHz	16QAM	40590	1RB#0	Range2:0.15~30MHz	-63.94	PASS
Band41	5MHz	16QAM	40590	1RB#0	Range3:30~1000MHz	-45.72	PASS
Band41	5MHz	16QAM	40590	1RB#0	Range4:1000~20000MHz	-47.82	PASS
Band41	5MHz	16QAM	40590	1RB#0	Range5:20000~27000MHz	-41.41	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range1:0.009~0.15MHz	-71.7	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range2:0.15~30MHz	-64.3	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range3:30~1000MHz	-47.2	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range4:1000~20000MHz	-47.82	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range5:20000~27000MHz	-41.94	PASS
Band41	10MHz	QPSK	40090	1RB#0	Range1:0.009~0.15MHz	-72.65	PASS
Band41	10MHz	QPSK	40090	1RB#0	Range2:0.15~30MHz	-65.28	PASS
Band41	10MHz	QPSK	40090	1RB#0	Range3:30~1000MHz	-39.66	PASS
Band41	10MHz	QPSK	40090	1RB#0	Range4:1000~20000MHz	-47.83	PASS
Band41	10MHz	QPSK	40090	1RB#0	Range5:20000~27000MHz	-41.02	PASS

Band41	10MHz	QPSK	40590	1RB#0	Range1:0.009~0.15MHz	-71.44	PASS
Band41	10MHz	QPSK	40590	1RB#0	Range2:0.15~30MHz	-63.41	PASS
Band41	10MHz	QPSK	40590	1RB#0	Range3:30~1000MHz	-41.49	PASS
Band41	10MHz	QPSK	40590	1RB#0	Range4:1000~20000MHz	-47.76	PASS
Band41	10MHz	QPSK	40590	1RB#0	Range5:20000~27000MHz	-41.66	PASS
Band41	10MHz	QPSK	41190	1RB#0	Range1:0.009~0.15MHz	-71.72	PASS
Band41	10MHz	QPSK	41190	1RB#0	Range2:0.15~30MHz	-63.12	PASS
Band41	10MHz	QPSK	41190	1RB#0	Range3:30~1000MHz	-37.63	PASS
Band41	10MHz	QPSK	41190	1RB#0	Range4:1000~20000MHz	-47.81	PASS
Band41	10MHz	QPSK	41190	1RB#0	Range5:20000~27000MHz	-41.01	PASS
Band41	10MHz	16QAM	40090	1RB#0	Range1:0.009~0.15MHz	-71.9	PASS
Band41	10MHz	16QAM	40090	1RB#0	Range2:0.15~30MHz	-65.11	PASS
Band41	10MHz	16QAM	40090	1RB#0	Range3:30~1000MHz	-47.66	PASS
Band41	10MHz	16QAM	40090	1RB#0	Range4:1000~20000MHz	-47.82	PASS
Band41	10MHz	16QAM	40090	1RB#0	Range5:20000~27000MHz	-41.5	PASS
Band41	10MHz	16QAM	40590	1RB#0	Range1:0.009~0.15MHz	-69.69	PASS
Band41	10MHz	16QAM	40590	1RB#0	Range2:0.15~30MHz	-63.93	PASS
Band41	10MHz	16QAM	40590	1RB#0	Range3:30~1000MHz	-43.52	PASS
Band41	10MHz	16QAM	40590	1RB#0	Range4:1000~20000MHz	-47.78	PASS
Band41	10MHz	16QAM	40590	1RB#0	Range5:20000~27000MHz	-41.47	PASS
Band41	10MHz	16QAM	41190	1RB#0	Range1:0.009~0.15MHz	-68.38	PASS
Band41	10MHz	16QAM	41190	1RB#0	Range2:0.15~30MHz	-62.94	PASS
Band41	10MHz	16QAM	41190	1RB#0	Range3:30~1000MHz	-46.15	PASS
Band41	10MHz	16QAM	41190	1RB#0	Range4:1000~20000MHz	-47.84	PASS
Band41	10MHz	16QAM	41190	1RB#0	Range5:20000~27000MHz	-40.84	PASS
Band41	15MHz	QPSK	40115	1RB#0	Range1:0.009~0.15MHz	-72.23	PASS
Band41	15MHz	QPSK	40115	1RB#0	Range2:0.15~30MHz	-64.3	PASS
Band41	15MHz	QPSK	40115	1RB#0	Range3:30~1000MHz	-39.44	PASS
Band41	15MHz	QPSK	40115	1RB#0	Range4:1000~20000MHz	-47.68	PASS
Band41	15MHz	QPSK	40115	1RB#0	Range5:20000~27000MHz	-41.21	PASS
Band41	15MHz	QPSK	40590	1RB#0	Range1:0.009~0.15MHz	-71.71	PASS
Band41	15MHz	QPSK	40590	1RB#0	Range2:0.15~30MHz	-63.39	PASS
Band41	15MHz	QPSK	40590	1RB#0	Range3:30~1000MHz	-40.79	PASS
Band41	15MHz	QPSK	40590	1RB#0	Range4:1000~20000MHz	-47.69	PASS
Band41	15MHz	QPSK	40590	1RB#0	Range5:20000~27000MHz	-41.22	PASS
Band41	15MHz	QPSK	41165	1RB#0	Range1:0.009~0.15MHz	-70.68	PASS
Band41	15MHz	QPSK	41165	1RB#0	Range2:0.15~30MHz	-64.88	PASS
Band41	15MHz	QPSK	41165	1RB#0	Range3:30~1000MHz	-44.16	PASS
Band41	15MHz	QPSK	41165	1RB#0	Range4:1000~20000MHz	-47.8	PASS
Band41	15MHz	QPSK	41165	1RB#0	Range5:20000~27000MHz	-41.63	PASS
Band41	15MHz	16QAM	40115	1RB#0	Range1:0.009~0.15MHz	-70.77	PASS
Band41	15MHz	16QAM	40115	1RB#0	Range2:0.15~30MHz	-63.99	PASS
Band41	15MHz	16QAM	40115	1RB#0	Range3:30~1000MHz	-47.18	PASS


Band41	15MHz	16QAM	40115	1RB#0	Range4:1000~20000MHz	-47.87	PASS
Band41	15MHz	16QAM	40115	1RB#0	Range5:20000~27000MHz	-41.35	PASS
Band41	15MHz	16QAM	40590	1RB#0	Range1:0.009~0.15MHz	-71.88	PASS
Band41	15MHz	16QAM	40590	1RB#0	Range2:0.15~30MHz	-63.27	PASS
Band41	15MHz	16QAM	40590	1RB#0	Range3:30~1000MHz	-41.17	PASS
Band41	15MHz	16QAM	40590	1RB#0	Range4:1000~20000MHz	-47.86	PASS
Band41	15MHz	16QAM	40590	1RB#0	Range5:20000~27000MHz	-41.24	PASS
Band41	15MHz	16QAM	41165	1RB#0	Range1:0.009~0.15MHz	-70.11	PASS
Band41	15MHz	16QAM	41165	1RB#0	Range2:0.15~30MHz	-62.07	PASS
Band41	15MHz	16QAM	41165	1RB#0	Range3:30~1000MHz	-43	PASS
Band41	15MHz	16QAM	41165	1RB#0	Range4:1000~20000MHz	-47.83	PASS
Band41	15MHz	16QAM	41165	1RB#0	Range5:20000~27000MHz	-41.74	PASS
Band41	20MHz	QPSK	40140	1RB#0	Range1:0.009~0.15MHz	-71.82	PASS
Band41	20MHz	QPSK	40140	1RB#0	Range2:0.15~30MHz	-62.67	PASS
Band41	20MHz	QPSK	40140	1RB#0	Range3:30~1000MHz	-41.45	PASS
Band41	20MHz	QPSK	40140	1RB#0	Range4:1000~20000MHz	-47.54	PASS
Band41	20MHz	QPSK	40140	1RB#0	Range5:20000~27000MHz	-40.96	PASS
Band41	20MHz	QPSK	40590	1RB#0	Range1:0.009~0.15MHz	-70.18	PASS
Band41	20MHz	QPSK	40590	1RB#0	Range2:0.15~30MHz	-61.86	PASS
Band41	20MHz	QPSK	40590	1RB#0	Range3:30~1000MHz	-42.33	PASS
Band41	20MHz	QPSK	40590	1RB#0	Range4:1000~20000MHz	-47.77	PASS
Band41	20MHz	QPSK	40590	1RB#0	Range5:20000~27000MHz	-41.44	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range1:0.009~0.15MHz	-70.78	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range2:0.15~30MHz	-63.14	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range3:30~1000MHz	-43.83	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range4:1000~20000MHz	-47.8	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range5:20000~27000MHz	-41.28	PASS
Band41	20MHz	16QAM	40140	1RB#0	Range1:0.009~0.15MHz	-71.21	PASS
Band41	20MHz	16QAM	40140	1RB#0	Range2:0.15~30MHz	-64.1	PASS
Band41	20MHz	16QAM	40140	1RB#0	Range3:30~1000MHz	-41.67	PASS
Band41	20MHz	16QAM	40140	1RB#0	Range4:1000~20000MHz	-47.83	PASS
Band41	20MHz	16QAM	40140	1RB#0	Range5:20000~27000MHz	-40.94	PASS
Band41	20MHz	16QAM	40590	1RB#0	Range1:0.009~0.15MHz	-71.64	PASS
Band41	20MHz	16QAM	40590	1RB#0	Range2:0.15~30MHz	-63.63	PASS
Band41	20MHz	16QAM	40590	1RB#0	Range3:30~1000MHz	-36.71	PASS
Band41	20MHz	16QAM	40590	1RB#0	Range4:1000~20000MHz	-47.7	PASS
Band41	20MHz	16QAM	40590	1RB#0	Range5:20000~27000MHz	-41.18	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range1:0.009~0.15MHz	-70.41	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range2:0.15~30MHz	-64.42	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range3:30~1000MHz	-40.3	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range4:1000~20000MHz	-47.73	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range5:20000~27000MHz	-41.54	PASS

Test Graphs







Band41-5MHz-QPSK-40065-1RB#0-Range5:20000~27000MHz




Band41-5MHz-QPSK-40590-1RB#0-Range1:0.009~0.15MHz




Band41-5MHz-QPSK-40590-1RB#0-Range2:0.15~30MHz




Band41-5MHz-QPSK-40590-1RB#0-Range3:30~1000MHz




Band41-5MHz-QPSK-40590-1RB#0-Range4:1000~20000MHz




Band41-5MHz-QPSK-40590-1RB#0-Range5:20000~27000MHz




Band41-5MHz-QPSK-41215-1RB#0-Range1:0.009~0.15MHz




Band41-5MHz-QPSK-41215-1RB#0-Range2:0.15~30MHz




Band41-5MHz-QPSK-41215-1RB#0-Range3:30~1000MHz




Band41-5MHz-QPSK-41215-1RB#0-Range4:1000~20000MHz




Band41-5MHz-QPSK-41215-1RB#0-Range5:20000~27000MHz




Band41-5MHz-16QAM-40065-1RB#0-Range1:0.009~0.15MHz






Band1:5MHz-16QAM-40065-1RB#0-Range2:0.15~30MHz




Band1:5MHz-16QAM-40065-1RB#0-Range3:30~1000MHz




Band1:5MHz-16QAM-40065-1RB#0-Range4:1000~20000MHz







Band41-5MHz-16QAM-40590-1RB#0-Range3:30~1000MHz




Band41-5MHz-16QAM-40590-1RB#0-Range4:1000~20000MHz




Band41-5MHz-16QAM-40590-1RB#0-Range5:20000~27000MHz




Band41-5MHz-16QAM-41215-1RB#0-Range1:0.009~0.15MHz




Band41-5MHz-16QAM-41215-1RB#0-Range2:0.15~30MHz




Band41-5MHz-16QAM-41215-1RB#0-Range3:30~1000MHz




Band41-5MHz-16QAM-41215-1RB#0-Range4:1000~20000MHz




Band41-5MHz-16QAM-41215-1RB#0-Range5:20000~27000MHz




Band41-10MHz-QPSK-40090-1RB#0-Range1:0.009~0.15MHz




Band41-10MHz-QPSK-40090-1RB#0-Range2:0.15~30MHz




Band41-10MHz-QPSK-40090-1RB#0-Range3:30~1000MHz




Band41-10MHz-QPSK-40090-1RB#0-Range4:1000~20000MHz




Band41-10MHz-QPSK-40090-1RB#0-Range5:20000~27000MHz




Band41-10MHz-QPSK-40590-1RB#0-Range1:0.009~0.15MHz




Band41-10MHz-QPSK-40590-1RB#0-Range2:0.15~30MHz




Band41-10MHz-QPSK-40590-1RB#0-Range3:30~1000MHz




Band41-10MHz-QPSK-40590-1RB#0-Range4:1000~20000MHz




Band41-10MHz-QPSK-40590-1RB#0-Range5:20000~27000MHz




Band41-10MHz-QPSK-41190-1RB#0-Range1:0.009~0.15MHz




Band41-10MHz-QPSK-41190-1RB#0-Range2:0.15~30MHz




Band41-10MHz-QPSK-41190-1RB#0-Range3:30~1000MHz




Band41-10MHz-QPSK-41190-1RB#0-Range4:1000~20000MHz




Band41-10MHz-QPSK-41190-1RB#0-Range5:20000~27000MHz




Band41-10MHz-16QAM-40090-1RB#0-Range1:0.009~0.15MHz




Band41-10MHz-16QAM-40090-1RB#0-Range2:0.15~30MHz




Band41-10MHz-16QAM-40090-1RB#0-Range3:30~1000MHz




Band41-10MHz-16QAM-40090-1RB#0-Range4:1000~20000MHz




Band41-10MHz-16QAM-40090-1RB#0-Range5:20000~27000MHz




Band41-10MHz-16QAM-40590-1RB#0-Range1:0.009~0.15MHz




Band41-10MHz-16QAM-40590-1RB#0-Range2:0.15~30MHz




Band41-10MHz-16QAM-40590-1RB#0-Range3:30~1000MHz




Band41-10MHz-16QAM-40590-1RB#0-Range4:1000~20000MHz




Band41-10MHz-16QAM-40590-1RB#0-Range5:20000~27000MHz




Band41-10MHz-16QAM-41190-1RB#0-Range1:0.009~0.15MHz




Band41-10MHz-16QAM-41190-1RB#0-Range2:0.15~30MHz




Band41-10MHz-16QAM-41190-1RB#0-Range3:30~1000MHz




Band41-10MHz-16QAM-41190-1RB#0-Range4:1000~20000MHz




Band41-10MHz-16QAM-41190-1RB#0-Range5:20000~27000MHz




Band41-15MHz-QPSK-40115-1RB#0-Range1:0.009~0.15MHz




Band41-15MHz-QPSK-40115-1RB#0-Range2:0.15~30MHz




Band41-15MHz-QPSK-40115-1RB#0-Range3:30~1000MHz




Band41-15MHz-QPSK-40115-1RB#0-Range4:1000~20000MHz




Band41-15MHz-QPSK-40115-1RB#0-Range5:20000~27000MHz




Band41-15MHz-QPSK-40590-1RB#0-Range1:0.009~0.15MHz




Band41-15MHz-QPSK-40590-1RB#0-Range2:0.15~30MHz




Band41-15MHz-QPSK-40590-1RB#0-Range3:30~1000MHz




Band41-15MHz-QPSK-40590-1RB#0-Range4:1000~20000MHz




Band41-15MHz-QPSK-40590-1RB#0-Range5:20000~27000MHz






Band41-15MHz-QPSK-41165-1RB#0-Range4:1000~20000MHz




Band41-15MHz-QPSK-41165-1RB#0-Range5:20000~27000MHz




Band41-15MHz-16QAM-40115-1RB#0-Range1:0.009~0.15MHz







Band41-15MHz-16QAM-40115-1RB#0-Range5:20000~27000MHz




Band41-15MHz-16QAM-40590-1RB#0-Range1:0.009~0.15MHz




Band41-15MHz-16QAM-40590-1RB#0-Range2:0.15~30MHz




Band41-15MHz-16QAM-40590-1RB#0-Range3:30~1000MHz




Band41-15MHz-16QAM-40590-1RB#0-Range4:1000~20000MHz




Band41-15MHz-16QAM-40590-1RB#0-Range5:20000~27000MHz




Band41-15MHz-16QAM-41165-1RB#0-Range1:0.009~0.15MHz




Band41-15MHz-16QAM-41165-1RB#0-Range2:0.15~30MHz




Band41-15MHz-16QAM-41165-1RB#0-Range3:30~1000MHz




Band41-15MHz-16QAM-41165-1RB#0-Range4:1000~20000MHz




Band41-15MHz-16QAM-41165-1RB#0-Range5:20000~27000MHz




Band41-20MHz-QPSK-40140-1RB#0-Range1:0.009~0.15MHz




Band41-20MHz-QPSK-40140-1RB#0-Range2:0.15~30MHz




Band41-20MHz-QPSK-40140-1RB#0-Range3:30~1000MHz




Band41-20MHz-QPSK-40140-1RB#0-Range4:1000~20000MHz




Band41-20MHz-QPSK-40140-1RB#0-Range5:20000~27000MHz




Band41-20MHz-QPSK-40590-1RB#0-Range1:0.009~0.15MHz




Band41-20MHz-QPSK-40590-1RB#0-Range2:0.15~30MHz




Band41-20MHz-QPSK-40590-1RB#0-Range3:30~1000MHz




Band41-20MHz-QPSK-40590-1RB#0-Range4:1000~20000MHz




Band41-20MHz-QPSK-40590-1RB#0-Range5:20000~27000MHz




Band41-20MHz-QPSK-41140-1RB#0-Range1:0.009~0.15MHz




Band41-20MHz-QPSK-41140-1RB#0-Range2:0.15~30MHz




Band41-20MHz-QPSK-41140-1RB#0-Range3:30~1000MHz




Band41-20MHz-QPSK-41140-1RB#0-Range4:1000~20000MHz




Band41-20MHz-QPSK-41140-1RB#0-Range5:20000~27000MHz




Band41-20MHz-16QAM-40140-1RB#0-Range1:0.009~0.15MHz




Band41-20MHz-16QAM-40140-1RB#0-Range2:0.15~30MHz




Band41-20MHz-16QAM-40140-1RB#0-Range3:30~1000MHz




Band41-20MHz-16QAM-40140-1RB#0-Range4:1000~20000MHz




Band41-20MHz-16QAM-40140-1RB#0-Range5:20000~27000MHz




Band41-20MHz-16QAM-40590-1RB#0-Range1:0.009~0.15MHz




Band41-20MHz-16QAM-40590-1RB#0-Range2:0.15~30MHz




Band41-20MHz-16QAM-40590-1RB#0-Range3:30~1000MHz




Band41-20MHz-16QAM-40590-1RB#0-Range4:1000~20000MHz




Band41-20MHz-16QAM-40590-1RB#0-Range5:20000~27000MHz




Band41-20MHz-16QAM-41140-1RB#0-Range1:0.009~0.15MHz




Band41-20MHz-16QAM-41140-1RB#0-Range2:0.15~30MHz




Band41-20MHz-16QAM-41140-1RB#0-Range3:30~1000MHz



Band41-20MHz-16QAM-41140-1RB#0-Range4:1000~20000MHz



Band41-20MHz-16QAM-41140-1RB#0-Range5:20000~27000MHz



Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band41	5MHz	QPSK	40065	25RB#0	VL	NT	-15.55	-0.006128	±2.5	PASS
Band41	5MHz	QPSK	40065	25RB#0	VN	NT	-27.14	-0.010696	±2.5	PASS
Band41	5MHz	QPSK	40065	25RB#0	VH	NT	9.77	0.003850	±2.5	PASS
Band41	5MHz	QPSK	40590	25RB#0	VL	NT	-44.70	-0.017259	±2.5	PASS
Band41	5MHz	QPSK	40590	25RB#0	VN	NT	5.58	0.002154	±2.5	PASS
Band41	5MHz	QPSK	40590	25RB#0	VH	NT	-47.18	-0.018216	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	VL	NT	12.12	0.004569	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	VN	NT	13.12	0.004946	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	VH	NT	12.19	0.004596	±2.5	PASS
Band41	5MHz	16QAM	40065	25RB#0	VL	NT	41.43	0.016327	±2.5	PASS
Band41	5MHz	16QAM	40065	25RB#0	VN	NT	28.90	0.011389	±2.5	PASS
Band41	5MHz	16QAM	40065	25RB#0	VH	NT	52.21	0.020575	±2.5	PASS
Band41	5MHz	16QAM	40590	25RB#0	VL	NT	34.25	0.013224	±2.5	PASS
Band41	5MHz	16QAM	40590	25RB#0	VN	NT	29.84	0.011521	±2.5	PASS
Band41	5MHz	16QAM	40590	25RB#0	VH	NT	39.88	0.015398	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	VL	NT	49.58	0.018692	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	VN	NT	21.97	0.008283	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	VH	NT	53.66	0.020230	±2.5	PASS
Band41	10MHz	QPSK	40090	50RB#0	VL	NT	48.58	0.019126	±2.5	PASS
Band41	10MHz	QPSK	40090	50RB#0	VN	NT	-22.22	-0.008748	±2.5	PASS
Band41	10MHz	QPSK	40090	50RB#0	VH	NT	15.19	0.005980	±2.5	PASS
Band41	10MHz	QPSK	40590	50RB#0	VL	NT	-60.81	-0.023479	±2.5	PASS
Band41	10MHz	QPSK	40590	50RB#0	VN	NT	-37.67	-0.014544	±2.5	PASS
Band41	10MHz	QPSK	40590	50RB#0	VH	NT	-28.31	-0.010931	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	VL	NT	-21.01	-0.007928	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	VN	NT	-11.56	-0.004362	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	VH	NT	-40.28	-0.015200	±2.5	PASS
Band41	10MHz	16QAM	40090	50RB#0	VL	NT	25.62	0.010087	±2.5	PASS
Band41	10MHz	16QAM	40090	50RB#0	VN	NT	52.99	0.020862	±2.5	PASS
Band41	10MHz	16QAM	40090	50RB#0	VH	NT	39.51	0.015555	±2.5	PASS
Band41	10MHz	16QAM	40590	50RB#0	VL	NT	-8.58	-0.003313	±2.5	PASS
Band41	10MHz	16QAM	40590	50RB#0	VN	NT	8.90	0.003436	±2.5	PASS
Band41	10MHz	16QAM	40590	50RB#0	VH	NT	62.47	0.024120	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	VL	NT	-34.29	-0.012940	±2.5	PASS

Band41	10MHz	16QAM	41190	50RB#0	VN	NT	-30.08	-0.011351	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	VH	NT	11.49	0.004336	±2.5	PASS
Band41	15MHz	QPSK	40115	75RB#0	VL	NT	28.70	0.011288	±2.5	PASS
Band41	15MHz	QPSK	40115	75RB#0	VN	NT	16.34	0.006427	±2.5	PASS
Band41	15MHz	QPSK	40115	75RB#0	VH	NT	44.78	0.017613	±2.5	PASS
Band41	15MHz	QPSK	40590	75RB#0	VL	NT	24.18	0.009336	±2.5	PASS
Band41	15MHz	QPSK	40590	75RB#0	VN	NT	20.23	0.007811	±2.5	PASS
Band41	15MHz	QPSK	40590	75RB#0	VH	NT	15.26	0.005892	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	VL	NT	27.67	0.010451	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	VN	NT	35.63	0.013458	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	VH	NT	23.26	0.008786	±2.5	PASS
Band41	15MHz	16QAM	40115	75RB#0	VL	NT	-11.17	-0.004393	±2.5	PASS
Band41	15MHz	16QAM	40115	75RB#0	VN	NT	25.86	0.010171	±2.5	PASS
Band41	15MHz	16QAM	40115	75RB#0	VH	NT	5.09	0.002002	±2.5	PASS
Band41	15MHz	16QAM	40590	75RB#0	VL	NT	43.66	0.016857	±2.5	PASS
Band41	15MHz	16QAM	40590	75RB#0	VN	NT	33.29	0.012853	±2.5	PASS
Band41	15MHz	16QAM	40590	75RB#0	VH	NT	54.23	0.020938	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	VL	NT	-29.04	-0.010969	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	VN	NT	-46.86	-0.017700	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	VH	NT	-21.14	-0.007985	±2.5	PASS
Band41	20MHz	QPSK	40140	100RB#0	VL	NT	23.50	0.009234	±2.5	PASS
Band41	20MHz	QPSK	40140	100RB#0	VN	NT	9.17	0.003603	±2.5	PASS
Band41	20MHz	QPSK	40140	100RB#0	VH	NT	41.81	0.016428	±2.5	PASS
Band41	20MHz	QPSK	40590	100RB#0	VL	NT	26.08	0.010069	±2.5	PASS
Band41	20MHz	QPSK	40590	100RB#0	VN	NT	23.17	0.008946	±2.5	PASS
Band41	20MHz	QPSK	40590	100RB#0	VH	NT	44.00	0.016988	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	VL	NT	41.28	0.015607	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	VN	NT	18.91	0.007149	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	VH	NT	47.24	0.017860	±2.5	PASS
Band41	20MHz	16QAM	40140	100RB#0	VL	NT	32.92	0.012935	±2.5	PASS
Band41	20MHz	16QAM	40140	100RB#0	VN	NT	-9.94	-0.003906	±2.5	PASS
Band41	20MHz	16QAM	40140	100RB#0	VH	NT	56.03	0.022016	±2.5	PASS
Band41	20MHz	16QAM	40590	100RB#0	VL	NT	27.65	0.010676	±2.5	PASS
Band41	20MHz	16QAM	40590	100RB#0	VN	NT	19.84	0.007660	±2.5	PASS
Band41	20MHz	16QAM	40590	100RB#0	VH	NT	34.50	0.013320	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	VL	NT	49.08	0.018556	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	VN	NT	38.64	0.014609	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	VH	NT	12.22	0.004620	±2.5	PASS

Temperature

Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band41	5MHz	QPSK	40065	25RB#0	NV	-30	28.35	0.011172	±2.5	PASS
Band41	5MHz	QPSK	40065	25RB#0	NV	-20	38.18	0.015046	±2.5	PASS
Band41	5MHz	QPSK	40065	25RB#0	NV	0	49.15	0.019369	±2.5	PASS
Band41	5MHz	QPSK	40065	25RB#0	NV	10	-3.83	-0.001509	±2.5	PASS
Band41	5MHz	QPSK	40065	25RB#0	NV	20	14.66	0.005777	±2.5	PASS
Band41	5MHz	QPSK	40590	25RB#0	NV	-30	-52.77	-0.020375	±2.5	PASS
Band41	5MHz	QPSK	40590	25RB#0	NV	-20	-44.86	-0.017320	±2.5	PASS
Band41	5MHz	QPSK	40590	25RB#0	NV	0	-37.44	-0.014456	±2.5	PASS
Band41	5MHz	QPSK	40590	25RB#0	NV	10	32.93	0.012714	±2.5	PASS
Band41	5MHz	QPSK	40590	25RB#0	NV	20	33.47	0.012923	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	-30	17.70	0.006673	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	-20	19.94	0.007517	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	0	13.33	0.005025	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	10	18.97	0.007152	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	20	15.91	0.005998	±2.5	PASS
Band41	5MHz	16QAM	40065	25RB#0	NV	-30	27.84	0.010971	±2.5	PASS
Band41	5MHz	16QAM	40065	25RB#0	NV	-20	40.93	0.016130	±2.5	PASS
Band41	5MHz	16QAM	40065	25RB#0	NV	0	57.29	0.022577	±2.5	PASS
Band41	5MHz	16QAM	40065	25RB#0	NV	10	63.03	0.024839	±2.5	PASS
Band41	5MHz	16QAM	40065	25RB#0	NV	20	55.26	0.021777	±2.5	PASS
Band41	5MHz	16QAM	40590	25RB#0	NV	-30	58.24	0.022486	±2.5	PASS
Band41	5MHz	16QAM	40590	25RB#0	NV	-20	-19.87	-0.007672	±2.5	PASS
Band41	5MHz	16QAM	40590	25RB#0	NV	0	-9.50	-0.003668	±2.5	PASS
Band41	5MHz	16QAM	40590	25RB#0	NV	10	66.72	0.025761	±2.5	PASS
Band41	5MHz	16QAM	40590	25RB#0	NV	20	57.74	0.022293	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	-30	21.04	0.007932	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	-20	33.43	0.012603	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	0	41.40	0.015608	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	10	53.13	0.020030	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	20	-9.93	-0.003744	±2.5	PASS
Band41	10MHz	QPSK	40090	50RB#0	NV	-30	33.06	0.013016	±2.5	PASS
Band41	10MHz	QPSK	40090	50RB#0	NV	-20	49.72	0.019575	±2.5	PASS
Band41	10MHz	QPSK	40090	50RB#0	NV	0	7.91	0.003114	±2.5	PASS
Band41	10MHz	QPSK	40090	50RB#0	NV	10	18.77	0.007390	±2.5	PASS
Band41	10MHz	QPSK	40090	50RB#0	NV	20	37.68	0.014835	±2.5	PASS
Band41	10MHz	QPSK	40590	50RB#0	NV	-30	-44.83	-0.017309	±2.5	PASS
Band41	10MHz	QPSK	40590	50RB#0	NV	-20	-48.35	-0.018668	±2.5	PASS
Band41	10MHz	QPSK	40590	50RB#0	NV	0	-47.62	-0.018386	±2.5	PASS
Band41	10MHz	QPSK	40590	50RB#0	NV	10	-49.91	-0.019270	±2.5	PASS
Band41	10MHz	QPSK	40590	50RB#0	NV	20	-55.02	-0.021243	±2.5	PASS

Band41	10MHz	QPSK	41190	50RB#0	NV	-30	17.24	0.006506	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	-20	10.09	0.003808	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	0	-15.71	-0.005928	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	10	-19.74	-0.007449	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	20	-21.67	-0.008177	±2.5	PASS
Band41	10MHz	16QAM	40090	50RB#0	NV	-30	53.00	0.020866	±2.5	PASS
Band41	10MHz	16QAM	40090	50RB#0	NV	-20	36.86	0.014512	±2.5	PASS
Band41	10MHz	16QAM	40090	50RB#0	NV	0	47.89	0.018854	±2.5	PASS
Band41	10MHz	16QAM	40090	50RB#0	NV	10	-8.85	-0.003484	±2.5	PASS
Band41	10MHz	16QAM	40090	50RB#0	NV	20	-26.22	-0.010323	±2.5	PASS
Band41	10MHz	16QAM	40590	50RB#0	NV	-30	9.37	0.003618	±2.5	PASS
Band41	10MHz	16QAM	40590	50RB#0	NV	-20	7.48	0.002888	±2.5	PASS
Band41	10MHz	16QAM	40590	50RB#0	NV	0	-9.81	-0.003788	±2.5	PASS
Band41	10MHz	16QAM	40590	50RB#0	NV	10	5.36	0.002069	±2.5	PASS
Band41	10MHz	16QAM	40590	50RB#0	NV	20	13.95	0.005386	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	-30	-12.26	-0.004626	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	-20	-35.58	-0.013426	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	0	6.14	0.002317	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	10	-21.79	-0.008223	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	20	-14.20	-0.005358	±2.5	PASS
Band41	15MHz	QPSK	40115	75RB#0	NV	-30	27.88	0.010966	±2.5	PASS
Band41	15MHz	QPSK	40115	75RB#0	NV	-20	39.84	0.015670	±2.5	PASS
Band41	15MHz	QPSK	40115	75RB#0	NV	0	44.30	0.017424	±2.5	PASS
Band41	15MHz	QPSK	40115	75RB#0	NV	10	54.55	0.021455	±2.5	PASS
Band41	15MHz	QPSK	40115	75RB#0	NV	20	27.55	0.010836	±2.5	PASS
Band41	15MHz	QPSK	40590	75RB#0	NV	-30	13.49	0.005208	±2.5	PASS
Band41	15MHz	QPSK	40590	75RB#0	NV	-20	16.44	0.006347	±2.5	PASS
Band41	15MHz	QPSK	40590	75RB#0	NV	0	-52.04	-0.020093	±2.5	PASS
Band41	15MHz	QPSK	40590	75RB#0	NV	10	35.35	0.013649	±2.5	PASS
Band41	15MHz	QPSK	40590	75RB#0	NV	20	30.61	0.011819	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	-30	29.85	0.011275	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	-20	30.44	0.011498	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	0	-14.82	-0.005598	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	10	-35.51	-0.013413	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	20	-43.30	-0.016355	±2.5	PASS
Band41	15MHz	16QAM	40115	75RB#0	NV	-30	22.33	0.008783	±2.5	PASS
Band41	15MHz	16QAM	40115	75RB#0	NV	-20	16.61	0.006533	±2.5	PASS
Band41	15MHz	16QAM	40115	75RB#0	NV	0	37.26	0.014655	±2.5	PASS
Band41	15MHz	16QAM	40115	75RB#0	NV	10	18.32	0.007206	±2.5	PASS
Band41	15MHz	16QAM	40115	75RB#0	NV	20	40.11	0.015776	±2.5	PASS
Band41	15MHz	16QAM	40590	75RB#0	NV	-30	51.48	0.019876	±2.5	PASS

Band41	15MHz	16QAM	40590	75RB#0	NV	-20	-14.66	-0.005660	±2.5	PASS
Band41	15MHz	16QAM	40590	75RB#0	NV	0	-9.38	-0.003622	±2.5	PASS
Band41	15MHz	16QAM	40590	75RB#0	NV	10	42.37	0.016359	±2.5	PASS
Band41	15MHz	16QAM	40590	75RB#0	NV	20	52.03	0.020089	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	-30	-13.38	-0.005054	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	-20	55.02	0.020782	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	0	41.17	0.015551	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	10	48.38	0.018274	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	20	-18.81	-0.007105	±2.5	PASS
Band41	20MHz	QPSK	40140	100RB#0	NV	-30	34.56	0.013580	±2.5	PASS
Band41	20MHz	QPSK	40140	100RB#0	NV	-20	47.35	0.018605	±2.5	PASS
Band41	20MHz	QPSK	40140	100RB#0	NV	0	38.11	0.014974	±2.5	PASS
Band41	20MHz	QPSK	40140	100RB#0	NV	10	-7.11	-0.002794	±2.5	PASS
Band41	20MHz	QPSK	40140	100RB#0	NV	20	38.18	0.015002	±2.5	PASS
Band41	20MHz	QPSK	40590	100RB#0	NV	-30	49.31	0.019039	±2.5	PASS
Band41	20MHz	QPSK	40590	100RB#0	NV	-20	-10.23	-0.003950	±2.5	PASS
Band41	20MHz	QPSK	40590	100RB#0	NV	0	12.96	0.005004	±2.5	PASS
Band41	20MHz	QPSK	40590	100RB#0	NV	10	18.90	0.007297	±2.5	PASS
Band41	20MHz	QPSK	40590	100RB#0	NV	20	17.67	0.006822	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	-30	40.66	0.015372	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	-20	44.46	0.016809	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	0	51.34	0.019410	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	10	66.16	0.025013	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	20	25.61	0.009682	±2.5	PASS
Band41	20MHz	16QAM	40140	100RB#0	NV	-30	48.08	0.018892	±2.5	PASS
Band41	20MHz	16QAM	40140	100RB#0	NV	-20	7.78	0.003057	±2.5	PASS
Band41	20MHz	16QAM	40140	100RB#0	NV	0	39.11	0.015367	±2.5	PASS
Band41	20MHz	16QAM	40140	100RB#0	NV	10	11.19	0.004397	±2.5	PASS
Band41	20MHz	16QAM	40140	100RB#0	NV	20	33.99	0.013356	±2.5	PASS
Band41	20MHz	16QAM	40590	100RB#0	NV	-30	-20.63	-0.007965	±2.5	PASS
Band41	20MHz	16QAM	40590	100RB#0	NV	-20	-30.67	-0.011842	±2.5	PASS
Band41	20MHz	16QAM	40590	100RB#0	NV	0	54.97	0.021224	±2.5	PASS
Band41	20MHz	16QAM	40590	100RB#0	NV	10	20.10	0.007761	±2.5	PASS
Band41	20MHz	16QAM	40590	100RB#0	NV	20	16.82	0.006494	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	-30	19.98	0.007554	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	-20	29.24	0.011055	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	0	42.86	0.016204	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	10	26.62	0.010064	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	20	42.11	0.015921	±2.5	PASS