

Appendix A: Effective Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	conducted power(dBm)	Max AntGain (dBi)	ERP (dBm)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	23.72	-2.5	21.22	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#2	23.72	-2.5	21.22	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#5	23.67	-2.5	21.17	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#0	23.74	-2.5	21.24	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#1	23.73	-2.5	21.23	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#3	23.72	-2.5	21.22	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	22.85	-2.5	20.35	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	22.57	-2.5	20.07	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#2	22.58	-2.5	20.08	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#5	22.52	-2.5	20.02	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#0	22.55	-2.5	20.05	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#1	22.53	-2.5	20.03	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#3	22.51	-2.5	20.01	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	21.78	-2.5	19.28	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	23.65	-2.5	21.15	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#2	23.68	-2.5	21.18	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#5	23.65	-2.5	21.15	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#0	23.77	-2.5	21.27	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#1	23.80	-2.5	21.30	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#3	23.76	-2.5	21.26	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	22.85	-2.5	20.35	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	22.57	-2.5	20.07	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#2	22.61	-2.5	20.11	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#5	22.51	-2.5	20.01	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#0	22.55	-2.5	20.05	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#1	22.52	-2.5	20.02	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#3	22.53	-2.5	20.03	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	21.80	-2.5	19.30	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	23.54	-2.5	21.04	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#2	23.50	-2.5	21.00	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#5	23.57	-2.5	21.07	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#0	23.60	-2.5	21.10	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#1	23.57	-2.5	21.07	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#3	23.61	-2.5	21.11	PASS

Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	22.59	-2.5	20.09	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	22.24	-2.5	19.74	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#2	22.35	-2.5	19.85	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#5	22.33	-2.5	19.83	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#0	22.41	-2.5	19.91	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#1	22.43	-2.5	19.93	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#3	22.39	-2.5	19.89	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	21.47	-2.5	18.97	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	23.57	-2.5	21.07	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#8	23.66	-2.5	21.16	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#14	23.50	-2.5	21.00	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#0	22.71	-2.5	20.21	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#4	22.72	-2.5	20.22	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#7	22.75	-2.5	20.25	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	22.76	-2.5	20.26	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	22.51	-2.5	20.01	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#8	22.58	-2.5	20.08	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#14	22.48	-2.5	19.98	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#0	21.69	-2.5	19.19	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#4	21.71	-2.5	19.21	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#7	21.74	-2.5	19.24	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	21.72	-2.5	19.22	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	23.50	-2.5	21.00	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#8	23.62	-2.5	21.12	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#14	23.49	-2.5	20.99	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#0	22.74	-2.5	20.24	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#4	22.72	-2.5	20.22	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#7	22.72	-2.5	20.22	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	22.75	-2.5	20.25	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	22.50	-2.5	20.00	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#8	22.61	-2.5	20.11	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#14	22.52	-2.5	20.02	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#0	21.74	-2.5	19.24	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#4	21.75	-2.5	19.25	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#7	21.71	-2.5	19.21	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	21.74	-2.5	19.24	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	23.33	-2.5	20.83	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#8	23.46	-2.5	20.96	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#14	23.41	-2.5	20.91	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#0	22.58	-2.5	20.08	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#4	22.61	-2.5	20.11	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#7	22.53	-2.5	20.03	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	22.59	-2.5	20.09	PASS

Band26(824-849)	3MHz	16QAM	27025	1RB#0	22.22	-2.5	19.72	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#8	22.29	-2.5	19.79	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#14	22.16	-2.5	19.66	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#0	21.50	-2.5	19.00	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#4	21.53	-2.5	19.03	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#7	21.43	-2.5	18.93	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	21.47	-2.5	18.97	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	23.89	-2.5	21.39	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#12	23.99	-2.5	21.49	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#24	23.83	-2.5	21.33	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#0	22.66	-2.5	20.16	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#6	22.72	-2.5	20.22	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#13	22.91	-2.5	20.41	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	22.84	-2.5	20.34	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	22.79	-2.5	20.29	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#12	22.88	-2.5	20.38	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#24	22.75	-2.5	20.25	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#0	21.65	-2.5	19.15	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#6	21.67	-2.5	19.17	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#13	21.83	-2.5	19.33	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	21.84	-2.5	19.34	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	23.88	-2.5	21.38	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#12	23.93	-2.5	21.43	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#24	23.81	-2.5	21.31	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#0	22.91	-2.5	20.41	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#6	22.92	-2.5	20.42	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#13	22.70	-2.5	20.20	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	22.84	-2.5	20.34	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	22.79	-2.5	20.29	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#12	22.87	-2.5	20.37	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#24	22.68	-2.5	20.18	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#0	21.85	-2.5	19.35	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#6	21.85	-2.5	19.35	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#13	21.69	-2.5	19.19	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	21.87	-2.5	19.37	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	23.61	-2.5	21.11	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#12	23.73	-2.5	21.23	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#24	23.62	-2.5	21.12	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#0	22.62	-2.5	20.12	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#6	22.67	-2.5	20.17	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#13	22.31	-2.5	19.81	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	22.49	-2.5	19.99	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	22.65	-2.5	20.15	PASS

Band26(824-849)	5MHz	16QAM	27015	1RB#12	22.78	-2.5	20.28	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#24	22.65	-2.5	20.15	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#0	21.65	-2.5	19.15	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#6	21.70	-2.5	19.20	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#13	21.40	-2.5	18.90	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	21.51	-2.5	19.01	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	23.89	-2.5	21.39	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#24	23.83	-2.5	21.33	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#49	23.92	-2.5	21.42	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#0	22.61	-2.5	20.11	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#12	22.60	-2.5	20.10	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#25	22.79	-2.5	20.29	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	22.76	-2.5	20.26	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	22.83	-2.5	20.33	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#24	22.88	-2.5	20.38	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#49	22.88	-2.5	20.38	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#0	21.58	-2.5	19.08	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#12	21.55	-2.5	19.05	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#25	21.78	-2.5	19.28	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	21.76	-2.5	19.26	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	23.87	-2.5	21.37	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#24	23.90	-2.5	21.40	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#49	23.81	-2.5	21.31	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#0	23.06	-2.5	20.56	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#12	23.02	-2.5	20.52	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#25	22.69	-2.5	20.19	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	22.95	-2.5	20.45	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	22.92	-2.5	20.42	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#24	22.89	-2.5	20.39	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#49	22.74	-2.5	20.24	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#0	22.02	-2.5	19.52	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#12	22.04	-2.5	19.54	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#25	21.71	-2.5	19.21	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	21.90	-2.5	19.40	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	23.88	-2.5	21.38	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#24	23.77	-2.5	21.27	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#49	23.67	-2.5	21.17	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#0	22.45	-2.5	19.95	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#12	22.44	-2.5	19.94	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#25	22.36	-2.5	19.86	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	22.41	-2.5	19.91	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	22.65	-2.5	20.15	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#24	22.54	-2.5	20.04	PASS

Band26(824-849)	10MHz	16QAM	26990	1RB#49	22.47	-2.5	19.97	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#0	21.45	-2.5	18.95	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#12	21.46	-2.5	18.96	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#25	21.40	-2.5	18.90	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	21.47	-2.5	18.97	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	23.83	-2.5	21.33	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#38	23.99	-2.5	21.49	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#74	23.76	-2.5	21.26	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#0	22.77	-2.5	20.27	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#18	23.01	-2.5	20.51	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#37	22.78	-2.5	20.28	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	22.72	-2.5	20.22	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	22.82	-2.5	20.32	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#38	22.97	-2.5	20.47	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#74	22.81	-2.5	20.31	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#0	22.75	-2.5	20.25	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#18	23.00	-2.5	20.50	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#37	22.79	-2.5	20.29	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	21.61	-2.5	19.11	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	23.86	-2.5	21.36	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#38	23.94	-2.5	21.44	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#74	23.66	-2.5	21.16	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#0	22.82	-2.5	20.32	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#18	22.95	-2.5	20.45	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#37	22.62	-2.5	20.12	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	23.00	-2.5	20.50	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	22.83	-2.5	20.33	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#38	22.94	-2.5	20.44	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#74	22.63	-2.5	20.13	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#0	22.83	-2.5	20.33	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#18	22.95	-2.5	20.45	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#37	22.61	-2.5	20.11	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	21.93	-2.5	19.43	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	23.80	-2.5	21.30	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#38	23.80	-2.5	21.30	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#74	23.55	-2.5	21.05	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#0	22.95	-2.5	20.45	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#18	22.82	-2.5	20.32	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#37	22.64	-2.5	20.14	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	22.74	-2.5	20.24	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	22.94	-2.5	20.44	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#38	22.84	-2.5	20.34	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#74	22.64	-2.5	20.14	PASS

Band26(824-849)	15MHz	16QAM	26965	38RB#0	22.95	-2.5	20.45	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#18	22.85	-2.5	20.35	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#37	22.64	-2.5	20.14	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	21.70	-2.5	19.20	PASS


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	4.55	13	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	5.16	13	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	5.67	13	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	5.99	13	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	5.64	13	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	5.77	13	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	6.31	13	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	6.63	13	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	5.19	13	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	5.38	13	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	6.44	13	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	6.31	13	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	4.68	13	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	4.97	13	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	5.61	13	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	5.93	13	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	5.71	13	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	5.45	13	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	6.35	13	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	6.38	13	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	5.48	13	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	5.22	13	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	6.63	13	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	6.35	13	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	4.58	13	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	5.10	13	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	5.32	13	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	5.93	13	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	5.87	13	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	5.58	13	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	6.47	13	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	6.41	13	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	4.17	13	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	5.26	13	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	4.94	13	PASS

Band26(824-849)	5MHz	16QAM	27015	25RB#0	6.25	13	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	4.42	13	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	5.58	13	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	5.35	13	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	6.51	13	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	5.38	13	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	5.58	13	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	6.12	13	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	6.54	13	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	4.36	13	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	5.42	13	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	5.51	13	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	6.47	13	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	8.27	13	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	5.67	13	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	8.24	13	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	6.76	13	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	8.30	13	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	5.71	13	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	8.37	13	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	6.79	13	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	8.27	13	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	6.31	13	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	8.27	13	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	7.05	13	PASS

Test Graphs







Ref: 30 dBm

Offset: 9.3 dB

Att: 45 dB

AQT: 5 s

1 SA

CLONE

0.1

0.01

1E-3

1E-4

1E-5

SQL

LVL

3DB

Center 848.3 MHz

2 dB/

Mean Pwr + 20 dB

Complementary Cumulative Distribution Function (10000000 samples)

Trace 1

Mean 20.96 dBm

Peak 28.67 dBm

Crest 7.71 dB

10 % 3.04 dB

1 % 5.06 dB

.1 % 6.31 dB

.01 % 7.05 dB

Date: 20.APR.2025 02:53:09

Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-P

ASS

Ref: 30 dBm

Offset: 9.3 dB

Att: 45 dB

AQT: 5 s

1 SA

CLONE

0.1

0.01

1E-3

1E-4

1E-5

SQL

LVL

3DB

Center 848.3 MHz

2 dB/

Mean Pwr + 20 dB

Complementary Cumulative Distribution Function (10000000 samples)

Trace 1

Mean 20.96 dBm

Peak 28.67 dBm

Crest 7.71 dB

10 % 3.04 dB

1 % 5.06 dB

.1 % 6.31 dB

.01 % 7.05 dB

Date: 20.APR.2025 02:53:09

Band26(824-849)-1.4MHz-16QAM-27033-1RB#0-P

PASS

Ref: 30 dBm

Offset: 9.3 dB

Att: 45 dB

AQT: 5 s

1 SA

CLONE

0.1

0.01

1E-3

1E-4

1E-5

SQL

LVL

3DB

Center 848.3 MHz

2 dB/

Mean Pwr + 20 dB

Complementary Cumulative Distribution Function (10000000 samples)

Trace 1

Mean 20.96 dBm

Peak 28.67 dBm

Crest 7.71 dB

10 % 3.04 dB

1 % 5.06 dB


.1 % 6.31 dB


.01 % 7.05 dB


Date: 20.APR.2025 02:53:09


Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-P


PASS



























Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	1.1	1.29	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	1.11	1.30	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	1.1	1.28	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	1.105	1.30	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	1.105	1.30	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	1.095	1.27	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	2.69	2.95	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	2.69	2.98	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	2.69	2.97	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	2.69	2.98	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	2.7	2.97	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	2.69	2.96	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	4.51	4.95	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	4.51	4.92	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	4.5	4.92	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	4.5	5.04	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	4.5	4.91	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	4.51	4.92	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	9	9.83	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	8.967	9.83	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	9.033	9.90	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	9.033	9.90	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	8.933	9.77	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	8.967	9.83	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	13.4	14.80	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	13.4	14.65	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	13.55	14.85	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	13.6	14.80	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	13.45	14.75	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	13.5	14.80	PASS


Test Graphs



Date: 20.APR.2025 02:29:18

Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-P


ASS



Date: 20.APR.2025 02:29:30

Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-P


PASS



Date: 20.APR.2025 03:03:10

Band26(824-849)-3MHz-QPSK-26805-15RB#0-P


ASS



Date: 20.APR.2025 03:03:23

Band26(824-849)-3MHz-16QAM-26805-15RB#0-P


ASS



Date: 20.APR.2025 03:03:40

Band26(824-849)-3MHz-QPSK-26915-15RB#0-P


ASS



Date: 20.APR.2025 03:03:53

Band26(824-849)-3MHz-16QAM-26915-15RB#0-P


ASS



Date: 20.APR.2025 03:04:09

Band26(824-849)-3MHz-QPSK-27025-15RB#0-P


ASS



Date: 20.APR.2025 03:04:21

Band26(824-849)-3MHz-16QAM-27025-15RB#0-P


ASS



Date: 20.APR.2025 03:38:43

Band26(824-849)-5MHz-QPSK-26815-25RB#0-P


ASS



Date: 20.APR.2025 03:39:03

Band26(824-849)-5MHz-16QAM-26815-25RB#0-P


ASS



Date: 20.APR.2025 03:39:31

Band26(824-849)-5MHz-QPSK-26915-25RB#0-P


ASS



Date: 20.APR.2025 03:39:55

Band26(824-849)-5MHz-16QAM-26915-25RB#0-P


ASS



Date: 20.APR.2025 03:40:20

Band26(824-849)-5MHz-QPSK-27015-25RB#0-P


ASS



Date: 20.APR.2025 03:40:40

Band26(824-849)-5MHz-16QAM-27015-25RB#0-P


ASS



Date: 20.APR.2025 04:14:08

Band26(824-849)-10MHz-QPSK-26840-50RB#0-P


ASS




Date: 20.APR.2025 04:14:22

Band26(824-849)-10MHz-16QAM-26840-50RB#0-P

PASS



Date: 20.APR.2025 04:14:40




Date: 20.APR.2025 04:14:53

Band26(824-849)-10MHz-QPSK-26915-50RB#0-P


ASS

Band26(824-849)-10MHz-16QAM-26915-50RB#0-P

PASS



Date: 20.APR.2025 04:15:11




Date: 20.APR.2025 04:15:25

Band26(824-849)-10MHz-QPSK-26990-50RB#0-P

ASS

Band26(824-849)-10MHz-16QAM-26990-50RB#0-P


PASS



Date: 20.APR.2025 04:49:46

Band26(824-849)-15MHz-QPSK-26865-75RB#0-P


ASS



Date: 20.APR.2025 04:50:00

Band26(824-849)-15MHz-16QAM-26865-75RB#0-P


PASS



Date: 20.APR.2025 04:50:18

Band26(824-849)-15MHz-QPSK-26915-75RB#0-P


ASS



Date: 20.APR.2025 04:50:32

Band26(824-849)-15MHz-16QAM-26915-75RB#0-P

PASS




Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	-26.87	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#5	-47.93	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	-34.53	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	-30.71	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#5	-48.79	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	-35.48	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	-47.96	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#5	-24.37	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	-36.33	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	-49.47	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#5	-29.25	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	-37.07	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	-17.09	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#14	-41.93	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	-29.43	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	-18.54	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#14	-42.37	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	-31.38	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	-43.77	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#14	-16.88	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	-30.68	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	-44.85	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#14	-19.68	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	-32.87	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	-23.33	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#24	-44.60	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	-34.21	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	-24.34	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#24	-45.41	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	-35.27	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	-45.52	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#24	-23.25	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	-36.63	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	-46.71	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#24	-25.06	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	-36.92	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	-26.41	PASS

Band26(824-849)	10MHz	QPSK	26840	1RB#49	-43.86	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	-38.23	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	-27.58	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#49	-44.41	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	-38.83	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	-42.82	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#49	-26.89	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	-38.73	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	-43.52	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#49	-27.67	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	-38.64	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	-27.46	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#74	-37.29	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	-37.17	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	-28.48	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#74	-37.85	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	-37.30	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	-39.77	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#74	-28.65	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	-37.77	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	-40.54	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#74	-28.98	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	-38.30	PASS

Test Graphs





Appendix E: Conducted Spurious Emission


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	0.009~0.15	-62.94	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	0.15~30	-63.48	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	30~1000	-46.85	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	1000~3000	-40.55	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	3000~10000	-46.86	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	0.009~0.15	-63.68	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	0.15~30	-63.64	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	30~1000	-46.73	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	1000~3000	-41.81	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	3000~10000	-46.85	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	0.009~0.15	-61.99	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	0.15~30	-63.52	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	30~1000	-46.68	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	1000~3000	-40.38	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	3000~10000	-46.84	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	0.009~0.15	-63.12	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	0.15~30	-63.60	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	30~1000	-46.77	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	1000~3000	-41.63	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	3000~10000	-46.86	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	0.009~0.15	-63.06	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	0.15~30	-63.63	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	30~1000	-45.13	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	1000~3000	-42.96	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	3000~10000	-46.91	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	0.009~0.15	-62.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	0.15~30	-63.77	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	30~1000	-45.99	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	1000~3000	-44.50	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	3000~10000	-46.67	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	0.009~0.15	-63.57	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	0.15~30	-63.85	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	30~1000	-49.17	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	1000~3000	-40.54	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	3000~10000	-46.78	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	0.009~0.15	-63.58	PASS



Band26(824-849)	3MHz	16QAM	26805	1RB#0	0.15~30	-63.66	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	30~1000	-49.06	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	1000~3000	-42.13	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	3000~10000	-47.02	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	0.009~0.15	-63.22	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	0.15~30	-63.90	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	30~1000	-48.50	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	1000~3000	-41.05	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	3000~10000	-46.97	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	0.009~0.15	-62.83	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	0.15~30	-63.39	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	30~1000	-48.71	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	1000~3000	-42.29	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	3000~10000	-46.81	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	0.009~0.15	-62.81	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	0.15~30	-63.96	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	30~1000	-49.00	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	1000~3000	-41.41	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	3000~10000	-46.75	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	0.009~0.15	-63.56	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	0.15~30	-63.19	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	30~1000	-49.05	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	1000~3000	-42.66	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	3000~10000	-46.82	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	0.009~0.15	-61.97	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	0.15~30	-63.87	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	30~1000	-49.36	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	1000~3000	-41.01	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	3000~10000	-46.68	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	0.009~0.15	-63.23	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	0.15~30	-63.06	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	30~1000	-49.48	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	1000~3000	-42.12	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	3000~10000	-46.75	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	0.009~0.15	-62.14	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	0.15~30	-63.61	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	30~1000	-49.33	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	1000~3000	-41.43	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	3000~10000	-46.98	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	0.009~0.15	-62.28	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	0.15~30	-63.70	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	30~1000	-49.36	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	1000~3000	-42.50	PASS

Band26(824-849)	5MHz	16QAM	26915	1RB#0	3000~10000	-46.75	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	0.009~0.15	-63.25	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	0.15~30	-63.70	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	30~1000	-49.36	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	1000~3000	-41.54	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	3000~10000	-46.73	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	0.009~0.15	-63.66	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	0.15~30	-63.98	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	30~1000	-49.49	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	1000~3000	-42.82	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	3000~10000	-46.88	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	0.009~0.15	-63.27	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	0.15~30	-63.72	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	30~1000	-49.36	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	1000~3000	-39.39	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	3000~10000	-46.97	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	0.009~0.15	-62.28	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	0.15~30	-63.43	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	30~1000	-49.31	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	1000~3000	-40.93	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	3000~10000	-46.79	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	0.009~0.15	-63.46	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	0.15~30	-64.05	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	30~1000	-49.38	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	1000~3000	-39.35	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	3000~10000	-46.78	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	0.009~0.15	-62.28	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	0.15~30	-63.72	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	30~1000	-49.31	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	1000~3000	-40.40	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	3000~10000	-46.77	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	0.009~0.15	-62.47	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	0.15~30	-63.80	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	30~1000	-49.26	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	1000~3000	-40.70	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	3000~10000	-46.80	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	0.009~0.15	-62.86	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	0.15~30	-63.66	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	30~1000	-49.38	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	1000~3000	-42.48	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	3000~10000	-46.75	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	0.009~0.15	-61.70	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	0.15~30	-63.68	PASS

Band26(824-849)	15MHz	QPSK	26865	1RB#0	30~1000	-49.28	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	1000~3000	-41.18	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	3000~10000	-46.50	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	0.009~0.15	-63.69	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	0.15~30	-63.16	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	30~1000	-49.24	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	1000~3000	-42.41	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	3000~10000	-46.58	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	0.009~0.15	-63.18	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	0.15~30	-63.30	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	30~1000	-49.17	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	1000~3000	-41.14	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	3000~10000	-46.74	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	0.009~0.15	-63.23	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	0.15~30	-63.51	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	30~1000	-49.46	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	1000~3000	-42.17	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	3000~10000	-46.38	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	0.009~0.15	-62.75	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	0.15~30	-63.81	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	30~1000	-49.35	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	1000~3000	-41.39	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	3000~10000	-46.56	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	0.009~0.15	-63.31	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	0.15~30	-63.56	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	30~1000	-49.35	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	1000~3000	-42.38	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	3000~10000	-46.78	PASS










Band26(824-849)-3MHz-16QAM-26805-1RB#0-0.
15~30-PASS


Band26(824-849)-3MHz-16QAM-26805-1RB#0-30
~1000-PASS





Band26(824-849)-3MHz-16QAM-26805-1RB#0-1
000~3000-PASS

Band26(824-849)-3MHz-16QAM-26805-1RB#0-30
00~10000-PASS











Band26(824-849)-5MHz-16QAM-26815-1RB#0-1
000~3000-PASS

Band26(824-849)-5MHz-16QAM-26815-1RB#0-30
00~10000-PASS




Band26(824-849)-5MHz-QPSK-26915-1RB#0-0.0
09~0.15-PASS

Band26(824-849)-5MHz-QPSK-26915-1RB#0-0.15
~30-PASS




Date: 20.APR.2025 03:48:23




Date: 20.APR.2025 03:48:37

Band26(824-849)-5MHz-QPSK-26915-1RB#0-30
~1000-PASS

Band26(824-849)-5MHz-QPSK-26915-1RB#0-100
0~3000-PASS




Date: 20.APR.2025 03:48:51




Date: 20.APR.2025 03:49:03

Band26(824-849)-5MHz-QPSK-26915-1RB#0-30
00~10000-PASS

Band26(824-849)-5MHz-16QAM-26915-1RB#0-0.
009~0.15-PASS




Date: 20.APR.2025 03:49:18




Date: 20.APR.2025 03:49:46

Band26(824-849)-5MHz-16QAM-26915-1RB#0-0.
15~30-PASS

Band26(824-849)-5MHz-16QAM-26915-1RB#0-30
~1000-PASS




Date: 20.APR.2025 03:50:00



Date: 20.APR.2025 03:50:15


Band26(824-849)-5MHz-16QAM-26915-1RB#0-1
000~3000-PASS

Band26(824-849)-5MHz-16QAM-26915-1RB#0-30
00~10000-PASS




Date: 20.APR.2025 03:50:30

Band26(824-849)-5MHz-QPSK-27015-1RB#0-0.0
09~0.15-PASS




Date: 20.APR.2025 03:50:45

Band26(824-849)-5MHz-QPSK-27015-1RB#0-0.15
~30-PASS




Date: 20.APR.2025 03:51:12


Band26(824-849)-5MHz-QPSK-27015-1RB#0-30
~1000-PASS



Date: 20.APR.2025 03:51:26

Band26(824-849)-5MHz-QPSK-27015-1RB#0-100
0~3000-PASS






Date: 20.APR.2025 04:23:38

Date: 20.APR.2025 04:23:49

Band26(824-849)-10MHz-QPSK-26915-1RB#0-3
000~10000-PASS

Band26(824-849)-10MHz-16QAM-26915-1RB#0-0
.009~0.15-PASS



Date: 20.APR.2025 04:24:05

Date: 20.APR.2025 04:24:34

Band26(824-849)-10MHz-16QAM-26915-1RB#0-3
0.15~30-PASS

Band26(824-849)-10MHz-16QAM-26915-1RB#0-3
0~1000-PASS