

Appendix A: Effective(Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted power(dBm)	Max Ant Gain (dBi)	EIRP (dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	18.34	3.45	21.79	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#12	18.43	3.45	21.88	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	18.33	3.45	21.78	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#0	17.53	3.45	20.98	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#6	17.60	3.45	21.05	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#13	17.97	3.45	21.42	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	17.99	3.45	21.44	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	18.12	3.45	21.57	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#12	17.34	3.45	20.79	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	17.39	3.45	20.84	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#0	18.14	3.45	21.59	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#6	18.04	3.45	21.49	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#13	17.81	3.45	21.26	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	17.91	3.45	21.36	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	18.86	3.45	22.31	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#12	18.86	3.45	22.31	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#24	18.73	3.45	22.18	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#0	18.21	3.45	21.66	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#6	18.18	3.45	21.63	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#13	18.13	3.45	21.58	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	18.21	3.45	21.66	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	18.50	3.45	21.95	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#12	18.44	3.45	21.89	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#24	18.31	3.45	21.76	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#0	17.42	3.45	20.87	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#6	17.44	3.45	20.89	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#13	17.33	3.45	20.78	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	17.48	3.45	20.93	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	20.10	3.45	23.55	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#12	20.10	3.45	23.55	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	20.08	3.45	23.53	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#0	19.64	3.45	23.09	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#6	19.60	3.45	23.05	PASS

Band41(2535-2655)	5MHz	QPSK	41215	12RB#13	19.57	3.45	23.02	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	19.62	3.45	23.07	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	19.49	3.45	22.94	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#12	19.50	3.45	22.95	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	19.49	3.45	22.94	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#0	17.24	3.45	20.69	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#6	17.12	3.45	20.57	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#13	17.08	3.45	20.53	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	17.16	3.45	20.61	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	18.78	3.45	22.23	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#24	18.52	3.45	21.97	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	18.29	3.45	21.74	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#0	18.09	3.45	21.54	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#12	17.95	3.45	21.40	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#25	18.04	3.45	21.49	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	18.08	3.45	21.53	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	17.38	3.45	20.83	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#24	18.01	3.45	21.46	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	17.34	3.45	20.79	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#0	18.26	3.45	21.71	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#12	18.06	3.45	21.51	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#25	18.28	3.45	21.73	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	17.31	3.45	20.76	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	19.26	3.45	22.71	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#24	19.06	3.45	22.51	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#49	18.92	3.45	22.37	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#0	18.45	3.45	21.90	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#12	18.42	3.45	21.87	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#25	18.31	3.45	21.76	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	18.42	3.45	21.87	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	18.11	3.45	21.56	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#24	17.96	3.45	21.41	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#49	17.77	3.45	21.22	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#0	17.66	3.45	21.11	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#12	17.69	3.45	21.14	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#25	17.54	3.45	20.99	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	17.68	3.45	21.13	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	20.40	3.45	23.85	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#24	20.24	3.45	23.69	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	20.30	3.45	23.75	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#0	19.86	3.45	23.31	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#12	19.85	3.45	23.30	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#25	19.70	3.45	23.15	PASS

Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	19.81	3.45	23.26	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	19.60	3.45	23.05	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#24	19.49	3.45	22.94	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	19.54	3.45	22.99	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#0	17.42	3.45	20.87	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#12	17.42	3.45	20.87	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#25	17.24	3.45	20.69	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	17.33	3.45	20.78	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	18.94	3.45	22.39	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#38	18.94	3.45	22.39	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	18.58	3.45	22.03	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#0	17.86	3.45	21.31	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#18	17.51	3.45	20.96	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#37	17.49	3.45	20.94	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	17.44	3.45	20.89	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	18.03	3.45	21.48	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#38	17.43	3.45	20.88	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	17.78	3.45	21.23	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#0	18.08	3.45	21.53	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#18	17.74	3.45	21.19	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#37	17.81	3.45	21.26	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	17.09	3.45	20.54	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	19.29	3.45	22.74	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#38	19.13	3.45	22.58	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#74	18.87	3.45	22.32	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#0	18.27	3.45	21.72	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#18	18.28	3.45	21.73	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#37	18.32	3.45	21.77	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	18.27	3.45	21.72	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	18.31	3.45	21.76	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#38	18.13	3.45	21.58	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#74	17.86	3.45	21.31	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#0	18.27	3.45	21.72	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#18	18.28	3.45	21.73	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#37	18.29	3.45	21.74	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	17.52	3.45	20.97	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	20.57	3.45	24.02	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#38	20.27	3.45	23.72	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	20.35	3.45	23.80	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#0	19.70	3.45	23.15	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#18	19.69	3.45	23.14	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#37	19.71	3.45	23.16	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	19.71	3.45	23.16	PASS

Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	19.75	3.45	23.20	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#38	19.49	3.45	22.94	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	19.55	3.45	23.00	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#0	19.72	3.45	23.17	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#18	19.70	3.45	23.15	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#37	19.72	3.45	23.17	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	17.32	3.45	20.77	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	18.56	3.45	22.01	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#49	18.62	3.45	22.07	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	18.86	3.45	22.31	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#0	17.76	3.45	21.21	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#25	17.43	3.45	20.88	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#50	17.90	3.45	21.35	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	18.25	3.45	21.70	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	17.45	3.45	20.90	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#49	17.72	3.45	21.17	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	17.07	3.45	20.52	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#0	17.41	3.45	20.86	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#25	17.68	3.45	21.13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#50	17.33	3.45	20.78	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	17.15	3.45	20.60	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	19.13	3.45	22.58	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#49	19.00	3.45	22.45	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#99	20.27	3.45	23.72	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#0	18.50	3.45	21.95	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#25	18.52	3.45	21.97	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#50	18.32	3.45	21.77	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	18.42	3.45	21.87	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	17.96	3.45	21.41	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#49	17.83	3.45	21.28	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#99	17.53	3.45	20.98	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#0	17.81	3.45	21.26	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#25	17.80	3.45	21.25	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#50	17.65	3.45	21.10	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	17.67	3.45	21.12	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	20.63	3.45	24.08	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#49	20.41	3.45	23.86	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	20.30	3.45	23.75	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#0	18.38	3.45	21.83	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#25	18.40	3.45	21.85	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#50	19.69	3.45	23.14	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	19.94	3.45	23.39	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	18.01	3.45	21.46	PASS

Band41(2535-2655)	20MHz	16QAM	41140	1RB#49	19.18	3.45	22.63	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	19.15	3.45	22.60	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#0	17.64	3.45	21.09	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#25	17.61	3.45	21.06	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#50	17.19	3.45	20.64	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	17.49	3.45	20.94	PASS


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	9.68	13	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	9.29	13	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	9.78	13	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	9.97	13	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	9.55	13	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	9.13	13	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	9.87	13	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	9.81	13	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	8.85	13	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	8.94	13	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	9.20	13	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	9.74	13	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	9.71	13	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	9.46	13	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	10.10	13	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	10.16	13	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	9.42	13	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	9.36	13	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	9.87	13	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	10.06	13	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	8.97	13	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	9.20	13	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	9.55	13	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	10.03	13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	10.61	13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	9.65	13	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	10.51	13	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	10.51	13	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	11.25	13	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	9.58	13	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	11.15	13	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	10.38	13	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	11.35	13	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	9.49	13	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	11.22	13	PASS


Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	10.32	13	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	10.58	13	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	10.13	13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	10.45	13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	10.74	13	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	11.31	13	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	10.13	13	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	11.15	13	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	10.71	13	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	11.35	13	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	10.03	13	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	11.03	13	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	10.64	13	PASS

Test Graphs





Date: 4.APR.2025 09:30:09




Date: 4.APR.2025 09:30:56

Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-P


ASS

Band41(2535-2655)-5MHz-QPSK-41215-25RB#0-P

PASS



Date: 4.APR.2025 09:30:33




Date: 4.APR.2025 09:31:20


Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-P


PASS


Band41(2535-2655)-5MHz-16QAM-41215-25RB#0-P


0-PASS

























Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	4.5	4.92	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	4.5	4.94	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	4.51	4.95	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	4.51	4.96	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	4.51	5.20	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	4.49	4.93	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	8.967	9.83	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	9	9.97	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	9	9.83	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	8.967	9.83	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	9.033	9.77	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	9	9.80	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	13.45	14.70	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	13.45	15.00	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	13.5	14.75	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	13.55	14.75	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	13.55	14.90	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	13.45	14.90	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	18	19.67	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	17.933	19.53	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	18.133	19.73	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	18	19.73	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	18	19.67	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	18	19.93	PASS




Date: 4.APR.2025 00:04:47




Date: 4.APR.2025 00:05:06

Band41(2535-2655)-5MHz-QPSK-41215-25RB#0
-PASS

Band41(2535-2655)-5MHz-16QAM-41215-25RB#0
-PASS




Date: 4.APR.2025 09:40:01




Date: 4.APR.2025 09:40:14

Band41(2535-2655)-10MHz-QPSK-40090-50RB#0
0-PASS

Band41(2535-2655)-10MHz-16QAM-40090-50RB#0
0-PASS



Date: 4.APR.2025 09:40:29




Date: 4.APR.2025 09:40:41

Band41(2535-2655)-10MHz-QPSK-40590-50RB#


0-PASS

Band41(2535-2655)-10MHz-16QAM-40590-50RB#

0-PASS



Date: 4.APR.2025 09:40:55




Date: 4.APR.2025 09:41:06

Band41(2535-2655)-10MHz-QPSK-41190-50RB#

0-PASS

Band41(2535-2655)-10MHz-16QAM-41190-50RB#


0-PASS



Date: 4.APR.2025 10:14:54

Band41(2535-2655)-15MHz-QPSK-40115-75RB#


0-PASS



Date: 4.APR.2025 10:15:06

Band41(2535-2655)-15MHz-16QAM-40115-75RB#


0-PASS



Date: 4.APR.2025 10:15:21

Band41(2535-2655)-15MHz-QPSK-40590-75RB#


0-PASS




Date: 4.APR.2025 10:15:33

Band41(2535-2655)-15MHz-16QAM-40590-75RB#

0-PASS



Date: 4.APR.2025 10:15:48




Date: 4.APR.2025 10:16:00

Band41(2535-2655)-15MHz-QPSK-41165-75RB#


0-PASS

Band41(2535-2655)-15MHz-16QAM-41165-75RB#

0-PASS



Date: 4.APR.2025 10:47:55




Date: 4.APR.2025 10:48:07

Band41(2535-2655)-20MHz-QPSK-40140-100RB

#0-PASS

Band41(2535-2655)-20MHz-16QAM-40140-100RB

#0-PASS




Band41(2535-2655)-20MHz-QPSK-40590-100RB

#0-PASS

Band41(2535-2655)-20MHz-16QAM-40590-100RB

#0-PASS



Band41(2535-2655)-20MHz-QPSK-41140-100RB

#0-PASS

Band41(2535-2655)-20MHz-16QAM-41140-100RB

#0-PASS


Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	-38.09	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	-38.13	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	-38.09	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	-38.12	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	-38.12	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	-38.14	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	-38.43	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	-38.43	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	-38.18	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	-38.48	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	-38.36	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	-38.44	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	-38.05	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	-38.12	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	-38.05	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	-38.15	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	-38.13	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	-38.11	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	-38.38	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	-38.27	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	-38.18	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	-38.40	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	-38.37	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	-38.38	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	-38.13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	-38.11	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	-38.15	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	-38.12	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	-38.09	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	-38.10	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	-38.33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	-38.38	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	-38.25	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	-38.39	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	-38.40	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	-38.37	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	-38.11	PASS

Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	-38.10	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	-38.16	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	-38.13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	-38.09	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	-38.09	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	-38.33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	-38.34	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	-38.32	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	-38.38	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	-38.36	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	-38.37	PASS

Test Graphs






Band41(2535-2655)-5MHz-QPSK-40065-25RB#0

-PASS

Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-

PASS




Band41(2535-2655)-5MHz-16QAM-40065-1RB#2

4-PASS


Band41(2535-2655)-5MHz-16QAM-40065-25RB#0

-PASS




Date: 4.APR.2025 09:09:47

Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-
PASS




Date: 4.APR.2025 09:10:54

Band41(2535-2655)-5MHz-QPSK-41215-1RB#24-
PASS




Date: 4.APR.2025 09:12:00


Band41(2535-2655)-5MHz-QPSK-41215-25RB#0-
-PASS




Date: 4.APR.2025 09:10:20

Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-
PASS






Date: 4.APR.2025 09:43:20




Date: 4.APR.2025 09:42:07

Band41(2535-2655)-10MHz-QPSK-40090-50RB#
0-PASS

Band41(2535-2655)-10MHz-16QAM-40090-1RB#0
-PASS




Date: 4.APR.2025 09:43:02




Date: 4.APR.2025 09:43:57

Band41(2535-2655)-10MHz-16QAM-40090-1RB#
49-PASS

Band41(2535-2655)-10MHz-16QAM-40090-50RB#
0-PASS



Date: 4.APR.2025 09:44:32




Date: 4.APR.2025 09:45:36

Band41(2535-2655)-10MHz-QPSK-41190-1RB#0


-PASS

Band41(2535-2655)-10MHz-QPSK-41190-1RB#49

-PASS



Date: 4.APR.2025 09:46:41




Date: 4.APR.2025 09:45:04

Band41(2535-2655)-10MHz-QPSK-41190-50RB#


0-PASS

Band41(2535-2655)-10MHz-16QAM-41190-1RB#0

-PASS



Date: 4.APR.2025 09:46:08




Date: 4.APR.2025 09:47:13

Band41(2535-2655)-10MHz-16QAM-41190-1RB#


49-PASS

Band41(2535-2655)-10MHz-16QAM-41190-50RB#

0-PASS



Date: 4.APR.2025 10:16:35





Date: 4.APR.2025 10:17:32


Band41(2535-2655)-15MHz-QPSK-40115-1RB#0


-PASS

Band41(2535-2655)-15MHz-QPSK-40115-1RB#74


-PASS







Date: 4.APR.2025 10:21:13




Date: 4.APR.2025 10:22:20

Band41(2535-2655)-15MHz-16QAM-41165-1RB#


74-PASS

Band41(2535-2655)-15MHz-16QAM-41165-75RB#

0-PASS



Date: 4.APR.2025 10:49:26




Date: 4.APR.2025 10:50:26


Band41(2535-2655)-20MHz-QPSK-40140-1RB#0

-PASS

Band41(2535-2655)-20MHz-QPSK-40140-1RB#99

-PASS






Band41(2535-2655)-20MHz-QPSK-41140-1RB#0

-PASS

Band41(2535-2655)-20MHz-QPSK-41140-1RB#99

-PASS




Band41(2535-2655)-20MHz-QPSK-41140-100RB

#0-PASS

Band41(2535-2655)-20MHz-16QAM-41140-1RB#0

-PASS



Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	0.009~0.15	-64.63	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	0.15~30	-70.53	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	30~1000	-58.64	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	1000~20000	-42.66	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	20000~27000	-44.69	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	0.009~0.15	-62.53	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	0.15~30	-69.68	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	30~1000	-58.66	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	1000~20000	-43.34	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	20000~27000	-44.66	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	0.009~0.15	-62.33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	0.15~30	-69.31	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	30~1000	-54.04	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	1000~20000	-28.75	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	20000~27000	-44.68	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	0.009~0.15	-61.43	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	0.15~30	-68.55	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	30~1000	-52.2	PASS

5)						0	
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	1000~20000	-29.46	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	20000~27000	-44.70	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	0.009~0.15	-61.74	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	0.15~30	-69.01	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	30~1000	-51.93	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	1000~20000	-43.27	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	20000~27000	-44.66	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	0.009~0.15	-59.65	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	0.15~30	-69.57	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	30~1000	-53.01	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	1000~20000	-43.23	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	20000~27000	-44.69	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	0.009~0.15	-63.20	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	0.15~30	-70.30	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	30~1000	-58.57	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	1000~20000	-42.84	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	20000~27000	-44.66	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	0.009~0.15	-64.00	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	0.15~30	-69.74	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	30~1000	-58.58	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	1000~20000	-43.25	PASS


Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	20000~27000	-44.60	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	0.009~0.15	-61.37	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	0.15~30	-68.93	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	30~1000	-53.41	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	1000~20000	-43.20	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	20000~27000	-44.70	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	0.009~0.15	-59.59	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	0.15~30	-68.87	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	30~1000	-57.27	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	1000~20000	-43.06	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	20000~27000	-44.70	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	0.009~0.15	-60.97	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	0.15~30	-69.43	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	30~1000	-50.37	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	1000~20000	-43.07	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	20000~27000	-44.68	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	0.009~0.15	-59.40	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	0.15~30	-69.38	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	30~1000	-52.34	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	1000~20000	-43.12	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	20000~27000	-44.68	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	0.009~0.15	-60.93	PASS


Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	0.15~30	-69.79	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	30~1000	-58.58	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	1000~20000	-43.22	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	20000~27000	-44.67	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	0.009~0.15	-63.18	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	0.15~30	-69.78	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	30~1000	-58.69	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	1000~20000	-43.28	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	20000~27000	-44.50	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	0.009~0.15	-61.62	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	0.15~30	-68.86	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	30~1000	-51.38	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	1000~20000	-43.28	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	20000~27000	-44.66	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	0.009~0.15	-62.84	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	0.15~30	-68.88	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	30~1000	-58.65	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	1000~20000	-43.27	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	20000~27000	-44.67	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	0.009~0.15	-62.25	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	0.15~30	-68.42	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	30~1000	-54.09	PASS

Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	1000~20000	-43.32	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	20000~27000	-44.68	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	0.009~0.15	-60.28	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	0.15~30	-69.44	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	30~1000	-58.59	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	1000~20000	-43.25	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	20000~27000	-44.61	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	0.009~0.15	-63.96	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	0.15~30	-69.69	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	30~1000	-58.50	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	1000~20000	-43.32	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	20000~27000	-44.64	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	0.009~0.15	-59.76	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	0.15~30	-70.09	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	30~1000	-58.61	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	1000~20000	-43.30	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	20000~27000	-44.62	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	0.009~0.15	-59.58	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	0.15~30	-68.93	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	30~1000	-51.36	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	1000~20000	-43.29	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	20000~27000	-44.56	PASS

Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	0.009~0.15	-59.81	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	0.15~30	-69.27	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	30~1000	-55.96	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	1000~20000	-43.31	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	20000~27000	-44.64	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	0.009~0.15	-62.96	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	0.15~30	-69.40	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	30~1000	-53.11	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	1000~20000	-43.32	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	20000~27000	-44.68	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	0.009~0.15	-62.77	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	0.15~30	-69.50	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	30~1000	-57.85	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	1000~20000	-43.30	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	20000~27000	-44.71	PASS

Test Graphs






Date: 4.APR.2025 09:14:58

Date: 4.APR.2025 09:15:25

Band41(2535-2655)-5MHz-16QAM-40065-1RB#0
-1000~20000-PASS

Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-
20000~27000-PASS




Date: 4.APR.2025 09:15:40

Date: 4.APR.2025 09:15:55


Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-
0.009~0.15-PASS

Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-0.
15~30-PASS




Date: 4.APR.2025 09:16:14

Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-
30-1000-PASS




Date: 4.APR.2025 09:16:29

Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-1
000-20000-PASS



Date: 4.APR.2025 09:16:56

Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-
20000-27000-PASS



Date: 4.APR.2025 09:17:07

Band41(2535-2655)-5MHz-16QAM-40590-1RB#0-
0.009-0.15-PASS