

## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Conducted Power (dBm) | ERP/EIRP (dBm) | ERP/EIRP Limit (dBm) | Verdict |
|-------|-----------|------------|---------|------------------|-----------------------|----------------|----------------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 23.31                 | 25.56          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#2            | 23.27                 | 25.52          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#5            | 23.31                 | 25.56          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#0            | 23.37                 | 25.62          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#1            | 23.35                 | 25.6           | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#2            | 23.37                 | 25.62          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | 22.39                 | 24.64          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 23.75                 | 26             | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#2            | 23.75                 | 26             | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#5            | 23.71                 | 25.96          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#0            | 23.79                 | 26.04          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#1            | 23.80                 | 26.05          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#2            | 23.80                 | 26.05          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 22.74                 | 24.99          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 23.68                 | 25.93          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#2            | 23.66                 | 25.91          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#5            | 23.67                 | 25.92          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#0            | 23.73                 | 25.98          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#1            | 23.75                 | 26             | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#2            | 23.77                 | 26.02          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | 22.73                 | 24.98          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#0            | 22.52                 | 24.77          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#2            | 22.55                 | 24.8           | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#5            | 22.48                 | 24.73          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#0            | 22.28                 | 24.53          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#1            | 22.26                 | 24.51          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#2            | 22.27                 | 24.52          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | 21.44                 | 23.69          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#0            | 22.98                 | 25.23          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#2            | 22.99                 | 25.24          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#5            | 22.93                 | 25.18          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 3RB#0            | 22.70                 | 24.95          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 3RB#1            | 22.69                 | 24.94          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 3RB#2            | 22.70                 | 24.95          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | 21.80                 | 24.05          | 33.01                | PASS    |

|       |        |       |       |        |       |       |       |      |
|-------|--------|-------|-------|--------|-------|-------|-------|------|
| Band2 | 1.4MHz | 16QAM | 19193 | 1RB#0  | 22.91 | 25.16 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 1RB#2  | 22.95 | 25.2  | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 1RB#5  | 22.94 | 25.19 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#0  | 22.69 | 24.94 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#1  | 22.67 | 24.92 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#2  | 22.68 | 24.93 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0  | 21.52 | 23.77 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18607 | 1RB#0  | 21.81 | 24.06 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18607 | 1RB#2  | 21.77 | 24.02 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18607 | 1RB#5  | 21.75 | 24    | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18607 | 3RB#0  | 21.39 | 23.64 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18607 | 3RB#1  | 21.36 | 23.61 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18607 | 3RB#2  | 21.35 | 23.6  | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18607 | 6RB#0  | 20.20 | 22.45 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18900 | 1RB#0  | 22.12 | 24.37 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18900 | 1RB#2  | 22.21 | 24.46 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18900 | 1RB#5  | 22.17 | 24.42 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18900 | 3RB#0  | 21.86 | 24.11 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18900 | 3RB#1  | 21.86 | 24.11 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18900 | 3RB#2  | 21.85 | 24.1  | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 18900 | 6RB#0  | 20.61 | 22.86 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 19193 | 1RB#0  | 21.74 | 23.99 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 19193 | 1RB#2  | 21.73 | 23.98 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 19193 | 1RB#5  | 21.73 | 23.98 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 19193 | 3RB#0  | 21.55 | 23.8  | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 19193 | 3RB#1  | 21.52 | 23.77 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 19193 | 3RB#2  | 21.52 | 23.77 | 33.01 | PASS |
| Band2 | 1.4MHz | 64QAM | 19193 | 6RB#0  | 20.48 | 22.73 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#0  | 23.35 | 25.6  | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#7  | 23.34 | 25.59 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#14 | 23.36 | 25.61 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#0  | 22.35 | 24.6  | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#4  | 22.39 | 24.64 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#7  | 22.34 | 24.59 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | 22.35 | 24.6  | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#0  | 23.71 | 25.96 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#7  | 23.71 | 25.96 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#14 | 23.69 | 25.94 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#0  | 22.74 | 24.99 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#4  | 22.73 | 24.98 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#7  | 22.68 | 24.93 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | 22.68 | 24.93 | 33.01 | PASS |

|       |      |       |       |        |       |       |       |      |
|-------|------|-------|-------|--------|-------|-------|-------|------|
| Band2 | 3MHz | QPSK  | 19185 | 1RB#0  | 23.63 | 25.88 | 33.01 | PASS |
| Band2 | 3MHz | QPSK  | 19185 | 1RB#7  | 23.64 | 25.89 | 33.01 | PASS |
| Band2 | 3MHz | QPSK  | 19185 | 1RB#14 | 23.64 | 25.89 | 33.01 | PASS |
| Band2 | 3MHz | QPSK  | 19185 | 8RB#0  | 22.69 | 24.94 | 33.01 | PASS |
| Band2 | 3MHz | QPSK  | 19185 | 8RB#4  | 22.63 | 24.88 | 33.01 | PASS |
| Band2 | 3MHz | QPSK  | 19185 | 8RB#7  | 22.69 | 24.94 | 33.01 | PASS |
| Band2 | 3MHz | QPSK  | 19185 | 15RB#0 | 22.62 | 24.87 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 1RB#0  | 22.61 | 24.86 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 1RB#7  | 22.57 | 24.82 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 1RB#14 | 22.52 | 24.77 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 8RB#0  | 21.40 | 23.65 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 8RB#4  | 21.44 | 23.69 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 8RB#7  | 21.36 | 23.61 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 15RB#0 | 21.27 | 23.52 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 1RB#0  | 22.91 | 25.16 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 1RB#7  | 22.81 | 25.06 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 1RB#14 | 22.86 | 25.11 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 8RB#0  | 21.84 | 24.09 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 8RB#4  | 21.81 | 24.06 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 8RB#7  | 21.72 | 23.97 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 15RB#0 | 21.70 | 23.95 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#0  | 22.90 | 25.15 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#7  | 22.88 | 25.13 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#14 | 22.85 | 25.1  | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#0  | 21.70 | 23.95 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#4  | 21.66 | 23.91 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#7  | 21.74 | 23.99 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0 | 21.60 | 23.85 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18615 | 1RB#0  | 21.43 | 23.68 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18615 | 1RB#7  | 21.40 | 23.65 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18615 | 1RB#14 | 21.44 | 23.69 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18615 | 8RB#0  | 20.40 | 22.65 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18615 | 8RB#4  | 20.39 | 22.64 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18615 | 8RB#7  | 20.34 | 22.59 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18615 | 15RB#0 | 20.29 | 22.54 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18900 | 1RB#0  | 21.66 | 23.91 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18900 | 1RB#7  | 21.60 | 23.85 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18900 | 1RB#14 | 21.57 | 23.82 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18900 | 8RB#0  | 20.70 | 22.95 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18900 | 8RB#4  | 20.69 | 22.94 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18900 | 8RB#7  | 20.64 | 22.89 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 18900 | 15RB#0 | 20.74 | 22.99 | 33.01 | PASS |

|       |      |       |       |         |       |       |       |      |
|-------|------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 3MHz | 64QAM | 19185 | 1RB#0   | 21.71 | 23.96 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 19185 | 1RB#7   | 21.75 | 24    | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 19185 | 1RB#14  | 21.72 | 23.97 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 19185 | 8RB#0   | 20.66 | 22.91 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 19185 | 8RB#4   | 20.72 | 22.97 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 19185 | 8RB#7   | 20.70 | 22.95 | 33.01 | PASS |
| Band2 | 3MHz | 64QAM | 19185 | 15RB#0  | 20.61 | 22.86 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#0   | 23.54 | 25.79 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#12  | 23.57 | 25.82 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#24  | 23.51 | 25.76 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#0  | 22.42 | 24.67 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#6  | 22.43 | 24.68 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#11 | 22.40 | 24.65 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0  | 22.40 | 24.65 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#0   | 23.93 | 26.18 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#12  | 23.87 | 26.12 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#24  | 23.85 | 26.1  | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#0  | 22.79 | 25.04 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#6  | 22.82 | 25.07 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#11 | 22.75 | 25    | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0  | 22.79 | 25.04 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#0   | 23.80 | 26.05 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#12  | 23.81 | 26.06 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#24  | 23.79 | 26.04 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#0  | 22.68 | 24.93 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#6  | 22.64 | 24.89 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#11 | 22.66 | 24.91 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 25RB#0  | 22.65 | 24.9  | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#0   | 22.42 | 24.67 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#12  | 22.44 | 24.69 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#24  | 22.37 | 24.62 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 12RB#0  | 21.39 | 23.64 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 12RB#6  | 21.40 | 23.65 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 12RB#11 | 21.40 | 23.65 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 25RB#0  | 21.43 | 23.68 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 1RB#0   | 22.83 | 25.08 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 1RB#12  | 22.79 | 25.04 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 1RB#24  | 22.72 | 24.97 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 12RB#0  | 21.75 | 24    | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 12RB#6  | 21.77 | 24.02 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 12RB#11 | 21.77 | 24.02 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 25RB#0  | 21.77 | 24.02 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#0   | 22.93 | 25.18 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#12  | 22.95 | 25.2  | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#24  | 22.96 | 25.21 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#0  | 21.66 | 23.91 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#6  | 21.64 | 23.89 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#11 | 21.66 | 23.91 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0  | 21.65 | 23.9  | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18625 | 1RB#0   | 21.40 | 23.65 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18625 | 1RB#12  | 21.33 | 23.58 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18625 | 1RB#24  | 21.38 | 23.63 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18625 | 12RB#0  | 20.37 | 22.62 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18625 | 12RB#6  | 20.36 | 22.61 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18625 | 12RB#11 | 20.38 | 22.63 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18625 | 25RB#0  | 20.33 | 22.58 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18900 | 1RB#0   | 21.81 | 24.06 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18900 | 1RB#12  | 21.76 | 24.01 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18900 | 1RB#24  | 21.68 | 23.93 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18900 | 12RB#0  | 20.76 | 23.01 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18900 | 12RB#6  | 20.76 | 23.01 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18900 | 12RB#11 | 20.76 | 23.01 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 18900 | 25RB#0  | 20.75 | 23    | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 19175 | 1RB#0   | 22.31 | 24.56 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 19175 | 1RB#12  | 22.28 | 24.53 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 19175 | 1RB#24  | 22.31 | 24.56 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 19175 | 12RB#0  | 20.66 | 22.91 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 19175 | 12RB#6  | 20.68 | 22.93 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 19175 | 12RB#11 | 20.66 | 22.91 | 33.01 | PASS |
| Band2 | 5MHz  | 64QAM | 19175 | 25RB#0  | 20.61 | 22.86 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#0   | 23.33 | 25.58 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#24  | 23.38 | 25.63 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#49  | 23.40 | 25.65 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#0  | 22.35 | 24.6  | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#12 | 22.37 | 24.62 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#24 | 22.33 | 24.58 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0  | 22.40 | 24.65 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#0   | 23.82 | 26.07 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#24  | 23.74 | 25.99 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#49  | 23.61 | 25.86 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#0  | 22.74 | 24.99 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#12 | 22.72 | 24.97 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#24 | 22.73 | 24.98 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0  | 22.69 | 24.94 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 10MHz | QPSK  | 19150 | 1RB#0   | 23.55 | 25.8  | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#24  | 23.73 | 25.98 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#49  | 23.68 | 25.93 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#0  | 22.65 | 24.9  | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#12 | 22.65 | 24.9  | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#24 | 22.64 | 24.89 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0  | 22.72 | 24.97 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#0   | 22.57 | 24.82 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#24  | 22.58 | 24.83 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#49  | 22.61 | 24.86 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#0  | 21.41 | 23.66 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#12 | 21.40 | 23.65 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#24 | 21.37 | 23.62 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0  | 21.39 | 23.64 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#0   | 22.96 | 25.21 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#24  | 22.89 | 25.14 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#49  | 22.76 | 25.01 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#0  | 21.69 | 23.94 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#12 | 21.71 | 23.96 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#24 | 21.69 | 23.94 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0  | 21.67 | 23.92 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#0   | 22.72 | 24.97 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#24  | 22.91 | 25.16 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#49  | 22.87 | 25.12 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#0  | 21.67 | 23.92 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#12 | 21.66 | 23.91 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#24 | 21.65 | 23.9  | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0  | 21.69 | 23.94 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18650 | 1RB#0   | 21.46 | 23.71 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18650 | 1RB#24  | 21.46 | 23.71 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18650 | 1RB#49  | 21.46 | 23.71 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18650 | 25RB#0  | 20.31 | 22.56 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18650 | 25RB#12 | 20.31 | 22.56 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18650 | 25RB#24 | 20.32 | 22.57 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18650 | 50RB#0  | 20.34 | 22.59 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18900 | 1RB#0   | 21.65 | 23.9  | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18900 | 1RB#24  | 21.64 | 23.89 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18900 | 1RB#49  | 21.51 | 23.76 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18900 | 25RB#0  | 20.66 | 22.91 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18900 | 25RB#12 | 20.70 | 22.95 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18900 | 25RB#24 | 20.67 | 22.92 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 18900 | 50RB#0  | 20.64 | 22.89 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 10MHz | 64QAM | 19150 | 1RB#0   | 21.61 | 23.86 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 19150 | 1RB#24  | 21.74 | 23.99 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 19150 | 1RB#49  | 21.74 | 23.99 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 19150 | 25RB#0  | 20.59 | 22.84 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 19150 | 25RB#12 | 20.59 | 22.84 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 19150 | 25RB#24 | 20.59 | 22.84 | 33.01 | PASS |
| Band2 | 10MHz | 64QAM | 19150 | 50RB#0  | 20.65 | 22.9  | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#0   | 23.23 | 25.48 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#37  | 23.40 | 25.65 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#74  | 23.46 | 25.71 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 36RB#0  | 22.29 | 24.54 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 36RB#16 | 22.35 | 24.6  | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 36RB#35 | 22.33 | 24.58 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0  | 22.42 | 24.67 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#0   | 23.81 | 26.06 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#37  | 23.74 | 25.99 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#74  | 23.48 | 25.73 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 36RB#0  | 22.76 | 25.01 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 36RB#16 | 22.76 | 25.01 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 36RB#35 | 22.74 | 24.99 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0  | 22.69 | 24.94 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#0   | 23.51 | 25.76 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#37  | 23.58 | 25.83 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#74  | 23.59 | 25.84 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 36RB#0  | 22.60 | 24.85 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 36RB#16 | 22.62 | 24.87 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 36RB#35 | 22.60 | 24.85 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0  | 22.69 | 24.94 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#0   | 22.41 | 24.66 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#37  | 22.55 | 24.8  | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#74  | 22.66 | 24.91 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 36RB#0  | 21.32 | 23.57 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 36RB#16 | 21.33 | 23.58 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 36RB#35 | 21.32 | 23.57 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0  | 21.36 | 23.61 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#0   | 22.97 | 25.22 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#37  | 22.90 | 25.15 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#74  | 22.71 | 24.96 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 36RB#0  | 21.74 | 23.99 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 36RB#16 | 21.69 | 23.94 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 36RB#35 | 21.74 | 23.99 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0  | 21.60 | 23.85 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 15MHz | 16QAM | 19125 | 1RB#0   | 22.83 | 25.08 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#37  | 22.94 | 25.19 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#74  | 22.97 | 25.22 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 36RB#0  | 21.68 | 23.93 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 36RB#16 | 21.63 | 23.88 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 36RB#35 | 21.66 | 23.91 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0  | 21.68 | 23.93 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18675 | 1RB#0   | 21.22 | 23.47 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18675 | 1RB#37  | 21.29 | 23.54 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18675 | 1RB#74  | 21.37 | 23.62 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18675 | 36RB#0  | 20.35 | 22.6  | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18675 | 36RB#16 | 20.36 | 22.61 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18675 | 36RB#35 | 20.36 | 22.61 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18675 | 75RB#0  | 20.35 | 22.6  | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18900 | 1RB#0   | 21.65 | 23.9  | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18900 | 1RB#37  | 21.65 | 23.9  | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18900 | 1RB#74  | 21.38 | 23.63 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18900 | 36RB#0  | 20.76 | 23.01 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18900 | 36RB#16 | 20.79 | 23.04 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18900 | 36RB#35 | 20.76 | 23.01 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 18900 | 75RB#0  | 20.60 | 22.85 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 19125 | 1RB#0   | 21.75 | 24    | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 19125 | 1RB#37  | 21.86 | 24.11 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 19125 | 1RB#74  | 21.83 | 24.08 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 19125 | 36RB#0  | 20.64 | 22.89 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 19125 | 36RB#16 | 20.65 | 22.9  | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 19125 | 36RB#35 | 20.59 | 22.84 | 33.01 | PASS |
| Band2 | 15MHz | 64QAM | 19125 | 75RB#0  | 20.67 | 22.92 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#0   | 23.28 | 25.53 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#49  | 23.47 | 25.72 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#99  | 23.60 | 25.85 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#0  | 22.37 | 24.62 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#24 | 22.37 | 24.62 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#49 | 22.40 | 24.65 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | 22.45 | 24.7  | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#0   | 23.92 | 26.17 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#49  | 23.87 | 26.12 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#99  | 23.60 | 25.85 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#0  | 22.71 | 24.96 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#24 | 22.69 | 24.94 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#49 | 22.73 | 24.98 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | 22.69 | 24.94 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 20MHz | QPSK  | 19100 | 1RB#0   | 23.55 | 25.8  | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#49  | 23.71 | 25.96 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#99  | 23.68 | 25.93 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#0  | 22.73 | 24.98 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#24 | 22.72 | 24.97 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#49 | 22.76 | 25.01 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | 22.73 | 24.98 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#0   | 22.51 | 24.76 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#49  | 22.74 | 24.99 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#99  | 22.79 | 25.04 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#0  | 21.36 | 23.61 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#24 | 21.37 | 23.62 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#49 | 21.39 | 23.64 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | 21.39 | 23.64 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#0   | 22.89 | 25.14 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#49  | 22.90 | 25.15 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#99  | 22.56 | 24.81 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#0  | 21.71 | 23.96 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#24 | 21.75 | 24    | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#49 | 21.72 | 23.97 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 100RB#0 | 21.65 | 23.9  | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#0   | 22.76 | 25.01 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#49  | 22.89 | 25.14 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#99  | 23.00 | 25.25 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 50RB#0  | 21.71 | 23.96 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 50RB#24 | 21.70 | 23.95 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 50RB#49 | 21.70 | 23.95 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 100RB#0 | 21.70 | 23.95 | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18700 | 1RB#0   | 21.63 | 23.88 | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18700 | 1RB#49  | 21.85 | 24.1  | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18700 | 1RB#99  | 21.92 | 24.17 | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18700 | 50RB#0  | 20.36 | 22.61 | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18700 | 50RB#24 | 20.36 | 22.61 | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18700 | 50RB#49 | 20.36 | 22.61 | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18700 | 100RB#0 | 20.42 | 22.67 | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18900 | 1RB#0   | 22.24 | 24.49 | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18900 | 1RB#49  | 22.17 | 24.42 | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18900 | 1RB#99  | 21.86 | 24.11 | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18900 | 50RB#0  | 20.68 | 22.93 | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18900 | 50RB#24 | 20.69 | 22.94 | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18900 | 50RB#49 | 20.67 | 22.92 | 33.01 | PASS |
| Band2 | 20MHz | 64QAM | 18900 | 100RB#0 | 20.61 | 22.86 | 33.01 | PASS |

|       |        |       |       |         |       |       |       |      |
|-------|--------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 20MHz  | 64QAM | 19100 | 1RB#0   | 21.85 | 24.1  | 33.01 | PASS |
| Band2 | 20MHz  | 64QAM | 19100 | 1RB#49  | 22.04 | 24.29 | 33.01 | PASS |
| Band2 | 20MHz  | 64QAM | 19100 | 1RB#99  | 22.03 | 24.28 | 33.01 | PASS |
| Band2 | 20MHz  | 64QAM | 19100 | 50RB#0  | 20.70 | 22.95 | 33.01 | PASS |
| Band2 | 20MHz  | 64QAM | 19100 | 50RB#24 | 20.70 | 22.95 | 33.01 | PASS |
| Band2 | 20MHz  | 64QAM | 19100 | 50RB#49 | 20.70 | 22.95 | 33.01 | PASS |
| Band2 | 20MHz  | 64QAM | 19100 | 100RB#0 | 20.73 | 22.98 | 33.01 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 1RB#0   | 23.32 | 25.15 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 1RB#2   | 23.30 | 25.13 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 1RB#5   | 23.31 | 25.14 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 3RB#0   | 23.34 | 25.17 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 3RB#1   | 23.39 | 25.22 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 3RB#2   | 23.36 | 25.19 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | 22.38 | 24.21 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 1RB#0   | 23.26 | 25.09 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 1RB#2   | 23.29 | 25.12 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 1RB#5   | 23.27 | 25.1  | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 3RB#0   | 23.24 | 25.07 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 3RB#1   | 23.24 | 25.07 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 3RB#2   | 23.24 | 25.07 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | 22.28 | 24.11 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 1RB#0   | 23.32 | 25.15 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 1RB#2   | 23.28 | 25.11 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 1RB#5   | 23.33 | 25.16 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 3RB#0   | 23.29 | 25.12 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 3RB#1   | 23.30 | 25.13 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 3RB#2   | 23.35 | 25.18 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | 22.32 | 24.15 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#0   | 22.53 | 24.36 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#2   | 22.57 | 24.4  | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#5   | 22.47 | 24.3  | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 3RB#0   | 22.26 | 24.09 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 3RB#1   | 22.26 | 24.09 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 3RB#2   | 22.27 | 24.1  | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0   | 21.38 | 23.21 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#0   | 22.19 | 24.02 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#2   | 22.22 | 24.05 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#5   | 22.19 | 24.02 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 3RB#0   | 22.25 | 24.08 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 3RB#1   | 22.27 | 24.1  | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 3RB#2   | 22.24 | 24.07 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0   | 21.28 | 23.11 | 30.00 | PASS |

|       |        |       |       |        |       |       |       |      |
|-------|--------|-------|-------|--------|-------|-------|-------|------|
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#0  | 22.50 | 24.33 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#2  | 22.54 | 24.37 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#5  | 22.53 | 24.36 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 3RB#0  | 22.20 | 24.03 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 3RB#1  | 22.23 | 24.06 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 3RB#2  | 22.23 | 24.06 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | 21.13 | 22.96 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 19957 | 1RB#0  | 21.77 | 23.6  | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 19957 | 1RB#2  | 21.76 | 23.59 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 19957 | 1RB#5  | 21.71 | 23.54 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 19957 | 3RB#0  | 21.35 | 23.18 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 19957 | 3RB#1  | 21.34 | 23.17 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 19957 | 3RB#2  | 21.34 | 23.17 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 19957 | 6RB#0  | 20.34 | 22.17 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20175 | 1RB#0  | 21.50 | 23.33 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20175 | 1RB#2  | 21.52 | 23.35 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20175 | 1RB#5  | 21.44 | 23.27 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20175 | 3RB#0  | 21.37 | 23.2  | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20175 | 3RB#1  | 21.36 | 23.19 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20175 | 3RB#2  | 21.39 | 23.22 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20175 | 6RB#0  | 20.33 | 22.16 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20393 | 1RB#0  | 21.36 | 23.19 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20393 | 1RB#2  | 21.40 | 23.23 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20393 | 1RB#5  | 21.38 | 23.21 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20393 | 3RB#0  | 21.10 | 22.93 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20393 | 3RB#1  | 21.13 | 22.96 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20393 | 3RB#2  | 21.12 | 22.95 | 30.00 | PASS |
| Band4 | 1.4MHz | 64QAM | 20393 | 6RB#0  | 20.21 | 22.04 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#0  | 23.37 | 25.2  | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#7  | 23.33 | 25.16 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#14 | 23.34 | 25.17 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 8RB#0  | 22.38 | 24.21 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 8RB#4  | 22.39 | 24.22 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 8RB#7  | 22.34 | 24.17 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | 22.36 | 24.19 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#0  | 23.31 | 25.14 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#7  | 23.33 | 25.16 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#14 | 23.23 | 25.06 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 8RB#0  | 22.37 | 24.2  | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 8RB#4  | 22.34 | 24.17 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 8RB#7  | 22.29 | 24.12 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | 22.25 | 24.08 | 30.00 | PASS |

|       |      |       |       |        |       |       |       |      |
|-------|------|-------|-------|--------|-------|-------|-------|------|
| Band4 | 3MHz | QPSK  | 20385 | 1RB#0  | 23.26 | 25.09 | 30.00 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 1RB#7  | 23.38 | 25.21 | 30.00 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 1RB#14 | 23.35 | 25.18 | 30.00 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 8RB#0  | 22.26 | 24.09 | 30.00 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 8RB#4  | 22.24 | 24.07 | 30.00 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 8RB#7  | 22.31 | 24.14 | 30.00 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | 22.28 | 24.11 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 1RB#0  | 22.60 | 24.43 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 1RB#7  | 22.55 | 24.38 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 1RB#14 | 22.53 | 24.36 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 8RB#0  | 21.41 | 23.24 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 8RB#4  | 21.40 | 23.23 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 8RB#7  | 21.41 | 23.24 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | 21.27 | 23.1  | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 1RB#0  | 22.20 | 24.03 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 1RB#7  | 22.24 | 24.07 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 1RB#14 | 22.17 | 24    | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 8RB#0  | 21.36 | 23.19 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 8RB#4  | 21.35 | 23.18 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 8RB#7  | 21.28 | 23.11 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | 21.17 | 23    | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#0  | 22.41 | 24.24 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#7  | 22.52 | 24.35 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#14 | 22.47 | 24.3  | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 8RB#0  | 21.33 | 23.16 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 8RB#4  | 21.34 | 23.17 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 8RB#7  | 21.36 | 23.19 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | 21.28 | 23.11 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 19965 | 1RB#0  | 21.39 | 23.22 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 19965 | 1RB#7  | 21.42 | 23.25 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 19965 | 1RB#14 | 21.41 | 23.24 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 19965 | 8RB#0  | 20.54 | 22.37 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 19965 | 8RB#4  | 20.53 | 22.36 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 19965 | 8RB#7  | 20.54 | 22.37 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 19965 | 15RB#0 | 20.45 | 22.28 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 20175 | 1RB#0  | 21.52 | 23.35 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 20175 | 1RB#7  | 21.56 | 23.39 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 20175 | 1RB#14 | 21.54 | 23.37 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 20175 | 8RB#0  | 20.43 | 22.26 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 20175 | 8RB#4  | 20.43 | 22.26 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 20175 | 8RB#7  | 20.33 | 22.16 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 20175 | 15RB#0 | 20.34 | 22.17 | 30.00 | PASS |

|       |      |       |       |         |       |       |       |      |
|-------|------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 3MHz | 64QAM | 20385 | 1RB#0   | 21.18 | 23.01 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 20385 | 1RB#7   | 21.25 | 23.08 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 20385 | 1RB#14  | 21.26 | 23.09 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 20385 | 8RB#0   | 20.42 | 22.25 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 20385 | 8RB#4   | 20.41 | 22.24 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 20385 | 8RB#7   | 20.44 | 22.27 | 30.00 | PASS |
| Band4 | 3MHz | 64QAM | 20385 | 15RB#0  | 20.51 | 22.34 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#0   | 23.45 | 25.28 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#12  | 23.47 | 25.3  | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#24  | 23.52 | 25.35 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 12RB#0  | 22.35 | 24.18 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 12RB#6  | 22.35 | 24.18 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 12RB#11 | 22.38 | 24.21 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0  | 22.42 | 24.25 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#0   | 23.51 | 25.34 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#12  | 23.49 | 25.32 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#24  | 23.47 | 25.3  | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 12RB#0  | 22.36 | 24.19 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 12RB#6  | 22.36 | 24.19 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 12RB#11 | 22.35 | 24.18 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0  | 22.35 | 24.18 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#0   | 23.48 | 25.31 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#12  | 23.45 | 25.28 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#24  | 23.52 | 25.35 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 12RB#0  | 22.32 | 24.15 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 12RB#6  | 22.32 | 24.15 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 12RB#11 | 22.32 | 24.15 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0  | 22.31 | 24.14 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#0   | 22.59 | 24.42 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#12  | 22.62 | 24.45 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#24  | 22.66 | 24.49 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 12RB#0  | 21.40 | 23.23 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 12RB#6  | 21.40 | 23.23 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 12RB#11 | 21.42 | 23.25 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0  | 21.37 | 23.2  | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#0   | 22.49 | 24.32 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#12  | 22.42 | 24.25 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#24  | 22.38 | 24.21 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 12RB#0  | 21.38 | 23.21 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 12RB#6  | 21.37 | 23.2  | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 12RB#11 | 21.38 | 23.21 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0  | 21.39 | 23.22 | 30.00 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 5MHz  | 16QAM | 20375 | 1RB#0   | 22.36 | 24.19 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 1RB#12  | 22.34 | 24.17 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 1RB#24  | 22.42 | 24.25 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 12RB#0  | 21.29 | 23.12 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 12RB#6  | 21.32 | 23.15 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 12RB#11 | 21.34 | 23.17 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 25RB#0  | 21.33 | 23.16 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 19975 | 1RB#0   | 22.01 | 23.84 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 19975 | 1RB#12  | 21.96 | 23.79 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 19975 | 1RB#24  | 22.03 | 23.86 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 19975 | 12RB#0  | 20.55 | 22.38 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 19975 | 12RB#6  | 20.57 | 22.4  | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 19975 | 12RB#11 | 20.56 | 22.39 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 19975 | 25RB#0  | 20.51 | 22.34 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20175 | 1RB#0   | 21.78 | 23.61 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20175 | 1RB#12  | 21.76 | 23.59 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20175 | 1RB#24  | 21.69 | 23.52 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20175 | 12RB#0  | 20.52 | 22.35 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20175 | 12RB#6  | 20.53 | 22.36 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20175 | 12RB#11 | 20.50 | 22.33 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20175 | 25RB#0  | 20.45 | 22.28 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20375 | 1RB#0   | 21.32 | 23.15 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20375 | 1RB#12  | 21.27 | 23.1  | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20375 | 1RB#24  | 21.39 | 23.22 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20375 | 12RB#0  | 20.45 | 22.28 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20375 | 12RB#6  | 20.46 | 22.29 | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20375 | 12RB#11 | 20.47 | 22.3  | 30.00 | PASS |
| Band4 | 5MHz  | 64QAM | 20375 | 25RB#0  | 20.45 | 22.28 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#0   | 23.30 | 25.13 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#24  | 23.46 | 25.29 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#49  | 23.44 | 25.27 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 25RB#0  | 22.41 | 24.24 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 25RB#12 | 22.41 | 24.24 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 25RB#24 | 22.39 | 24.22 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0  | 22.46 | 24.29 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#0   | 23.37 | 25.2  | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#24  | 23.35 | 25.18 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#49  | 23.26 | 25.09 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 25RB#0  | 22.36 | 24.19 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 25RB#12 | 22.34 | 24.17 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 25RB#24 | 22.36 | 24.19 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0  | 22.33 | 24.16 | 30.00 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 10MHz | QPSK  | 20350 | 1RB#0   | 23.24 | 25.07 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#24  | 23.29 | 25.12 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#49  | 23.36 | 25.19 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 25RB#0  | 22.18 | 24.01 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 25RB#12 | 22.17 | 24    | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 25RB#24 | 22.19 | 24.02 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0  | 22.24 | 24.07 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#0   | 22.57 | 24.4  | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#24  | 22.67 | 24.5  | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#49  | 22.65 | 24.48 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 25RB#0  | 21.42 | 23.25 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 25RB#12 | 21.46 | 23.29 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 25RB#24 | 21.42 | 23.25 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0  | 21.44 | 23.27 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#0   | 22.29 | 24.12 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#24  | 22.25 | 24.08 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#49  | 22.15 | 23.98 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 25RB#0  | 21.38 | 23.21 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 25RB#12 | 21.37 | 23.2  | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 25RB#24 | 21.37 | 23.2  | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0  | 21.27 | 23.1  | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#0   | 22.39 | 24.22 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#24  | 22.44 | 24.27 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#49  | 22.52 | 24.35 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 25RB#0  | 21.15 | 22.98 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 25RB#12 | 21.15 | 22.98 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 25RB#24 | 21.15 | 22.98 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0  | 21.20 | 23.03 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20000 | 1RB#0   | 21.37 | 23.2  | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20000 | 1RB#24  | 21.52 | 23.35 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20000 | 1RB#49  | 21.51 | 23.34 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20000 | 25RB#0  | 20.52 | 22.35 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20000 | 25RB#12 | 20.50 | 22.33 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20000 | 25RB#24 | 20.54 | 22.37 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20000 | 50RB#0  | 20.54 | 22.37 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20175 | 1RB#0   | 21.55 | 23.38 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20175 | 1RB#24  | 21.53 | 23.36 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20175 | 1RB#49  | 21.50 | 23.33 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20175 | 25RB#0  | 20.42 | 22.25 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20175 | 25RB#12 | 20.40 | 22.23 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20175 | 25RB#24 | 20.42 | 22.25 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20175 | 50RB#0  | 20.40 | 22.23 | 30.00 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 10MHz | 64QAM | 20350 | 1RB#0   | 21.13 | 22.96 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20350 | 1RB#24  | 21.16 | 22.99 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20350 | 1RB#49  | 21.24 | 23.07 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20350 | 25RB#0  | 20.32 | 22.15 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20350 | 25RB#12 | 20.33 | 22.16 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20350 | 25RB#24 | 20.32 | 22.15 | 30.00 | PASS |
| Band4 | 10MHz | 64QAM | 20350 | 50RB#0  | 20.31 | 22.14 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#0   | 23.21 | 25.04 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#37  | 23.42 | 25.25 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#74  | 23.32 | 25.15 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 36RB#0  | 22.36 | 24.19 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 36RB#16 | 22.34 | 24.17 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 36RB#35 | 22.36 | 24.19 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0  | 22.43 | 24.26 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#0   | 23.36 | 25.19 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#37  | 23.34 | 25.17 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#74  | 23.18 | 25.01 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 36RB#0  | 22.32 | 24.15 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 36RB#16 | 22.30 | 24.13 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 36RB#35 | 22.34 | 24.17 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0  | 22.33 | 24.16 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#0   | 23.17 | 25    | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#37  | 23.27 | 25.1  | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#74  | 23.34 | 25.17 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 36RB#0  | 22.15 | 23.98 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 36RB#16 | 22.12 | 23.95 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 36RB#35 | 22.14 | 23.97 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0  | 22.24 | 24.07 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#0   | 22.58 | 24.41 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#37  | 22.82 | 24.65 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#74  | 22.68 | 24.51 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 36RB#0  | 21.42 | 23.25 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 36RB#16 | 21.40 | 23.23 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 36RB#35 | 21.39 | 23.22 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | 21.43 | 23.26 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#0   | 22.27 | 24.1  | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#37  | 22.24 | 24.07 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#74  | 22.05 | 23.88 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 36RB#0  | 21.24 | 23.07 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 36RB#16 | 21.23 | 23.06 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 36RB#35 | 21.28 | 23.11 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | 21.30 | 23.13 | 30.00 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 15MHz | 16QAM | 20325 | 1RB#0   | 22.29 | 24.12 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#37  | 22.43 | 24.26 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#74  | 22.51 | 24.34 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 36RB#0  | 21.09 | 22.92 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 36RB#16 | 21.10 | 22.93 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 36RB#35 | 21.15 | 22.98 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | 21.15 | 22.98 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20025 | 1RB#0   | 21.44 | 23.27 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20025 | 1RB#37  | 21.65 | 23.48 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20025 | 1RB#74  | 21.54 | 23.37 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20025 | 36RB#0  | 20.48 | 22.31 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20025 | 36RB#16 | 20.48 | 22.31 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20025 | 36RB#35 | 20.52 | 22.35 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20025 | 75RB#0  | 20.57 | 22.4  | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20175 | 1RB#0   | 21.57 | 23.4  | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20175 | 1RB#37  | 21.57 | 23.4  | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20175 | 1RB#74  | 21.43 | 23.26 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20175 | 36RB#0  | 20.41 | 22.24 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20175 | 36RB#16 | 20.40 | 22.23 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20175 | 36RB#35 | 20.39 | 22.22 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20175 | 75RB#0  | 20.43 | 22.26 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20325 | 1RB#0   | 21.02 | 22.85 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20325 | 1RB#37  | 21.14 | 22.97 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20325 | 1RB#74  | 21.22 | 23.05 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20325 | 36RB#0  | 20.34 | 22.17 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20325 | 36RB#16 | 20.35 | 22.18 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20325 | 36RB#35 | 20.36 | 22.19 | 30.00 | PASS |
| Band4 | 15MHz | 64QAM | 20325 | 75RB#0  | 20.28 | 22.11 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#0   | 23.25 | 25.08 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#49  | 23.46 | 25.29 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#99  | 23.31 | 25.14 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 50RB#0  | 22.38 | 24.21 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 50RB#24 | 22.43 | 24.26 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 50RB#49 | 22.41 | 24.24 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | 22.41 | 24.24 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#0   | 23.29 | 25.12 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#49  | 23.26 | 25.09 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#99  | 23.09 | 24.92 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 50RB#0  | 22.37 | 24.2  | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 50RB#24 | 22.39 | 24.22 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 50RB#49 | 22.37 | 24.2  | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | 22.32 | 24.15 | 30.00 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 20MHz | QPSK  | 20300 | 1RB#0   | 23.23 | 25.06 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#49  | 23.42 | 25.25 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#99  | 23.42 | 25.25 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 50RB#0  | 22.09 | 23.92 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 50RB#24 | 22.07 | 23.9  | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 50RB#49 | 22.10 | 23.93 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | 22.13 | 23.96 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#0   | 22.48 | 24.31 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#49  | 22.73 | 24.56 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#99  | 22.51 | 24.34 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 50RB#0  | 21.41 | 23.24 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 50RB#24 | 21.44 | 23.27 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 50RB#49 | 21.43 | 23.26 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | 21.39 | 23.22 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#0   | 22.36 | 24.19 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#49  | 22.40 | 24.23 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#99  | 22.24 | 24.07 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 50RB#0  | 21.40 | 23.23 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 50RB#24 | 21.39 | 23.22 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 50RB#49 | 21.39 | 23.22 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | 21.31 | 23.14 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#0   | 22.23 | 24.06 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#49  | 22.38 | 24.21 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#99  | 22.38 | 24.21 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 50RB#0  | 21.05 | 22.88 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 50RB#24 | 21.05 | 22.88 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 50RB#49 | 21.03 | 22.86 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 100RB#0 | 21.11 | 22.94 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20050 | 1RB#0   | 21.61 | 23.44 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20050 | 1RB#49  | 21.85 | 23.68 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20050 | 1RB#99  | 21.69 | 23.52 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20050 | 50RB#0  | 20.56 | 22.39 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20050 | 50RB#24 | 20.55 | 22.38 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20050 | 50RB#49 | 20.55 | 22.38 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20050 | 100RB#0 | 20.52 | 22.35 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20175 | 1RB#0   | 21.20 | 23.03 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20175 | 1RB#49  | 21.22 | 23.05 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20175 | 1RB#99  | 21.05 | 22.88 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20175 | 50RB#0  | 20.50 | 22.33 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20175 | 50RB#24 | 20.46 | 22.29 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20175 | 50RB#49 | 20.46 | 22.29 | 30.00 | PASS |
| Band4 | 20MHz | 64QAM | 20175 | 100RB#0 | 20.46 | 22.29 | 30.00 | PASS |

|       |        |       |       |         |       |       |       |      |
|-------|--------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 20MHz  | 64QAM | 20300 | 1RB#0   | 21.54 | 23.37 | 30.00 | PASS |
| Band4 | 20MHz  | 64QAM | 20300 | 1RB#49  | 21.67 | 23.5  | 30.00 | PASS |
| Band4 | 20MHz  | 64QAM | 20300 | 1RB#99  | 21.71 | 23.54 | 30.00 | PASS |
| Band4 | 20MHz  | 64QAM | 20300 | 50RB#0  | 20.20 | 22.03 | 30.00 | PASS |
| Band4 | 20MHz  | 64QAM | 20300 | 50RB#24 | 20.22 | 22.05 | 30.00 | PASS |
| Band4 | 20MHz  | 64QAM | 20300 | 50RB#49 | 20.21 | 22.04 | 30.00 | PASS |
| Band4 | 20MHz  | 64QAM | 20300 | 100RB#0 | 20.21 | 22.04 | 30.00 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 1RB#0   | 23.25 | 20.96 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 1RB#2   | 23.25 | 20.96 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 1RB#5   | 23.29 | 21    | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 3RB#0   | 23.28 | 20.99 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 3RB#1   | 23.28 | 20.99 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 3RB#2   | 23.28 | 20.99 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 6RB#0   | 22.31 | 20.02 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 1RB#0   | 23.55 | 21.26 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 1RB#2   | 23.54 | 21.25 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 1RB#5   | 23.58 | 21.29 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 3RB#0   | 23.56 | 21.27 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 3RB#1   | 23.60 | 21.31 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 3RB#2   | 23.59 | 21.3  | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 6RB#0   | 22.56 | 20.27 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 1RB#0   | 23.43 | 21.14 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 1RB#2   | 23.40 | 21.11 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 1RB#5   | 23.34 | 21.05 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 3RB#0   | 23.35 | 21.06 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 3RB#1   | 23.33 | 21.04 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 3RB#2   | 23.35 | 21.06 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 6RB#0   | 22.38 | 20.09 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#0   | 22.43 | 20.14 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#2   | 22.52 | 20.23 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#5   | 22.43 | 20.14 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 3RB#0   | 22.17 | 19.88 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 3RB#1   | 22.17 | 19.88 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 3RB#2   | 22.21 | 19.92 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 6RB#0   | 21.10 | 18.81 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#0   | 22.68 | 20.39 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#2   | 22.80 | 20.51 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#5   | 22.74 | 20.45 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 3RB#0   | 22.53 | 20.24 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 3RB#1   | 22.48 | 20.19 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 3RB#2   | 22.50 | 20.21 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 6RB#0   | 21.39 | 19.1  | 38.45 | PASS |

|       |        |       |       |        |       |       |       |      |
|-------|--------|-------|-------|--------|-------|-------|-------|------|
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#0  | 22.32 | 20.03 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#2  | 22.29 | 20    | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#5  | 22.21 | 19.92 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 3RB#0  | 22.37 | 20.08 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 3RB#1  | 22.36 | 20.07 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 3RB#2  | 22.34 | 20.05 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 6RB#0  | 21.41 | 19.12 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20407 | 1RB#0  | 21.25 | 18.96 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20407 | 1RB#2  | 21.31 | 19.02 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20407 | 1RB#5  | 21.35 | 19.06 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20407 | 3RB#0  | 21.07 | 18.78 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20407 | 3RB#1  | 21.05 | 18.76 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20407 | 3RB#2  | 21.05 | 18.76 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20407 | 6RB#0  | 20.02 | 17.73 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20525 | 1RB#0  | 21.54 | 19.25 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20525 | 1RB#2  | 21.58 | 19.29 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20525 | 1RB#5  | 21.63 | 19.34 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20525 | 3RB#0  | 21.35 | 19.06 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20525 | 3RB#1  | 21.35 | 19.06 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20525 | 3RB#2  | 21.32 | 19.03 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20525 | 6RB#0  | 20.34 | 18.05 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20643 | 1RB#0  | 21.68 | 19.39 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20643 | 1RB#2  | 21.69 | 19.4  | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20643 | 1RB#5  | 21.63 | 19.34 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20643 | 3RB#0  | 21.50 | 19.21 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20643 | 3RB#1  | 21.46 | 19.17 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20643 | 3RB#2  | 21.44 | 19.15 | 38.45 | PASS |
| Band5 | 1.4MHz | 64QAM | 20643 | 6RB#0  | 20.30 | 18.01 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 1RB#0  | 23.20 | 20.91 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 1RB#7  | 23.29 | 21    | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 1RB#14 | 23.24 | 20.95 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 8RB#0  | 22.25 | 19.96 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 8RB#4  | 22.25 | 19.96 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 8RB#7  | 22.26 | 19.97 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 15RB#0 | 22.25 | 19.96 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 1RB#0  | 23.54 | 21.25 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 1RB#7  | 23.58 | 21.29 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 1RB#14 | 23.51 | 21.22 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 8RB#0  | 22.52 | 20.23 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 8RB#4  | 22.52 | 20.23 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 8RB#7  | 22.50 | 20.21 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 15RB#0 | 22.53 | 20.24 | 38.45 | PASS |

|       |      |       |       |        |       |       |       |      |
|-------|------|-------|-------|--------|-------|-------|-------|------|
| Band5 | 3MHz | QPSK  | 20635 | 1RB#0  | 23.49 | 21.2  | 38.45 | PASS |
| Band5 | 3MHz | QPSK  | 20635 | 1RB#7  | 23.43 | 21.14 | 38.45 | PASS |
| Band5 | 3MHz | QPSK  | 20635 | 1RB#14 | 23.35 | 21.06 | 38.45 | PASS |
| Band5 | 3MHz | QPSK  | 20635 | 8RB#0  | 22.39 | 20.1  | 38.45 | PASS |
| Band5 | 3MHz | QPSK  | 20635 | 8RB#4  | 22.43 | 20.14 | 38.45 | PASS |
| Band5 | 3MHz | QPSK  | 20635 | 8RB#7  | 22.36 | 20.07 | 38.45 | PASS |
| Band5 | 3MHz | QPSK  | 20635 | 15RB#0 | 22.39 | 20.1  | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 1RB#0  | 22.46 | 20.17 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 1RB#7  | 22.49 | 20.2  | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 1RB#14 | 22.45 | 20.16 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 8RB#0  | 21.28 | 18.99 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 8RB#4  | 21.29 | 19    | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 8RB#7  | 21.29 | 19    | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 15RB#0 | 21.20 | 18.91 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 1RB#0  | 22.43 | 20.14 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 1RB#7  | 22.47 | 20.18 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 1RB#14 | 22.46 | 20.17 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 8RB#0  | 21.56 | 19.27 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 8RB#4  | 21.55 | 19.26 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 8RB#7  | 21.54 | 19.25 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 15RB#0 | 21.45 | 19.16 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#0  | 22.63 | 20.34 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#7  | 22.54 | 20.25 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#14 | 22.46 | 20.17 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 8RB#0  | 21.49 | 19.2  | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 8RB#4  | 21.48 | 19.19 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 8RB#7  | 21.46 | 19.17 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 15RB#0 | 21.42 | 19.13 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20415 | 1RB#0  | 21.26 | 18.97 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20415 | 1RB#7  | 21.33 | 19.04 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20415 | 1RB#14 | 21.34 | 19.05 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20415 | 8RB#0  | 20.25 | 17.96 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20415 | 8RB#4  | 20.24 | 17.95 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20415 | 8RB#7  | 20.28 | 17.99 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20415 | 15RB#0 | 20.21 | 17.92 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20525 | 1RB#0  | 21.78 | 19.49 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20525 | 1RB#7  | 21.84 | 19.55 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20525 | 1RB#14 | 21.82 | 19.53 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20525 | 8RB#0  | 20.47 | 18.18 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20525 | 8RB#4  | 20.49 | 18.2  | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20525 | 8RB#7  | 20.45 | 18.16 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20525 | 15RB#0 | 20.43 | 18.14 | 38.45 | PASS |

|       |      |       |       |         |       |       |       |      |
|-------|------|-------|-------|---------|-------|-------|-------|------|
| Band5 | 3MHz | 64QAM | 20635 | 1RB#0   | 21.44 | 19.15 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20635 | 1RB#7   | 21.36 | 19.07 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20635 | 1RB#14  | 21.23 | 18.94 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20635 | 8RB#0   | 20.42 | 18.13 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20635 | 8RB#4   | 20.41 | 18.12 | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20635 | 8RB#7   | 20.39 | 18.1  | 38.45 | PASS |
| Band5 | 3MHz | 64QAM | 20635 | 15RB#0  | 20.50 | 18.21 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 1RB#0   | 23.42 | 21.13 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 1RB#12  | 23.43 | 21.14 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 1RB#24  | 23.47 | 21.18 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 12RB#0  | 22.37 | 20.08 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 12RB#6  | 22.35 | 20.06 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 12RB#11 | 22.35 | 20.06 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 25RB#0  | 22.31 | 20.02 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 1RB#0   | 23.70 | 21.41 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 1RB#12  | 23.70 | 21.41 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 1RB#24  | 23.70 | 21.41 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 12RB#0  | 22.43 | 20.14 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 12RB#6  | 22.45 | 20.16 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 12RB#11 | 22.44 | 20.15 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 25RB#0  | 22.52 | 20.23 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 1RB#0   | 23.58 | 21.29 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 1RB#12  | 23.55 | 21.26 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 1RB#24  | 23.42 | 21.13 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 12RB#0  | 22.51 | 20.22 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 12RB#6  | 22.51 | 20.22 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 12RB#11 | 22.53 | 20.24 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 25RB#0  | 22.51 | 20.22 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#0   | 22.35 | 20.06 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#12  | 22.37 | 20.08 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#24  | 22.44 | 20.15 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 12RB#0  | 21.35 | 19.06 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 12RB#6  | 21.35 | 19.06 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 12RB#11 | 21.35 | 19.06 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 25RB#0  | 21.33 | 19.04 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#0   | 22.61 | 20.32 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#12  | 22.58 | 20.29 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#24  | 22.55 | 20.26 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 12RB#0  | 21.46 | 19.17 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 12RB#6  | 21.46 | 19.17 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 12RB#11 | 21.46 | 19.17 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 25RB#0  | 21.51 | 19.22 | 38.45 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band5 | 5MHz  | 16QAM | 20625 | 1RB#0   | 22.74 | 20.45 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 1RB#12  | 22.72 | 20.43 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 1RB#24  | 22.61 | 20.32 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 12RB#0  | 21.59 | 19.3  | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 12RB#6  | 21.57 | 19.28 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 12RB#11 | 21.58 | 19.29 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 25RB#0  | 21.49 | 19.2  | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20425 | 1RB#0   | 21.65 | 19.36 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20425 | 1RB#12  | 21.65 | 19.36 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20425 | 1RB#24  | 21.74 | 19.45 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20425 | 12RB#0  | 20.36 | 18.07 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20425 | 12RB#6  | 20.37 | 18.08 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20425 | 12RB#11 | 20.35 | 18.06 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20425 | 25RB#0  | 20.29 | 18    | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20525 | 1RB#0   | 21.55 | 19.26 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20525 | 1RB#12  | 21.56 | 19.27 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20525 | 1RB#24  | 21.57 | 19.28 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20525 | 12RB#0  | 20.45 | 18.16 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20525 | 12RB#6  | 20.45 | 18.16 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20525 | 12RB#11 | 20.43 | 18.14 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20525 | 25RB#0  | 20.47 | 18.18 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20625 | 1RB#0   | 22.10 | 19.81 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20625 | 1RB#12  | 22.04 | 19.75 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20625 | 1RB#24  | 21.95 | 19.66 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20625 | 12RB#0  | 20.55 | 18.26 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20625 | 12RB#6  | 20.57 | 18.28 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20625 | 12RB#11 | 20.55 | 18.26 | 38.45 | PASS |
| Band5 | 5MHz  | 64QAM | 20625 | 25RB#0  | 20.49 | 18.2  | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 1RB#0   | 23.20 | 20.91 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 1RB#24  | 23.33 | 21.04 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 1RB#49  | 23.44 | 21.15 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 25RB#0  | 22.33 | 20.04 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 25RB#12 | 22.33 | 20.04 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 25RB#24 | 22.34 | 20.05 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 50RB#0  | 22.37 | 20.08 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 1RB#0   | 23.49 | 21.2  | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 1RB#24  | 23.60 | 21.31 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 1RB#49  | 23.64 | 21.35 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 25RB#0  | 22.43 | 20.14 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 25RB#12 | 22.46 | 20.17 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 25RB#24 | 22.44 | 20.15 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 50RB#0  | 22.56 | 20.27 | 38.45 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band5 | 10MHz | QPSK  | 20600 | 1RB#0   | 23.68 | 21.39 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 1RB#24  | 23.58 | 21.29 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 1RB#49  | 23.40 | 21.11 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 25RB#0  | 22.66 | 20.37 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 25RB#12 | 22.65 | 20.36 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 25RB#24 | 22.65 | 20.36 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 50RB#0  | 22.58 | 20.29 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#0   | 22.45 | 20.16 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#24  | 22.52 | 20.23 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#49  | 22.71 | 20.42 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 25RB#0  | 21.39 | 19.1  | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 25RB#12 | 21.41 | 19.12 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 25RB#24 | 21.41 | 19.12 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 50RB#0  | 21.39 | 19.1  | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#0   | 22.33 | 20.04 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#24  | 22.44 | 20.15 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#49  | 22.56 | 20.27 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 25RB#0  | 21.51 | 19.22 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 25RB#12 | 21.46 | 19.17 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 25RB#24 | 21.50 | 19.21 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 50RB#0  | 21.52 | 19.23 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#0   | 22.81 | 20.52 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#24  | 22.70 | 20.41 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#49  | 22.53 | 20.24 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 25RB#0  | 21.64 | 19.35 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 25RB#12 | 21.62 | 19.33 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 25RB#24 | 21.60 | 19.31 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 50RB#0  | 21.56 | 19.27 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20450 | 1RB#0   | 21.30 | 19.01 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20450 | 1RB#24  | 21.39 | 19.1  | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20450 | 1RB#49  | 21.52 | 19.23 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20450 | 25RB#0  | 20.28 | 17.99 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20450 | 25RB#12 | 20.29 | 18    | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20450 | 25RB#24 | 20.29 | 18    | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20450 | 50RB#0  | 20.34 | 18.05 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20525 | 1RB#0   | 21.72 | 19.43 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20525 | 1RB#24  | 21.89 | 19.6  | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20525 | 1RB#49  | 21.89 | 19.6  | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20525 | 25RB#0  | 20.39 | 18.1  | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20525 | 25RB#12 | 20.40 | 18.11 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20525 | 25RB#24 | 20.41 | 18.12 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20525 | 50RB#0  | 20.43 | 18.14 | 38.45 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band5 | 10MHz | 64QAM | 20600 | 1RB#0   | 21.56 | 19.27 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20600 | 1RB#24  | 21.48 | 19.19 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20600 | 1RB#49  | 21.33 | 19.04 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20600 | 25RB#0  | 20.65 | 18.36 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20600 | 25RB#12 | 20.64 | 18.35 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20600 | 25RB#24 | 20.65 | 18.36 | 38.45 | PASS |
| Band5 | 10MHz | 64QAM | 20600 | 50RB#0  | 20.52 | 18.23 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 1RB#0   | 24.20 | 26.45 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 1RB#12  | 24.26 | 26.51 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 1RB#24  | 24.26 | 26.51 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 12RB#0  | 23.09 | 25.34 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 12RB#6  | 23.07 | 25.32 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 12RB#11 | 23.08 | 25.33 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 25RB#0  | 23.12 | 25.37 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 1RB#0   | 24.38 | 26.63 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 1RB#12  | 24.06 | 26.31 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 1RB#24  | 24.03 | 26.28 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 12RB#0  | 23.46 | 25.71 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 12RB#6  | 23.46 | 25.71 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 12RB#11 | 23.46 | 25.71 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 25RB#0  | 23.45 | 25.7  | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 1RB#0   | 23.99 | 26.24 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 1RB#12  | 24.03 | 26.28 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 1RB#24  | 23.98 | 26.23 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 12RB#0  | 23.38 | 25.63 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 12RB#6  | 23.41 | 25.66 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 12RB#11 | 23.40 | 25.65 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 25RB#0  | 23.37 | 25.62 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 1RB#0   | 23.07 | 25.32 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 1RB#12  | 23.08 | 25.33 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 1RB#24  | 23.12 | 25.37 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 12RB#0  | 22.11 | 24.36 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 12RB#6  | 22.11 | 24.36 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 12RB#11 | 22.12 | 24.37 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 25RB#0  | 22.16 | 24.41 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 1RB#0   | 23.14 | 25.39 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 1RB#12  | 23.11 | 25.36 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 1RB#24  | 23.14 | 25.39 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 12RB#0  | 22.55 | 24.8  | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 12RB#6  | 22.56 | 24.81 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 12RB#11 | 22.54 | 24.79 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 25RB#0  | 22.47 | 24.72 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band7 | 5MHz  | 16QAM | 21425 | 1RB#0   | 22.91 | 25.16 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 1RB#12  | 22.92 | 25.17 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 1RB#24  | 22.90 | 25.15 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#0  | 22.40 | 24.65 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#6  | 22.41 | 24.66 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#11 | 22.40 | 24.65 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0  | 22.46 | 24.71 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 1RB#0   | 22.07 | 24.32 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 1RB#12  | 22.12 | 24.37 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 1RB#24  | 22.14 | 24.39 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 12RB#0  | 21.13 | 23.38 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 12RB#6  | 21.10 | 23.35 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 12RB#11 | 21.10 | 23.35 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 25RB#0  | 21.11 | 23.36 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 1RB#0   | 22.50 | 24.75 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 1RB#12  | 22.51 | 24.76 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 1RB#24  | 22.45 | 24.7  | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 12RB#0  | 21.51 | 23.76 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 12RB#6  | 21.52 | 23.77 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 12RB#11 | 21.51 | 23.76 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 25RB#0  | 21.41 | 23.66 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 1RB#0   | 22.14 | 24.39 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 1RB#12  | 22.19 | 24.44 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 1RB#24  | 22.13 | 24.38 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 12RB#0  | 21.42 | 23.67 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 12RB#6  | 21.42 | 23.67 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 12RB#11 | 21.40 | 23.65 | 33.01 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 25RB#0  | 21.41 | 23.66 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#0   | 24.00 | 26.25 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#24  | 24.09 | 26.34 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#49  | 23.87 | 26.12 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#0  | 23.12 | 25.37 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#12 | 23.06 | 25.31 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#24 | 23.10 | 25.35 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0  | 23.22 | 25.47 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#0   | 23.78 | 26.03 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#24  | 23.82 | 26.07 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#49  | 23.78 | 26.03 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#0  | 23.39 | 25.64 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#12 | 23.39 | 25.64 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#24 | 23.40 | 25.65 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0  | 23.44 | 25.69 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band7 | 10MHz | QPSK  | 21400 | 1RB#0   | 23.85 | 26.1  | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#24  | 23.86 | 26.11 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#49  | 23.79 | 26.04 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#0  | 23.38 | 25.63 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#12 | 23.35 | 25.6  | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#24 | 23.39 | 25.64 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0  | 23.39 | 25.64 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#0   | 23.28 | 25.53 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#24  | 23.13 | 25.38 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#49  | 22.97 | 25.22 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#0  | 22.13 | 24.38 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#12 | 22.12 | 24.37 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#24 | 22.14 | 24.39 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0  | 22.16 | 24.41 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#0   | 22.80 | 25.05 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#24  | 22.79 | 25.04 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#49  | 22.73 | 24.98 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#0  | 22.48 | 24.73 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#12 | 22.44 | 24.69 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#24 | 22.49 | 24.74 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0  | 22.44 | 24.69 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 1RB#0   | 23.06 | 25.31 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 1RB#24  | 23.04 | 25.29 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 1RB#49  | 23.02 | 25.27 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#0  | 22.38 | 24.63 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#12 | 22.37 | 24.62 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#24 | 22.36 | 24.61 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0  | 22.38 | 24.63 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 1RB#0   | 22.08 | 24.33 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 1RB#24  | 21.90 | 24.15 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 1RB#49  | 21.85 | 24.1  | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 25RB#0  | 21.07 | 23.32 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 25RB#12 | 21.05 | 23.3  | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 25RB#24 | 21.09 | 23.34 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 50RB#0  | 21.16 | 23.41 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 1RB#0   | 22.24 | 24.49 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 1RB#24  | 22.26 | 24.51 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 1RB#49  | 22.19 | 24.44 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 25RB#0  | 21.39 | 23.64 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 25RB#12 | 21.40 | 23.65 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 25RB#24 | 21.41 | 23.66 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 50RB#0  | 21.40 | 23.65 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band7 | 10MHz | 64QAM | 21400 | 1RB#0   | 21.85 | 24.1  | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 1RB#24  | 21.86 | 24.11 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 1RB#49  | 21.79 | 24.04 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 25RB#0  | 21.38 | 23.63 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 25RB#12 | 21.37 | 23.62 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 25RB#24 | 21.36 | 23.61 | 33.01 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 50RB#0  | 21.35 | 23.6  | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#0   | 23.86 | 26.11 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#37  | 24.06 | 26.31 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#74  | 24.10 | 26.35 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 36RB#0  | 23.02 | 25.27 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 36RB#16 | 23.03 | 25.28 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 36RB#35 | 22.98 | 25.23 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0  | 23.10 | 25.35 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#0   | 23.97 | 26.22 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#37  | 23.75 | 26    | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#74  | 23.74 | 25.99 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 36RB#0  | 23.36 | 25.61 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 36RB#16 | 23.38 | 25.63 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 36RB#35 | 23.36 | 25.61 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0  | 23.37 | 25.62 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#0   | 23.83 | 26.08 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#37  | 23.91 | 26.16 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#74  | 23.78 | 26.03 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 36RB#0  | 23.35 | 25.6  | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 36RB#16 | 23.37 | 25.62 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 36RB#35 | 23.34 | 25.59 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0  | 23.36 | 25.61 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#0   | 23.20 | 25.45 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#37  | 23.37 | 25.62 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#74  | 23.44 | 25.69 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 36RB#0  | 22.09 | 24.34 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 36RB#16 | 22.08 | 24.33 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 36RB#35 | 22.09 | 24.34 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | 22.10 | 24.35 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#0   | 22.67 | 24.92 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#37  | 22.75 | 25    | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#74  | 22.71 | 24.96 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 36RB#0  | 22.41 | 24.66 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 36RB#16 | 22.40 | 24.65 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 36RB#35 | 22.42 | 24.67 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | 22.41 | 24.66 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band7 | 15MHz | 16QAM | 21375 | 1RB#0   | 22.99 | 25.24 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 1RB#37  | 23.10 | 25.35 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 1RB#74  | 22.96 | 25.21 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 36RB#0  | 22.40 | 24.65 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 36RB#16 | 22.40 | 24.65 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 36RB#35 | 22.38 | 24.63 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | 22.33 | 24.58 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 1RB#0   | 22.12 | 24.37 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 1RB#37  | 22.28 | 24.53 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 1RB#74  | 22.36 | 24.61 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 36RB#0  | 21.00 | 23.25 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 36RB#16 | 20.96 | 23.21 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 36RB#35 | 21.00 | 23.25 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 75RB#0  | 21.13 | 23.38 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 1RB#0   | 22.15 | 24.4  | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 1RB#37  | 22.24 | 24.49 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 1RB#74  | 22.15 | 24.4  | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 36RB#0  | 21.37 | 23.62 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 36RB#16 | 21.36 | 23.61 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 36RB#35 | 21.39 | 23.64 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 75RB#0  | 21.39 | 23.64 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 1RB#0   | 21.81 | 24.06 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 1RB#37  | 21.88 | 24.13 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 1RB#74  | 21.76 | 24.01 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 36RB#0  | 21.40 | 23.65 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 36RB#16 | 21.40 | 23.65 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 36RB#35 | 21.43 | 23.68 | 33.01 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 75RB#0  | 21.37 | 23.62 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#0   | 23.69 | 25.94 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#49  | 23.98 | 26.23 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#99  | 23.70 | 25.95 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#0  | 23.08 | 25.33 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#24 | 23.09 | 25.34 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#49 | 23.10 | 25.35 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | 23.14 | 25.39 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#0   | 23.61 | 25.86 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#49  | 23.75 | 26    | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#99  | 23.65 | 25.9  | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#0  | 23.43 | 25.68 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#24 | 23.41 | 25.66 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#49 | 23.44 | 25.69 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 100RB#0 | 23.45 | 25.7  | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band7 | 20MHz | QPSK  | 21350 | 1RB#0   | 23.87 | 26.12 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#49  | 24.00 | 26.25 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#99  | 23.87 | 26.12 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#0  | 23.45 | 25.7  | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#24 | 23.46 | 25.71 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#49 | 23.47 | 25.72 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 100RB#0 | 23.42 | 25.67 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#0   | 22.99 | 25.24 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#49  | 22.99 | 25.24 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#99  | 23.00 | 25.25 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#0  | 22.10 | 24.35 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#24 | 22.09 | 24.34 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#49 | 22.11 | 24.36 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 100RB#0 | 22.11 | 24.36 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#0   | 22.79 | 25.04 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#49  | 22.97 | 25.22 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#99  | 22.82 | 25.07 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#0  | 22.46 | 24.71 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#24 | 22.48 | 24.73 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#49 | 22.48 | 24.73 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 100RB#0 | 22.43 | 24.68 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 1RB#0   | 22.82 | 25.07 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 1RB#49  | 22.92 | 25.17 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 1RB#99  | 22.76 | 25.01 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 50RB#0  | 22.45 | 24.7  | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 50RB#24 | 22.47 | 24.72 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 50RB#49 | 22.46 | 24.71 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 100RB#0 | 22.44 | 24.69 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 1RB#0   | 21.99 | 24.24 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 1RB#49  | 21.96 | 24.21 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 1RB#99  | 21.96 | 24.21 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 50RB#0  | 21.08 | 23.33 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 50RB#24 | 21.09 | 23.34 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 50RB#49 | 21.08 | 23.33 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 100RB#0 | 21.14 | 23.39 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 1RB#0   | 21.68 | 23.93 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 1RB#49  | 21.86 | 24.11 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 1RB#99  | 21.74 | 23.99 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 50RB#0  | 21.39 | 23.64 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 50RB#24 | 21.42 | 23.67 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 50RB#49 | 21.41 | 23.66 | 33.01 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 100RB#0 | 21.42 | 23.67 | 33.01 | PASS |

|        |        |       |       |         |       |       |       |      |
|--------|--------|-------|-------|---------|-------|-------|-------|------|
| Band7  | 20MHz  | 64QAM | 21350 | 1RB#0   | 22.09 | 24.34 | 33.01 | PASS |
| Band7  | 20MHz  | 64QAM | 21350 | 1RB#49  | 22.14 | 24.39 | 33.01 | PASS |
| Band7  | 20MHz  | 64QAM | 21350 | 1RB#99  | 22.02 | 24.27 | 33.01 | PASS |
| Band7  | 20MHz  | 64QAM | 21350 | 50RB#0  | 21.44 | 23.69 | 33.01 | PASS |
| Band7  | 20MHz  | 64QAM | 21350 | 50RB#24 | 21.47 | 23.72 | 33.01 | PASS |
| Band7  | 20MHz  | 64QAM | 21350 | 50RB#49 | 21.46 | 23.71 | 33.01 | PASS |
| Band7  | 20MHz  | 64QAM | 21350 | 100RB#0 | 21.39 | 23.64 | 33.01 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 1RB#0   | 23.45 | 21.43 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 1RB#2   | 23.44 | 21.42 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 1RB#5   | 23.44 | 21.42 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 3RB#0   | 23.50 | 21.48 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 3RB#1   | 23.52 | 21.5  | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 3RB#2   | 23.54 | 21.52 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 6RB#0   | 22.56 | 20.54 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 1RB#0   | 23.51 | 21.49 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 1RB#2   | 23.45 | 21.43 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 1RB#5   | 23.49 | 21.47 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 3RB#0   | 23.54 | 21.52 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 3RB#1   | 23.57 | 21.55 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 3RB#2   | 23.55 | 21.53 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 6RB#0   | 22.53 | 20.51 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 1RB#0   | 23.65 | 21.63 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 1RB#2   | 23.61 | 21.59 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 1RB#5   | 23.60 | 21.58 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 3RB#0   | 23.77 | 21.75 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 3RB#1   | 23.82 | 21.8  | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 3RB#2   | 23.79 | 21.77 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 6RB#0   | 22.73 | 20.71 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 1RB#0   | 22.67 | 20.65 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 1RB#2   | 22.70 | 20.68 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 1RB#5   | 22.65 | 20.63 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 3RB#0   | 22.44 | 20.42 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 3RB#1   | 22.43 | 20.41 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 3RB#2   | 22.45 | 20.43 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 6RB#0   | 21.67 | 19.65 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 1RB#0   | 22.69 | 20.67 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 1RB#2   | 22.78 | 20.76 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 1RB#5   | 22.73 | 20.71 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 3RB#0   | 22.46 | 20.44 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 3RB#1   | 22.44 | 20.42 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 3RB#2   | 22.44 | 20.42 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 6RB#0   | 21.44 | 19.42 | 34.77 | PASS |

|        |        |       |       |        |       |       |       |      |
|--------|--------|-------|-------|--------|-------|-------|-------|------|
| Band12 | 1.4MHz | 16QAM | 23173 | 1RB#0  | 22.91 | 20.89 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 1RB#2  | 22.96 | 20.94 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 1RB#5  | 22.96 | 20.94 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 3RB#0  | 22.68 | 20.66 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 3RB#1  | 22.71 | 20.69 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 3RB#2  | 22.69 | 20.67 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 6RB#0  | 21.57 | 19.55 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23017 | 1RB#0  | 22.00 | 19.98 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23017 | 1RB#2  | 21.99 | 19.97 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23017 | 1RB#5  | 21.98 | 19.96 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23017 | 3RB#0  | 21.60 | 19.58 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23017 | 3RB#1  | 21.58 | 19.56 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23017 | 3RB#2  | 21.58 | 19.56 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23017 | 6RB#0  | 20.44 | 18.42 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23095 | 1RB#0  | 21.57 | 19.55 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23095 | 1RB#2  | 21.63 | 19.61 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23095 | 1RB#5  | 21.56 | 19.54 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23095 | 3RB#0  | 21.31 | 19.29 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23095 | 3RB#1  | 21.31 | 19.29 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23095 | 3RB#2  | 21.31 | 19.29 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23095 | 6RB#0  | 20.35 | 18.33 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23173 | 1RB#0  | 21.76 | 19.74 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23173 | 1RB#2  | 21.83 | 19.81 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23173 | 1RB#5  | 21.78 | 19.76 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23173 | 3RB#0  | 21.49 | 19.47 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23173 | 3RB#1  | 21.52 | 19.5  | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23173 | 3RB#2  | 21.54 | 19.52 | 34.77 | PASS |
| Band12 | 1.4MHz | 64QAM | 23173 | 6RB#0  | 20.58 | 18.56 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 1RB#0  | 23.53 | 21.51 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 1RB#7  | 23.49 | 21.47 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 1RB#14 | 23.49 | 21.47 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 8RB#0  | 22.52 | 20.5  | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 8RB#4  | 22.52 | 20.5  | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 8RB#7  | 22.48 | 20.46 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 15RB#0 | 22.53 | 20.51 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 1RB#0  | 23.41 | 21.39 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 1RB#7  | 23.42 | 21.4  | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 1RB#14 | 23.40 | 21.38 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 8RB#0  | 22.39 | 20.37 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 8RB#4  | 22.40 | 20.38 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 8RB#7  | 22.45 | 20.43 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 15RB#0 | 22.45 | 20.43 | 34.77 | PASS |

|        |      |       |       |        |       |       |       |      |
|--------|------|-------|-------|--------|-------|-------|-------|------|
| Band12 | 3MHz | QPSK  | 23165 | 1RB#0  | 23.72 | 21.7  | 34.77 | PASS |
| Band12 | 3MHz | QPSK  | 23165 | 1RB#7  | 23.72 | 21.7  | 34.77 | PASS |
| Band12 | 3MHz | QPSK  | 23165 | 1RB#14 | 23.74 | 21.72 | 34.77 | PASS |
| Band12 | 3MHz | QPSK  | 23165 | 8RB#0  | 22.64 | 20.62 | 34.77 | PASS |
| Band12 | 3MHz | QPSK  | 23165 | 8RB#4  | 22.63 | 20.61 | 34.77 | PASS |
| Band12 | 3MHz | QPSK  | 23165 | 8RB#7  | 22.64 | 20.62 | 34.77 | PASS |
| Band12 | 3MHz | QPSK  | 23165 | 15RB#0 | 22.67 | 20.65 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23025 | 1RB#0  | 22.77 | 20.75 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23025 | 1RB#7  | 22.74 | 20.72 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23025 | 1RB#14 | 22.70 | 20.68 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23025 | 8RB#0  | 21.59 | 19.57 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23025 | 8RB#4  | 21.63 | 19.61 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23025 | 8RB#7  | 21.59 | 19.57 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23025 | 15RB#0 | 21.50 | 19.48 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23095 | 1RB#0  | 22.29 | 20.27 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23095 | 1RB#7  | 22.36 | 20.34 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23095 | 1RB#14 | 22.34 | 20.32 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23095 | 8RB#0  | 21.47 | 19.45 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23095 | 8RB#4  | 21.44 | 19.42 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23095 | 8RB#7  | 21.49 | 19.47 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23095 | 15RB#0 | 21.39 | 19.37 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23165 | 1RB#0  | 22.83 | 20.81 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23165 | 1RB#7  | 22.85 | 20.83 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23165 | 1RB#14 | 22.90 | 20.88 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23165 | 8RB#0  | 21.72 | 19.7  | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23165 | 8RB#4  | 21.73 | 19.71 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23165 | 8RB#7  | 21.69 | 19.67 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23165 | 15RB#0 | 21.66 | 19.64 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23025 | 1RB#0  | 21.69 | 19.67 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23025 | 1RB#7  | 21.67 | 19.65 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23025 | 1RB#14 | 21.62 | 19.6  | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23025 | 8RB#0  | 20.60 | 18.58 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23025 | 8RB#4  | 20.59 | 18.57 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23025 | 8RB#7  | 20.57 | 18.55 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23025 | 15RB#0 | 20.55 | 18.53 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23095 | 1RB#0  | 21.73 | 19.71 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23095 | 1RB#7  | 21.84 | 19.82 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23095 | 1RB#14 | 21.84 | 19.82 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23095 | 8RB#0  | 20.46 | 18.44 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23095 | 8RB#4  | 20.44 | 18.42 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23095 | 8RB#7  | 20.46 | 18.44 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23095 | 15RB#0 | 20.46 | 18.44 | 34.77 | PASS |

|        |      |       |       |         |       |       |       |      |
|--------|------|-------|-------|---------|-------|-------|-------|------|
| Band12 | 3MHz | 64QAM | 23165 | 1RB#0   | 21.58 | 19.56 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23165 | 1RB#7   | 21.71 | 19.69 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23165 | 1RB#14  | 21.72 | 19.7  | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23165 | 8RB#0   | 20.72 | 18.7  | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23165 | 8RB#4   | 20.71 | 18.69 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23165 | 8RB#7   | 20.71 | 18.69 | 34.77 | PASS |
| Band12 | 3MHz | 64QAM | 23165 | 15RB#0  | 20.80 | 18.78 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 1RB#0   | 23.68 | 21.66 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 1RB#12  | 23.67 | 21.65 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 1RB#24  | 23.65 | 21.63 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 12RB#0  | 22.51 | 20.49 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 12RB#6  | 22.52 | 20.5  | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 12RB#11 | 22.51 | 20.49 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 25RB#0  | 22.52 | 20.5  | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 1RB#0   | 23.62 | 21.6  | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 1RB#12  | 23.65 | 21.63 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 1RB#24  | 23.72 | 21.7  | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 12RB#0  | 22.39 | 20.37 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 12RB#6  | 22.38 | 20.36 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 12RB#11 | 22.38 | 20.36 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 25RB#0  | 22.46 | 20.44 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 1RB#0   | 23.78 | 21.76 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 1RB#12  | 23.84 | 21.82 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 1RB#24  | 23.90 | 21.88 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 12RB#0  | 22.72 | 20.7  | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 12RB#6  | 22.77 | 20.75 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 12RB#11 | 22.75 | 20.73 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 25RB#0  | 22.69 | 20.67 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 1RB#0   | 22.82 | 20.8  | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 1RB#12  | 22.76 | 20.74 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 1RB#24  | 22.79 | 20.77 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 12RB#0  | 21.58 | 19.56 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 12RB#6  | 21.57 | 19.55 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 12RB#11 | 21.58 | 19.56 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 25RB#0  | 21.53 | 19.51 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 1RB#0   | 22.62 | 20.6  | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 1RB#12  | 22.59 | 20.57 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 1RB#24  | 22.69 | 20.67 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 12RB#0  | 21.45 | 19.43 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 12RB#6  | 21.44 | 19.42 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 12RB#11 | 21.46 | 19.44 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 25RB#0  | 21.52 | 19.5  | 34.77 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band12 | 5MHz  | 16QAM | 23155 | 1RB#0   | 22.61 | 20.59 | 34.77 | PASS |
| Band12 | 5MHz  | 16QAM | 23155 | 1RB#12  | 22.66 | 20.64 | 34.77 | PASS |
| Band12 | 5MHz  | 16QAM | 23155 | 1RB#24  | 22.70 | 20.68 | 34.77 | PASS |
| Band12 | 5MHz  | 16QAM | 23155 | 12RB#0  | 21.74 | 19.72 | 34.77 | PASS |
| Band12 | 5MHz  | 16QAM | 23155 | 12RB#6  | 21.72 | 19.7  | 34.77 | PASS |
| Band12 | 5MHz  | 16QAM | 23155 | 12RB#11 | 21.75 | 19.73 | 34.77 | PASS |
| Band12 | 5MHz  | 16QAM | 23155 | 25RB#0  | 21.73 | 19.71 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23035 | 1RB#0   | 22.18 | 20.16 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23035 | 1RB#12  | 22.15 | 20.13 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23035 | 1RB#24  | 22.10 | 20.08 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23035 | 12RB#0  | 20.59 | 18.57 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23035 | 12RB#6  | 20.58 | 18.56 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23035 | 12RB#11 | 20.59 | 18.57 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23035 | 25RB#0  | 20.54 | 18.52 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23095 | 1RB#0   | 21.89 | 19.87 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23095 | 1RB#12  | 21.89 | 19.87 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23095 | 1RB#24  | 21.97 | 19.95 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23095 | 12RB#0  | 20.50 | 18.48 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23095 | 12RB#6  | 20.48 | 18.46 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23095 | 12RB#11 | 20.51 | 18.49 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23095 | 25RB#0  | 20.47 | 18.45 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23155 | 1RB#0   | 21.65 | 19.63 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23155 | 1RB#12  | 21.66 | 19.64 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23155 | 1RB#24  | 21.84 | 19.82 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23155 | 12RB#0  | 20.78 | 18.76 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23155 | 12RB#6  | 20.76 | 18.74 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23155 | 12RB#11 | 20.77 | 18.75 | 34.77 | PASS |
| Band12 | 5MHz  | 64QAM | 23155 | 25RB#0  | 20.70 | 18.68 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 1RB#0   | 23.48 | 21.46 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 1RB#24  | 23.44 | 21.42 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 1RB#49  | 23.51 | 21.49 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 25RB#0  | 22.46 | 20.44 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 25RB#12 | 22.50 | 20.48 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 25RB#24 | 22.51 | 20.49 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 50RB#0  | 22.56 | 20.54 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 1RB#0   | 23.39 | 21.37 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 1RB#24  | 23.46 | 21.44 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 1RB#49  | 23.58 | 21.56 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 25RB#0  | 22.40 | 20.38 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 25RB#12 | 22.40 | 20.38 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 25RB#24 | 22.40 | 20.38 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 50RB#0  | 22.47 | 20.45 | 34.77 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band12 | 10MHz | QPSK  | 23130 | 1RB#0   | 23.42 | 21.4  | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23130 | 1RB#24  | 23.61 | 21.59 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23130 | 1RB#49  | 23.79 | 21.77 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23130 | 25RB#0  | 22.47 | 20.45 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23130 | 25RB#12 | 22.50 | 20.48 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23130 | 25RB#24 | 22.49 | 20.47 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23130 | 50RB#0  | 22.55 | 20.53 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 1RB#0   | 22.76 | 20.74 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 1RB#24  | 22.68 | 20.66 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 1RB#49  | 22.73 | 20.71 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 25RB#0  | 21.55 | 19.53 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 25RB#12 | 21.58 | 19.56 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 25RB#24 | 21.58 | 19.56 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 50RB#0  | 21.55 | 19.53 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 1RB#0   | 22.32 | 20.3  | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 1RB#24  | 22.40 | 20.38 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 1RB#49  | 22.55 | 20.53 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 25RB#0  | 21.45 | 19.43 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 25RB#12 | 21.45 | 19.43 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 25RB#24 | 21.44 | 19.42 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 50RB#0  | 21.48 | 19.46 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23130 | 1RB#0   | 22.59 | 20.57 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23130 | 1RB#24  | 22.77 | 20.75 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23130 | 1RB#49  | 22.91 | 20.89 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23130 | 25RB#0  | 21.49 | 19.47 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23130 | 25RB#12 | 21.47 | 19.45 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23130 | 25RB#24 | 21.47 | 19.45 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23130 | 50RB#0  | 21.48 | 19.46 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23060 | 1RB#0   | 21.64 | 19.62 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23060 | 1RB#24  | 21.53 | 19.51 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23060 | 1RB#49  | 21.60 | 19.58 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23060 | 25RB#0  | 20.54 | 18.52 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23060 | 25RB#12 | 20.54 | 18.52 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23060 | 25RB#24 | 20.53 | 18.51 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23060 | 50RB#0  | 20.57 | 18.55 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23095 | 1RB#0   | 21.69 | 19.67 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23095 | 1RB#24  | 21.89 | 19.87 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23095 | 1RB#49  | 21.95 | 19.93 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23095 | 25RB#0  | 20.38 | 18.36 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23095 | 25RB#12 | 20.40 | 18.38 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23095 | 25RB#24 | 20.40 | 18.38 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23095 | 50RB#0  | 20.49 | 18.47 | 34.77 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band12 | 10MHz | 64QAM | 23130 | 1RB#0   | 21.38 | 19.36 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23130 | 1RB#24  | 21.56 | 19.54 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23130 | 1RB#49  | 21.77 | 19.75 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23130 | 25RB#0  | 20.51 | 18.49 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23130 | 25RB#12 | 20.53 | 18.51 | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23130 | 25RB#24 | 20.52 | 18.5  | 34.77 | PASS |
| Band12 | 10MHz | 64QAM | 23130 | 50RB#0  | 20.50 | 18.48 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 1RB#0   | 23.58 | 21.56 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 1RB#12  | 23.57 | 21.55 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 1RB#24  | 23.66 | 21.64 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 12RB#0  | 22.47 | 20.45 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 12RB#6  | 22.47 | 20.45 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 12RB#11 | 22.47 | 20.45 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 25RB#0  | 22.51 | 20.49 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23790 | 1RB#0   | 23.64 | 21.62 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23790 | 1RB#12  | 23.70 | 21.68 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23790 | 1RB#24  | 23.77 | 21.75 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23790 | 12RB#0  | 22.51 | 20.49 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23790 | 12RB#6  | 22.55 | 20.53 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23790 | 12RB#11 | 22.55 | 20.53 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23790 | 25RB#0  | 22.50 | 20.48 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23825 | 1RB#0   | 23.81 | 21.79 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23825 | 1RB#12  | 23.80 | 21.78 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23825 | 1RB#24  | 23.93 | 21.91 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23825 | 12RB#0  | 22.68 | 20.66 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23825 | 12RB#6  | 22.69 | 20.67 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23825 | 12RB#11 | 22.67 | 20.65 | 34.77 | PASS |
| Band17 | 5MHz  | QPSK  | 23825 | 25RB#0  | 22.64 | 20.62 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23755 | 1RB#0   | 22.67 | 20.65 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23755 | 1RB#12  | 22.68 | 20.66 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23755 | 1RB#24  | 22.81 | 20.79 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23755 | 12RB#0  | 21.49 | 19.47 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23755 | 12RB#6  | 21.48 | 19.46 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23755 | 12RB#11 | 21.48 | 19.46 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23755 | 25RB#0  | 21.46 | 19.44 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23790 | 1RB#0   | 22.60 | 20.58 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23790 | 1RB#12  | 22.70 | 20.68 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23790 | 1RB#24  | 22.74 | 20.72 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23790 | 12RB#0  | 21.55 | 19.53 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23790 | 12RB#6  | 21.55 | 19.53 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23790 | 12RB#11 | 21.55 | 19.53 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23790 | 25RB#0  | 21.54 | 19.52 | 34.77 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band17 | 5MHz  | 16QAM | 23825 | 1RB#0   | 22.62 | 20.6  | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 1RB#12  | 22.63 | 20.61 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 1RB#24  | 22.72 | 20.7  | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 12RB#0  | 21.69 | 19.67 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 12RB#6  | 21.71 | 19.69 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 12RB#11 | 21.71 | 19.69 | 34.77 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 25RB#0  | 21.73 | 19.71 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23755 | 1RB#0   | 22.02 | 20    | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23755 | 1RB#12  | 21.99 | 19.97 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23755 | 1RB#24  | 22.11 | 20.09 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23755 | 12RB#0  | 20.56 | 18.54 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23755 | 12RB#6  | 20.56 | 18.54 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23755 | 12RB#11 | 20.57 | 18.55 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23755 | 25RB#0  | 20.48 | 18.46 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23790 | 1RB#0   | 21.89 | 19.87 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23790 | 1RB#12  | 21.93 | 19.91 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23790 | 1RB#24  | 21.95 | 19.93 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23790 | 12RB#0  | 20.60 | 18.58 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23790 | 12RB#6  | 20.63 | 18.61 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23790 | 12RB#11 | 20.61 | 18.59 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23790 | 25RB#0  | 20.57 | 18.55 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23825 | 1RB#0   | 21.66 | 19.64 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23825 | 1RB#12  | 21.67 | 19.65 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23825 | 1RB#24  | 21.81 | 19.79 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23825 | 12RB#0  | 20.72 | 18.7  | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23825 | 12RB#6  | 20.74 | 18.72 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23825 | 12RB#11 | 20.74 | 18.72 | 34.77 | PASS |
| Band17 | 5MHz  | 64QAM | 23825 | 25RB#0  | 20.70 | 18.68 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 1RB#0   | 23.46 | 21.44 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 1RB#24  | 23.54 | 21.52 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 1RB#49  | 23.70 | 21.68 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 25RB#0  | 22.42 | 20.4  | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 25RB#12 | 22.43 | 20.41 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 25RB#24 | 22.43 | 20.41 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0  | 22.48 | 20.46 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 1RB#0   | 23.42 | 21.4  | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 1RB#24  | 23.50 | 21.48 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 1RB#49  | 23.63 | 21.61 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 25RB#0  | 22.38 | 20.36 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 25RB#12 | 22.40 | 20.38 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 25RB#24 | 22.41 | 20.39 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0  | 22.46 | 20.44 | 34.77 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band17 | 10MHz | QPSK  | 23800 | 1RB#0   | 23.49 | 21.47 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 1RB#24  | 23.69 | 21.67 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 1RB#49  | 23.80 | 21.78 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 25RB#0  | 22.50 | 20.48 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 25RB#12 | 22.49 | 20.47 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 25RB#24 | 22.51 | 20.49 | 34.77 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0  | 22.55 | 20.53 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 1RB#0   | 22.70 | 20.68 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 1RB#24  | 22.79 | 20.77 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 1RB#49  | 22.95 | 20.93 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 25RB#0  | 21.44 | 19.42 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 25RB#12 | 21.41 | 19.39 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 25RB#24 | 21.44 | 19.42 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0  | 21.50 | 19.48 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 1RB#0   | 22.30 | 20.28 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 1RB#24  | 22.45 | 20.43 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 1RB#49  | 22.63 | 20.61 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 25RB#0  | 21.44 | 19.42 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 25RB#12 | 21.44 | 19.42 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 25RB#24 | 21.44 | 19.42 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0  | 21.43 | 19.41 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 1RB#0   | 22.65 | 20.63 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 1RB#24  | 22.79 | 20.77 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 1RB#49  | 22.95 | 20.93 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 25RB#0  | 21.48 | 19.46 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 25RB#12 | 21.48 | 19.46 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 25RB#24 | 21.45 | 19.43 | 34.77 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0  | 21.49 | 19.47 | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23780 | 1RB#0   | 21.56 | 19.54 | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23780 | 1RB#24  | 21.65 | 19.63 | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23780 | 1RB#49  | 21.85 | 19.83 | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23780 | 25RB#0  | 20.41 | 18.39 | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23780 | 25RB#12 | 20.46 | 18.44 | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23780 | 25RB#24 | 20.42 | 18.4  | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23780 | 50RB#0  | 20.49 | 18.47 | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23790 | 1RB#0   | 21.80 | 19.78 | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23790 | 1RB#24  | 21.91 | 19.89 | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23790 | 1RB#49  | 22.07 | 20.05 | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23790 | 25RB#0  | 20.38 | 18.36 | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23790 | 25RB#12 | 20.37 | 18.35 | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23790 | 25RB#24 | 20.38 | 18.36 | 34.77 | PASS |
| Band17 | 10MHz | 64QAM | 23790 | 50RB#0  | 20.47 | 18.45 | 34.77 | PASS |

|        |        |       |       |         |       |       |       |      |
|--------|--------|-------|-------|---------|-------|-------|-------|------|
| Band17 | 10MHz  | 64QAM | 23800 | 1RB#0   | 21.44 | 19.42 | 34.77 | PASS |
| Band17 | 10MHz  | 64QAM | 23800 | 1RB#24  | 21.59 | 19.57 | 34.77 | PASS |
| Band17 | 10MHz  | 64QAM | 23800 | 1RB#49  | 21.84 | 19.82 | 34.77 | PASS |
| Band17 | 10MHz  | 64QAM | 23800 | 25RB#0  | 20.52 | 18.5  | 34.77 | PASS |
| Band17 | 10MHz  | 64QAM | 23800 | 25RB#12 | 20.49 | 18.47 | 34.77 | PASS |
| Band17 | 10MHz  | 64QAM | 23800 | 25RB#24 | 20.52 | 18.5  | 34.77 | PASS |
| Band17 | 10MHz  | 64QAM | 23800 | 50RB#0  | 20.50 | 18.48 | 34.77 | PASS |
| Band25 | 1.4MHz | QPSK  | 26047 | 1RB#0   | 23.22 | 25.47 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26047 | 1RB#2   | 23.20 | 25.45 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26047 | 1RB#5   | 23.24 | 25.49 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26047 | 3RB#0   | 23.25 | 25.5  | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26047 | 3RB#1   | 23.25 | 25.5  | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26047 | 3RB#3   | 23.24 | 25.49 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26047 | 6RB#0   | 22.28 | 24.53 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26365 | 1RB#0   | 23.61 | 25.86 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26365 | 1RB#2   | 23.56 | 25.81 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26365 | 1RB#5   | 23.52 | 25.77 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26365 | 3RB#0   | 23.61 | 25.86 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26365 | 3RB#1   | 23.59 | 25.84 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26365 | 3RB#3   | 23.53 | 25.78 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26365 | 6RB#0   | 22.61 | 24.86 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26683 | 1RB#0   | 23.53 | 25.78 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26683 | 1RB#2   | 23.47 | 25.72 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26683 | 1RB#5   | 23.52 | 25.77 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26683 | 3RB#0   | 23.59 | 25.84 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26683 | 3RB#1   | 23.60 | 25.85 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26683 | 3RB#3   | 23.62 | 25.87 | 33.01 | PASS |
| Band25 | 1.4MHz | QPSK  | 26683 | 6RB#0   | 22.57 | 24.82 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26047 | 1RB#0   | 22.47 | 24.72 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26047 | 1RB#2   | 22.49 | 24.74 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26047 | 1RB#5   | 22.42 | 24.67 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26047 | 3RB#0   | 22.20 | 24.45 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26047 | 3RB#1   | 22.21 | 24.46 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26047 | 3RB#3   | 22.16 | 24.41 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26047 | 6RB#0   | 21.30 | 23.55 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26365 | 1RB#0   | 22.80 | 25.05 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26365 | 1RB#2   | 22.81 | 25.06 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26365 | 1RB#5   | 22.75 | 25    | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26365 | 3RB#0   | 22.51 | 24.76 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26365 | 3RB#1   | 22.50 | 24.75 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26365 | 3RB#3   | 22.42 | 24.67 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26365 | 6RB#0   | 21.63 | 23.88 | 33.01 | PASS |

|        |        |       |       |        |       |       |       |      |
|--------|--------|-------|-------|--------|-------|-------|-------|------|
| Band25 | 1.4MHz | 16QAM | 26683 | 1RB#0  | 22.74 | 24.99 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26683 | 1RB#2  | 22.78 | 25.03 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26683 | 1RB#5  | 22.73 | 24.98 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26683 | 3RB#0  | 22.52 | 24.77 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26683 | 3RB#1  | 22.53 | 24.78 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26683 | 3RB#3  | 22.49 | 24.74 | 33.01 | PASS |
| Band25 | 1.4MHz | 16QAM | 26683 | 6RB#0  | 21.40 | 23.65 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26047 | 1RB#0  | 21.70 | 23.95 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26047 | 1RB#2  | 21.70 | 23.95 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26047 | 1RB#5  | 21.69 | 23.94 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26047 | 3RB#0  | 21.29 | 23.54 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26047 | 3RB#1  | 21.30 | 23.55 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26047 | 3RB#3  | 21.31 | 23.56 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26047 | 6RB#0  | 20.13 | 22.38 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26365 | 1RB#0  | 22.05 | 24.3  | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26365 | 1RB#2  | 22.04 | 24.29 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26365 | 1RB#5  | 21.99 | 24.24 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26365 | 3RB#0  | 21.62 | 23.87 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26365 | 3RB#1  | 21.61 | 23.86 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26365 | 3RB#3  | 21.59 | 23.84 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26365 | 6RB#0  | 20.42 | 22.67 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26683 | 1RB#0  | 21.60 | 23.85 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26683 | 1RB#2  | 21.58 | 23.83 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26683 | 1RB#5  | 21.58 | 23.83 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26683 | 3RB#0  | 21.37 | 23.62 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26683 | 3RB#1  | 21.38 | 23.63 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26683 | 3RB#3  | 21.33 | 23.58 | 33.01 | PASS |
| Band25 | 1.4MHz | 64QAM | 26683 | 6RB#0  | 20.33 | 22.58 | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26055 | 1RB#0  | 23.20 | 25.45 | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26055 | 1RB#8  | 23.24 | 25.49 | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26055 | 1RB#14 | 23.22 | 25.47 | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26055 | 8RB#0  | 22.26 | 24.51 | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26055 | 8RB#4  | 22.23 | 24.48 | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26055 | 8RB#7  | 22.24 | 24.49 | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26055 | 15RB#0 | 22.22 | 24.47 | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26365 | 1RB#0  | 23.58 | 25.83 | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26365 | 1RB#8  | 23.51 | 25.76 | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26365 | 1RB#14 | 23.45 | 25.7  | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26365 | 8RB#0  | 22.56 | 24.81 | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26365 | 8RB#4  | 22.55 | 24.8  | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26365 | 8RB#7  | 22.51 | 24.76 | 33.01 | PASS |
| Band25 | 3MHz   | QPSK  | 26365 | 15RB#0 | 22.51 | 24.76 | 33.01 | PASS |

|        |      |       |       |        |       |       |       |      |
|--------|------|-------|-------|--------|-------|-------|-------|------|
| Band25 | 3MHz | QPSK  | 26675 | 1RB#0  | 23.53 | 25.78 | 33.01 | PASS |
| Band25 | 3MHz | QPSK  | 26675 | 1RB#8  | 23.52 | 25.77 | 33.01 | PASS |
| Band25 | 3MHz | QPSK  | 26675 | 1RB#14 | 23.51 | 25.76 | 33.01 | PASS |
| Band25 | 3MHz | QPSK  | 26675 | 8RB#0  | 22.60 | 24.85 | 33.01 | PASS |
| Band25 | 3MHz | QPSK  | 26675 | 8RB#4  | 22.59 | 24.84 | 33.01 | PASS |
| Band25 | 3MHz | QPSK  | 26675 | 8RB#7  | 22.56 | 24.81 | 33.01 | PASS |
| Band25 | 3MHz | QPSK  | 26675 | 15RB#0 | 22.56 | 24.81 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26055 | 1RB#0  | 22.51 | 24.76 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26055 | 1RB#8  | 22.46 | 24.71 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26055 | 1RB#14 | 22.40 | 24.65 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26055 | 8RB#0  | 21.27 | 23.52 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26055 | 8RB#4  | 21.28 | 23.53 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26055 | 8RB#7  | 21.27 | 23.52 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26055 | 15RB#0 | 21.18 | 23.43 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26365 | 1RB#0  | 22.74 | 24.99 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26365 | 1RB#8  | 22.68 | 24.93 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26365 | 1RB#14 | 22.61 | 24.86 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26365 | 8RB#0  | 21.62 | 23.87 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26365 | 8RB#4  | 21.60 | 23.85 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26365 | 8RB#7  | 21.57 | 23.82 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26365 | 15RB#0 | 21.51 | 23.76 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26675 | 1RB#0  | 22.81 | 25.06 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26675 | 1RB#8  | 22.75 | 25    | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26675 | 1RB#14 | 22.72 | 24.97 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26675 | 8RB#0  | 21.60 | 23.85 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26675 | 8RB#4  | 21.57 | 23.82 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26675 | 8RB#7  | 21.59 | 23.84 | 33.01 | PASS |
| Band25 | 3MHz | 16QAM | 26675 | 15RB#0 | 21.51 | 23.76 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26055 | 1RB#0  | 21.31 | 23.56 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26055 | 1RB#8  | 21.31 | 23.56 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26055 | 1RB#14 | 21.34 | 23.59 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26055 | 8RB#0  | 20.25 | 22.5  | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26055 | 8RB#4  | 20.25 | 22.5  | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26055 | 8RB#7  | 20.23 | 22.48 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26055 | 15RB#0 | 20.18 | 22.43 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26365 | 1RB#0  | 21.46 | 23.71 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26365 | 1RB#8  | 21.45 | 23.7  | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26365 | 1RB#14 | 21.40 | 23.65 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26365 | 8RB#0  | 20.54 | 22.79 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26365 | 8RB#4  | 20.56 | 22.81 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26365 | 8RB#7  | 20.47 | 22.72 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26365 | 15RB#0 | 20.61 | 22.86 | 33.01 | PASS |

|        |      |       |       |         |       |       |       |      |
|--------|------|-------|-------|---------|-------|-------|-------|------|
| Band25 | 3MHz | 64QAM | 26675 | 1RB#0   | 21.58 | 23.83 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26675 | 1RB#8   | 21.60 | 23.85 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26675 | 1RB#14  | 21.56 | 23.81 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26675 | 8RB#0   | 20.62 | 22.87 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26675 | 8RB#4   | 20.63 | 22.88 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26675 | 8RB#7   | 20.54 | 22.79 | 33.01 | PASS |
| Band25 | 3MHz | 64QAM | 26675 | 15RB#0  | 20.51 | 22.76 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26065 | 1RB#0   | 23.39 | 25.64 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26065 | 1RB#12  | 23.41 | 25.66 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26065 | 1RB#24  | 23.38 | 25.63 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26065 | 12RB#0  | 22.29 | 24.54 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26065 | 12RB#6  | 22.27 | 24.52 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26065 | 12RB#13 | 22.25 | 24.5  | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26065 | 25RB#0  | 22.27 | 24.52 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26365 | 1RB#0   | 23.78 | 26.03 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26365 | 1RB#12  | 23.72 | 25.97 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26365 | 1RB#24  | 23.68 | 25.93 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26365 | 12RB#0  | 22.63 | 24.88 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26365 | 12RB#6  | 22.59 | 24.84 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26365 | 12RB#13 | 22.57 | 24.82 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26365 | 25RB#0  | 22.61 | 24.86 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26665 | 1RB#0   | 23.71 | 25.96 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26665 | 1RB#12  | 23.73 | 25.98 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26665 | 1RB#24  | 23.69 | 25.94 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26665 | 12RB#0  | 22.65 | 24.9  | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26665 | 12RB#6  | 22.65 | 24.9  | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26665 | 12RB#13 | 22.46 | 24.71 | 33.01 | PASS |
| Band25 | 5MHz | QPSK  | 26665 | 25RB#0  | 22.55 | 24.8  | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26065 | 1RB#0   | 22.50 | 24.75 | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26065 | 1RB#12  | 22.54 | 24.79 | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26065 | 1RB#24  | 22.55 | 24.8  | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26065 | 12RB#0  | 21.32 | 23.57 | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26065 | 12RB#6  | 21.32 | 23.57 | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26065 | 12RB#13 | 21.28 | 23.53 | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26065 | 25RB#0  | 21.27 | 23.52 | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26365 | 1RB#0   | 22.67 | 24.92 | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26365 | 1RB#12  | 22.62 | 24.87 | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26365 | 1RB#24  | 22.53 | 24.78 | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26365 | 12RB#0  | 21.60 | 23.85 | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26365 | 12RB#6  | 21.60 | 23.85 | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26365 | 12RB#13 | 21.51 | 23.76 | 33.01 | PASS |
| Band25 | 5MHz | 16QAM | 26365 | 25RB#0  | 21.59 | 23.84 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band25 | 5MHz  | 16QAM | 26665 | 1RB#0   | 22.83 | 25.08 | 33.01 | PASS |
| Band25 | 5MHz  | 16QAM | 26665 | 1RB#12  | 22.84 | 25.09 | 33.01 | PASS |
| Band25 | 5MHz  | 16QAM | 26665 | 1RB#24  | 22.82 | 25.07 | 33.01 | PASS |
| Band25 | 5MHz  | 16QAM | 26665 | 12RB#0  | 21.69 | 23.94 | 33.01 | PASS |
| Band25 | 5MHz  | 16QAM | 26665 | 12RB#6  | 21.65 | 23.9  | 33.01 | PASS |
| Band25 | 5MHz  | 16QAM | 26665 | 12RB#13 | 21.47 | 23.72 | 33.01 | PASS |
| Band25 | 5MHz  | 16QAM | 26665 | 25RB#0  | 21.53 | 23.78 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26065 | 1RB#0   | 21.86 | 24.11 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26065 | 1RB#12  | 21.88 | 24.13 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26065 | 1RB#24  | 21.88 | 24.13 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26065 | 12RB#0  | 20.29 | 22.54 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26065 | 12RB#6  | 20.30 | 22.55 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26065 | 12RB#13 | 20.25 | 22.5  | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26065 | 25RB#0  | 20.21 | 22.46 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26365 | 1RB#0   | 21.61 | 23.86 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26365 | 1RB#12  | 21.55 | 23.8  | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26365 | 1RB#24  | 21.54 | 23.79 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26365 | 12RB#0  | 20.57 | 22.82 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26365 | 12RB#6  | 20.57 | 22.82 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26365 | 12RB#13 | 20.51 | 22.76 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26365 | 25RB#0  | 20.55 | 22.8  | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26665 | 1RB#0   | 22.20 | 24.45 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26665 | 1RB#12  | 22.20 | 24.45 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26665 | 1RB#24  | 22.15 | 24.4  | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26665 | 12RB#0  | 20.69 | 22.94 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26665 | 12RB#6  | 20.66 | 22.91 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26665 | 12RB#13 | 20.49 | 22.74 | 33.01 | PASS |
| Band25 | 5MHz  | 64QAM | 26665 | 25RB#0  | 20.56 | 22.81 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26090 | 1RB#0   | 23.20 | 25.45 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26090 | 1RB#24  | 23.27 | 25.52 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26090 | 1RB#49  | 23.33 | 25.58 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26090 | 25RB#0  | 22.23 | 24.48 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26090 | 25RB#12 | 22.23 | 24.48 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26090 | 25RB#25 | 22.30 | 24.55 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26090 | 50RB#0  | 22.33 | 24.58 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26365 | 1RB#0   | 23.64 | 25.89 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26365 | 1RB#24  | 23.58 | 25.83 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26365 | 1RB#49  | 23.45 | 25.7  | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26365 | 25RB#0  | 22.59 | 24.84 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26365 | 25RB#12 | 22.60 | 24.85 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26365 | 25RB#25 | 22.54 | 24.79 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26365 | 50RB#0  | 22.60 | 24.85 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band25 | 10MHz | QPSK  | 26640 | 1RB#0   | 23.54 | 25.79 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26640 | 1RB#24  | 23.61 | 25.86 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26640 | 1RB#49  | 23.52 | 25.77 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26640 | 25RB#0  | 22.55 | 24.8  | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26640 | 25RB#12 | 22.54 | 24.79 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26640 | 25RB#25 | 22.46 | 24.71 | 33.01 | PASS |
| Band25 | 10MHz | QPSK  | 26640 | 50RB#0  | 22.54 | 24.79 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26090 | 1RB#0   | 22.12 | 24.37 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26090 | 1RB#24  | 22.17 | 24.42 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26090 | 1RB#49  | 22.25 | 24.5  | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26090 | 25RB#0  | 21.26 | 23.51 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26090 | 25RB#12 | 21.27 | 23.52 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26090 | 25RB#25 | 21.29 | 23.54 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26090 | 50RB#0  | 21.30 | 23.55 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26365 | 1RB#0   | 22.76 | 25.01 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26365 | 1RB#24  | 22.72 | 24.97 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26365 | 1RB#49  | 22.60 | 24.85 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26365 | 25RB#0  | 21.58 | 23.83 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26365 | 25RB#12 | 21.58 | 23.83 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26365 | 25RB#25 | 21.53 | 23.78 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26365 | 50RB#0  | 21.57 | 23.82 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26640 | 1RB#0   | 22.77 | 25.02 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26640 | 1RB#24  | 22.84 | 25.09 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26640 | 1RB#49  | 22.70 | 24.95 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26640 | 25RB#0  | 21.58 | 23.83 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26640 | 25RB#12 | 21.56 | 23.81 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26640 | 25RB#25 | 21.47 | 23.72 | 33.01 | PASS |
| Band25 | 10MHz | 16QAM | 26640 | 50RB#0  | 21.52 | 23.77 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26090 | 1RB#0   | 21.47 | 23.72 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26090 | 1RB#24  | 21.53 | 23.78 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26090 | 1RB#49  | 21.52 | 23.77 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26090 | 25RB#0  | 20.16 | 22.41 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26090 | 25RB#12 | 20.16 | 22.41 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26090 | 25RB#25 | 20.23 | 22.48 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26090 | 50RB#0  | 20.24 | 22.49 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26365 | 1RB#0   | 21.50 | 23.75 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26365 | 1RB#24  | 21.49 | 23.74 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26365 | 1RB#49  | 21.38 | 23.63 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26365 | 25RB#0  | 20.55 | 22.8  | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26365 | 25RB#12 | 20.55 | 22.8  | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26365 | 25RB#25 | 20.50 | 22.75 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26365 | 50RB#0  | 20.50 | 22.75 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band25 | 10MHz | 64QAM | 26640 | 1RB#0   | 21.57 | 23.82 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26640 | 1RB#24  | 21.69 | 23.94 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26640 | 1RB#49  | 21.58 | 23.83 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26640 | 25RB#0  | 20.48 | 22.73 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26640 | 25RB#12 | 20.49 | 22.74 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26640 | 25RB#25 | 20.42 | 22.67 | 33.01 | PASS |
| Band25 | 10MHz | 64QAM | 26640 | 50RB#0  | 20.49 | 22.74 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26115 | 1RB#0   | 23.14 | 25.39 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26115 | 1RB#38  | 23.32 | 25.57 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26115 | 1RB#74  | 23.37 | 25.62 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26115 | 38RB#0  | 21.41 | 23.66 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26115 | 38RB#18 | 21.58 | 23.83 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26115 | 38RB#37 | 21.66 | 23.91 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26115 | 75RB#0  | 22.34 | 24.59 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26365 | 1RB#0   | 23.67 | 25.92 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26365 | 1RB#38  | 23.60 | 25.85 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26365 | 1RB#74  | 23.43 | 25.68 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26365 | 38RB#0  | 21.57 | 23.82 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26365 | 38RB#18 | 21.50 | 23.75 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26365 | 38RB#37 | 21.33 | 23.58 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26365 | 75RB#0  | 22.54 | 24.79 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26615 | 1RB#0   | 23.45 | 25.7  | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26615 | 1RB#38  | 23.60 | 25.85 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26615 | 1RB#74  | 23.48 | 25.73 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26615 | 38RB#0  | 21.70 | 23.95 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26615 | 38RB#18 | 21.85 | 24.1  | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26615 | 38RB#37 | 21.71 | 23.96 | 33.01 | PASS |
| Band25 | 15MHz | QPSK  | 26615 | 75RB#0  | 22.61 | 24.86 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26115 | 1RB#0   | 22.50 | 24.75 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26115 | 1RB#38  | 22.68 | 24.93 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26115 | 1RB#74  | 22.72 | 24.97 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26115 | 38RB#0  | 21.44 | 23.69 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26115 | 38RB#18 | 21.59 | 23.84 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26115 | 38RB#37 | 21.62 | 23.87 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26115 | 75RB#0  | 21.34 | 23.59 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26365 | 1RB#0   | 22.84 | 25.09 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26365 | 1RB#38  | 22.76 | 25.01 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26365 | 1RB#74  | 22.62 | 24.87 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26365 | 38RB#0  | 21.56 | 23.81 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26365 | 38RB#18 | 21.50 | 23.75 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26365 | 38RB#37 | 21.35 | 23.6  | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26365 | 75RB#0  | 21.47 | 23.72 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band25 | 15MHz | 16QAM | 26615 | 1RB#0   | 22.75 | 25    | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26615 | 1RB#38  | 22.94 | 25.19 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26615 | 1RB#74  | 22.86 | 25.11 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26615 | 38RB#0  | 21.72 | 23.97 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26615 | 38RB#18 | 21.84 | 24.09 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26615 | 38RB#37 | 21.73 | 23.98 | 33.01 | PASS |
| Band25 | 15MHz | 16QAM | 26615 | 75RB#0  | 21.59 | 23.84 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26115 | 1RB#0   | 21.39 | 23.64 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26115 | 1RB#38  | 21.58 | 23.83 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26115 | 1RB#74  | 21.66 | 23.91 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26115 | 38RB#0  | 21.41 | 23.66 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26115 | 38RB#18 | 21.58 | 23.83 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26115 | 38RB#37 | 21.66 | 23.91 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26115 | 75RB#0  | 20.30 | 22.55 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26365 | 1RB#0   | 21.58 | 23.83 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26365 | 1RB#38  | 21.49 | 23.74 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26365 | 1RB#74  | 21.31 | 23.56 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26365 | 38RB#0  | 21.53 | 23.78 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26365 | 38RB#18 | 21.50 | 23.75 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26365 | 38RB#37 | 21.34 | 23.59 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26365 | 75RB#0  | 20.52 | 22.77 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26615 | 1RB#0   | 21.70 | 23.95 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26615 | 1RB#38  | 21.85 | 24.1  | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26615 | 1RB#74  | 21.75 | 24    | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26615 | 38RB#0  | 21.71 | 23.96 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26615 | 38RB#18 | 21.84 | 24.09 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26615 | 38RB#37 | 21.74 | 23.99 | 33.01 | PASS |
| Band25 | 15MHz | 64QAM | 26615 | 75RB#0  | 20.56 | 22.81 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26140 | 1RB#0   | 23.16 | 25.41 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26140 | 1RB#49  | 23.40 | 25.65 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26140 | 1RB#99  | 23.55 | 25.8  | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26140 | 50RB#0  | 22.32 | 24.57 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26140 | 50RB#25 | 22.35 | 24.6  | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26140 | 50RB#50 | 22.42 | 24.67 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26140 | 100RB#0 | 22.36 | 24.61 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26365 | 1RB#0   | 23.82 | 26.07 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26365 | 1RB#49  | 23.72 | 25.97 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26365 | 1RB#99  | 23.56 | 25.81 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26365 | 50RB#0  | 22.60 | 24.85 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26365 | 50RB#25 | 22.63 | 24.88 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26365 | 50RB#50 | 22.61 | 24.86 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26365 | 100RB#0 | 22.54 | 24.79 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band25 | 20MHz | QPSK  | 26590 | 1RB#0   | 23.47 | 25.72 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26590 | 1RB#49  | 23.69 | 25.94 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26590 | 1RB#99  | 23.54 | 25.79 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26590 | 50RB#0  | 22.71 | 24.96 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26590 | 50RB#25 | 22.72 | 24.97 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26590 | 50RB#50 | 22.66 | 24.91 | 33.01 | PASS |
| Band25 | 20MHz | QPSK  | 26590 | 100RB#0 | 22.71 | 24.96 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26140 | 1RB#0   | 22.44 | 24.69 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26140 | 1RB#49  | 22.64 | 24.89 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26140 | 1RB#99  | 22.75 | 25    | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26140 | 50RB#0  | 21.33 | 23.58 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26140 | 50RB#25 | 21.32 | 23.57 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26140 | 50RB#50 | 21.40 | 23.65 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26140 | 100RB#0 | 21.32 | 23.57 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26365 | 1RB#0   | 22.79 | 25.04 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26365 | 1RB#49  | 22.76 | 25.01 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26365 | 1RB#99  | 22.57 | 24.82 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26365 | 50RB#0  | 21.59 | 23.84 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26365 | 50RB#25 | 21.56 | 23.81 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26365 | 50RB#50 | 21.55 | 23.8  | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26365 | 100RB#0 | 21.52 | 23.77 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26590 | 1RB#0   | 22.66 | 24.91 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26590 | 1RB#49  | 22.98 | 25.23 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26590 | 1RB#99  | 22.88 | 25.13 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26590 | 50RB#0  | 21.73 | 23.98 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26590 | 50RB#25 | 21.72 | 23.97 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26590 | 50RB#50 | 21.67 | 23.92 | 33.01 | PASS |
| Band25 | 20MHz | 16QAM | 26590 | 100RB#0 | 21.66 | 23.91 | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26140 | 1RB#0   | 21.54 | 23.79 | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26140 | 1RB#49  | 21.78 | 24.03 | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26140 | 1RB#99  | 21.85 | 24.1  | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26140 | 50RB#0  | 20.32 | 22.57 | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26140 | 50RB#25 | 20.32 | 22.57 | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26140 | 50RB#50 | 20.37 | 22.62 | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26140 | 100RB#0 | 20.36 | 22.61 | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26365 | 1RB#0   | 22.12 | 24.37 | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26365 | 1RB#49  | 22.01 | 24.26 | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26365 | 1RB#99  | 21.87 | 24.12 | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26365 | 50RB#0  | 20.54 | 22.79 | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26365 | 50RB#25 | 20.57 | 22.82 | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26365 | 50RB#50 | 20.53 | 22.78 | 33.01 | PASS |
| Band25 | 20MHz | 64QAM | 26365 | 100RB#0 | 20.48 | 22.73 | 33.01 | PASS |

|        |        |       |       |         |       |       |       |      |
|--------|--------|-------|-------|---------|-------|-------|-------|------|
| Band25 | 20MHz  | 64QAM | 26590 | 1RB#0   | 21.78 | 24.03 | 33.01 | PASS |
| Band25 | 20MHz  | 64QAM | 26590 | 1RB#49  | 22.02 | 24.27 | 33.01 | PASS |
| Band25 | 20MHz  | 64QAM | 26590 | 1RB#99  | 21.90 | 24.15 | 33.01 | PASS |
| Band25 | 20MHz  | 64QAM | 26590 | 50RB#0  | 20.72 | 22.97 | 33.01 | PASS |
| Band25 | 20MHz  | 64QAM | 26590 | 50RB#25 | 20.72 | 22.97 | 33.01 | PASS |
| Band25 | 20MHz  | 64QAM | 26590 | 50RB#50 | 20.66 | 22.91 | 33.01 | PASS |
| Band25 | 20MHz  | 64QAM | 26590 | 100RB#0 | 20.66 | 22.91 | 33.01 | PASS |
| Band26 | 1.4MHz | QPSK  | 26697 | 1RB#0   | 23.66 | 21.37 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26697 | 1RB#2   | 23.62 | 21.33 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26697 | 1RB#5   | 23.67 | 21.38 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26697 | 3RB#0   | 23.77 | 21.48 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26697 | 3RB#1   | 23.76 | 21.47 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26697 | 3RB#2   | 23.74 | 21.45 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26697 | 6RB#0   | 22.69 | 20.4  | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26740 | 1RB#0   | 23.62 | 21.33 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26740 | 1RB#2   | 23.61 | 21.32 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26740 | 1RB#5   | 23.66 | 21.37 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26740 | 3RB#0   | 23.54 | 21.25 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26740 | 3RB#1   | 23.55 | 21.26 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26740 | 3RB#2   | 23.55 | 21.26 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26740 | 6RB#0   | 22.67 | 20.38 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26783 | 1RB#0   | 23.60 | 21.31 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26783 | 1RB#2   | 23.60 | 21.31 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26783 | 1RB#5   | 23.64 | 21.35 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26783 | 3RB#0   | 23.65 | 21.36 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26783 | 3RB#1   | 23.67 | 21.38 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26783 | 3RB#2   | 23.64 | 21.35 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26783 | 6RB#0   | 22.67 | 20.38 | 50.00 | PASS |
| Band26 | 1.4MHz | QPSK  | 26797 | 1RB#0   | 23.53 | 21.24 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 26797 | 1RB#2   | 23.53 | 21.24 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 26797 | 1RB#5   | 23.53 | 21.24 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 26797 | 3RB#0   | 23.57 | 21.28 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 26797 | 3RB#1   | 23.55 | 21.26 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 26797 | 3RB#3   | 23.56 | 21.27 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 26797 | 6RB#0   | 22.63 | 20.34 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 26915 | 1RB#0   | 23.95 | 21.66 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 26915 | 1RB#2   | 23.93 | 21.64 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 26915 | 1RB#5   | 23.98 | 21.69 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 26915 | 3RB#0   | 24.01 | 21.72 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 26915 | 3RB#1   | 24.01 | 21.72 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 26915 | 3RB#3   | 24.03 | 21.74 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 26915 | 6RB#0   | 23.00 | 20.71 | 38.45 | PASS |

|        |        |       |       |       |       |       |       |      |
|--------|--------|-------|-------|-------|-------|-------|-------|------|
| Band26 | 1.4MHz | QPSK  | 27033 | 1RB#0 | 23.70 | 21.41 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 27033 | 1RB#2 | 23.71 | 21.42 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 27033 | 1RB#5 | 23.64 | 21.35 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 27033 | 3RB#0 | 23.68 | 21.39 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 27033 | 3RB#1 | 23.70 | 21.41 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 27033 | 3RB#3 | 23.67 | 21.38 | 38.45 | PASS |
| Band26 | 1.4MHz | QPSK  | 27033 | 6RB#0 | 22.76 | 20.47 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26697 | 1RB#0 | 22.87 | 20.58 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26697 | 1RB#2 | 22.94 | 20.65 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26697 | 1RB#5 | 22.88 | 20.59 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26697 | 3RB#0 | 22.68 | 20.39 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26697 | 3RB#1 | 22.66 | 20.37 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26697 | 3RB#2 | 22.66 | 20.37 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26697 | 6RB#0 | 21.53 | 19.24 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26740 | 1RB#0 | 22.52 | 20.23 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26740 | 1RB#2 | 22.56 | 20.27 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26740 | 1RB#5 | 22.57 | 20.28 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26740 | 3RB#0 | 22.59 | 20.3  | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26740 | 3RB#1 | 22.59 | 20.3  | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26740 | 3RB#2 | 22.59 | 20.3  | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26740 | 6RB#0 | 21.66 | 19.37 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26783 | 1RB#0 | 22.83 | 20.54 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26783 | 1RB#2 | 22.93 | 20.64 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26783 | 1RB#5 | 22.87 | 20.58 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26783 | 3RB#0 | 22.56 | 20.27 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26783 | 3RB#1 | 22.56 | 20.27 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26783 | 3RB#2 | 22.58 | 20.29 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26783 | 6RB#0 | 21.48 | 19.19 | 50.00 | PASS |
| Band26 | 1.4MHz | 16QAM | 26797 | 1RB#0 | 22.76 | 20.47 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26797 | 1RB#2 | 22.85 | 20.56 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26797 | 1RB#5 | 22.73 | 20.44 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26797 | 3RB#0 | 22.54 | 20.25 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26797 | 3RB#1 | 22.55 | 20.26 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26797 | 3RB#3 | 22.49 | 20.2  | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26797 | 6RB#0 | 21.66 | 19.37 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26915 | 1RB#0 | 23.18 | 20.89 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26915 | 1RB#2 | 23.21 | 20.92 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26915 | 1RB#5 | 23.21 | 20.92 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26915 | 3RB#0 | 22.92 | 20.63 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26915 | 3RB#1 | 22.91 | 20.62 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26915 | 3RB#3 | 22.88 | 20.59 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 26915 | 6RB#0 | 21.81 | 19.52 | 38.45 | PASS |

|        |        |       |       |       |       |       |       |      |
|--------|--------|-------|-------|-------|-------|-------|-------|------|
| Band26 | 1.4MHz | 16QAM | 27033 | 1RB#0 | 22.70 | 20.41 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 27033 | 1RB#2 | 22.66 | 20.37 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 27033 | 1RB#5 | 22.59 | 20.3  | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 27033 | 3RB#0 | 22.76 | 20.47 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 27033 | 3RB#1 | 22.75 | 20.46 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 27033 | 3RB#3 | 22.68 | 20.39 | 38.45 | PASS |
| Band26 | 1.4MHz | 16QAM | 27033 | 6RB#0 | 21.83 | 19.54 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26697 | 1RB#0 | 21.73 | 19.44 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26697 | 1RB#2 | 21.71 | 19.42 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26697 | 1RB#5 | 21.71 | 19.42 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26697 | 3RB#0 | 21.54 | 19.25 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26697 | 3RB#1 | 21.52 | 19.23 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26697 | 3RB#2 | 21.50 | 19.21 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26697 | 6RB#0 | 20.43 | 18.14 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26740 | 1RB#0 | 21.91 | 19.62 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26740 | 1RB#2 | 21.93 | 19.64 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26740 | 1RB#5 | 21.93 | 19.64 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26740 | 3RB#0 | 21.65 | 19.36 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26740 | 3RB#1 | 21.66 | 19.37 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26740 | 3RB#2 | 21.67 | 19.38 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26740 | 6RB#0 | 20.56 | 18.27 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26783 | 1RB#0 | 21.66 | 19.37 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26783 | 1RB#2 | 21.71 | 19.42 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26783 | 1RB#5 | 21.68 | 19.39 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26783 | 3RB#0 | 21.40 | 19.11 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26783 | 3RB#1 | 21.44 | 19.15 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26783 | 3RB#2 | 21.43 | 19.14 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26783 | 6RB#0 | 20.43 | 18.14 | 50.00 | PASS |
| Band26 | 1.4MHz | 64QAM | 26797 | 1RB#0 | 22.02 | 19.73 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26797 | 1RB#2 | 22.02 | 19.73 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26797 | 1RB#5 | 21.99 | 19.7  | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26797 | 3RB#0 | 21.58 | 19.29 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26797 | 3RB#1 | 21.58 | 19.29 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26797 | 3RB#3 | 21.56 | 19.27 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26797 | 6RB#0 | 20.39 | 18.1  | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26915 | 1RB#0 | 22.01 | 19.72 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26915 | 1RB#2 | 21.99 | 19.7  | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26915 | 1RB#5 | 22.04 | 19.75 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26915 | 3RB#0 | 21.75 | 19.46 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26915 | 3RB#1 | 21.80 | 19.51 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26915 | 3RB#3 | 21.73 | 19.44 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 26915 | 6RB#0 | 20.76 | 18.47 | 38.45 | PASS |

|        |        |       |       |        |       |       |       |      |
|--------|--------|-------|-------|--------|-------|-------|-------|------|
| Band26 | 1.4MHz | 64QAM | 27033 | 1RB#0  | 22.08 | 19.79 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 27033 | 1RB#2  | 22.12 | 19.83 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 27033 | 1RB#5  | 22.02 | 19.73 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 27033 | 3RB#0  | 21.84 | 19.55 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 27033 | 3RB#1  | 21.82 | 19.53 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 27033 | 3RB#3  | 21.81 | 19.52 | 38.45 | PASS |
| Band26 | 1.4MHz | 64QAM | 27033 | 6RB#0  | 20.70 | 18.41 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26705 | 1RB#0  | 23.65 | 21.36 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26705 | 1RB#7  | 23.63 | 21.34 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26705 | 1RB#14 | 23.58 | 21.29 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26705 | 8RB#0  | 22.69 | 20.4  | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26705 | 8RB#4  | 22.67 | 20.38 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26705 | 8RB#7  | 22.63 | 20.34 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26705 | 15RB#0 | 22.66 | 20.37 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26740 | 1RB#0  | 23.60 | 21.31 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26740 | 1RB#7  | 23.61 | 21.32 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26740 | 1RB#14 | 23.63 | 21.34 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26740 | 8RB#0  | 22.61 | 20.32 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26740 | 8RB#4  | 22.63 | 20.34 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26740 | 8RB#7  | 22.64 | 20.35 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26740 | 15RB#0 | 22.61 | 20.32 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26775 | 1RB#0  | 23.62 | 21.33 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26775 | 1RB#7  | 23.65 | 21.36 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26775 | 1RB#14 | 23.67 | 21.38 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26775 | 8RB#0  | 22.58 | 20.29 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26775 | 8RB#4  | 22.61 | 20.32 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26775 | 8RB#7  | 22.61 | 20.32 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26775 | 15RB#0 | 22.61 | 20.32 | 50.00 | PASS |
| Band26 | 3MHz   | QPSK  | 26805 | 1RB#0  | 23.55 | 21.26 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26805 | 1RB#8  | 23.58 | 21.29 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26805 | 1RB#14 | 23.57 | 21.28 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26805 | 8RB#0  | 22.62 | 20.33 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26805 | 8RB#4  | 22.61 | 20.32 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26805 | 8RB#7  | 22.55 | 20.26 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26805 | 15RB#0 | 22.60 | 20.31 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26915 | 1RB#0  | 23.91 | 21.62 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26915 | 1RB#8  | 23.93 | 21.64 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26915 | 1RB#14 | 23.94 | 21.65 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26915 | 8RB#0  | 22.94 | 20.65 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26915 | 8RB#4  | 22.92 | 20.63 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26915 | 8RB#7  | 22.93 | 20.64 | 38.45 | PASS |
| Band26 | 3MHz   | QPSK  | 26915 | 15RB#0 | 22.93 | 20.64 | 38.45 | PASS |

|        |      |       |       |        |       |       |       |      |
|--------|------|-------|-------|--------|-------|-------|-------|------|
| Band26 | 3MHz | QPSK  | 27025 | 1RB#0  | 23.89 | 21.6  | 38.45 | PASS |
| Band26 | 3MHz | QPSK  | 27025 | 1RB#8  | 23.77 | 21.48 | 38.45 | PASS |
| Band26 | 3MHz | QPSK  | 27025 | 1RB#14 | 23.68 | 21.39 | 38.45 | PASS |
| Band26 | 3MHz | QPSK  | 27025 | 8RB#0  | 22.77 | 20.48 | 38.45 | PASS |
| Band26 | 3MHz | QPSK  | 27025 | 8RB#4  | 22.79 | 20.5  | 38.45 | PASS |
| Band26 | 3MHz | QPSK  | 27025 | 8RB#7  | 22.72 | 20.43 | 38.45 | PASS |
| Band26 | 3MHz | QPSK  | 27025 | 15RB#0 | 22.74 | 20.45 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26705 | 1RB#0  | 22.93 | 20.64 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26705 | 1RB#7  | 22.83 | 20.54 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26705 | 1RB#14 | 22.79 | 20.5  | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26705 | 8RB#0  | 21.70 | 19.41 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26705 | 8RB#4  | 21.71 | 19.42 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26705 | 8RB#7  | 21.67 | 19.38 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26705 | 15RB#0 | 21.60 | 19.31 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26740 | 1RB#0  | 22.52 | 20.23 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26740 | 1RB#7  | 22.49 | 20.2  | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26740 | 1RB#14 | 22.53 | 20.24 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26740 | 8RB#0  | 21.62 | 19.33 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26740 | 8RB#4  | 21.62 | 19.33 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26740 | 8RB#7  | 21.65 | 19.36 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26740 | 15RB#0 | 21.52 | 19.23 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26775 | 1RB#0  | 22.77 | 20.48 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26775 | 1RB#7  | 22.76 | 20.47 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26775 | 1RB#14 | 22.84 | 20.55 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26775 | 8RB#0  | 21.68 | 19.39 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26775 | 8RB#4  | 21.68 | 19.39 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26775 | 8RB#7  | 21.69 | 19.4  | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26775 | 15RB#0 | 21.64 | 19.35 | 50.00 | PASS |
| Band26 | 3MHz | 16QAM | 26805 | 1RB#0  | 22.82 | 20.53 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26805 | 1RB#8  | 22.83 | 20.54 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26805 | 1RB#14 | 22.79 | 20.5  | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26805 | 8RB#0  | 21.63 | 19.34 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26805 | 8RB#4  | 21.63 | 19.34 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26805 | 8RB#7  | 21.61 | 19.32 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26805 | 15RB#0 | 21.55 | 19.26 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26915 | 1RB#0  | 22.81 | 20.52 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26915 | 1RB#8  | 22.86 | 20.57 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26915 | 1RB#14 | 22.80 | 20.51 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26915 | 8RB#0  | 21.93 | 19.64 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26915 | 8RB#4  | 21.94 | 19.65 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26915 | 8RB#7  | 21.96 | 19.67 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 26915 | 15RB#0 | 21.84 | 19.55 | 38.45 | PASS |

|        |      |       |       |        |       |       |       |      |
|--------|------|-------|-------|--------|-------|-------|-------|------|
| Band26 | 3MHz | 16QAM | 27025 | 1RB#0  | 23.02 | 20.73 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 27025 | 1RB#8  | 22.95 | 20.66 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 27025 | 1RB#14 | 22.81 | 20.52 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 27025 | 8RB#0  | 21.87 | 19.58 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 27025 | 8RB#4  | 21.85 | 19.56 | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 27025 | 8RB#7  | 21.79 | 19.5  | 38.45 | PASS |
| Band26 | 3MHz | 16QAM | 27025 | 15RB#0 | 21.81 | 19.52 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26705 | 1RB#0  | 21.70 | 19.41 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26705 | 1RB#7  | 21.71 | 19.42 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26705 | 1RB#14 | 21.67 | 19.38 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26705 | 8RB#0  | 20.68 | 18.39 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26705 | 8RB#4  | 20.71 | 18.42 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26705 | 8RB#7  | 20.64 | 18.35 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26705 | 15RB#0 | 20.63 | 18.34 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26740 | 1RB#0  | 21.92 | 19.63 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26740 | 1RB#7  | 21.92 | 19.63 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26740 | 1RB#14 | 21.90 | 19.61 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26740 | 8RB#0  | 20.55 | 18.26 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26740 | 8RB#4  | 20.56 | 18.27 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26740 | 8RB#7  | 20.54 | 18.25 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26740 | 15RB#0 | 20.54 | 18.25 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26775 | 1RB#0  | 21.54 | 19.25 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26775 | 1RB#7  | 21.54 | 19.25 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26775 | 1RB#14 | 21.59 | 19.3  | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26775 | 8RB#0  | 20.61 | 18.32 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26775 | 8RB#4  | 20.60 | 18.31 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26775 | 8RB#7  | 20.60 | 18.31 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26775 | 15RB#0 | 20.66 | 18.37 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26805 | 1RB#0  | 21.63 | 19.34 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26805 | 1RB#8  | 21.68 | 19.39 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26805 | 1RB#14 | 21.65 | 19.36 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26805 | 8RB#0  | 20.64 | 18.35 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26805 | 8RB#4  | 20.62 | 18.33 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26805 | 8RB#7  | 20.57 | 18.28 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26805 | 15RB#0 | 20.52 | 18.23 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26915 | 1RB#0  | 22.17 | 19.88 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26915 | 1RB#8  | 22.26 | 19.97 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26915 | 1RB#14 | 22.24 | 19.95 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26915 | 8RB#0  | 20.90 | 18.61 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26915 | 8RB#4  | 20.88 | 18.59 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26915 | 8RB#7  | 20.85 | 18.56 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 26915 | 15RB#0 | 20.83 | 18.54 | 38.45 | PASS |

|        |      |       |       |         |       |       |       |      |
|--------|------|-------|-------|---------|-------|-------|-------|------|
| Band26 | 3MHz | 64QAM | 27025 | 1RB#0   | 21.75 | 19.46 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 27025 | 1RB#8   | 21.70 | 19.41 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 27025 | 1RB#14  | 21.62 | 19.33 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 27025 | 8RB#0   | 20.80 | 18.51 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 27025 | 8RB#4   | 20.80 | 18.51 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 27025 | 8RB#7   | 20.71 | 18.42 | 38.45 | PASS |
| Band26 | 3MHz | 64QAM | 27025 | 15RB#0  | 20.86 | 18.57 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26715 | 1RB#0   | 23.97 | 21.68 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26715 | 1RB#12  | 23.94 | 21.65 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26715 | 1RB#24  | 23.90 | 21.61 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26715 | 12RB#0  | 22.84 | 20.55 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26715 | 12RB#6  | 22.83 | 20.54 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26715 | 12RB#11 | 22.83 | 20.54 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26715 | 25RB#0  | 22.83 | 20.54 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26740 | 1RB#0   | 23.85 | 21.56 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26740 | 1RB#12  | 23.82 | 21.53 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26740 | 1RB#24  | 23.85 | 21.56 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26740 | 12RB#0  | 22.67 | 20.38 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26740 | 12RB#6  | 22.69 | 20.4  | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26740 | 12RB#11 | 22.67 | 20.38 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26740 | 25RB#0  | 22.78 | 20.49 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26765 | 1RB#0   | 23.86 | 21.57 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26765 | 1RB#12  | 23.90 | 21.61 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26765 | 1RB#24  | 23.91 | 21.62 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26765 | 12RB#0  | 22.64 | 20.35 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26765 | 12RB#6  | 22.66 | 20.37 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26765 | 12RB#11 | 22.67 | 20.38 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26765 | 25RB#0  | 22.73 | 20.44 | 50.00 | PASS |
| Band26 | 5MHz | QPSK  | 26815 | 1RB#0   | 23.69 | 21.4  | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26815 | 1RB#12  | 23.75 | 21.46 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26815 | 1RB#24  | 23.78 | 21.49 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26815 | 12RB#0  | 22.67 | 20.38 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26815 | 12RB#6  | 22.67 | 20.38 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26815 | 12RB#13 | 22.63 | 20.34 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26815 | 25RB#0  | 22.69 | 20.4  | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26915 | 1RB#0   | 24.03 | 21.74 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26915 | 1RB#12  | 24.12 | 21.83 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26915 | 1RB#24  | 24.12 | 21.83 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26915 | 12RB#0  | 22.86 | 20.57 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26915 | 12RB#6  | 22.85 | 20.56 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26915 | 12RB#13 | 22.91 | 20.62 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 26915 | 25RB#0  | 22.89 | 20.6  | 38.45 | PASS |

|        |      |       |       |         |       |       |       |      |
|--------|------|-------|-------|---------|-------|-------|-------|------|
| Band26 | 5MHz | QPSK  | 27015 | 1RB#0   | 23.98 | 21.69 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 27015 | 1RB#12  | 23.97 | 21.68 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 27015 | 1RB#24  | 23.89 | 21.6  | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 27015 | 12RB#0  | 22.94 | 20.65 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 27015 | 12RB#6  | 22.93 | 20.64 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 27015 | 12RB#13 | 22.84 | 20.55 | 38.45 | PASS |
| Band26 | 5MHz | QPSK  | 27015 | 25RB#0  | 22.93 | 20.64 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26715 | 1RB#0   | 22.77 | 20.48 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26715 | 1RB#12  | 22.73 | 20.44 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26715 | 1RB#24  | 22.78 | 20.49 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26715 | 12RB#0  | 21.87 | 19.58 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26715 | 12RB#6  | 21.85 | 19.56 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26715 | 12RB#11 | 21.86 | 19.57 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26715 | 25RB#0  | 21.84 | 19.55 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26740 | 1RB#0   | 22.97 | 20.68 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26740 | 1RB#12  | 22.98 | 20.69 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26740 | 1RB#24  | 23.06 | 20.77 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26740 | 12RB#0  | 21.73 | 19.44 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26740 | 12RB#6  | 21.71 | 19.42 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26740 | 12RB#11 | 21.71 | 19.42 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26740 | 25RB#0  | 21.75 | 19.46 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26765 | 1RB#0   | 22.80 | 20.51 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26765 | 1RB#12  | 22.84 | 20.55 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26765 | 1RB#24  | 22.83 | 20.54 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26765 | 12RB#0  | 21.71 | 19.42 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26765 | 12RB#6  | 21.66 | 19.37 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26765 | 12RB#11 | 21.70 | 19.41 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26765 | 25RB#0  | 21.76 | 19.47 | 50.00 | PASS |
| Band26 | 5MHz | 16QAM | 26815 | 1RB#0   | 22.81 | 20.52 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26815 | 1RB#12  | 22.90 | 20.61 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26815 | 1RB#24  | 22.96 | 20.67 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26815 | 12RB#0  | 21.71 | 19.42 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26815 | 12RB#6  | 21.69 | 19.4  | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26815 | 12RB#13 | 21.62 | 19.33 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26815 | 25RB#0  | 21.61 | 19.32 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26915 | 1RB#0   | 22.96 | 20.67 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26915 | 1RB#12  | 23.07 | 20.78 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26915 | 1RB#24  | 23.06 | 20.77 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26915 | 12RB#0  | 21.90 | 19.61 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26915 | 12RB#6  | 21.87 | 19.58 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26915 | 12RB#13 | 21.98 | 19.69 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 26915 | 25RB#0  | 21.95 | 19.66 | 38.45 | PASS |

|        |      |       |       |         |       |       |       |      |
|--------|------|-------|-------|---------|-------|-------|-------|------|
| Band26 | 5MHz | 16QAM | 27015 | 1RB#0   | 22.90 | 20.61 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 27015 | 1RB#12  | 22.78 | 20.49 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 27015 | 1RB#24  | 22.72 | 20.43 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 27015 | 12RB#0  | 21.93 | 19.64 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 27015 | 12RB#6  | 21.93 | 19.64 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 27015 | 12RB#13 | 21.83 | 19.54 | 38.45 | PASS |
| Band26 | 5MHz | 16QAM | 27015 | 25RB#0  | 21.94 | 19.65 | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26715 | 1RB#0   | 21.79 | 19.5  | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26715 | 1RB#12  | 21.71 | 19.42 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26715 | 1RB#24  | 21.79 | 19.5  | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26715 | 12RB#0  | 20.83 | 18.54 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26715 | 12RB#6  | 20.85 | 18.56 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26715 | 12RB#11 | 20.84 | 18.55 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26715 | 25RB#0  | 20.80 | 18.51 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26740 | 1RB#0   | 22.31 | 20.02 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26740 | 1RB#12  | 22.34 | 20.05 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26740 | 1RB#24  | 22.37 | 20.08 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26740 | 12RB#0  | 20.73 | 18.44 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26740 | 12RB#6  | 20.72 | 18.43 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26740 | 12RB#11 | 20.70 | 18.41 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26740 | 25RB#0  | 20.73 | 18.44 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26765 | 1RB#0   | 22.09 | 19.8  | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26765 | 1RB#12  | 22.14 | 19.85 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26765 | 1RB#24  | 22.11 | 19.82 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26765 | 12RB#0  | 20.68 | 18.39 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26765 | 12RB#6  | 20.67 | 18.38 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26765 | 12RB#11 | 20.71 | 18.42 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26765 | 25RB#0  | 20.73 | 18.44 | 50.00 | PASS |
| Band26 | 5MHz | 64QAM | 26815 | 1RB#0   | 22.20 | 19.91 | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26815 | 1RB#12  | 22.20 | 19.91 | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26815 | 1RB#24  | 22.28 | 19.99 | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26815 | 12RB#0  | 20.69 | 18.4  | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26815 | 12RB#6  | 20.70 | 18.41 | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26815 | 12RB#13 | 20.61 | 18.32 | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26815 | 25RB#0  | 20.64 | 18.35 | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26915 | 1RB#0   | 22.24 | 19.95 | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26915 | 1RB#12  | 22.34 | 20.05 | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26915 | 1RB#24  | 22.32 | 20.03 | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26915 | 12RB#0  | 20.90 | 18.61 | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26915 | 12RB#6  | 20.89 | 18.6  | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26915 | 12RB#13 | 20.97 | 18.68 | 38.45 | PASS |
| Band26 | 5MHz | 64QAM | 26915 | 25RB#0  | 20.88 | 18.59 | 38.45 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band26 | 5MHz  | 64QAM | 27015 | 1RB#0   | 21.92 | 19.63 | 38.45 | PASS |
| Band26 | 5MHz  | 64QAM | 27015 | 1RB#12  | 21.79 | 19.5  | 38.45 | PASS |
| Band26 | 5MHz  | 64QAM | 27015 | 1RB#24  | 21.70 | 19.41 | 38.45 | PASS |
| Band26 | 5MHz  | 64QAM | 27015 | 12RB#0  | 20.93 | 18.64 | 38.45 | PASS |
| Band26 | 5MHz  | 64QAM | 27015 | 12RB#6  | 20.94 | 18.65 | 38.45 | PASS |
| Band26 | 5MHz  | 64QAM | 27015 | 12RB#13 | 20.85 | 18.56 | 38.45 | PASS |
| Band26 | 5MHz  | 64QAM | 27015 | 25RB#0  | 20.87 | 18.58 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26740 | 1RB#0   | 23.73 | 21.44 | 50.00 | PASS |
| Band26 | 10MHz | QPSK  | 26740 | 1RB#24  | 23.73 | 21.44 | 50.00 | PASS |
| Band26 | 10MHz | QPSK  | 26740 | 1RB#49  | 23.75 | 21.46 | 50.00 | PASS |
| Band26 | 10MHz | QPSK  | 26740 | 25RB#0  | 22.75 | 20.46 | 50.00 | PASS |
| Band26 | 10MHz | QPSK  | 26740 | 25RB#12 | 22.76 | 20.47 | 50.00 | PASS |
| Band26 | 10MHz | QPSK  | 26740 | 25RB#24 | 22.73 | 20.44 | 50.00 | PASS |
| Band26 | 10MHz | QPSK  | 26740 | 50RB#0  | 22.85 | 20.56 | 50.00 | PASS |
| Band26 | 10MHz | QPSK  | 26840 | 1RB#0   | 23.53 | 21.24 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26840 | 1RB#24  | 23.65 | 21.36 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26840 | 1RB#49  | 23.79 | 21.5  | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26840 | 25RB#0  | 22.75 | 20.46 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26840 | 25RB#12 | 22.71 | 20.42 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26840 | 25RB#25 | 22.76 | 20.47 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26840 | 50RB#0  | 22.75 | 20.46 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26915 | 1RB#0   | 23.84 | 21.55 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26915 | 1RB#24  | 24.00 | 21.71 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26915 | 1RB#49  | 23.96 | 21.67 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26915 | 25RB#0  | 22.85 | 20.56 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26915 | 25RB#12 | 22.84 | 20.55 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26915 | 25RB#25 | 22.96 | 20.67 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26915 | 50RB#0  | 22.93 | 20.64 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26990 | 1RB#0   | 23.92 | 21.63 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26990 | 1RB#24  | 23.91 | 21.62 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26990 | 1RB#49  | 23.77 | 21.48 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26990 | 25RB#0  | 23.01 | 20.72 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26990 | 25RB#12 | 23.01 | 20.72 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26990 | 25RB#25 | 22.82 | 20.53 | 38.45 | PASS |
| Band26 | 10MHz | QPSK  | 26990 | 50RB#0  | 22.96 | 20.67 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26740 | 1RB#0   | 22.99 | 20.7  | 50.00 | PASS |
| Band26 | 10MHz | 16QAM | 26740 | 1RB#24  | 22.95 | 20.66 | 50.00 | PASS |
| Band26 | 10MHz | 16QAM | 26740 | 1RB#49  | 22.96 | 20.67 | 50.00 | PASS |
| Band26 | 10MHz | 16QAM | 26740 | 25RB#0  | 21.81 | 19.52 | 50.00 | PASS |
| Band26 | 10MHz | 16QAM | 26740 | 25RB#12 | 21.81 | 19.52 | 50.00 | PASS |
| Band26 | 10MHz | 16QAM | 26740 | 25RB#24 | 21.80 | 19.51 | 50.00 | PASS |
| Band26 | 10MHz | 16QAM | 26740 | 50RB#0  | 21.84 | 19.55 | 50.00 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band26 | 10MHz | 16QAM | 26840 | 1RB#0   | 22.78 | 20.49 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26840 | 1RB#24  | 22.89 | 20.6  | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26840 | 1RB#49  | 23.04 | 20.75 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26840 | 25RB#0  | 21.78 | 19.49 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26840 | 25RB#12 | 21.79 | 19.5  | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26840 | 25RB#25 | 21.76 | 19.47 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26840 | 50RB#0  | 21.75 | 19.46 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26915 | 1RB#0   | 22.73 | 20.44 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26915 | 1RB#24  | 22.93 | 20.64 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26915 | 1RB#49  | 22.88 | 20.59 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26915 | 25RB#0  | 21.88 | 19.59 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26915 | 25RB#12 | 21.89 | 19.6  | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26915 | 25RB#25 | 22.01 | 19.72 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26915 | 50RB#0  | 21.94 | 19.65 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26990 | 1RB#0   | 23.05 | 20.76 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26990 | 1RB#24  | 23.05 | 20.76 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26990 | 1RB#49  | 22.91 | 20.62 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26990 | 25RB#0  | 21.99 | 19.7  | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26990 | 25RB#12 | 21.99 | 19.7  | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26990 | 25RB#25 | 21.80 | 19.51 | 38.45 | PASS |
| Band26 | 10MHz | 16QAM | 26990 | 50RB#0  | 21.90 | 19.61 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26740 | 1RB#0   | 21.83 | 19.54 | 50.00 | PASS |
| Band26 | 10MHz | 64QAM | 26740 | 1RB#24  | 21.80 | 19.51 | 50.00 | PASS |
| Band26 | 10MHz | 64QAM | 26740 | 1RB#49  | 21.79 | 19.5  | 50.00 | PASS |
| Band26 | 10MHz | 64QAM | 26740 | 25RB#0  | 20.75 | 18.46 | 50.00 | PASS |
| Band26 | 10MHz | 64QAM | 26740 | 25RB#12 | 20.76 | 18.47 | 50.00 | PASS |
| Band26 | 10MHz | 64QAM | 26740 | 25RB#24 | 20.73 | 18.44 | 50.00 | PASS |
| Band26 | 10MHz | 64QAM | 26740 | 50RB#0  | 20.79 | 18.5  | 50.00 | PASS |
| Band26 | 10MHz | 64QAM | 26840 | 1RB#0   | 21.66 | 19.37 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26840 | 1RB#24  | 21.70 | 19.41 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26840 | 1RB#49  | 21.89 | 19.6  | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26840 | 25RB#0  | 20.70 | 18.41 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26840 | 25RB#12 | 20.73 | 18.44 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26840 | 25RB#25 | 20.72 | 18.43 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26840 | 50RB#0  | 20.73 | 18.44 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26915 | 1RB#0   | 22.13 | 19.84 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26915 | 1RB#24  | 22.29 | 20    | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26915 | 1RB#49  | 22.25 | 19.96 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26915 | 25RB#0  | 20.79 | 18.5  | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26915 | 25RB#12 | 20.77 | 18.48 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26915 | 25RB#25 | 20.94 | 18.65 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26915 | 50RB#0  | 20.86 | 18.57 | 38.45 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band26 | 10MHz | 64QAM | 26990 | 1RB#0   | 21.85 | 19.56 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26990 | 1RB#24  | 21.88 | 19.59 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26990 | 1RB#49  | 21.66 | 19.37 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26990 | 25RB#0  | 21.01 | 18.72 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26990 | 25RB#12 | 21.00 | 18.71 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26990 | 25RB#25 | 20.80 | 18.51 | 38.45 | PASS |
| Band26 | 10MHz | 64QAM | 26990 | 50RB#0  | 20.86 | 18.57 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26865 | 1RB#0   | 23.59 | 21.3  | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26865 | 1RB#38  | 23.85 | 21.56 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26865 | 1RB#74  | 23.91 | 21.62 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26865 | 38RB#0  | 21.54 | 19.25 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26865 | 38RB#18 | 21.80 | 19.51 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26865 | 38RB#37 | 21.86 | 19.57 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26865 | 75RB#0  | 22.83 | 20.54 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26915 | 1RB#0   | 23.65 | 21.36 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26915 | 1RB#38  | 23.94 | 21.65 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26915 | 1RB#74  | 23.87 | 21.58 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26915 | 38RB#0  | 21.89 | 19.6  | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26915 | 38RB#18 | 22.18 | 19.89 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26915 | 38RB#37 | 22.13 | 19.84 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26915 | 75RB#0  | 22.88 | 20.59 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26965 | 1RB#0   | 23.88 | 21.59 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26965 | 1RB#38  | 23.96 | 21.67 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26965 | 1RB#74  | 23.73 | 21.44 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26965 | 38RB#0  | 22.17 | 19.88 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26965 | 38RB#18 | 22.27 | 19.98 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26965 | 38RB#37 | 22.12 | 19.83 | 38.45 | PASS |
| Band26 | 15MHz | QPSK  | 26965 | 75RB#0  | 22.86 | 20.57 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26865 | 1RB#0   | 22.75 | 20.46 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26865 | 1RB#38  | 23.01 | 20.72 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26865 | 1RB#74  | 23.08 | 20.79 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26865 | 38RB#0  | 21.51 | 19.22 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26865 | 38RB#18 | 21.80 | 19.51 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26865 | 38RB#37 | 21.89 | 19.6  | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26865 | 75RB#0  | 21.78 | 19.49 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26915 | 1RB#0   | 23.03 | 20.74 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26915 | 1RB#38  | 23.30 | 21.01 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26915 | 1RB#74  | 23.26 | 20.97 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26915 | 38RB#0  | 21.88 | 19.59 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26915 | 38RB#18 | 22.16 | 19.87 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26915 | 38RB#37 | 22.13 | 19.84 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26915 | 75RB#0  | 21.89 | 19.6  | 38.45 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band26 | 15MHz | 16QAM | 26965 | 1RB#0   | 22.78 | 20.49 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26965 | 1RB#38  | 22.92 | 20.63 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26965 | 1RB#74  | 22.69 | 20.4  | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26965 | 38RB#0  | 22.17 | 19.88 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26965 | 38RB#18 | 22.27 | 19.98 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26965 | 38RB#37 | 22.10 | 19.81 | 38.45 | PASS |
| Band26 | 15MHz | 16QAM | 26965 | 75RB#0  | 21.85 | 19.56 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26865 | 1RB#0   | 21.54 | 19.25 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26865 | 1RB#38  | 21.80 | 19.51 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26865 | 1RB#74  | 21.84 | 19.55 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26865 | 38RB#0  | 21.53 | 19.24 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26865 | 38RB#18 | 21.79 | 19.5  | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26865 | 38RB#37 | 21.83 | 19.54 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26865 | 75RB#0  | 20.78 | 18.49 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26915 | 1RB#0   | 21.90 | 19.61 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26915 | 1RB#38  | 22.19 | 19.9  | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26915 | 1RB#74  | 22.14 | 19.85 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26915 | 38RB#0  | 21.87 | 19.58 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26915 | 38RB#18 | 22.16 | 19.87 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26915 | 38RB#37 | 22.13 | 19.84 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26915 | 75RB#0  | 20.86 | 18.57 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26965 | 1RB#0   | 22.13 | 19.84 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26965 | 1RB#38  | 22.25 | 19.96 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26965 | 1RB#74  | 22.11 | 19.82 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26965 | 38RB#0  | 22.13 | 19.84 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26965 | 38RB#18 | 22.25 | 19.96 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26965 | 38RB#37 | 22.12 | 19.83 | 38.45 | PASS |
| Band26 | 15MHz | 64QAM | 26965 | 75RB#0  | 20.84 | 18.55 | 38.45 | PASS |
| Band38 | 5MHz  | QPSK  | 37775 | 1RB#0   | 24.25 | 26.5  | 33.01 | PASS |
| Band38 | 5MHz  | QPSK  | 37775 | 1RB#12  | 24.25 | 26.5  | 33.01 | PASS |
| Band38 | 5MHz  | QPSK  | 37775 | 1RB#24  | 24.24 | 26.49 | 33.01 | PASS |
| Band38 | 5MHz  | QPSK  | 37775 | 12RB#0  | 23.32 | 25.57 | 33.01 | PASS |
| Band38 | 5MHz  | QPSK  | 37775 | 12RB#6  | 23.29 | 25.54 | 33.01 | PASS |
| Band38 | 5MHz  | QPSK  | 37775 | 12RB#11 | 23.35 | 25.6  | 33.01 | PASS |
| Band38 | 5MHz  | QPSK  | 37775 | 25RB#0  | 23.33 | 25.58 | 33.01 | PASS |
| Band38 | 5MHz  | QPSK  | 38000 | 1RB#0   | 24.4  | 26.65 | 33.01 | PASS |
| Band38 | 5MHz  | QPSK  | 38000 | 1RB#12  | 24.42 | 26.67 | 33.01 | PASS |
| Band38 | 5MHz  | QPSK  | 38000 | 1RB#24  | 24.4  | 26.65 | 33.01 | PASS |
| Band38 | 5MHz  | QPSK  | 38000 | 12RB#0  | 23.17 | 25.42 | 33.01 | PASS |
| Band38 | 5MHz  | QPSK  | 38000 | 12RB#6  | 23.13 | 25.38 | 33.01 | PASS |
| Band38 | 5MHz  | QPSK  | 38000 | 12RB#11 | 23.13 | 25.38 | 33.01 | PASS |
| Band38 | 5MHz  | QPSK  | 38000 | 25RB#0  | 23.18 | 25.43 | 33.01 | PASS |

|        |      |       |       |         |       |       |       |      |
|--------|------|-------|-------|---------|-------|-------|-------|------|
| Band38 | 5MHz | QPSK  | 38225 | 1RB#0   | 23.75 | 26    | 33.01 | PASS |
| Band38 | 5MHz | QPSK  | 38225 | 1RB#12  | 23.66 | 25.91 | 33.01 | PASS |
| Band38 | 5MHz | QPSK  | 38225 | 1RB#24  | 23.61 | 25.86 | 33.01 | PASS |
| Band38 | 5MHz | QPSK  | 38225 | 12RB#0  | 22.77 | 25.02 | 33.01 | PASS |
| Band38 | 5MHz | QPSK  | 38225 | 12RB#6  | 22.79 | 25.04 | 33.01 | PASS |
| Band38 | 5MHz | QPSK  | 38225 | 12RB#11 | 22.75 | 25    | 33.01 | PASS |
| Band38 | 5MHz | QPSK  | 38225 | 25RB#0  | 22.72 | 24.97 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 37775 | 1RB#0   | 23.55 | 25.8  | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 37775 | 1RB#12  | 23.53 | 25.78 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 37775 | 1RB#24  | 23.52 | 25.77 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 37775 | 12RB#0  | 22.4  | 24.65 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 37775 | 12RB#6  | 22.43 | 24.68 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 37775 | 12RB#11 | 22.44 | 24.69 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 37775 | 25RB#0  | 22.3  | 24.55 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38000 | 1RB#0   | 23.43 | 25.68 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38000 | 1RB#12  | 23.45 | 25.7  | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38000 | 1RB#24  | 23.43 | 25.68 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38000 | 12RB#0  | 22.17 | 24.42 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38000 | 12RB#6  | 22.07 | 24.32 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38000 | 12RB#11 | 22.17 | 24.42 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38000 | 25RB#0  | 22.17 | 24.42 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38225 | 1RB#0   | 23.04 | 25.29 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38225 | 1RB#12  | 23.01 | 25.26 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38225 | 1RB#24  | 22.96 | 25.21 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38225 | 12RB#0  | 21.77 | 24.02 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38225 | 12RB#6  | 21.82 | 24.07 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38225 | 12RB#11 | 21.82 | 24.07 | 33.01 | PASS |
| Band38 | 5MHz | 16QAM | 38225 | 25RB#0  | 21.74 | 23.99 | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 37775 | 1RB#0   | 22.91 | 25.16 | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 37775 | 1RB#12  | 22.95 | 25.2  | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 37775 | 1RB#24  | 22.83 | 25.08 | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 37775 | 12RB#0  | 21.45 | 23.7  | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 37775 | 12RB#6  | 21.43 | 23.68 | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 37775 | 12RB#11 | 21.47 | 23.72 | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 37775 | 25RB#0  | 21.19 | 23.44 | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 38000 | 1RB#0   | 22.53 | 24.78 | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 38000 | 1RB#12  | 22.43 | 24.68 | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 38000 | 1RB#24  | 22.5  | 24.75 | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 38000 | 12RB#0  | 21.13 | 23.38 | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 38000 | 12RB#6  | 21.17 | 23.42 | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 38000 | 12RB#11 | 21.13 | 23.38 | 33.01 | PASS |
| Band38 | 5MHz | 64QAM | 38000 | 25RB#0  | 21.12 | 23.37 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band38 | 5MHz  | 64QAM | 38225 | 1RB#0   | 22.3  | 24.55 | 33.01 | PASS |
| Band38 | 5MHz  | 64QAM | 38225 | 1RB#12  | 22.3  | 24.55 | 33.01 | PASS |
| Band38 | 5MHz  | 64QAM | 38225 | 1RB#24  | 22.23 | 24.48 | 33.01 | PASS |
| Band38 | 5MHz  | 64QAM | 38225 | 12RB#0  | 20.85 | 23.1  | 33.01 | PASS |
| Band38 | 5MHz  | 64QAM | 38225 | 12RB#6  | 20.84 | 23.09 | 33.01 | PASS |
| Band38 | 5MHz  | 64QAM | 38225 | 12RB#11 | 20.87 | 23.12 | 33.01 | PASS |
| Band38 | 5MHz  | 64QAM | 38225 | 25RB#0  | 20.68 | 22.93 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 37800 | 1RB#0   | 24.26 | 26.51 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 37800 | 1RB#24  | 24.34 | 26.59 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 37800 | 1RB#49  | 24.24 | 26.49 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 37800 | 25RB#0  | 23.27 | 25.52 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 37800 | 25RB#12 | 23.27 | 25.52 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 37800 | 25RB#24 | 23.31 | 25.56 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 37800 | 50RB#0  | 23.22 | 25.47 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38000 | 1RB#0   | 24.15 | 26.4  | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38000 | 1RB#24  | 24.24 | 26.49 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38000 | 1RB#49  | 24.14 | 26.39 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38000 | 25RB#0  | 23.13 | 25.38 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38000 | 25RB#12 | 23.1  | 25.35 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38000 | 25RB#24 | 23.16 | 25.41 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38000 | 50RB#0  | 23.14 | 25.39 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38200 | 1RB#0   | 23.89 | 26.14 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38200 | 1RB#24  | 23.86 | 26.11 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38200 | 1RB#49  | 23.68 | 25.93 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38200 | 25RB#0  | 22.81 | 25.06 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38200 | 25RB#12 | 22.82 | 25.07 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38200 | 25RB#24 | 22.82 | 25.07 | 33.01 | PASS |
| Band38 | 10MHz | QPSK  | 38200 | 50RB#0  | 22.87 | 25.12 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 37800 | 1RB#0   | 23.3  | 25.55 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 37800 | 1RB#24  | 23.27 | 25.52 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 37800 | 1RB#49  | 23.28 | 25.53 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 37800 | 25RB#0  | 22.27 | 24.52 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 37800 | 25RB#12 | 22.32 | 24.57 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 37800 | 25RB#24 | 22.28 | 24.53 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 37800 | 50RB#0  | 22.24 | 24.49 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 38000 | 1RB#0   | 23.54 | 25.79 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 38000 | 1RB#24  | 23.55 | 25.8  | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 38000 | 1RB#49  | 23.48 | 25.73 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 38000 | 25RB#0  | 22.21 | 24.46 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 38000 | 25RB#12 | 22.28 | 24.53 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 38000 | 25RB#24 | 22.27 | 24.52 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 38000 | 50RB#0  | 22.13 | 24.38 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band38 | 10MHz | 16QAM | 38200 | 1RB#0   | 22.82 | 25.07 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 38200 | 1RB#24  | 22.79 | 25.04 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 38200 | 1RB#49  | 22.64 | 24.89 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 38200 | 25RB#0  | 21.86 | 24.11 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 38200 | 25RB#12 | 21.83 | 24.08 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 38200 | 25RB#24 | 21.82 | 24.07 | 33.01 | PASS |
| Band38 | 10MHz | 16QAM | 38200 | 50RB#0  | 21.81 | 24.06 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 37800 | 1RB#0   | 22.21 | 24.46 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 37800 | 1RB#24  | 22.29 | 24.54 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 37800 | 1RB#49  | 22.14 | 24.39 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 37800 | 25RB#0  | 21.23 | 23.48 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 37800 | 25RB#12 | 21.12 | 23.37 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 37800 | 25RB#24 | 21.08 | 23.33 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 37800 | 50RB#0  | 21.21 | 23.46 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38000 | 1RB#0   | 22.51 | 24.76 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38000 | 1RB#24  | 22.59 | 24.84 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38000 | 1RB#49  | 22.44 | 24.69 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38000 | 25RB#0  | 21.18 | 23.43 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38000 | 25RB#12 | 21.13 | 23.38 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38000 | 25RB#24 | 21.19 | 23.44 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38000 | 50RB#0  | 21.12 | 23.37 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38200 | 1RB#0   | 21.88 | 24.13 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38200 | 1RB#24  | 21.79 | 24.04 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38200 | 1RB#49  | 21.64 | 23.89 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38200 | 25RB#0  | 20.64 | 22.89 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38200 | 25RB#12 | 20.72 | 22.97 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38200 | 25RB#24 | 20.69 | 22.94 | 33.01 | PASS |
| Band38 | 10MHz | 64QAM | 38200 | 50RB#0  | 20.75 | 23    | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 37825 | 1RB#0   | 24.28 | 26.53 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 37825 | 1RB#37  | 24.21 | 26.46 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 37825 | 1RB#74  | 24.17 | 26.42 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 37825 | 36RB#0  | 23.12 | 25.37 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 37825 | 36RB#16 | 23.2  | 25.45 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 37825 | 36RB#35 | 23.25 | 25.5  | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 37825 | 75RB#0  | 23.15 | 25.4  | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 38000 | 1RB#0   | 24.1  | 26.35 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 38000 | 1RB#37  | 24.16 | 26.41 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 38000 | 1RB#74  | 24.06 | 26.31 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 38000 | 36RB#0  | 23.12 | 25.37 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 38000 | 36RB#16 | 23.1  | 25.35 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 38000 | 36RB#35 | 23.14 | 25.39 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 38000 | 75RB#0  | 23.08 | 25.33 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band38 | 15MHz | QPSK  | 38175 | 1RB#0   | 24    | 26.25 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 38175 | 1RB#37  | 23.9  | 26.15 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 38175 | 1RB#74  | 23.75 | 26    | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 38175 | 36RB#0  | 22.87 | 25.12 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 38175 | 36RB#16 | 22.85 | 25.1  | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 38175 | 36RB#35 | 22.87 | 25.12 | 33.01 | PASS |
| Band38 | 15MHz | QPSK  | 38175 | 75RB#0  | 22.79 | 25.04 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 37825 | 1RB#0   | 23.59 | 25.84 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 37825 | 1RB#37  | 23.62 | 25.87 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 37825 | 1RB#74  | 23.5  | 25.75 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 37825 | 36RB#0  | 22.3  | 24.55 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 37825 | 36RB#16 | 22.22 | 24.47 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 37825 | 36RB#35 | 22.29 | 24.54 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 37825 | 75RB#0  | 22.21 | 24.46 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38000 | 1RB#0   | 23.48 | 25.73 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38000 | 1RB#37  | 23.51 | 25.76 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38000 | 1RB#74  | 23.43 | 25.68 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38000 | 36RB#0  | 22.13 | 24.38 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38000 | 36RB#16 | 22.12 | 24.37 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38000 | 36RB#35 | 22.14 | 24.39 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38000 | 75RB#0  | 22.13 | 24.38 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38175 | 1RB#0   | 22.95 | 25.2  | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38175 | 1RB#37  | 22.86 | 25.11 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38175 | 1RB#74  | 22.7  | 24.95 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38175 | 36RB#0  | 21.84 | 24.09 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38175 | 36RB#16 | 21.86 | 24.11 | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38175 | 36RB#35 | 21.85 | 24.1  | 33.01 | PASS |
| Band38 | 15MHz | 16QAM | 38175 | 75RB#0  | 21.81 | 24.06 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 37825 | 1RB#0   | 22.63 | 24.88 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 37825 | 1RB#37  | 22.58 | 24.83 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 37825 | 1RB#74  | 22.6  | 24.85 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 37825 | 36RB#0  | 21.14 | 23.39 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 37825 | 36RB#16 | 21.21 | 23.46 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 37825 | 36RB#35 | 21.2  | 23.45 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 37825 | 75RB#0  | 21.17 | 23.42 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 38000 | 1RB#0   | 22.57 | 24.82 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 38000 | 1RB#37  | 22.53 | 24.78 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 38000 | 1RB#74  | 22.42 | 24.67 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 38000 | 36RB#0  | 21.17 | 23.42 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 38000 | 36RB#16 | 21.2  | 23.45 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 38000 | 36RB#35 | 21.15 | 23.4  | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 38000 | 75RB#0  | 21.11 | 23.36 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band38 | 15MHz | 64QAM | 38175 | 1RB#0   | 22.17 | 24.42 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 38175 | 1RB#37  | 22.15 | 24.4  | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 38175 | 1RB#74  | 22    | 24.25 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 38175 | 36RB#0  | 20.87 | 23.12 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 38175 | 36RB#16 | 20.79 | 23.04 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 38175 | 36RB#35 | 20.89 | 23.14 | 33.01 | PASS |
| Band38 | 15MHz | 64QAM | 38175 | 75RB#0  | 20.76 | 23.01 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 37850 | 1RB#0   | 24.17 | 26.42 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 37850 | 1RB#49  | 24.24 | 26.49 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 37850 | 1RB#99  | 24    | 26.25 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 37850 | 50RB#0  | 23.29 | 25.54 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 37850 | 50RB#24 | 23.23 | 25.48 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 37850 | 50RB#49 | 23.33 | 25.58 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 37850 | 100RB#0 | 23.24 | 25.49 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38000 | 1RB#0   | 24.08 | 26.33 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38000 | 1RB#49  | 24.15 | 26.4  | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38000 | 1RB#99  | 23.98 | 26.23 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38000 | 50RB#0  | 23.14 | 25.39 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38000 | 50RB#24 | 23.13 | 25.38 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38000 | 50RB#49 | 23.14 | 25.39 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38000 | 100RB#0 | 23.08 | 25.33 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38150 | 1RB#0   | 23.89 | 26.14 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38150 | 1RB#49  | 23.85 | 26.1  | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38150 | 1RB#99  | 23.61 | 25.86 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38150 | 50RB#0  | 22.97 | 25.22 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38150 | 50RB#24 | 22.93 | 25.18 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38150 | 50RB#49 | 22.97 | 25.22 | 33.01 | PASS |
| Band38 | 20MHz | QPSK  | 38150 | 100RB#0 | 22.88 | 25.13 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 37850 | 1RB#0   | 22.88 | 25.13 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 37850 | 1RB#49  | 22.9  | 25.15 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 37850 | 1RB#99  | 22.73 | 24.98 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 37850 | 50RB#0  | 22.35 | 24.6  | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 37850 | 50RB#24 | 22.33 | 24.58 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 37850 | 50RB#49 | 22.28 | 24.53 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 37850 | 100RB#0 | 22.13 | 24.38 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 38000 | 1RB#0   | 22.94 | 25.19 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 38000 | 1RB#49  | 23.05 | 25.3  | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 38000 | 1RB#99  | 22.85 | 25.1  | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 38000 | 50RB#0  | 22.05 | 24.3  | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 38000 | 50RB#24 | 22.08 | 24.33 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 38000 | 50RB#49 | 22.05 | 24.3  | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 38000 | 100RB#0 | 22.09 | 24.34 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band38 | 20MHz | 16QAM | 38150 | 1RB#0   | 23.07 | 25.32 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 38150 | 1RB#49  | 23    | 25.25 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 38150 | 1RB#99  | 22.73 | 24.98 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 38150 | 50RB#0  | 21.99 | 24.24 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 38150 | 50RB#24 | 21.97 | 24.22 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 38150 | 50RB#49 | 21.98 | 24.23 | 33.01 | PASS |
| Band38 | 20MHz | 16QAM | 38150 | 100RB#0 | 21.85 | 24.1  | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 37850 | 1RB#0   | 22.38 | 24.63 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 37850 | 1RB#49  | 22.32 | 24.57 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 37850 | 1RB#99  | 22.15 | 24.4  | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 37850 | 50RB#0  | 21.32 | 23.57 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 37850 | 50RB#24 | 21.32 | 23.57 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 37850 | 50RB#49 | 21.25 | 23.5  | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 37850 | 100RB#0 | 21.15 | 23.4  | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38000 | 1RB#0   | 22.14 | 24.39 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38000 | 1RB#49  | 22.27 | 24.52 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38000 | 1RB#99  | 22.05 | 24.3  | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38000 | 50RB#0  | 21.11 | 23.36 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38000 | 50RB#24 | 21.11 | 23.36 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38000 | 50RB#49 | 21.11 | 23.36 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38000 | 100RB#0 | 20.98 | 23.23 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38150 | 1RB#0   | 22.03 | 24.28 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38150 | 1RB#49  | 22    | 24.25 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38150 | 1RB#99  | 21.74 | 23.99 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38150 | 50RB#0  | 20.91 | 23.16 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38150 | 50RB#24 | 20.86 | 23.11 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38150 | 50RB#49 | 20.92 | 23.17 | 33.01 | PASS |
| Band38 | 20MHz | 64QAM | 38150 | 100RB#0 | 20.88 | 23.13 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 39675 | 1RB#0   | 24.34 | 26.59 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 39675 | 1RB#12  | 24.39 | 26.64 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 39675 | 1RB#24  | 24.42 | 26.67 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 39675 | 12RB#0  | 23.19 | 25.44 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 39675 | 12RB#6  | 23.19 | 25.44 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 39675 | 12RB#11 | 23.19 | 25.44 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 39675 | 25RB#0  | 23.28 | 25.53 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40620 | 1RB#0   | 24.44 | 26.69 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40620 | 1RB#12  | 24.45 | 26.7  | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40620 | 1RB#24  | 24.44 | 26.69 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40620 | 12RB#0  | 23.35 | 25.6  | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40620 | 12RB#6  | 23.39 | 25.64 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40620 | 12RB#11 | 23.45 | 25.7  | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40620 | 25RB#0  | 23.33 | 25.58 | 33.01 | PASS |

|        |      |       |       |         |       |       |       |      |
|--------|------|-------|-------|---------|-------|-------|-------|------|
| Band41 | 5MHz | QPSK  | 41565 | 1RB#0   | 23.92 | 26.17 | 33.01 | PASS |
| Band41 | 5MHz | QPSK  | 41565 | 1RB#12  | 23.88 | 26.13 | 33.01 | PASS |
| Band41 | 5MHz | QPSK  | 41565 | 1RB#24  | 23.89 | 26.14 | 33.01 | PASS |
| Band41 | 5MHz | QPSK  | 41565 | 12RB#0  | 22.89 | 25.14 | 33.01 | PASS |
| Band41 | 5MHz | QPSK  | 41565 | 12RB#6  | 22.92 | 25.17 | 33.01 | PASS |
| Band41 | 5MHz | QPSK  | 41565 | 12RB#11 | 22.88 | 25.13 | 33.01 | PASS |
| Band41 | 5MHz | QPSK  | 41565 | 25RB#0  | 22.92 | 25.17 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 39675 | 1RB#0   | 23.50 | 25.75 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 39675 | 1RB#12  | 23.56 | 25.81 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 39675 | 1RB#24  | 23.62 | 25.87 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 39675 | 12RB#0  | 22.20 | 24.45 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 39675 | 12RB#6  | 22.20 | 24.45 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 39675 | 12RB#11 | 22.18 | 24.43 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 39675 | 25RB#0  | 22.25 | 24.5  | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 40620 | 1RB#0   | 23.70 | 25.95 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 40620 | 1RB#12  | 23.75 | 26    | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 40620 | 1RB#24  | 23.69 | 25.94 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 40620 | 12RB#0  | 22.37 | 24.62 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 40620 | 12RB#6  | 22.39 | 24.64 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 40620 | 12RB#11 | 22.41 | 24.66 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 40620 | 25RB#0  | 22.41 | 24.66 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 41565 | 1RB#0   | 23.14 | 25.39 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 41565 | 1RB#12  | 23.18 | 25.43 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 41565 | 1RB#24  | 23.17 | 25.42 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 41565 | 12RB#0  | 21.92 | 24.17 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 41565 | 12RB#6  | 21.91 | 24.16 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 41565 | 12RB#11 | 21.91 | 24.16 | 33.01 | PASS |
| Band41 | 5MHz | 16QAM | 41565 | 25RB#0  | 21.92 | 24.17 | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 39675 | 1RB#0   | 22.56 | 24.81 | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 39675 | 1RB#12  | 22.60 | 24.85 | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 39675 | 1RB#24  | 22.63 | 24.88 | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 39675 | 12RB#0  | 21.17 | 23.42 | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 39675 | 12RB#6  | 21.18 | 23.43 | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 39675 | 12RB#11 | 21.20 | 23.45 | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 39675 | 25RB#0  | 21.25 | 23.5  | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 40620 | 1RB#0   | 22.71 | 24.96 | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 40620 | 1RB#12  | 22.79 | 25.04 | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 40620 | 1RB#24  | 22.72 | 24.97 | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 40620 | 12RB#0  | 21.41 | 23.66 | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 40620 | 12RB#6  | 21.30 | 23.55 | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 40620 | 12RB#11 | 21.40 | 23.65 | 33.01 | PASS |
| Band41 | 5MHz | 64QAM | 40620 | 25RB#0  | 21.36 | 23.61 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band41 | 5MHz  | 64QAM | 41565 | 1RB#0   | 22.39 | 24.64 | 33.01 | PASS |
| Band41 | 5MHz  | 64QAM | 41565 | 1RB#12  | 22.45 | 24.7  | 33.01 | PASS |
| Band41 | 5MHz  | 64QAM | 41565 | 1RB#24  | 22.47 | 24.72 | 33.01 | PASS |
| Band41 | 5MHz  | 64QAM | 41565 | 12RB#0  | 20.95 | 23.2  | 33.01 | PASS |
| Band41 | 5MHz  | 64QAM | 41565 | 12RB#6  | 21.00 | 23.25 | 33.01 | PASS |
| Band41 | 5MHz  | 64QAM | 41565 | 12RB#11 | 20.99 | 23.24 | 33.01 | PASS |
| Band41 | 5MHz  | 64QAM | 41565 | 25RB#0  | 20.83 | 23.08 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 1RB#0   | 24.16 | 26.41 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 1RB#24  | 24.32 | 26.57 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 1RB#49  | 24.31 | 26.56 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 25RB#0  | 23.24 | 25.49 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 25RB#12 | 23.24 | 25.49 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 25RB#24 | 23.25 | 25.5  | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 50RB#0  | 23.25 | 25.5  | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 1RB#0   | 24.31 | 26.56 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 1RB#24  | 24.39 | 26.64 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 1RB#49  | 24.31 | 26.56 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 25RB#0  | 23.36 | 25.61 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 25RB#12 | 23.37 | 25.62 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 25RB#24 | 23.34 | 25.59 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 50RB#0  | 23.45 | 25.7  | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 1RB#0   | 23.84 | 26.09 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 1RB#24  | 23.91 | 26.16 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 1RB#49  | 23.91 | 26.16 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 25RB#0  | 22.77 | 25.02 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 25RB#12 | 22.81 | 25.06 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 25RB#24 | 22.81 | 25.06 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 50RB#0  | 22.88 | 25.13 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 1RB#0   | 23.11 | 25.36 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 1RB#24  | 23.21 | 25.46 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 1RB#49  | 23.26 | 25.51 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 25RB#0  | 22.22 | 24.47 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 25RB#12 | 22.24 | 24.49 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 25RB#24 | 22.24 | 24.49 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 50RB#0  | 22.27 | 24.52 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40620 | 1RB#0   | 23.68 | 25.93 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40620 | 1RB#24  | 23.75 | 26    | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40620 | 1RB#49  | 23.65 | 25.9  | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40620 | 25RB#0  | 22.49 | 24.74 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40620 | 25RB#12 | 22.44 | 24.69 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40620 | 25RB#24 | 22.53 | 24.78 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40620 | 50RB#0  | 22.37 | 24.62 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band41 | 10MHz | 16QAM | 41540 | 1RB#0   | 22.74 | 24.99 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41540 | 1RB#24  | 22.84 | 25.09 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41540 | 1RB#49  | 22.79 | 25.04 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41540 | 25RB#0  | 21.82 | 24.07 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41540 | 25RB#12 | 21.82 | 24.07 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41540 | 25RB#24 | 21.79 | 24.04 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41540 | 50RB#0  | 21.86 | 24.11 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 39700 | 1RB#0   | 22.10 | 24.35 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 39700 | 1RB#24  | 22.24 | 24.49 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 39700 | 1RB#49  | 22.26 | 24.51 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 39700 | 25RB#0  | 21.07 | 23.32 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 39700 | 25RB#12 | 21.09 | 23.34 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 39700 | 25RB#24 | 21.06 | 23.31 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 39700 | 50RB#0  | 21.17 | 23.42 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 40620 | 1RB#0   | 22.83 | 25.08 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 40620 | 1RB#24  | 22.77 | 25.02 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 40620 | 1RB#49  | 22.71 | 24.96 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 40620 | 25RB#0  | 21.42 | 23.67 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 40620 | 25RB#12 | 21.37 | 23.62 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 40620 | 25RB#24 | 21.32 | 23.57 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 40620 | 50RB#0  | 21.34 | 23.59 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 41540 | 1RB#0   | 21.72 | 23.97 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 41540 | 1RB#24  | 21.85 | 24.1  | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 41540 | 1RB#49  | 21.80 | 24.05 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 41540 | 25RB#0  | 20.67 | 22.92 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 41540 | 25RB#12 | 20.70 | 22.95 | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 41540 | 25RB#24 | 20.65 | 22.9  | 33.01 | PASS |
| Band41 | 10MHz | 64QAM | 41540 | 50RB#0  | 20.74 | 22.99 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 1RB#0   | 24.15 | 26.4  | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 1RB#37  | 24.34 | 26.59 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 1RB#74  | 24.37 | 26.62 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 36RB#0  | 23.15 | 25.4  | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 36RB#16 | 23.14 | 25.39 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 36RB#35 | 23.14 | 25.39 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 75RB#0  | 23.21 | 25.46 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 1RB#0   | 24.25 | 26.5  | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 1RB#37  | 24.37 | 26.62 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 1RB#74  | 24.19 | 26.44 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 36RB#0  | 23.31 | 25.56 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 36RB#16 | 23.38 | 25.63 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 36RB#35 | 23.42 | 25.67 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 75RB#0  | 23.34 | 25.59 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band41 | 15MHz | QPSK  | 41515 | 1RB#0   | 23.81 | 26.06 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41515 | 1RB#37  | 23.89 | 26.14 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41515 | 1RB#74  | 23.96 | 26.21 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41515 | 36RB#0  | 22.77 | 25.02 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41515 | 36RB#16 | 22.73 | 24.98 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41515 | 36RB#35 | 22.73 | 24.98 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41515 | 75RB#0  | 22.81 | 25.06 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 1RB#0   | 23.11 | 25.36 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 1RB#37  | 23.28 | 25.53 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 1RB#74  | 23.33 | 25.58 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 36RB#0  | 22.13 | 24.38 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 36RB#16 | 22.11 | 24.36 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 36RB#35 | 22.15 | 24.4  | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 75RB#0  | 22.17 | 24.42 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40620 | 1RB#0   | 23.65 | 25.9  | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40620 | 1RB#37  | 23.69 | 25.94 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40620 | 1RB#74  | 23.59 | 25.84 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40620 | 36RB#0  | 22.42 | 24.67 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40620 | 36RB#16 | 22.32 | 24.57 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40620 | 36RB#35 | 22.34 | 24.59 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40620 | 75RB#0  | 22.31 | 24.56 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 1RB#0   | 22.78 | 25.03 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 1RB#37  | 22.88 | 25.13 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 1RB#74  | 22.94 | 25.19 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 36RB#0  | 21.71 | 23.96 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 36RB#16 | 21.75 | 24    | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 36RB#35 | 21.74 | 23.99 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 75RB#0  | 21.83 | 24.08 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 39725 | 1RB#0   | 22.42 | 24.67 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 39725 | 1RB#37  | 22.58 | 24.83 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 39725 | 1RB#74  | 22.65 | 24.9  | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 39725 | 36RB#0  | 21.11 | 23.36 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 39725 | 36RB#16 | 21.10 | 23.35 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 39725 | 36RB#35 | 21.11 | 23.36 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 39725 | 75RB#0  | 21.15 | 23.4  | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 40620 | 1RB#0   | 22.77 | 25.02 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 40620 | 1RB#37  | 22.78 | 25.03 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 40620 | 1RB#74  | 22.67 | 24.92 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 40620 | 36RB#0  | 21.38 | 23.63 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 40620 | 36RB#16 | 21.43 | 23.68 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 40620 | 36RB#35 | 21.32 | 23.57 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 40620 | 75RB#0  | 21.28 | 23.53 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band41 | 15MHz | 64QAM | 41515 | 1RB#0   | 22.09 | 24.34 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 41515 | 1RB#37  | 22.19 | 24.44 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 41515 | 1RB#74  | 22.22 | 24.47 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 41515 | 36RB#0  | 20.72 | 22.97 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 41515 | 36RB#16 | 20.75 | 23    | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 41515 | 36RB#35 | 20.74 | 22.99 | 33.01 | PASS |
| Band41 | 15MHz | 64QAM | 41515 | 75RB#0  | 20.80 | 23.05 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 1RB#0   | 24.01 | 26.26 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 1RB#49  | 24.29 | 26.54 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 1RB#99  | 24.32 | 26.57 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 50RB#0  | 23.19 | 25.44 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 50RB#24 | 23.21 | 25.46 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 50RB#49 | 23.21 | 25.46 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 100RB#0 | 23.28 | 25.53 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 1RB#0   | 24.33 | 26.58 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 1RB#49  | 24.34 | 26.59 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 1RB#99  | 24.19 | 26.44 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 50RB#0  | 23.42 | 25.67 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 50RB#24 | 23.47 | 25.72 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 50RB#49 | 23.45 | 25.7  | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 100RB#0 | 23.30 | 25.55 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 1RB#0   | 23.69 | 25.94 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 1RB#49  | 23.83 | 26.08 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 1RB#99  | 23.88 | 26.13 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 50RB#0  | 22.71 | 24.96 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 50RB#24 | 22.73 | 24.98 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 50RB#49 | 22.71 | 24.96 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 100RB#0 | 22.84 | 25.09 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 1RB#0   | 22.69 | 24.94 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 1RB#49  | 22.96 | 25.21 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 1RB#99  | 22.99 | 25.24 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 50RB#0  | 22.26 | 24.51 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 50RB#24 | 22.26 | 24.51 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 50RB#49 | 22.27 | 24.52 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 100RB#0 | 22.26 | 24.51 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 1RB#0   | 23.42 | 25.67 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 1RB#49  | 23.55 | 25.8  | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 1RB#99  | 23.34 | 25.59 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 50RB#0  | 22.38 | 24.63 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 50RB#24 | 22.46 | 24.71 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 50RB#49 | 22.47 | 24.72 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 100RB#0 | 22.26 | 24.51 | 33.01 | PASS |

|        |        |       |        |         |       |       |       |      |
|--------|--------|-------|--------|---------|-------|-------|-------|------|
| Band41 | 20MHz  | 16QAM | 41490  | 1RB#0   | 22.38 | 24.63 | 33.01 | PASS |
| Band41 | 20MHz  | 16QAM | 41490  | 1RB#49  | 22.49 | 24.74 | 33.01 | PASS |
| Band41 | 20MHz  | 16QAM | 41490  | 1RB#99  | 22.52 | 24.77 | 33.01 | PASS |
| Band41 | 20MHz  | 16QAM | 41490  | 50RB#0  | 21.75 | 24    | 33.01 | PASS |
| Band41 | 20MHz  | 16QAM | 41490  | 50RB#24 | 21.78 | 24.03 | 33.01 | PASS |
| Band41 | 20MHz  | 16QAM | 41490  | 50RB#49 | 21.74 | 23.99 | 33.01 | PASS |
| Band41 | 20MHz  | 16QAM | 41490  | 100RB#0 | 21.81 | 24.06 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 39750  | 1RB#0   | 22.11 | 24.36 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 39750  | 1RB#49  | 22.40 | 24.65 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 39750  | 1RB#99  | 22.39 | 24.64 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 39750  | 50RB#0  | 21.24 | 23.49 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 39750  | 50RB#24 | 21.25 | 23.5  | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 39750  | 50RB#49 | 21.25 | 23.5  | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 39750  | 100RB#0 | 21.24 | 23.49 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 40620  | 1RB#0   | 22.50 | 24.75 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 40620  | 1RB#49  | 22.61 | 24.86 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 40620  | 1RB#99  | 22.29 | 24.54 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 40620  | 50RB#0  | 21.41 | 23.66 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 40620  | 50RB#24 | 21.40 | 23.65 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 40620  | 50RB#49 | 21.38 | 23.63 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 40620  | 100RB#0 | 21.29 | 23.54 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 41490  | 1RB#0   | 21.76 | 24.01 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 41490  | 1RB#49  | 21.91 | 24.16 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 41490  | 1RB#99  | 21.92 | 24.17 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 41490  | 50RB#0  | 20.81 | 23.06 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 41490  | 50RB#24 | 20.81 | 23.06 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 41490  | 50RB#49 | 20.83 | 23.08 | 33.01 | PASS |
| Band41 | 20MHz  | 64QAM | 41490  | 100RB#0 | 20.78 | 23.03 | 33.01 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 1RB#0   | 23.68 | 25.51 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 1RB#2   | 23.68 | 25.51 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 1RB#5   | 23.71 | 25.54 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 3RB#0   | 23.76 | 25.59 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 3RB#1   | 23.74 | 25.57 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 3RB#2   | 23.75 | 25.58 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 6RB#0   | 22.76 | 24.59 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 1RB#0   | 23.51 | 25.34 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 1RB#2   | 23.52 | 25.35 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 1RB#5   | 23.53 | 25.36 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 3RB#0   | 23.54 | 25.37 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 3RB#1   | 23.54 | 25.37 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 3RB#2   | 23.58 | 25.41 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 6RB#0   | 22.55 | 24.38 | 30.00 | PASS |

|        |        |       |        |       |       |       |       |      |
|--------|--------|-------|--------|-------|-------|-------|-------|------|
| Band66 | 1.4MHz | QPSK  | 132665 | 1RB#0 | 23.36 | 25.19 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 1RB#2 | 23.31 | 25.14 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 1RB#5 | 23.29 | 25.12 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 3RB#0 | 23.31 | 25.14 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 3RB#1 | 23.30 | 25.13 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 3RB#2 | 23.32 | 25.15 | 30.00 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 6RB#0 | 22.37 | 24.2  | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 1RB#0 | 22.94 | 24.77 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 1RB#2 | 22.95 | 24.78 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 1RB#5 | 22.90 | 24.73 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 3RB#0 | 22.67 | 24.5  | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 3RB#1 | 22.66 | 24.49 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 3RB#2 | 22.67 | 24.5  | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 6RB#0 | 21.80 | 23.63 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 1RB#0 | 22.75 | 24.58 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 1RB#2 | 22.78 | 24.61 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 1RB#5 | 22.78 | 24.61 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 3RB#0 | 22.46 | 24.29 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 3RB#1 | 22.44 | 24.27 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 3RB#2 | 22.49 | 24.32 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 6RB#0 | 21.40 | 23.23 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 1RB#0 | 22.26 | 24.09 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 1RB#2 | 22.28 | 24.11 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 1RB#5 | 22.26 | 24.09 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 3RB#0 | 22.32 | 24.15 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 3RB#1 | 22.32 | 24.15 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 3RB#2 | 22.33 | 24.16 | 30.00 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 6RB#0 | 21.37 | 23.2  | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 131979 | 1RB#0 | 22.16 | 23.99 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 131979 | 1RB#2 | 22.17 | 24    | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 131979 | 1RB#5 | 22.15 | 23.98 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 131979 | 3RB#0 | 21.73 | 23.56 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 131979 | 3RB#1 | 21.71 | 23.54 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 131979 | 3RB#2 | 21.75 | 23.58 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 131979 | 6RB#0 | 20.56 | 22.39 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 132322 | 1RB#0 | 21.61 | 23.44 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 132322 | 1RB#2 | 21.60 | 23.43 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 132322 | 1RB#5 | 21.62 | 23.45 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 132322 | 3RB#0 | 21.35 | 23.18 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 132322 | 3RB#1 | 21.36 | 23.19 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 132322 | 3RB#2 | 21.35 | 23.18 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 132322 | 6RB#0 | 20.45 | 22.28 | 30.00 | PASS |

|        |        |       |        |        |       |       |       |      |
|--------|--------|-------|--------|--------|-------|-------|-------|------|
| Band66 | 1.4MHz | 64QAM | 132665 | 1RB#0  | 21.58 | 23.41 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 132665 | 1RB#2  | 21.62 | 23.45 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 132665 | 1RB#5  | 21.57 | 23.4  | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 132665 | 3RB#0  | 21.43 | 23.26 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 132665 | 3RB#1  | 21.42 | 23.25 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 132665 | 3RB#2  | 21.43 | 23.26 | 30.00 | PASS |
| Band66 | 1.4MHz | 64QAM | 132665 | 6RB#0  | 20.24 | 22.07 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 1RB#0  | 23.70 | 25.53 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 1RB#7  | 23.73 | 25.56 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 1RB#14 | 23.72 | 25.55 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 8RB#0  | 22.72 | 24.55 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 8RB#4  | 22.71 | 24.54 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 8RB#7  | 22.71 | 24.54 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 15RB#0 | 22.75 | 24.58 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 1RB#0  | 23.48 | 25.31 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 1RB#7  | 23.50 | 25.33 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 1RB#14 | 23.49 | 25.32 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 8RB#0  | 22.54 | 24.37 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 8RB#4  | 22.55 | 24.38 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 8RB#7  | 22.52 | 24.35 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 15RB#0 | 22.50 | 24.33 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 1RB#0  | 23.37 | 25.2  | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 1RB#7  | 23.43 | 25.26 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 1RB#14 | 23.45 | 25.28 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 8RB#0  | 22.34 | 24.17 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 8RB#4  | 22.38 | 24.21 | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 8RB#7  | 22.37 | 24.2  | 30.00 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 15RB#0 | 22.37 | 24.2  | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 1RB#0  | 22.95 | 24.78 | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 1RB#7  | 22.93 | 24.76 | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 1RB#14 | 22.94 | 24.77 | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 8RB#0  | 21.77 | 23.6  | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 8RB#4  | 21.75 | 23.58 | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 8RB#7  | 21.78 | 23.61 | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 15RB#0 | 21.67 | 23.5  | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 1RB#0  | 22.40 | 24.23 | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 1RB#7  | 22.44 | 24.27 | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 1RB#14 | 22.47 | 24.3  | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 8RB#0  | 21.57 | 23.4  | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 8RB#4  | 21.55 | 23.38 | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 8RB#7  | 21.59 | 23.42 | 30.00 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 15RB#0 | 21.42 | 23.25 | 30.00 | PASS |

|        |      |       |        |         |       |       |       |      |
|--------|------|-------|--------|---------|-------|-------|-------|------|
| Band66 | 3MHz | 16QAM | 132657 | 1RB#0   | 22.53 | 24.36 | 30.00 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 1RB#7   | 22.53 | 24.36 | 30.00 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 1RB#14  | 22.55 | 24.38 | 30.00 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 8RB#0   | 21.41 | 23.24 | 30.00 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 8RB#4   | 21.42 | 23.25 | 30.00 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 8RB#7   | 21.44 | 23.27 | 30.00 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 15RB#0  | 21.38 | 23.21 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 131987 | 1RB#0   | 21.75 | 23.58 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 131987 | 1RB#7   | 21.79 | 23.62 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 131987 | 1RB#14  | 21.79 | 23.62 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 131987 | 8RB#0   | 20.75 | 22.58 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 131987 | 8RB#4   | 20.75 | 22.58 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 131987 | 8RB#7   | 20.72 | 22.55 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 131987 | 15RB#0  | 20.71 | 22.54 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132322 | 1RB#0   | 21.75 | 23.58 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132322 | 1RB#7   | 21.86 | 23.69 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132322 | 1RB#14  | 21.82 | 23.65 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132322 | 8RB#0   | 20.66 | 22.49 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132322 | 8RB#4   | 20.68 | 22.51 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132322 | 8RB#7   | 20.66 | 22.49 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132322 | 15RB#0  | 20.60 | 22.43 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132657 | 1RB#0   | 21.24 | 23.07 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132657 | 1RB#7   | 21.31 | 23.14 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132657 | 1RB#14  | 21.29 | 23.12 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132657 | 8RB#0   | 20.37 | 22.2  | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132657 | 8RB#4   | 20.33 | 22.16 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132657 | 8RB#7   | 20.34 | 22.17 | 30.00 | PASS |
| Band66 | 3MHz | 64QAM | 132657 | 15RB#0  | 20.44 | 22.27 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#0   | 23.88 | 25.71 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#12  | 23.95 | 25.78 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#24  | 23.93 | 25.76 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 12RB#0  | 22.75 | 24.58 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 12RB#6  | 22.81 | 24.64 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 12RB#11 | 22.78 | 24.61 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 25RB#0  | 22.77 | 24.6  | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#0   | 23.70 | 25.53 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#12  | 23.73 | 25.56 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#24  | 23.77 | 25.6  | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 12RB#0  | 22.56 | 24.39 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 12RB#6  | 22.55 | 24.38 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 12RB#11 | 22.56 | 24.39 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 25RB#0  | 22.56 | 24.39 | 30.00 | PASS |

|        |      |       |        |         |       |       |       |      |
|--------|------|-------|--------|---------|-------|-------|-------|------|
| Band66 | 5MHz | QPSK  | 132647 | 1RB#0   | 23.48 | 25.31 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 1RB#12  | 23.51 | 25.34 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 1RB#24  | 23.53 | 25.36 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 12RB#0  | 22.38 | 24.21 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 12RB#6  | 22.40 | 24.23 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 12RB#11 | 22.40 | 24.23 | 30.00 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 25RB#0  | 22.41 | 24.24 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#0   | 22.85 | 24.68 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#12  | 22.87 | 24.7  | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#24  | 22.86 | 24.69 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 12RB#0  | 21.80 | 23.63 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 12RB#6  | 21.81 | 23.64 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 12RB#11 | 21.79 | 23.62 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 25RB#0  | 21.78 | 23.61 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 1RB#0   | 22.56 | 24.39 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 1RB#12  | 22.56 | 24.39 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 1RB#24  | 22.61 | 24.44 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 12RB#0  | 21.54 | 23.37 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 12RB#6  | 21.50 | 23.33 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 12RB#11 | 21.56 | 23.39 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 25RB#0  | 21.55 | 23.38 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132647 | 1RB#0   | 22.60 | 24.43 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132647 | 1RB#12  | 22.65 | 24.48 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132647 | 1RB#24  | 22.71 | 24.54 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132647 | 12RB#0  | 21.45 | 23.28 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132647 | 12RB#6  | 21.44 | 23.27 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132647 | 12RB#11 | 21.44 | 23.27 | 30.00 | PASS |
| Band66 | 5MHz | 16QAM | 132647 | 25RB#0  | 21.34 | 23.17 | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 131997 | 1RB#0   | 22.13 | 23.96 | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 131997 | 1RB#12  | 22.15 | 23.98 | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 131997 | 1RB#24  | 22.14 | 23.97 | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 131997 | 12RB#0  | 20.76 | 22.59 | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 131997 | 12RB#6  | 20.76 | 22.59 | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 131997 | 12RB#11 | 20.77 | 22.6  | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 131997 | 25RB#0  | 20.73 | 22.56 | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 132322 | 1RB#0   | 21.55 | 23.38 | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 132322 | 1RB#12  | 21.56 | 23.39 | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 132322 | 1RB#24  | 21.60 | 23.43 | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 132322 | 12RB#0  | 20.68 | 22.51 | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 132322 | 12RB#6  | 20.70 | 22.53 | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 132322 | 12RB#11 | 20.71 | 22.54 | 30.00 | PASS |
| Band66 | 5MHz | 64QAM | 132322 | 25RB#0  | 20.67 | 22.5  | 30.00 | PASS |

|        |       |       |        |         |       |       |       |      |
|--------|-------|-------|--------|---------|-------|-------|-------|------|
| Band66 | 5MHz  | 64QAM | 132647 | 1RB#0   | 21.99 | 23.82 | 30.00 | PASS |
| Band66 | 5MHz  | 64QAM | 132647 | 1RB#12  | 21.98 | 23.81 | 30.00 | PASS |
| Band66 | 5MHz  | 64QAM | 132647 | 1RB#24  | 22.00 | 23.83 | 30.00 | PASS |
| Band66 | 5MHz  | 64QAM | 132647 | 12RB#0  | 20.43 | 22.26 | 30.00 | PASS |
| Band66 | 5MHz  | 64QAM | 132647 | 12RB#6  | 20.44 | 22.27 | 30.00 | PASS |
| Band66 | 5MHz  | 64QAM | 132647 | 12RB#11 | 20.45 | 22.28 | 30.00 | PASS |
| Band66 | 5MHz  | 64QAM | 132647 | 25RB#0  | 20.41 | 22.24 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#0   | 23.66 | 25.49 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#24  | 23.78 | 25.61 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#49  | 23.83 | 25.66 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 25RB#0  | 22.77 | 24.6  | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 25RB#12 | 22.76 | 24.59 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 25RB#24 | 22.77 | 24.6  | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 50RB#0  | 22.85 | 24.68 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#0   | 23.45 | 25.28 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#24  | 23.56 | 25.39 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#49  | 23.51 | 25.34 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 25RB#0  | 22.48 | 24.31 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 25RB#12 | 22.48 | 24.31 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 25RB#24 | 22.47 | 24.3  | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 50RB#0  | 22.59 | 24.42 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#0   | 23.43 | 25.26 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#24  | 23.43 | 25.26 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#49  | 23.41 | 25.24 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 25RB#0  | 22.44 | 24.27 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 25RB#12 | 22.41 | 24.24 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 25RB#24 | 22.44 | 24.27 | 30.00 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 50RB#0  | 22.45 | 24.28 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#0   | 22.88 | 24.71 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#24  | 22.96 | 24.79 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#49  | 23.01 | 24.84 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 25RB#0  | 21.80 | 23.63 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 25RB#12 | 21.78 | 23.61 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 25RB#24 | 21.79 | 23.62 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 50RB#0  | 21.82 | 23.65 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#0   | 22.38 | 24.21 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#24  | 22.45 | 24.28 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#49  | 22.49 | 24.32 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 25RB#0  | 21.52 | 23.35 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 25RB#12 | 21.52 | 23.35 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 25RB#24 | 21.52 | 23.35 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 50RB#0  | 21.58 | 23.41 | 30.00 | PASS |

|        |       |       |        |         |       |       |       |      |
|--------|-------|-------|--------|---------|-------|-------|-------|------|
| Band66 | 10MHz | 16QAM | 132622 | 1RB#0   | 22.59 | 24.42 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#24  | 22.54 | 24.37 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#49  | 22.56 | 24.39 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 25RB#0  | 21.41 | 23.24 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 25RB#12 | 21.41 | 23.24 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 25RB#24 | 21.42 | 23.25 | 30.00 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 50RB#0  | 21.38 | 23.21 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132022 | 1RB#0   | 21.76 | 23.59 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132022 | 1RB#24  | 21.86 | 23.69 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132022 | 1RB#49  | 21.89 | 23.72 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132022 | 25RB#0  | 20.73 | 22.56 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132022 | 25RB#12 | 20.72 | 22.55 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132022 | 25RB#24 | 20.73 | 22.56 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132022 | 50RB#0  | 20.79 | 22.62 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132322 | 1RB#0   | 21.75 | 23.58 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132322 | 1RB#24  | 21.89 | 23.72 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132322 | 1RB#49  | 21.88 | 23.71 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132322 | 25RB#0  | 20.58 | 22.41 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132322 | 25RB#12 | 20.57 | 22.4  | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132322 | 25RB#24 | 20.58 | 22.41 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132322 | 50RB#0  | 20.65 | 22.48 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132622 | 1RB#0   | 21.31 | 23.14 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132622 | 1RB#24  | 21.32 | 23.15 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132622 | 1RB#49  | 21.33 | 23.16 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132622 | 25RB#0  | 20.41 | 22.24 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132622 | 25RB#12 | 20.41 | 22.24 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132622 | 25RB#24 | 20.39 | 22.22 | 30.00 | PASS |
| Band66 | 10MHz | 64QAM | 132622 | 50RB#0  | 20.34 | 22.17 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#0   | 23.58 | 25.41 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#37  | 23.83 | 25.66 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#74  | 23.67 | 25.5  | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 36RB#0  | 22.78 | 24.61 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 36RB#16 | 22.77 | 24.6  | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 36RB#35 | 22.77 | 24.6  | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 75RB#0  | 22.80 | 24.63 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#0   | 23.46 | 25.29 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#37  | 23.52 | 25.35 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#74  | 23.58 | 25.41 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 36RB#0  | 22.49 | 24.32 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 36RB#16 | 22.47 | 24.3  | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 36RB#35 | 22.48 | 24.31 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 75RB#0  | 22.55 | 24.38 | 30.00 | PASS |

|        |       |       |        |         |       |       |       |      |
|--------|-------|-------|--------|---------|-------|-------|-------|------|
| Band66 | 15MHz | QPSK  | 132597 | 1RB#0   | 23.45 | 25.28 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#37  | 23.47 | 25.3  | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#74  | 23.40 | 25.23 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 36RB#0  | 22.40 | 24.23 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 36RB#16 | 22.43 | 24.26 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 36RB#35 | 22.43 | 24.26 | 30.00 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 75RB#0  | 22.46 | 24.29 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#0   | 22.92 | 24.75 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#37  | 23.17 | 25    | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#74  | 23.07 | 24.9  | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 36RB#0  | 21.82 | 23.65 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 36RB#16 | 21.80 | 23.63 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 36RB#35 | 21.82 | 23.65 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 75RB#0  | 21.82 | 23.65 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#0   | 22.36 | 24.19 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#37  | 22.53 | 24.36 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#74  | 22.52 | 24.35 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 36RB#0  | 21.42 | 23.25 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 36RB#16 | 21.40 | 23.23 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 36RB#35 | 21.40 | 23.23 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 75RB#0  | 21.58 | 23.41 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#0   | 22.62 | 24.45 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#37  | 22.63 | 24.46 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#74  | 22.58 | 24.41 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 36RB#0  | 21.38 | 23.21 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 36RB#16 | 21.39 | 23.22 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 36RB#35 | 21.44 | 23.27 | 30.00 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 75RB#0  | 21.41 | 23.24 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132047 | 1RB#0   | 21.78 | 23.61 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132047 | 1RB#37  | 22.03 | 23.86 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132047 | 1RB#74  | 21.94 | 23.77 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132047 | 36RB#0  | 20.72 | 22.55 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132047 | 36RB#16 | 20.73 | 22.56 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132047 | 36RB#35 | 20.77 | 22.6  | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132047 | 75RB#0  | 20.78 | 22.61 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132322 | 1RB#0   | 21.71 | 23.54 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132322 | 1RB#37  | 21.87 | 23.7  | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132322 | 1RB#74  | 21.89 | 23.72 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132322 | 36RB#0  | 20.61 | 22.44 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132322 | 36RB#16 | 20.62 | 22.45 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132322 | 36RB#35 | 20.61 | 22.44 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132322 | 75RB#0  | 20.69 | 22.52 | 30.00 | PASS |

|        |       |       |        |         |       |       |       |      |
|--------|-------|-------|--------|---------|-------|-------|-------|------|
| Band66 | 15MHz | 64QAM | 132597 | 1RB#0   | 21.38 | 23.21 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132597 | 1RB#37  | 21.37 | 23.2  | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132597 | 1RB#74  | 21.31 | 23.14 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132597 | 36RB#0  | 20.43 | 22.26 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132597 | 36RB#16 | 20.44 | 22.27 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132597 | 36RB#35 | 20.43 | 22.26 | 30.00 | PASS |
| Band66 | 15MHz | 64QAM | 132597 | 75RB#0  | 20.41 | 22.24 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#0   | 23.61 | 25.44 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#49  | 23.88 | 25.71 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#99  | 23.64 | 25.47 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 50RB#0  | 22.81 | 24.64 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 50RB#24 | 22.81 | 24.64 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 50RB#49 | 22.78 | 24.61 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 100RB#0 | 22.78 | 24.61 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#0   | 23.34 | 25.17 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#49  | 23.46 | 25.29 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#99  | 23.51 | 25.34 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 50RB#0  | 22.44 | 24.27 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 50RB#24 | 22.45 | 24.28 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 50RB#49 | 22.45 | 24.28 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 100RB#0 | 22.53 | 24.36 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#0   | 23.65 | 25.48 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#49  | 23.59 | 25.42 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#99  | 23.52 | 25.35 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 50RB#0  | 22.50 | 24.33 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 50RB#24 | 22.49 | 24.32 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 50RB#49 | 22.50 | 24.33 | 30.00 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 100RB#0 | 22.46 | 24.29 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#0   | 22.86 | 24.69 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#49  | 23.15 | 24.98 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#99  | 22.94 | 24.77 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 50RB#0  | 21.79 | 23.62 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 50RB#24 | 21.82 | 23.65 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 50RB#49 | 21.81 | 23.64 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 100RB#0 | 21.79 | 23.62 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#0   | 22.42 | 24.25 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#49  | 22.66 | 24.49 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#99  | 22.69 | 24.52 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 50RB#0  | 21.46 | 23.29 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 50RB#24 | 21.45 | 23.28 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 50RB#49 | 21.45 | 23.28 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 100RB#0 | 21.52 | 23.35 | 30.00 | PASS |

|        |       |       |        |         |       |       |       |      |
|--------|-------|-------|--------|---------|-------|-------|-------|------|
| Band66 | 20MHz | 16QAM | 132572 | 1RB#0   | 22.56 | 24.39 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#49  | 22.60 | 24.43 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#99  | 22.44 | 24.27 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 50RB#0  | 21.46 | 23.29 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 50RB#24 | 21.47 | 23.3  | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 50RB#49 | 21.48 | 23.31 | 30.00 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 100RB#0 | 21.39 | 23.22 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132072 | 1RB#0   | 22.00 | 23.83 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132072 | 1RB#49  | 22.21 | 24.04 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132072 | 1RB#99  | 21.99 | 23.82 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132072 | 50RB#0  | 20.79 | 22.62 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132072 | 50RB#24 | 20.80 | 22.63 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132072 | 50RB#49 | 20.80 | 22.63 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132072 | 100RB#0 | 20.77 | 22.6  | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132322 | 1RB#0   | 21.30 | 23.13 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132322 | 1RB#49  | 21.50 | 23.33 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132322 | 1RB#99  | 21.56 | 23.39 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132322 | 50RB#0  | 20.58 | 22.41 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132322 | 50RB#24 | 20.54 | 22.37 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132322 | 50RB#49 | 20.58 | 22.41 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132322 | 100RB#0 | 20.66 | 22.49 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132572 | 1RB#0   | 21.89 | 23.72 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132572 | 1RB#49  | 21.85 | 23.68 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132572 | 1RB#99  | 21.74 | 23.57 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132572 | 50RB#0  | 20.46 | 22.29 | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132572 | 50RB#24 | 20.47 | 22.3  | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132572 | 50RB#49 | 20.47 | 22.3  | 30.00 | PASS |
| Band66 | 20MHz | 64QAM | 132572 | 100RB#0 | 20.35 | 22.18 | 30.00 | PASS |

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band 2 & 4 & 7 & 25 & 38 & 41 & 66)

ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band 5 & 12 & 17 & 26)


## Appendix B: Peak-to-Average Ratio(CCDF)


### Test Result

| Band   | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|--------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band7  | 20MHz     | QPSK       | 21100   | 100RB#0          | 4.41       | 13        | PASS    |
| Band7  | 20MHz     | 16QAM      | 21100   | 100RB#0          | 5.26       | 13        | PASS    |
| Band7  | 20MHz     | 64QAM      | 21100   | 100RB#0          | 5.87       | 13        | PASS    |
| Band12 | 10MHz     | QPSK       | 23095   | 50RB#0           | 5.48       | 13        | PASS    |
| Band12 | 10MHz     | 16QAM      | 23095   | 50RB#0           | 6.26       | 13        | PASS    |
| Band12 | 10MHz     | 64QAM      | 23095   | 50RB#0           | 6.72       | 13        | PASS    |
| Band25 | 20MHz     | QPSK       | 26365   | 100RB#0          | 5.65       | 13        | PASS    |
| Band25 | 20MHz     | 16QAM      | 26365   | 100RB#0          | 6.47       | 13        | PASS    |
| Band25 | 20MHz     | 64QAM      | 26365   | 100RB#0          | 6.81       | 13        | PASS    |
| Band26 | 10MHz     | QPSK       | 26740   | 50RB#0           | 5.39       | 13        | PASS    |
| Band26 | 10MHz     | 16QAM      | 26740   | 50RB#0           | 6.23       | 13        | PASS    |
| Band26 | 10MHz     | 64QAM      | 26740   | 50RB#0           | 6.64       | 13        | PASS    |
| Band26 | 15MHz     | QPSK       | 26915   | 1RB#0            | 5.07       | 13        | PASS    |
| Band26 | 15MHz     | QPSK       | 26915   | 75RB#0           | 5.89       | 13        | PASS    |
| Band26 | 15MHz     | 16QAM      | 26915   | 1RB#0            | 5.93       | 13        | PASS    |
| Band26 | 15MHz     | 16QAM      | 26915   | 75RB#0           | 6.52       | 13        | PASS    |
| Band26 | 15MHz     | 64QAM      | 26915   | 1RB#0            | 6.18       | 13        | PASS    |
| Band26 | 15MHz     | 64QAM      | 26915   | 75RB#0           | 6.80       | 13        | PASS    |
| Band41 | 20MHz     | QPSK       | 40620   | 100RB#0          | 5.46       | 13        | PASS    |
| Band41 | 20MHz     | 16QAM      | 40620   | 100RB#0          | 6.25       | 13        | PASS    |
| Band41 | 20MHz     | 64QAM      | 40620   | 100RB#0          | 6.63       | 13        | PASS    |
| Band66 | 20MHz     | QPSK       | 132322  | 100RB#0          | 5.53       | 13        | PASS    |
| Band66 | 20MHz     | 16QAM      | 132322  | 100RB#0          | 6.33       | 13        | PASS    |
| Band66 | 20MHz     | 64QAM      | 132322  | 100RB#0          | 6.72       | 13        | PASS    |


Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

## Test Graphs









## Appendix C: 26dB Bandwidth and Occupied Bandwidth

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) | Verdict |
|-------|-----------|------------|---------|------------------|--------------------------|----------------------|---------|
| Band7 | 5MHz      | QPSK       | 20775   | 25RB#0           | 4.5105                   | 4.976                | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 25RB#0           | 4.4965                   | 4.978                | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 25RB#0           | 4.5055                   | 5.005                | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 25RB#0           | 4.4924                   | 4.939                | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 25RB#0           | 4.5179                   | 5.010                | PASS    |
| Band7 | 5MHz      | 16QAM      | 21425   | 25RB#0           | 4.5211                   | 4.985                | PASS    |
| Band7 | 5MHz      | 64QAM      | 20775   | 25RB#0           | 4.4973                   | 4.963                | PASS    |
| Band7 | 5MHz      | 64QAM      | 21100   | 25RB#0           | 4.5016                   | 4.963                | PASS    |
| Band7 | 5MHz      | 64QAM      | 21425   | 25RB#0           | 4.5031                   | 4.985                | PASS    |
| Band7 | 10MHz     | QPSK       | 20800   | 50RB#0           | 8.9953                   | 9.802                | PASS    |
| Band7 | 10MHz     | QPSK       | 21100   | 50RB#0           | 8.9799                   | 9.887                | PASS    |
| Band7 | 10MHz     | QPSK       | 21400   | 50RB#0           | 9.0197                   | 9.958                | PASS    |
| Band7 | 10MHz     | 16QAM      | 20800   | 50RB#0           | 8.9805                   | 9.831                | PASS    |
| Band7 | 10MHz     | 16QAM      | 21100   | 50RB#0           | 9.0043                   | 9.799                | PASS    |
| Band7 | 10MHz     | 16QAM      | 21400   | 50RB#0           | 8.9912                   | 9.794                | PASS    |
| Band7 | 10MHz     | 64QAM      | 20800   | 50RB#0           | 8.9949                   | 9.792                | PASS    |
| Band7 | 10MHz     | 64QAM      | 21100   | 50RB#0           | 8.9789                   | 9.821                | PASS    |
| Band7 | 10MHz     | 64QAM      | 21400   | 50RB#0           | 8.9845                   | 9.844                | PASS    |
| Band7 | 15MHz     | QPSK       | 20825   | 75RB#0           | 13.472                   | 14.71                | PASS    |
| Band7 | 15MHz     | QPSK       | 21100   | 75RB#0           | 13.482                   | 14.83                | PASS    |
| Band7 | 15MHz     | QPSK       | 21375   | 75RB#0           | 13.527                   | 14.84                | PASS    |
| Band7 | 15MHz     | 16QAM      | 20825   | 75RB#0           | 13.482                   | 14.67                | PASS    |
| Band7 | 15MHz     | 16QAM      | 21100   | 75RB#0           | 13.515                   | 14.67                | PASS    |
| Band7 | 15MHz     | 16QAM      | 21375   | 75RB#0           | 13.512                   | 14.69                | PASS    |
| Band7 | 15MHz     | 64QAM      | 20825   | 75RB#0           | 13.504                   | 14.77                | PASS    |
| Band7 | 15MHz     | 64QAM      | 21100   | 75RB#0           | 13.478                   | 14.73                | PASS    |
| Band7 | 15MHz     | 64QAM      | 21375   | 75RB#0           | 13.478                   | 14.74                | PASS    |
| Band7 | 20MHz     | QPSK       | 20850   | 100RB#0          | 17.951                   | 19.57                | PASS    |
| Band7 | 20MHz     | QPSK       | 21100   | 100RB#0          | 17.967                   | 19.49                | PASS    |
| Band7 | 20MHz     | QPSK       | 21350   | 100RB#0          | 17.984                   | 19.45                | PASS    |
| Band7 | 20MHz     | 16QAM      | 20850   | 100RB#0          | 17.939                   | 19.42                | PASS    |
| Band7 | 20MHz     | 16QAM      | 21100   | 100RB#0          | 17.980                   | 19.63                | PASS    |
| Band7 | 20MHz     | 16QAM      | 21350   | 100RB#0          | 17.953                   | 19.47                | PASS    |
| Band7 | 20MHz     | 64QAM      | 20850   | 100RB#0          | 17.973                   | 19.40                | PASS    |
| Band7 | 20MHz     | 64QAM      | 21100   | 100RB#0          | 17.966                   | 19.40                | PASS    |

|        |        |       |       |         |        |       |      |
|--------|--------|-------|-------|---------|--------|-------|------|
| Band7  | 20MHz  | 64QAM | 21350 | 100RB#0 | 17.925 | 19.48 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 6RB#0   | 1.0996 | 1.278 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 6RB#0   | 1.0977 | 1.301 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 6RB#0   | 1.0976 | 1.284 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 6RB#0   | 1.0958 | 1.301 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 6RB#0   | 1.0912 | 1.281 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 6RB#0   | 1.0976 | 1.300 | PASS |
| Band12 | 1.4MHz | 64QAM | 23017 | 6RB#0   | 1.0969 | 1.282 | PASS |
| Band12 | 1.4MHz | 64QAM | 23095 | 6RB#0   | 1.1069 | 1.315 | PASS |
| Band12 | 1.4MHz | 64QAM | 23173 | 6RB#0   | 1.0972 | 1.301 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 15RB#0  | 2.6914 | 2.930 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 15RB#0  | 2.6945 | 2.922 | PASS |
| Band12 | 3MHz   | QPSK  | 23165 | 15RB#0  | 2.7007 | 2.925 | PASS |
| Band12 | 3MHz   | 16QAM | 23025 | 15RB#0  | 2.6942 | 2.935 | PASS |
| Band12 | 3MHz   | 16QAM | 23095 | 15RB#0  | 2.6901 | 2.949 | PASS |
| Band12 | 3MHz   | 16QAM | 23165 | 15RB#0  | 2.6953 | 2.931 | PASS |
| Band12 | 3MHz   | 64QAM | 23025 | 15RB#0  | 2.6888 | 2.911 | PASS |
| Band12 | 3MHz   | 64QAM | 23095 | 15RB#0  | 2.6972 | 2.944 | PASS |
| Band12 | 3MHz   | 64QAM | 23165 | 15RB#0  | 2.6980 | 2.933 | PASS |
| Band12 | 5MHz   | QPSK  | 23035 | 25RB#0  | 4.4939 | 4.954 | PASS |
| Band12 | 5MHz   | QPSK  | 23095 | 25RB#0  | 4.5017 | 4.978 | PASS |
| Band12 | 5MHz   | QPSK  | 23155 | 25RB#0  | 4.5114 | 5.038 | PASS |
| Band12 | 5MHz   | 16QAM | 23035 | 25RB#0  | 4.5084 | 5.036 | PASS |
| Band12 | 5MHz   | 16QAM | 23095 | 25RB#0  | 4.5165 | 4.982 | PASS |
| Band12 | 5MHz   | 16QAM | 23155 | 25RB#0  | 4.4984 | 4.935 | PASS |
| Band12 | 5MHz   | 64QAM | 23035 | 25RB#0  | 4.4963 | 4.966 | PASS |
| Band12 | 5MHz   | 64QAM | 23095 | 25RB#0  | 4.5124 | 4.985 | PASS |
| Band12 | 5MHz   | 64QAM | 23155 | 25RB#0  | 4.4999 | 5.061 | PASS |
| Band12 | 10MHz  | QPSK  | 23060 | 50RB#0  | 8.9983 | 9.808 | PASS |
| Band12 | 10MHz  | QPSK  | 23095 | 50RB#0  | 8.9749 | 9.844 | PASS |
| Band12 | 10MHz  | QPSK  | 23130 | 50RB#0  | 8.9762 | 9.794 | PASS |
| Band12 | 10MHz  | 16QAM | 23060 | 50RB#0  | 8.9967 | 9.884 | PASS |
| Band12 | 10MHz  | 16QAM | 23095 | 50RB#0  | 9.0021 | 9.838 | PASS |
| Band12 | 10MHz  | 16QAM | 23130 | 50RB#0  | 8.9649 | 9.733 | PASS |
| Band12 | 10MHz  | 64QAM | 23060 | 50RB#0  | 9.0014 | 9.816 | PASS |
| Band12 | 10MHz  | 64QAM | 23095 | 50RB#0  | 8.9752 | 9.795 | PASS |
| Band12 | 10MHz  | 64QAM | 23130 | 50RB#0  | 8.9673 | 9.778 | PASS |
| Band25 | 1.4MHz | QPSK  | 26047 | 6RB#0   | 1.0918 | 1.286 | PASS |
| Band25 | 1.4MHz | QPSK  | 26365 | 6RB#0   | 1.0915 | 1.293 | PASS |
| Band25 | 1.4MHz | QPSK  | 26683 | 6RB#0   | 1.1005 | 1.288 | PASS |
| Band25 | 1.4MHz | 16QAM | 26047 | 6RB#0   | 1.1021 | 1.295 | PASS |
| Band25 | 1.4MHz | 16QAM | 26365 | 6RB#0   | 1.1005 | 1.321 | PASS |

|        |        |       |       |         |        |       |      |
|--------|--------|-------|-------|---------|--------|-------|------|
| Band25 | 1.4MHz | 16QAM | 26683 | 6RB#0   | 1.0980 | 1.295 | PASS |
| Band25 | 1.4MHz | 64QAM | 26047 | 6RB#0   | 1.0934 | 1.294 | PASS |
| Band25 | 1.4MHz | 64QAM | 26365 | 6RB#0   | 1.0918 | 1.292 | PASS |
| Band25 | 1.4MHz | 64QAM | 26683 | 6RB#0   | 1.0907 | 1.288 | PASS |
| Band25 | 3MHz   | QPSK  | 26055 | 15RB#0  | 2.6930 | 2.913 | PASS |
| Band25 | 3MHz   | QPSK  | 26365 | 15RB#0  | 2.6929 | 2.910 | PASS |
| Band25 | 3MHz   | QPSK  | 26675 | 15RB#0  | 2.6943 | 2.930 | PASS |
| Band25 | 3MHz   | 16QAM | 26055 | 15RB#0  | 2.6866 | 2.926 | PASS |
| Band25 | 3MHz   | 16QAM | 26365 | 15RB#0  | 2.6942 | 2.922 | PASS |
| Band25 | 3MHz   | 16QAM | 26675 | 15RB#0  | 2.6914 | 2.951 | PASS |
| Band25 | 3MHz   | 64QAM | 26055 | 15RB#0  | 2.6963 | 2.928 | PASS |
| Band25 | 3MHz   | 64QAM | 26365 | 15RB#0  | 2.6965 | 2.925 | PASS |
| Band25 | 3MHz   | 64QAM | 26675 | 15RB#0  | 2.6951 | 2.927 | PASS |
| Band25 | 5MHz   | QPSK  | 26065 | 25RB#0  | 4.4951 | 4.962 | PASS |
| Band25 | 5MHz   | QPSK  | 26365 | 25RB#0  | 4.5110 | 5.002 | PASS |
| Band25 | 5MHz   | QPSK  | 26665 | 25RB#0  | 4.4919 | 4.970 | PASS |
| Band25 | 5MHz   | 16QAM | 26065 | 25RB#0  | 4.5138 | 5.025 | PASS |
| Band25 | 5MHz   | 16QAM | 26365 | 25RB#0  | 4.4926 | 4.942 | PASS |
| Band25 | 5MHz   | 16QAM | 26665 | 25RB#0  | 4.5077 | 5.013 | PASS |
| Band25 | 5MHz   | 64QAM | 26065 | 25RB#0  | 4.4947 | 4.977 | PASS |
| Band25 | 5MHz   | 64QAM | 26365 | 25RB#0  | 4.4981 | 4.973 | PASS |
| Band25 | 5MHz   | 64QAM | 26665 | 25RB#0  | 4.4926 | 4.952 | PASS |
| Band25 | 10MHz  | QPSK  | 26090 | 50RB#0  | 8.9960 | 10.05 | PASS |
| Band25 | 10MHz  | QPSK  | 26365 | 50RB#0  | 8.9799 | 9.830 | PASS |
| Band25 | 10MHz  | QPSK  | 26640 | 50RB#0  | 8.9683 | 9.844 | PASS |
| Band25 | 10MHz  | 16QAM | 26090 | 50RB#0  | 8.9863 | 9.836 | PASS |
| Band25 | 10MHz  | 16QAM | 26365 | 50RB#0  | 8.9835 | 9.748 | PASS |
| Band25 | 10MHz  | 16QAM | 26640 | 50RB#0  | 8.9694 | 9.826 | PASS |
| Band25 | 10MHz  | 64QAM | 26090 | 50RB#0  | 8.9824 | 10.18 | PASS |
| Band25 | 10MHz  | 64QAM | 26365 | 50RB#0  | 8.9695 | 9.767 | PASS |
| Band25 | 10MHz  | 64QAM | 26640 | 50RB#0  | 8.9559 | 9.814 | PASS |
| Band25 | 15MHz  | QPSK  | 26115 | 75RB#0  | 13.468 | 14.73 | PASS |
| Band25 | 15MHz  | QPSK  | 26365 | 75RB#0  | 13.470 | 14.76 | PASS |
| Band25 | 15MHz  | QPSK  | 26615 | 75RB#0  | 13.441 | 14.69 | PASS |
| Band25 | 15MHz  | 16QAM | 26115 | 75RB#0  | 13.496 | 14.73 | PASS |
| Band25 | 15MHz  | 16QAM | 26365 | 75RB#0  | 13.479 | 15.16 | PASS |
| Band25 | 15MHz  | 16QAM | 26615 | 75RB#0  | 13.468 | 14.65 | PASS |
| Band25 | 15MHz  | 64QAM | 26115 | 75RB#0  | 13.488 | 14.77 | PASS |
| Band25 | 15MHz  | 64QAM | 26365 | 75RB#0  | 13.437 | 14.61 | PASS |
| Band25 | 15MHz  | 64QAM | 26615 | 75RB#0  | 13.497 | 14.75 | PASS |
| Band25 | 20MHz  | QPSK  | 26140 | 100RB#0 | 17.944 | 19.42 | PASS |
| Band25 | 20MHz  | QPSK  | 26365 | 100RB#0 | 17.941 | 19.36 | PASS |

|        |        |       |       |         |        |       |      |
|--------|--------|-------|-------|---------|--------|-------|------|
| Band25 | 20MHz  | QPSK  | 26590 | 100RB#0 | 17.968 | 19.55 | PASS |
| Band25 | 20MHz  | 16QAM | 26140 | 100RB#0 | 17.919 | 19.41 | PASS |
| Band25 | 20MHz  | 16QAM | 26365 | 100RB#0 | 17.970 | 19.46 | PASS |
| Band25 | 20MHz  | 16QAM | 26590 | 100RB#0 | 17.937 | 19.41 | PASS |
| Band25 | 20MHz  | 64QAM | 26140 | 100RB#0 | 17.938 | 19.37 | PASS |
| Band25 | 20MHz  | 64QAM | 26365 | 100RB#0 | 17.922 | 19.41 | PASS |
| Band25 | 20MHz  | 64QAM | 26590 | 100RB#0 | 17.932 | 19.35 | PASS |
| Band26 | 1.4MHz | QPSK  | 26697 | 6RB#0   | 1.0945 | 1.278 | PASS |
| Band26 | 1.4MHz | QPSK  | 26740 | 6RB#0   | 1.0953 | 1.307 | PASS |
| Band26 | 1.4MHz | QPSK  | 26783 | 6RB#0   | 1.0852 | 1.284 | PASS |
| Band26 | 1.4MHz | QPSK  | 26797 | 6RB#0   | 1.0977 | 1.302 | PASS |
| Band26 | 1.4MHz | QPSK  | 26915 | 6RB#0   | 1.0903 | 1.284 | PASS |
| Band26 | 1.4MHz | QPSK  | 27033 | 6RB#0   | 1.0958 | 1.291 | PASS |
| Band26 | 1.4MHz | 16QAM | 26697 | 6RB#0   | 1.0960 | 1.297 | PASS |
| Band26 | 1.4MHz | 16QAM | 26740 | 6RB#0   | 1.0900 | 1.277 | PASS |
| Band26 | 1.4MHz | 16QAM | 26783 | 6RB#0   | 1.1011 | 1.308 | PASS |
| Band26 | 1.4MHz | 16QAM | 26797 | 6RB#0   | 1.0898 | 1.289 | PASS |
| Band26 | 1.4MHz | 16QAM | 26915 | 6RB#0   | 1.0994 | 1.305 | PASS |
| Band26 | 1.4MHz | 16QAM | 27033 | 6RB#0   | 1.0959 | 1.313 | PASS |
| Band26 | 1.4MHz | 64QAM | 26697 | 6RB#0   | 1.0916 | 1.288 | PASS |
| Band26 | 1.4MHz | 64QAM | 26740 | 6RB#0   | 1.1024 | 1.320 | PASS |
| Band26 | 1.4MHz | 64QAM | 26783 | 6RB#0   | 1.0940 | 1.302 | PASS |
| Band26 | 1.4MHz | 64QAM | 26797 | 6RB#0   | 1.1017 | 1.319 | PASS |
| Band26 | 1.4MHz | 64QAM | 26915 | 6RB#0   | 1.0933 | 1.298 | PASS |
| Band26 | 1.4MHz | 64QAM | 27033 | 6RB#0   | 1.0920 | 1.281 | PASS |
| Band26 | 3MHz   | QPSK  | 26705 | 15RB#0  | 2.6985 | 2.934 | PASS |
| Band26 | 3MHz   | QPSK  | 26740 | 15RB#0  | 2.6903 | 2.914 | PASS |
| Band26 | 3MHz   | QPSK  | 26775 | 15RB#0  | 2.6943 | 2.906 | PASS |
| Band26 | 3MHz   | QPSK  | 26805 | 15RB#0  | 2.6936 | 2.925 | PASS |
| Band26 | 3MHz   | QPSK  | 26915 | 15RB#0  | 2.6918 | 2.935 | PASS |
| Band26 | 3MHz   | QPSK  | 27025 | 15RB#0  | 2.6977 | 2.923 | PASS |
| Band26 | 3MHz   | 16QAM | 26705 | 15RB#0  | 2.6901 | 2.927 | PASS |
| Band26 | 3MHz   | 16QAM | 26740 | 15RB#0  | 2.6939 | 2.928 | PASS |
| Band26 | 3MHz   | 16QAM | 26775 | 15RB#0  | 2.6852 | 2.948 | PASS |
| Band26 | 3MHz   | 16QAM | 26805 | 15RB#0  | 2.6842 | 2.915 | PASS |
| Band26 | 3MHz   | 16QAM | 26915 | 15RB#0  | 2.6888 | 2.957 | PASS |
| Band26 | 3MHz   | 16QAM | 27025 | 15RB#0  | 2.6928 | 2.934 | PASS |
| Band26 | 3MHz   | 64QAM | 26705 | 15RB#0  | 2.6986 | 2.925 | PASS |
| Band26 | 3MHz   | 64QAM | 26740 | 15RB#0  | 2.6926 | 2.907 | PASS |
| Band26 | 3MHz   | 64QAM | 26775 | 15RB#0  | 2.6938 | 2.937 | PASS |
| Band26 | 3MHz   | 64QAM | 26805 | 15RB#0  | 2.6930 | 2.932 | PASS |
| Band26 | 3MHz   | 64QAM | 26915 | 15RB#0  | 2.6951 | 2.932 | PASS |

|        |       |       |       |        |        |       |      |
|--------|-------|-------|-------|--------|--------|-------|------|
| Band26 | 3MHz  | 64QAM | 27025 | 15RB#0 | 2.6981 | 2.923 | PASS |
| Band26 | 5MHz  | QPSK  | 26715 | 25RB#0 | 4.5012 | 4.966 | PASS |
| Band26 | 5MHz  | QPSK  | 26740 | 25RB#0 | 4.5016 | 4.967 | PASS |
| Band26 | 5MHz  | QPSK  | 26765 | 25RB#0 | 4.5038 | 4.983 | PASS |
| Band26 | 5MHz  | QPSK  | 26815 | 25RB#0 | 4.4954 | 4.941 | PASS |
| Band26 | 5MHz  | QPSK  | 26915 | 25RB#0 | 4.5046 | 5.000 | PASS |
| Band26 | 5MHz  | QPSK  | 27015 | 25RB#0 | 4.5013 | 4.978 | PASS |
| Band26 | 5MHz  | 16QAM | 26715 | 25RB#0 | 4.5228 | 5.047 | PASS |
| Band26 | 5MHz  | 16QAM | 26740 | 25RB#0 | 4.5137 | 5.015 | PASS |
| Band26 | 5MHz  | 16QAM | 26765 | 25RB#0 | 4.4877 | 4.941 | PASS |
| Band26 | 5MHz  | 16QAM | 26815 | 25RB#0 | 4.5051 | 5.030 | PASS |
| Band26 | 5MHz  | 16QAM | 26915 | 25RB#0 | 4.4927 | 4.948 | PASS |
| Band26 | 5MHz  | 16QAM | 27015 | 25RB#0 | 4.5178 | 5.034 | PASS |
| Band26 | 5MHz  | 64QAM | 26715 | 25RB#0 | 4.5050 | 4.988 | PASS |
| Band26 | 5MHz  | 64QAM | 26740 | 25RB#0 | 4.5066 | 4.992 | PASS |
| Band26 | 5MHz  | 64QAM | 26765 | 25RB#0 | 4.4948 | 4.956 | PASS |
| Band26 | 5MHz  | 64QAM | 26815 | 25RB#0 | 4.5009 | 4.954 | PASS |
| Band26 | 5MHz  | 64QAM | 26915 | 25RB#0 | 4.4981 | 4.958 | PASS |
| Band26 | 5MHz  | 64QAM | 27015 | 25RB#0 | 4.5059 | 4.978 | PASS |
| Band26 | 10MHz | QPSK  | 26740 | 50RB#0 | 8.9933 | 9.845 | PASS |
| Band26 | 10MHz | QPSK  | 26840 | 50RB#0 | 8.9936 | 9.863 | PASS |
| Band26 | 10MHz | QPSK  | 26915 | 50RB#0 | 8.9895 | 9.823 | PASS |
| Band26 | 10MHz | QPSK  | 26990 | 50RB#0 | 9.0132 | 9.841 | PASS |
| Band26 | 10MHz | 16QAM | 26740 | 50RB#0 | 8.9902 | 9.867 | PASS |
| Band26 | 10MHz | 16QAM | 26840 | 50RB#0 | 8.9846 | 9.801 | PASS |
| Band26 | 10MHz | 16QAM | 26915 | 50RB#0 | 8.9827 | 9.757 | PASS |
| Band26 | 10MHz | 16QAM | 26990 | 50RB#0 | 9.0123 | 9.842 | PASS |
| Band26 | 10MHz | 64QAM | 26740 | 50RB#0 | 9.0046 | 9.812 | PASS |
| Band26 | 10MHz | 64QAM | 26840 | 50RB#0 | 9.0071 | 9.812 | PASS |
| Band26 | 10MHz | 64QAM | 26915 | 50RB#0 | 8.9716 | 9.766 | PASS |
| Band26 | 10MHz | 64QAM | 26990 | 50RB#0 | 9.0099 | 9.824 | PASS |
| Band26 | 15MHz | QPSK  | 26865 | 75RB#0 | 13.529 | 14.74 | PASS |
| Band26 | 15MHz | QPSK  | 26915 | 75RB#0 | 13.433 | 14.57 | PASS |
| Band26 | 15MHz | QPSK  | 26965 | 75RB#0 | 13.455 | 14.67 | PASS |
| Band26 | 15MHz | 16QAM | 26865 | 75RB#0 | 13.529 | 14.66 | PASS |
| Band26 | 15MHz | 16QAM | 26915 | 75RB#0 | 13.460 | 14.55 | PASS |
| Band26 | 15MHz | 16QAM | 26965 | 75RB#0 | 13.460 | 14.68 | PASS |
| Band26 | 15MHz | 64QAM | 26865 | 75RB#0 | 13.547 | 14.83 | PASS |
| Band26 | 15MHz | 64QAM | 26915 | 75RB#0 | 13.478 | 14.95 | PASS |
| Band26 | 15MHz | 64QAM | 26965 | 75RB#0 | 13.434 | 14.60 | PASS |
| Band41 | 5MHz  | QPSK  | 39675 | 25RB#0 | 4.4939 | 5.013 | PASS |
| Band41 | 5MHz  | QPSK  | 40620 | 25RB#0 | 4.4998 | 5.022 | PASS |

|        |        |       |        |         |        |       |      |
|--------|--------|-------|--------|---------|--------|-------|------|
| Band41 | 5MHz   | QPSK  | 41565  | 25RB#0  | 4.4945 | 5.014 | PASS |
| Band41 | 5MHz   | 16QAM | 39675  | 25RB#0  | 4.4986 | 5.002 | PASS |
| Band41 | 5MHz   | 16QAM | 40620  | 25RB#0  | 4.4972 | 5.014 | PASS |
| Band41 | 5MHz   | 16QAM | 41565  | 25RB#0  | 4.4976 | 5.010 | PASS |
| Band41 | 5MHz   | 64QAM | 39675  | 25RB#0  | 4.5090 | 4.958 | PASS |
| Band41 | 5MHz   | 64QAM | 40620  | 25RB#0  | 4.5105 | 4.962 | PASS |
| Band41 | 5MHz   | 64QAM | 41565  | 25RB#0  | 4.5050 | 4.952 | PASS |
| Band41 | 10MHz  | QPSK  | 39700  | 50RB#0  | 8.9907 | 10.44 | PASS |
| Band41 | 10MHz  | QPSK  | 40620  | 50RB#0  | 9.0037 | 10.14 | PASS |
| Band41 | 10MHz  | QPSK  | 41540  | 50RB#0  | 8.9971 | 10.23 | PASS |
| Band41 | 10MHz  | 16QAM | 39700  | 50RB#0  | 8.9624 | 9.756 | PASS |
| Band41 | 10MHz  | 16QAM | 40620  | 50RB#0  | 8.9939 | 9.846 | PASS |
| Band41 | 10MHz  | 16QAM | 41540  | 50RB#0  | 8.9699 | 9.766 | PASS |
| Band41 | 10MHz  | 64QAM | 39700  | 50RB#0  | 8.9601 | 9.944 | PASS |
| Band41 | 10MHz  | 64QAM | 40620  | 50RB#0  | 8.9823 | 9.911 | PASS |
| Band41 | 10MHz  | 64QAM | 41540  | 50RB#0  | 8.9899 | 9.819 | PASS |
| Band41 | 15MHz  | QPSK  | 39725  | 75RB#0  | 13.461 | 16.23 | PASS |
| Band41 | 15MHz  | QPSK  | 40620  | 75RB#0  | 13.482 | 15.59 | PASS |
| Band41 | 15MHz  | QPSK  | 41515  | 75RB#0  | 13.490 | 15.63 | PASS |
| Band41 | 15MHz  | 16QAM | 39725  | 75RB#0  | 13.488 | 15.06 | PASS |
| Band41 | 15MHz  | 16QAM | 40620  | 75RB#0  | 13.505 | 15.44 | PASS |
| Band41 | 15MHz  | 16QAM | 41515  | 75RB#0  | 13.491 | 15.49 | PASS |
| Band41 | 15MHz  | 64QAM | 39725  | 75RB#0  | 13.490 | 16.23 | PASS |
| Band41 | 15MHz  | 64QAM | 40620  | 75RB#0  | 13.451 | 14.69 | PASS |
| Band41 | 15MHz  | 64QAM | 41515  | 75RB#0  | 13.464 | 15.00 | PASS |
| Band41 | 20MHz  | QPSK  | 39750  | 100RB#0 | 17.974 | 20.07 | PASS |
| Band41 | 20MHz  | QPSK  | 40620  | 100RB#0 | 17.982 | 19.98 | PASS |
| Band41 | 20MHz  | QPSK  | 41490  | 100RB#0 | 17.918 | 19.24 | PASS |
| Band41 | 20MHz  | 16QAM | 39750  | 100RB#0 | 17.910 | 20.13 | PASS |
| Band41 | 20MHz  | 16QAM | 40620  | 100RB#0 | 17.950 | 21.51 | PASS |
| Band41 | 20MHz  | 16QAM | 41490  | 100RB#0 | 17.923 | 20.08 | PASS |
| Band41 | 20MHz  | 64QAM | 39750  | 100RB#0 | 17.920 | 19.53 | PASS |
| Band41 | 20MHz  | 64QAM | 40620  | 100RB#0 | 17.936 | 21.30 | PASS |
| Band41 | 20MHz  | 64QAM | 41490  | 100RB#0 | 17.919 | 19.96 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 6RB#0   | 1.0978 | 1.284 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 6RB#0   | 1.0937 | 1.294 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 6RB#0   | 1.0958 | 1.278 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 6RB#0   | 1.0948 | 1.292 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 6RB#0   | 1.1013 | 1.301 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 6RB#0   | 1.0954 | 1.298 | PASS |
| Band66 | 1.4MHz | 64QAM | 131979 | 6RB#0   | 1.0907 | 1.292 | PASS |
| Band66 | 1.4MHz | 64QAM | 132322 | 6RB#0   | 1.0921 | 1.292 | PASS |


|        |        |       |        |         |        |       |      |
|--------|--------|-------|--------|---------|--------|-------|------|
| Band66 | 1.4MHz | 64QAM | 132665 | 6RB#0   | 1.0934 | 1.301 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 15RB#0  | 2.6923 | 2.918 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 15RB#0  | 2.6971 | 2.923 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 15RB#0  | 2.6968 | 2.938 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 15RB#0  | 2.6927 | 2.921 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 15RB#0  | 2.6947 | 2.930 | PASS |
| Band66 | 3MHz   | 16QAM | 132657 | 15RB#0  | 2.6873 | 2.929 | PASS |
| Band66 | 3MHz   | 64QAM | 131987 | 15RB#0  | 2.6936 | 2.936 | PASS |
| Band66 | 3MHz   | 64QAM | 132322 | 15RB#0  | 2.6963 | 2.943 | PASS |
| Band66 | 3MHz   | 64QAM | 132657 | 15RB#0  | 2.6954 | 2.932 | PASS |
| Band66 | 5MHz   | QPSK  | 131997 | 25RB#0  | 4.5027 | 4.979 | PASS |
| Band66 | 5MHz   | QPSK  | 132322 | 25RB#0  | 4.5130 | 5.002 | PASS |
| Band66 | 5MHz   | QPSK  | 132647 | 25RB#0  | 4.4935 | 4.970 | PASS |
| Band66 | 5MHz   | 16QAM | 131997 | 25RB#0  | 4.5147 | 5.067 | PASS |
| Band66 | 5MHz   | 16QAM | 132322 | 25RB#0  | 4.4963 | 4.955 | PASS |
| Band66 | 5MHz   | 16QAM | 132647 | 25RB#0  | 4.5058 | 5.023 | PASS |
| Band66 | 5MHz   | 64QAM | 131997 | 25RB#0  | 4.5088 | 4.979 | PASS |
| Band66 | 5MHz   | 64QAM | 132322 | 25RB#0  | 4.4984 | 4.968 | PASS |
| Band66 | 5MHz   | 64QAM | 132647 | 25RB#0  | 4.4967 | 4.972 | PASS |
| Band66 | 10MHz  | QPSK  | 132022 | 50RB#0  | 8.9747 | 9.717 | PASS |
| Band66 | 10MHz  | QPSK  | 132322 | 50RB#0  | 8.9936 | 9.843 | PASS |
| Band66 | 10MHz  | QPSK  | 132622 | 50RB#0  | 8.9992 | 9.889 | PASS |
| Band66 | 10MHz  | 16QAM | 132022 | 50RB#0  | 8.9884 | 9.764 | PASS |
| Band66 | 10MHz  | 16QAM | 132322 | 50RB#0  | 8.9763 | 9.765 | PASS |
| Band66 | 10MHz  | 16QAM | 132622 | 50RB#0  | 8.9727 | 9.861 | PASS |
| Band66 | 10MHz  | 64QAM | 132022 | 50RB#0  | 8.9705 | 9.846 | PASS |
| Band66 | 10MHz  | 64QAM | 132322 | 50RB#0  | 8.9664 | 9.816 | PASS |
| Band66 | 10MHz  | 64QAM | 132622 | 50RB#0  | 8.9849 | 9.828 | PASS |
| Band66 | 15MHz  | QPSK  | 132047 | 75RB#0  | 13.462 | 15.12 | PASS |
| Band66 | 15MHz  | QPSK  | 132322 | 75RB#0  | 13.477 | 14.75 | PASS |
| Band66 | 15MHz  | QPSK  | 132597 | 75RB#0  | 13.478 | 14.74 | PASS |
| Band66 | 15MHz  | 16QAM | 132047 | 75RB#0  | 13.496 | 14.77 | PASS |
| Band66 | 15MHz  | 16QAM | 132322 | 75RB#0  | 13.487 | 14.75 | PASS |
| Band66 | 15MHz  | 16QAM | 132597 | 75RB#0  | 13.475 | 14.70 | PASS |
| Band66 | 15MHz  | 64QAM | 132047 | 75RB#0  | 13.487 | 14.68 | PASS |
| Band66 | 15MHz  | 64QAM | 132322 | 75RB#0  | 13.459 | 14.69 | PASS |
| Band66 | 15MHz  | 64QAM | 132597 | 75RB#0  | 13.512 | 14.71 | PASS |
| Band66 | 20MHz  | QPSK  | 132072 | 100RB#0 | 17.971 | 19.48 | PASS |
| Band66 | 20MHz  | QPSK  | 132322 | 100RB#0 | 17.927 | 19.42 | PASS |
| Band66 | 20MHz  | QPSK  | 132572 | 100RB#0 | 17.993 | 19.63 | PASS |
| Band66 | 20MHz  | 16QAM | 132072 | 100RB#0 | 17.958 | 19.40 | PASS |
| Band66 | 20MHz  | 16QAM | 132322 | 100RB#0 | 17.957 | 19.59 | PASS |

|        |       |       |        |         |        |       |      |
|--------|-------|-------|--------|---------|--------|-------|------|
| Band66 | 20MHz | 16QAM | 132572 | 100RB#0 | 17.958 | 19.40 | PASS |
| Band66 | 20MHz | 64QAM | 132072 | 100RB#0 | 17.969 | 19.36 | PASS |
| Band66 | 20MHz | 64QAM | 132322 | 100RB#0 | 17.941 | 19.59 | PASS |
| Band66 | 20MHz | 64QAM | 132572 | 100RB#0 | 17.973 | 19.32 | PASS |


## Test Graphs




Band7-5MHz-64QAM-20775-25RB#0




Band7-5MHz-64QAM-21100-25RB#0




Band7-5MHz-64QAM-21425-25RB#0




Band7-10MHz-QPSK-20800-50RB#0



Band7-10MHz-QPSK-21100-50RB#0



Band7-10MHz-QPSK-21400-50RB#0



Band7-10MHz-16QAM-20800-50RB#0

JianYan Testing Group Shenzhen Co., Ltd.  
No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community,  
Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.  
Tel: +86-755-23118282, Fax: +86-755-23116366

Band7-10MHz-16QAM-21100-50RB#0

Project No.: JYTSZR2502019

