Appendix D: Test Data for LTE Band 2

Product Name: 4G PHONE
Trade Mark: KAPSYS
Test Model: MiniVision2

Environmental Conditions

Temperature:	23.6 ° C
Relative Humidity:	54.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Diamond Lu
Supervised by:	Li Huan

D.1 Conducted Output Power

Conducted Output Power Test Result (Channel Bandwidth: 1.4 MHz)						
Modulation	Channel	RB Configuration		Average Power [dBm] QPSK	Average Power [dBm] 16QAM	Verdict
		Size	Offset			
QPSK / 16QAM	LCH	1	0	22.64	21.76	PASS
		1	3	22.82	21.79	PASS
		1	5	22.94	21.81	PASS
		3	0	22.74	21.79	PASS
		3	2	22.78	21.81	PASS
		3	3	22.82	21.85	PASS
		6	0	21.60	20.53	PASS
	MCH	1	0	22.68	21.98	PASS
		1	3	22.74	22.10	PASS
		1	5	22.75	21.96	PASS
		3	0	22.85	21.75	PASS
		3	2	22.91	21.80	PASS
		3	3	22.79	21.64	PASS
		6	0	21.74	20.60	PASS
	HCH	1	0	22.54	21.46	PASS
		1	3	22.65	21.50	PASS
		1	5	22.68	21.54	PASS
		3	0	22.92	21.75	PASS
		3	2	22.80	21.59	PASS
		3	3	22.78	21.43	PASS
		6	0	21.76	20.93	PASS

This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.

Conducted Output Power Test Result (Channel Bandwidth: 3 MHz)						
Modulation	Channel	RB Configuration		Average Power [dBm] QPSK	Average Power [dBm] 16QAM	Verdict
		Size	Offset			
QPSK / 16QAM	LCH	1	0	22.71	22.05	PASS
		1	7	22.99	22.03	PASS
		1	14	22.76	21.75	PASS
		8	0	21.79	20.64	PASS
		8	4	21.77	20.77	PASS
		8	7	21.68	20.80	PASS
		15	0	21.71	20.76	PASS
	MCH	1	0	22.79	22.14	PASS
		1	7	22.77	22.03	PASS
		1	14	22.64	21.81	PASS
		8	0	21.67	20.84	PASS
		8	4	21.70	20.87	PASS
		8	7	21.73	20.83	PASS
		15	0	21.69	20.72	PASS
	HCH	1	0	22.81	22.42	PASS
		1	7	22.88	22.22	PASS
		1	14	22.12	21.53	PASS
		8	0	21.84	21.30	PASS
		8	4	21.77	20.95	PASS
		8	7	21.82	20.63	PASS
		15	0	21.85	20.81	PASS

This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.

Conducted Output Power Test Result (Channel Bandwidth: 5 MHz)						
Modulation	Channel	RB Configuration		Average Power [dBm]	Average Power [dBm]	Verdict
		Size	Offset	QPSK	16QAM	
QPSK / 16QAM	LCH	1	0	22.82	21.44	PASS
		1	12	23.04	21.59	PASS
		1	24	22.83	21.37	PASS
		12	0	21.72	20.88	PASS
		12	6	21.72	20.80	PASS
		12	13	21.72	20.80	PASS
		25	0	21.75	20.85	PASS
	MCH	1	0	22.77	22.15	PASS
		1	12	23.04	21.69	PASS
		1	24	22.91	21.61	PASS
		12	0	21.84	20.88	PASS
		12	6	21.96	20.89	PASS
		12	13	21.78	20.73	PASS
		25	0	21.81	20.84	PASS
	HCH	1	0	22.83	21.46	PASS
		1	12	22.88	21.55	PASS
		1	24	22.04	21.08	PASS
		12	0	21.81	20.80	PASS
		12	6	21.95	20.78	PASS
		12	13	21.80	20.51	PASS
		25	0	21.76	20.82	PASS

This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.

Conducted Output Power Test Result (Channel Bandwidth: 10 MHz)						
Modulation	Channel	RB Configuration		Average Power [dBm]	Average Power [dBm]	Verdict
		Size	Offset	QPSK	16QAM	
QPSK / 16QAM	LCH	1	0	22.81	22.53	PASS
		1	24	23.16	22.64	PASS
		1	49	22.42	21.78	PASS
		25	0	21.86	20.87	PASS
		25	12	21.91	21.11	PASS
		25	25	21.84	20.97	PASS
		50	0	21.83	20.93	PASS
	MCH	1	0	22.03	21.52	PASS
		1	24	23.71	23.21	PASS
		1	49	22.65	22.04	PASS
		25	0	21.90	20.93	PASS
		25	12	21.99	21.09	PASS
		25	25	21.90	20.83	PASS
		50	0	21.91	21.05	PASS
	HCH	1	0	22.65	21.96	PASS
		1	24	22.72	22.06	PASS
		1	49	21.46	20.74	PASS
		25	0	21.69	20.76	PASS
		25	12	22.59	21.56	PASS
		25	25	21.80	20.87	PASS
		50	0	21.84	20.86	PASS

This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.

Conducted Output Power Test Result (Channel Bandwidth: 15 MHz)						
Modulation	Channel	RB Configuration		Average Power [dBm]	Average Power [dBm]	Verdict
		Size	Offset	QPSK	16QAM	
QPSK / 16QAM	LCH	1	0	23.01	22.69	PASS
		1	37	23.38	22.86	PASS
		1	74	21.96	21.31	PASS
		37	0	21.85	21.01	PASS
		37	18	21.93	21.14	PASS
		37	38	21.92	20.93	PASS
		75	0	22.01	20.96	PASS
	MCH	1	0	21.59	21.03	PASS
		1	37	23.53	23.06	PASS
		1	74	22.63	22.16	PASS
		37	0	21.94	21.10	PASS
		37	18	22.04	21.10	PASS
		37	38	21.94	20.95	PASS
		75	0	21.87	20.99	PASS
	HCH	1	0	21.10	20.35	PASS
		1	37	21.73	21.00	PASS
		1	74	21.35	20.67	PASS
		37	0	21.03	20.10	PASS
		37	18	21.63	20.73	PASS
		37	38	22.23	21.30	PASS
		75	0	21.58	20.69	PASS

Conducted Output Power Test Result (Channel Bandwidth: 20 MHz)						
Modulation	Channel	RB Configuration		Average Power [dBm]	Average Power [dBm]	Verdict
		Size	Offset	QPSK	16QAM	
QPSK / 16QAM	LCH	1	0	22.74	21.60	PASS
		1	49	23.02	21.97	PASS
		1	99	21.11	20.33	PASS
		50	0	22.02	21.13	PASS
		50	25	22.06	21.26	PASS
		50	50	21.88	21.09	PASS
		100	0	22.01	20.95	PASS
	MCH	1	0	21.45	20.74	PASS
		1	49	23.57	22.42	PASS
		1	99	22.33	20.90	PASS
		50	0	21.75	20.72	PASS
		50	25	21.87	21.12	PASS
		50	50	21.67	20.75	PASS
		100	0	21.75	20.92	PASS
	HCH	1	0	22.40	21.33	PASS
		1	49	21.93	21.08	PASS
		1	99	22.40	21.50	PASS
		50	0	21.43	20.51	PASS
		50	25	21.56	20.68	PASS
		50	50	21.72	20.80	PASS
		100	0	21.74	20.84	PASS

D.2 Peak-to-Average Ratio

Peak-to Average Ratio Test Result (Channel Bandwidth: 1.4 MHz)				
Modulation	Channel	Peak-to-Average Ratio [dB]	Limit [dB]	Verdict
QPSK	LCH	5.03	<13	PASS
	MCH	5.25	<13	PASS
	HCH	5.03	<13	PASS
16QAM	LCH	5.8	<13	PASS
	MCH	6.04	<13	PASS
	HCH	5.89	<13	PASS

Peak-to Average Ratio Test Result (Channel Bandwidth: 3 MHz)				
Modulation	Channel	Peak-to-Average Ratio [dB]	Limit [dB]	Verdict
QPSK	LCH	5.1	<13	PASS
	MCH	5.29	<13	PASS
	HCH	5.03	<13	PASS
16QAM	LCH	5.93	<13	PASS
	MCH	6.08	<13	PASS
	HCH	5.87	<13	PASS

Peak-to Average Ratio Test Result (Channel Bandwidth: 5 MHz)				
Modulation	Channel	Peak-to-Average Ratio [dB]	Limit [dB]	Verdict
QPSK	LCH	5.09	<13	PASS
	MCH	5.24	<13	PASS
	HCH	5.05	<13	PASS
16QAM	LCH	5.79	<13	PASS
	MCH	6.04	<13	PASS
	HCH	5.83	<13	PASS

Peak-to Average Ratio Test Result (Channel Bandwidth: 10 MHz)				
Modulation	Channel	Peak-to-Average Ratio [dB]	Limit [dB]	Verdict
QPSK	LCH	5.11	<13	PASS
	MCH	5.21	<13	PASS
	HCH	5.18	<13	PASS
16QAM	LCH	5.89	<13	PASS
	MCH	5.93	<13	PASS
	HCH	6	<13	PASS

This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.

Peak-to Average Ratio Test Result (Channel Bandwidth: 15 MHz)				
Modulation	Channel	Peak-to-Average Ratio [dB]	Limit [dB]	Verdict
QPSK	LCH	4.91	<13	PASS
	MCH	4.9	<13	PASS
	HCH	5.27	<13	PASS
16QAM	LCH	6.15	<13	PASS
	MCH	6.16	<13	PASS
	HCH	6.34	<13	PASS

Peak-to Average Ratio Test Result (Channel Bandwidth: 20 MHz)				
Modulation	Channel	Peak-to-Average Ratio [dB]	Limit [dB]	Verdict
QPSK	LCH	5.74	<13	PASS
	MCH	5.64	<13	PASS
	HCH	8.44	<13	PASS
16QAM	LCH	6.69	<13	PASS
	MCH	6.72	<13	PASS
	HCH	6.82	<13	PASS

This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.

Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 1.4 MHz)_LCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 1.4 MHz)_MCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 1.4 MHz)_HCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 1.4 MHz)_LCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 1.4 MHz)_MCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 1.4 MHz)_HCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 3 MHz)_LCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 3 MHz)_MCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 3 MHz)_HCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 3 MHz)_LCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 3 MHz)_MCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 3 MHz)_HCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 5 MHz)_LCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 5 MHz)_MCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 5 MHz)_HCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 5 MHz)_LCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 5 MHz)_MCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 5 MHz)_HCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 10 MHz)_LCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 10 MHz)_MCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 10 MHz)_HCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 10 MHz)_LCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 10 MHz)_MCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth: 10 MHz)_HCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth:15 MHz)_LCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth:15 MHz)_MCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth:15 MHz)_HCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth:15 MHz)_LCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth:15 MHz)_MCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth:15 MHz)_HCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth:20 MHz)_LCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth:20 MHz)_MCH_QPSK



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth:20 MHz)_HCH_QPSK



This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.

Peak-to Average Ratio Test Graph(s) (Channel Bandwidth:20 MHz)_LCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth:20 MHz)_MCH_16QAM



Peak-to Average Ratio Test Graph(s) (Channel Bandwidth:20 MHz)_HCH_16QAM



D.3 26dB Bandwidth and Occupied Bandwidth

EBW & OBW Test Result (Channel Bandwidth: 1.4 MHz)				
Modulation	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
QPSK	LCH	1.0778	1.204	PASS
	MCH	1.0784	1.231	PASS
	HCH	1.0786	1.235	PASS
16QAM	LCH	1.0798	1.229	PASS
	MCH	1.0774	1.238	PASS
	HCH	1.0819	1.247	PASS

EBW & OBW Test Result (Channel Bandwidth: 3 MHz)				
Modulation	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
QPSK	LCH	2.6825	2.905	PASS
	MCH	2.6854	2.909	PASS
	HCH	2.6802	2.873	PASS
16QAM	LCH	2.6885	2.899	PASS
	MCH	2.6798	2.908	PASS
	HCH	2.6764	2.863	PASS

EBW & OBW Test Result (Channel Bandwidth: 5 MHz)				
Modulation	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
QPSK	LCH	4.4719	4.818	PASS
	MCH	4.4666	4.812	PASS
	HCH	4.4803	4.763	PASS
16QAM	LCH	4.4756	4.793	PASS
	MCH	4.4723	4.788	PASS
	HCH	4.4630	4.778	PASS

EBW & OBW Test Result (Channel Bandwidth: 10 MHz)				
Modulation	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
QPSK	LCH	8.9173	9.485	PASS
	MCH	8.9302	9.438	PASS
	HCH	8.9002	9.345	PASS
16QAM	LCH	8.9154	9.357	PASS
	MCH	8.9215	9.412	PASS
	HCH	8.8926	9.358	PASS

This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.

EBW & OBW Test Result (Channel Bandwidth: 15 MHz)				
Modulation	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
QPSK	LCH	13.381	14.08	PASS
	MCH	13.359	13.95	PASS
	HCH	13.379	14.04	PASS
16QAM	LCH	13.367	14.03	PASS
	MCH	13.357	13.95	PASS
	HCH	13.387	13.95	PASS

EBW & OBW Test Result (Channel Bandwidth: 20 MHz)				
Modulation	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
QPSK	LCH	17.849	18.63	PASS
	MCH	17.813	18.59	PASS
	HCH	17.863	18.59	PASS
16QAM	LCH	17.809	18.59	PASS
	MCH	17.811	18.53	PASS
	HCH	17.872	18.64	PASS

EBW & OBW Test Graph(s) (Channel Bandwidth: 1.4 MHz)_LCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth: 1.4 MHz)_MCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth: 1.4 MHz)_HCH_QPSK



This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.

EBW & OBW Test Graph(s) (Channel Bandwidth: 1.4 MHz)_LCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth: 1.4 MHz)_MCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth: 1.4 MHz)_HCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth: 3 MHz)_LCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth: 3 MHz)_MCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth: 3 MHz)_HCH_QPSK



This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.

EBW & OBW Test Graph(s) (Channel Bandwidth: 3 MHz)_LCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth: 3 MHz)_MCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth: 3 MHz)_HCH_16QAM



This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.

EBW & OBW Test Graph(s) (Channel Bandwidth: 5 MHz)_LCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth: 5 MHz)_MCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth: 5 MHz)_HCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth: 5 MHz)_LCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth: 5 MHz)_MCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth: 5 MHz)_HCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth: 10 MHz)_LCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth: 10 MHz)_MCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth: 10 MHz)_HCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth: 10 MHz)_LCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth: 10 MHz)_MCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth: 10 MHz)_HCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth:15 MHz)_LCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth:15 MHz)_MCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth:15 MHz)_HCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth:15 MHz)_LCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth:15 MHz)_MCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth:15 MHz)_HCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth:20 MHz)_LCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth:20 MHz)_MCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth:20 MHz)_HCH_QPSK



EBW & OBW Test Graph(s) (Channel Bandwidth:20 MHz)_LCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth:20 MHz)_MCH_16QAM



EBW & OBW Test Graph(s) (Channel Bandwidth:20 MHz)_HCH_16QAM



D.4 Band Edge

Band Edge Test Graph(s) (Channel Bandwidth: 1.4 MHz)_LCH_QPSK



Band Edge Test Graph(s) (Channel Bandwidth: 1.4 MHz)_HCH_QPSK



Band Edge Test Graph(s) (Channel Bandwidth: 1.4 MHz)_LCH_16QAM



Band Edge Test Graph(s) (Channel Bandwidth: 1.4 MHz)_HCH_16QAM



Band Edge Test Graph(s) (Channel Bandwidth: 3 MHz)_LCH_QPSK



Band Edge Test Graph(s) (Channel Bandwidth: 3 MHz)_HCH_QPSK



Band Edge Test Graph(s) (Channel Bandwidth: 3 MHz)_LCH_16QAM



Band Edge Test Graph(s) (Channel Bandwidth: 3 MHz)_HCH_16QAM



Band Edge Test Graph(s) (Channel Bandwidth: 5 MHz)_LCH_QPSK



Band Edge Test Graph(s) (Channel Bandwidth: 5 MHz)_HCH_QPSK



Band Edge Test Graph(s) (Channel Bandwidth: 5 MHz)_LCH_16QAM



Band Edge Test Graph(s) (Channel Bandwidth: 5 MHz)_HCH_16QAM



Band Edge Test Graph(s) (Channel Bandwidth: 10 MHz)_LCH_QPSK



Band Edge Test Graph(s) (Channel Bandwidth: 10 MHz)_HCH_QPSK



Band Edge Test Graph(s) (Channel Bandwidth: 10 MHz)_LCH_16QAM



Band Edge Test Graph(s) (Channel Bandwidth: 10 MHz)_HCH_16QAM



Band Edge Test Graph(s) (Channel Bandwidth:15 MHz)_LCH_QPSK



Band Edge Test Graph(s) (Channel Bandwidth:15 MHz)_HCH_QPSK



Band Edge Test Graph(s) (Channel Bandwidth:15 MHz)_LCH_16QAM



Band Edge Test Graph(s) (Channel Bandwidth:15 MHz)_HCH_16QAM



Band Edge Test Graph(s) (Channel Bandwidth:20 MHz)_LCH_QPSK



Band Edge Test Graph(s) (Channel Bandwidth:20 MHz)_HCH_QPSK



Band Edge Test Graph(s) (Channel Bandwidth:20 MHz)_LCH_16QAM



Band Edge Test Graph(s) (Channel Bandwidth:20 MHz)_HCH_16QAM



D.5 Conducted Spurious Emission

Channel Bandwidth: 1.4 MHz

(Channel Bandwidth: 1.4 MHz)_LCH_QPSK_1RB#0







(Channel Bandwidth: 1.4 MHz)_LCH_QPSK_1RB#3





(Channel Bandwidth: 1.4 MHz)_LCH_QPSK_1RB#5





(Channel Bandwidth: 1.4 MHz)_MCH_QPSK_1RB#0





(Channel Bandwidth: 1.4 MHz)_MCH_QPSK_1RB#3





(Channel Bandwidth: 1.4 MHz)_MCH_QPSK_1RB#5





(Channel Bandwidth: 1.4 MHz)_HCH_QPSK_1RB#0





(Channel Bandwidth: 1.4 MHz)_HCH_QPSK_1RB#3







(Channel Bandwidth: 1.4 MHz)_HCH_QPSK_1RB#5





(Channel Bandwidth: 1.4 MHz)_LCH_16QAM_1RB#0





(Channel Bandwidth: 1.4 MHz)_LCH_16QAM_1RB#3





(Channel Bandwidth: 1.4 MHz)_LCH_16QAM_1RB#5





(Channel Bandwidth: 1.4 MHz)_MCH_16QAM_1RB#0





(Channel Bandwidth: 1.4 MHz)_MCH_16QAM_1RB#3







(Channel Bandwidth: 1.4 MHz)_MCH_16QAM_1RB#5





(Channel Bandwidth: 1.4 MHz)_HCH_16QAM_1RB#0





(Channel Bandwidth: 1.4 MHz)_HCH_16QAM_1RB#3





(Channel Bandwidth: 1.4 MHz)_HCH_16QAM_1RB#5





Channel Bandwidth: 3 MHz

(Channel Bandwidth: 3 MHz)_LCH_QPSK_1RB#0


(Channel Bandwidth: 3 MHz)_LCH_QPSK_1RB#7





(Channel Bandwidth: 3 MHz)_LCH_QPSK_1RB#14





(Channel Bandwidth: 3 MHz)_MCH_QPSK_1RB#0





(Channel Bandwidth: 3 MHz)_MCH_QPSK_1RB#7







(Channel Bandwidth: 3 MHz)_MCH_QPSK_1RB#14





(Channel Bandwidth: 3 MHz)_HCH_QPSK_1RB#0





(Channel Bandwidth: 3 MHz)_HCH_QPSK_1RB#7





(Channel Bandwidth: 3 MHz)_HCH_QPSK_1RB#14




Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 8/100
10:54:12 AM Sep 15, 2020
Mkr1 150 kHz
-58.595 dBm
Ref Offset 8.43 dB
10 dB/div
Log
Ref 8.43 dBm
-1.57
-11.6
-21.6
-31.6
-41.6
-51.6
-61.6
-71.6
-81.6
-33.00 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz

Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 4/100
10:54:15 AM Sep 15, 2020
Mkr2 25.662 GHz
-29.975 dBm
Ref Offset 8.41 dB
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-13.00 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth: 3 MHz)_LCH_16QAM_1RB#0





(Channel Bandwidth: 3 MHz)_LCH_16QAM_1RB#7





(Channel Bandwidth: 3 MHz)_LCH_16QAM_1RB#14




Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 8/100
10:52:12 AM Sep 15, 2020
Mkr1 150 kHz
-57.133 dBm
Ref Offset 8.43 dB
10 dB/div
Log
Ref 8.43 dBm
-1.57
-11.6
-21.6
-31.6
-41.6
-51.6
-61.6
-71.6
-81.6
-38.80 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz

Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 4/100
10:52:15 AM Sep 15, 2020
Mkr2 25.662 GHz
-30.402 dBm
Ref Offset 8.41 dB
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-13.00 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth: 3 MHz)_MCH_16QAM_1RB#0







(Channel Bandwidth: 3 MHz)_MCH_16QAM_1RB#7





(Channel Bandwidth: 3 MHz)_MCH_16QAM_1RB#14