

## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm) | Verdict |
|-------|-----------|------------|---------|------------------|-------------|---------|
| Band7 | 5MHz      | QPSK       | 20775   | 1RB#0            | 21.62       | PASS    |
| Band7 | 5MHz      | QPSK       | 20775   | 1RB#12           | 21.68       | PASS    |
| Band7 | 5MHz      | QPSK       | 20775   | 1RB#24           | 21.67       | PASS    |
| Band7 | 5MHz      | QPSK       | 20775   | 12RB#0           | 20.69       | PASS    |
| Band7 | 5MHz      | QPSK       | 20775   | 12RB#6           | 20.70       | PASS    |
| Band7 | 5MHz      | QPSK       | 20775   | 12RB#13          | 20.74       | PASS    |
| Band7 | 5MHz      | QPSK       | 20775   | 25RB#0           | 20.57       | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 1RB#0            | 21.59       | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 1RB#12           | 21.81       | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 1RB#24           | 21.58       | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 12RB#0           | 20.56       | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 12RB#6           | 20.54       | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 12RB#13          | 20.63       | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 25RB#0           | 20.82       | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 1RB#0            | 21.44       | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 1RB#12           | 21.44       | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 1RB#24           | 21.49       | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 12RB#0           | 20.45       | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 12RB#6           | 20.45       | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 12RB#13          | 20.50       | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 25RB#0           | 20.41       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 1RB#0            | 20.21       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 1RB#12           | 20.16       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 1RB#24           | 20.13       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 12RB#0           | 19.80       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 12RB#6           | 19.79       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 12RB#13          | 19.80       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 25RB#0           | 19.83       | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 1RB#0            | 20.89       | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 1RB#12           | 21.03       | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 1RB#24           | 20.82       | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 12RB#0           | 19.77       | PASS    |

|       |       |       |       |         |       |      |
|-------|-------|-------|-------|---------|-------|------|
| Band7 | 5MHz  | 16QAM | 21100 | 12RB#6  | 19.68 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 12RB#13 | 19.67 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 25RB#0  | 19.72 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 1RB#0   | 20.31 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 1RB#12  | 20.31 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 1RB#24  | 20.31 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#0  | 19.44 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#6  | 19.36 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#13 | 19.39 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0  | 19.51 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#0   | 21.65 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#24  | 21.67 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#49  | 21.68 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#0  | 20.78 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#12 | 20.64 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#25 | 20.64 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0  | 20.55 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#0   | 21.62 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#24  | 21.68 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#49  | 21.56 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#0  | 20.63 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#12 | 20.64 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#25 | 20.68 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0  | 20.73 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#0   | 21.30 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#24  | 21.33 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#49  | 21.25 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#0  | 20.34 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#12 | 20.41 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#25 | 20.33 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0  | 20.32 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#0   | 20.59 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#24  | 20.62 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#49  | 20.65 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#0  | 19.89 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#12 | 19.90 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#25 | 19.90 | PASS |

|       |       |       |       |         |       |      |
|-------|-------|-------|-------|---------|-------|------|
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0  | 19.72 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#0   | 21.19 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#24  | 21.41 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#49  | 21.28 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#0  | 19.74 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#12 | 19.78 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#25 | 19.90 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0  | 20.02 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 1RB#0   | 20.23 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 1RB#24  | 20.31 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 1RB#49  | 20.14 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#0  | 19.47 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#12 | 19.49 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#25 | 19.40 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0  | 19.57 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#0   | 21.54 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#38  | 21.61 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#74  | 21.74 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 38RB#0  | 20.96 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 38RB#18 | 20.83 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 38RB#37 | 20.82 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0  | 20.65 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#0   | 21.67 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#38  | 21.74 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#74  | 21.64 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 38RB#0  | 20.85 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 38RB#18 | 21.38 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 38RB#37 | 21.29 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0  | 20.83 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#0   | 21.35 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#38  | 21.33 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#74  | 21.40 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 38RB#0  | 20.29 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 38RB#18 | 20.22 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 38RB#37 | 20.30 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0  | 20.41 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#0   | 20.81 | PASS |

|       |       |       |       |         |       |      |
|-------|-------|-------|-------|---------|-------|------|
| Band7 | 15MHz | 16QAM | 20825 | 1RB#38  | 20.80 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#74  | 20.94 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 38RB#0  | 20.84 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 38RB#18 | 20.79 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 38RB#37 | 20.92 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | 19.86 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#0   | 20.77 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#38  | 21.49 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#74  | 20.87 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 38RB#0  | 20.86 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 38RB#18 | 21.36 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 38RB#37 | 21.33 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | 19.91 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 1RB#0   | 20.33 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 1RB#38  | 20.38 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 1RB#74  | 20.49 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 38RB#0  | 20.33 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 38RB#18 | 20.22 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 38RB#37 | 20.25 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | 19.53 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#0   | 21.74 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#49  | 21.81 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#99  | 21.84 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#0  | 20.64 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#25 | 20.65 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#50 | 20.72 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | 20.58 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#0   | 21.85 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#49  | 21.99 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#99  | 21.85 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#0  | 20.68 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#25 | 20.63 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#50 | 20.79 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 100RB#0 | 20.74 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#0   | 21.68 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#49  | 21.50 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#99  | 21.55 | PASS |

|       |       |       |       |         |       |      |
|-------|-------|-------|-------|---------|-------|------|
| Band7 | 20MHz | QPSK  | 21350 | 50RB#0  | 20.53 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#25 | 20.51 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#50 | 20.41 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 100RB#0 | 20.48 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#0   | 21.00 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#49  | 21.11 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#99  | 21.07 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#0  | 19.80 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#25 | 19.77 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#50 | 19.84 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 100RB#0 | 19.77 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#0   | 20.64 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#49  | 20.82 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#99  | 20.76 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#0  | 19.74 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#25 | 19.86 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#50 | 19.80 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 100RB#0 | 19.83 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 1RB#0   | 20.40 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 1RB#49  | 20.33 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 1RB#99  | 20.32 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 50RB#0  | 19.68 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 50RB#25 | 19.67 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 50RB#50 | 19.63 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 100RB#0 | 19.49 | PASS |

## Appendix B: Peak-to-Average Ratio(CCDF)

### Test Result


| Band  | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|-------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band7 | 5MHz      | QPSK       | 20775   | 25RB#0           | 4.43       | 13        | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 25RB#0           | 5.16       | 13        | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 25RB#0           | 5.33       | 13        | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 25RB#0           | 5.16       | 13        | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 25RB#0           | 5.86       | 13        | PASS    |
| Band7 | 5MHz      | 16QAM      | 21425   | 25RB#0           | 6.09       | 13        | PASS    |
| Band7 | 10MHz     | QPSK       | 20800   | 50RB#0           | 4.75       | 13        | PASS    |
| Band7 | 10MHz     | QPSK       | 21100   | 50RB#0           | 5.13       | 13        | PASS    |
| Band7 | 10MHz     | QPSK       | 21400   | 50RB#0           | 5.33       | 13        | PASS    |
| Band7 | 10MHz     | 16QAM      | 20800   | 50RB#0           | 5.62       | 13        | PASS    |
| Band7 | 10MHz     | 16QAM      | 21100   | 50RB#0           | 5.91       | 13        | PASS    |
| Band7 | 10MHz     | 16QAM      | 21400   | 50RB#0           | 6.12       | 13        | PASS    |
| Band7 | 15MHz     | QPSK       | 20825   | 75RB#0           | 5.19       | 13        | PASS    |
| Band7 | 15MHz     | QPSK       | 21100   | 75RB#0           | 5.36       | 13        | PASS    |
| Band7 | 15MHz     | QPSK       | 21375   | 75RB#0           | 5.59       | 13        | PASS    |
| Band7 | 15MHz     | 16QAM      | 20825   | 75RB#0           | 5.88       | 13        | PASS    |
| Band7 | 15MHz     | 16QAM      | 21100   | 75RB#0           | 5.97       | 13        | PASS    |
| Band7 | 15MHz     | 16QAM      | 21375   | 75RB#0           | 6.20       | 13        | PASS    |
| Band7 | 20MHz     | QPSK       | 20850   | 100RB#0          | 5.22       | 13        | PASS    |
| Band7 | 20MHz     | QPSK       | 21100   | 100RB#0          | 5.13       | 13        | PASS    |
| Band7 | 20MHz     | QPSK       | 21350   | 100RB#0          | 5.36       | 13        | PASS    |
| Band7 | 20MHz     | 16QAM      | 20850   | 100RB#0          | 6.03       | 13        | PASS    |
| Band7 | 20MHz     | 16QAM      | 21100   | 100RB#0          | 5.97       | 13        | PASS    |
| Band7 | 20MHz     | 16QAM      | 21350   | 100RB#0          | 6.23       | 13        | PASS    |

## Test Graphs

Band7-5MHz-QPSK-20775-25RB#0




Band7-5MHz-QPSK-21100-25RB#0



Band7-5MHz-QPSK-21425-25RB#0



Band7-5MHz-16QAM-20775-25RB#0




Band7-5MHz-16QAM-21100-25RB#0




Band7-5MHz-16QAM-21425-25RB#0







Band7-10MHz-QPSK-20800-50RB#0




Band7-10MHz-QPSK-21100-50RB#0




Band7-10MHz-QPSK-21400-50RB#0




Band7-10MHz-16QAM-20800-50RB#0




Band7-10MHz-16QAM-21100-50RB#0



Band7-10MHz-16QAM-21400-50RB#0



Band7-15MHz-QPSK-20825-75RB#0



Band7-15MHz-QPSK-21100-75RB#0




Band7-15MHz-QPSK-21375-75RB#0






Band7-15MHz-16QAM-20825-75RB#0




Band7-15MHz-16QAM-21100-75RB#0



Band7-15MHz-16QAM-21375-75RB#0




Band7-20MHz-QPSK-20850-100RB#0




Band7-20MHz-QPSK-21100-100RB#0



Band7-20MHz-QPSK-21350-100RB#0



Band7-20MHz-16QAM-20850-100RB#0




Band7-20MHz-16QAM-21100-100RB#0



Band7-20MHz-16QAM-21350-100RB#0





Date: 13.SEP.2021 11:56:57

## Appendix C: 26dB Bandwidth and Occupied Bandwidth


### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) | Verdict |
|-------|-----------|------------|---------|------------------|--------------------------|----------------------|---------|
| Band7 | 5MHz      | QPSK       | 20775   | 25RB#0           | 4.525                    | 5.000                | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 25RB#0           | 4.525                    | 5.000                | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 25RB#0           | 4.525                    | 5.000                | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 25RB#0           | 4.515                    | 5.010                | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 25RB#0           | 4.505                    | 4.970                | PASS    |
| Band7 | 5MHz      | 16QAM      | 21425   | 25RB#0           | 4.505                    | 4.990                | PASS    |
| Band7 | 10MHz     | QPSK       | 20800   | 50RB#0           | 9.018                    | 10.000               | PASS    |
| Band7 | 10MHz     | QPSK       | 21100   | 50RB#0           | 8.985                    | 9.967                | PASS    |
| Band7 | 10MHz     | QPSK       | 21400   | 50RB#0           | 9.018                    | 9.933                | PASS    |
| Band7 | 10MHz     | 16QAM      | 20800   | 50RB#0           | 9.018                    | 10.000               | PASS    |
| Band7 | 10MHz     | 16QAM      | 21100   | 50RB#0           | 8.985                    | 10.000               | PASS    |
| Band7 | 10MHz     | 16QAM      | 21400   | 50RB#0           | 8.985                    | 9.967                | PASS    |
| Band7 | 15MHz     | QPSK       | 20825   | 75RB#0           | 13.527                   | 15.150               | PASS    |
| Band7 | 15MHz     | QPSK       | 21100   | 75RB#0           | 13.478                   | 15.100               | PASS    |
| Band7 | 15MHz     | QPSK       | 21375   | 75RB#0           | 13.527                   | 15.100               | PASS    |
| Band7 | 15MHz     | 16QAM      | 20825   | 75RB#0           | 13.527                   | 15.100               | PASS    |
| Band7 | 15MHz     | 16QAM      | 21100   | 75RB#0           | 13.478                   | 14.950               | PASS    |
| Band7 | 15MHz     | 16QAM      | 21375   | 75RB#0           | 13.527                   | 15.100               | PASS    |
| Band7 | 20MHz     | QPSK       | 20850   | 100RB#0          | 18.17                    | 20.000               | PASS    |
| Band7 | 20MHz     | QPSK       | 21100   | 100RB#0          | 18.037                   | 19.933               | PASS    |
| Band7 | 20MHz     | QPSK       | 21350   | 100RB#0          | 18.103                   | 20.067               | PASS    |
| Band7 | 20MHz     | 16QAM      | 20850   | 100RB#0          | 18.17                    | 20.133               | PASS    |
| Band7 | 20MHz     | 16QAM      | 21100   | 100RB#0          | 18.103                   | 19.933               | PASS    |
| Band7 | 20MHz     | 16QAM      | 21350   | 100RB#0          | 18.17                    | 20.067               | PASS    |




Test Graphs


Band7-5MHz-QPSK-20775-25RB#0




Band7-5MHz-QPSK-21100-25RB#0




Band7-5MHz-QPSK-21425-25RB#0




### Band7-5MHz-16QAM-20775-25RB#0




### Band7-5MHz-16QAM-21100-25RB#0




### Band7-5MHz-16QAM-21425-25RB#0




### Band7-10MHz-QPSK-20800-50RB#0




### Band7-10MHz-QPSK-21100-50RB#0




### Band7-10MHz-QPSK-21400-50RB#0



Band7-10MHz-16QAM-20800-50RB#0




Band7-10MHz-16QAM-21100-50RB#0




Band7-10MHz-16QAM-21400-50RB#0






### Band7-15MHz-QPSK-20825-75RB#0




### Band7-15MHz-QPSK-21100-75RB#0




### Band7-15MHz-QPSK-21375-75RB#0







Band7-15MHz-16QAM-20825-75RB#0




Band7-15MHz-16QAM-21100-75RB#0




Band7-15MHz-16QAM-21375-75RB#0




### Band7-20MHz-QPSK-20850-100RB#0




### Band7-20MHz-QPSK-21100-100RB#0




### Band7-20MHz-QPSK-21350-100RB#0




Band7-20MHz-16QAM-20850-100RB#0



Band7-20MHz-16QAM-21100-100RB#0



Band7-20MHz-16QAM-21350-100RB#0



Date: 13.08.2021 11:48:12

## Appendix D: Band Edge


### Test Result

| Band   | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm)                 | Verdict |
|--------|-----------|------------|---------|------------------|-----------------------------|---------|
| Band 7 | 5MHz      | QPSK       | 20775   | 25RB#0           | -42.73,-37.69,-30.69,-27.36 | PASS    |
| Band 7 | 5MHz      | QPSK       | 21425   | 25RB#0           | -33.34,-37.70,-42.40,-42.30 | PASS    |
| Band 7 | 5MHz      | 16QAM      | 20775   | 25RB#0           | -42.38,-39.67,-31.45,-28.84 | PASS    |
| Band 7 | 5MHz      | 16QAM      | 21425   | 25RB#0           | -32.06,-37.53,-41.67,-42.78 | PASS    |
| Band 7 | 10MHz     | QPSK       | 20800   | 50RB#0           | -40.94,-33.86,-32.58,-31.73 | PASS    |
| Band 7 | 10MHz     | QPSK       | 21400   | 50RB#0           | -34.07,-35.68,-37.64,-40.48 | PASS    |
| Band 7 | 10MHz     | 16QAM      | 20800   | 50RB#0           | -40.94,-35.98,-34.18,-33.42 | PASS    |
| Band 7 | 10MHz     | 16QAM      | 21400   | 50RB#0           | -34.39,-36.57,-38.50,-40.18 | PASS    |
| Band 7 | 15MHz     | QPSK       | 20825   | 75RB#0           | -34.52,-30.13,-28.36,-28.55 | PASS    |
| Band 7 | 15MHz     | QPSK       | 21375   | 75RB#0           | -30.18,-30.80,-32.30,-35.64 | PASS    |
| Band 7 | 15MHz     | 16QAM      | 20825   | 75RB#0           | -35.37,-32.05,-30.47,-30.34 | PASS    |
| Band 7 | 15MHz     | 16QAM      | 21375   | 75RB#0           | -31.92,-32.49,-33.60,-35.43 | PASS    |
| Band 7 | 20MHz     | QPSK       | 20850   | 100RB#0          | -32.74,-30.26,-29.87,-28.83 | PASS    |
| Band 7 | 20MHz     | QPSK       | 21350   | 100RB#0          | -30.33,-30.86,-31.76,-34.08 | PASS    |
| Band 7 | 20MHz     | 16QAM      | 20850   | 100RB#0          | -33.32,-31.25,-30.40,-28.74 | PASS    |
| Band 7 | 20MHz     | 16QAM      | 21350   | 100RB#0          | -31.48,-31.75,-32.07,-33.91 | PASS    |




## Test Graphs


Band7-5MHz-QPSK-20775-25RB#0




Band7-5MHz-QPSK-21425-25RB#0




Band7-5MHz-16QAM-20775-25RB#0




## Band7-5MHz-16QAM-21425-25RB#0




## Band7-10MHz-QPSK-20800-50RB#0




## Band7-10MHz-QPSK-21400-50RB#0



## Band7-10MHz-16QAM-20800-50RB#0




Band7-10MHz-16QAM-21400-50RB#0




Band7-15MHz-QPSK-20825-75RB#0




Band7-15MHz-QPSK-21375-75RB#0



### Band7-15MHz-16QAM-20825-75RB#0



### Band7-15MHz-16QAM-21375-75RB#0




### Band7-20MHz-QPSK-20850-100RB#0





Band7-20MHz-QPSK-21350-100RB#0




Band7-20MHz-16QAM-20850-100RB#0



Band7-20MHz-16QAM-21350-100RB#0





Date: 13.SEP.2021 11:49:18

## Appendix E: Conducted Spurious Emission

### Test Result


| Band   | Bandwidth | Modulation | Channel | RB Configuration | Frequency Range      | Result (dBm) | Verdict |
|--------|-----------|------------|---------|------------------|----------------------|--------------|---------|
| Band 7 | 5MHz      | QPSK       | 20775   | 25RB#0           | Range1:30~1000MHz    | -47.93       | PASS    |
| Band 7 | 5MHz      | QPSK       | 20775   | 25RB#0           | Range2:1000~3000MHz  | -38.71       | PASS    |
| Band 7 | 5MHz      | QPSK       | 20775   | 25RB#0           | Range3:3000~26500MHz | -36.05       | PASS    |
| Band 7 | 5MHz      | QPSK       | 21100   | 25RB#0           | Range1:30~1000MHz    | -48.08       | PASS    |
| Band 7 | 5MHz      | QPSK       | 21100   | 25RB#0           | Range2:1000~3000MHz  | -39.39       | PASS    |
| Band 7 | 5MHz      | QPSK       | 21100   | 25RB#0           | Range3:3000~26500MHz | -35.36       | PASS    |
| Band 7 | 5MHz      | QPSK       | 21425   | 25RB#0           | Range1:30~1000MHz    | -47.78       | PASS    |
| Band 7 | 5MHz      | QPSK       | 21425   | 25RB#0           | Range2:1000~3000MHz  | -40.35       | PASS    |
| Band 7 | 5MHz      | QPSK       | 21425   | 25RB#0           | Range3:3000~26500MHz | -36.56       | PASS    |
| Band 7 | 5MHz      | 16QAM      | 20775   | 25RB#0           | Range1:30~1000MHz    | -48.04       | PASS    |
| Band 7 | 5MHz      | 16QAM      | 20775   | 25RB#0           | Range2:1000~3000MHz  | -39.36       | PASS    |
| Band 7 | 5MHz      | 16QAM      | 20775   | 25RB#0           | Range3:3000~26500MHz | -35.25       | PASS    |
| Band 7 | 5MHz      | 16QAM      | 21100   | 25RB#0           | Range1:30~1000MHz    | -48.02       | PASS    |
| Band 7 | 5MHz      | 16QAM      | 21100   | 25RB#0           | Range2:1000~3000MHz  | -39.04       | PASS    |
| Band 7 | 5MHz      | 16QAM      | 21100   | 25RB#0           | Range3:3000~26500MHz | -35.46       | PASS    |
| Band 7 | 5MHz      | 16QAM      | 21425   | 25RB#0           | Range1:30~1000MHz    | -46.94       | PASS    |
| Band 7 | 5MHz      | 16QAM      | 21425   | 25RB#0           | Range2:1000~3000MHz  | -39.92       | PASS    |
| Band 7 | 5MHz      | 16QAM      | 21425   | 25RB#0           | Range3:3000~26500MHz | -35.8        | PASS    |

|        |       |       |       |        |                      |        |       |
|--------|-------|-------|-------|--------|----------------------|--------|-------|
| 7      |       |       |       |        | Hz                   | 7      | S     |
| Band 7 | 10MHz | QPSK  | 20800 | 50RB#0 | Range1:30~1000MHz    | -48.68 | PAS S |
| Band 7 | 10MHz | QPSK  | 20800 | 50RB#0 | Range2:1000~3000MHz  | -39.68 | PAS S |
| Band 7 | 10MHz | QPSK  | 20800 | 50RB#0 | Range3:3000~26500MHz | -34.78 | PAS S |
| Band 7 | 10MHz | QPSK  | 21100 | 50RB#0 | Range1:30~1000MHz    | -48.37 | PAS S |
| Band 7 | 10MHz | QPSK  | 21100 | 50RB#0 | Range2:1000~3000MHz  | -39.47 | PAS S |
| Band 7 | 10MHz | QPSK  | 21100 | 50RB#0 | Range3:3000~26500MHz | -35.84 | PAS S |
| Band 7 | 10MHz | QPSK  | 21400 | 50RB#0 | Range1:30~1000MHz    | -47.94 | PAS S |
| Band 7 | 10MHz | QPSK  | 21400 | 50RB#0 | Range2:1000~3000MHz  | -38.96 | PAS S |
| Band 7 | 10MHz | QPSK  | 21400 | 50RB#0 | Range3:3000~26500MHz | -35.19 | PAS S |
| Band 7 | 10MHz | 16QAM | 20800 | 50RB#0 | Range1:30~1000MHz    | -47.94 | PAS S |
| Band 7 | 10MHz | 16QAM | 20800 | 50RB#0 | Range2:1000~3000MHz  | -39.51 | PAS S |
| Band 7 | 10MHz | 16QAM | 20800 | 50RB#0 | Range3:3000~26500MHz | -36.45 | PAS S |
| Band 7 | 10MHz | 16QAM | 21100 | 50RB#0 | Range1:30~1000MHz    | -47.56 | PAS S |
| Band 7 | 10MHz | 16QAM | 21100 | 50RB#0 | Range2:1000~3000MHz  | -39.09 | PAS S |
| Band 7 | 10MHz | 16QAM | 21100 | 50RB#0 | Range3:3000~26500MHz | -35.69 | PAS S |
| Band 7 | 10MHz | 16QAM | 21400 | 50RB#0 | Range1:30~1000MHz    | -48.33 | PAS S |
| Band 7 | 10MHz | 16QAM | 21400 | 50RB#0 | Range2:1000~3000MHz  | -39.92 | PAS S |
| Band 7 | 10MHz | 16QAM | 21400 | 50RB#0 | Range3:3000~26500MHz | -35.08 | PAS S |
| Band 7 | 15MHz | QPSK  | 20825 | 75RB#0 | Range1:30~1000MHz    | -47.99 | PAS S |
| Band 7 | 15MHz | QPSK  | 20825 | 75RB#0 | Range2:1000~3000MHz  | -39.13 | PAS S |
| Band 7 | 15MHz | QPSK  | 20825 | 75RB#0 | Range3:3000~26500MHz | -35.41 | PAS S |


|           |       |       |       |         |                      |            |          |
|-----------|-------|-------|-------|---------|----------------------|------------|----------|
| Band<br>7 | 15MHz | QPSK  | 21100 | 75RB#0  | Range1:30~1000MHz    | -47.4<br>7 | PAS<br>S |
| Band<br>7 | 15MHz | QPSK  | 21100 | 75RB#0  | Range2:1000~3000MHz  | -37.8<br>2 | PAS<br>S |
| Band<br>7 | 15MHz | QPSK  | 21100 | 75RB#0  | Range3:3000~26500MHz | -36.5<br>5 | PAS<br>S |
| Band<br>7 | 15MHz | QPSK  | 21375 | 75RB#0  | Range1:30~1000MHz    | -47.8<br>5 | PAS<br>S |
| Band<br>7 | 15MHz | QPSK  | 21375 | 75RB#0  | Range2:1000~3000MHz  | -39.9<br>5 | PAS<br>S |
| Band<br>7 | 15MHz | QPSK  | 21375 | 75RB#0  | Range3:3000~26500MHz | -35.7<br>4 | PAS<br>S |
| Band<br>7 | 15MHz | 16QAM | 20825 | 75RB#0  | Range1:30~1000MHz    | -48.3<br>4 | PAS<br>S |
| Band<br>7 | 15MHz | 16QAM | 20825 | 75RB#0  | Range2:1000~3000MHz  | -39.1<br>z | PAS<br>S |
| Band<br>7 | 15MHz | 16QAM | 20825 | 75RB#0  | Range3:3000~26500MHz | -36.3<br>9 | PAS<br>S |
| Band<br>7 | 15MHz | 16QAM | 21100 | 75RB#0  | Range1:30~1000MHz    | -48.2<br>9 | PAS<br>S |
| Band<br>7 | 15MHz | 16QAM | 21100 | 75RB#0  | Range2:1000~3000MHz  | -39.7<br>1 | PAS<br>S |
| Band<br>7 | 15MHz | 16QAM | 21100 | 75RB#0  | Range3:3000~26500MHz | -35.9<br>8 | PAS<br>S |
| Band<br>7 | 15MHz | 16QAM | 21375 | 75RB#0  | Range1:30~1000MHz    | -48.2<br>7 | PAS<br>S |
| Band<br>7 | 15MHz | 16QAM | 21375 | 75RB#0  | Range2:1000~3000MHz  | -40.0<br>7 | PAS<br>S |
| Band<br>7 | 15MHz | 16QAM | 21375 | 75RB#0  | Range3:3000~26500MHz | -35.5<br>2 | PAS<br>S |
| Band<br>7 | 20MHz | QPSK  | 20850 | 100RB#0 | Range1:30~1000MHz    | -48.3<br>3 | PAS<br>S |
| Band<br>7 | 20MHz | QPSK  | 20850 | 100RB#0 | Range2:1000~3000MHz  | -39.3<br>3 | PAS<br>S |
| Band<br>7 | 20MHz | QPSK  | 20850 | 100RB#0 | Range3:3000~26500MHz | -36.0<br>1 | PAS<br>S |
| Band<br>7 | 20MHz | QPSK  | 21100 | 100RB#0 | Range1:30~1000MHz    | -47.9<br>5 | PAS<br>S |
| Band<br>7 | 20MHz | QPSK  | 21100 | 100RB#0 | Range2:1000~3000MHz  | -40.0<br>1 | PAS<br>S |
| Band<br>7 | 20MHz | QPSK  | 21100 | 100RB#0 | Range3:3000~26500MHz | -35.4<br>3 | PAS<br>S |
| Band<br>7 | 20MHz | QPSK  | 21350 | 100RB#0 | Range1:30~1000MHz    | -47.3<br>9 | PAS<br>S |

|        |       |       |       |         |                      |        |      |
|--------|-------|-------|-------|---------|----------------------|--------|------|
| Band 7 | 20MHz | QPSK  | 21350 | 100RB#0 | Range2:1000~3000MHz  | -39.22 | PASS |
| Band 7 | 20MHz | QPSK  | 21350 | 100RB#0 | Range3:3000~26500MHz | -36.03 | PASS |
| Band 7 | 20MHz | 16QAM | 20850 | 100RB#0 | Range1:30~1000MHz    | -47.6  | PASS |
| Band 7 | 20MHz | 16QAM | 20850 | 100RB#0 | Range2:1000~3000MHz  | -40.01 | PASS |
| Band 7 | 20MHz | 16QAM | 20850 | 100RB#0 | Range3:3000~26500MHz | -35.6  | PASS |
| Band 7 | 20MHz | 16QAM | 21100 | 100RB#0 | Range1:30~1000MHz    | -48.19 | PASS |
| Band 7 | 20MHz | 16QAM | 21100 | 100RB#0 | Range2:1000~3000MHz  | -39.93 | PASS |
| Band 7 | 20MHz | 16QAM | 21100 | 100RB#0 | Range3:3000~26500MHz | -35.75 | PASS |
| Band 7 | 20MHz | 16QAM | 21350 | 100RB#0 | Range1:30~1000MHz    | -48.07 | PASS |
| Band 7 | 20MHz | 16QAM | 21350 | 100RB#0 | Range2:1000~3000MHz  | -39.49 | PASS |
| Band 7 | 20MHz | 16QAM | 21350 | 100RB#0 | Range3:3000~26500MHz | -36.09 | PASS |


## Test Graphs









Band7-5MHz-QPSK-20775-25RB#0-Range3:3000~26500MHz




Band7-5MHz-QPSK-21100-25RB#0-Range1:30~1000MHz




Band7-5MHz-QPSK-21100-25RB#0-Range2:1000~3000MHz




Band7-5MHz-QPSK-21100-25RB#0-Range3:3000~26500MHz




Band7-5MHz-QPSK-21425-25RB#0-Range1:30~1000MHz




Band7-5MHz-QPSK-21425-25RB#0-Range2:1000~3000MHz




Band7-5MHz-QPSK-21425-25RB#0-Range3:3000~26500MHz




Band7-5MHz-16QAM-20775-25RB#0-Range1:30~1000MHz




Band7-5MHz-16QAM-20775-25RB#0-Range2:1000~3000MHz




Band7-5MHz-16QAM-20775-25RB#0-Range3:3000~26500MHz




Band7-5MHz-16QAM-21100-25RB#0-Range1:30~1000MHz




Band7-5MHz-16QAM-21100-25RB#0-Range2:1000~3000MHz



Band7-5MHz-16QAM-21100-25RB#0-Range3:3000~26500MHz




Band7-5MHz-16QAM-21425-25RB#0-Range1:30~1000MHz




Band7-5MHz-16QAM-21425-25RB#0-Range2:1000~3000MHz







Band7-5MHz-16QAM-21425-25RB#0-Range3:3000~26500MHz




Band7-10MHz-QPSK-20800-50RB#0-Range1:30~1000MHz




Band7-10MHz-QPSK-20800-50RB#0-Range2:1000~3000MHz




Band7-10MHz-QPSK-20800-50RB#0-Range3:3000~26500MHz




Band7-10MHz-QPSK-21100-50RB#0-Range1:30~1000MHz




Band7-10MHz-QPSK-21100-50RB#0-Range2:1000~3000MHz




Band7-10MHz-QPSK-21100-50RB#0-Range3:3000~26500MHz




Band7-10MHz-QPSK-21400-50RB#0-Range1:30~1000MHz




Band7-10MHz-QPSK-21400-50RB#0-Range2:1000~3000MHz




Band7-10MHz-QPSK-21400-50RB#0-Range3:3000~26500MHz




Band7-10MHz-16QAM-20800-50RB#0-Range1:30~1000MHz




Band7-10MHz-16QAM-20800-50RB#0-Range2:1000~3000MHz



Band7-10MHz-16QAM-20800-50RB#0-Range3:3000~26500MHz




Band7-10MHz-16QAM-21100-50RB#0-Range1:30~1000MHz




Band7-10MHz-16QAM-21100-50RB#0-Range2:1000~3000MHz







Band7-10MHz-16QAM-21100-50RB#0-Range3:3000~26500MHz




Band7-10MHz-16QAM-21400-50RB#0-Range1:30~1000MHz




Band7-10MHz-16QAM-21400-50RB#0-Range2:1000~3000MHz




Band7-10MHz-16QAM-21400-50RB#0-Range3:3000~26500MHz




Band7-15MHz-QPSK-20825-75RB#0-Range1:30~1000MHz




Band7-15MHz-QPSK-20825-75RB#0-Range2:1000~3000MHz




Band7-15MHz-QPSK-20825-75RB#0-Range3:3000~26500MHz




Band7-15MHz-QPSK-21100-75RB#0-Range1:30~1000MHz




Band7-15MHz-QPSK-21100-75RB#0-Range2:1000~3000MHz




Band7-15MHz-QPSK-21100-75RB#0-Range3:3000~26500MHz




Band7-15MHz-QPSK-21375-75RB#0-Range1:30~1000MHz




Band7-15MHz-QPSK-21375-75RB#0-Range2:1000~3000MHz



Band7-15MHz-QPSK-21375-75RB#0-Range3:3000~26500MHz




Band7-15MHz-16QAM-20825-75RB#0-Range1:30~1000MHz




Band7-15MHz-16QAM-20825-75RB#0-Range2:1000~3000MHz







Band7-15MHz-16QAM-20825-75RB#0-Range3:3000~26500MHz




Band7-15MHz-16QAM-21100-75RB#0-Range1:30~1000MHz




Band7-15MHz-16QAM-21100-75RB#0-Range2:1000~3000MHz




Band7-15MHz-16QAM-21100-75RB#0-Range3:3000~26500MHz




Band7-15MHz-16QAM-21375-75RB#0-Range1:30~1000MHz




Band7-15MHz-16QAM-21375-75RB#0-Range2:1000~3000MHz




Band7-15MHz-16QAM-21375-75RB#0-Range3:3000~26500MHz




Band7-20MHz-QPSK-20850-100RB#0-Range1:30~1000MHz




Band7-20MHz-QPSK-20850-100RB#0-Range2:1000~3000MHz




Band7-20MHz-QPSK-20850-100RB#0-Range3:3000~26500MHz




Band7-20MHz-QPSK-21100-100RB#0-Range1:30~1000MHz




Band7-20MHz-QPSK-21100-100RB#0-Range2:1000~3000MHz



Band7-20MHz-QPSK-21100-100RB#0-Range3:3000~26500MHz




Band7-20MHz-QPSK-21350-100RB#0-Range1:30~1000MHz




Band7-20MHz-QPSK-21350-100RB#0-Range2:1000~3000MHz







Band7-20MHz-QPSK-21350-100RB#0-Range3:3000~26500MHz




Band7-20MHz-16QAM-20850-100RB#0-Range1:30~1000MHz




Band7-20MHz-16QAM-20850-100RB#0-Range2:1000~3000MHz




Band7-20MHz-16QAM-20850-100RB#0-Range3:3000~26500MHz




Band7-20MHz-16QAM-21100-100RB#0-Range1:30~1000MHz




Band7-20MHz-16QAM-21100-100RB#0-Range2:1000~3000MHz




Band7-20MHz-16QAM-21100-100RB#0-Range3:3000~26500MHz



Band7-20MHz-16QAM-21350-100RB#0-Range1:30~1000MHz



Band7-20MHz-16QAM-21350-100RB#0-Range2:1000~3000MHz



Band7-20MHz-16QAM-21350-100RB#0-Range3:3000~26500MHz

