




Spurious Emissions at Antenna Terminals



n2 SCS=15kHz DFT_QPSK BW=5MHz Channel=370500 RB=25@0



n2 SCS=15kHz DFT_QPSK BW=5MHz Channel=370500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.138	-66.33	-13
2	0.15	30	10	0.157	-61.17	-13
3	30	1000	1000	35.820	-41.15	-13
4	1000	26500	1000	16419.000	-32.75	-13

n2 SCS=15kHz DFT_QPSK BW=5MHz Channel=370500 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.136	-65.85	-13
2	0.15	30	10	29.948	-61.35	-13
3	30	1000	1000	35.141	-41.11	-13
4	1000	26500	1000	16418.150	-32.83	-13


n2 SCS=15kHz CP_QPSK BW=5MHz Channel=370500 RB=25@0



n2 SCS=15kHz CP_QPSK BW=5MHz Channel=370500 RB=1@0




n2 SCS=15kHz CP_QPSK BW=5MHz Channel=370500 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010	-63.06	-13
2	0.15	30	10	29.645	-59.54	-13
3	30	1000	1000	34.236	-40.22	-13
4	1000	26500	1000	16419.000	-31.59	-13

n2 SCS=15kHz DFT_QPSK BW=5MHz Channel=376000 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010	-62.37	-13
2	0.15	30	10	0.186	-59.8	-13
3	30	1000	1000	34.850	-40.36	-13
4	1000	26500	1000	16414.750	-31.66	-13


n2 SCS=15kHz DFT_QPSK BW=5MHz Channel=376000 RB=1@0



n2 SCS=15kHz DFT_QPSK BW=5MHz Channel=376000 RB=1@24




n2 SCS=15kHz CP_QPSK BW=5MHz Channel=376000 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010	-62.61	-13
2	0.15	30	10	29.495	-60.05	-13
3	30	1000	1000	33.783	-40.41	-13
4	1000	26500	1000	16418.150	-31.46	-13

n2 SCS=15kHz CP_QPSK BW=5MHz Channel=376000 RB=1@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-62.82	-13
2	0.15	30	10	29.142	-60.25	-13
3	30	1000	1000	30.808	-40.55	-13
4	1000	26500	1000	16419.000	-31.58	-13

n2 SCS=15kHz CP_QPSK BW=5MHz Channel=376000 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010	-65.75	-13
2	0.15	30	10	29.942	-61.5	-13
3	30	1000	1000	32.490	-41.76	-13
4	1000	26500	1000	16419.000	-32.84	-13

n2 SCS=15kHz DFT_QPSK BW=5MHz Channel=381500 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-64.72	-13
2	0.15	30	10	29.665	-61.06	-13
3	30	1000	1000	31.681	-41.59	-13
4	1000	26500	1000	16418.150	-32.9	-13


n2 SCS=15kHz DFT_QPSK BW=5MHz Channel=381500 RB=1@0




n2 SCS=15kHz DFT_QPSK BW=5MHz Channel=381500 RB=1@24




n2 SCS=15kHz CP_QPSK BW=5MHz Channel=381500 RB=25@0



n2 SCS=15kHz CP_QPSK BW=5MHz Channel=381500 RB=1@0



n2 SCS=15kHz CP_QPSK BW=5MHz Channel=381500 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.141	-65.77	-13
2	0.15	30	10	28.764	-61.13	-13
3	30	1000	1000	34.721	-40.86	-13
4	1000	26500	1000	16419.850	-32.69	-13

n2 SCS=15kHz DFT_QPSK BW=10MHz Channel=371000 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-66.07	-13
2	0.15	30	10	0.251	-60.91	-13
3	30	1000	1000	33.363	-41.05	-13
4	1000	26500	1000	16416.450	-32.72	-13


n2 SCS=15kHz DFT_QPSK BW=10MHz Channel=371000 RB=1@0



n2 SCS=15kHz DFT_QPSK BW=10MHz Channel=371000 RB=1@51




n2 SCS=15kHz CP_QPSK BW=10MHz Channel=371000 RB=52@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-53.7	-13
2	0.15	30	10	29.934	-60.78	-13
3	30	1000	1000	32.651	-41.45	-13
4	1000	26500	1000	16418.150	-32.73	-13

n2 SCS=15kHz CP_QPSK BW=10MHz Channel=371000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-54.32	-13
2	0.15	30	10	0.167	-60.78	-13
3	30	1000	1000	32.845	-41.39	-13
4	1000	26500	1000	16418.150	-32.54	-13

n2 SCS=15kHz CP_QPSK BW=10MHz Channel=371000 RB=1@51




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010	-63.59	-13
2	0.15	30	10	0.272	-60.18	-13
3	30	1000	1000	33.136	-40.6	-13
4	1000	26500	1000	16416.450	-31.66	-13

n2 SCS=15kHz DFT_QPSK BW=10MHz Channel=376000 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-63.1	-13
2	0.15	30	10	28.871	-59.58	-13
3	30	1000	1000	32.716	-40.46	-13
4	1000	26500	1000	16415.600	-31.64	-13

n2 SCS=15kHz DFT_QPSK BW=10MHz Channel=376000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-62.71	-13
2	0.15	30	10	0.276	-59.89	-13
3	30	1000	1000	35.173	-40.11	-13
4	1000	26500	1000	16419.000	-31.63	-13

n2 SCS=15kHz DFT_QPSK BW=10MHz Channel=376000 RB=1@51




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010	-61.93	-13
2	0.15	30	10	0.382	-59.96	-13
3	30	1000	1000	35.303	-40.29	-13
4	1000	26500	1000	16417.300	-31.48	-13

n2 SCS=15kHz CP_QPSK BW=10MHz Channel=376000 RB=52@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-62.88	-13
2	0.15	30	10	29.788	-59.89	-13
3	30	1000	1000	34.494	-40.38	-13
4	1000	26500	1000	16418.150	-31.74	-13

n2 SCS=15kHz CP_QPSK BW=10MHz Channel=376000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-62.91	-13
2	0.15	30	10	24.816	-60.13	-13
3	30	1000	1000	35.658	-40.34	-13
4	1000	26500	1000	16419.000	-31.68	-13


n2 SCS=15kHz CP_QPSK BW=10MHz Channel=376000 RB=1@51



n2 SCS=15kHz DFT_QPSK BW=10MHz Channel=381000 RB=50@0



n2 SCS=15kHz DFT_QPSK BW=10MHz Channel=381000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-64.27	-13
2	0.15	30	10	25.835	-61.15	-13
3	30	1000	1000	34.139	-41.65	-13
4	1000	26500	1000	16418.150	-32.88	-13

n2 SCS=15kHz DFT_QPSK BW=10MHz Channel=381000 RB=1@51



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-64.51	-13
2	0.15	30	10	0.321	-61.21	-13
3	30	1000	1000	33.492	-41.66	-13
4	1000	26500	1000	16416.450	-32.88	-13

n2 SCS=15kHz CP_QPSK BW=10MHz Channel=381000 RB=52@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-64.46	-13
2	0.15	30	10	28.743	-61.53	-13
3	30	1000	1000	35.432	-41.13	-13
4	1000	26500	1000	16416.450	-32.89	-13

n2 SCS=15kHz CP_QPSK BW=10MHz Channel=381000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-64.64	-13
2	0.15	30	10	29.133	-61.21	-13
3	30	1000	1000	33.912	-41.22	-13
4	1000	26500	1000	16416.450	-32.78	-13

n2 SCS=15kHz CP_QPSK BW=10MHz Channel=381000 RB=1@51




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.136	-65.18	-13
2	0.15	30	10	25.205	-60.87	-13
3	30	1000	1000	34.979	-41.14	-13
4	1000	26500	1000	16418.150	-32.46	-13

n2 SCS=15kHz DFT_QPSK BW=15MHz Channel=371500 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.138	-65.77	-13
2	0.15	30	10	29.215	-59.84	-13
3	30	1000	1000	35.755	-41.01	-13
4	1000	26500	1000	16419.850	-32.35	-13


n2 SCS=15kHz DFT_QPSK BW=15MHz Channel=371500 RB=1@0



n2 SCS=15kHz DFT_QPSK BW=15MHz Channel=371500 RB=1@78




n2 SCS=15kHz CP_QPSK BW=15MHz Channel=371500 RB=79@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-56.81	-13
2	0.15	30	10	29.241	-60.96	-13
3	30	1000	1000	34.203	-41.18	-13
4	1000	26500	1000	16417.300	-32.59	-13

n2 SCS=15kHz CP_QPSK BW=15MHz Channel=371500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-54.36	-13
2	0.15	30	10	29.473	-60.96	-13
3	30	1000	1000	35.723	-41.32	-13
4	1000	26500	1000	16419.000	-32.71	-13

n2 SCS=15kHz CP_QPSK BW=15MHz Channel=371500 RB=1@78




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-64.71	-13
2	0.15	30	10	29.991	-59.42	-13
3	30	1000	1000	33.524	-40.18	-13
4	1000	26500	1000	16419.000	-31.46	-13

n2 SCS=15kHz DFT_QPSK BW=15MHz Channel=376000 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-64.08	-13
2	0.15	30	10	0.205	-60.04	-13
3	30	1000	1000	35.432	-40.24	-13
4	1000	26500	1000	16418.150	-31.83	-13

n2 SCS=15kHz DFT_QPSK BW=15MHz Channel=376000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-64.58	-13
2	0.15	30	10	27.667	-60.12	-13
3	30	1000	1000	34.300	-40.35	-13
4	1000	26500	1000	16417.300	-31.64	-13

n2 SCS=15kHz DFT_QPSK BW=15MHz Channel=376000 RB=1@78




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.136	-64.68	-13
2	0.15	30	10	28.734	-59.99	-13
3	30	1000	1000	31.390	-40.32	-13
4	1000	26500	1000	16417.300	-31.64	-13

n2 SCS=15kHz CP_QPSK BW=15MHz Channel=376000 RB=79@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-63.83	-13
2	0.15	30	10	28.957	-60.05	-13
3	30	1000	1000	32.845	-40.34	-13
4	1000	26500	1000	16416.450	-31.65	-13

n2 SCS=15kHz CP_QPSK BW=15MHz Channel=376000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-53.09	-13
2	0.15	30	10	0.390	-60	-13
3	30	1000	1000	35.400	-39.92	-13
4	1000	26500	1000	16416.450	-31.84	-13

n2 SCS=15kHz CP_QPSK BW=15MHz Channel=376000 RB=1@78




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010	-63.4	-13
2	0.15	30	10	29.635	-60.8	-13
3	30	1000	1000	35.076	-41.44	-13
4	1000	26500	1000	16415.600	-32.77	-13

n2 SCS=15kHz DFT_QPSK BW=15MHz Channel=380500 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-64.03	-13
2	0.15	30	10	0.235	-60.83	-13
3	30	1000	1000	33.945	-41.49	-13
4	1000	26500	1000	16419.000	-32.72	-13


n2 SCS=15kHz DFT_QPSK BW=15MHz Channel=380500 RB=1@0



n2 SCS=15kHz DFT_QPSK BW=15MHz Channel=380500 RB=1@78



n2 SCS=15kHz CP_QPSK BW=15MHz Channel=380500 RB=79@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-63.65	-13
2	0.15	30	10	0.150	-61.14	-13
3	30	1000	1000	34.818	-41.33	-13
4	1000	26500	1000	16416.450	-32.57	-13

n2 SCS=15kHz CP_QPSK BW=15MHz Channel=380500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010	-63.24	-13
2	0.15	30	10	28.522	-61.18	-13
3	30	1000	1000	33.557	-41.42	-13
4	1000	26500	1000	16418.150	-32.83	-13


n2 SCS=15kHz CP_QPSK BW=15MHz Channel=380500 RB=1@78



n2 SCS=15kHz DFT_QPSK BW=20MHz Channel=372000 RB=100@0




n2 SCS=15kHz DFT_QPSK BW=20MHz Channel=372000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010	-63.65	-13
2	0.15	30	10	24.715	-61.07	-13
3	30	1000	1000	35.852	-41.17	-13
4	1000	26500	1000	16417.300	-32.49	-13

n2 SCS=15kHz DFT_QPSK BW=20MHz Channel=372000 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-63.95	-13
2	0.15	30	10	27.784	-60.63	-13
3	30	1000	1000	35.788	-40.76	-13
4	1000	26500	1000	16419.850	-32.61	-13


n2 SCS=15kHz CP_QPSK BW=20MHz Channel=372000 RB=106@0



n2 SCS=15kHz CP_QPSK BW=20MHz Channel=372000 RB=1@0




n2 SCS=15kHz CP_QPSK BW=20MHz Channel=372000 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.140	-64.47	-13
2	0.15	30	10	0.175	-59.67	-13
3	30	1000	1000	35.885	-40.31	-13
4	1000	26500	1000	16418.150	-31.49	-13

n2 SCS=15kHz DFT_QPSK BW=20MHz Channel=376000 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-64.32	-13
2	0.15	30	10	29.813	-60.1	-13
3	30	1000	1000	34.591	-40.28	-13
4	1000	26500	1000	16415.600	-31.66	-13

n2 SCS=15kHz DFT_QPSK BW=20MHz Channel=376000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.141	-64.81	-13
2	0.15	30	10	29.500	-59.98	-13
3	30	1000	1000	34.785	-40.21	-13
4	1000	26500	1000	16417.300	-31.67	-13

n2 SCS=15kHz DFT_QPSK BW=20MHz Channel=376000 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.141	-64.53	-13
2	0.15	30	10	0.339	-60.05	-13
3	30	1000	1000	35.755	-40.28	-13
4	1000	26500	1000	16419.850	-31.53	-13

n2 SCS=15kHz CP_QPSK BW=20MHz Channel=376000 RB=106@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-63.95	-13
2	0.15	30	10	29.620	-60.1	-13
3	30	1000	1000	34.527	-40.32	-13
4	1000	26500	1000	16418.150	-31.75	-13

n2 SCS=15kHz CP_QPSK BW=20MHz Channel=376000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-53.29	-13
2	0.15	30	10	0.257	-60.04	-13
3	30	1000	1000	33.039	-40.55	-13
4	1000	26500	1000	16414.750	-31.68	-13

n2 SCS=15kHz CP_QPSK BW=20MHz Channel=376000 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-63.67	-13
2	0.15	30	10	28.130	-60.84	-13
3	30	1000	1000	34.171	-41.48	-13
4	1000	26500	1000	16415.600	-32.6	-13

n2 SCS=15kHz DFT_QPSK BW=20MHz Channel=380000 RB=100@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-62.71	-13
2	0.15	30	10	0.278	-60.99	-13
3	30	1000	1000	33.266	-41.14	-13
4	1000	26500	1000	16417.300	-32.44	-13

n2 SCS=15kHz DFT_QPSK BW=20MHz Channel=380000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-63.23	-13
2	0.15	30	10	28.218	-61.15	-13
3	30	1000	1000	34.850	-40.98	-13
4	1000	26500	1000	16418.150	-32.53	-13

n2 SCS=15kHz DFT_QPSK BW=20MHz Channel=380000 RB=1@105



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010	-64.61	-13
2	0.15	30	10	27.830	-60.92	-13
3	30	1000	1000	33.039	-41.44	-13
4	1000	26500	1000	16418.150	-32.61	-13

n2 SCS=15kHz CP_QPSK BW=20MHz Channel=380000 RB=106@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-63.03	-13
2	0.15	30	10	29.591	-61.1	-13
3	30	1000	1000	35.982	-40.98	-13
4	1000	26500	1000	16416.450	-32.34	-13

n2 SCS=15kHz CP_QPSK BW=20MHz Channel=380000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-62.72	-13
2	0.15	30	10	29.435	-60.74	-13
3	30	1000	1000	35.561	-41.34	-13
4	1000	26500	1000	16419.850	-32.64	-13


n2 SCS=15kHz CP_QPSK BW=20MHz Channel=380000 RB=1@105




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=1@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=1@24




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=500500 RB=25@0



n7 SCS=15kHz CP_QPSK BW=5MHz Channel=500500 RB=1@0




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=500500 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-64.11	-25
2	0.15	30	10	0.390	-60.28	-25
3	30	1000	1000	30.776	-40.78	-25
4	1000	30000	1000	16417.367	-32.17	-25

n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.140	-65.18	-25
2	0.15	30	10	28.890	-60.64	-25
3	30	1000	1000	34.171	-40.77	-25
4	1000	30000	1000	16419.300	-32.06	-25


n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=1@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=1@24




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=507000 RB=25@0



n7 SCS=15kHz CP_QPSK BW=5MHz Channel=507000 RB=1@0




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=507000 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-57.88	-25
2	0.15	30	10	25.752	-59.22	-25
3	30	1000	1000	33.718	-39.92	-25
4	1000	30000	1000	16417.367	-31.31	-25

n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-57.65	-25
2	0.15	30	10	0.389	-59.54	-25
3	30	1000	1000	34.462	-39.8	-25
4	1000	30000	1000	16421.233	-31.2	-25


n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=1@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=1@24




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=513500 RB=1@0




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=513500 RB=1@24



n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=501000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-63.95	-25
2	0.15	30	10	29.081	-59.46	-25
3	30	1000	1000	35.788	-40.17	-25
4	1000	30000	1000	16417.367	-31.28	-25

n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=501000 RB=1@51




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.136	-64.5	-25
2	0.15	30	10	28.510	-59.69	-25
3	30	1000	1000	34.624	-39.88	-25
4	1000	30000	1000	16417.367	-31.44	-25


n7 SCS=15kHz CP_QPSK BW=10MHz Channel=501000 RB=52@0



n7 SCS=15kHz CP_QPSK BW=10MHz Channel=501000 RB=1@0




n7 SCS=15kHz CP_QPSK BW=10MHz Channel=501000 RB=1@51




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-61.95	-25
2	0.15	30	10	0.309	-60.46	-25
3	30	1000	1000	34.365	-40.61	-25
4	1000	30000	1000	16418.333	-31.97	-25

n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=507000 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-65.17	-25
2	0.15	30	10	0.385	-59.95	-25
3	30	1000	1000	31.908	-40.54	-25
4	1000	30000	1000	16418.333	-32.1	-25

n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=507000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.136	-65.49	-25
2	0.15	30	10	29.481	-60.66	-25
3	30	1000	1000	35.400	-40.49	-25
4	1000	30000	1000	16421.233	-32.05	-25

n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=507000 RB=1@51




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.136	-65.02	-25
2	0.15	30	10	0.310	-60.6	-25
3	30	1000	1000	31.423	-40.75	-25
4	1000	30000	1000	16417.367	-32.12	-25

n7 SCS=15kHz CP_QPSK BW=10MHz Channel=507000 RB=52@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-65.29	-25
2	0.15	30	10	27.582	-60.54	-25
3	30	1000	1000	35.400	-40.8	-25
4	1000	30000	1000	16418.333	-32.02	-25

n7 SCS=15kHz CP_QPSK BW=10MHz Channel=507000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.136	-64.88	-25
2	0.15	30	10	27.418	-60.63	-25
3	30	1000	1000	34.236	-40.53	-25
4	1000	30000	1000	16415.433	-32.24	-25

n7 SCS=15kHz CP_QPSK BW=10MHz Channel=507000 RB=1@51




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-57.25	-25
2	0.15	30	10	0.266	-60.05	-25
3	30	1000	1000	30.485	-40.08	-25
4	1000	30000	1000	16416.400	-31.46	-25

n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=513000 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-58.3	-25
2	0.15	30	10	28.364	-59.78	-25
3	30	1000	1000	32.425	-40.33	-25
4	1000	30000	1000	16419.300	-31.45	-25

n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=513000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-57.67	-25
2	0.15	30	10	0.269	-59.8	-25
3	30	1000	1000	34.171	-40	-25
4	1000	30000	1000	16417.367	-31.5	-25

n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=513000 RB=1@51




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-63.99	-25
2	0.15	30	10	0.343	-59.81	-25
3	30	1000	1000	35.432	-40.16	-25
4	1000	30000	1000	16415.433	-31.55	-25

n7 SCS=15kHz CP_QPSK BW=10MHz Channel=513000 RB=52@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-63.92	-25
2	0.15	30	10	0.362	-59.83	-25
3	30	1000	1000	35.691	-39.78	-25
4	1000	30000	1000	16419.300	-31.28	-25

n7 SCS=15kHz CP_QPSK BW=10MHz Channel=513000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-64.49	-25
2	0.15	30	10	0.281	-60	-25
3	30	1000	1000	33.880	-40.14	-25
4	1000	30000	1000	16419.300	-31.54	-25

n7 SCS=15kHz CP_QPSK BW=10MHz Channel=513000 RB=1@51




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-57.82	-25
2	0.15	30	10	29.608	-59.86	-25
3	30	1000	1000	33.912	-40.05	-25
4	1000	30000	1000	16418.333	-31.42	-25

n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=501500 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-57.27	-25
2	0.15	30	10	28.935	-59.7	-25
3	30	1000	1000	35.206	-40.19	-25
4	1000	30000	1000	16419.300	-31.55	-25

n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=501500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-60.76	-25
2	0.15	30	10	0.166	-59.69	-25
3	30	1000	1000	33.557	-40.27	-25
4	1000	30000	1000	16415.433	-31.45	-25

n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=501500 RB=1@78




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.136	-64.7	-25
2	0.15	30	10	29.285	-59.64	-25
3	30	1000	1000	33.848	-39.87	-25
4	1000	30000	1000	16416.400	-31.49	-25


n7 SCS=15kHz CP_QPSK BW=15MHz Channel=501500 RB=79@0




n7 SCS=15kHz CP_QPSK BW=15MHz Channel=501500 RB=1@0




n7 SCS=15kHz CP_QPSK BW=15MHz Channel=501500 RB=1@78



n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=507000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-65.16	-25
2	0.15	30	10	0.176	-60.14	-25
3	30	1000	1000	35.885	-40.47	-25
4	1000	30000	1000	16418.333	-31.87	-25

n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=507000 RB=1@78




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.136	-64.38	-25
2	0.15	30	10	0.275	-60.11	-25
3	30	1000	1000	35.691	-40.57	-25
4	1000	30000	1000	16416.400	-32.01	-25


n7 SCS=15kHz CP_QPSK BW=15MHz Channel=507000 RB=79@0



n7 SCS=15kHz CP_QPSK BW=15MHz Channel=507000 RB=1@0




n7 SCS=15kHz CP_QPSK BW=15MHz Channel=507000 RB=1@78




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-57.81	-25
2	0.15	30	10	27.083	-60.16	-25
3	30	1000	1000	35.561	-40.3	-25
4	1000	30000	1000	16418.333	-31.65	-25

n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=512500 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-60.24	-25
2	0.15	30	10	28.441	-60.31	-25
3	30	1000	1000	35.109	-40.44	-25
4	1000	30000	1000	16417.367	-31.7	-25

n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=512500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-58.12	-25
2	0.15	30	10	29.425	-60.23	-25
3	30	1000	1000	34.333	-40.3	-25
4	1000	30000	1000	16416.400	-31.9	-25

n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=512500 RB=1@78




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.136	-64.69	-25
2	0.15	30	10	29.366	-60.09	-25
3	30	1000	1000	35.949	-40.41	-25
4	1000	30000	1000	16419.300	-31.63	-25

n7 SCS=15kHz CP_QPSK BW=15MHz Channel=512500 RB=79@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.140	-64.97	-25
2	0.15	30	10	28.355	-60.25	-25
3	30	1000	1000	35.497	-40.31	-25
4	1000	30000	1000	16416.400	-31.77	-25

n7 SCS=15kHz CP_QPSK BW=15MHz Channel=512500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-64.5	-25
2	0.15	30	10	0.350	-59.83	-25
3	30	1000	1000	35.335	-40.53	-25
4	1000	30000	1000	16420.267	-31.9	-25


n7 SCS=15kHz CP_QPSK BW=15MHz Channel=512500 RB=1@78



n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-57.98	-25
2	0.15	30	10	29.700	-59.94	-25
3	30	1000	1000	35.755	-40.31	-25
4	1000	30000	1000	16416.400	-31.48	-25

n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.140	-64.47	-25
2	0.15	30	10	0.286	-59.87	-25
3	30	1000	1000	35.723	-40.19	-25
4	1000	30000	1000	16416.400	-31.6	-25

n7 SCS=15kHz CP_QPSK BW=20MHz Channel=502000 RB=106@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.141	-65.04	-25
2	0.15	30	10	25.850	-59.83	-25
3	30	1000	1000	35.497	-40.37	-25
4	1000	30000	1000	16415.433	-31.6	-25

n7 SCS=15kHz CP_QPSK BW=20MHz Channel=502000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-64.56	-25
2	0.15	30	10	29.909	-59.48	-25
3	30	1000	1000	34.042	-40.18	-25
4	1000	30000	1000	16418.333	-31.68	-25

n7 SCS=15kHz CP_QPSK BW=20MHz Channel=502000 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-58.3	-25
2	0.15	30	10	28.275	-60.43	-25
3	30	1000	1000	33.977	-40.6	-25
4	1000	30000	1000	16418.333	-32.12	-25

n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-60.22	-25
2	0.15	30	10	28.502	-60.4	-25
3	30	1000	1000	35.949	-40.62	-25
4	1000	30000	1000	16416.400	-32.21	-25

n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-60.04	-25
2	0.15	30	10	28.609	-60.67	-25
3	30	1000	1000	34.397	-40.62	-25
4	1000	30000	1000	16419.300	-32.13	-25

n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-61.57	-25
2	0.15	30	10	0.178	-60.29	-25
3	30	1000	1000	35.335	-40.76	-25
4	1000	30000	1000	16419.300	-31.94	-25

n7 SCS=15kHz CP_QPSK BW=20MHz Channel=507000 RB=106@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-60.25	-25
2	0.15	30	10	0.156	-60.46	-25
3	30	1000	1000	35.141	-40.68	-25
4	1000	30000	1000	16416.400	-32.06	-25

n7 SCS=15kHz CP_QPSK BW=20MHz Channel=507000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-61.45	-25
2	0.15	30	10	29.008	-60.21	-25
3	30	1000	1000	35.464	-40.58	-25
4	1000	30000	1000	16418.333	-32.1	-25

n7 SCS=15kHz CP_QPSK BW=20MHz Channel=507000 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-57.97	-25
2	0.15	30	10	0.227	-60.21	-25
3	30	1000	1000	34.753	-40.66	-25
4	1000	30000	1000	16420.267	-32.09	-25

n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-64.14	-25
2	0.15	30	10	0.196	-60.14	-25
3	30	1000	1000	35.691	-40.56	-25
4	1000	30000	1000	16418.333	-31.89	-25

n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-58.11	-25
2	0.15	30	10	29.704	-59.95	-25
3	30	1000	1000	34.171	-40.46	-25
4	1000	30000	1000	16419.300	-31.93	-25

n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-65.47	-25
2	0.15	30	10	24.603	-60.26	-25
3	30	1000	1000	32.684	-40.29	-25
4	1000	30000	1000	16418.333	-31.89	-25

n7 SCS=15kHz CP_QPSK BW=20MHz Channel=512000 RB=106@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-64.43	-25
2	0.15	30	10	0.223	-60.16	-25
3	30	1000	1000	35.529	-40.56	-25
4	1000	30000	1000	16419.300	-31.86	-25

n7 SCS=15kHz CP_QPSK BW=20MHz Channel=512000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.138	-65.26	-25
2	0.15	30	10	28.693	-60.4	-25
3	30	1000	1000	35.626	-40.39	-25
4	1000	30000	1000	16418.333	-31.74	-25


n7 SCS=15kHz CP_QPSK BW=20MHz Channel=512000 RB=1@105



n7 SCS=15kHz DFT_QPSK BW=25MHz Channel=502500 RB=128@0




n7 SCS=15kHz DFT_QPSK BW=25MHz Channel=502500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-59.52	-25
2	0.15	30	10	0.223	-59.77	-25
3	30	1000	1000	30.065	-40.57	-25
4	1000	30000	1000	16415.433	-31.87	-25

n7 SCS=15kHz DFT_QPSK BW=25MHz Channel=502500 RB=1@132




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.136	-65.13	-25
2	0.15	30	10	28.954	-59.79	-25
3	30	1000	1000	35.109	-40.59	-25
4	1000	30000	1000	16418.333	-31.73	-25

n7 SCS=15kHz CP_QPSK BW=25MHz Channel=502500 RB=133@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.140	-64.73	-25
2	0.15	30	10	0.253	-60.16	-25
3	30	1000	1000	32.910	-40.75	-25
4	1000	30000	1000	16417.367	-31.74	-25

n7 SCS=15kHz CP_QPSK BW=25MHz Channel=502500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.140	-65.13	-25
2	0.15	30	10	0.167	-60.21	-25
3	30	1000	1000	33.557	-40.47	-25
4	1000	30000	1000	16416.400	-31.67	-25


n7 SCS=15kHz CP_QPSK BW=25MHz Channel=502500 RB=1@132



n7 SCS=15kHz DFT_QPSK BW=25MHz Channel=507000 RB=128@0




n7 SCS=15kHz DFT_QPSK BW=25MHz Channel=507000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-60.86	-25
2	0.15	30	10	0.231	-60.52	-25
3	30	1000	1000	33.039	-40.54	-25
4	1000	30000	1000	16417.367	-31.97	-25

n7 SCS=15kHz DFT_QPSK BW=25MHz Channel=507000 RB=1@132




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-65.3	-25
2	0.15	30	10	29.825	-60.19	-25
3	30	1000	1000	34.268	-40.17	-25
4	1000	30000	1000	16418.333	-31.6	-25


n7 SCS=15kHz CP_QPSK BW=25MHz Channel=507000 RB=133@0




n7 SCS=15kHz CP_QPSK BW=25MHz Channel=507000 RB=1@0




n7 SCS=15kHz CP_QPSK BW=25MHz Channel=507000 RB=1@132



n7 SCS=15kHz DFT_QPSK BW=25MHz Channel=511500 RB=128@0




n7 SCS=15kHz DFT_QPSK BW=25MHz Channel=511500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-57.35	-25
2	0.15	30	10	0.290	-60.34	-25
3	30	1000	1000	35.529	-40.33	-25
4	1000	30000	1000	16417.367	-31.96	-25

n7 SCS=15kHz DFT_QPSK BW=25MHz Channel=511500 RB=1@132




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.138	-64.84	-25
2	0.15	30	10	0.194	-60.13	-25
3	30	1000	1000	32.490	-40.79	-25
4	1000	30000	1000	16418.333	-32.04	-25

n7 SCS=15kHz CP_QPSK BW=25MHz Channel=511500 RB=133@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-64.76	-25
2	0.15	30	10	29.085	-60.36	-25
3	30	1000	1000	35.949	-40.4	-25
4	1000	30000	1000	16418.333	-31.63	-25

n7 SCS=15kHz CP_QPSK BW=25MHz Channel=511500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-64.59	-25
2	0.15	30	10	0.262	-60.27	-25
3	30	1000	1000	35.335	-40.43	-25
4	1000	30000	1000	16419.300	-31.56	-25


n7 SCS=15kHz CP_QPSK BW=25MHz Channel=511500 RB=1@132



n7 SCS=15kHz DFT_QPSK BW=30MHz Channel=503000 RB=160@0




n7 SCS=15kHz DFT_QPSK BW=30MHz Channel=503000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-60.44	-25
2	0.15	30	10	26.291	-60.53	-25
3	30	1000	1000	35.303	-40.53	-25
4	1000	30000	1000	16418.333	-32.09	-25

n7 SCS=15kHz DFT_QPSK BW=30MHz Channel=503000 RB=1@159




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.140	-65.38	-25
2	0.15	30	10	27.420	-60.53	-25
3	30	1000	1000	35.270	-40.51	-25
4	1000	30000	1000	16419.300	-31.83	-25


n7 SCS=15kHz CP_QPSK BW=30MHz Channel=503000 RB=160@0



n7 SCS=15kHz CP_QPSK BW=30MHz Channel=503000 RB=1@0




n7 SCS=15kHz CP_QPSK BW=30MHz Channel=503000 RB=1@159




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-58.08	-25
2	0.15	30	10	28.975	-60.39	-25
3	30	1000	1000	32.199	-40.33	-25
4	1000	30000	1000	16419.300	-31.89	-25

n7 SCS=15kHz DFT_QPSK BW=30MHz Channel=507000 RB=160@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-58.67	-25
2	0.15	30	10	0.243	-60.21	-25
3	30	1000	1000	34.721	-40.85	-25
4	1000	30000	1000	16416.400	-32.09	-25


n7 SCS=15kHz DFT_QPSK BW=30MHz Channel=507000 RB=1@0



n7 SCS=15kHz DFT_QPSK BW=30MHz Channel=507000 RB=1@159




n7 SCS=15kHz CP_QPSK BW=30MHz Channel=507000 RB=160@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-64.83	-25
2	0.15	30	10	28.537	-60.45	-25
3	30	1000	1000	32.684	-40.71	-25
4	1000	30000	1000	16415.433	-32	-25

n7 SCS=15kHz CP_QPSK BW=30MHz Channel=507000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.136	-64.79	-25
2	0.15	30	10	0.278	-60.15	-25
3	30	1000	1000	32.878	-40.44	-25
4	1000	30000	1000	16419.300	-31.84	-25

n7 SCS=15kHz CP_QPSK BW=30MHz Channel=507000 RB=1@159




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-58.16	-25
2	0.15	30	10	27.001	-60.29	-25
3	30	1000	1000	35.497	-40.39	-25
4	1000	30000	1000	16417.367	-31.71	-25

n7 SCS=15kHz DFT_QPSK BW=30MHz Channel=511000 RB=160@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-62.02	-25
2	0.15	30	10	29.820	-60.04	-25
3	30	1000	1000	35.012	-40.37	-25
4	1000	30000	1000	16416.400	-31.58	-25

n7 SCS=15kHz DFT_QPSK BW=30MHz Channel=511000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-57.83	-25
2	0.15	30	10	26.583	-60.16	-25
3	30	1000	1000	33.977	-40.31	-25
4	1000	30000	1000	16416.400	-31.91	-25

n7 SCS=15kHz DFT_QPSK BW=30MHz Channel=511000 RB=1@159




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.137	-64.77	-25
2	0.15	30	10	0.389	-59.91	-25
3	30	1000	1000	35.109	-40.44	-25
4	1000	30000	1000	16416.400	-31.32	-25

n7 SCS=15kHz CP_QPSK BW=30MHz Channel=511000 RB=160@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.138	-65.03	-25
2	0.15	30	10	28.014	-59.42	-25
3	30	1000	1000	33.136	-40.44	-25
4	1000	30000	1000	16415.433	-31.77	-25

n7 SCS=15kHz CP_QPSK BW=30MHz Channel=511000 RB=1@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012	-60.97	-25
2	0.15	30	10	28.162	-60.32	-25
3	30	1000	1000	35.109	-40.44	-25
4	1000	30000	1000	16418.333	-31.72	-25

n7 SCS=15kHz CP_QPSK BW=30MHz Channel=511000 RB=1@159