



TEST REPORT

No. I22Z61952-WMD04

for

Honor Device Co., Ltd.

Smart Phone

Model Name: RMO-NX1

FCC ID: 2AYGCRMO-NX1

with

Hardware Version: HN2RMOM

Software Version: 6.1.0.21(C900E21R1P1)

Issued Date: 2022-11-11

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: cttl_terminals@caict.ac.cn, website: www.caict.ac.cn

REPORT HISTORY

Report Number	Revision	Description	Issue Date
I22Z61952-WMD04	Rev.0	1 st edition	2022-11-11

Note: the latest revision of the test report supersedes all previous version.

CONTENTS

1. TEST LABORATORY	4
1.1. INTRODUCTION & ACCREDITATION.....	4
1.2. TESTING LOCATION	4
1.3. TESTING ENVIRONMENT	5
1.4. PROJECT DATA	5
1.5. SIGNATURE	5
2. CLIENT INFORMATION	6
2.1. APPLICANT INFORMATION.....	6
2.2. MANUFACTURER INFORMATION.....	6
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	7
3.1. ABOUT EUT	7
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	7
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST	7
4. REFERENCE DOCUMENTS.....	8
4.1. DOCUMENTS SUPPLIED BY APPLICANT	8
4.2. REFERENCE DOCUMENTS FOR TESTING	8
5. LABORATORY ENVIRONMENT.....	9
6. SUMMARY OF TEST RESULT	10
7. TEST EQUIPMENT UTILIZED	12
ANNEX A: MEASUREMENT RESULTS.....	13
A.1 OUTPUT POWER.....	13
A.2 EMISSION LIMIT.....	137
A.3 FREQUENCY STABILITY	145
A.4 OCCUPIED BANDWIDTH.....	148
A.5 EMISSION BANDWIDTH.....	170
A.6 BAND EDGE COMPLIANCE.....	192
A.7 CONDUCTED SPURIOUS EMISSION	218
A.8 PEAK-TO-AVERAGE POWER RATIO	221
ANNEX B: ACCREDITATION CERTIFICATE.....	222

1. Test Laboratory

1.1. Introduction & Accreditation

Telecommunication Technology Labs, CAICT is an ISO/IEC 17025:2017 accredited test laboratory under NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM (NVLAP) with lab code 600118-0 and is also an FCC accredited test laboratory (CN5017), and ISED accredited test laboratory (CN0066). The detail accreditation scope can be found on NVLAP website.

1.2. Testing Location

Location 1: CTTL (huayuan North Road)

Address: No. 52, Huayuan North Road, Haidian District, Beijing,
P. R. China 100191

Location 2: CTTL (BDA)

Address: No.18A, Kangding Street, Beijing Economic-Technology
Development Area, Beijing, P. R. China 100176

1.3. Testing Environment

Normal Temperature: 15-35℃
Relative Humidity: 20-75%

1.4. Project Data

Testing Start Date: 2022-10-08
Testing End Date: 2022-11-04

1.5. Signature



Dong Yuan
(Prepared this test report)



Zhou Yu
(Reviewed this test report)



Zhao Hui Lin
Deputy Director of the laboratory
(Approved this test report)

2. Client Information

2.1. Applicant Information

Company Name: Honor Device Co., Ltd.
Address /Post: Shum Yip Sky Park, No. 8089, Hongli West Road, Shenzhen, China

2.2. Manufacturer Information

Company Name: Honor Device Co., Ltd.
Address /Post: Shum Yip Sky Park, No. 8089, Hongli West Road, Shenzhen, China

3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

Description	Smart Phone
Model Name	RMO-NX1
FCC ID	2AYGCRM0-NX1
Antenna	Integrated
Output power	25.94dBm maximum EIRP measured for NR n78L
Extreme vol. Limits	3.6VDC to 4.45VDC (nominal: 3.87VDC)
Extreme temp. Tolerance	0°C to +35°C

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of CTTL.

3.2. Internal Identification of EUT used during the test

EUT ID*	IMEI	HW Version	SW Version	Date of receipt
/	/	/	/	/

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID*	Name	Model	Manufacturer
AE1-1	Adapter	HW-100400E01	Honor Device Co., Ltd.
AE1-2	Adapter	HW-100400B01	Honor Device Co., Ltd.
AE1-3	Adapter	HW-100400U01	Honor Device Co., Ltd.
AE2-1	USB Cable	WA0052	Broad
AE2-2	USB Cable	CUDU01B-HC385-EH	FOXCONN
AE2-3	USB Cable	L99UC144-CS-H	LUXSHARE
AE2-4	USB Cable	AU2-CRO009HF	Freeport
AE2-5	USB Cable	2120-00062-0	MING JI
AE2-6	USB Cable	2120-00060-0	MING JI
AE2-7	USB Cable	L99UC139-CS-H	LUXSHARE
AE3-1	Headset	1293-3283-3.5mm-339	Quancheng
AE3-2	Headset	EPAB542-2WH05-DH	FOXCONN
AE3-3	Headset	MEND1532B528C00	Lianchuang
AE4-1	Battery	HB506492EFW	Honor Device Co., Ltd. (Sunwoda)
AE4-2	Battery	HB506492EFW	Honor Device Co., Ltd. (Desay)
AE4-3	Battery	HB506492EFW	Honor Device Co., Ltd. (CosMX)
AE5-1	Type-C to 3.5mm	USB042020090AW7	Lianchuang
AE5-2	Type-C to 3.5mm	6001-7001-TC-348	Quancheng

*AE ID: is used to identify the test sample in the lab internally.

4. Reference Documents

4.1. Documents supplied by applicant

EUT parameters are supplied by the customer, which are the bases of testing. CAICT is not responsible for the accuracy of customer supplied technical information that may affect the test results (for example, antenna gain and loss of customer supplied cable).

4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-21 Edition
ANSI/TIA-603-E	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards	2016
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB 971168 D01	MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS	v03r01

5. Laboratory Environment

Fully-anechoic chamber did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 15 %, Max. = 75 %
Shielding effectiveness	0.014MHz - 1MHz, >60dB; 1MHz - 1000MHz, >90dB.
Electrical insulation	> 2 MΩ
Ground system resistance	< 4Ω
Site voltage standing-wave ratio (S_{VSWR})	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz

Shielded room did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz - 1MHz, >60dB; 1MHz - 1000MHz, >90dB.
Electrical insulation	> 2 MΩ
Ground system resistance	< 4Ω

6. Summary Of Test Result

n7

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	BR
2	Emission Limit	2.1051/27.53	BR
3	Frequency Stability	2.1055	BR
4	Occupied Bandwidth	2.1049	BR
5	Emission Bandwidth	27.53	BR
6	Band Edge Compliance	27.53	BR
7	Conducted Spurious Emission	27.53	BR
8	Peak-to-Average Power Ratio	27.50	BR

n38

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	BR
2	Emission Limit	2.1051/27.53	BR
3	Frequency Stability	2.1055	BR
4	Occupied Bandwidth	2.1049	BR
5	Emission Bandwidth	27.53	BR
6	Band Edge Compliance	27.53	BR
7	Conducted Spurious Emission	27.53	BR
8	Peak-to-Average Power Ratio	27.50	BR

n41

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	BR
2	Emission Limit	2.1051/27.53	BR
3	Frequency Stability	2.1055	BR
4	Occupied Bandwidth	2.1049	BR
5	Emission Bandwidth	27.53	BR
6	Band Edge Compliance	27.53	BR
7	Conducted Spurious Emission	27.53	BR
8	Peak-to-Average Power Ratio	27.50	BR

n78L

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	BR
2	Emission Limit	NA	NA
3	Frequency Stability	2.1055	BR
4	Occupied Bandwidth	2.1049	BR
5	Emission Bandwidth	27.53	BR
6	Band Edge Compliance	27.53	BR
7	Conducted Spurious Emission	27.53	BR
8	Peak-to-Average Power Ratio	27.50	BR

Terms used in Verdict column

P	Pass. The EUT complies with the essential requirements in the standard.
NP	Not Performed. The test was not performed by CTTL.
NA	Not Applicable. The test was not applicable.
BR	Re-use test data from basic model report.
F	Fail. The EUT does not comply with the essential requirements in the standard.

All the test results are based on normal power.

n78L: 3450MHz-3550MHz

n41 is tested by power class 3.

n78L is tested by power class 2.

Explanation of worst-case configuration

NR modulation: DFT-s-OFDM pi/2 BPSK; QPSK; 16QAM; 64QAM; 256QAM

CP-OFDM QPSK; 16QAM; 64QAM; 256QAM

NR BW: 20/30/40/50/60/80/90/100MHz for n41, 20/30/40/50/60/70/80/90MHz for n78L, 20MHz for n38 and 5/10/15/20MHz for other NR bands

The EUT supports n7, n38, n41, n78L, B5/7/38/41-n78L.

The test results provided in this report represent the worst case configuration.

For all the NSA cases, LTE Bands are set under the 10MHz bandwidth, middle channel, 50RB and QPSK modulation.

For all the NSA combinations and SA mode of the same NR band, output powers are pretested under the maximum bandwidth and mid channel so that the modes with the maximum output power values are chosen out ,which are n7, n38, n41 and n78L. Only the results of the modes chosen by the max values are presented in the report. Then all the conducted test cases under the modes chosen out are performed.

The Equipment Under Test (EUT) model RMO-NX1 (FCC ID: 2AYGCRMO-NX1) is a variant product of RMO-NX3 (FCC ID: 2AYGCRMO-NX3), according to the declaration of changes provided by the applicant and FCC KDB publication 484596 D01, all the test results are derived from test report No. I22Z61813-WMD04.

For detail differences between two models please refer the Declaration of Changes document.

7. Test Equipment Utilized

Description	Type	Series Number	Manufacture	Cal Due Date	Calibration Interval
Radio Communication Test Station	MT8000A	6262093285	Anritsu	2022-12-13	1 year
Radio Communication Analyzer	MT8821C	6201763159	Anritsu	2023-08-02	1 year
Signal&Spectrum Analyzer	FSW	104038	R&S	2023-06-20	1 year
PXA Signal Analyzer	N9030A	MY54490239	Keysight	2023-08-31	1 year
Climate chamber	SH-242	93008556	ESPEC	2023-12-23	3 years
EMI Antenna	VULB9163	9163-482	Schwarzbeck	2022-11-16	1 year
EMI Antenna	3117	00058889	ETS-Lindgren	2022-11-07	1 year
EMI Antenna	LB-18040 0-25-C-KF	J211060826	A-INFO	2023-02-27	1 year
Signal Generator	SMF100A	101295	Agilent	2022-12-23	1 year
Test Receiver	E4440A	MY48250642	Agilent	2023-03-10	1 year
Power Amplifier	5S1G4	0341863	AR	/	/
NR	MT8821C	6262257899	Anritsu	2023-05-15	1 year
	MT8000A	6262261933	Anritsu	2023-05-15	1 year

Annex A: Measurement Results

A.1 Output Power

A.1.1 Summary

During the process of testing, the EUT was controlled via communication tester to ensure max power transmission and proper modulation.

In all cases, output power is within the specified limits.

A.1.2 Conducted

A.1.2.1 Method of Measurements

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

The results below include a correction factor for cable loss that is provided by the customer.

A.1.2.2 Measurement Result

n7

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	23.21
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.55
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.50
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	22.55
n7	5	15	2502.5	DFT	QPSK	Inner_Full	23.03
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	21.84
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	21.90
n7	5	15	2502.5	DFT	QPSK	Outer_Full	21.94
n7	5	15	2502.5	DFT	16QAM	Inner_Full	21.99
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	21.08
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	21.32
n7	5	15	2502.5	DFT	16QAM	Outer_Full	20.94
n7	5	15	2502.5	DFT	64QAM	Inner_Full	20.51
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	20.29
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	20.34
n7	5	15	2502.5	DFT	64QAM	Outer_Full	20.60
n7	5	15	2502.5	DFT	256QAM	Inner_Full	18.39
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Left	17.93
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Right	18.23
n7	5	15	2502.5	DFT	256QAM	Outer_Full	18.21
n7	5	15	2502.5	CP	QPSK	Inner_Full	21.61
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	19.97

n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	20.03
n7	5	15	2502.5	CP	QPSK	Outer_Full	20.00
n7	5	15	2502.5	CP	16QAM	Inner_Full	21.26
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	20.38
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	20.38
n7	5	15	2502.5	CP	16QAM	Outer_Full	19.98
n7	5	15	2502.5	CP	64QAM	Inner_Full	19.46
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	19.15
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	19.26
n7	5	15	2502.5	CP	64QAM	Outer_Full	19.49
n7	5	15	2502.5	CP	256QAM	Inner_Full	16.58
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Left	16.21
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Right	16.32
n7	5	15	2502.5	CP	256QAM	Outer_Full	16.48
n7	5	15	2535	DFT	$\pi/2$ BPSK	Inner_Full	23.24
n7	5	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.64
n7	5	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.71
n7	5	15	2535	DFT	$\pi/2$ BPSK	Outer_Full	22.61
n7	5	15	2535	DFT	QPSK	Inner_Full	23.14
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	22.05
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	22.12
n7	5	15	2535	DFT	QPSK	Outer_Full	22.11
n7	5	15	2535	DFT	16QAM	Inner_Full	22.10
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	21.37
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	21.45
n7	5	15	2535	DFT	16QAM	Outer_Full	21.10
n7	5	15	2535	DFT	64QAM	Inner_Full	20.58
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	20.48
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	20.44
n7	5	15	2535	DFT	64QAM	Outer_Full	20.75
n7	5	15	2535	DFT	256QAM	Inner_Full	18.69
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	18.26
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	18.34
n7	5	15	2535	DFT	256QAM	Outer_Full	18.58
n7	5	15	2535	CP	QPSK	Inner_Full	21.69
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	20.20
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	20.21
n7	5	15	2535	CP	QPSK	Outer_Full	20.11
n7	5	15	2535	CP	16QAM	Inner_Full	21.24
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	20.54
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	20.54

n7	5	15	2535	CP	16QAM	Outer_Full	20.10
n7	5	15	2535	CP	64QAM	Inner_Full	19.59
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	19.36
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	19.41
n7	5	15	2535	CP	64QAM	Outer_Full	19.70
n7	5	15	2535	CP	256QAM	Inner_Full	16.69
n7	5	15	2535	CP	256QAM	Edge_1RB_Left	16.39
n7	5	15	2535	CP	256QAM	Edge_1RB_Right	16.46
n7	5	15	2535	CP	256QAM	Outer_Full	16.60
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	23.31
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.69
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.83
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	22.79
n7	5	15	2567.5	DFT	QPSK	Inner_Full	23.16
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	22.06
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	22.16
n7	5	15	2567.5	DFT	QPSK	Outer_Full	22.17
n7	5	15	2567.5	DFT	16QAM	Inner_Full	22.17
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	21.60
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	21.54
n7	5	15	2567.5	DFT	16QAM	Outer_Full	20.93
n7	5	15	2567.5	DFT	64QAM	Inner_Full	20.78
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	20.31
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	20.46
n7	5	15	2567.5	DFT	64QAM	Outer_Full	20.93
n7	5	15	2567.5	DFT	256QAM	Inner_Full	18.77
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Left	18.37
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Right	18.47
n7	5	15	2567.5	DFT	256QAM	Outer_Full	18.62
n7	5	15	2567.5	CP	QPSK	Inner_Full	21.80
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	20.16
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	20.30
n7	5	15	2567.5	CP	QPSK	Outer_Full	20.15
n7	5	15	2567.5	CP	16QAM	Inner_Full	21.42
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	20.66
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	20.59
n7	5	15	2567.5	CP	16QAM	Outer_Full	20.11
n7	5	15	2567.5	CP	64QAM	Inner_Full	19.58
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	19.50
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	19.48
n7	5	15	2567.5	CP	64QAM	Outer_Full	19.82

n7	5	15	2567.5	CP	256QAM	Inner_Full	16.75
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Left	16.59
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Right	16.60
n7	5	15	2567.5	CP	256QAM	Outer_Full	16.75
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	23.04
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	22.49
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	22.42
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	22.44
n7	10	15	2505	DFT	QPSK	Inner_Full	22.90
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	21.82
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	21.98
n7	10	15	2505	DFT	QPSK	Outer_Full	21.94
n7	10	15	2505	DFT	16QAM	Inner_Full	21.85
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	20.94
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	21.42
n7	10	15	2505	DFT	16QAM	Outer_Full	20.78
n7	10	15	2505	DFT	64QAM	Inner_Full	20.50
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	20.17
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	20.13
n7	10	15	2505	DFT	64QAM	Outer_Full	20.38
n7	10	15	2505	DFT	256QAM	Inner_Full	18.50
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	18.28
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	18.25
n7	10	15	2505	DFT	256QAM	Outer_Full	18.33
n7	10	15	2505	CP	QPSK	Inner_Full	21.63
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	19.87
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	20.11
n7	10	15	2505	CP	QPSK	Outer_Full	19.97
n7	10	15	2505	CP	16QAM	Inner_Full	20.96
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	20.10
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	20.48
n7	10	15	2505	CP	16QAM	Outer_Full	19.86
n7	10	15	2505	CP	64QAM	Inner_Full	19.37
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	19.15
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	19.34
n7	10	15	2505	CP	64QAM	Outer_Full	19.44
n7	10	15	2505	CP	256QAM	Inner_Full	16.38
n7	10	15	2505	CP	256QAM	Edge_1RB_Left	16.15
n7	10	15	2505	CP	256QAM	Edge_1RB_Right	16.39
n7	10	15	2505	CP	256QAM	Outer_Full	16.39
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	23.23

n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.59
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.65
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	22.66
n7	10	15	2535	DFT	QPSK	Inner_Full	23.16
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	22.00
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	22.14
n7	10	15	2535	DFT	QPSK	Outer_Full	22.14
n7	10	15	2535	DFT	16QAM	Inner_Full	22.00
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	21.22
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	21.39
n7	10	15	2535	DFT	16QAM	Outer_Full	20.98
n7	10	15	2535	DFT	64QAM	Inner_Full	20.62
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	20.33
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	20.51
n7	10	15	2535	DFT	64QAM	Outer_Full	20.69
n7	10	15	2535	DFT	256QAM	Inner_Full	18.64
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	18.31
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	18.42
n7	10	15	2535	DFT	256QAM	Outer_Full	18.53
n7	10	15	2535	CP	QPSK	Inner_Full	21.66
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	20.17
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	20.22
n7	10	15	2535	CP	QPSK	Outer_Full	20.07
n7	10	15	2535	CP	16QAM	Inner_Full	21.23
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	20.46
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	20.50
n7	10	15	2535	CP	16QAM	Outer_Full	20.09
n7	10	15	2535	CP	64QAM	Inner_Full	19.63
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	19.31
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	19.54
n7	10	15	2535	CP	64QAM	Outer_Full	19.63
n7	10	15	2535	CP	256QAM	Inner_Full	16.64
n7	10	15	2535	CP	256QAM	Edge_1RB_Left	16.27
n7	10	15	2535	CP	256QAM	Edge_1RB_Right	16.54
n7	10	15	2535	CP	256QAM	Outer_Full	16.56
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	23.27
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	22.57
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	22.70
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	22.69
n7	10	15	2565	DFT	QPSK	Inner_Full	23.27
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	21.94

n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	22.14
n7	10	15	2565	DFT	QPSK	Outer_Full	22.14
n7	10	15	2565	DFT	16QAM	Inner_Full	22.31
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	21.47
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	21.52
n7	10	15	2565	DFT	16QAM	Outer_Full	21.19
n7	10	15	2565	DFT	64QAM	Inner_Full	20.55
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	20.27
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	20.54
n7	10	15	2565	DFT	64QAM	Outer_Full	20.81
n7	10	15	2565	DFT	256QAM	Inner_Full	18.71
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	18.37
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	18.45
n7	10	15	2565	DFT	256QAM	Outer_Full	18.67
n7	10	15	2565	CP	QPSK	Inner_Full	21.74
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	20.09
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	20.32
n7	10	15	2565	CP	QPSK	Outer_Full	20.14
n7	10	15	2565	CP	16QAM	Inner_Full	21.29
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	20.52
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	20.72
n7	10	15	2565	CP	16QAM	Outer_Full	20.11
n7	10	15	2565	CP	64QAM	Inner_Full	19.66
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	19.36
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	19.54
n7	10	15	2565	CP	64QAM	Outer_Full	19.67
n7	10	15	2565	CP	256QAM	Inner_Full	16.60
n7	10	15	2565	CP	256QAM	Edge_1RB_Left	16.46
n7	10	15	2565	CP	256QAM	Edge_1RB_Right	16.72
n7	10	15	2565	CP	256QAM	Outer_Full	16.62
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	23.04
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.32
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	22.45
n7	15	15	2507.5	DFT	QPSK	Inner_Full	22.91
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	21.83
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.95
n7	15	15	2507.5	DFT	QPSK	Outer_Full	21.93
n7	15	15	2507.5	DFT	16QAM	Inner_Full	21.93
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	20.99
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	21.21

n7	15	15	2507.5	DFT	16QAM	Outer_Full	20.87
n7	15	15	2507.5	DFT	64QAM	Inner_Full	20.33
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	20.01
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	20.20
n7	15	15	2507.5	DFT	64QAM	Outer_Full	20.44
n7	15	15	2507.5	DFT	256QAM	Inner_Full	18.43
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Left	18.14
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Right	18.47
n7	15	15	2507.5	DFT	256QAM	Outer_Full	18.40
n7	15	15	2507.5	CP	QPSK	Inner_Full	21.50
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	19.87
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	19.95
n7	15	15	2507.5	CP	QPSK	Outer_Full	19.95
n7	15	15	2507.5	CP	16QAM	Inner_Full	20.88
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	20.20
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	20.37
n7	15	15	2507.5	CP	16QAM	Outer_Full	19.95
n7	15	15	2507.5	CP	64QAM	Inner_Full	19.45
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	19.04
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	19.32
n7	15	15	2507.5	CP	64QAM	Outer_Full	19.49
n7	15	15	2507.5	CP	256QAM	Inner_Full	16.49
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Left	16.18
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Right	16.39
n7	15	15	2507.5	CP	256QAM	Outer_Full	16.37
n7	15	15	2535	DFT	$\pi/2$ BPSK	Inner_Full	23.19
n7	15	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.56
n7	15	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.58
n7	15	15	2535	DFT	$\pi/2$ BPSK	Outer_Full	22.61
n7	15	15	2535	DFT	QPSK	Inner_Full	23.06
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	21.86
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	22.10
n7	15	15	2535	DFT	QPSK	Outer_Full	22.10
n7	15	15	2535	DFT	16QAM	Inner_Full	21.99
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	21.18
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	21.23
n7	15	15	2535	DFT	16QAM	Outer_Full	21.03
n7	15	15	2535	DFT	64QAM	Inner_Full	20.54
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	20.26
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	20.40
n7	15	15	2535	DFT	64QAM	Outer_Full	20.58

n7	15	15	2535	DFT	256QAM	Inner_Full	18.69
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	18.31
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	18.39
n7	15	15	2535	DFT	256QAM	Outer_Full	18.53
n7	15	15	2535	CP	QPSK	Inner_Full	21.68
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	20.06
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	20.14
n7	15	15	2535	CP	QPSK	Outer_Full	20.12
n7	15	15	2535	CP	16QAM	Inner_Full	21.04
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	20.32
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	20.54
n7	15	15	2535	CP	16QAM	Outer_Full	19.99
n7	15	15	2535	CP	64QAM	Inner_Full	19.50
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	19.26
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	19.33
n7	15	15	2535	CP	64QAM	Outer_Full	19.53
n7	15	15	2535	CP	256QAM	Inner_Full	16.48
n7	15	15	2535	CP	256QAM	Edge_1RB_Left	16.37
n7	15	15	2535	CP	256QAM	Edge_1RB_Right	16.41
n7	15	15	2535	CP	256QAM	Outer_Full	16.60
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	23.34
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.69
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.77
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	22.69
n7	15	15	2562.5	DFT	QPSK	Inner_Full	23.16
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	22.09
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	22.23
n7	15	15	2562.5	DFT	QPSK	Outer_Full	22.23
n7	15	15	2562.5	DFT	16QAM	Inner_Full	22.22
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	21.24
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	21.50
n7	15	15	2562.5	DFT	16QAM	Outer_Full	21.28
n7	15	15	2562.5	DFT	64QAM	Inner_Full	20.79
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	20.62
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	20.51
n7	15	15	2562.5	DFT	64QAM	Outer_Full	20.94
n7	15	15	2562.5	DFT	256QAM	Inner_Full	18.76
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Left	18.50
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Right	18.51
n7	15	15	2562.5	DFT	256QAM	Outer_Full	18.64
n7	15	15	2562.5	CP	QPSK	Inner_Full	21.81

n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	20.21
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	20.22
n7	15	15	2562.5	CP	QPSK	Outer_Full	20.19
n7	15	15	2562.5	CP	16QAM	Inner_Full	21.15
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	20.63
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	20.66
n7	15	15	2562.5	CP	16QAM	Outer_Full	20.16
n7	15	15	2562.5	CP	64QAM	Inner_Full	19.72
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	19.45
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	19.51
n7	15	15	2562.5	CP	64QAM	Outer_Full	19.79
n7	15	15	2562.5	CP	256QAM	Inner_Full	16.66
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Left	16.57
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Right	16.63
n7	15	15	2562.5	CP	256QAM	Outer_Full	16.69
n7	20	15	2535	DFT	$\pi/2$ BPSK	Inner_Full	23.29
n7	20	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.44
n7	20	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.55
n7	20	15	2535	DFT	$\pi/2$ BPSK	Outer_Full	22.68
n7	20	15	2535	DFT	QPSK	Inner_Full	23.03
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	21.72
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	22.03
n7	20	15	2535	DFT	QPSK	Outer_Full	22.05
n7	20	15	2535	DFT	16QAM	Inner_Full	21.89
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	21.15
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	21.27
n7	20	15	2535	DFT	16QAM	Outer_Full	21.07
n7	20	15	2535	DFT	64QAM	Inner_Full	20.55
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	20.32
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	20.37
n7	20	15	2535	DFT	64QAM	Outer_Full	20.60
n7	20	15	2535	DFT	256QAM	Inner_Full	18.71
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	18.30
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	18.30
n7	20	15	2535	DFT	256QAM	Outer_Full	18.62
n7	20	15	2535	CP	QPSK	Inner_Full	21.81
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	20.00
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	20.07
n7	20	15	2535	CP	QPSK	Outer_Full	20.20
n7	20	15	2535	CP	16QAM	Inner_Full	21.10
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	20.23

n7	20	15	2535	CP	16QAM	Edge_1RB_Right	20.64
n7	20	15	2535	CP	16QAM	Outer_Full	20.17
n7	20	15	2535	CP	64QAM	Inner_Full	19.68
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	19.29
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	19.43
n7	20	15	2535	CP	64QAM	Outer_Full	19.72
n7	20	15	2535	CP	256QAM	Inner_Full	16.53
n7	20	15	2535	CP	256QAM	Edge_1RB_Left	16.29
n7	20	15	2535	CP	256QAM	Edge_1RB_Right	16.59
n7	20	15	2535	CP	256QAM	Outer_Full	16.70
n7	20	15	2510	DFT	$\pi/2$ BPSK	Inner_Full	23.26
n7	20	15	2510	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.39
n7	20	15	2510	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.61
n7	20	15	2510	DFT	$\pi/2$ BPSK	Outer_Full	22.47
n7	20	15	2510	DFT	QPSK	Inner_Full	23.00
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	21.79
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	22.16
n7	20	15	2510	DFT	QPSK	Outer_Full	22.01
n7	20	15	2510	DFT	16QAM	Inner_Full	22.15
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	21.14
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	21.30
n7	20	15	2510	DFT	16QAM	Outer_Full	20.84
n7	20	15	2510	DFT	64QAM	Inner_Full	20.63
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	20.04
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	20.40
n7	20	15	2510	DFT	64QAM	Outer_Full	20.37
n7	20	15	2510	DFT	256QAM	Inner_Full	18.51
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	18.25
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	18.37
n7	20	15	2510	DFT	256QAM	Outer_Full	18.48
n7	20	15	2510	CP	QPSK	Inner_Full	21.58
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	19.93
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	20.09
n7	20	15	2510	CP	QPSK	Outer_Full	20.05
n7	20	15	2510	CP	16QAM	Inner_Full	21.00
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	20.27
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	20.36
n7	20	15	2510	CP	16QAM	Outer_Full	20.03
n7	20	15	2510	CP	64QAM	Inner_Full	19.59
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	19.10
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	19.32

n7	20	15	2510	CP	64QAM	Outer_Full	19.58
n7	20	15	2510	CP	256QAM	Inner_Full	16.48
n7	20	15	2510	CP	256QAM	Edge_1RB_Left	16.30
n7	20	15	2510	CP	256QAM	Edge_1RB_Right	16.47
n7	20	15	2510	CP	256QAM	Outer_Full	16.47
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	23.34
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	22.65
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	22.66
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	22.64
n7	20	15	2560	DFT	QPSK	Inner_Full	23.16
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	22.15
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	22.19
n7	20	15	2560	DFT	QPSK	Outer_Full	22.20
n7	20	15	2560	DFT	16QAM	Inner_Full	21.80
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	21.12
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	21.47
n7	20	15	2560	DFT	16QAM	Outer_Full	20.99
n7	20	15	2560	DFT	64QAM	Inner_Full	20.76
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	20.21
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	20.22
n7	20	15	2560	DFT	64QAM	Outer_Full	20.49
n7	20	15	2560	DFT	256QAM	Inner_Full	18.70
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	18.43
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	18.47
n7	20	15	2560	DFT	256QAM	Outer_Full	18.74
n7	20	15	2560	CP	QPSK	Inner_Full	21.81
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	20.30
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	20.18
n7	20	15	2560	CP	QPSK	Outer_Full	20.26
n7	20	15	2560	CP	16QAM	Inner_Full	21.11
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	20.64
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	20.63
n7	20	15	2560	CP	16QAM	Outer_Full	20.23
n7	20	15	2560	CP	64QAM	Inner_Full	19.72
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	19.26
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	19.46
n7	20	15	2560	CP	64QAM	Outer_Full	19.80
n7	20	15	2560	CP	256QAM	Inner_Full	16.62
n7	20	15	2560	CP	256QAM	Edge_1RB_Left	16.62
n7	20	15	2560	CP	256QAM	Edge_1RB_Right	16.57
n7	20	15	2560	CP	256QAM	Outer_Full	16.67

n38

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	23.23
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	22.50
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	22.54
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	22.47
n38	20	30	2595	DFT	QPSK	Inner_Full	23.11
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	21.87
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	22.00
n38	20	30	2595	DFT	QPSK	Outer_Full	21.92
n38	20	30	2595	DFT	16QAM	Inner_Full	22.02
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	20.98
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	21.15
n38	20	30	2595	DFT	16QAM	Outer_Full	20.91
n38	20	30	2595	DFT	64QAM	Inner_Full	20.65
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	20.02
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	20.19
n38	20	30	2595	DFT	64QAM	Outer_Full	20.46
n38	20	30	2595	DFT	256QAM	Inner_Full	18.70
n38	20	30	2595	DFT	256QAM	Edge_1RB_Left	18.21
n38	20	30	2595	DFT	256QAM	Edge_1RB_Right	18.35
n38	20	30	2595	DFT	256QAM	Outer_Full	18.40
n38	20	30	2595	CP	QPSK	Inner_Full	21.50
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	19.97
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	20.09
n38	20	30	2595	CP	QPSK	Outer_Full	19.90
n38	20	30	2595	CP	16QAM	Inner_Full	21.17
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	20.06
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	20.26
n38	20	30	2595	CP	16QAM	Outer_Full	19.89
n38	20	30	2595	CP	64QAM	Inner_Full	19.70
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	19.04
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	19.22
n38	20	30	2595	CP	64QAM	Outer_Full	19.51
n38	20	30	2595	CP	256QAM	Inner_Full	16.44
n38	20	30	2595	CP	256QAM	Edge_1RB_Left	16.31
n38	20	30	2595	CP	256QAM	Edge_1RB_Right	16.48
n38	20	30	2595	CP	256QAM	Outer_Full	16.47
n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	22.92
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	22.26
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	22.58

n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	22.38
n38	20	30	2580	DFT	QPSK	Inner_Full	22.91
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	21.76
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	22.11
n38	20	30	2580	DFT	QPSK	Outer_Full	21.96
n38	20	30	2580	DFT	16QAM	Inner_Full	21.95
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	20.56
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	20.91
n38	20	30	2580	DFT	16QAM	Outer_Full	20.85
n38	20	30	2580	DFT	64QAM	Inner_Full	20.48
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	19.76
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	20.13
n38	20	30	2580	DFT	64QAM	Outer_Full	20.43
n38	20	30	2580	DFT	256QAM	Inner_Full	18.39
n38	20	30	2580	DFT	256QAM	Edge_1RB_Left	18.17
n38	20	30	2580	DFT	256QAM	Edge_1RB_Right	18.48
n38	20	30	2580	DFT	256QAM	Outer_Full	18.44
n38	20	30	2580	CP	QPSK	Inner_Full	21.53
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	19.69
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	20.07
n38	20	30	2580	CP	QPSK	Outer_Full	19.95
n38	20	30	2580	CP	16QAM	Inner_Full	20.87
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	19.96
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	20.26
n38	20	30	2580	CP	16QAM	Outer_Full	19.91
n38	20	30	2580	CP	64QAM	Inner_Full	19.41
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	18.75
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	19.21
n38	20	30	2580	CP	64QAM	Outer_Full	19.54
n38	20	30	2580	CP	256QAM	Inner_Full	16.45
n38	20	30	2580	CP	256QAM	Edge_1RB_Left	16.22
n38	20	30	2580	CP	256QAM	Edge_1RB_Right	16.59
n38	20	30	2580	CP	256QAM	Outer_Full	16.51
n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	23.06
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	22.47
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	22.53
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	22.50
n38	20	30	2610	DFT	QPSK	Inner_Full	22.93
n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	21.98
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	22.05
n38	20	30	2610	DFT	QPSK	Outer_Full	21.96

n38	20	30	2610	DFT	16QAM	Inner_Full	22.08
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	20.82
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	21.09
n38	20	30	2610	DFT	16QAM	Outer_Full	20.99
n38	20	30	2610	DFT	64QAM	Inner_Full	20.54
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	20.09
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	19.91
n38	20	30	2610	DFT	64QAM	Outer_Full	20.57
n38	20	30	2610	DFT	256QAM	Inner_Full	18.49
n38	20	30	2610	DFT	256QAM	Edge_1RB_Left	18.36
n38	20	30	2610	DFT	256QAM	Edge_1RB_Right	18.34
n38	20	30	2610	DFT	256QAM	Outer_Full	18.49
n38	20	30	2610	CP	QPSK	Inner_Full	21.39
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	20.06
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	20.12
n38	20	30	2610	CP	QPSK	Outer_Full	19.91
n38	20	30	2610	CP	16QAM	Inner_Full	21.02
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	20.11
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	20.23
n38	20	30	2610	CP	16QAM	Outer_Full	19.95
n38	20	30	2610	CP	64QAM	Inner_Full	19.47
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	19.00
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	19.08
n38	20	30	2610	CP	64QAM	Outer_Full	19.50
n38	20	30	2610	CP	256QAM	Inner_Full	16.50
n38	20	30	2610	CP	256QAM	Edge_1RB_Left	16.50
n38	20	30	2610	CP	256QAM	Edge_1RB_Right	16.61
n38	20	30	2610	CP	256QAM	Outer_Full	16.56

n41

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	24.26
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.46
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.82
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	23.70
n41	20	30	2506.02	DFT	QPSK	Inner_Full	24.32
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	22.88
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	23.27
n41	20	30	2506.02	DFT	QPSK	Outer_Full	23.28
n41	20	30	2506.02	DFT	16QAM	Inner_Full	23.26
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	21.40
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	22.36
n41	20	30	2506.02	DFT	16QAM	Outer_Full	22.17
n41	20	30	2506.02	DFT	64QAM	Inner_Full	21.68
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	20.72
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	21.44
n41	20	30	2506.02	DFT	64QAM	Outer_Full	22.01
n41	20	30	2506.02	DFT	256QAM	Inner_Full	19.71
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	19.30
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	19.69
n41	20	30	2506.02	DFT	256QAM	Outer_Full	19.66
n41	20	30	2506.02	CP	QPSK	Inner_Full	22.72
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	20.90
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	21.46
n41	20	30	2506.02	CP	QPSK	Outer_Full	21.19
n41	20	30	2506.02	CP	16QAM	Inner_Full	22.27
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	20.81
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	21.52
n41	20	30	2506.02	CP	16QAM	Outer_Full	21.26
n41	20	30	2506.02	CP	64QAM	Inner_Full	20.67
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	19.86
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	20.33
n41	20	30	2506.02	CP	64QAM	Outer_Full	20.72
n41	20	30	2506.02	CP	256QAM	Inner_Full	17.74
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	17.27
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	17.80
n41	20	30	2506.02	CP	256QAM	Outer_Full	17.68
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.41
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.70
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.76

n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.00
n41	20	30	2592.99	DFT	QPSK	Inner_Full	24.38
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.08
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.14
n41	20	30	2592.99	DFT	QPSK	Outer_Full	23.40
n41	20	30	2592.99	DFT	16QAM	Inner_Full	23.26
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.35
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.25
n41	20	30	2592.99	DFT	16QAM	Outer_Full	22.11
n41	20	30	2592.99	DFT	64QAM	Inner_Full	21.88
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.19
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.37
n41	20	30	2592.99	DFT	64QAM	Outer_Full	21.85
n41	20	30	2592.99	DFT	256QAM	Inner_Full	19.99
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.55
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	19.65
n41	20	30	2592.99	DFT	256QAM	Outer_Full	19.66
n41	20	30	2592.99	CP	QPSK	Inner_Full	22.73
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	21.19
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	21.32
n41	20	30	2592.99	CP	QPSK	Outer_Full	21.15
n41	20	30	2592.99	CP	16QAM	Inner_Full	22.21
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	21.12
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	21.31
n41	20	30	2592.99	CP	16QAM	Outer_Full	21.38
n41	20	30	2592.99	CP	64QAM	Inner_Full	20.71
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	20.27
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	20.31
n41	20	30	2592.99	CP	64QAM	Outer_Full	20.67
n41	20	30	2592.99	CP	256QAM	Inner_Full	17.81
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	17.45
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	17.67
n41	20	30	2592.99	CP	256QAM	Outer_Full	17.90
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	23.93
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.63
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.64
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	23.60
n41	20	30	2679.99	DFT	QPSK	Inner_Full	23.93
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	23.09
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	22.83
n41	20	30	2679.99	DFT	QPSK	Outer_Full	22.97

n41	20	30	2679.99	DFT	16QAM	Inner_Full	23.21
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	22.16
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	22.10
n41	20	30	2679.99	DFT	16QAM	Outer_Full	22.03
n41	20	30	2679.99	DFT	64QAM	Inner_Full	21.49
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	21.28
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	20.93
n41	20	30	2679.99	DFT	64QAM	Outer_Full	21.54
n41	20	30	2679.99	DFT	256QAM	Inner_Full	19.53
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	19.41
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	19.29
n41	20	30	2679.99	DFT	256QAM	Outer_Full	19.51
n41	20	30	2679.99	CP	QPSK	Inner_Full	22.59
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	21.15
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	20.87
n41	20	30	2679.99	CP	QPSK	Outer_Full	21.16
n41	20	30	2679.99	CP	16QAM	Inner_Full	22.05
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	21.20
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	21.17
n41	20	30	2679.99	CP	16QAM	Outer_Full	21.04
n41	20	30	2679.99	CP	64QAM	Inner_Full	20.47
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	20.04
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	20.07
n41	20	30	2679.99	CP	64QAM	Outer_Full	20.59
n41	20	30	2679.99	CP	256QAM	Inner_Full	17.51
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	17.46
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	17.44
n41	20	30	2679.99	CP	256QAM	Outer_Full	17.56
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	24.43
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	23.54
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	24.18
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	23.91
n41	30	30	2511	DFT	QPSK	Inner_Full	24.42
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	22.86
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	23.73
n41	30	30	2511	DFT	QPSK	Outer_Full	23.39
n41	30	30	2511	DFT	16QAM	Inner_Full	23.17
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	21.60
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.45
n41	30	30	2511	DFT	16QAM	Outer_Full	22.44
n41	30	30	2511	DFT	64QAM	Inner_Full	22.21

n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	21.35
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	21.77
n41	30	30	2511	DFT	64QAM	Outer_Full	22.27
n41	30	30	2511	DFT	256QAM	Inner_Full	19.95
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	19.25
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	19.65
n41	30	30	2511	DFT	256QAM	Outer_Full	19.94
n41	30	30	2511	CP	QPSK	Inner_Full	23.05
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	20.93
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	21.54
n41	30	30	2511	CP	QPSK	Outer_Full	21.46
n41	30	30	2511	CP	16QAM	Inner_Full	22.55
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	21.19
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	21.63
n41	30	30	2511	CP	16QAM	Outer_Full	21.47
n41	30	30	2511	CP	64QAM	Inner_Full	21.02
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	19.79
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	20.67
n41	30	30	2511	CP	64QAM	Outer_Full	20.95
n41	30	30	2511	CP	256QAM	Inner_Full	17.94
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	17.18
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	17.83
n41	30	30	2511	CP	256QAM	Outer_Full	18.01
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Inner_Full	24.37
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.59
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.85
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Outer_Full	23.85
n41	30	30	2592.99	DFT	QPSK	Inner_Full	24.39
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.92
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.21
n41	30	30	2592.99	DFT	QPSK	Outer_Full	23.35
n41	30	30	2592.99	DFT	16QAM	Inner_Full	23.18
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.12
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.28
n41	30	30	2592.99	DFT	16QAM	Outer_Full	22.15
n41	30	30	2592.99	DFT	64QAM	Inner_Full	21.83
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.09
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.34
n41	30	30	2592.99	DFT	64QAM	Outer_Full	21.84
n41	30	30	2592.99	DFT	256QAM	Inner_Full	20.00
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.48

n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	19.52
n41	30	30	2592.99	DFT	256QAM	Outer_Full	19.67
n41	30	30	2592.99	CP	QPSK	Inner_Full	22.76
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	21.12
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	21.29
n41	30	30	2592.99	CP	QPSK	Outer_Full	21.25
n41	30	30	2592.99	CP	16QAM	Inner_Full	22.22
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	20.85
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	21.18
n41	30	30	2592.99	CP	16QAM	Outer_Full	21.19
n41	30	30	2592.99	CP	64QAM	Inner_Full	20.87
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	19.95
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	20.28
n41	30	30	2592.99	CP	64QAM	Outer_Full	20.74
n41	30	30	2592.99	CP	256QAM	Inner_Full	17.88
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	17.35
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	17.99
n41	30	30	2592.99	CP	256QAM	Outer_Full	17.81
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	24.28
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	24.05
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.74
n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	23.68
n41	30	30	2674.98	DFT	QPSK	Inner_Full	24.16
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	23.21
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	23.21
n41	30	30	2674.98	DFT	QPSK	Outer_Full	23.28
n41	30	30	2674.98	DFT	16QAM	Inner_Full	23.25
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	22.40
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	22.13
n41	30	30	2674.98	DFT	16QAM	Outer_Full	22.27
n41	30	30	2674.98	DFT	64QAM	Inner_Full	21.65
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	21.53
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	21.12
n41	30	30	2674.98	DFT	64QAM	Outer_Full	21.80
n41	30	30	2674.98	DFT	256QAM	Inner_Full	19.82
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	19.59
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	19.38
n41	30	30	2674.98	DFT	256QAM	Outer_Full	19.77
n41	30	30	2674.98	CP	QPSK	Inner_Full	22.89
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	21.28
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	21.09

n41	30	30	2674.98	CP	QPSK	Outer_Full	21.20
n41	30	30	2674.98	CP	16QAM	Inner_Full	22.25
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	21.47
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	21.08
n41	30	30	2674.98	CP	16QAM	Outer_Full	21.29
n41	30	30	2674.98	CP	64QAM	Inner_Full	20.63
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	20.62
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	20.21
n41	30	30	2674.98	CP	64QAM	Outer_Full	20.80
n41	30	30	2674.98	CP	256QAM	Inner_Full	17.65
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	17.70
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	17.65
n41	30	30	2674.98	CP	256QAM	Outer_Full	17.75
n41	40	30	2516.01	DFT	$\pi/2$ BPSK	Inner_Full	24.54
n41	40	30	2516.01	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.51
n41	40	30	2516.01	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.96
n41	40	30	2516.01	DFT	$\pi/2$ BPSK	Outer_Full	23.99
n41	40	30	2516.01	DFT	QPSK	Inner_Full	24.37
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	22.83
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	23.41
n41	40	30	2516.01	DFT	QPSK	Outer_Full	23.32
n41	40	30	2516.01	DFT	16QAM	Inner_Full	23.43
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	21.81
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	22.37
n41	40	30	2516.01	DFT	16QAM	Outer_Full	22.12
n41	40	30	2516.01	DFT	64QAM	Inner_Full	21.94
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.48
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	21.23
n41	40	30	2516.01	DFT	64QAM	Outer_Full	21.79
n41	40	30	2516.01	DFT	256QAM	Inner_Full	19.96
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	19.38
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	19.75
n41	40	30	2516.01	DFT	256QAM	Outer_Full	19.88
n41	40	30	2516.01	CP	QPSK	Inner_Full	23.11
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	20.92
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	21.56
n41	40	30	2516.01	CP	QPSK	Outer_Full	21.50
n41	40	30	2516.01	CP	16QAM	Inner_Full	22.41
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	21.28
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	21.77
n41	40	30	2516.01	CP	16QAM	Outer_Full	21.50

n41	40	30	2516.01	CP	64QAM	Inner_Full	20.85
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	19.87
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	20.44
n41	40	30	2516.01	CP	64QAM	Outer_Full	20.91
n41	40	30	2516.01	CP	256QAM	Inner_Full	17.89
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	17.58
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	17.90
n41	40	30	2516.01	CP	256QAM	Outer_Full	17.99
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.43
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.50
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	24.00
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	23.76
n41	40	30	2592.99	DFT	QPSK	Inner_Full	24.32
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.97
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.11
n41	40	30	2592.99	DFT	QPSK	Outer_Full	23.21
n41	40	30	2592.99	DFT	16QAM	Inner_Full	23.12
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.24
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.23
n41	40	30	2592.99	DFT	16QAM	Outer_Full	22.22
n41	40	30	2592.99	DFT	64QAM	Inner_Full	21.49
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.81
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.07
n41	40	30	2592.99	DFT	64QAM	Outer_Full	21.88
n41	40	30	2592.99	DFT	256QAM	Inner_Full	19.83
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.26
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	19.97
n41	40	30	2592.99	DFT	256QAM	Outer_Full	19.79
n41	40	30	2592.99	CP	QPSK	Inner_Full	22.99
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	21.07
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	21.40
n41	40	30	2592.99	CP	QPSK	Outer_Full	21.21
n41	40	30	2592.99	CP	16QAM	Inner_Full	22.25
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	21.09
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	21.43
n41	40	30	2592.99	CP	16QAM	Outer_Full	21.27
n41	40	30	2592.99	CP	64QAM	Inner_Full	20.73
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	19.85
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	20.09
n41	40	30	2592.99	CP	64QAM	Outer_Full	20.67
n41	40	30	2592.99	CP	256QAM	Inner_Full	17.84

n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	17.31
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	17.83
n41	40	30	2592.99	CP	256QAM	Outer_Full	17.75
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	24.30
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	24.05
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	23.58
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	23.82
n41	40	30	2670	DFT	QPSK	Inner_Full	24.12
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	23.38
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	22.97
n41	40	30	2670	DFT	QPSK	Outer_Full	23.19
n41	40	30	2670	DFT	16QAM	Inner_Full	23.24
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.55
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.40
n41	40	30	2670	DFT	16QAM	Outer_Full	22.24
n41	40	30	2670	DFT	64QAM	Inner_Full	21.79
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	21.50
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	21.11
n41	40	30	2670	DFT	64QAM	Outer_Full	21.81
n41	40	30	2670	DFT	256QAM	Inner_Full	19.75
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	19.83
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	19.56
n41	40	30	2670	DFT	256QAM	Outer_Full	19.72
n41	40	30	2670	CP	QPSK	Inner_Full	22.85
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	21.42
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	21.05
n41	40	30	2670	CP	QPSK	Outer_Full	21.18
n41	40	30	2670	CP	16QAM	Inner_Full	22.29
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	21.60
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	21.15
n41	40	30	2670	CP	16QAM	Outer_Full	21.26
n41	40	30	2670	CP	64QAM	Inner_Full	20.77
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	20.41
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	20.24
n41	40	30	2670	CP	64QAM	Outer_Full	20.71
n41	40	30	2670	CP	256QAM	Inner_Full	17.70
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	17.85
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	17.48
n41	40	30	2670	CP	256QAM	Outer_Full	17.69
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	24.43
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.27

n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.65
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	23.96
n41	50	30	2521.02	DFT	QPSK	Inner_Full	24.47
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	22.88
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	23.34
n41	50	30	2521.02	DFT	QPSK	Outer_Full	23.47
n41	50	30	2521.02	DFT	16QAM	Inner_Full	23.38
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	21.78
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	22.38
n41	50	30	2521.02	DFT	16QAM	Outer_Full	22.36
n41	50	30	2521.02	DFT	64QAM	Inner_Full	22.00
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	20.69
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	21.19
n41	50	30	2521.02	DFT	64QAM	Outer_Full	21.98
n41	50	30	2521.02	DFT	256QAM	Inner_Full	19.94
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	19.13
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	19.87
n41	50	30	2521.02	DFT	256QAM	Outer_Full	20.01
n41	50	30	2521.02	CP	QPSK	Inner_Full	23.09
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	20.88
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	21.29
n41	50	30	2521.02	CP	QPSK	Outer_Full	21.42
n41	50	30	2521.02	CP	16QAM	Inner_Full	22.37
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	20.93
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	21.20
n41	50	30	2521.02	CP	16QAM	Outer_Full	21.36
n41	50	30	2521.02	CP	64QAM	Inner_Full	21.07
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	19.69
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	20.44
n41	50	30	2521.02	CP	64QAM	Outer_Full	20.85
n41	50	30	2521.02	CP	256QAM	Inner_Full	18.01
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	17.29
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	17.60
n41	50	30	2521.02	CP	256QAM	Outer_Full	17.85
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.38
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.33
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.80
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	23.61
n41	50	30	2592.99	DFT	QPSK	Inner_Full	24.15
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.70
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.89

n41	50	30	2592.99	DFT	QPSK	Outer_Full	23.12
n41	50	30	2592.99	DFT	16QAM	Inner_Full	23.27
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.83
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.32
n41	50	30	2592.99	DFT	16QAM	Outer_Full	22.12
n41	50	30	2592.99	DFT	64QAM	Inner_Full	21.62
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.71
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.08
n41	50	30	2592.99	DFT	64QAM	Outer_Full	21.83
n41	50	30	2592.99	DFT	256QAM	Inner_Full	19.66
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.16
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	19.58
n41	50	30	2592.99	DFT	256QAM	Outer_Full	19.62
n41	50	30	2592.99	CP	QPSK	Inner_Full	22.86
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	20.73
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	21.24
n41	50	30	2592.99	CP	QPSK	Outer_Full	21.18
n41	50	30	2592.99	CP	16QAM	Inner_Full	22.28
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	21.11
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	21.20
n41	50	30	2592.99	CP	16QAM	Outer_Full	21.13
n41	50	30	2592.99	CP	64QAM	Inner_Full	20.62
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	19.86
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	19.93
n41	50	30	2592.99	CP	64QAM	Outer_Full	20.57
n41	50	30	2592.99	CP	256QAM	Inner_Full	17.72
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	17.24
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	17.66
n41	50	30	2592.99	CP	256QAM	Outer_Full	17.65
n41	50	30	2664.99	DFT	$\pi/2$ BPSK	Inner_Full	24.43
n41	50	30	2664.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	24.03
n41	50	30	2664.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.59
n41	50	30	2664.99	DFT	$\pi/2$ BPSK	Outer_Full	23.80
n41	50	30	2664.99	DFT	QPSK	Inner_Full	24.31
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	23.37
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	23.05
n41	50	30	2664.99	DFT	QPSK	Outer_Full	23.39
n41	50	30	2664.99	DFT	16QAM	Inner_Full	23.32
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	22.46
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	22.11
n41	50	30	2664.99	DFT	16QAM	Outer_Full	22.21

n41	50	30	2664.99	DFT	64QAM	Inner_Full	21.90
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	21.43
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	21.18
n41	50	30	2664.99	DFT	64QAM	Outer_Full	21.92
n41	50	30	2664.99	DFT	256QAM	Inner_Full	19.85
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	19.98
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	19.28
n41	50	30	2664.99	DFT	256QAM	Outer_Full	19.79
n41	50	30	2664.99	CP	QPSK	Inner_Full	22.80
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	21.21
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	21.06
n41	50	30	2664.99	CP	QPSK	Outer_Full	21.32
n41	50	30	2664.99	CP	16QAM	Inner_Full	22.38
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	21.59
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	21.37
n41	50	30	2664.99	CP	16QAM	Outer_Full	21.17
n41	50	30	2664.99	CP	64QAM	Inner_Full	20.85
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	20.43
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	20.07
n41	50	30	2664.99	CP	64QAM	Outer_Full	20.69
n41	50	30	2664.99	CP	256QAM	Inner_Full	17.89
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	17.67
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	17.50
n41	50	30	2664.99	CP	256QAM	Outer_Full	17.77
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	24.54
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	23.38
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	23.38
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	23.88
n41	60	30	2526	DFT	QPSK	Inner_Full	24.40
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	22.52
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	23.03
n41	60	30	2526	DFT	QPSK	Outer_Full	23.36
n41	60	30	2526	DFT	16QAM	Inner_Full	23.28
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	21.65
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	21.82
n41	60	30	2526	DFT	16QAM	Outer_Full	22.36
n41	60	30	2526	DFT	64QAM	Inner_Full	22.01
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	20.90
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.15
n41	60	30	2526	DFT	64QAM	Outer_Full	21.85
n41	60	30	2526	DFT	256QAM	Inner_Full	19.97

n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	19.01
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	19.32
n41	60	30	2526	DFT	256QAM	Outer_Full	20.00
n41	60	30	2526	CP	QPSK	Inner_Full	22.99
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	20.75
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	21.02
n41	60	30	2526	CP	QPSK	Outer_Full	21.32
n41	60	30	2526	CP	16QAM	Inner_Full	22.33
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	20.71
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	21.08
n41	60	30	2526	CP	16QAM	Outer_Full	21.30
n41	60	30	2526	CP	64QAM	Inner_Full	20.85
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	19.68
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	20.09
n41	60	30	2526	CP	64QAM	Outer_Full	20.76
n41	60	30	2526	CP	256QAM	Inner_Full	17.95
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	17.26
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	17.47
n41	60	30	2526	CP	256QAM	Outer_Full	17.89
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.34
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.29
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.60
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	23.56
n41	60	30	2592.99	DFT	QPSK	Inner_Full	24.22
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.86
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.91
n41	60	30	2592.99	DFT	QPSK	Outer_Full	23.06
n41	60	30	2592.99	DFT	16QAM	Inner_Full	23.07
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.85
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.10
n41	60	30	2592.99	DFT	16QAM	Outer_Full	22.09
n41	60	30	2592.99	DFT	64QAM	Inner_Full	21.51
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.51
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.05
n41	60	30	2592.99	DFT	64QAM	Outer_Full	21.53
n41	60	30	2592.99	DFT	256QAM	Inner_Full	19.74
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.22
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	19.48
n41	60	30	2592.99	DFT	256QAM	Outer_Full	19.62
n41	60	30	2592.99	CP	QPSK	Inner_Full	22.82
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	20.83

n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	21.09
n41	60	30	2592.99	CP	QPSK	Outer_Full	21.13
n41	60	30	2592.99	CP	16QAM	Inner_Full	22.16
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	20.98
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	21.30
n41	60	30	2592.99	CP	16QAM	Outer_Full	21.00
n41	60	30	2592.99	CP	64QAM	Inner_Full	20.74
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	19.72
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	20.00
n41	60	30	2592.99	CP	64QAM	Outer_Full	20.59
n41	60	30	2592.99	CP	256QAM	Inner_Full	17.67
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	17.19
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	17.43
n41	60	30	2592.99	CP	256QAM	Outer_Full	17.69
n41	60	30	2659.98	DFT	$\pi/2$ BPSK	Inner_Full	24.27
n41	60	30	2659.98	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.59
n41	60	30	2659.98	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.49
n41	60	30	2659.98	DFT	$\pi/2$ BPSK	Outer_Full	23.80
n41	60	30	2659.98	DFT	QPSK	Inner_Full	24.28
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	23.00
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	22.92
n41	60	30	2659.98	DFT	QPSK	Outer_Full	23.16
n41	60	30	2659.98	DFT	16QAM	Inner_Full	23.18
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	22.12
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	22.16
n41	60	30	2659.98	DFT	16QAM	Outer_Full	22.06
n41	60	30	2659.98	DFT	64QAM	Inner_Full	21.83
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	21.21
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	21.08
n41	60	30	2659.98	DFT	64QAM	Outer_Full	21.54
n41	60	30	2659.98	DFT	256QAM	Inner_Full	19.87
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	19.56
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	19.30
n41	60	30	2659.98	DFT	256QAM	Outer_Full	19.64
n41	60	30	2659.98	CP	QPSK	Inner_Full	22.72
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	21.22
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	20.94
n41	60	30	2659.98	CP	QPSK	Outer_Full	21.19
n41	60	30	2659.98	CP	16QAM	Inner_Full	22.19
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	20.94
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	20.91

n41	60	30	2659.98	CP	16QAM	Outer_Full	21.15
n41	60	30	2659.98	CP	64QAM	Inner_Full	20.94
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	20.05
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	20.04
n41	60	30	2659.98	CP	64QAM	Outer_Full	20.66
n41	60	30	2659.98	CP	256QAM	Inner_Full	17.82
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	17.44
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	17.25
n41	60	30	2659.98	CP	256QAM	Outer_Full	17.66
n41	80	30	2536.02	DFT	$\pi/2$ BPSK	Inner_Full	24.18
n41	80	30	2536.02	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.33
n41	80	30	2536.02	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.23
n41	80	30	2536.02	DFT	$\pi/2$ BPSK	Outer_Full	23.63
n41	80	30	2536.02	DFT	QPSK	Inner_Full	24.06
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	22.53
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	22.78
n41	80	30	2536.02	DFT	QPSK	Outer_Full	23.10
n41	80	30	2536.02	DFT	16QAM	Inner_Full	23.16
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	22.06
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	21.76
n41	80	30	2536.02	DFT	16QAM	Outer_Full	22.11
n41	80	30	2536.02	DFT	64QAM	Inner_Full	21.67
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	20.46
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	20.55
n41	80	30	2536.02	DFT	64QAM	Outer_Full	21.90
n41	80	30	2536.02	DFT	256QAM	Inner_Full	19.72
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	19.10
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	19.11
n41	80	30	2536.02	DFT	256QAM	Outer_Full	19.61
n41	80	30	2536.02	CP	QPSK	Inner_Full	22.69
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	20.60
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	20.62
n41	80	30	2536.02	CP	QPSK	Outer_Full	21.04
n41	80	30	2536.02	CP	16QAM	Inner_Full	22.09
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	20.84
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	20.85
n41	80	30	2536.02	CP	16QAM	Outer_Full	21.11
n41	80	30	2536.02	CP	64QAM	Inner_Full	20.67
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	19.78
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	19.78
n41	80	30	2536.02	CP	64QAM	Outer_Full	20.62

n41	80	30	2536.02	CP	256QAM	Inner_Full	17.68
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	16.94
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	17.32
n41	80	30	2536.02	CP	256QAM	Outer_Full	17.60
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.06
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.52
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.63
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	23.50
n41	80	30	2592.99	DFT	QPSK	Inner_Full	23.90
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.85
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.02
n41	80	30	2592.99	DFT	QPSK	Outer_Full	22.90
n41	80	30	2592.99	DFT	16QAM	Inner_Full	22.98
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.86
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.95
n41	80	30	2592.99	DFT	16QAM	Outer_Full	21.85
n41	80	30	2592.99	DFT	64QAM	Inner_Full	21.55
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.86
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.99
n41	80	30	2592.99	DFT	64QAM	Outer_Full	21.43
n41	80	30	2592.99	DFT	256QAM	Inner_Full	19.61
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.12
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	19.36
n41	80	30	2592.99	DFT	256QAM	Outer_Full	19.45
n41	80	30	2592.99	CP	QPSK	Inner_Full	22.57
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	20.83
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	21.18
n41	80	30	2592.99	CP	QPSK	Outer_Full	20.89
n41	80	30	2592.99	CP	16QAM	Inner_Full	22.03
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	20.80
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	20.90
n41	80	30	2592.99	CP	16QAM	Outer_Full	20.96
n41	80	30	2592.99	CP	64QAM	Inner_Full	20.46
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	19.79
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	20.09
n41	80	30	2592.99	CP	64QAM	Outer_Full	20.38
n41	80	30	2592.99	CP	256QAM	Inner_Full	17.52
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	17.20
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	17.39
n41	80	30	2592.99	CP	256QAM	Outer_Full	17.50
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	24.29

n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.57
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.16
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	23.44
n41	80	30	2649.99	DFT	QPSK	Inner_Full	24.03
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	22.90
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	22.71
n41	80	30	2649.99	DFT	QPSK	Outer_Full	22.95
n41	80	30	2649.99	DFT	16QAM	Inner_Full	23.15
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	22.01
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	21.96
n41	80	30	2649.99	DFT	16QAM	Outer_Full	21.97
n41	80	30	2649.99	DFT	64QAM	Inner_Full	21.65
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	20.87
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	20.89
n41	80	30	2649.99	DFT	64QAM	Outer_Full	21.54
n41	80	30	2649.99	DFT	256QAM	Inner_Full	19.75
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	19.29
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	19.36
n41	80	30	2649.99	DFT	256QAM	Outer_Full	19.46
n41	80	30	2649.99	CP	QPSK	Inner_Full	22.74
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	20.72
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	20.76
n41	80	30	2649.99	CP	QPSK	Outer_Full	21.00
n41	80	30	2649.99	CP	16QAM	Inner_Full	22.16
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	21.02
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	20.71
n41	80	30	2649.99	CP	16QAM	Outer_Full	20.97
n41	80	30	2649.99	CP	64QAM	Inner_Full	20.68
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	19.78
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	19.60
n41	80	30	2649.99	CP	64QAM	Outer_Full	20.47
n41	80	30	2649.99	CP	256QAM	Inner_Full	17.65
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	17.43
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	17.03
n41	80	30	2649.99	CP	256QAM	Outer_Full	17.45
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	24.29
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	23.31
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	23.54
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	23.59
n41	90	30	2541	DFT	QPSK	Inner_Full	24.14
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	22.60

n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	22.94
n41	90	30	2541	DFT	QPSK	Outer_Full	22.99
n41	90	30	2541	DFT	16QAM	Inner_Full	23.01
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	22.20
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	22.16
n41	90	30	2541	DFT	16QAM	Outer_Full	22.06
n41	90	30	2541	DFT	64QAM	Inner_Full	21.65
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	20.67
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	21.18
n41	90	30	2541	DFT	64QAM	Outer_Full	21.53
n41	90	30	2541	DFT	256QAM	Inner_Full	19.74
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	19.11
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	19.33
n41	90	30	2541	DFT	256QAM	Outer_Full	19.52
n41	90	30	2541	CP	QPSK	Inner_Full	22.66
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	20.78
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	21.05
n41	90	30	2541	CP	QPSK	Outer_Full	21.10
n41	90	30	2541	CP	16QAM	Inner_Full	22.07
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	20.90
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	21.05
n41	90	30	2541	CP	16QAM	Outer_Full	21.03
n41	90	30	2541	CP	64QAM	Inner_Full	20.56
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	19.63
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	20.17
n41	90	30	2541	CP	64QAM	Outer_Full	20.51
n41	90	30	2541	CP	256QAM	Inner_Full	17.57
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	16.94
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	17.36
n41	90	30	2541	CP	256QAM	Outer_Full	17.65
n41	90	30	2592.99	DFT	$\pi/2$ BPSK	Inner_Full	24.07
n41	90	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.52
n41	90	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.48
n41	90	30	2592.99	DFT	$\pi/2$ BPSK	Outer_Full	23.43
n41	90	30	2592.99	DFT	QPSK	Inner_Full	24.01
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.71
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.18
n41	90	30	2592.99	DFT	QPSK	Outer_Full	22.90
n41	90	30	2592.99	DFT	16QAM	Inner_Full	23.11
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.90
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.44

n41	90	30	2592.99	DFT	16QAM	Outer_Full	21.99
n41	90	30	2592.99	DFT	64QAM	Inner_Full	21.51
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.91
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.16
n41	90	30	2592.99	DFT	64QAM	Outer_Full	21.45
n41	90	30	2592.99	DFT	256QAM	Inner_Full	19.59
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.65
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	19.68
n41	90	30	2592.99	DFT	256QAM	Outer_Full	19.45
n41	90	30	2592.99	CP	QPSK	Inner_Full	22.62
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	20.90
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	21.21
n41	90	30	2592.99	CP	QPSK	Outer_Full	20.92
n41	90	30	2592.99	CP	16QAM	Inner_Full	21.97
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	20.85
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	21.39
n41	90	30	2592.99	CP	16QAM	Outer_Full	20.97
n41	90	30	2592.99	CP	64QAM	Inner_Full	20.45
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	20.01
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	20.30
n41	90	30	2592.99	CP	64QAM	Outer_Full	20.37
n41	90	30	2592.99	CP	256QAM	Inner_Full	17.47
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	17.27
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	17.38
n41	90	30	2592.99	CP	256QAM	Outer_Full	17.49
n41	90	30	2644.98	DFT	$\pi/2$ BPSK	Inner_Full	24.29
n41	90	30	2644.98	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.47
n41	90	30	2644.98	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.32
n41	90	30	2644.98	DFT	$\pi/2$ BPSK	Outer_Full	23.56
n41	90	30	2644.98	DFT	QPSK	Inner_Full	24.21
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	22.82
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	22.75
n41	90	30	2644.98	DFT	QPSK	Outer_Full	23.03
n41	90	30	2644.98	DFT	16QAM	Inner_Full	23.06
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	21.85
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	21.78
n41	90	30	2644.98	DFT	16QAM	Outer_Full	22.04
n41	90	30	2644.98	DFT	64QAM	Inner_Full	21.74
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	20.78
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	20.73
n41	90	30	2644.98	DFT	64QAM	Outer_Full	21.50

n41	90	30	2644.98	DFT	256QAM	Inner_Full	19.81
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	19.51
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	19.03
n41	90	30	2644.98	DFT	256QAM	Outer_Full	19.60
n41	90	30	2644.98	CP	QPSK	Inner_Full	22.66
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	21.11
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	20.75
n41	90	30	2644.98	CP	QPSK	Outer_Full	21.08
n41	90	30	2644.98	CP	16QAM	Inner_Full	22.19
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	21.26
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	20.78
n41	90	30	2644.98	CP	16QAM	Outer_Full	21.06
n41	90	30	2644.98	CP	64QAM	Inner_Full	20.67
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	19.86
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	19.72
n41	90	30	2644.98	CP	64QAM	Outer_Full	20.53
n41	90	30	2644.98	CP	256QAM	Inner_Full	17.75
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	17.28
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	17.18
n41	90	30	2644.98	CP	256QAM	Outer_Full	17.64
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.04
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.71
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.85
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	23.49
n41	100	30	2592.99	DFT	QPSK	Inner_Full	23.99
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.96
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.13
n41	100	30	2592.99	DFT	QPSK	Outer_Full	22.99
n41	100	30	2592.99	DFT	16QAM	Inner_Full	22.98
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.88
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.32
n41	100	30	2592.99	DFT	16QAM	Outer_Full	21.93
n41	100	30	2592.99	DFT	64QAM	Inner_Full	21.50
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.36
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.13
n41	100	30	2592.99	DFT	64QAM	Outer_Full	21.47
n41	100	30	2592.99	DFT	256QAM	Inner_Full	19.33
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.39
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	19.29
n41	100	30	2592.99	DFT	256QAM	Outer_Full	19.76
n41	100	30	2592.99	CP	QPSK	Inner_Full	22.55

n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	21.10
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	21.34
n41	100	30	2592.99	CP	QPSK	Outer_Full	20.92
n41	100	30	2592.99	CP	16QAM	Inner_Full	21.93
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	21.11
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	21.41
n41	100	30	2592.99	CP	16QAM	Outer_Full	20.89
n41	100	30	2592.99	CP	64QAM	Inner_Full	20.47
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	20.03
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	20.18
n41	100	30	2592.99	CP	64QAM	Outer_Full	20.48
n41	100	30	2592.99	CP	256QAM	Inner_Full	17.47
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	17.55
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	17.59
n41	100	30	2592.99	CP	256QAM	Outer_Full	17.43
n41	100	30	2546.01	DFT	$\pi/2$ BPSK	Inner_Full	24.08
n41	100	30	2546.01	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.20
n41	100	30	2546.01	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.60
n41	100	30	2546.01	DFT	$\pi/2$ BPSK	Outer_Full	23.60
n41	100	30	2546.01	DFT	QPSK	Inner_Full	23.98
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	22.56
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	22.99
n41	100	30	2546.01	DFT	QPSK	Outer_Full	22.97
n41	100	30	2546.01	DFT	16QAM	Inner_Full	22.96
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.72
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	22.21
n41	100	30	2546.01	DFT	16QAM	Outer_Full	21.99
n41	100	30	2546.01	DFT	64QAM	Inner_Full	21.23
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	20.86
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	21.21
n41	100	30	2546.01	DFT	64QAM	Outer_Full	21.26
n41	100	30	2546.01	DFT	256QAM	Inner_Full	19.57
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	19.18
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	19.07
n41	100	30	2546.01	DFT	256QAM	Outer_Full	19.58
n41	100	30	2546.01	CP	QPSK	Inner_Full	22.56
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	20.91
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	21.07
n41	100	30	2546.01	CP	QPSK	Outer_Full	21.11
n41	100	30	2546.01	CP	16QAM	Inner_Full	21.92
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	20.90

n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	21.17
n41	100	30	2546.01	CP	16QAM	Outer_Full	21.08
n41	100	30	2546.01	CP	64QAM	Inner_Full	20.47
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	19.72
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	20.04
n41	100	30	2546.01	CP	64QAM	Outer_Full	20.58
n41	100	30	2546.01	CP	256QAM	Inner_Full	17.54
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	17.02
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	17.61
n41	100	30	2546.01	CP	256QAM	Outer_Full	17.57
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	24.18
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	23.55
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	23.33
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	23.50
n41	100	30	2640	DFT	QPSK	Inner_Full	24.01
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	23.09
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	22.59
n41	100	30	2640	DFT	QPSK	Outer_Full	23.01
n41	100	30	2640	DFT	16QAM	Inner_Full	23.08
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	22.29
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	21.70
n41	100	30	2640	DFT	16QAM	Outer_Full	22.06
n41	100	30	2640	DFT	64QAM	Inner_Full	21.64
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	21.10
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	20.84
n41	100	30	2640	DFT	64QAM	Outer_Full	21.49
n41	100	30	2640	DFT	256QAM	Inner_Full	19.61
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	19.87
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	19.05
n41	100	30	2640	DFT	256QAM	Outer_Full	19.31
n41	100	30	2640	CP	QPSK	Inner_Full	22.62
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	21.18
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	20.81
n41	100	30	2640	CP	QPSK	Outer_Full	20.97
n41	100	30	2640	CP	16QAM	Inner_Full	21.98
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	21.02
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	20.82
n41	100	30	2640	CP	16QAM	Outer_Full	21.02
n41	100	30	2640	CP	64QAM	Inner_Full	20.57
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	20.01
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	19.93

n41	100	30	2640	CP	64QAM	Outer_Full	20.49
n41	100	30	2640	CP	256QAM	Inner_Full	17.61
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	17.39
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	17.26
n41	100	30	2640	CP	256QAM	Outer_Full	17.44

n78L

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	26.22
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.03
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.87
n78L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	25.86
n78L	20	30	3460.02	DFT	QPSK	Inner_Full	26.34
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	22.86
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.85
n78L	20	30	3460.02	DFT	QPSK	Outer_Full	25.46
n78L	20	30	3460.02	DFT	16QAM	Inner_Full	25.42
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	23.15
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	22.93
n78L	20	30	3460.02	DFT	16QAM	Outer_Full	24.45
n78L	20	30	3460.02	DFT	64QAM	Inner_Full	24.32
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	22.63
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	22.35
n78L	20	30	3460.02	DFT	64QAM	Outer_Full	23.77
n78L	20	30	3460.02	DFT	256QAM	Inner_Full	22.23
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	21.78
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	21.84
n78L	20	30	3460.02	DFT	256QAM	Outer_Full	21.77
n78L	20	30	3460.02	CP	QPSK	Inner_Full	24.71
n78L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	23.01
n78L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	23.00
n78L	20	30	3460.02	CP	QPSK	Outer_Full	23.27
n78L	20	30	3460.02	CP	16QAM	Inner_Full	24.32
n78L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	22.92
n78L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	22.85
n78L	20	30	3460.02	CP	16QAM	Outer_Full	23.34
n78L	20	30	3460.02	CP	64QAM	Inner_Full	22.79
n78L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	22.28
n78L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	22.53
n78L	20	30	3460.02	CP	64QAM	Outer_Full	23.01
n78L	20	30	3460.02	CP	256QAM	Inner_Full	19.72
n78L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	19.89
n78L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	19.85
n78L	20	30	3460.02	CP	256QAM	Outer_Full	19.99
n78L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.76
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.25
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.51

n78L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	26.11
n78L	20	30	3500.01	DFT	QPSK	Inner_Full	26.65
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.21
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	23.25
n78L	20	30	3500.01	DFT	QPSK	Outer_Full	25.64
n78L	20	30	3500.01	DFT	16QAM	Inner_Full	25.91
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.39
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	23.40
n78L	20	30	3500.01	DFT	16QAM	Outer_Full	24.82
n78L	20	30	3500.01	DFT	64QAM	Inner_Full	24.02
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.82
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.64
n78L	20	30	3500.01	DFT	64QAM	Outer_Full	24.59
n78L	20	30	3500.01	DFT	256QAM	Inner_Full	22.42
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.93
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	22.35
n78L	20	30	3500.01	DFT	256QAM	Outer_Full	22.16
n78L	20	30	3500.01	CP	QPSK	Inner_Full	25.28
n78L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	23.31
n78L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	23.27
n78L	20	30	3500.01	CP	QPSK	Outer_Full	23.78
n78L	20	30	3500.01	CP	16QAM	Inner_Full	24.84
n78L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	23.40
n78L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	23.90
n78L	20	30	3500.01	CP	16QAM	Outer_Full	23.86
n78L	20	30	3500.01	CP	64QAM	Inner_Full	23.43
n78L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	22.63
n78L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	22.77
n78L	20	30	3500.01	CP	64QAM	Outer_Full	23.25
n78L	20	30	3500.01	CP	256QAM	Inner_Full	20.40
n78L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	19.78
n78L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	20.26
n78L	20	30	3500.01	CP	256QAM	Outer_Full	20.44
n78L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	26.55
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	23.16
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	23.35
n78L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	26.08
n78L	20	30	3540	DFT	QPSK	Inner_Full	26.54
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.90
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Right	23.25
n78L	20	30	3540	DFT	QPSK	Outer_Full	25.60

n78L	20	30	3540	DFT	16QAM	Inner_Full	25.40
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Left	23.08
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Right	23.34
n78L	20	30	3540	DFT	16QAM	Outer_Full	24.58
n78L	20	30	3540	DFT	64QAM	Inner_Full	24.07
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Left	22.69
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Right	22.92
n78L	20	30	3540	DFT	64QAM	Outer_Full	24.44
n78L	20	30	3540	DFT	256QAM	Inner_Full	22.50
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Left	21.80
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Right	22.10
n78L	20	30	3540	DFT	256QAM	Outer_Full	21.59
n78L	20	30	3540	CP	QPSK	Inner_Full	25.03
n78L	20	30	3540	CP	QPSK	Edge_1RB_Left	22.91
n78L	20	30	3540	CP	QPSK	Edge_1RB_Right	23.14
n78L	20	30	3540	CP	QPSK	Outer_Full	23.64
n78L	20	30	3540	CP	16QAM	Inner_Full	24.57
n78L	20	30	3540	CP	16QAM	Edge_1RB_Left	23.15
n78L	20	30	3540	CP	16QAM	Edge_1RB_Right	23.35
n78L	20	30	3540	CP	16QAM	Outer_Full	23.52
n78L	20	30	3540	CP	64QAM	Inner_Full	22.95
n78L	20	30	3540	CP	64QAM	Edge_1RB_Left	22.83
n78L	20	30	3540	CP	64QAM	Edge_1RB_Right	23.01
n78L	20	30	3540	CP	64QAM	Outer_Full	23.19
n78L	20	30	3540	CP	256QAM	Inner_Full	20.07
n78L	20	30	3540	CP	256QAM	Edge_1RB_Left	19.76
n78L	20	30	3540	CP	256QAM	Edge_1RB_Right	20.05
n78L	20	30	3540	CP	256QAM	Outer_Full	19.96
n78L	30	30	3465	DFT	pi/2 BPSK	Inner_Full	26.27
n78L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Left	23.03
n78L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Right	22.75
n78L	30	30	3465	DFT	pi/2 BPSK	Outer_Full	25.95
n78L	30	30	3465	DFT	QPSK	Inner_Full	26.43
n78L	30	30	3465	DFT	QPSK	Edge_1RB_Left	22.97
n78L	30	30	3465	DFT	QPSK	Edge_1RB_Right	22.92
n78L	30	30	3465	DFT	QPSK	Outer_Full	25.48
n78L	30	30	3465	DFT	16QAM	Inner_Full	25.12
n78L	30	30	3465	DFT	16QAM	Edge_1RB_Left	23.06
n78L	30	30	3465	DFT	16QAM	Edge_1RB_Right	22.93
n78L	30	30	3465	DFT	16QAM	Outer_Full	24.50
n78L	30	30	3465	DFT	64QAM	Inner_Full	23.55

n78L	30	30	3465	DFT	64QAM	Edge_1RB_Left	22.22
n78L	30	30	3465	DFT	64QAM	Edge_1RB_Right	22.27
n78L	30	30	3465	DFT	64QAM	Outer_Full	23.52
n78L	30	30	3465	DFT	256QAM	Inner_Full	21.89
n78L	30	30	3465	DFT	256QAM	Edge_1RB_Left	21.92
n78L	30	30	3465	DFT	256QAM	Edge_1RB_Right	21.68
n78L	30	30	3465	DFT	256QAM	Outer_Full	22.00
n78L	30	30	3465	CP	QPSK	Inner_Full	24.91
n78L	30	30	3465	CP	QPSK	Edge_1RB_Left	23.19
n78L	30	30	3465	CP	QPSK	Edge_1RB_Right	22.74
n78L	30	30	3465	CP	QPSK	Outer_Full	23.49
n78L	30	30	3465	CP	16QAM	Inner_Full	24.40
n78L	30	30	3465	CP	16QAM	Edge_1RB_Left	23.00
n78L	30	30	3465	CP	16QAM	Edge_1RB_Right	23.02
n78L	30	30	3465	CP	16QAM	Outer_Full	23.37
n78L	30	30	3465	CP	64QAM	Inner_Full	22.89
n78L	30	30	3465	CP	64QAM	Edge_1RB_Left	22.30
n78L	30	30	3465	CP	64QAM	Edge_1RB_Right	22.49
n78L	30	30	3465	CP	64QAM	Outer_Full	22.73
n78L	30	30	3465	CP	256QAM	Inner_Full	19.78
n78L	30	30	3465	CP	256QAM	Edge_1RB_Left	19.72
n78L	30	30	3465	CP	256QAM	Edge_1RB_Right	19.57
n78L	30	30	3465	CP	256QAM	Outer_Full	19.82
n78L	30	30	3500.01	DFT	$\pi/2$ BPSK	Inner_Full	26.92
n78L	30	30	3500.01	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.28
n78L	30	30	3500.01	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.43
n78L	30	30	3500.01	DFT	$\pi/2$ BPSK	Outer_Full	26.24
n78L	30	30	3500.01	DFT	QPSK	Inner_Full	26.93
n78L	30	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.18
n78L	30	30	3500.01	DFT	QPSK	Edge_1RB_Right	23.36
n78L	30	30	3500.01	DFT	QPSK	Outer_Full	25.77
n78L	30	30	3500.01	DFT	16QAM	Inner_Full	25.86
n78L	30	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.02
n78L	30	30	3500.01	DFT	16QAM	Edge_1RB_Right	23.40
n78L	30	30	3500.01	DFT	16QAM	Outer_Full	24.79
n78L	30	30	3500.01	DFT	64QAM	Inner_Full	24.39
n78L	30	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.68
n78L	30	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.60
n78L	30	30	3500.01	DFT	64QAM	Outer_Full	23.93
n78L	30	30	3500.01	DFT	256QAM	Inner_Full	22.42
n78L	30	30	3500.01	DFT	256QAM	Edge_1RB_Left	22.52

n78L	30	30	3500.01	DFT	256QAM	Edge_1RB_Right	22.27
n78L	30	30	3500.01	DFT	256QAM	Outer_Full	22.43
n78L	30	30	3500.01	CP	QPSK	Inner_Full	25.49
n78L	30	30	3500.01	CP	QPSK	Edge_1RB_Left	22.89
n78L	30	30	3500.01	CP	QPSK	Edge_1RB_Right	23.28
n78L	30	30	3500.01	CP	QPSK	Outer_Full	23.94
n78L	30	30	3500.01	CP	16QAM	Inner_Full	24.83
n78L	30	30	3500.01	CP	16QAM	Edge_1RB_Left	23.00
n78L	30	30	3500.01	CP	16QAM	Edge_1RB_Right	23.41
n78L	30	30	3500.01	CP	16QAM	Outer_Full	23.91
n78L	30	30	3500.01	CP	64QAM	Inner_Full	23.26
n78L	30	30	3500.01	CP	64QAM	Edge_1RB_Left	22.69
n78L	30	30	3500.01	CP	64QAM	Edge_1RB_Right	23.18
n78L	30	30	3500.01	CP	64QAM	Outer_Full	23.27
n78L	30	30	3500.01	CP	256QAM	Inner_Full	20.29
n78L	30	30	3500.01	CP	256QAM	Edge_1RB_Left	20.19
n78L	30	30	3500.01	CP	256QAM	Edge_1RB_Right	20.14
n78L	30	30	3500.01	CP	256QAM	Outer_Full	20.19
n78L	30	30	3534.99	DFT	$\pi/2$ BPSK	Inner_Full	26.72
n78L	30	30	3534.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.30
n78L	30	30	3534.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.35
n78L	30	30	3534.99	DFT	$\pi/2$ BPSK	Outer_Full	26.31
n78L	30	30	3534.99	DFT	QPSK	Inner_Full	26.77
n78L	30	30	3534.99	DFT	QPSK	Edge_1RB_Left	23.38
n78L	30	30	3534.99	DFT	QPSK	Edge_1RB_Right	23.41
n78L	30	30	3534.99	DFT	QPSK	Outer_Full	25.83
n78L	30	30	3534.99	DFT	16QAM	Inner_Full	25.58
n78L	30	30	3534.99	DFT	16QAM	Edge_1RB_Left	23.39
n78L	30	30	3534.99	DFT	16QAM	Edge_1RB_Right	23.39
n78L	30	30	3534.99	DFT	16QAM	Outer_Full	24.62
n78L	30	30	3534.99	DFT	64QAM	Inner_Full	23.94
n78L	30	30	3534.99	DFT	64QAM	Edge_1RB_Left	23.03
n78L	30	30	3534.99	DFT	64QAM	Edge_1RB_Right	23.04
n78L	30	30	3534.99	DFT	64QAM	Outer_Full	23.90
n78L	30	30	3534.99	DFT	256QAM	Inner_Full	22.23
n78L	30	30	3534.99	DFT	256QAM	Edge_1RB_Left	22.29
n78L	30	30	3534.99	DFT	256QAM	Edge_1RB_Right	22.36
n78L	30	30	3534.99	DFT	256QAM	Outer_Full	22.40
n78L	30	30	3534.99	CP	QPSK	Inner_Full	25.27
n78L	30	30	3534.99	CP	QPSK	Edge_1RB_Left	23.38
n78L	30	30	3534.99	CP	QPSK	Edge_1RB_Right	23.23

n78L	30	30	3534.99	CP	QPSK	Outer_Full	23.67
n78L	30	30	3534.99	CP	16QAM	Inner_Full	24.78
n78L	30	30	3534.99	CP	16QAM	Edge_1RB_Left	23.31
n78L	30	30	3534.99	CP	16QAM	Edge_1RB_Right	23.34
n78L	30	30	3534.99	CP	16QAM	Outer_Full	23.83
n78L	30	30	3534.99	CP	64QAM	Inner_Full	23.18
n78L	30	30	3534.99	CP	64QAM	Edge_1RB_Left	22.81
n78L	30	30	3534.99	CP	64QAM	Edge_1RB_Right	22.75
n78L	30	30	3534.99	CP	64QAM	Outer_Full	23.33
n78L	30	30	3534.99	CP	256QAM	Inner_Full	20.06
n78L	30	30	3534.99	CP	256QAM	Edge_1RB_Left	20.32
n78L	30	30	3534.99	CP	256QAM	Edge_1RB_Right	20.30
n78L	30	30	3534.99	CP	256QAM	Outer_Full	20.17
n78L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	26.27
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.08
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.40
n78L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	25.91
n78L	40	30	3470.01	DFT	QPSK	Inner_Full	26.47
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	22.89
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	23.19
n78L	40	30	3470.01	DFT	QPSK	Outer_Full	25.54
n78L	40	30	3470.01	DFT	16QAM	Inner_Full	25.50
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	23.21
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	23.31
n78L	40	30	3470.01	DFT	16QAM	Outer_Full	24.25
n78L	40	30	3470.01	DFT	64QAM	Inner_Full	24.29
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	22.40
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	22.80
n78L	40	30	3470.01	DFT	64QAM	Outer_Full	24.32
n78L	40	30	3470.01	DFT	256QAM	Inner_Full	21.77
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	21.94
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	21.67
n78L	40	30	3470.01	DFT	256QAM	Outer_Full	21.82
n78L	40	30	3470.01	CP	QPSK	Inner_Full	24.85
n78L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	22.85
n78L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	23.18
n78L	40	30	3470.01	CP	QPSK	Outer_Full	23.58
n78L	40	30	3470.01	CP	16QAM	Inner_Full	24.41
n78L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	23.29
n78L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	23.54
n78L	40	30	3470.01	CP	16QAM	Outer_Full	23.45

n78L	40	30	3470.01	CP	64QAM	Inner_Full	22.74
n78L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	22.60
n78L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	22.66
n78L	40	30	3470.01	CP	64QAM	Outer_Full	23.11
n78L	40	30	3470.01	CP	256QAM	Inner_Full	19.77
n78L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	19.86
n78L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	20.11
n78L	40	30	3470.01	CP	256QAM	Outer_Full	20.12
n78L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.94
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.93
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.47
n78L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	26.43
n78L	40	30	3500.01	DFT	QPSK	Inner_Full	26.78
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.20
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	23.47
n78L	40	30	3500.01	DFT	QPSK	Outer_Full	25.86
n78L	40	30	3500.01	DFT	16QAM	Inner_Full	25.81
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.07
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	23.48
n78L	40	30	3500.01	DFT	16QAM	Outer_Full	24.89
n78L	40	30	3500.01	DFT	64QAM	Inner_Full	24.50
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.41
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.95
n78L	40	30	3500.01	DFT	64QAM	Outer_Full	24.44
n78L	40	30	3500.01	DFT	256QAM	Inner_Full	22.23
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.41
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	22.15
n78L	40	30	3500.01	DFT	256QAM	Outer_Full	21.83
n78L	40	30	3500.01	CP	QPSK	Inner_Full	25.27
n78L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	22.80
n78L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	23.44
n78L	40	30	3500.01	CP	QPSK	Outer_Full	23.74
n78L	40	30	3500.01	CP	16QAM	Inner_Full	24.96
n78L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	23.34
n78L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	23.69
n78L	40	30	3500.01	CP	16QAM	Outer_Full	23.94
n78L	40	30	3500.01	CP	64QAM	Inner_Full	23.52
n78L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	22.56
n78L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	22.84
n78L	40	30	3500.01	CP	64QAM	Outer_Full	23.22
n78L	40	30	3500.01	CP	256QAM	Inner_Full	20.48

n78L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	19.97
n78L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	20.13
n78L	40	30	3500.01	CP	256QAM	Outer_Full	20.22
n78L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	26.63
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.47
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.26
n78L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	26.26
n78L	40	30	3529.98	DFT	QPSK	Inner_Full	26.48
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	23.59
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	23.22
n78L	40	30	3529.98	DFT	QPSK	Outer_Full	25.59
n78L	40	30	3529.98	DFT	16QAM	Inner_Full	25.45
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	23.60
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	23.31
n78L	40	30	3529.98	DFT	16QAM	Outer_Full	24.80
n78L	40	30	3529.98	DFT	64QAM	Inner_Full	23.99
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	23.25
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	23.03
n78L	40	30	3529.98	DFT	64QAM	Outer_Full	24.07
n78L	40	30	3529.98	DFT	256QAM	Inner_Full	22.65
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	21.90
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	22.36
n78L	40	30	3529.98	DFT	256QAM	Outer_Full	22.08
n78L	40	30	3529.98	CP	QPSK	Inner_Full	25.05
n78L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	23.60
n78L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	23.24
n78L	40	30	3529.98	CP	QPSK	Outer_Full	23.54
n78L	40	30	3529.98	CP	16QAM	Inner_Full	24.51
n78L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	23.47
n78L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	23.38
n78L	40	30	3529.98	CP	16QAM	Outer_Full	23.65
n78L	40	30	3529.98	CP	64QAM	Inner_Full	23.20
n78L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	22.85
n78L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	22.78
n78L	40	30	3529.98	CP	64QAM	Outer_Full	23.10
n78L	40	30	3529.98	CP	256QAM	Inner_Full	19.99
n78L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	20.12
n78L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	20.36
n78L	40	30	3529.98	CP	256QAM	Outer_Full	20.04
n78L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	26.17
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.66

n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.19
n78L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	25.86
n78L	50	30	3475.02	DFT	QPSK	Inner_Full	26.19
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	22.62
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	23.08
n78L	50	30	3475.02	DFT	QPSK	Outer_Full	25.19
n78L	50	30	3475.02	DFT	16QAM	Inner_Full	24.87
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	22.78
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	23.05
n78L	50	30	3475.02	DFT	16QAM	Outer_Full	24.38
n78L	50	30	3475.02	DFT	64QAM	Inner_Full	23.34
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	22.13
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	22.81
n78L	50	30	3475.02	DFT	64QAM	Outer_Full	23.65
n78L	50	30	3475.02	DFT	256QAM	Inner_Full	21.59
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	21.58
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	21.90
n78L	50	30	3475.02	DFT	256QAM	Outer_Full	21.84
n78L	50	30	3475.02	CP	QPSK	Inner_Full	24.60
n78L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	22.89
n78L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	22.96
n78L	50	30	3475.02	CP	QPSK	Outer_Full	23.26
n78L	50	30	3475.02	CP	16QAM	Inner_Full	24.08
n78L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	23.17
n78L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	23.11
n78L	50	30	3475.02	CP	16QAM	Outer_Full	23.23
n78L	50	30	3475.02	CP	64QAM	Inner_Full	22.83
n78L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	22.29
n78L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	22.72
n78L	50	30	3475.02	CP	64QAM	Outer_Full	22.82
n78L	50	30	3475.02	CP	256QAM	Inner_Full	19.75
n78L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	19.86
n78L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	19.52
n78L	50	30	3475.02	CP	256QAM	Outer_Full	19.63
n78L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.68
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.59
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.81
n78L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.87
n78L	50	30	3500.01	DFT	QPSK	Inner_Full	26.62
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.51
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.73

n78L	50	30	3500.01	DFT	QPSK	Outer_Full	25.50
n78L	50	30	3500.01	DFT	16QAM	Inner_Full	25.83
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.69
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.64
n78L	50	30	3500.01	DFT	16QAM	Outer_Full	24.72
n78L	50	30	3500.01	DFT	64QAM	Inner_Full	24.30
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.15
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.67
n78L	50	30	3500.01	DFT	64QAM	Outer_Full	23.77
n78L	50	30	3500.01	DFT	256QAM	Inner_Full	22.03
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.96
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.62
n78L	50	30	3500.01	DFT	256QAM	Outer_Full	22.07
n78L	50	30	3500.01	CP	QPSK	Inner_Full	25.03
n78L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	22.84
n78L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	22.92
n78L	50	30	3500.01	CP	QPSK	Outer_Full	23.53
n78L	50	30	3500.01	CP	16QAM	Inner_Full	24.50
n78L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	22.80
n78L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	23.34
n78L	50	30	3500.01	CP	16QAM	Outer_Full	23.40
n78L	50	30	3500.01	CP	64QAM	Inner_Full	23.15
n78L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	22.39
n78L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	22.50
n78L	50	30	3500.01	CP	64QAM	Outer_Full	22.90
n78L	50	30	3500.01	CP	256QAM	Inner_Full	20.19
n78L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	19.48
n78L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	19.34
n78L	50	30	3500.01	CP	256QAM	Outer_Full	20.02
n78L	50	30	3525	DFT	$\pi/2$ BPSK	Inner_Full	26.27
n78L	50	30	3525	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.08
n78L	50	30	3525	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.05
n78L	50	30	3525	DFT	$\pi/2$ BPSK	Outer_Full	25.91
n78L	50	30	3525	DFT	QPSK	Inner_Full	26.28
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Left	23.15
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Right	22.72
n78L	50	30	3525	DFT	QPSK	Outer_Full	25.24
n78L	50	30	3525	DFT	16QAM	Inner_Full	25.20
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Left	23.16
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Right	23.20
n78L	50	30	3525	DFT	16QAM	Outer_Full	24.64

n78L	50	30	3525	DFT	64QAM	Inner_Full	24.11
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Left	22.73
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Right	22.41
n78L	50	30	3525	DFT	64QAM	Outer_Full	23.80
n78L	50	30	3525	DFT	256QAM	Inner_Full	21.56
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Left	21.80
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Right	21.78
n78L	50	30	3525	DFT	256QAM	Outer_Full	21.85
n78L	50	30	3525	CP	QPSK	Inner_Full	24.82
n78L	50	30	3525	CP	QPSK	Edge_1RB_Left	22.98
n78L	50	30	3525	CP	QPSK	Edge_1RB_Right	23.12
n78L	50	30	3525	CP	QPSK	Outer_Full	23.32
n78L	50	30	3525	CP	16QAM	Inner_Full	24.45
n78L	50	30	3525	CP	16QAM	Edge_1RB_Left	23.43
n78L	50	30	3525	CP	16QAM	Edge_1RB_Right	23.20
n78L	50	30	3525	CP	16QAM	Outer_Full	23.36
n78L	50	30	3525	CP	64QAM	Inner_Full	22.87
n78L	50	30	3525	CP	64QAM	Edge_1RB_Left	22.62
n78L	50	30	3525	CP	64QAM	Edge_1RB_Right	22.43
n78L	50	30	3525	CP	64QAM	Outer_Full	22.96
n78L	50	30	3525	CP	256QAM	Inner_Full	19.93
n78L	50	30	3525	CP	256QAM	Edge_1RB_Left	19.86
n78L	50	30	3525	CP	256QAM	Edge_1RB_Right	19.49
n78L	50	30	3525	CP	256QAM	Outer_Full	20.12
n78L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	26.29
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	22.75
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	23.17
n78L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	25.98
n78L	60	30	3480	DFT	QPSK	Inner_Full	26.36
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Left	22.65
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Right	23.10
n78L	60	30	3480	DFT	QPSK	Outer_Full	25.32
n78L	60	30	3480	DFT	16QAM	Inner_Full	25.33
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Left	22.88
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Right	23.03
n78L	60	30	3480	DFT	16QAM	Outer_Full	24.30
n78L	60	30	3480	DFT	64QAM	Inner_Full	23.81
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Left	22.23
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Right	22.47
n78L	60	30	3480	DFT	64QAM	Outer_Full	23.85
n78L	60	30	3480	DFT	256QAM	Inner_Full	21.68

n78L	60	30	3480	DFT	256QAM	Edge_1RB_Left	21.53
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Right	21.94
n78L	60	30	3480	DFT	256QAM	Outer_Full	22.36
n78L	60	30	3480	CP	QPSK	Inner_Full	24.71
n78L	60	30	3480	CP	QPSK	Edge_1RB_Left	22.76
n78L	60	30	3480	CP	QPSK	Edge_1RB_Right	23.20
n78L	60	30	3480	CP	QPSK	Outer_Full	23.43
n78L	60	30	3480	CP	16QAM	Inner_Full	24.25
n78L	60	30	3480	CP	16QAM	Edge_1RB_Left	23.11
n78L	60	30	3480	CP	16QAM	Edge_1RB_Right	23.08
n78L	60	30	3480	CP	16QAM	Outer_Full	23.38
n78L	60	30	3480	CP	64QAM	Inner_Full	22.99
n78L	60	30	3480	CP	64QAM	Edge_1RB_Left	22.23
n78L	60	30	3480	CP	64QAM	Edge_1RB_Right	22.65
n78L	60	30	3480	CP	64QAM	Outer_Full	22.79
n78L	60	30	3480	CP	256QAM	Inner_Full	19.73
n78L	60	30	3480	CP	256QAM	Edge_1RB_Left	19.76
n78L	60	30	3480	CP	256QAM	Edge_1RB_Right	19.98
n78L	60	30	3480	CP	256QAM	Outer_Full	20.00
n78L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.47
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.81
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.92
n78L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.87
n78L	60	30	3500.01	DFT	QPSK	Inner_Full	26.60
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.90
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.78
n78L	60	30	3500.01	DFT	QPSK	Outer_Full	25.30
n78L	60	30	3500.01	DFT	16QAM	Inner_Full	25.40
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.87
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.98
n78L	60	30	3500.01	DFT	16QAM	Outer_Full	24.37
n78L	60	30	3500.01	DFT	64QAM	Inner_Full	23.77
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.10
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.57
n78L	60	30	3500.01	DFT	64QAM	Outer_Full	23.66
n78L	60	30	3500.01	DFT	256QAM	Inner_Full	22.05
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.11
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.65
n78L	60	30	3500.01	DFT	256QAM	Outer_Full	21.74
n78L	60	30	3500.01	CP	QPSK	Inner_Full	25.06
n78L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	22.58

n78L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	22.54
n78L	60	30	3500.01	CP	QPSK	Outer_Full	23.33
n78L	60	30	3500.01	CP	16QAM	Inner_Full	24.61
n78L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	23.04
n78L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	23.33
n78L	60	30	3500.01	CP	16QAM	Outer_Full	23.47
n78L	60	30	3500.01	CP	64QAM	Inner_Full	23.03
n78L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	22.16
n78L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	22.43
n78L	60	30	3500.01	CP	64QAM	Outer_Full	23.04
n78L	60	30	3500.01	CP	256QAM	Inner_Full	19.99
n78L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	19.44
n78L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	19.42
n78L	60	30	3500.01	CP	256QAM	Outer_Full	20.10
n78L	60	30	3519.99	DFT	$\pi/2$ BPSK	Inner_Full	26.62
n78L	60	30	3519.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.83
n78L	60	30	3519.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.99
n78L	60	30	3519.99	DFT	$\pi/2$ BPSK	Outer_Full	25.91
n78L	60	30	3519.99	DFT	QPSK	Inner_Full	26.40
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	22.74
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	22.86
n78L	60	30	3519.99	DFT	QPSK	Outer_Full	25.43
n78L	60	30	3519.99	DFT	16QAM	Inner_Full	25.39
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	22.93
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	22.89
n78L	60	30	3519.99	DFT	16QAM	Outer_Full	24.41
n78L	60	30	3519.99	DFT	64QAM	Inner_Full	24.27
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	22.69
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	22.37
n78L	60	30	3519.99	DFT	64QAM	Outer_Full	23.71
n78L	60	30	3519.99	DFT	256QAM	Inner_Full	22.16
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	22.02
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	21.91
n78L	60	30	3519.99	DFT	256QAM	Outer_Full	21.86
n78L	60	30	3519.99	CP	QPSK	Inner_Full	25.01
n78L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	22.98
n78L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	22.90
n78L	60	30	3519.99	CP	QPSK	Outer_Full	23.55
n78L	60	30	3519.99	CP	16QAM	Inner_Full	24.39
n78L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	22.95
n78L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	22.94

n78L	60	30	3519.99	CP	16QAM	Outer_Full	23.31
n78L	60	30	3519.99	CP	64QAM	Inner_Full	22.95
n78L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	22.24
n78L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	22.42
n78L	60	30	3519.99	CP	64QAM	Outer_Full	22.90
n78L	60	30	3519.99	CP	256QAM	Inner_Full	19.91
n78L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	19.88
n78L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	20.14
n78L	60	30	3519.99	CP	256QAM	Outer_Full	19.86
n78L	70	30	3485.01	DFT	pi/2 BPSK	Inner_Full	26.10
n78L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.75
n78L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.89
n78L	70	30	3485.01	DFT	pi/2 BPSK	Outer_Full	25.78
n78L	70	30	3485.01	DFT	QPSK	Inner_Full	26.22
n78L	70	30	3485.01	DFT	QPSK	Edge_1RB_Left	22.51
n78L	70	30	3485.01	DFT	QPSK	Edge_1RB_Right	22.66
n78L	70	30	3485.01	DFT	QPSK	Outer_Full	25.28
n78L	70	30	3485.01	DFT	16QAM	Inner_Full	24.94
n78L	70	30	3485.01	DFT	16QAM	Edge_1RB_Left	22.67
n78L	70	30	3485.01	DFT	16QAM	Edge_1RB_Right	22.58
n78L	70	30	3485.01	DFT	16QAM	Outer_Full	24.07
n78L	70	30	3485.01	DFT	64QAM	Inner_Full	24.01
n78L	70	30	3485.01	DFT	64QAM	Edge_1RB_Left	22.38
n78L	70	30	3485.01	DFT	64QAM	Edge_1RB_Right	22.30
n78L	70	30	3485.01	DFT	64QAM	Outer_Full	24.03
n78L	70	30	3485.01	DFT	256QAM	Inner_Full	21.65
n78L	70	30	3485.01	DFT	256QAM	Edge_1RB_Left	21.51
n78L	70	30	3485.01	DFT	256QAM	Edge_1RB_Right	21.78
n78L	70	30	3485.01	DFT	256QAM	Outer_Full	21.88
n78L	70	30	3485.01	CP	QPSK	Inner_Full	24.68
n78L	70	30	3485.01	CP	QPSK	Edge_1RB_Left	22.25
n78L	70	30	3485.01	CP	QPSK	Edge_1RB_Right	22.49
n78L	70	30	3485.01	CP	QPSK	Outer_Full	23.16
n78L	70	30	3485.01	CP	16QAM	Inner_Full	24.09
n78L	70	30	3485.01	CP	16QAM	Edge_1RB_Left	23.02
n78L	70	30	3485.01	CP	16QAM	Edge_1RB_Right	22.57
n78L	70	30	3485.01	CP	16QAM	Outer_Full	23.33
n78L	70	30	3485.01	CP	64QAM	Inner_Full	22.61
n78L	70	30	3485.01	CP	64QAM	Edge_1RB_Left	22.07
n78L	70	30	3485.01	CP	64QAM	Edge_1RB_Right	22.50
n78L	70	30	3485.01	CP	64QAM	Outer_Full	23.01

n78L	70	30	3485.01	CP	256QAM	Inner_Full	19.79
n78L	70	30	3485.01	CP	256QAM	Edge_1RB_Left	19.44
n78L	70	30	3485.01	CP	256QAM	Edge_1RB_Right	19.57
n78L	70	30	3485.01	CP	256QAM	Outer_Full	19.99
n78L	70	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.66
n78L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n78L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.66
n78L	70	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.82
n78L	70	30	3500.01	DFT	QPSK	Inner_Full	26.42
n78L	70	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.68
n78L	70	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.75
n78L	70	30	3500.01	DFT	QPSK	Outer_Full	25.45
n78L	70	30	3500.01	DFT	16QAM	Inner_Full	25.43
n78L	70	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.83
n78L	70	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.82
n78L	70	30	3500.01	DFT	16QAM	Outer_Full	24.63
n78L	70	30	3500.01	DFT	64QAM	Inner_Full	23.72
n78L	70	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.27
n78L	70	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.13
n78L	70	30	3500.01	DFT	64QAM	Outer_Full	23.61
n78L	70	30	3500.01	DFT	256QAM	Inner_Full	21.95
n78L	70	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.38
n78L	70	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.36
n78L	70	30	3500.01	DFT	256QAM	Outer_Full	21.82
n78L	70	30	3500.01	CP	QPSK	Inner_Full	25.13
n78L	70	30	3500.01	CP	QPSK	Edge_1RB_Left	22.63
n78L	70	30	3500.01	CP	QPSK	Edge_1RB_Right	23.02
n78L	70	30	3500.01	CP	QPSK	Outer_Full	23.43
n78L	70	30	3500.01	CP	16QAM	Inner_Full	24.57
n78L	70	30	3500.01	CP	16QAM	Edge_1RB_Left	22.57
n78L	70	30	3500.01	CP	16QAM	Edge_1RB_Right	23.08
n78L	70	30	3500.01	CP	16QAM	Outer_Full	23.39
n78L	70	30	3500.01	CP	64QAM	Inner_Full	22.93
n78L	70	30	3500.01	CP	64QAM	Edge_1RB_Left	22.21
n78L	70	30	3500.01	CP	64QAM	Edge_1RB_Right	22.17
n78L	70	30	3500.01	CP	64QAM	Outer_Full	23.01
n78L	70	30	3500.01	CP	256QAM	Inner_Full	20.10
n78L	70	30	3500.01	CP	256QAM	Edge_1RB_Left	19.35
n78L	70	30	3500.01	CP	256QAM	Edge_1RB_Right	19.49
n78L	70	30	3500.01	CP	256QAM	Outer_Full	19.78
n78L	70	30	3514.98	DFT	pi/2 BPSK	Inner_Full	26.67

n78L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.87
n78L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.06
n78L	70	30	3514.98	DFT	pi/2 BPSK	Outer_Full	26.05
n78L	70	30	3514.98	DFT	QPSK	Inner_Full	26.64
n78L	70	30	3514.98	DFT	QPSK	Edge_1RB_Left	22.89
n78L	70	30	3514.98	DFT	QPSK	Edge_1RB_Right	22.98
n78L	70	30	3514.98	DFT	QPSK	Outer_Full	25.60
n78L	70	30	3514.98	DFT	16QAM	Inner_Full	25.54
n78L	70	30	3514.98	DFT	16QAM	Edge_1RB_Left	22.70
n78L	70	30	3514.98	DFT	16QAM	Edge_1RB_Right	23.25
n78L	70	30	3514.98	DFT	16QAM	Outer_Full	24.47
n78L	70	30	3514.98	DFT	64QAM	Inner_Full	24.17
n78L	70	30	3514.98	DFT	64QAM	Edge_1RB_Left	22.36
n78L	70	30	3514.98	DFT	64QAM	Edge_1RB_Right	22.50
n78L	70	30	3514.98	DFT	64QAM	Outer_Full	24.15
n78L	70	30	3514.98	DFT	256QAM	Inner_Full	22.02
n78L	70	30	3514.98	DFT	256QAM	Edge_1RB_Left	21.17
n78L	70	30	3514.98	DFT	256QAM	Edge_1RB_Right	21.74
n78L	70	30	3514.98	DFT	256QAM	Outer_Full	21.98
n78L	70	30	3514.98	CP	QPSK	Inner_Full	24.99
n78L	70	30	3514.98	CP	QPSK	Edge_1RB_Left	22.70
n78L	70	30	3514.98	CP	QPSK	Edge_1RB_Right	23.22
n78L	70	30	3514.98	CP	QPSK	Outer_Full	23.58
n78L	70	30	3514.98	CP	16QAM	Inner_Full	24.53
n78L	70	30	3514.98	CP	16QAM	Edge_1RB_Left	23.03
n78L	70	30	3514.98	CP	16QAM	Edge_1RB_Right	22.79
n78L	70	30	3514.98	CP	16QAM	Outer_Full	23.57
n78L	70	30	3514.98	CP	64QAM	Inner_Full	22.98
n78L	70	30	3514.98	CP	64QAM	Edge_1RB_Left	22.21
n78L	70	30	3514.98	CP	64QAM	Edge_1RB_Right	22.38
n78L	70	30	3514.98	CP	64QAM	Outer_Full	23.15
n78L	70	30	3514.98	CP	256QAM	Inner_Full	20.19
n78L	70	30	3514.98	CP	256QAM	Edge_1RB_Left	19.70
n78L	70	30	3514.98	CP	256QAM	Edge_1RB_Right	20.20
n78L	70	30	3514.98	CP	256QAM	Outer_Full	20.05
n78L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	26.38
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.59
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.85
n78L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	25.96
n78L	80	30	3490.02	DFT	QPSK	Inner_Full	26.31
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	22.65

n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	22.69
n78L	80	30	3490.02	DFT	QPSK	Outer_Full	25.29
n78L	80	30	3490.02	DFT	16QAM	Inner_Full	25.12
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	22.58
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	22.67
n78L	80	30	3490.02	DFT	16QAM	Outer_Full	24.09
n78L	80	30	3490.02	DFT	64QAM	Inner_Full	23.68
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	21.71
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	22.11
n78L	80	30	3490.02	DFT	64QAM	Outer_Full	24.10
n78L	80	30	3490.02	DFT	256QAM	Inner_Full	21.83
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	21.33
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	21.95
n78L	80	30	3490.02	DFT	256QAM	Outer_Full	21.74
n78L	80	30	3490.02	CP	QPSK	Inner_Full	24.78
n78L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	22.46
n78L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	22.72
n78L	80	30	3490.02	CP	QPSK	Outer_Full	23.22
n78L	80	30	3490.02	CP	16QAM	Inner_Full	24.35
n78L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	22.71
n78L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	23.42
n78L	80	30	3490.02	CP	16QAM	Outer_Full	23.38
n78L	80	30	3490.02	CP	64QAM	Inner_Full	22.90
n78L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	22.10
n78L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	22.23
n78L	80	30	3490.02	CP	64QAM	Outer_Full	22.78
n78L	80	30	3490.02	CP	256QAM	Inner_Full	19.84
n78L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	19.52
n78L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	20.05
n78L	80	30	3490.02	CP	256QAM	Outer_Full	19.78
n78L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.58
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.52
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.77
n78L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.92
n78L	80	30	3500.01	DFT	QPSK	Inner_Full	26.40
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.73
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.63
n78L	80	30	3500.01	DFT	QPSK	Outer_Full	25.35
n78L	80	30	3500.01	DFT	16QAM	Inner_Full	25.43
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.64
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	23.14

n78L	80	30	3500.01	DFT	16QAM	Outer_Full	24.17
n78L	80	30	3500.01	DFT	64QAM	Inner_Full	24.31
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.12
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.27
n78L	80	30	3500.01	DFT	64QAM	Outer_Full	23.57
n78L	80	30	3500.01	DFT	256QAM	Inner_Full	21.98
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.37
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.29
n78L	80	30	3500.01	DFT	256QAM	Outer_Full	21.72
n78L	80	30	3500.01	CP	QPSK	Inner_Full	24.99
n78L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	22.63
n78L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	22.68
n78L	80	30	3500.01	CP	QPSK	Outer_Full	23.39
n78L	80	30	3500.01	CP	16QAM	Inner_Full	24.51
n78L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	22.67
n78L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	22.55
n78L	80	30	3500.01	CP	16QAM	Outer_Full	23.28
n78L	80	30	3500.01	CP	64QAM	Inner_Full	22.85
n78L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	22.22
n78L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	22.30
n78L	80	30	3500.01	CP	64QAM	Outer_Full	22.74
n78L	80	30	3500.01	CP	256QAM	Inner_Full	19.89
n78L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	19.32
n78L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	19.54
n78L	80	30	3500.01	CP	256QAM	Outer_Full	19.99
n78L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	26.46
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	22.48
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	22.96
n78L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	26.02
n78L	80	30	3510	DFT	QPSK	Inner_Full	26.46
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Left	22.57
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Right	23.00
n78L	80	30	3510	DFT	QPSK	Outer_Full	25.26
n78L	80	30	3510	DFT	16QAM	Inner_Full	25.17
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Left	22.76
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Right	22.70
n78L	80	30	3510	DFT	16QAM	Outer_Full	24.28
n78L	80	30	3510	DFT	64QAM	Inner_Full	23.88
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Left	21.91
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Right	22.53
n78L	80	30	3510	DFT	64QAM	Outer_Full	23.69

n78L	80	30	3510	DFT	256QAM	Inner_Full	22.14
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Left	21.78
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Right	22.08
n78L	80	30	3510	DFT	256QAM	Outer_Full	22.14
n78L	80	30	3510	CP	QPSK	Inner_Full	25.05
n78L	80	30	3510	CP	QPSK	Edge_1RB_Left	22.38
n78L	80	30	3510	CP	QPSK	Edge_1RB_Right	22.77
n78L	80	30	3510	CP	QPSK	Outer_Full	23.31
n78L	80	30	3510	CP	16QAM	Inner_Full	24.38
n78L	80	30	3510	CP	16QAM	Edge_1RB_Left	22.88
n78L	80	30	3510	CP	16QAM	Edge_1RB_Right	22.78
n78L	80	30	3510	CP	16QAM	Outer_Full	23.27
n78L	80	30	3510	CP	64QAM	Inner_Full	22.99
n78L	80	30	3510	CP	64QAM	Edge_1RB_Left	22.20
n78L	80	30	3510	CP	64QAM	Edge_1RB_Right	22.36
n78L	80	30	3510	CP	64QAM	Outer_Full	22.77
n78L	80	30	3510	CP	256QAM	Inner_Full	20.15
n78L	80	30	3510	CP	256QAM	Edge_1RB_Left	19.57
n78L	80	30	3510	CP	256QAM	Edge_1RB_Right	20.16
n78L	80	30	3510	CP	256QAM	Outer_Full	20.10
n78L	90	30	3500.01	DFT	$\pi/2$ BPSK	Inner_Full	26.53
n78L	90	30	3500.01	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.42
n78L	90	30	3500.01	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.84
n78L	90	30	3500.01	DFT	$\pi/2$ BPSK	Outer_Full	25.83
n78L	90	30	3500.01	DFT	QPSK	Inner_Full	26.45
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.59
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.60
n78L	90	30	3500.01	DFT	QPSK	Outer_Full	25.21
n78L	90	30	3500.01	DFT	16QAM	Inner_Full	25.61
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.45
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	23.02
n78L	90	30	3500.01	DFT	16QAM	Outer_Full	24.05
n78L	90	30	3500.01	DFT	64QAM	Inner_Full	23.62
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.91
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.46
n78L	90	30	3500.01	DFT	64QAM	Outer_Full	23.69
n78L	90	30	3500.01	DFT	256QAM	Inner_Full	22.14
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.32
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.72
n78L	90	30	3500.01	DFT	256QAM	Outer_Full	21.89
n78L	90	30	3500.01	CP	QPSK	Inner_Full	25.08

n78L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	22.49
n78L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	23.15
n78L	90	30	3500.01	CP	QPSK	Outer_Full	23.38
n78L	90	30	3500.01	CP	16QAM	Inner_Full	24.47
n78L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	22.69
n78L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	22.59
n78L	90	30	3500.01	CP	16QAM	Outer_Full	23.42
n78L	90	30	3500.01	CP	64QAM	Inner_Full	22.80
n78L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	22.14
n78L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	22.20
n78L	90	30	3500.01	CP	64QAM	Outer_Full	22.69
n78L	90	30	3500.01	CP	256QAM	Inner_Full	19.85
n78L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	19.17
n78L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	19.68
n78L	90	30	3500.01	CP	256QAM	Outer_Full	19.72
n78L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	26.43
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	22.47
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	22.78
n78L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	25.82
n78L	90	30	3495	DFT	QPSK	Inner_Full	26.26
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Left	22.68
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Right	22.64
n78L	90	30	3495	DFT	QPSK	Outer_Full	25.15
n78L	90	30	3495	DFT	16QAM	Inner_Full	25.53
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Left	22.70
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Right	22.70
n78L	90	30	3495	DFT	16QAM	Outer_Full	24.51
n78L	90	30	3495	DFT	64QAM	Inner_Full	23.66
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Left	22.32
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Right	22.17
n78L	90	30	3495	DFT	64QAM	Outer_Full	24.06
n78L	90	30	3495	DFT	256QAM	Inner_Full	21.88
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Left	21.56
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Right	21.36
n78L	90	30	3495	DFT	256QAM	Outer_Full	21.69
n78L	90	30	3495	CP	QPSK	Inner_Full	24.90
n78L	90	30	3495	CP	QPSK	Edge_1RB_Left	22.38
n78L	90	30	3495	CP	QPSK	Edge_1RB_Right	22.42
n78L	90	30	3495	CP	QPSK	Outer_Full	23.30
n78L	90	30	3495	CP	16QAM	Inner_Full	24.29
n78L	90	30	3495	CP	16QAM	Edge_1RB_Left	22.67

n78L	90	30	3495	CP	16QAM	Edge_1RB_Right	23.26
n78L	90	30	3495	CP	16QAM	Outer_Full	23.16
n78L	90	30	3495	CP	64QAM	Inner_Full	22.83
n78L	90	30	3495	CP	64QAM	Edge_1RB_Left	22.20
n78L	90	30	3495	CP	64QAM	Edge_1RB_Right	22.25
n78L	90	30	3495	CP	64QAM	Outer_Full	22.72
n78L	90	30	3495	CP	256QAM	Inner_Full	19.74
n78L	90	30	3495	CP	256QAM	Edge_1RB_Left	19.32
n78L	90	30	3495	CP	256QAM	Edge_1RB_Right	19.71
n78L	90	30	3495	CP	256QAM	Outer_Full	19.87
n78L	90	30	3504.99	DFT	$\pi/2$ BPSK	Inner_Full	26.67
n78L	90	30	3504.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.63
n78L	90	30	3504.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.07
n78L	90	30	3504.99	DFT	$\pi/2$ BPSK	Outer_Full	25.79
n78L	90	30	3504.99	DFT	QPSK	Inner_Full	26.58
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	22.28
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	22.84
n78L	90	30	3504.99	DFT	QPSK	Outer_Full	25.39
n78L	90	30	3504.99	DFT	16QAM	Inner_Full	25.21
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	22.51
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	22.95
n78L	90	30	3504.99	DFT	16QAM	Outer_Full	24.08
n78L	90	30	3504.99	DFT	64QAM	Inner_Full	24.40
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	22.12
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	22.45
n78L	90	30	3504.99	DFT	64QAM	Outer_Full	23.62
n78L	90	30	3504.99	DFT	256QAM	Inner_Full	22.23
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	21.09
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	21.80
n78L	90	30	3504.99	DFT	256QAM	Outer_Full	21.74
n78L	90	30	3504.99	CP	QPSK	Inner_Full	25.02
n78L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	22.61
n78L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	23.08
n78L	90	30	3504.99	CP	QPSK	Outer_Full	23.44
n78L	90	30	3504.99	CP	16QAM	Inner_Full	24.53
n78L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	22.53
n78L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	22.95
n78L	90	30	3504.99	CP	16QAM	Outer_Full	23.30
n78L	90	30	3504.99	CP	64QAM	Inner_Full	23.18
n78L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	22.09
n78L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	22.34

n78L	90	30	3504.99	CP	64QAM	Outer_Full	22.79
n78L	90	30	3504.99	CP	256QAM	Inner_Full	20.10
n78L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	19.52
n78L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	19.95
n78L	90	30	3504.99	CP	256QAM	Outer_Full	20.02

A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

n7: Rule Part 27.50(h)(2) specifies, " Mobile and other user stations. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power."

n38: 27.50(h)(2) specifies " Mobile and other user stations. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power".

n41: 27.50(h)(2) specifies " Mobile and other user stations. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power".

n78L: 27.50(k)(3) specifies " Mobile devices are limited to 1Watt (30 dBm) EIRP. Mobile devices operating in these bands must employ a means for limiting power to the minimum necessary for successful communications."

A.1.3.2 Method of Measurement

ANSI C63.26 chapter 5.2.5.5: when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts).

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = P_{\text{Mea}} + G_T$$

Where

ERP or EIRP	effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as P_{Mea} , e.g., dBm or dBW)
P_{Mea}	measured transmitter output power or PSD, in dBm or dBW
G_T	gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

The antenna gain provided by the client may affect the validity of the measurement results in this report, and the client shall bear the impact and consequences arising therefrom.

n7

Limits: ≤33dBm (2W)

Max EIRP: 22.54dBm

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted POWER(dBm)	Radiated POWER(dBm) GT =-0.8dBi
n7	5	15	2503	DFT	pi/2 BPSK	Inner_Full	23.21	22.41
n7	5	15	2503	DFT	pi/2 BPSK	Edge_1RB_Left	22.55	21.75
n7	5	15	2503	DFT	pi/2 BPSK	Edge_1RB_Right	22.50	21.70
n7	5	15	2503	DFT	pi/2 BPSK	Outer_Full	22.55	21.75
n7	5	15	2503	DFT	QPSK	Inner_Full	23.03	22.23
n7	5	15	2503	DFT	QPSK	Edge_1RB_Left	21.84	21.04
n7	5	15	2503	DFT	QPSK	Edge_1RB_Right	21.90	21.10
n7	5	15	2503	DFT	QPSK	Outer_Full	21.94	21.14
n7	5	15	2503	DFT	16QAM	Inner_Full	21.99	21.19
n7	5	15	2503	DFT	16QAM	Edge_1RB_Left	21.08	20.28
n7	5	15	2503	DFT	16QAM	Edge_1RB_Right	21.32	20.52
n7	5	15	2503	DFT	16QAM	Outer_Full	20.94	20.14
n7	5	15	2503	DFT	64QAM	Inner_Full	20.51	19.71
n7	5	15	2503	DFT	64QAM	Edge_1RB_Left	20.29	19.49
n7	5	15	2503	DFT	64QAM	Edge_1RB_Right	20.34	19.54
n7	5	15	2503	DFT	64QAM	Outer_Full	20.60	19.80
n7	5	15	2503	DFT	256QAM	Inner_Full	18.39	17.59
n7	5	15	2503	DFT	256QAM	Edge_1RB_Left	17.93	17.13
n7	5	15	2503	DFT	256QAM	Edge_1RB_Right	18.23	17.43
n7	5	15	2503	DFT	256QAM	Outer_Full	18.21	17.41
n7	5	15	2503	CP	QPSK	Inner_Full	21.61	20.81
n7	5	15	2503	CP	QPSK	Edge_1RB_Left	19.97	19.17
n7	5	15	2503	CP	QPSK	Edge_1RB_Right	20.03	19.23
n7	5	15	2503	CP	QPSK	Outer_Full	20.00	19.20
n7	5	15	2503	CP	16QAM	Inner_Full	21.26	20.46
n7	5	15	2503	CP	16QAM	Edge_1RB_Left	20.38	19.58
n7	5	15	2503	CP	16QAM	Edge_1RB_Right	20.38	19.58
n7	5	15	2503	CP	16QAM	Outer_Full	19.98	19.18
n7	5	15	2503	CP	64QAM	Inner_Full	19.46	18.66
n7	5	15	2503	CP	64QAM	Edge_1RB_Left	19.15	18.35
n7	5	15	2503	CP	64QAM	Edge_1RB_Right	19.26	18.46
n7	5	15	2503	CP	64QAM	Outer_Full	19.49	18.69
n7	5	15	2503	CP	256QAM	Inner_Full	16.58	15.78
n7	5	15	2503	CP	256QAM	Edge_1RB_Left	16.21	15.41
n7	5	15	2503	CP	256QAM	Edge_1RB_Right	16.32	15.52
n7	5	15	2503	CP	256QAM	Outer_Full	16.48	15.68

n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	23.24	22.44
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	21.84
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.71	21.91
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	22.61	21.81
n7	5	15	2535	DFT	QPSK	Inner_Full	23.14	22.34
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	22.05	21.25
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	22.12	21.32
n7	5	15	2535	DFT	QPSK	Outer_Full	22.11	21.31
n7	5	15	2535	DFT	16QAM	Inner_Full	22.10	21.30
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	21.37	20.57
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	21.45	20.65
n7	5	15	2535	DFT	16QAM	Outer_Full	21.10	20.30
n7	5	15	2535	DFT	64QAM	Inner_Full	20.58	19.78
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	20.48	19.68
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	20.44	19.64
n7	5	15	2535	DFT	64QAM	Outer_Full	20.75	19.95
n7	5	15	2535	DFT	256QAM	Inner_Full	18.69	17.89
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	18.26	17.46
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	18.34	17.54
n7	5	15	2535	DFT	256QAM	Outer_Full	18.58	17.78
n7	5	15	2535	CP	QPSK	Inner_Full	21.69	20.89
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	20.20	19.40
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	20.21	19.41
n7	5	15	2535	CP	QPSK	Outer_Full	20.11	19.31
n7	5	15	2535	CP	16QAM	Inner_Full	21.24	20.44
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	20.54	19.74
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	20.54	19.74
n7	5	15	2535	CP	16QAM	Outer_Full	20.10	19.30
n7	5	15	2535	CP	64QAM	Inner_Full	19.59	18.79
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	19.36	18.56
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	19.41	18.61
n7	5	15	2535	CP	64QAM	Outer_Full	19.70	18.90
n7	5	15	2535	CP	256QAM	Inner_Full	16.69	15.89
n7	5	15	2535	CP	256QAM	Edge_1RB_Left	16.39	15.59
n7	5	15	2535	CP	256QAM	Edge_1RB_Right	16.46	15.66
n7	5	15	2535	CP	256QAM	Outer_Full	16.60	15.80
n7	5	15	2568	DFT	pi/2 BPSK	Inner_Full	23.31	22.51
n7	5	15	2568	DFT	pi/2 BPSK	Edge_1RB_Left	22.69	21.89
n7	5	15	2568	DFT	pi/2 BPSK	Edge_1RB_Right	22.83	22.03
n7	5	15	2568	DFT	pi/2 BPSK	Outer_Full	22.79	21.99
n7	5	15	2568	DFT	QPSK	Inner_Full	23.16	22.36

n7	5	15	2568	DFT	QPSK	Edge_1RB_Left	22.06	21.26
n7	5	15	2568	DFT	QPSK	Edge_1RB_Right	22.16	21.36
n7	5	15	2568	DFT	QPSK	Outer_Full	22.17	21.37
n7	5	15	2568	DFT	16QAM	Inner_Full	22.17	21.37
n7	5	15	2568	DFT	16QAM	Edge_1RB_Left	21.60	20.80
n7	5	15	2568	DFT	16QAM	Edge_1RB_Right	21.54	20.74
n7	5	15	2568	DFT	16QAM	Outer_Full	20.93	20.13
n7	5	15	2568	DFT	64QAM	Inner_Full	20.78	19.98
n7	5	15	2568	DFT	64QAM	Edge_1RB_Left	20.31	19.51
n7	5	15	2568	DFT	64QAM	Edge_1RB_Right	20.46	19.66
n7	5	15	2568	DFT	64QAM	Outer_Full	20.93	20.13
n7	5	15	2568	DFT	256QAM	Inner_Full	18.77	17.97
n7	5	15	2568	DFT	256QAM	Edge_1RB_Left	18.37	17.57
n7	5	15	2568	DFT	256QAM	Edge_1RB_Right	18.47	17.67
n7	5	15	2568	DFT	256QAM	Outer_Full	18.62	17.82
n7	5	15	2568	CP	QPSK	Inner_Full	21.80	21.00
n7	5	15	2568	CP	QPSK	Edge_1RB_Left	20.16	19.36
n7	5	15	2568	CP	QPSK	Edge_1RB_Right	20.30	19.50
n7	5	15	2568	CP	QPSK	Outer_Full	20.15	19.35
n7	5	15	2568	CP	16QAM	Inner_Full	21.42	20.62
n7	5	15	2568	CP	16QAM	Edge_1RB_Left	20.66	19.86
n7	5	15	2568	CP	16QAM	Edge_1RB_Right	20.59	19.79
n7	5	15	2568	CP	16QAM	Outer_Full	20.11	19.31
n7	5	15	2568	CP	64QAM	Inner_Full	19.58	18.78
n7	5	15	2568	CP	64QAM	Edge_1RB_Left	19.50	18.70
n7	5	15	2568	CP	64QAM	Edge_1RB_Right	19.48	18.68
n7	5	15	2568	CP	64QAM	Outer_Full	19.82	19.02
n7	5	15	2568	CP	256QAM	Inner_Full	16.75	15.95
n7	5	15	2568	CP	256QAM	Edge_1RB_Left	16.59	15.79
n7	5	15	2568	CP	256QAM	Edge_1RB_Right	16.60	15.80
n7	5	15	2568	CP	256QAM	Outer_Full	16.75	15.95
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	23.04	22.24
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	22.49	21.69
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	21.62
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	22.44	21.64
n7	10	15	2505	DFT	QPSK	Inner_Full	22.90	22.10
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	21.82	21.02
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	21.98	21.18
n7	10	15	2505	DFT	QPSK	Outer_Full	21.94	21.14
n7	10	15	2505	DFT	16QAM	Inner_Full	21.85	21.05
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	20.94	20.14

n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	21.42	20.62
n7	10	15	2505	DFT	16QAM	Outer_Full	20.78	19.98
n7	10	15	2505	DFT	64QAM	Inner_Full	20.50	19.70
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	20.17	19.37
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	20.13	19.33
n7	10	15	2505	DFT	64QAM	Outer_Full	20.38	19.58
n7	10	15	2505	DFT	256QAM	Inner_Full	18.50	17.70
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	18.28	17.48
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	18.25	17.45
n7	10	15	2505	DFT	256QAM	Outer_Full	18.33	17.53
n7	10	15	2505	CP	QPSK	Inner_Full	21.63	20.83
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	19.87	19.07
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	20.11	19.31
n7	10	15	2505	CP	QPSK	Outer_Full	19.97	19.17
n7	10	15	2505	CP	16QAM	Inner_Full	20.96	20.16
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	20.10	19.30
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	20.48	19.68
n7	10	15	2505	CP	16QAM	Outer_Full	19.86	19.06
n7	10	15	2505	CP	64QAM	Inner_Full	19.37	18.57
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	19.15	18.35
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	19.34	18.54
n7	10	15	2505	CP	64QAM	Outer_Full	19.44	18.64
n7	10	15	2505	CP	256QAM	Inner_Full	16.38	15.58
n7	10	15	2505	CP	256QAM	Edge_1RB_Left	16.15	15.35
n7	10	15	2505	CP	256QAM	Edge_1RB_Right	16.39	15.59
n7	10	15	2505	CP	256QAM	Outer_Full	16.39	15.59
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	23.23	22.43
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.59	21.79
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.65	21.85
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	22.66	21.86
n7	10	15	2535	DFT	QPSK	Inner_Full	23.16	22.36
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	22.00	21.20
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	22.14	21.34
n7	10	15	2535	DFT	QPSK	Outer_Full	22.14	21.34
n7	10	15	2535	DFT	16QAM	Inner_Full	22.00	21.20
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	21.22	20.42
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	21.39	20.59
n7	10	15	2535	DFT	16QAM	Outer_Full	20.98	20.18
n7	10	15	2535	DFT	64QAM	Inner_Full	20.62	19.82
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	20.33	19.53
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	20.51	19.71

n7	10	15	2535	DFT	64QAM	Outer_Full	20.69	19.89
n7	10	15	2535	DFT	256QAM	Inner_Full	18.64	17.84
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	18.31	17.51
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	18.42	17.62
n7	10	15	2535	DFT	256QAM	Outer_Full	18.53	17.73
n7	10	15	2535	CP	QPSK	Inner_Full	21.66	20.86
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	20.17	19.37
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	20.22	19.42
n7	10	15	2535	CP	QPSK	Outer_Full	20.07	19.27
n7	10	15	2535	CP	16QAM	Inner_Full	21.23	20.43
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	20.46	19.66
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	20.50	19.70
n7	10	15	2535	CP	16QAM	Outer_Full	20.09	19.29
n7	10	15	2535	CP	64QAM	Inner_Full	19.63	18.83
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	19.31	18.51
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	19.54	18.74
n7	10	15	2535	CP	64QAM	Outer_Full	19.63	18.83
n7	10	15	2535	CP	256QAM	Inner_Full	16.64	15.84
n7	10	15	2535	CP	256QAM	Edge_1RB_Left	16.27	15.47
n7	10	15	2535	CP	256QAM	Edge_1RB_Right	16.54	15.74
n7	10	15	2535	CP	256QAM	Outer_Full	16.56	15.76
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	23.27	22.47
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	22.57	21.77
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	22.70	21.90
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	22.69	21.89
n7	10	15	2565	DFT	QPSK	Inner_Full	23.27	22.47
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	21.94	21.14
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	22.14	21.34
n7	10	15	2565	DFT	QPSK	Outer_Full	22.14	21.34
n7	10	15	2565	DFT	16QAM	Inner_Full	22.31	21.51
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	21.47	20.67
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	21.52	20.72
n7	10	15	2565	DFT	16QAM	Outer_Full	21.19	20.39
n7	10	15	2565	DFT	64QAM	Inner_Full	20.55	19.75
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	20.27	19.47
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	20.54	19.74
n7	10	15	2565	DFT	64QAM	Outer_Full	20.81	20.01
n7	10	15	2565	DFT	256QAM	Inner_Full	18.71	17.91
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	18.37	17.57
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	18.45	17.65
n7	10	15	2565	DFT	256QAM	Outer_Full	18.67	17.87

n7	10	15	2565	CP	QPSK	Inner_Full	21.74	20.94
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	20.09	19.29
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	20.32	19.52
n7	10	15	2565	CP	QPSK	Outer_Full	20.14	19.34
n7	10	15	2565	CP	16QAM	Inner_Full	21.29	20.49
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	20.52	19.72
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	20.72	19.92
n7	10	15	2565	CP	16QAM	Outer_Full	20.11	19.31
n7	10	15	2565	CP	64QAM	Inner_Full	19.66	18.86
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	19.36	18.56
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	19.54	18.74
n7	10	15	2565	CP	64QAM	Outer_Full	19.67	18.87
n7	10	15	2565	CP	256QAM	Inner_Full	16.60	15.80
n7	10	15	2565	CP	256QAM	Edge_1RB_Left	16.46	15.66
n7	10	15	2565	CP	256QAM	Edge_1RB_Right	16.72	15.92
n7	10	15	2565	CP	256QAM	Outer_Full	16.62	15.82
n7	15	15	2508	DFT	$\pi/2$ BPSK	Inner_Full	23.04	22.24
n7	15	15	2508	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.32	21.52
n7	15	15	2508	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.48	21.68
n7	15	15	2508	DFT	$\pi/2$ BPSK	Outer_Full	22.45	21.65
n7	15	15	2508	DFT	QPSK	Inner_Full	22.91	22.11
n7	15	15	2508	DFT	QPSK	Edge_1RB_Left	21.83	21.03
n7	15	15	2508	DFT	QPSK	Edge_1RB_Right	21.95	21.15
n7	15	15	2508	DFT	QPSK	Outer_Full	21.93	21.13
n7	15	15	2508	DFT	16QAM	Inner_Full	21.93	21.13
n7	15	15	2508	DFT	16QAM	Edge_1RB_Left	20.99	20.19
n7	15	15	2508	DFT	16QAM	Edge_1RB_Right	21.21	20.41
n7	15	15	2508	DFT	16QAM	Outer_Full	20.87	20.07
n7	15	15	2508	DFT	64QAM	Inner_Full	20.33	19.53
n7	15	15	2508	DFT	64QAM	Edge_1RB_Left	20.01	19.21
n7	15	15	2508	DFT	64QAM	Edge_1RB_Right	20.20	19.40
n7	15	15	2508	DFT	64QAM	Outer_Full	20.44	19.64
n7	15	15	2508	DFT	256QAM	Inner_Full	18.43	17.63
n7	15	15	2508	DFT	256QAM	Edge_1RB_Left	18.14	17.34
n7	15	15	2508	DFT	256QAM	Edge_1RB_Right	18.47	17.67
n7	15	15	2508	DFT	256QAM	Outer_Full	18.40	17.60
n7	15	15	2508	CP	QPSK	Inner_Full	21.50	20.70
n7	15	15	2508	CP	QPSK	Edge_1RB_Left	19.87	19.07
n7	15	15	2508	CP	QPSK	Edge_1RB_Right	19.95	19.15
n7	15	15	2508	CP	QPSK	Outer_Full	19.95	19.15
n7	15	15	2508	CP	16QAM	Inner_Full	20.88	20.08

n7	15	15	2508	CP	16QAM	Edge_1RB_Left	20.20	19.40
n7	15	15	2508	CP	16QAM	Edge_1RB_Right	20.37	19.57
n7	15	15	2508	CP	16QAM	Outer_Full	19.95	19.15
n7	15	15	2508	CP	64QAM	Inner_Full	19.45	18.65
n7	15	15	2508	CP	64QAM	Edge_1RB_Left	19.04	18.24
n7	15	15	2508	CP	64QAM	Edge_1RB_Right	19.32	18.52
n7	15	15	2508	CP	64QAM	Outer_Full	19.49	18.69
n7	15	15	2508	CP	256QAM	Inner_Full	16.49	15.69
n7	15	15	2508	CP	256QAM	Edge_1RB_Left	16.18	15.38
n7	15	15	2508	CP	256QAM	Edge_1RB_Right	16.39	15.59
n7	15	15	2508	CP	256QAM	Outer_Full	16.37	15.57
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	23.19	22.39
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	21.76
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	21.78
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	22.61	21.81
n7	15	15	2535	DFT	QPSK	Inner_Full	23.06	22.26
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	21.86	21.06
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	22.10	21.30
n7	15	15	2535	DFT	QPSK	Outer_Full	22.10	21.30
n7	15	15	2535	DFT	16QAM	Inner_Full	21.99	21.19
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	21.18	20.38
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	21.23	20.43
n7	15	15	2535	DFT	16QAM	Outer_Full	21.03	20.23
n7	15	15	2535	DFT	64QAM	Inner_Full	20.54	19.74
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	20.26	19.46
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	20.40	19.60
n7	15	15	2535	DFT	64QAM	Outer_Full	20.58	19.78
n7	15	15	2535	DFT	256QAM	Inner_Full	18.69	17.89
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	18.31	17.51
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	18.39	17.59
n7	15	15	2535	DFT	256QAM	Outer_Full	18.53	17.73
n7	15	15	2535	CP	QPSK	Inner_Full	21.68	20.88
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	20.06	19.26
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	20.14	19.34
n7	15	15	2535	CP	QPSK	Outer_Full	20.12	19.32
n7	15	15	2535	CP	16QAM	Inner_Full	21.04	20.24
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	20.32	19.52
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	20.54	19.74
n7	15	15	2535	CP	16QAM	Outer_Full	19.99	19.19
n7	15	15	2535	CP	64QAM	Inner_Full	19.50	18.70
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	19.26	18.46

n7	15	15	2535	CP	64QAM	Edge_1RB_Right	19.33	18.53
n7	15	15	2535	CP	64QAM	Outer_Full	19.53	18.73
n7	15	15	2535	CP	256QAM	Inner_Full	16.48	15.68
n7	15	15	2535	CP	256QAM	Edge_1RB_Left	16.37	15.57
n7	15	15	2535	CP	256QAM	Edge_1RB_Right	16.41	15.61
n7	15	15	2535	CP	256QAM	Outer_Full	16.60	15.80
n7	15	15	2563	DFT	$\pi/2$ BPSK	Inner_Full	23.34	22.54
n7	15	15	2563	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.69	21.89
n7	15	15	2563	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.77	21.97
n7	15	15	2563	DFT	$\pi/2$ BPSK	Outer_Full	22.69	21.89
n7	15	15	2563	DFT	QPSK	Inner_Full	23.16	22.36
n7	15	15	2563	DFT	QPSK	Edge_1RB_Left	22.09	21.29
n7	15	15	2563	DFT	QPSK	Edge_1RB_Right	22.23	21.43
n7	15	15	2563	DFT	QPSK	Outer_Full	22.23	21.43
n7	15	15	2563	DFT	16QAM	Inner_Full	22.22	21.42
n7	15	15	2563	DFT	16QAM	Edge_1RB_Left	21.24	20.44
n7	15	15	2563	DFT	16QAM	Edge_1RB_Right	21.50	20.70
n7	15	15	2563	DFT	16QAM	Outer_Full	21.28	20.48
n7	15	15	2563	DFT	64QAM	Inner_Full	20.79	19.99
n7	15	15	2563	DFT	64QAM	Edge_1RB_Left	20.62	19.82
n7	15	15	2563	DFT	64QAM	Edge_1RB_Right	20.51	19.71
n7	15	15	2563	DFT	64QAM	Outer_Full	20.94	20.14
n7	15	15	2563	DFT	256QAM	Inner_Full	18.76	17.96
n7	15	15	2563	DFT	256QAM	Edge_1RB_Left	18.50	17.70
n7	15	15	2563	DFT	256QAM	Edge_1RB_Right	18.51	17.71
n7	15	15	2563	DFT	256QAM	Outer_Full	18.64	17.84
n7	15	15	2563	CP	QPSK	Inner_Full	21.81	21.01
n7	15	15	2563	CP	QPSK	Edge_1RB_Left	20.21	19.41
n7	15	15	2563	CP	QPSK	Edge_1RB_Right	20.22	19.42
n7	15	15	2563	CP	QPSK	Outer_Full	20.19	19.39
n7	15	15	2563	CP	16QAM	Inner_Full	21.15	20.35
n7	15	15	2563	CP	16QAM	Edge_1RB_Left	20.63	19.83
n7	15	15	2563	CP	16QAM	Edge_1RB_Right	20.66	19.86
n7	15	15	2563	CP	16QAM	Outer_Full	20.16	19.36
n7	15	15	2563	CP	64QAM	Inner_Full	19.72	18.92
n7	15	15	2563	CP	64QAM	Edge_1RB_Left	19.45	18.65
n7	15	15	2563	CP	64QAM	Edge_1RB_Right	19.51	18.71
n7	15	15	2563	CP	64QAM	Outer_Full	19.79	18.99
n7	15	15	2563	CP	256QAM	Inner_Full	16.66	15.86
n7	15	15	2563	CP	256QAM	Edge_1RB_Left	16.57	15.77
n7	15	15	2563	CP	256QAM	Edge_1RB_Right	16.63	15.83

n7	15	15	2563	CP	256QAM	Outer_Full	16.69	15.89
n7	20	15	2535	DFT	$\pi/2$ BPSK	Inner_Full	23.29	22.49
n7	20	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.44	21.64
n7	20	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.55	21.75
n7	20	15	2535	DFT	$\pi/2$ BPSK	Outer_Full	22.68	21.88
n7	20	15	2535	DFT	QPSK	Inner_Full	23.03	22.23
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	21.72	20.92
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	22.03	21.23
n7	20	15	2535	DFT	QPSK	Outer_Full	22.05	21.25
n7	20	15	2535	DFT	16QAM	Inner_Full	21.89	21.09
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	21.15	20.35
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	21.27	20.47
n7	20	15	2535	DFT	16QAM	Outer_Full	21.07	20.27
n7	20	15	2535	DFT	64QAM	Inner_Full	20.55	19.75
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	20.32	19.52
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	20.37	19.57
n7	20	15	2535	DFT	64QAM	Outer_Full	20.60	19.80
n7	20	15	2535	DFT	256QAM	Inner_Full	18.71	17.91
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	18.30	17.50
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	18.30	17.50
n7	20	15	2535	DFT	256QAM	Outer_Full	18.62	17.82
n7	20	15	2535	CP	QPSK	Inner_Full	21.81	21.01
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	20.00	19.20
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	20.07	19.27
n7	20	15	2535	CP	QPSK	Outer_Full	20.20	19.40
n7	20	15	2535	CP	16QAM	Inner_Full	21.10	20.30
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	20.23	19.43
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	20.64	19.84
n7	20	15	2535	CP	16QAM	Outer_Full	20.17	19.37
n7	20	15	2535	CP	64QAM	Inner_Full	19.68	18.88
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	19.29	18.49
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	19.43	18.63
n7	20	15	2535	CP	64QAM	Outer_Full	19.72	18.92
n7	20	15	2535	CP	256QAM	Inner_Full	16.53	15.73
n7	20	15	2535	CP	256QAM	Edge_1RB_Left	16.29	15.49
n7	20	15	2535	CP	256QAM	Edge_1RB_Right	16.59	15.79
n7	20	15	2535	CP	256QAM	Outer_Full	16.70	15.90
n7	20	15	2510	DFT	$\pi/2$ BPSK	Inner_Full	23.26	22.46
n7	20	15	2510	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.39	21.59
n7	20	15	2510	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.61	21.81
n7	20	15	2510	DFT	$\pi/2$ BPSK	Outer_Full	22.47	21.67

n7	20	15	2510	DFT	QPSK	Inner_Full	23.00	22.20
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	21.79	20.99
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	22.16	21.36
n7	20	15	2510	DFT	QPSK	Outer_Full	22.01	21.21
n7	20	15	2510	DFT	16QAM	Inner_Full	22.15	21.35
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	21.14	20.34
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	21.30	20.50
n7	20	15	2510	DFT	16QAM	Outer_Full	20.84	20.04
n7	20	15	2510	DFT	64QAM	Inner_Full	20.63	19.83
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	20.04	19.24
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	20.40	19.60
n7	20	15	2510	DFT	64QAM	Outer_Full	20.37	19.57
n7	20	15	2510	DFT	256QAM	Inner_Full	18.51	17.71
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	18.25	17.45
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	18.37	17.57
n7	20	15	2510	DFT	256QAM	Outer_Full	18.48	17.68
n7	20	15	2510	CP	QPSK	Inner_Full	21.58	20.78
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	19.93	19.13
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	20.09	19.29
n7	20	15	2510	CP	QPSK	Outer_Full	20.05	19.25
n7	20	15	2510	CP	16QAM	Inner_Full	21.00	20.20
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	20.27	19.47
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	20.36	19.56
n7	20	15	2510	CP	16QAM	Outer_Full	20.03	19.23
n7	20	15	2510	CP	64QAM	Inner_Full	19.59	18.79
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	19.10	18.30
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	19.32	18.52
n7	20	15	2510	CP	64QAM	Outer_Full	19.58	18.78
n7	20	15	2510	CP	256QAM	Inner_Full	16.48	15.68
n7	20	15	2510	CP	256QAM	Edge_1RB_Left	16.30	15.50
n7	20	15	2510	CP	256QAM	Edge_1RB_Right	16.47	15.67
n7	20	15	2510	CP	256QAM	Outer_Full	16.47	15.67
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	23.34	22.54
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	21.85
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	22.66	21.86
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	22.64	21.84
n7	20	15	2560	DFT	QPSK	Inner_Full	23.16	22.36
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	22.15	21.35
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	22.19	21.39
n7	20	15	2560	DFT	QPSK	Outer_Full	22.20	21.40
n7	20	15	2560	DFT	16QAM	Inner_Full	21.80	21.00

n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	21.12	20.32
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	21.47	20.67
n7	20	15	2560	DFT	16QAM	Outer_Full	20.99	20.19
n7	20	15	2560	DFT	64QAM	Inner_Full	20.76	19.96
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	20.21	19.41
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	20.22	19.42
n7	20	15	2560	DFT	64QAM	Outer_Full	20.49	19.69
n7	20	15	2560	DFT	256QAM	Inner_Full	18.70	17.90
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	18.43	17.63
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	18.47	17.67
n7	20	15	2560	DFT	256QAM	Outer_Full	18.74	17.94
n7	20	15	2560	CP	QPSK	Inner_Full	21.81	21.01
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	20.30	19.50
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	20.18	19.38
n7	20	15	2560	CP	QPSK	Outer_Full	20.26	19.46
n7	20	15	2560	CP	16QAM	Inner_Full	21.11	20.31
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	20.64	19.84
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	20.63	19.83
n7	20	15	2560	CP	16QAM	Outer_Full	20.23	19.43
n7	20	15	2560	CP	64QAM	Inner_Full	19.72	18.92
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	19.26	18.46
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	19.46	18.66
n7	20	15	2560	CP	64QAM	Outer_Full	19.80	19.00
n7	20	15	2560	CP	256QAM	Inner_Full	16.62	15.82
n7	20	15	2560	CP	256QAM	Edge_1RB_Left	16.62	15.82
n7	20	15	2560	CP	256QAM	Edge_1RB_Right	16.57	15.77
n7	20	15	2560	CP	256QAM	Outer_Full	16.67	15.87

n38
Limits: ≤33dBm (2W)

Max EIRP: 22.28dBm

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	Radiated POWER(dBm) GT = -0.8dBi
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	23.23	22.43
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	22.50	21.70
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	22.54	21.74
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	22.47	21.67
n38	20	30	2595	DFT	QPSK	Inner_Full	23.11	22.31
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	21.87	21.07
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	22.00	21.20
n38	20	30	2595	DFT	QPSK	Outer_Full	21.92	21.12
n38	20	30	2595	DFT	16QAM	Inner_Full	22.02	21.22
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	20.98	20.18
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	21.15	20.35
n38	20	30	2595	DFT	16QAM	Outer_Full	20.91	20.11
n38	20	30	2595	DFT	64QAM	Inner_Full	20.65	19.85
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	20.02	19.22
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	20.19	19.39
n38	20	30	2595	DFT	64QAM	Outer_Full	20.46	19.66
n38	20	30	2595	DFT	256QAM	Inner_Full	18.70	17.90
n38	20	30	2595	DFT	256QAM	Edge_1RB_Left	18.21	17.41
n38	20	30	2595	DFT	256QAM	Edge_1RB_Right	18.35	17.55
n38	20	30	2595	DFT	256QAM	Outer_Full	18.40	17.60
n38	20	30	2595	CP	QPSK	Inner_Full	21.50	20.70
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	19.97	19.17
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	20.09	19.29
n38	20	30	2595	CP	QPSK	Outer_Full	19.90	19.10
n38	20	30	2595	CP	16QAM	Inner_Full	21.17	20.37
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	20.06	19.26
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	20.26	19.46
n38	20	30	2595	CP	16QAM	Outer_Full	19.89	19.09
n38	20	30	2595	CP	64QAM	Inner_Full	19.70	18.90
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	19.04	18.24
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	19.22	18.42
n38	20	30	2595	CP	64QAM	Outer_Full	19.51	18.71
n38	20	30	2595	CP	256QAM	Inner_Full	16.44	15.64
n38	20	30	2595	CP	256QAM	Edge_1RB_Left	16.31	15.51
n38	20	30	2595	CP	256QAM	Edge_1RB_Right	16.48	15.68
n38	20	30	2595	CP	256QAM	Outer_Full	16.47	15.67

n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	22.92	22.12
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	22.26	21.46
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	21.78
n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	22.38	21.58
n38	20	30	2580	DFT	QPSK	Inner_Full	22.91	22.11
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	21.76	20.96
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	22.11	21.31
n38	20	30	2580	DFT	QPSK	Outer_Full	21.96	21.16
n38	20	30	2580	DFT	16QAM	Inner_Full	21.95	21.15
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	20.56	19.76
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	20.91	20.11
n38	20	30	2580	DFT	16QAM	Outer_Full	20.85	20.05
n38	20	30	2580	DFT	64QAM	Inner_Full	20.48	19.68
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	19.76	18.96
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	20.13	19.33
n38	20	30	2580	DFT	64QAM	Outer_Full	20.43	19.63
n38	20	30	2580	DFT	256QAM	Inner_Full	18.39	17.59
n38	20	30	2580	DFT	256QAM	Edge_1RB_Left	18.17	17.37
n38	20	30	2580	DFT	256QAM	Edge_1RB_Right	18.48	17.68
n38	20	30	2580	DFT	256QAM	Outer_Full	18.44	17.64
n38	20	30	2580	CP	QPSK	Inner_Full	21.53	20.73
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	19.69	18.89
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	20.07	19.27
n38	20	30	2580	CP	QPSK	Outer_Full	19.95	19.15
n38	20	30	2580	CP	16QAM	Inner_Full	20.87	20.07
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	19.96	19.16
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	20.26	19.46
n38	20	30	2580	CP	16QAM	Outer_Full	19.91	19.11
n38	20	30	2580	CP	64QAM	Inner_Full	19.41	18.61
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	18.75	17.95
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	19.21	18.41
n38	20	30	2580	CP	64QAM	Outer_Full	19.54	18.74
n38	20	30	2580	CP	256QAM	Inner_Full	16.45	15.65
n38	20	30	2580	CP	256QAM	Edge_1RB_Left	16.22	15.42
n38	20	30	2580	CP	256QAM	Edge_1RB_Right	16.59	15.79
n38	20	30	2580	CP	256QAM	Outer_Full	16.51	15.71
n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	23.06	22.26
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	22.47	21.67
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	22.53	21.73
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	22.50	21.70
n38	20	30	2610	DFT	QPSK	Inner_Full	22.93	22.13

n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	21.98	21.18
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	22.05	21.25
n38	20	30	2610	DFT	QPSK	Outer_Full	21.96	21.16
n38	20	30	2610	DFT	16QAM	Inner_Full	22.08	21.28
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	20.82	20.02
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	21.09	20.29
n38	20	30	2610	DFT	16QAM	Outer_Full	20.99	20.19
n38	20	30	2610	DFT	64QAM	Inner_Full	20.54	19.74
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	20.09	19.29
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	19.91	19.11
n38	20	30	2610	DFT	64QAM	Outer_Full	20.57	19.77
n38	20	30	2610	DFT	256QAM	Inner_Full	18.49	17.69
n38	20	30	2610	DFT	256QAM	Edge_1RB_Left	18.36	17.56
n38	20	30	2610	DFT	256QAM	Edge_1RB_Right	18.34	17.54
n38	20	30	2610	DFT	256QAM	Outer_Full	18.49	17.69
n38	20	30	2610	CP	QPSK	Inner_Full	21.39	20.59
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	20.06	19.26
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	20.12	19.32
n38	20	30	2610	CP	QPSK	Outer_Full	19.91	19.11
n38	20	30	2610	CP	16QAM	Inner_Full	21.02	20.22
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	20.11	19.31
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	20.23	19.43
n38	20	30	2610	CP	16QAM	Outer_Full	19.95	19.15
n38	20	30	2610	CP	64QAM	Inner_Full	19.47	18.67
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	19.00	18.20
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	19.08	18.28
n38	20	30	2610	CP	64QAM	Outer_Full	19.50	18.70
n38	20	30	2610	CP	256QAM	Inner_Full	16.50	15.70
n38	20	30	2610	CP	256QAM	Edge_1RB_Left	16.50	15.70
n38	20	30	2610	CP	256QAM	Edge_1RB_Right	16.61	15.81
n38	20	30	2610	CP	256QAM	Outer_Full	16.56	15.76

n41

Limits: ≤33dBm (2W)

Max EIRP: 24.67dBm

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted POWER(dBm)	Radiated POWER(dBm) GT =-0.8dBi
n41	20	30	2506	DFT	pi/2 BPSK	Inner_Full	24.26	23.46
n41	20	30	2506	DFT	pi/2 BPSK	Edge_1RB_Left	23.46	22.66
n41	20	30	2506	DFT	pi/2 BPSK	Edge_1RB_Right	23.82	23.02
n41	20	30	2506	DFT	pi/2 BPSK	Outer_Full	23.70	22.90
n41	20	30	2506	DFT	QPSK	Inner_Full	24.32	23.52
n41	20	30	2506	DFT	QPSK	Edge_1RB_Left	22.88	22.08
n41	20	30	2506	DFT	QPSK	Edge_1RB_Right	23.27	22.47
n41	20	30	2506	DFT	QPSK	Outer_Full	23.28	22.48
n41	20	30	2506	DFT	16QAM	Inner_Full	23.26	22.46
n41	20	30	2506	DFT	16QAM	Edge_1RB_Left	21.40	20.60
n41	20	30	2506	DFT	16QAM	Edge_1RB_Right	22.36	21.56
n41	20	30	2506	DFT	16QAM	Outer_Full	22.17	21.37
n41	20	30	2506	DFT	64QAM	Inner_Full	21.68	20.88
n41	20	30	2506	DFT	64QAM	Edge_1RB_Left	20.72	19.92
n41	20	30	2506	DFT	64QAM	Edge_1RB_Right	21.44	20.64
n41	20	30	2506	DFT	64QAM	Outer_Full	22.01	21.21
n41	20	30	2506	DFT	256QAM	Inner_Full	19.71	18.91
n41	20	30	2506	DFT	256QAM	Edge_1RB_Left	19.30	18.50
n41	20	30	2506	DFT	256QAM	Edge_1RB_Right	19.69	18.89
n41	20	30	2506	DFT	256QAM	Outer_Full	19.66	18.86
n41	20	30	2506	CP	QPSK	Inner_Full	22.72	21.92
n41	20	30	2506	CP	QPSK	Edge_1RB_Left	20.90	20.10
n41	20	30	2506	CP	QPSK	Edge_1RB_Right	21.46	20.66
n41	20	30	2506	CP	QPSK	Outer_Full	21.19	20.39
n41	20	30	2506	CP	16QAM	Inner_Full	22.27	21.47
n41	20	30	2506	CP	16QAM	Edge_1RB_Left	20.81	20.01
n41	20	30	2506	CP	16QAM	Edge_1RB_Right	21.52	20.72
n41	20	30	2506	CP	16QAM	Outer_Full	21.26	20.46
n41	20	30	2506	CP	64QAM	Inner_Full	20.67	19.87
n41	20	30	2506	CP	64QAM	Edge_1RB_Left	19.86	19.06
n41	20	30	2506	CP	64QAM	Edge_1RB_Right	20.33	19.53
n41	20	30	2506	CP	64QAM	Outer_Full	20.72	19.92
n41	20	30	2506	CP	256QAM	Inner_Full	17.74	16.94
n41	20	30	2506	CP	256QAM	Edge_1RB_Left	17.27	16.47
n41	20	30	2506	CP	256QAM	Edge_1RB_Right	17.80	17.00
n41	20	30	2506	CP	256QAM	Outer_Full	17.68	16.88

n41	20	30	2593	DFT	pi/2 BPSK	Inner_Full	24.41	23.61
n41	20	30	2593	DFT	pi/2 BPSK	Edge_1RB_Left	23.70	22.90
n41	20	30	2593	DFT	pi/2 BPSK	Edge_1RB_Right	23.76	22.96
n41	20	30	2593	DFT	pi/2 BPSK	Outer_Full	24.00	23.20
n41	20	30	2593	DFT	QPSK	Inner_Full	24.38	23.58
n41	20	30	2593	DFT	QPSK	Edge_1RB_Left	23.08	22.28
n41	20	30	2593	DFT	QPSK	Edge_1RB_Right	23.14	22.34
n41	20	30	2593	DFT	QPSK	Outer_Full	23.40	22.60
n41	20	30	2593	DFT	16QAM	Inner_Full	23.26	22.46
n41	20	30	2593	DFT	16QAM	Edge_1RB_Left	22.35	21.55
n41	20	30	2593	DFT	16QAM	Edge_1RB_Right	22.25	21.45
n41	20	30	2593	DFT	16QAM	Outer_Full	22.11	21.31
n41	20	30	2593	DFT	64QAM	Inner_Full	21.88	21.08
n41	20	30	2593	DFT	64QAM	Edge_1RB_Left	21.19	20.39
n41	20	30	2593	DFT	64QAM	Edge_1RB_Right	21.37	20.57
n41	20	30	2593	DFT	64QAM	Outer_Full	21.85	21.05
n41	20	30	2593	DFT	256QAM	Inner_Full	19.99	19.19
n41	20	30	2593	DFT	256QAM	Edge_1RB_Left	19.55	18.75
n41	20	30	2593	DFT	256QAM	Edge_1RB_Right	19.65	18.85
n41	20	30	2593	DFT	256QAM	Outer_Full	19.66	18.86
n41	20	30	2593	CP	QPSK	Inner_Full	22.73	21.93
n41	20	30	2593	CP	QPSK	Edge_1RB_Left	21.19	20.39
n41	20	30	2593	CP	QPSK	Edge_1RB_Right	21.32	20.52
n41	20	30	2593	CP	QPSK	Outer_Full	21.15	20.35
n41	20	30	2593	CP	16QAM	Inner_Full	22.21	21.41
n41	20	30	2593	CP	16QAM	Edge_1RB_Left	21.12	20.32
n41	20	30	2593	CP	16QAM	Edge_1RB_Right	21.31	20.51
n41	20	30	2593	CP	16QAM	Outer_Full	21.38	20.58
n41	20	30	2593	CP	64QAM	Inner_Full	20.71	19.91
n41	20	30	2593	CP	64QAM	Edge_1RB_Left	20.27	19.47
n41	20	30	2593	CP	64QAM	Edge_1RB_Right	20.31	19.51
n41	20	30	2593	CP	64QAM	Outer_Full	20.67	19.87
n41	20	30	2593	CP	256QAM	Inner_Full	17.81	17.01
n41	20	30	2593	CP	256QAM	Edge_1RB_Left	17.45	16.65
n41	20	30	2593	CP	256QAM	Edge_1RB_Right	17.67	16.87
n41	20	30	2593	CP	256QAM	Outer_Full	17.90	17.10
n41	20	30	2680	DFT	pi/2 BPSK	Inner_Full	23.93	23.13
n41	20	30	2680	DFT	pi/2 BPSK	Edge_1RB_Left	23.63	22.83
n41	20	30	2680	DFT	pi/2 BPSK	Edge_1RB_Right	23.64	22.84
n41	20	30	2680	DFT	pi/2 BPSK	Outer_Full	23.60	22.80
n41	20	30	2680	DFT	QPSK	Inner_Full	23.93	23.13

n41	20	30	2680	DFT	QPSK	Edge_1RB_Left	23.09	22.29
n41	20	30	2680	DFT	QPSK	Edge_1RB_Right	22.83	22.03
n41	20	30	2680	DFT	QPSK	Outer_Full	22.97	22.17
n41	20	30	2680	DFT	16QAM	Inner_Full	23.21	22.41
n41	20	30	2680	DFT	16QAM	Edge_1RB_Left	22.16	21.36
n41	20	30	2680	DFT	16QAM	Edge_1RB_Right	22.10	21.30
n41	20	30	2680	DFT	16QAM	Outer_Full	22.03	21.23
n41	20	30	2680	DFT	64QAM	Inner_Full	21.49	20.69
n41	20	30	2680	DFT	64QAM	Edge_1RB_Left	21.28	20.48
n41	20	30	2680	DFT	64QAM	Edge_1RB_Right	20.93	20.13
n41	20	30	2680	DFT	64QAM	Outer_Full	21.54	20.74
n41	20	30	2680	DFT	256QAM	Inner_Full	19.53	18.73
n41	20	30	2680	DFT	256QAM	Edge_1RB_Left	19.41	18.61
n41	20	30	2680	DFT	256QAM	Edge_1RB_Right	19.29	18.49
n41	20	30	2680	DFT	256QAM	Outer_Full	19.51	18.71
n41	20	30	2680	CP	QPSK	Inner_Full	22.59	21.79
n41	20	30	2680	CP	QPSK	Edge_1RB_Left	21.15	20.35
n41	20	30	2680	CP	QPSK	Edge_1RB_Right	20.87	20.07
n41	20	30	2680	CP	QPSK	Outer_Full	21.16	20.36
n41	20	30	2680	CP	16QAM	Inner_Full	22.05	21.25
n41	20	30	2680	CP	16QAM	Edge_1RB_Left	21.20	20.40
n41	20	30	2680	CP	16QAM	Edge_1RB_Right	21.17	20.37
n41	20	30	2680	CP	16QAM	Outer_Full	21.04	20.24
n41	20	30	2680	CP	64QAM	Inner_Full	20.47	19.67
n41	20	30	2680	CP	64QAM	Edge_1RB_Left	20.04	19.24
n41	20	30	2680	CP	64QAM	Edge_1RB_Right	20.07	19.27
n41	20	30	2680	CP	64QAM	Outer_Full	20.59	19.79
n41	20	30	2680	CP	256QAM	Inner_Full	17.51	16.71
n41	20	30	2680	CP	256QAM	Edge_1RB_Left	17.46	16.66
n41	20	30	2680	CP	256QAM	Edge_1RB_Right	17.44	16.64
n41	20	30	2680	CP	256QAM	Outer_Full	17.56	16.76
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	24.43	23.63
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	23.54	22.74
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	24.18	23.38
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	23.91	23.11
n41	30	30	2511	DFT	QPSK	Inner_Full	24.42	23.62
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	22.86	22.06
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	23.73	22.93
n41	30	30	2511	DFT	QPSK	Outer_Full	23.39	22.59
n41	30	30	2511	DFT	16QAM	Inner_Full	23.17	22.37
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	21.60	20.80

n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.45	21.65
n41	30	30	2511	DFT	16QAM	Outer_Full	22.44	21.64
n41	30	30	2511	DFT	64QAM	Inner_Full	22.21	21.41
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	21.35	20.55
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	21.77	20.97
n41	30	30	2511	DFT	64QAM	Outer_Full	22.27	21.47
n41	30	30	2511	DFT	256QAM	Inner_Full	19.95	19.15
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	19.25	18.45
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	19.65	18.85
n41	30	30	2511	DFT	256QAM	Outer_Full	19.94	19.14
n41	30	30	2511	CP	QPSK	Inner_Full	23.05	22.25
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	20.93	20.13
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	21.54	20.74
n41	30	30	2511	CP	QPSK	Outer_Full	21.46	20.66
n41	30	30	2511	CP	16QAM	Inner_Full	22.55	21.75
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	21.19	20.39
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	21.63	20.83
n41	30	30	2511	CP	16QAM	Outer_Full	21.47	20.67
n41	30	30	2511	CP	64QAM	Inner_Full	21.02	20.22
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	19.79	18.99
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	20.67	19.87
n41	30	30	2511	CP	64QAM	Outer_Full	20.95	20.15
n41	30	30	2511	CP	256QAM	Inner_Full	17.94	17.14
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	17.18	16.38
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	17.83	17.03
n41	30	30	2511	CP	256QAM	Outer_Full	18.01	17.21
n41	30	30	2593	DFT	$\pi/2$ BPSK	Inner_Full	24.37	23.57
n41	30	30	2593	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.59	22.79
n41	30	30	2593	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.85	23.05
n41	30	30	2593	DFT	$\pi/2$ BPSK	Outer_Full	23.85	23.05
n41	30	30	2593	DFT	QPSK	Inner_Full	24.39	23.59
n41	30	30	2593	DFT	QPSK	Edge_1RB_Left	22.92	22.12
n41	30	30	2593	DFT	QPSK	Edge_1RB_Right	23.21	22.41
n41	30	30	2593	DFT	QPSK	Outer_Full	23.35	22.55
n41	30	30	2593	DFT	16QAM	Inner_Full	23.18	22.38
n41	30	30	2593	DFT	16QAM	Edge_1RB_Left	22.12	21.32
n41	30	30	2593	DFT	16QAM	Edge_1RB_Right	22.28	21.48
n41	30	30	2593	DFT	16QAM	Outer_Full	22.15	21.35
n41	30	30	2593	DFT	64QAM	Inner_Full	21.83	21.03
n41	30	30	2593	DFT	64QAM	Edge_1RB_Left	21.09	20.29
n41	30	30	2593	DFT	64QAM	Edge_1RB_Right	21.34	20.54

n41	30	30	2593	DFT	64QAM	Outer_Full	21.84	21.04
n41	30	30	2593	DFT	256QAM	Inner_Full	20.00	19.20
n41	30	30	2593	DFT	256QAM	Edge_1RB_Left	19.48	18.68
n41	30	30	2593	DFT	256QAM	Edge_1RB_Right	19.52	18.72
n41	30	30	2593	DFT	256QAM	Outer_Full	19.67	18.87
n41	30	30	2593	CP	QPSK	Inner_Full	22.76	21.96
n41	30	30	2593	CP	QPSK	Edge_1RB_Left	21.12	20.32
n41	30	30	2593	CP	QPSK	Edge_1RB_Right	21.29	20.49
n41	30	30	2593	CP	QPSK	Outer_Full	21.25	20.45
n41	30	30	2593	CP	16QAM	Inner_Full	22.22	21.42
n41	30	30	2593	CP	16QAM	Edge_1RB_Left	20.85	20.05
n41	30	30	2593	CP	16QAM	Edge_1RB_Right	21.18	20.38
n41	30	30	2593	CP	16QAM	Outer_Full	21.19	20.39
n41	30	30	2593	CP	64QAM	Inner_Full	20.87	20.07
n41	30	30	2593	CP	64QAM	Edge_1RB_Left	19.95	19.15
n41	30	30	2593	CP	64QAM	Edge_1RB_Right	20.28	19.48
n41	30	30	2593	CP	64QAM	Outer_Full	20.74	19.94
n41	30	30	2593	CP	256QAM	Inner_Full	17.88	17.08
n41	30	30	2593	CP	256QAM	Edge_1RB_Left	17.35	16.55
n41	30	30	2593	CP	256QAM	Edge_1RB_Right	17.99	17.19
n41	30	30	2593	CP	256QAM	Outer_Full	17.81	17.01
n41	30	30	2675	DFT	pi/2 BPSK	Inner_Full	24.28	23.48
n41	30	30	2675	DFT	pi/2 BPSK	Edge_1RB_Left	24.05	23.25
n41	30	30	2675	DFT	pi/2 BPSK	Edge_1RB_Right	23.74	22.94
n41	30	30	2675	DFT	pi/2 BPSK	Outer_Full	23.68	22.88
n41	30	30	2675	DFT	QPSK	Inner_Full	24.16	23.36
n41	30	30	2675	DFT	QPSK	Edge_1RB_Left	23.21	22.41
n41	30	30	2675	DFT	QPSK	Edge_1RB_Right	23.21	22.41
n41	30	30	2675	DFT	QPSK	Outer_Full	23.28	22.48
n41	30	30	2675	DFT	16QAM	Inner_Full	23.25	22.45
n41	30	30	2675	DFT	16QAM	Edge_1RB_Left	22.40	21.60
n41	30	30	2675	DFT	16QAM	Edge_1RB_Right	22.13	21.33
n41	30	30	2675	DFT	16QAM	Outer_Full	22.27	21.47
n41	30	30	2675	DFT	64QAM	Inner_Full	21.65	20.85
n41	30	30	2675	DFT	64QAM	Edge_1RB_Left	21.53	20.73
n41	30	30	2675	DFT	64QAM	Edge_1RB_Right	21.12	20.32
n41	30	30	2675	DFT	64QAM	Outer_Full	21.80	21.00
n41	30	30	2675	DFT	256QAM	Inner_Full	19.82	19.02
n41	30	30	2675	DFT	256QAM	Edge_1RB_Left	19.59	18.79
n41	30	30	2675	DFT	256QAM	Edge_1RB_Right	19.38	18.58
n41	30	30	2675	DFT	256QAM	Outer_Full	19.77	18.97

n41	30	30	2675	CP	QPSK	Inner_Full	22.89	22.09
n41	30	30	2675	CP	QPSK	Edge_1RB_Left	21.28	20.48
n41	30	30	2675	CP	QPSK	Edge_1RB_Right	21.09	20.29
n41	30	30	2675	CP	QPSK	Outer_Full	21.20	20.40
n41	30	30	2675	CP	16QAM	Inner_Full	22.25	21.45
n41	30	30	2675	CP	16QAM	Edge_1RB_Left	21.47	20.67
n41	30	30	2675	CP	16QAM	Edge_1RB_Right	21.08	20.28
n41	30	30	2675	CP	16QAM	Outer_Full	21.29	20.49
n41	30	30	2675	CP	64QAM	Inner_Full	20.63	19.83
n41	30	30	2675	CP	64QAM	Edge_1RB_Left	20.62	19.82
n41	30	30	2675	CP	64QAM	Edge_1RB_Right	20.21	19.41
n41	30	30	2675	CP	64QAM	Outer_Full	20.80	20.00
n41	30	30	2675	CP	256QAM	Inner_Full	17.65	16.85
n41	30	30	2675	CP	256QAM	Edge_1RB_Left	17.70	16.90
n41	30	30	2675	CP	256QAM	Edge_1RB_Right	17.65	16.85
n41	30	30	2675	CP	256QAM	Outer_Full	17.75	16.95
n41	40	30	2516	DFT	$\pi/2$ BPSK	Inner_Full	24.54	23.74
n41	40	30	2516	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.51	22.71
n41	40	30	2516	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.96	23.16
n41	40	30	2516	DFT	$\pi/2$ BPSK	Outer_Full	23.99	23.19
n41	40	30	2516	DFT	QPSK	Inner_Full	24.37	23.57
n41	40	30	2516	DFT	QPSK	Edge_1RB_Left	22.83	22.03
n41	40	30	2516	DFT	QPSK	Edge_1RB_Right	23.41	22.61
n41	40	30	2516	DFT	QPSK	Outer_Full	23.32	22.52
n41	40	30	2516	DFT	16QAM	Inner_Full	23.43	22.63
n41	40	30	2516	DFT	16QAM	Edge_1RB_Left	21.81	21.01
n41	40	30	2516	DFT	16QAM	Edge_1RB_Right	22.37	21.57
n41	40	30	2516	DFT	16QAM	Outer_Full	22.12	21.32
n41	40	30	2516	DFT	64QAM	Inner_Full	21.94	21.14
n41	40	30	2516	DFT	64QAM	Edge_1RB_Left	21.48	20.68
n41	40	30	2516	DFT	64QAM	Edge_1RB_Right	21.23	20.43
n41	40	30	2516	DFT	64QAM	Outer_Full	21.79	20.99
n41	40	30	2516	DFT	256QAM	Inner_Full	19.96	19.16
n41	40	30	2516	DFT	256QAM	Edge_1RB_Left	19.38	18.58
n41	40	30	2516	DFT	256QAM	Edge_1RB_Right	19.75	18.95
n41	40	30	2516	DFT	256QAM	Outer_Full	19.88	19.08
n41	40	30	2516	CP	QPSK	Inner_Full	23.11	22.31
n41	40	30	2516	CP	QPSK	Edge_1RB_Left	20.92	20.12
n41	40	30	2516	CP	QPSK	Edge_1RB_Right	21.56	20.76
n41	40	30	2516	CP	QPSK	Outer_Full	21.50	20.70
n41	40	30	2516	CP	16QAM	Inner_Full	22.41	21.61

n41	40	30	2516	CP	16QAM	Edge_1RB_Left	21.28	20.48
n41	40	30	2516	CP	16QAM	Edge_1RB_Right	21.77	20.97
n41	40	30	2516	CP	16QAM	Outer_Full	21.50	20.70
n41	40	30	2516	CP	64QAM	Inner_Full	20.85	20.05
n41	40	30	2516	CP	64QAM	Edge_1RB_Left	19.87	19.07
n41	40	30	2516	CP	64QAM	Edge_1RB_Right	20.44	19.64
n41	40	30	2516	CP	64QAM	Outer_Full	20.91	20.11
n41	40	30	2516	CP	256QAM	Inner_Full	17.89	17.09
n41	40	30	2516	CP	256QAM	Edge_1RB_Left	17.58	16.78
n41	40	30	2516	CP	256QAM	Edge_1RB_Right	17.90	17.10
n41	40	30	2516	CP	256QAM	Outer_Full	17.99	17.19
n41	40	30	2593	DFT	pi/2 BPSK	Inner_Full	24.43	23.63
n41	40	30	2593	DFT	pi/2 BPSK	Edge_1RB_Left	23.50	22.70
n41	40	30	2593	DFT	pi/2 BPSK	Edge_1RB_Right	24.00	23.20
n41	40	30	2593	DFT	pi/2 BPSK	Outer_Full	23.76	22.96
n41	40	30	2593	DFT	QPSK	Inner_Full	24.32	23.52
n41	40	30	2593	DFT	QPSK	Edge_1RB_Left	22.97	22.17
n41	40	30	2593	DFT	QPSK	Edge_1RB_Right	23.11	22.31
n41	40	30	2593	DFT	QPSK	Outer_Full	23.21	22.41
n41	40	30	2593	DFT	16QAM	Inner_Full	23.12	22.32
n41	40	30	2593	DFT	16QAM	Edge_1RB_Left	22.24	21.44
n41	40	30	2593	DFT	16QAM	Edge_1RB_Right	22.23	21.43
n41	40	30	2593	DFT	16QAM	Outer_Full	22.22	21.42
n41	40	30	2593	DFT	64QAM	Inner_Full	21.49	20.69
n41	40	30	2593	DFT	64QAM	Edge_1RB_Left	20.81	20.01
n41	40	30	2593	DFT	64QAM	Edge_1RB_Right	21.07	20.27
n41	40	30	2593	DFT	64QAM	Outer_Full	21.88	21.08
n41	40	30	2593	DFT	256QAM	Inner_Full	19.83	19.03
n41	40	30	2593	DFT	256QAM	Edge_1RB_Left	19.26	18.46
n41	40	30	2593	DFT	256QAM	Edge_1RB_Right	19.97	19.17
n41	40	30	2593	DFT	256QAM	Outer_Full	19.79	18.99
n41	40	30	2593	CP	QPSK	Inner_Full	22.99	22.19
n41	40	30	2593	CP	QPSK	Edge_1RB_Left	21.07	20.27
n41	40	30	2593	CP	QPSK	Edge_1RB_Right	21.40	20.60
n41	40	30	2593	CP	QPSK	Outer_Full	21.21	20.41
n41	40	30	2593	CP	16QAM	Inner_Full	22.25	21.45
n41	40	30	2593	CP	16QAM	Edge_1RB_Left	21.09	20.29
n41	40	30	2593	CP	16QAM	Edge_1RB_Right	21.43	20.63
n41	40	30	2593	CP	16QAM	Outer_Full	21.27	20.47
n41	40	30	2593	CP	64QAM	Inner_Full	20.73	19.93
n41	40	30	2593	CP	64QAM	Edge_1RB_Left	19.85	19.05

n41	40	30	2593	CP	64QAM	Edge_1RB_Right	20.09	19.29
n41	40	30	2593	CP	64QAM	Outer_Full	20.67	19.87
n41	40	30	2593	CP	256QAM	Inner_Full	17.84	17.04
n41	40	30	2593	CP	256QAM	Edge_1RB_Left	17.31	16.51
n41	40	30	2593	CP	256QAM	Edge_1RB_Right	17.83	17.03
n41	40	30	2593	CP	256QAM	Outer_Full	17.75	16.95
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	24.30	23.50
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	24.05	23.25
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	23.58	22.78
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	23.82	23.02
n41	40	30	2670	DFT	QPSK	Inner_Full	24.12	23.32
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	23.38	22.58
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	22.97	22.17
n41	40	30	2670	DFT	QPSK	Outer_Full	23.19	22.39
n41	40	30	2670	DFT	16QAM	Inner_Full	23.24	22.44
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.55	21.75
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.40	21.60
n41	40	30	2670	DFT	16QAM	Outer_Full	22.24	21.44
n41	40	30	2670	DFT	64QAM	Inner_Full	21.79	20.99
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	21.50	20.70
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	21.11	20.31
n41	40	30	2670	DFT	64QAM	Outer_Full	21.81	21.01
n41	40	30	2670	DFT	256QAM	Inner_Full	19.75	18.95
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	19.83	19.03
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	19.56	18.76
n41	40	30	2670	DFT	256QAM	Outer_Full	19.72	18.92
n41	40	30	2670	CP	QPSK	Inner_Full	22.85	22.05
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	21.42	20.62
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	21.05	20.25
n41	40	30	2670	CP	QPSK	Outer_Full	21.18	20.38
n41	40	30	2670	CP	16QAM	Inner_Full	22.29	21.49
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	21.60	20.80
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	21.15	20.35
n41	40	30	2670	CP	16QAM	Outer_Full	21.26	20.46
n41	40	30	2670	CP	64QAM	Inner_Full	20.77	19.97
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	20.41	19.61
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	20.24	19.44
n41	40	30	2670	CP	64QAM	Outer_Full	20.71	19.91
n41	40	30	2670	CP	256QAM	Inner_Full	17.70	16.90
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	17.85	17.05
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	17.48	16.68

n41	40	30	2670	CP	256QAM	Outer_Full	17.69	16.89
n41	50	30	2521	DFT	pi/2 BPSK	Inner_Full	24.43	23.63
n41	50	30	2521	DFT	pi/2 BPSK	Edge_1RB_Left	23.27	22.47
n41	50	30	2521	DFT	pi/2 BPSK	Edge_1RB_Right	23.65	22.85
n41	50	30	2521	DFT	pi/2 BPSK	Outer_Full	23.96	23.16
n41	50	30	2521	DFT	QPSK	Inner_Full	24.47	23.67
n41	50	30	2521	DFT	QPSK	Edge_1RB_Left	22.88	22.08
n41	50	30	2521	DFT	QPSK	Edge_1RB_Right	23.34	22.54
n41	50	30	2521	DFT	QPSK	Outer_Full	23.47	22.67
n41	50	30	2521	DFT	16QAM	Inner_Full	23.38	22.58
n41	50	30	2521	DFT	16QAM	Edge_1RB_Left	21.78	20.98
n41	50	30	2521	DFT	16QAM	Edge_1RB_Right	22.38	21.58
n41	50	30	2521	DFT	16QAM	Outer_Full	22.36	21.56
n41	50	30	2521	DFT	64QAM	Inner_Full	22.00	21.20
n41	50	30	2521	DFT	64QAM	Edge_1RB_Left	20.69	19.89
n41	50	30	2521	DFT	64QAM	Edge_1RB_Right	21.19	20.39
n41	50	30	2521	DFT	64QAM	Outer_Full	21.98	21.18
n41	50	30	2521	DFT	256QAM	Inner_Full	19.94	19.14
n41	50	30	2521	DFT	256QAM	Edge_1RB_Left	19.13	18.33
n41	50	30	2521	DFT	256QAM	Edge_1RB_Right	19.87	19.07
n41	50	30	2521	DFT	256QAM	Outer_Full	20.01	19.21
n41	50	30	2521	CP	QPSK	Inner_Full	23.09	22.29
n41	50	30	2521	CP	QPSK	Edge_1RB_Left	20.88	20.08
n41	50	30	2521	CP	QPSK	Edge_1RB_Right	21.29	20.49
n41	50	30	2521	CP	QPSK	Outer_Full	21.42	20.62
n41	50	30	2521	CP	16QAM	Inner_Full	22.37	21.57
n41	50	30	2521	CP	16QAM	Edge_1RB_Left	20.93	20.13
n41	50	30	2521	CP	16QAM	Edge_1RB_Right	21.20	20.40
n41	50	30	2521	CP	16QAM	Outer_Full	21.36	20.56
n41	50	30	2521	CP	64QAM	Inner_Full	21.07	20.27
n41	50	30	2521	CP	64QAM	Edge_1RB_Left	19.69	18.89
n41	50	30	2521	CP	64QAM	Edge_1RB_Right	20.44	19.64
n41	50	30	2521	CP	64QAM	Outer_Full	20.85	20.05
n41	50	30	2521	CP	256QAM	Inner_Full	18.01	17.21
n41	50	30	2521	CP	256QAM	Edge_1RB_Left	17.29	16.49
n41	50	30	2521	CP	256QAM	Edge_1RB_Right	17.60	16.80
n41	50	30	2521	CP	256QAM	Outer_Full	17.85	17.05
n41	50	30	2593	DFT	pi/2 BPSK	Inner_Full	24.38	23.58
n41	50	30	2593	DFT	pi/2 BPSK	Edge_1RB_Left	23.33	22.53
n41	50	30	2593	DFT	pi/2 BPSK	Edge_1RB_Right	23.80	23.00
n41	50	30	2593	DFT	pi/2 BPSK	Outer_Full	23.61	22.81

n41	50	30	2593	DFT	QPSK	Inner_Full	24.15	23.35
n41	50	30	2593	DFT	QPSK	Edge_1RB_Left	22.70	21.90
n41	50	30	2593	DFT	QPSK	Edge_1RB_Right	22.89	22.09
n41	50	30	2593	DFT	QPSK	Outer_Full	23.12	22.32
n41	50	30	2593	DFT	16QAM	Inner_Full	23.27	22.47
n41	50	30	2593	DFT	16QAM	Edge_1RB_Left	21.83	21.03
n41	50	30	2593	DFT	16QAM	Edge_1RB_Right	22.32	21.52
n41	50	30	2593	DFT	16QAM	Outer_Full	22.12	21.32
n41	50	30	2593	DFT	64QAM	Inner_Full	21.62	20.82
n41	50	30	2593	DFT	64QAM	Edge_1RB_Left	20.71	19.91
n41	50	30	2593	DFT	64QAM	Edge_1RB_Right	21.08	20.28
n41	50	30	2593	DFT	64QAM	Outer_Full	21.83	21.03
n41	50	30	2593	DFT	256QAM	Inner_Full	19.66	18.86
n41	50	30	2593	DFT	256QAM	Edge_1RB_Left	19.16	18.36
n41	50	30	2593	DFT	256QAM	Edge_1RB_Right	19.58	18.78
n41	50	30	2593	DFT	256QAM	Outer_Full	19.62	18.82
n41	50	30	2593	CP	QPSK	Inner_Full	22.86	22.06
n41	50	30	2593	CP	QPSK	Edge_1RB_Left	20.73	19.93
n41	50	30	2593	CP	QPSK	Edge_1RB_Right	21.24	20.44
n41	50	30	2593	CP	QPSK	Outer_Full	21.18	20.38
n41	50	30	2593	CP	16QAM	Inner_Full	22.28	21.48
n41	50	30	2593	CP	16QAM	Edge_1RB_Left	21.11	20.31
n41	50	30	2593	CP	16QAM	Edge_1RB_Right	21.20	20.40
n41	50	30	2593	CP	16QAM	Outer_Full	21.13	20.33
n41	50	30	2593	CP	64QAM	Inner_Full	20.62	19.82
n41	50	30	2593	CP	64QAM	Edge_1RB_Left	19.86	19.06
n41	50	30	2593	CP	64QAM	Edge_1RB_Right	19.93	19.13
n41	50	30	2593	CP	64QAM	Outer_Full	20.57	19.77
n41	50	30	2593	CP	256QAM	Inner_Full	17.72	16.92
n41	50	30	2593	CP	256QAM	Edge_1RB_Left	17.24	16.44
n41	50	30	2593	CP	256QAM	Edge_1RB_Right	17.66	16.86
n41	50	30	2593	CP	256QAM	Outer_Full	17.65	16.85
n41	50	30	2665	DFT	$\pi/2$ BPSK	Inner_Full	24.43	23.63
n41	50	30	2665	DFT	$\pi/2$ BPSK	Edge_1RB_Left	24.03	23.23
n41	50	30	2665	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.59	22.79
n41	50	30	2665	DFT	$\pi/2$ BPSK	Outer_Full	23.80	23.00
n41	50	30	2665	DFT	QPSK	Inner_Full	24.31	23.51
n41	50	30	2665	DFT	QPSK	Edge_1RB_Left	23.37	22.57
n41	50	30	2665	DFT	QPSK	Edge_1RB_Right	23.05	22.25
n41	50	30	2665	DFT	QPSK	Outer_Full	23.39	22.59
n41	50	30	2665	DFT	16QAM	Inner_Full	23.32	22.52

n41	50	30	2665	DFT	16QAM	Edge_1RB_Left	22.46	21.66
n41	50	30	2665	DFT	16QAM	Edge_1RB_Right	22.11	21.31
n41	50	30	2665	DFT	16QAM	Outer_Full	22.21	21.41
n41	50	30	2665	DFT	64QAM	Inner_Full	21.90	21.10
n41	50	30	2665	DFT	64QAM	Edge_1RB_Left	21.43	20.63
n41	50	30	2665	DFT	64QAM	Edge_1RB_Right	21.18	20.38
n41	50	30	2665	DFT	64QAM	Outer_Full	21.92	21.12
n41	50	30	2665	DFT	256QAM	Inner_Full	19.85	19.05
n41	50	30	2665	DFT	256QAM	Edge_1RB_Left	19.98	19.18
n41	50	30	2665	DFT	256QAM	Edge_1RB_Right	19.28	18.48
n41	50	30	2665	DFT	256QAM	Outer_Full	19.79	18.99
n41	50	30	2665	CP	QPSK	Inner_Full	22.80	22.00
n41	50	30	2665	CP	QPSK	Edge_1RB_Left	21.21	20.41
n41	50	30	2665	CP	QPSK	Edge_1RB_Right	21.06	20.26
n41	50	30	2665	CP	QPSK	Outer_Full	21.32	20.52
n41	50	30	2665	CP	16QAM	Inner_Full	22.38	21.58
n41	50	30	2665	CP	16QAM	Edge_1RB_Left	21.59	20.79
n41	50	30	2665	CP	16QAM	Edge_1RB_Right	21.37	20.57
n41	50	30	2665	CP	16QAM	Outer_Full	21.17	20.37
n41	50	30	2665	CP	64QAM	Inner_Full	20.85	20.05
n41	50	30	2665	CP	64QAM	Edge_1RB_Left	20.43	19.63
n41	50	30	2665	CP	64QAM	Edge_1RB_Right	20.07	19.27
n41	50	30	2665	CP	64QAM	Outer_Full	20.69	19.89
n41	50	30	2665	CP	256QAM	Inner_Full	17.89	17.09
n41	50	30	2665	CP	256QAM	Edge_1RB_Left	17.67	16.87
n41	50	30	2665	CP	256QAM	Edge_1RB_Right	17.50	16.70
n41	50	30	2665	CP	256QAM	Outer_Full	17.77	16.97
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	24.54	23.74
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	23.38	22.58
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	23.38	22.58
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	23.88	23.08
n41	60	30	2526	DFT	QPSK	Inner_Full	24.40	23.60
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	22.52	21.72
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	23.03	22.23
n41	60	30	2526	DFT	QPSK	Outer_Full	23.36	22.56
n41	60	30	2526	DFT	16QAM	Inner_Full	23.28	22.48
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	21.65	20.85
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	21.82	21.02
n41	60	30	2526	DFT	16QAM	Outer_Full	22.36	21.56
n41	60	30	2526	DFT	64QAM	Inner_Full	22.01	21.21
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	20.90	20.10

n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.15	20.35
n41	60	30	2526	DFT	64QAM	Outer_Full	21.85	21.05
n41	60	30	2526	DFT	256QAM	Inner_Full	19.97	19.17
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	19.01	18.21
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	19.32	18.52
n41	60	30	2526	DFT	256QAM	Outer_Full	20.00	19.20
n41	60	30	2526	CP	QPSK	Inner_Full	22.99	22.19
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	20.75	19.95
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	21.02	20.22
n41	60	30	2526	CP	QPSK	Outer_Full	21.32	20.52
n41	60	30	2526	CP	16QAM	Inner_Full	22.33	21.53
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	20.71	19.91
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	21.08	20.28
n41	60	30	2526	CP	16QAM	Outer_Full	21.30	20.50
n41	60	30	2526	CP	64QAM	Inner_Full	20.85	20.05
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	19.68	18.88
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	20.09	19.29
n41	60	30	2526	CP	64QAM	Outer_Full	20.76	19.96
n41	60	30	2526	CP	256QAM	Inner_Full	17.95	17.15
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	17.26	16.46
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	17.47	16.67
n41	60	30	2526	CP	256QAM	Outer_Full	17.89	17.09
n41	60	30	2593	DFT	pi/2 BPSK	Inner_Full	24.34	23.54
n41	60	30	2593	DFT	pi/2 BPSK	Edge_1RB_Left	23.29	22.49
n41	60	30	2593	DFT	pi/2 BPSK	Edge_1RB_Right	23.60	22.80
n41	60	30	2593	DFT	pi/2 BPSK	Outer_Full	23.56	22.76
n41	60	30	2593	DFT	QPSK	Inner_Full	24.22	23.42
n41	60	30	2593	DFT	QPSK	Edge_1RB_Left	22.86	22.06
n41	60	30	2593	DFT	QPSK	Edge_1RB_Right	22.91	22.11
n41	60	30	2593	DFT	QPSK	Outer_Full	23.06	22.26
n41	60	30	2593	DFT	16QAM	Inner_Full	23.07	22.27
n41	60	30	2593	DFT	16QAM	Edge_1RB_Left	21.85	21.05
n41	60	30	2593	DFT	16QAM	Edge_1RB_Right	22.10	21.30
n41	60	30	2593	DFT	16QAM	Outer_Full	22.09	21.29
n41	60	30	2593	DFT	64QAM	Inner_Full	21.51	20.71
n41	60	30	2593	DFT	64QAM	Edge_1RB_Left	20.51	19.71
n41	60	30	2593	DFT	64QAM	Edge_1RB_Right	21.05	20.25
n41	60	30	2593	DFT	64QAM	Outer_Full	21.53	20.73
n41	60	30	2593	DFT	256QAM	Inner_Full	19.74	18.94
n41	60	30	2593	DFT	256QAM	Edge_1RB_Left	19.22	18.42
n41	60	30	2593	DFT	256QAM	Edge_1RB_Right	19.48	18.68

n41	60	30	2593	DFT	256QAM	Outer_Full	19.62	18.82
n41	60	30	2593	CP	QPSK	Inner_Full	22.82	22.02
n41	60	30	2593	CP	QPSK	Edge_1RB_Left	20.83	20.03
n41	60	30	2593	CP	QPSK	Edge_1RB_Right	21.09	20.29
n41	60	30	2593	CP	QPSK	Outer_Full	21.13	20.33
n41	60	30	2593	CP	16QAM	Inner_Full	22.16	21.36
n41	60	30	2593	CP	16QAM	Edge_1RB_Left	20.98	20.18
n41	60	30	2593	CP	16QAM	Edge_1RB_Right	21.30	20.50
n41	60	30	2593	CP	16QAM	Outer_Full	21.00	20.20
n41	60	30	2593	CP	64QAM	Inner_Full	20.74	19.94
n41	60	30	2593	CP	64QAM	Edge_1RB_Left	19.72	18.92
n41	60	30	2593	CP	64QAM	Edge_1RB_Right	20.00	19.20
n41	60	30	2593	CP	64QAM	Outer_Full	20.59	19.79
n41	60	30	2593	CP	256QAM	Inner_Full	17.67	16.87
n41	60	30	2593	CP	256QAM	Edge_1RB_Left	17.19	16.39
n41	60	30	2593	CP	256QAM	Edge_1RB_Right	17.43	16.63
n41	60	30	2593	CP	256QAM	Outer_Full	17.69	16.89
n41	60	30	2660	DFT	$\pi/2$ BPSK	Inner_Full	24.27	23.47
n41	60	30	2660	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.59	22.79
n41	60	30	2660	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.49	22.69
n41	60	30	2660	DFT	$\pi/2$ BPSK	Outer_Full	23.80	23.00
n41	60	30	2660	DFT	QPSK	Inner_Full	24.28	23.48
n41	60	30	2660	DFT	QPSK	Edge_1RB_Left	23.00	22.20
n41	60	30	2660	DFT	QPSK	Edge_1RB_Right	22.92	22.12
n41	60	30	2660	DFT	QPSK	Outer_Full	23.16	22.36
n41	60	30	2660	DFT	16QAM	Inner_Full	23.18	22.38
n41	60	30	2660	DFT	16QAM	Edge_1RB_Left	22.12	21.32
n41	60	30	2660	DFT	16QAM	Edge_1RB_Right	22.16	21.36
n41	60	30	2660	DFT	16QAM	Outer_Full	22.06	21.26
n41	60	30	2660	DFT	64QAM	Inner_Full	21.83	21.03
n41	60	30	2660	DFT	64QAM	Edge_1RB_Left	21.21	20.41
n41	60	30	2660	DFT	64QAM	Edge_1RB_Right	21.08	20.28
n41	60	30	2660	DFT	64QAM	Outer_Full	21.54	20.74
n41	60	30	2660	DFT	256QAM	Inner_Full	19.87	19.07
n41	60	30	2660	DFT	256QAM	Edge_1RB_Left	19.56	18.76
n41	60	30	2660	DFT	256QAM	Edge_1RB_Right	19.30	18.50
n41	60	30	2660	DFT	256QAM	Outer_Full	19.64	18.84
n41	60	30	2660	CP	QPSK	Inner_Full	22.72	21.92
n41	60	30	2660	CP	QPSK	Edge_1RB_Left	21.22	20.42
n41	60	30	2660	CP	QPSK	Edge_1RB_Right	20.94	20.14
n41	60	30	2660	CP	QPSK	Outer_Full	21.19	20.39

n41	60	30	2660	CP	16QAM	Inner_Full	22.19	21.39
n41	60	30	2660	CP	16QAM	Edge_1RB_Left	20.94	20.14
n41	60	30	2660	CP	16QAM	Edge_1RB_Right	20.91	20.11
n41	60	30	2660	CP	16QAM	Outer_Full	21.15	20.35
n41	60	30	2660	CP	64QAM	Inner_Full	20.94	20.14
n41	60	30	2660	CP	64QAM	Edge_1RB_Left	20.05	19.25
n41	60	30	2660	CP	64QAM	Edge_1RB_Right	20.04	19.24
n41	60	30	2660	CP	64QAM	Outer_Full	20.66	19.86
n41	60	30	2660	CP	256QAM	Inner_Full	17.82	17.02
n41	60	30	2660	CP	256QAM	Edge_1RB_Left	17.44	16.64
n41	60	30	2660	CP	256QAM	Edge_1RB_Right	17.25	16.45
n41	60	30	2660	CP	256QAM	Outer_Full	17.66	16.86
n41	80	30	2536	DFT	pi/2 BPSK	Inner_Full	24.18	23.38
n41	80	30	2536	DFT	pi/2 BPSK	Edge_1RB_Left	23.33	22.53
n41	80	30	2536	DFT	pi/2 BPSK	Edge_1RB_Right	23.23	22.43
n41	80	30	2536	DFT	pi/2 BPSK	Outer_Full	23.63	22.83
n41	80	30	2536	DFT	QPSK	Inner_Full	24.06	23.26
n41	80	30	2536	DFT	QPSK	Edge_1RB_Left	22.53	21.73
n41	80	30	2536	DFT	QPSK	Edge_1RB_Right	22.78	21.98
n41	80	30	2536	DFT	QPSK	Outer_Full	23.10	22.30
n41	80	30	2536	DFT	16QAM	Inner_Full	23.16	22.36
n41	80	30	2536	DFT	16QAM	Edge_1RB_Left	22.06	21.26
n41	80	30	2536	DFT	16QAM	Edge_1RB_Right	21.76	20.96
n41	80	30	2536	DFT	16QAM	Outer_Full	22.11	21.31
n41	80	30	2536	DFT	64QAM	Inner_Full	21.67	20.87
n41	80	30	2536	DFT	64QAM	Edge_1RB_Left	20.46	19.66
n41	80	30	2536	DFT	64QAM	Edge_1RB_Right	20.55	19.75
n41	80	30	2536	DFT	64QAM	Outer_Full	21.90	21.10
n41	80	30	2536	DFT	256QAM	Inner_Full	19.72	18.92
n41	80	30	2536	DFT	256QAM	Edge_1RB_Left	19.10	18.30
n41	80	30	2536	DFT	256QAM	Edge_1RB_Right	19.11	18.31
n41	80	30	2536	DFT	256QAM	Outer_Full	19.61	18.81
n41	80	30	2536	CP	QPSK	Inner_Full	22.69	21.89
n41	80	30	2536	CP	QPSK	Edge_1RB_Left	20.60	19.80
n41	80	30	2536	CP	QPSK	Edge_1RB_Right	20.62	19.82
n41	80	30	2536	CP	QPSK	Outer_Full	21.04	20.24
n41	80	30	2536	CP	16QAM	Inner_Full	22.09	21.29
n41	80	30	2536	CP	16QAM	Edge_1RB_Left	20.84	20.04
n41	80	30	2536	CP	16QAM	Edge_1RB_Right	20.85	20.05
n41	80	30	2536	CP	16QAM	Outer_Full	21.11	20.31
n41	80	30	2536	CP	64QAM	Inner_Full	20.67	19.87

n41	80	30	2536	CP	64QAM	Edge_1RB_Left	19.78	18.98
n41	80	30	2536	CP	64QAM	Edge_1RB_Right	19.78	18.98
n41	80	30	2536	CP	64QAM	Outer_Full	20.62	19.82
n41	80	30	2536	CP	256QAM	Inner_Full	17.68	16.88
n41	80	30	2536	CP	256QAM	Edge_1RB_Left	16.94	16.14
n41	80	30	2536	CP	256QAM	Edge_1RB_Right	17.32	16.52
n41	80	30	2536	CP	256QAM	Outer_Full	17.60	16.80
n41	80	30	2593	DFT	pi/2 BPSK	Inner_Full	24.06	23.26
n41	80	30	2593	DFT	pi/2 BPSK	Edge_1RB_Left	23.52	22.72
n41	80	30	2593	DFT	pi/2 BPSK	Edge_1RB_Right	23.63	22.83
n41	80	30	2593	DFT	pi/2 BPSK	Outer_Full	23.50	22.70
n41	80	30	2593	DFT	QPSK	Inner_Full	23.90	23.10
n41	80	30	2593	DFT	QPSK	Edge_1RB_Left	22.85	22.05
n41	80	30	2593	DFT	QPSK	Edge_1RB_Right	23.02	22.22
n41	80	30	2593	DFT	QPSK	Outer_Full	22.90	22.10
n41	80	30	2593	DFT	16QAM	Inner_Full	22.98	22.18
n41	80	30	2593	DFT	16QAM	Edge_1RB_Left	21.86	21.06
n41	80	30	2593	DFT	16QAM	Edge_1RB_Right	21.95	21.15
n41	80	30	2593	DFT	16QAM	Outer_Full	21.85	21.05
n41	80	30	2593	DFT	64QAM	Inner_Full	21.55	20.75
n41	80	30	2593	DFT	64QAM	Edge_1RB_Left	20.86	20.06
n41	80	30	2593	DFT	64QAM	Edge_1RB_Right	20.99	20.19
n41	80	30	2593	DFT	64QAM	Outer_Full	21.43	20.63
n41	80	30	2593	DFT	256QAM	Inner_Full	19.61	18.81
n41	80	30	2593	DFT	256QAM	Edge_1RB_Left	19.12	18.32
n41	80	30	2593	DFT	256QAM	Edge_1RB_Right	19.36	18.56
n41	80	30	2593	DFT	256QAM	Outer_Full	19.45	18.65
n41	80	30	2593	CP	QPSK	Inner_Full	22.57	21.77
n41	80	30	2593	CP	QPSK	Edge_1RB_Left	20.83	20.03
n41	80	30	2593	CP	QPSK	Edge_1RB_Right	21.18	20.38
n41	80	30	2593	CP	QPSK	Outer_Full	20.89	20.09
n41	80	30	2593	CP	16QAM	Inner_Full	22.03	21.23
n41	80	30	2593	CP	16QAM	Edge_1RB_Left	20.80	20.00
n41	80	30	2593	CP	16QAM	Edge_1RB_Right	20.90	20.10
n41	80	30	2593	CP	16QAM	Outer_Full	20.96	20.16
n41	80	30	2593	CP	64QAM	Inner_Full	20.46	19.66
n41	80	30	2593	CP	64QAM	Edge_1RB_Left	19.79	18.99
n41	80	30	2593	CP	64QAM	Edge_1RB_Right	20.09	19.29
n41	80	30	2593	CP	64QAM	Outer_Full	20.38	19.58
n41	80	30	2593	CP	256QAM	Inner_Full	17.52	16.72
n41	80	30	2593	CP	256QAM	Edge_1RB_Left	17.20	16.40