

Appendix Test Data

Report No.:	18220WC20274307	Test Sample No.:	1-2-1
Start Test Date:	2022.11.30	Finish Test Date:	2022.12.29
Test Engineer:	<i>Tony He</i>	Auditor:	<i>Edward Pan</i>
Temperature:	22.5°C	Relative Humidity:	38 %
Pressure:	1012 hPa		

Appendix A: Conducted Output Power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	24.13	PASS
Band13	5MHz	QPSK	23205	1RB#12	24.19	PASS
Band13	5MHz	QPSK	23205	1RB#24	24.15	PASS
Band13	5MHz	QPSK	23205	12RB#0	23.02	PASS
Band13	5MHz	QPSK	23205	12RB#6	23.01	PASS
Band13	5MHz	QPSK	23205	12RB#13	23.11	PASS
Band13	5MHz	QPSK	23205	25RB#0	23.20	PASS
Band13	5MHz	QPSK	23230	1RB#0	24.11	PASS
Band13	5MHz	QPSK	23230	1RB#12	23.97	PASS
Band13	5MHz	QPSK	23230	1RB#24	23.60	PASS
Band13	5MHz	QPSK	23230	12RB#0	22.68	PASS
Band13	5MHz	QPSK	23230	12RB#6	22.63	PASS
Band13	5MHz	QPSK	23230	12RB#13	22.59	PASS
Band13	5MHz	QPSK	23230	25RB#0	22.69	PASS
Band13	5MHz	QPSK	23255	1RB#0	24.13	PASS
Band13	5MHz	QPSK	23255	1RB#12	23.67	PASS
Band13	5MHz	QPSK	23255	1RB#24	23.55	PASS
Band13	5MHz	QPSK	23255	12RB#0	22.81	PASS
Band13	5MHz	QPSK	23255	12RB#6	22.85	PASS
Band13	5MHz	QPSK	23255	12RB#13	22.87	PASS
Band13	5MHz	QPSK	23255	25RB#0	22.86	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band13	5MHz	16QAM	23205	1RB#0	23.17	PASS
Band13	5MHz	16QAM	23205	1RB#12	23.47	PASS
Band13	5MHz	16QAM	23205	1RB#24	23.30	PASS
Band13	5MHz	16QAM	23205	12RB#0	22.17	PASS
Band13	5MHz	16QAM	23205	12RB#6	22.06	PASS
Band13	5MHz	16QAM	23205	12RB#13	22.38	PASS
Band13	5MHz	16QAM	23205	25RB#0	22.19	PASS
Band13	5MHz	16QAM	23230	1RB#0	23.01	PASS
Band13	5MHz	16QAM	23230	1RB#12	22.75	PASS
Band13	5MHz	16QAM	23230	1RB#24	22.60	PASS
Band13	5MHz	16QAM	23230	12RB#0	21.71	PASS
Band13	5MHz	16QAM	23230	12RB#6	21.71	PASS
Band13	5MHz	16QAM	23230	12RB#13	21.55	PASS
Band13	5MHz	16QAM	23230	25RB#0	21.77	PASS
Band13	5MHz	16QAM	23255	1RB#0	22.58	PASS
Band13	5MHz	16QAM	23255	1RB#12	22.69	PASS
Band13	5MHz	16QAM	23255	1RB#24	22.80	PASS
Band13	5MHz	16QAM	23255	12RB#0	21.88	PASS
Band13	5MHz	16QAM	23255	12RB#6	21.82	PASS
Band13	5MHz	16QAM	23255	12RB#13	22.05	PASS
Band13	5MHz	16QAM	23255	25RB#0	21.97	PASS
Band13	10MHz	QPSK	23230	1RB#0	23.55	PASS
Band13	10MHz	QPSK	23230	1RB#24	23.74	PASS
Band13	10MHz	QPSK	23230	1RB#49	23.55	PASS
Band13	10MHz	QPSK	23230	25RB#0	22.45	PASS
Band13	10MHz	QPSK	23230	25RB#12	22.45	PASS
Band13	10MHz	QPSK	23230	25RB#25	22.71	PASS
Band13	10MHz	QPSK	23230	50RB#0	22.66	PASS
Band13	10MHz	16QAM	23230	1RB#0	22.71	PASS
Band13	10MHz	16QAM	23230	1RB#24	22.88	PASS
Band13	10MHz	16QAM	23230	1RB#49	22.96	PASS
Band13	10MHz	16QAM	23230	25RB#0	21.46	PASS
Band13	10MHz	16QAM	23230	25RB#12	21.42	PASS
Band13	10MHz	16QAM	23230	25RB#25	21.79	PASS
Band13	10MHz	16QAM	23230	50RB#0	21.63	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
 Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
 400-003-0500
 www.anbotek.com.cn



Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	2.68	13	PASS
Band13	5MHz	QPSK	23205	25RB#0	5.14	13	PASS
Band13	5MHz	QPSK	23230	1RB#0	4.41	13	PASS
Band13	5MHz	QPSK	23230	25RB#0	5.13	13	PASS
Band13	5MHz	QPSK	23255	1RB#0	3.26	13	PASS
Band13	5MHz	QPSK	23255	25RB#0	5.05	13	PASS
Band13	5MHz	16QAM	23205	1RB#0	3.64	13	PASS
Band13	5MHz	16QAM	23205	25RB#0	5.99	13	PASS
Band13	5MHz	16QAM	23230	1RB#0	5.16	13	PASS
Band13	5MHz	16QAM	23230	25RB#0	5.96	13	PASS
Band13	5MHz	16QAM	23255	1RB#0	4.17	13	PASS
Band13	5MHz	16QAM	23255	25RB#0	5.91	13	PASS
Band13	10MHz	QPSK	23230	1RB#0	2.54	13	PASS
Band13	10MHz	QPSK	23230	50RB#0	5.43	13	PASS
Band13	10MHz	16QAM	23230	1RB#0	3.61	13	PASS
Band13	10MHz	16QAM	23230	50RB#0	6.28	13	PASS




Test Graphs

Band13-5MHz-QPSK-23205-1RB#0



Band13-5MHz-QPSK-23205-25RB#0



Band13-5MHz-QPSK-23230-1RB#0


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn






Band13-5MHz-QPSK-23230-25RB#0



Band13-5MHz-QPSK-23255-1RB#0



Band13-5MHz-QPSK-23255-25RB#0


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn






Band13-5MHz-16QAM-23205-1RB#0



Band13-5MHz-16QAM-23205-25RB#0



Band13-5MHz-16QAM-23230-1RB#0


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn






Band13-5MHz-16QAM-23230-25RB#0



Band13-5MHz-16QAM-23255-1RB#0




Band13-5MHz-16QAM-23255-25RB#0





Band13-10MHz-QPSK-23230-1RB#0




Band13-10MHz-QPSK-23230-50RB#0




Band13-10MHz-16QAM-23230-1RB#0





Band13-10MHz-16QAM-23230-50RB#0



Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band13	5MHz	QPSK	23205	25RB#0	4.4912	4.917	PASS
Band13	5MHz	QPSK	23230	25RB#0	4.4916	4.868	PASS
Band13	5MHz	QPSK	23255	25RB#0	4.5238	5.027	PASS
Band13	5MHz	16QAM	23205	25RB#0	4.4980	4.921	PASS
Band13	5MHz	16QAM	23230	25RB#0	4.4861	4.842	PASS
Band13	5MHz	16QAM	23255	25RB#0	4.5232	4.992	PASS
Band13	10MHz	QPSK	23230	50RB#0	8.9810	9.594	PASS
Band13	10MHz	16QAM	23230	50RB#0	8.9664	9.567	PASS




Test Graphs

Band13-5MHz-QPSK-23205-25RB#0




Band13-5MHz-QPSK-23230-25RB#0



Band13-5MHz-QPSK-23255-25RB#0






Band13-5MHz-16QAM-23205-25RB#0



Band13-5MHz-16QAM-23230-25RB#0



Band13-5MHz-16QAM-23255-25RB#0

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn





Band13-10MHz-QPSK-23230-50RB#0



Band13-10MHz-16QAM-23230-50RB#0



Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	-17.11	PASS
Band13	5MHz	QPSK	23205	1RB#24	-44.47	PASS
Band13	5MHz	QPSK	23205	25RB#0	-19.19	PASS
Band13	5MHz	QPSK	23255	1RB#0	-42.48	PASS
Band13	5MHz	QPSK	23255	1RB#24	-14.50	PASS
Band13	5MHz	QPSK	23255	25RB#0	-15.08	PASS
Band13	5MHz	16QAM	23205	1RB#0	-17.15	PASS
Band13	5MHz	16QAM	23205	1RB#24	-44.56	PASS
Band13	5MHz	16QAM	23205	25RB#0	-19.60	PASS
Band13	5MHz	16QAM	23255	1RB#0	-32.95	PASS
Band13	5MHz	16QAM	23255	1RB#24	-14.65	PASS
Band13	5MHz	16QAM	23255	25RB#0	-16.28	PASS
Band13	10MHz	QPSK	23230	1RB#0	-15.16,-46.9 2	PASS
Band13	10MHz	QPSK	23230	1RB#49	-50.19,-16.1 3	PASS
Band13	10MHz	QPSK	23230	50RB#0	-22.74,-21.6 0	PASS
Band13	10MHz	16QAM	23230	1RB#0	-13.99,-46.9 6	PASS
Band13	10MHz	16QAM	23230	1RB#49	-49.67,-15.8 7	PASS
Band13	10MHz	16QAM	23230	50RB#0	-24.46,-22.9 6	PASS




Test Graphs

Band13-5MHz-QPSK-23205-1RB#0



Band13-5MHz-QPSK-23205-1RB#24



Band13-5MHz-QPSK-23205-25RB#0



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn



Band13-5MHz-QPSK-23255-1RB#0



Band13-5MHz-QPSK-23255-1RB#24



Band13-5MHz-QPSK-23255-25RB#0



Band13-5MHz-16QAM-23205-1RB#0


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn





Band13-5MHz-16QAM-23205-1RB#24



Band13-5MHz-16QAM-23205-25RB#0



Band13-5MHz-16QAM-23255-1RB#0

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn





Band13-5MHz-16QAM-23255-1RB#24



Band13-5MHz-16QAM-23255-25RB#0



Band13-10MHz-QPSK-23230-1RB#0

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn





Band13-10MHz-QPSK-23230-1RB#49



Band13-10MHz-QPSK-23230-50RB#0



Band13-10MHz-16QAM-23230-1RB#0

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn





Band13-10MHz-16QAM-23230-1RB#49



Band13-10MHz-16QAM-23230-50RB#0



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	Range1:30~1000MHz	-50.85	PASS
Band13	5MHz	QPSK	23205	1RB#0	Range3:763~775MHz	-57.5	PASS
Band13	5MHz	QPSK	23205	1RB#0	Range4:793~805MHz	-59.16	PASS
Band13	5MHz	QPSK	23205	1RB#0	Range2:1000~10000MHz	-24.1	PASS
Band13	5MHz	QPSK	23205	1RB#0	Range5:1559~1610MHz	-56.5	PASS
Band13	5MHz	QPSK	23230	1RB#0	Range1:30~1000MHz	-51.21	PASS
Band13	5MHz	QPSK	23230	1RB#0	Range3:763~775MHz	-58.91	PASS
Band13	5MHz	QPSK	23230	1RB#0	Range4:793~805MHz	-57.54	PASS
Band13	5MHz	QPSK	23230	1RB#0	Range2:1000~10000MHz	-21.22	PASS
Band13	5MHz	QPSK	23230	1RB#0	Range5:1559~1610MHz	-50.8	PASS
Band13	5MHz	QPSK	23255	1RB#0	Range1:30~1000MHz	-51.24	PASS
Band13	5MHz	QPSK	23255	1RB#0	Range3:763~775MHz	-57.06	PASS
Band13	5MHz	QPSK	23255	1RB#0	Range4:793~805MHz	-58.75	PASS
Band13	5MHz	QPSK	23255	1RB#0	Range2:1000~10000MHz	-23.39	PASS
Band13	5MHz	QPSK	23255	1RB#0	Range5:1559~1610MHz	-53.09	PASS
Band13	5MHz	16QAM	23205	1RB#0	Range1:30~1000MHz	-51.15	PASS
Band13	5MHz	16QAM	23205	1RB#0	Range3:763~775MHz	-58.62	PASS
Band13	5MHz	16QAM	23205	1RB#0	Range4:793~805MHz	-58.18	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band13	5MHz	16QAM	23205	1RB#0	Range2:1000~10000MHz	-24.7 8	PASS
Band13	5MHz	16QAM	23205	1RB#0	Range5:1559~1610MHz	-56.2 7	PASS
Band13	5MHz	16QAM	23230	1RB#0	Range1:30~1000MHz	-51.2	PASS
Band13	5MHz	16QAM	23230	1RB#0	Range3:763~775MHz	-56.4 2	PASS
Band13	5MHz	16QAM	23230	1RB#0	Range4:793~805MHz	-58.9 9	PASS
Band13	5MHz	16QAM	23230	1RB#0	Range2:1000~10000MHz	-21.8 1	PASS
Band13	5MHz	16QAM	23230	1RB#0	Range5:1559~1610MHz	-50.7 1	PASS
Band13	5MHz	16QAM	23255	1RB#0	Range1:30~1000MHz	-52.0 9	PASS
Band13	5MHz	16QAM	23255	1RB#0	Range3:763~775MHz	-58.0 3	PASS
Band13	5MHz	16QAM	23255	1RB#0	Range4:793~805MHz	-58.3 5	PASS
Band13	5MHz	16QAM	23255	1RB#0	Range2:1000~10000MHz	-22.2 4	PASS
Band13	5MHz	16QAM	23255	1RB#0	Range5:1559~1610MHz	-52.4 7	PASS
Band13	10MHz	QPSK	23230	1RB#0	Range1:30~1000MHz	-51.4 5	PASS
Band13	10MHz	QPSK	23230	1RB#0	Range3:763~775MHz	-58.5 7	PASS
Band13	10MHz	QPSK	23230	1RB#0	Range4:793~805MHz	-46.5 2	PASS
Band13	10MHz	QPSK	23230	1RB#0	Range2:1000~10000MHz	-24.1 9	PASS
Band13	10MHz	QPSK	23230	1RB#0	Range5:1559~1610MHz	-50.4 6	PASS
Band13	10MHz	16QAM	23230	1RB#0	Range1:30~1000MHz	-50.8 5	PASS
Band13	10MHz	16QAM	23230	1RB#0	Range3:763~775MHz	-58.8 3	PASS
Band13	10MHz	16QAM	23230	1RB#0	Range4:793~805MHz	-50.1 5	PASS
Band13	10MHz	16QAM	23230	1RB#0	Range2:1000~10000MHz	-25.4 4	PASS
Band13	10MHz	16QAM	23230	1RB#0	Range5:1559~1610MHz	-52.2 5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn




Test Graphs

Band13-5MHz-QPSK-23205-1RB#0-Range1:30~1000MHz



Band13-5MHz-QPSK-23205-1RB#0-Range3:763~775MHz



Band13-5MHz-QPSK-23205-1RB#0-Range4:793~805MHz


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn






Band13-5MHz-QPSK-23205-1RB#0-Range2:1000~10000MHz



Band13-5MHz-QPSK-23205-1RB#0-Range5:1559~1610MHz



Band13-5MHz-QPSK-23230-1RB#0-Range1:30~1000MHz


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn






Band13-5MHz-QPSK-23230-1RB#0-Range3:763~775MHz




Band13-5MHz-QPSK-23230-1RB#0-Range4:793~805MHz




Band13-5MHz-QPSK-23230-1RB#0-Range2:1000~10000MHz






Band13-5MHz-QPSK-23230-1RB#0-Range5:1559~1610MHz




Band13-5MHz-QPSK-23255-1RB#0-Range1:30~1000MHz




Band13-5MHz-QPSK-23255-1RB#0-Range3:763~775MHz






Band13-5MHz-QPSK-23255-1RB#0-Range4:793~805MHz




Band13-5MHz-QPSK-23255-1RB#0-Range2:1000~10000MHz




Band13-5MHz-QPSK-23255-1RB#0-Range5:1559~1610MHz






Band13-5MHz-16QAM-23205-1RB#0-Range1:30~1000MHz



Band13-5MHz-16QAM-23205-1RB#0-Range3:763~775MHz



Band13-5MHz-16QAM-23205-1RB#0-Range4:793~805MHz


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn






Band13-5MHz-16QAM-23205-1RB#0-Range2:1000~10000MHz



Band13-5MHz-16QAM-23205-1RB#0-Range5:1559~1610MHz



Band13-5MHz-16QAM-23230-1RB#0-Range1:30~1000MHz


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn






Band13-5MHz-16QAM-23230-1RB#0-Range3:763~775MHz



Band13-5MHz-16QAM-23230-1RB#0-Range4:793~805MHz



Band13-5MHz-16QAM-23230-1RB#0-Range2:1000~10000MHz






Band13-5MHz-16QAM-23230-1RB#0-Range5:1559~1610MHz



Band13-5MHz-16QAM-23255-1RB#0-Range1:30~1000MHz



Band13-5MHz-16QAM-23255-1RB#0-Range3:763~775MHz


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn






Band13-5MHz-16QAM-23255-1RB#0-Range4:793~805MHz



Band13-5MHz-16QAM-23255-1RB#0-Range2:1000~10000MHz



Band13-5MHz-16QAM-23255-1RB#0-Range5:1559~1610MHz


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn






Band13-10MHz-QPSK-23230-1RB#0-Range1:30~1000MHz



Band13-10MHz-QPSK-23230-1RB#0-Range3:763~775MHz



Band13-10MHz-QPSK-23230-1RB#0-Range4:793~805MHz

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn





Band13-10MHz-QPSK-23230-1RB#0-Range2:1000~10000MHz



Band13-10MHz-QPSK-23230-1RB#0-Range5:1559~1610MHz



Band13-10MHz-16QAM-23230-1RB#0-Range1:30~1000MHz


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn






Band13-10MHz-16QAM-23230-1RB#0-Range3:763~775MHz



Band13-10MHz-16QAM-23230-1RB#0-Range4:793~805MHz



Band13-10MHz-16QAM-23230-1RB#0-Range2:1000~10000MHz


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn





Band13-10MHz-16QAM-23230-1RB#0-Range5:1559~1610MHz



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Appendix F: Frequency stability VS Voltage measurement

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band1 3	5MHz	QPSK	23205	25RB#0	VL	NT	-8.77	-0.011251	±2.5	PASS
Band1 3	5MHz	QPSK	23205	25RB#0	VN	NT	-10.87	-0.013945	±2.5	PASS
Band1 3	5MHz	QPSK	23205	25RB#0	VH	NT	-9.43	-0.012097	±2.5	PASS
Band1 3	5MHz	QPSK	23230	25RB#0	VL	NT	-3.82	-0.004885	±2.5	PASS
Band1 3	5MHz	QPSK	23230	25RB#0	VN	NT	-3.86	-0.004936	±2.5	PASS
Band1 3	5MHz	QPSK	23230	25RB#0	VH	NT	-6.42	-0.008210	±2.5	PASS
Band1 3	5MHz	QPSK	23255	25RB#0	VL	NT	-12.55	-0.015997	±2.5	PASS
Band1 3	5MHz	QPSK	23255	25RB#0	VN	NT	-9.00	-0.011472	±2.5	PASS
Band1 3	5MHz	QPSK	23255	25RB#0	VH	NT	-10.53	-0.013423	±2.5	PASS
Band1 3	5MHz	16QAM	23205	25RB#0	VL	NT	-7.04	-0.009031	±2.5	PASS
Band1 3	5MHz	16QAM	23205	25RB#0	VN	NT	-8.33	-0.010686	±2.5	PASS
Band1 3	5MHz	16QAM	23205	25RB#0	VH	NT	-11.66	-0.014958	±2.5	PASS
Band1 3	5MHz	16QAM	23230	25RB#0	VL	NT	-8.75	-0.011189	±2.5	PASS
Band1 3	5MHz	16QAM	23230	25RB#0	VN	NT	-10.96	-0.014015	±2.5	PASS
Band1 3	5MHz	16QAM	23230	25RB#0	VH	NT	-8.41	-0.010754	±2.5	PASS
Band1 3	5MHz	16QAM	23255	25RB#0	VL	NT	-15.32	-0.019528	±2.5	PASS
Band1 3	5MHz	16QAM	23255	25RB#0	VN	NT	-7.25	-0.009242	±2.5	PASS
Band1	5MHz	16QAM	23255	25RB#0	VH	NT	-15.34	-0.019554	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



3										
Band1 3	10MHz	QPSK	23230	50RB#0	VL	NT	-11.89	-0.015205	±2.5	PASS
Band1 3	10MHz	QPSK	23230	50RB#0	VN	NT	-10.64	-0.013606	±2.5	PASS
Band1 3	10MHz	QPSK	23230	50RB#0	VH	NT	-11.14	-0.014246	±2.5	PASS
Band1 3	10MHz	16QAM	23230	50RB#0	VL	NT	-14.12	-0.018056	±2.5	PASS
Band1 3	10MHz	16QAM	23230	50RB#0	VN	NT	-11.36	-0.014527	±2.5	PASS
Band1 3	10MHz	16QAM	23230	50RB#0	VH	NT	-7.01	-0.008964	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
 Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
 400-003-0500
www.anbotek.com.cn



Appendix G: Frequency stability VS Temperature measurement

Test Result

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band13	5MHz	QPSK	23205	25RB#0	NV	-30	-11.69	-0.014997	±2.5	PASS
Band13	5MHz	QPSK	23205	25RB#0	NV	-20	-10.80	-0.013855	±2.5	PASS
Band13	5MHz	QPSK	23205	25RB#0	NV	0	-11.69	-0.014997	±2.5	PASS
Band13	5MHz	QPSK	23205	25RB#0	NV	10	-12.26	-0.015728	±2.5	PASS
Band13	5MHz	QPSK	23205	25RB#0	NV	20	-11.72	-0.015035	±2.5	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	-30	-5.41	-0.006918	±2.5	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	-20	-5.95	-0.007609	±2.5	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	0	-7.48	-0.009565	±2.5	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	10	-9.71	-0.012417	±2.5	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	20	-11.10	-0.014194	±2.5	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	-30	-11.63	-0.014825	±2.5	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	-20	-9.77	-0.012454	±2.5	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	0	-9.70	-0.012365	±2.5	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	10	-9.13	-0.011638	±2.5	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	20	-9.40	-0.011982	±2.5	PASS
Band13	5MHz	16QAM	23205	25RB#0	NV	-30	-11.52	-0.014779	±2.5	PASS
Band13	5MHz	16QAM	23205	25RB#0	NV	-20	-12.20	-0.015651	±2.5	PASS
Band13	5MHz	16QAM	23205	25RB#0	NV	0	-11.14	-0.014291	±2.5	PASS
Band13	5MHz	16QAM	23205	25RB#0	NV	10	-11.70	-0.015010	±2.5	PASS
Band13	5MHz	16QAM	23205	25RB#0	NV	20	-12.46	-0.015985	±2.5	PASS
Band13	5MHz	16QAM	23230	25RB#0	NV	-30	-8.87	-0.011343	±2.5	PASS
Band13	5MHz	16QAM	23230	25RB#0	NV	-20	-8.28	-0.010588	±2.5	PASS
Band13	5MHz	16QAM	23230	25RB#0	NV	0	-6.92	-0.008849	±2.5	PASS
Band13	5MHz	16QAM	23230	25RB#0	NV	10	-7.32	-0.009361	±2.5	PASS
Band13	5MHz	16QAM	23230	25RB#0	NV	20	-10.54	-0.013478	±2.5	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	-30	-8.33	-0.010618	±2.5	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	-20	-9.51	-0.012122	±2.5	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	0	-7.00	-0.008923	±2.5	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	10	-9.14	-0.011651	±2.5	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	20	-9.06	-0.011549	±2.5	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	-30	-8.60	-0.010997	±2.5	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	-20	-11.64	-0.014885	±2.5	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	0	-14.85	-0.018990	±2.5	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	10	-9.20	-0.011765	±2.5	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	20	-11.49	-0.014693	±2.5	PASS



Band13	10MHz	16QAM	23230	50RB#0	NV	-30	-7.82	-0.010000	±2.5	PASS
Band13	10MHz	16QAM	23230	50RB#0	NV	-20	-9.86	-0.012609	±2.5	PASS
Band13	10MHz	16QAM	23230	50RB#0	NV	0	-7.18	-0.009182	±2.5	PASS
Band13	10MHz	16QAM	23230	50RB#0	NV	10	-6.65	-0.008504	±2.5	PASS
Band13	10MHz	16QAM	23230	50RB#0	NV	20	-5.91	-0.007558	±2.5	PASS

---End---

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn

