

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.61	-0.51	23.10	<=33.01	Pass
			2	23.56	-0.51	23.05	<=33.01	Pass
			5	23.26	-0.51	22.75	<=33.01	Pass
		3	0	23.41	-0.51	22.90	<=33.01	Pass
			2	23.36	-0.51	22.85	<=33.01	Pass
			3	23.53	-0.51	23.02	<=33.01	Pass
		6	0	22.79	-0.51	22.28	<=33.01	Pass
	1882.5	1	0	23.48	-0.51	22.97	<=33.01	Pass
			2	24.12	-0.51	23.61	<=33.01	Pass
			5	23.61	-0.51	23.10	<=33.01	Pass
		3	0	23.43	-0.51	22.92	<=33.01	Pass
			2	23.91	-0.51	23.40	<=33.01	Pass
			3	23.95	-0.51	23.44	<=33.01	Pass
		6	0	22.96	-0.51	22.45	<=33.01	Pass
	1914.3	1	0	24.26	-0.51	23.75	<=33.01	Pass
			2	23.97	-0.51	23.46	<=33.01	Pass
			5	23.62	-0.51	23.11	<=33.01	Pass
		3	0	24.07	-0.51	23.56	<=33.01	Pass
			2	24.05	-0.51	23.54	<=33.01	Pass
			3	24.04	-0.51	23.53	<=33.01	Pass
		6	0	23.10	-0.51	22.59	<=33.01	Pass
16QAM	1850.7	1	0	22.56	-0.51	22.05	<=33.01	Pass
			2	22.72	-0.51	22.21	<=33.01	Pass
			5	22.88	-0.51	22.37	<=33.01	Pass
		3	0	22.01	-0.51	21.50	<=33.01	Pass
			2	22.70	-0.51	22.19	<=33.01	Pass
			3	23.01	-0.51	22.50	<=33.01	Pass
		6	0	21.94	-0.51	21.43	<=33.01	Pass
	1882.5	1	0	22.84	-0.51	22.33	<=33.01	Pass
			2	23.46	-0.51	22.95	<=33.01	Pass
			5	23.17	-0.51	22.66	<=33.01	Pass
		3	0	23.18	-0.51	22.67	<=33.01	Pass
			2	23.13	-0.51	22.62	<=33.01	Pass
			3	23.21	-0.51	22.70	<=33.01	Pass
		6	0	22.13	-0.51	21.62	<=33.01	Pass
	1914.3	1	0	22.63	-0.51	22.12	<=33.01	Pass
			2	23.38	-0.51	22.87	<=33.01	Pass
			5	22.79	-0.51	22.28	<=33.01	Pass
		3	0	23.14	-0.51	22.63	<=33.01	Pass
			2	23.33	-0.51	22.82	<=33.01	Pass
			3	23.30	-0.51	22.79	<=33.01	Pass
		6	0	22.33	-0.51	21.82	<=33.01	Pass
64QAM	1850.7	1	0	22.54	-0.51	22.03	<=33.01	Pass
			2	22.93	-0.51	22.42	<=33.01	Pass
			5	22.67	-0.51	22.16	<=33.01	Pass
		3	0	23.00	-0.51	22.49	<=33.01	Pass
			2	23.15	-0.51	22.64	<=33.01	Pass
			3	22.99	-0.51	22.48	<=33.01	Pass
		6	0	21.42	-0.51	20.91	<=33.01	Pass

	1882.5	1	0	22.79	-0.51	22.28	<=33.01	Pass
			2	22.83	-0.51	22.32	<=33.01	Pass
			5	22.93	-0.51	22.42	<=33.01	Pass
		3	0	22.99	-0.51	22.48	<=33.01	Pass
			2	22.99	-0.51	22.48	<=33.01	Pass
			3	23.05	-0.51	22.54	<=33.01	Pass
		6	0	22.02	-0.51	21.51	<=33.01	Pass
	1914.3	1	0	22.99	-0.51	22.48	<=33.01	Pass
			2	23.23	-0.51	22.72	<=33.01	Pass
			5	23.23	-0.51	22.72	<=33.01	Pass
		3	0	23.09	-0.51	22.58	<=33.01	Pass
			2	23.18	-0.51	22.67	<=33.01	Pass
			3	23.05	-0.51	22.54	<=33.01	Pass
		6	0	21.96	-0.51	21.45	<=33.01	Pass
256QAM	1850.7	1	0	18.94	-0.51	18.43	<=33.01	Pass
			2	19.13	-0.51	18.62	<=33.01	Pass
			5	18.75	-0.51	18.24	<=33.01	Pass
		3	0	18.86	-0.51	18.35	<=33.01	Pass
			2	18.78	-0.51	18.27	<=33.01	Pass
			3	18.97	-0.51	18.46	<=33.01	Pass
		6	0	18.91	-0.51	18.40	<=33.01	Pass
	1882.5	1	0	18.54	-0.51	18.03	<=33.01	Pass
			2	18.72	-0.51	18.21	<=33.01	Pass
			5	18.72	-0.51	18.21	<=33.01	Pass
		3	0	19.26	-0.51	18.75	<=33.01	Pass
			2	18.86	-0.51	18.35	<=33.01	Pass
			3	19.06	-0.51	18.55	<=33.01	Pass
		6	0	18.74	-0.51	18.23	<=33.01	Pass
	1914.3	1	0	19.34	-0.51	18.83	<=33.01	Pass
			2	18.91	-0.51	18.40	<=33.01	Pass
			5	19.14	-0.51	18.63	<=33.01	Pass
		3	0	18.96	-0.51	18.45	<=33.01	Pass
			2	18.73	-0.51	18.22	<=33.01	Pass
			3	19.44	-0.51	18.93	<=33.01	Pass
		6	0	19.16	-0.51	18.65	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.78	-0.51	23.27	<=33.01	Pass
			7	24.27	-0.51	23.76	<=33.01	Pass
			14	23.68	-0.51	23.17	<=33.01	Pass
		8	0	22.92	-0.51	22.41	<=33.01	Pass
			4	22.92	-0.51	22.41	<=33.01	Pass
			7	23.06	-0.51	22.55	<=33.01	Pass
		15	0	22.96	-0.51	22.45	<=33.01	Pass
	1882.5	1	0	23.88	-0.51	23.37	<=33.01	Pass
			7	24.33	-0.51	23.82	<=33.01	Pass
			14	23.99	-0.51	23.48	<=33.01	Pass
		8	0	23.04	-0.51	22.53	<=33.01	Pass
			4	23.05	-0.51	22.54	<=33.01	Pass
			7	23.00	-0.51	22.49	<=33.01	Pass
		15	0	23.09	-0.51	22.58	<=33.01	Pass
	1913.5	1	0	24.04	-0.51	23.53	<=33.01	Pass

		8	7	24.41	-0.51	23.90	<=33.01	Pass
			14	24.20	-0.51	23.69	<=33.01	Pass
			0	23.12	-0.51	22.61	<=33.01	Pass
			4	23.17	-0.51	22.66	<=33.01	Pass
			7	23.25	-0.51	22.74	<=33.01	Pass
		15	0	23.23	-0.51	22.72	<=33.01	Pass
16QAM	1851.5	1	0	22.92	-0.51	22.41	<=33.01	Pass
			7	23.34	-0.51	22.83	<=33.01	Pass
			14	22.98	-0.51	22.47	<=33.01	Pass
		8	0	21.95	-0.51	21.44	<=33.01	Pass
			4	22.10	-0.51	21.59	<=33.01	Pass
			7	22.08	-0.51	21.57	<=33.01	Pass
		15	0	21.95	-0.51	21.44	<=33.01	Pass
	1882.5	1	0	22.88	-0.51	22.37	<=33.01	Pass
			7	23.42	-0.51	22.91	<=33.01	Pass
			14	23.46	-0.51	22.95	<=33.01	Pass
		8	0	22.06	-0.51	21.55	<=33.01	Pass
			4	22.02	-0.51	21.51	<=33.01	Pass
			7	22.04	-0.51	21.53	<=33.01	Pass
		15	0	21.98	-0.51	21.47	<=33.01	Pass
	1913.5	1	0	23.31	-0.51	22.80	<=33.01	Pass
			7	23.35	-0.51	22.84	<=33.01	Pass
			14	23.18	-0.51	22.67	<=33.01	Pass
		8	0	22.11	-0.51	21.60	<=33.01	Pass
			4	21.93	-0.51	21.42	<=33.01	Pass
			7	22.22	-0.51	21.71	<=33.01	Pass
		15	0	22.26	-0.51	21.75	<=33.01	Pass
64QAM	1851.5	1	0	22.86	-0.51	22.35	<=33.01	Pass
			7	23.10	-0.51	22.59	<=33.01	Pass
			14	22.89	-0.51	22.38	<=33.01	Pass
		8	0	21.86	-0.51	21.35	<=33.01	Pass
			4	22.00	-0.51	21.49	<=33.01	Pass
			7	21.92	-0.51	21.41	<=33.01	Pass
		15	0	21.92	-0.51	21.41	<=33.01	Pass
	1882.5	1	0	22.36	-0.51	21.85	<=33.01	Pass
			7	23.19	-0.51	22.68	<=33.01	Pass
			14	22.98	-0.51	22.47	<=33.01	Pass
		8	0	22.02	-0.51	21.51	<=33.01	Pass
			4	22.02	-0.51	21.51	<=33.01	Pass
			7	22.10	-0.51	21.59	<=33.01	Pass
		15	0	22.06	-0.51	21.55	<=33.01	Pass
	1913.5	1	0	22.89	-0.51	22.38	<=33.01	Pass
			7	23.23	-0.51	22.72	<=33.01	Pass
			14	23.22	-0.51	22.71	<=33.01	Pass
		8	0	22.26	-0.51	21.75	<=33.01	Pass
			4	22.39	-0.51	21.88	<=33.01	Pass
			7	22.21	-0.51	21.70	<=33.01	Pass
		15	0	22.20	-0.51	21.69	<=33.01	Pass
256QAM	1851.5	1	0	18.82	-0.51	18.31	<=33.01	Pass
			7	19.16	-0.51	18.65	<=33.01	Pass
			14	18.78	-0.51	18.27	<=33.01	Pass
		8	0	18.87	-0.51	18.36	<=33.01	Pass
			4	18.93	-0.51	18.42	<=33.01	Pass
			7	19.03	-0.51	18.52	<=33.01	Pass
		15	0	18.95	-0.51	18.44	<=33.01	Pass
	1882.5	1	0	18.80	-0.51	18.29	<=33.01	Pass
			7	19.01	-0.51	18.50	<=33.01	Pass
			14	18.72	-0.51	18.21	<=33.01	Pass
		8	0	18.97	-0.51	18.46	<=33.01	Pass

			4	19.08	-0.51	18.57	<=33.01	Pass
			7	19.06	-0.51	18.55	<=33.01	Pass
		15	0	19.09	-0.51	18.58	<=33.01	Pass
	1913.5	1	0	19.10	-0.51	18.59	<=33.01	Pass
			7	19.38	-0.51	18.87	<=33.01	Pass
			14	19.24	-0.51	18.73	<=33.01	Pass
		8	0	19.22	-0.51	18.71	<=33.01	Pass
			4	19.19	-0.51	18.68	<=33.01	Pass
			7	19.15	-0.51	18.64	<=33.01	Pass
		15	0	19.24	-0.51	18.73	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.37	-0.51	22.86	<=33.01	Pass
			13	23.62	-0.51	23.11	<=33.01	Pass
			24	23.73	-0.51	23.22	<=33.01	Pass
		12	0	22.88	-0.51	22.37	<=33.01	Pass
			6	22.97	-0.51	22.46	<=33.01	Pass
			13	22.96	-0.51	22.45	<=33.01	Pass
		25	0	22.93	-0.51	22.42	<=33.01	Pass
	1882.5	1	0	23.55	-0.51	23.04	<=33.01	Pass
			13	23.84	-0.51	23.33	<=33.01	Pass
			24	23.95	-0.51	23.44	<=33.01	Pass
		12	0	22.99	-0.51	22.48	<=33.01	Pass
			6	23.07	-0.51	22.56	<=33.01	Pass
			13	23.08	-0.51	22.57	<=33.01	Pass
		25	0	22.93	-0.51	22.42	<=33.01	Pass
	1912.5	1	0	24.28	-0.51	23.77	<=33.01	Pass
			13	24.15	-0.51	23.64	<=33.01	Pass
			24	24.11	-0.51	23.60	<=33.01	Pass
		12	0	23.30	-0.51	22.79	<=33.01	Pass
			6	23.26	-0.51	22.75	<=33.01	Pass
			13	23.22	-0.51	22.71	<=33.01	Pass
		25	0	23.32	-0.51	22.81	<=33.01	Pass
16QAM	1852.5	1	0	22.96	-0.51	22.45	<=33.01	Pass
			13	23.24	-0.51	22.73	<=33.01	Pass
			24	23.11	-0.51	22.60	<=33.01	Pass
		12	0	22.04	-0.51	21.53	<=33.01	Pass
			6	22.08	-0.51	21.57	<=33.01	Pass
			13	21.99	-0.51	21.48	<=33.01	Pass
		25	0	22.00	-0.51	21.49	<=33.01	Pass
	1882.5	1	0	23.20	-0.51	22.69	<=33.01	Pass
			13	22.81	-0.51	22.30	<=33.01	Pass
			24	23.42	-0.51	22.91	<=33.01	Pass
		12	0	22.00	-0.51	21.49	<=33.01	Pass
			6	22.10	-0.51	21.59	<=33.01	Pass
			13	22.14	-0.51	21.63	<=33.01	Pass
		25	0	22.00	-0.51	21.49	<=33.01	Pass
	1912.5	1	0	23.49	-0.51	22.98	<=33.01	Pass
			13	23.47	-0.51	22.96	<=33.01	Pass
			24	22.54	-0.51	22.03	<=33.01	Pass
		12	0	22.17	-0.51	21.66	<=33.01	Pass
			6	22.17	-0.51	21.66	<=33.01	Pass
			6	22.17	-0.51	21.66	<=33.01	Pass

			13	22.21	-0.51	21.70	<=33.01	Pass	
		25	0	22.22	-0.51	21.71	<=33.01	Pass	
64QAM	1852.5	1	0	22.40	-0.51	21.89	<=33.01	Pass	
			13	22.88	-0.51	22.37	<=33.01	Pass	
			24	22.57	-0.51	22.06	<=33.01	Pass	
			0	21.98	-0.51	21.47	<=33.01	Pass	
		12	6	22.05	-0.51	21.54	<=33.01	Pass	
			13	21.96	-0.51	21.45	<=33.01	Pass	
			25	0	21.86	-0.51	21.35	<=33.01	Pass
		1882.5	1	0	22.79	-0.51	22.28	<=33.01	Pass
				13	23.07	-0.51	22.56	<=33.01	Pass
				24	22.88	-0.51	22.37	<=33.01	Pass
	0			21.98	-0.51	21.47	<=33.01	Pass	
	12		6	22.10	-0.51	21.59	<=33.01	Pass	
			13	22.14	-0.51	21.63	<=33.01	Pass	
			25	0	22.02	-0.51	21.51	<=33.01	Pass
	1912.5		1	0	23.05	-0.51	22.54	<=33.01	Pass
		13		23.59	-0.51	23.08	<=33.01	Pass	
		24		23.19	-0.51	22.68	<=33.01	Pass	
		0		22.22	-0.51	21.71	<=33.01	Pass	
		12	6	22.25	-0.51	21.74	<=33.01	Pass	
			13	22.29	-0.51	21.78	<=33.01	Pass	
			25	0	22.26	-0.51	21.75	<=33.01	Pass
		256QAM	1852.5	1	0	18.93	-0.51	18.42	<=33.01
	13				18.82	-0.51	18.31	<=33.01	Pass
24	18.64				-0.51	18.13	<=33.01	Pass	
12	0			18.92	-0.51	18.41	<=33.01	Pass	
	6			19.01	-0.51	18.50	<=33.01	Pass	
	13			18.93	-0.51	18.42	<=33.01	Pass	
25	0			18.91	-0.51	18.40	<=33.01	Pass	
1882.5	1		0	18.75	-0.51	18.24	<=33.01	Pass	
			13	19.10	-0.51	18.59	<=33.01	Pass	
			24	18.98	-0.51	18.47	<=33.01	Pass	
	12		0	18.93	-0.51	18.42	<=33.01	Pass	
			6	19.02	-0.51	18.51	<=33.01	Pass	
			13	19.14	-0.51	18.63	<=33.01	Pass	
	25		0	19.01	-0.51	18.50	<=33.01	Pass	
1912.5	1		0	19.44	-0.51	18.93	<=33.01	Pass	
			13	19.54	-0.51	19.03	<=33.01	Pass	
			24	18.87	-0.51	18.36	<=33.01	Pass	
	12		0	19.32	-0.51	18.81	<=33.01	Pass	
			6	19.25	-0.51	18.74	<=33.01	Pass	
			13	19.23	-0.51	18.72	<=33.01	Pass	
	25		0	19.24	-0.51	18.73	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.51	-0.51	23.00	<=33.01	Pass
			25	23.80	-0.51	23.29	<=33.01	Pass
			49	24.20	-0.51	23.69	<=33.01	Pass
		25	0	22.95	-0.51	22.44	<=33.01	Pass
			13	22.95	-0.51	22.44	<=33.01	Pass
			25	22.94	-0.51	22.43	<=33.01	Pass

		50	0	22.91	-0.51	22.40	<=33.01	Pass	
		1882.5	1	0	23.43	-0.51	22.92	<=33.01	Pass
				25	23.46	-0.51	22.95	<=33.01	Pass
				49	23.37	-0.51	22.86	<=33.01	Pass
			25	0	23.00	-0.51	22.49	<=33.01	Pass
				13	23.04	-0.51	22.53	<=33.01	Pass
				25	23.11	-0.51	22.60	<=33.01	Pass
		50	0	22.97	-0.51	22.46	<=33.01	Pass	
		1910	1	0	24.12	-0.51	23.61	<=33.01	Pass
				25	24.60	-0.51	24.09	<=33.01	Pass
				49	24.01	-0.51	23.50	<=33.01	Pass
			25	0	23.24	-0.51	22.73	<=33.01	Pass
				13	23.34	-0.51	22.83	<=33.01	Pass
				25	23.39	-0.51	22.88	<=33.01	Pass
			50	0	23.23	-0.51	22.72	<=33.01	Pass
			16QAM	1855	1	0	22.51	-0.51	22.00
25	22.88	-0.51				22.37	<=33.01	Pass	
49	23.25	-0.51				22.74	<=33.01	Pass	
25	0	21.95			-0.51	21.44	<=33.01	Pass	
	13	22.01			-0.51	21.50	<=33.01	Pass	
	25	21.94			-0.51	21.43	<=33.01	Pass	
50	0	22.05		-0.51	21.54	<=33.01	Pass		
1882.5	1	0		23.03	-0.51	22.52	<=33.01	Pass	
		25		22.31	-0.51	21.80	<=33.01	Pass	
		49		23.51	-0.51	23.00	<=33.01	Pass	
	25	0		21.94	-0.51	21.43	<=33.01	Pass	
		13		22.09	-0.51	21.58	<=33.01	Pass	
		25		22.10	-0.51	21.59	<=33.01	Pass	
50	0	21.95		-0.51	21.44	<=33.01	Pass		
1910	1	0		23.02	-0.51	22.51	<=33.01	Pass	
		25		23.20	-0.51	22.69	<=33.01	Pass	
		49		23.38	-0.51	22.87	<=33.01	Pass	
	25	0		22.34	-0.51	21.83	<=33.01	Pass	
		13		22.32	-0.51	21.81	<=33.01	Pass	
		25		22.34	-0.51	21.83	<=33.01	Pass	
	50	0		22.21	-0.51	21.70	<=33.01	Pass	
	64QAM	1855		1	0	22.15	-0.51	21.64	<=33.01
25					23.08	-0.51	22.57	<=33.01	Pass
49					22.95	-0.51	22.44	<=33.01	Pass
25			0	22.01	-0.51	21.50	<=33.01	Pass	
			13	21.99	-0.51	21.48	<=33.01	Pass	
			25	22.00	-0.51	21.49	<=33.01	Pass	
50		0	21.98	-0.51	21.47	<=33.01	Pass		
1882.5		1	0	22.72	-0.51	22.21	<=33.01	Pass	
			25	22.30	-0.51	21.79	<=33.01	Pass	
			49	23.14	-0.51	22.63	<=33.01	Pass	
		25	0	21.91	-0.51	21.40	<=33.01	Pass	
			13	22.07	-0.51	21.56	<=33.01	Pass	
			25	22.18	-0.51	21.67	<=33.01	Pass	
50		0	22.02	-0.51	21.51	<=33.01	Pass		
1910		1	0	23.18	-0.51	22.67	<=33.01	Pass	
			25	23.31	-0.51	22.80	<=33.01	Pass	
			49	23.08	-0.51	22.57	<=33.01	Pass	
		25	0	22.31	-0.51	21.80	<=33.01	Pass	
			13	22.34	-0.51	21.83	<=33.01	Pass	
			25	22.32	-0.51	21.81	<=33.01	Pass	
		50	0	22.20	-0.51	21.69	<=33.01	Pass	
		256QAM	1855	1	0	18.68	-0.51	18.17	<=33.01
25					19.10	-0.51	18.59	<=33.01	Pass

			49	19.06	-0.51	18.55	<=33.01	Pass
		25	0	18.83	-0.51	18.32	<=33.01	Pass
			13	18.99	-0.51	18.48	<=33.01	Pass
			25	18.96	-0.51	18.45	<=33.01	Pass
		50	0	18.92	-0.51	18.41	<=33.01	Pass
	1882.5	1	0	19.08	-0.51	18.57	<=33.01	Pass
			25	19.05	-0.51	18.54	<=33.01	Pass
			49	19.39	-0.51	18.88	<=33.01	Pass
		25	0	19.09	-0.51	18.58	<=33.01	Pass
			13	19.07	-0.51	18.56	<=33.01	Pass
			25	19.06	-0.51	18.55	<=33.01	Pass
		50	0	19.02	-0.51	18.51	<=33.01	Pass
	1910	1	0	19.56	-0.51	19.05	<=33.01	Pass
			25	18.83	-0.51	18.32	<=33.01	Pass
			49	19.34	-0.51	18.83	<=33.01	Pass
		25	0	19.04	-0.51	18.53	<=33.01	Pass
			13	19.38	-0.51	18.87	<=33.01	Pass
			25	19.25	-0.51	18.74	<=33.01	Pass
		50	0	19.31	-0.51	18.80	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.67	-0.51	23.16	<=33.01	Pass
			38	23.43	-0.51	22.92	<=33.01	Pass
			74	23.73	-0.51	23.22	<=33.01	Pass
		36	0	22.94	-0.51	22.43	<=33.01	Pass
			18	22.99	-0.51	22.48	<=33.01	Pass
			39	22.94	-0.51	22.43	<=33.01	Pass
		75	0	22.88	-0.51	22.37	<=33.01	Pass
	1882.5	1	0	23.80	-0.51	23.29	<=33.01	Pass
			38	23.60	-0.51	23.09	<=33.01	Pass
			74	24.12	-0.51	23.61	<=33.01	Pass
		36	0	22.86	-0.51	22.35	<=33.01	Pass
			18	23.01	-0.51	22.50	<=33.01	Pass
			39	23.10	-0.51	22.59	<=33.01	Pass
		75	0	22.99	-0.51	22.48	<=33.01	Pass
	1907.5	1	0	24.25	-0.51	23.74	<=33.01	Pass
			38	24.24	-0.51	23.73	<=33.01	Pass
			74	24.33	-0.51	23.82	<=33.01	Pass
		36	0	23.24	-0.51	22.73	<=33.01	Pass
			18	23.31	-0.51	22.80	<=33.01	Pass
			39	23.30	-0.51	22.79	<=33.01	Pass
		75	0	23.25	-0.51	22.74	<=33.01	Pass
16QAM	1857.5	1	0	23.15	-0.51	22.64	<=33.01	Pass
			38	22.32	-0.51	21.81	<=33.01	Pass
			74	22.45	-0.51	21.94	<=33.01	Pass
		36	0	21.92	-0.51	21.41	<=33.01	Pass
			18	22.06	-0.51	21.55	<=33.01	Pass
			39	22.01	-0.51	21.50	<=33.01	Pass
		75	0	22.12	-0.51	21.61	<=33.01	Pass
	1882.5	1	0	22.85	-0.51	22.34	<=33.01	Pass
			38	23.25	-0.51	22.74	<=33.01	Pass
			74	23.15	-0.51	22.64	<=33.01	Pass

		36	0	21.93	-0.51	21.42	<=33.01	Pass
			18	22.06	-0.51	21.55	<=33.01	Pass
			39	22.10	-0.51	21.59	<=33.01	Pass
		75	0	21.98	-0.51	21.47	<=33.01	Pass
	1907.5	1	0	23.69	-0.51	23.18	<=33.01	Pass
			38	23.20	-0.51	22.69	<=33.01	Pass
			74	23.27	-0.51	22.76	<=33.01	Pass
		36	0	22.29	-0.51	21.78	<=33.01	Pass
			18	22.24	-0.51	21.73	<=33.01	Pass
			39	22.34	-0.51	21.83	<=33.01	Pass
		75	0	22.05	-0.51	21.54	<=33.01	Pass
64QAM		1857.5	1	0	22.86	-0.51	22.35	<=33.01
	38			22.95	-0.51	22.44	<=33.01	Pass
	74			23.00	-0.51	22.49	<=33.01	Pass
	36		0	21.99	-0.51	21.48	<=33.01	Pass
			18	21.99	-0.51	21.48	<=33.01	Pass
			39	21.93	-0.51	21.42	<=33.01	Pass
	75		0	22.08	-0.51	21.57	<=33.01	Pass
	1882.5	1	0	22.82	-0.51	22.31	<=33.01	Pass
			38	22.84	-0.51	22.33	<=33.01	Pass
			74	23.18	-0.51	22.67	<=33.01	Pass
		36	0	21.91	-0.51	21.40	<=33.01	Pass
			18	22.05	-0.51	21.54	<=33.01	Pass
			39	22.07	-0.51	21.56	<=33.01	Pass
		75	0	21.96	-0.51	21.45	<=33.01	Pass
	1907.5	1	0	23.33	-0.51	22.82	<=33.01	Pass
			38	23.39	-0.51	22.88	<=33.01	Pass
			74	22.93	-0.51	22.42	<=33.01	Pass
		36	0	22.28	-0.51	21.77	<=33.01	Pass
			18	22.27	-0.51	21.76	<=33.01	Pass
			39	22.27	-0.51	21.76	<=33.01	Pass
		75	0	22.52	-0.51	22.01	<=33.01	Pass
256QAM		1857.5	1	0	19.02	-0.51	18.51	<=33.01
	38			19.05	-0.51	18.54	<=33.01	Pass
	74			18.82	-0.51	18.31	<=33.01	Pass
	36		0	18.90	-0.51	18.39	<=33.01	Pass
			18	18.90	-0.51	18.39	<=33.01	Pass
			39	18.86	-0.51	18.35	<=33.01	Pass
	75		0	18.81	-0.51	18.30	<=33.01	Pass
	1882.5	1	0	18.74	-0.51	18.23	<=33.01	Pass
			38	19.00	-0.51	18.49	<=33.01	Pass
			74	19.02	-0.51	18.51	<=33.01	Pass
		36	0	18.89	-0.51	18.38	<=33.01	Pass
			18	18.95	-0.51	18.44	<=33.01	Pass
			39	19.02	-0.51	18.51	<=33.01	Pass
		75	0	19.03	-0.51	18.52	<=33.01	Pass
	1907.5	1	0	19.39	-0.51	18.88	<=33.01	Pass
			38	19.30	-0.51	18.79	<=33.01	Pass
			74	19.31	-0.51	18.80	<=33.01	Pass
		36	0	19.26	-0.51	18.75	<=33.01	Pass
			18	19.30	-0.51	18.79	<=33.01	Pass
			39	19.21	-0.51	18.70	<=33.01	Pass
		75	0	19.19	-0.51	18.68	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.84	-0.51	23.33	<=33.01	Pass
			50	23.45	-0.51	22.94	<=33.01	Pass
			99	23.76	-0.51	23.25	<=33.01	Pass
		50	0	22.84	-0.51	22.33	<=33.01	Pass
			25	22.95	-0.51	22.44	<=33.01	Pass
			50	22.89	-0.51	22.38	<=33.01	Pass
		100	0	22.95	-0.51	22.44	<=33.01	Pass
	1882.5	1	0	23.91	-0.51	23.40	<=33.01	Pass
			50	23.42	-0.51	22.91	<=33.01	Pass
			99	24.29	-0.51	23.78	<=33.01	Pass
		50	0	22.89	-0.51	22.38	<=33.01	Pass
			25	22.97	-0.51	22.46	<=33.01	Pass
			50	23.18	-0.51	22.67	<=33.01	Pass
		100	0	23.00	-0.51	22.49	<=33.01	Pass
	1905	1	0	24.49	-0.51	23.98	<=33.01	Pass
			50	24.70	-0.51	24.19	<=33.01	Pass
			99	24.10	-0.51	23.59	<=33.01	Pass
		50	0	23.37	-0.51	22.86	<=33.01	Pass
			25	23.38	-0.51	22.87	<=33.01	Pass
			50	23.28	-0.51	22.77	<=33.01	Pass
		100	0	23.32	-0.51	22.81	<=33.01	Pass
16QAM	1860	1	0	22.85	-0.51	22.34	<=33.01	Pass
			50	23.18	-0.51	22.67	<=33.01	Pass
			99	22.96	-0.51	22.45	<=33.01	Pass
		50	0	21.90	-0.51	21.39	<=33.01	Pass
			25	21.94	-0.51	21.43	<=33.01	Pass
			50	22.01	-0.51	21.50	<=33.01	Pass
		100	0	22.01	-0.51	21.50	<=33.01	Pass
	1882.5	1	0	22.95	-0.51	22.44	<=33.01	Pass
			50	23.23	-0.51	22.72	<=33.01	Pass
			99	22.89	-0.51	22.38	<=33.01	Pass
		50	0	21.83	-0.51	21.32	<=33.01	Pass
			25	21.92	-0.51	21.41	<=33.01	Pass
			50	22.16	-0.51	21.65	<=33.01	Pass
		100	0	22.00	-0.51	21.49	<=33.01	Pass
	1905	1	0	23.18	-0.51	22.67	<=33.01	Pass
			50	23.51	-0.51	23.00	<=33.01	Pass
			99	23.12	-0.51	22.61	<=33.01	Pass
		50	0	22.23	-0.51	21.72	<=33.01	Pass
			25	22.45	-0.51	21.94	<=33.01	Pass
			50	22.39	-0.51	21.88	<=33.01	Pass
		100	0	22.38	-0.51	21.87	<=33.01	Pass
64QAM	1860	1	0	23.06	-0.51	22.55	<=33.01	Pass
			50	22.87	-0.51	22.36	<=33.01	Pass
			99	22.92	-0.51	22.41	<=33.01	Pass
		50	0	21.89	-0.51	21.38	<=33.01	Pass
			25	22.06	-0.51	21.55	<=33.01	Pass
			50	22.00	-0.51	21.49	<=33.01	Pass
		100	0	21.86	-0.51	21.35	<=33.01	Pass
	1882.5	1	0	22.78	-0.51	22.27	<=33.01	Pass
			50	23.04	-0.51	22.53	<=33.01	Pass
			99	23.06	-0.51	22.55	<=33.01	Pass
		50	0	21.91	-0.51	21.40	<=33.01	Pass
			25	22.07	-0.51	21.56	<=33.01	Pass
			50	22.20	-0.51	21.69	<=33.01	Pass
		100	0	21.93	-0.51	21.42	<=33.01	Pass

	1905	1	0	23.32	-0.51	22.81	<=33.01	Pass
			50	23.15	-0.51	22.64	<=33.01	Pass
			99	23.36	-0.51	22.85	<=33.01	Pass
		50	0	22.38	-0.51	21.87	<=33.01	Pass
			25	22.32	-0.51	21.81	<=33.01	Pass
			50	22.36	-0.51	21.85	<=33.01	Pass
		100	0	22.38	-0.51	21.87	<=33.01	Pass
256QAM	1860	1	0	18.74	-0.51	18.23	<=33.01	Pass
			50	19.01	-0.51	18.50	<=33.01	Pass
			99	18.73	-0.51	18.22	<=33.01	Pass
		50	0	18.91	-0.51	18.40	<=33.01	Pass
			25	18.99	-0.51	18.48	<=33.01	Pass
			50	19.11	-0.51	18.60	<=33.01	Pass
		100	0	18.91	-0.51	18.40	<=33.01	Pass
	1882.5	1	0	18.96	-0.51	18.45	<=33.01	Pass
			50	18.96	-0.51	18.45	<=33.01	Pass
			99	19.14	-0.51	18.63	<=33.01	Pass
		50	0	18.83	-0.51	18.32	<=33.01	Pass
			25	19.09	-0.51	18.58	<=33.01	Pass
			50	19.19	-0.51	18.68	<=33.01	Pass
		100	0	19.02	-0.51	18.51	<=33.01	Pass
	1905	1	0	19.18	-0.51	18.67	<=33.01	Pass
			50	19.64	-0.51	19.13	<=33.01	Pass
			99	19.37	-0.51	18.86	<=33.01	Pass
		50	0	19.26	-0.51	18.75	<=33.01	Pass
			25	19.34	-0.51	18.83	<=33.01	Pass
			50	19.32	-0.51	18.81	<=33.01	Pass
		100	0	19.33	-0.51	18.82	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 Test Result

2.1.1 B25_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1882.5	50	0	20	LV	-4.000	-0.0021	-2.5 to 2.5	Pass
					HV	-0.500	-0.0003	-2.5 to 2.5	Pass
					NV	-1.400	-0.0007	-2.5 to 2.5	Pass
				-30	NV	-5.900	-0.0031	-2.5 to 2.5	Pass
				-20	NV	-2.100	-0.0011	-2.5 to 2.5	Pass
				-10	NV	-1.700	-0.0009	-2.5 to 2.5	Pass
				0	NV	-1.600	-0.0008	-2.5 to 2.5	Pass
				10	NV	-3.100	-0.0016	-2.5 to 2.5	Pass
				30	NV	-2.100	-0.0011	-2.5 to 2.5	Pass
				40	NV	-2.100	-0.0011	-2.5 to 2.5	Pass
				50	NV	-2.800	-0.0015	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band25_OBW


Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.130	/	Pass
	16QAM	1882.5	6	0	1.134	/	Pass
3	QPSK	1882.5	15	0	2.739	/	Pass
	16QAM	1882.5	15	0	2.734	/	Pass
5	QPSK	1882.5	25	0	4.557	/	Pass
	16QAM	1882.5	25	0	4.557	/	Pass
10	QPSK	1882.5	50	0	9.081	/	Pass
	16QAM	1882.5	50	0	9.068	/	Pass
15	QPSK	1882.5	75	0	13.639	/	Pass
	16QAM	1882.5	75	0	13.633	/	Pass
20	QPSK	1882.5	100	0	18.150	/	Pass
	16QAM	1882.5	100	0	18.192	/	Pass

3.1.2 Band25_XDB


Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.423	/	Pass
	16QAM	1882.5	6	0	1.635	/	Pass
3	QPSK	1882.5	15	0	3.143	/	Pass
	16QAM	1882.5	15	0	3.127	/	Pass
5	QPSK	1882.5	25	0	5.283	/	Pass
	16QAM	1882.5	25	0	5.241	/	Pass
10	QPSK	1882.5	50	0	10.232	/	Pass
	16QAM	1882.5	50	0	10.243	/	Pass
15	QPSK	1882.5	75	0	15.229	/	Pass
	16QAM	1882.5	75	0	15.290	/	Pass
20	QPSK	1882.5	100	0	20.079	/	Pass
	16QAM	1882.5	100	0	20.117	/	Pass

3.2 Test Graph


3.2.1 Band25_OBW




Band25 3MHz QPSK MCH 1882.5MHz RB 15 0 NTV




Band25 3MHz 16QAM MCH 1882.5MHz RB 15 0 NTV




Band25 5MHz QPSK MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTNV




Band25 10MHz QPSK MCH 1882.5MHz RB 50 0 NTN




Band25 10MHz 16QAM MCH 1882.5MHz RB 50 0 NTN




Band25 15MHz QPSK MCH 1882.5MHz RB 75 0 NTNV




Band25 15MHz 16QAM MCH 1882.5MHz RB 75 0 NTNV




Band25 20MHz QPSK MCH 1882.5MHz RB 100 0 NTNV




Band25 20MHz 16QAM MCH 1882.5MHz RB 100 0 NTNV




3.2.2 Band25_XDB




Band25 3MHz QPSK MCH 1882.5MHz RB 15 0 NTV




Band25 3MHz 16QAM MCH 1882.5MHz RB 15 0 NTV




Band25 5MHz QPSK MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTNV




Band25 10MHz QPSK MCH 1882.5MHz RB 50 0 NTN




Band25 10MHz 16QAM MCH 1882.5MHz RB 50 0 NTN




Band25 15MHz QPSK MCH 1882.5MHz RB 75 0 NTV




Band25 15MHz 16QAM MCH 1882.5MHz RB 75 0 NTV



Band25 20MHz QPSK MCH 1882.5MHz RB 100 0 NTV



Band25 20MHz 16QAM MCH 1882.5MHz RB 100 0 NTV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	4.61	<=13	Pass
16QAM	1882.5	100	0	5.63	<=13	Pass
64QAM	1882.5	100	0	5.63	<=13	Pass
256QAM	1882.5	100	0	6.70	<=13	Pass

4.2 Test Graph


4.2.1 B25_20MHz



Band25 20MHz 64QAM MCH 1882.5MHz RB 100 0 NTV



Band25 20MHz 256QAM MCH 1882.5MHz RB 100 0 NTV



5. Spurious Emission

5.1 Test Result

5.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1914.3	1	0	Refer To Test Graph	
	5			Refer To Test Graph		Pass
	6		0	Refer To Test Graph		Pass

5.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1913.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1912.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B25_1.4MHz



Band25 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band25 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-34.59	-13	Pass
1849	1850	0.014	CHP	2	1849.985	-24.86	-13	Pass
1850	1853	0.014	CHP	/	/	/	/	/


Band25 1.4MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 1.4MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTV



Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.005	-24.78	-13	Pass
1916	1918	1	CHP	2	1916.500	-32.45	-13	Pass

Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.014	CHP	/	/	/	/	/
1915	1916	0.014	CHP	1	1915.005	-24.90	-13	Pass
1916	1918	1	CHP	2	1916.500	-30.39	-13	Pass


5.2.2 B25_3MHz



Band25 3MHz QPSK LCH 1851.5MHz RB 1 0 NTV




Band25_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-31.85	-13	Pass
1849	1850	0.031	CHP	2	1849.994	-24.30	-13	Pass
1850	1853	0.031	CHP	/	/	/	/	/


Band25 3MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 3MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV




Band25 3MHz QPSK HCH 1913.5MHz RB 1 14 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.028	-27.77	-13	Pass
1916	1918	1	CHP	2	1916.500	-34.08	-13	Pass

Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.031	CHP	/	/	/	/	/
1915	1916	0.031	CHP	1	1915.006	-24.80	-13	Pass
1916	1918	1	CHP	2	1916.500	-26.74	-13	Pass


5.2.3 B25_5MHz



Band25 5MHz QPSK LCH 1852.5MHz RB 1 0 NTV




Band25_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-26.79	-13	Pass
1849	1850	0.053	CHP	2	1849.980	-25.83	-13	Pass
1850	1855	0.053	CHP	/	/	/	/	/


Band25 5MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 5MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 5MHz QPSK HCH 1912.5MHz RB 1 0 NTNV



Band25 5MHz QPSK HCH 1912.5MHz RB 1 0 NTNV




Band25 5MHz QPSK HCH 1912.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.002	-30.90	-13	Pass
1916	1920	1	CHP	2	1916.500	-34.67	-13	Pass

Band25 5MHz QPSK HCH 1912.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.053	CHP	/	/	/	/	/
1915	1916	0.053	CHP	1	1915.040	-26.12	-13	Pass
1916	1920	1	CHP	2	1916.500	-22.12	-13	Pass


5.2.4 B25_10MHz



Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.500	-24.11	-13	Pass
1849	1850	0.102	CHP	2	1849.940	-28.85	-13	Pass
1850	1860	0.102	CHP	/	/	/	/	/


Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25 10MHz QPSK HCH 1910MHz RB 1 0 NTV



Band25 10MHz QPSK HCH 1910MHz RB 1 0 NTV




Band25_10MHz_QPSK_HCH_1910MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.004	-42.96	-13	Pass
1916	1925	1	CHP	2	1916.501	-37.42	-13	Pass

Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.102	CHP	/	/	/	/	/
1915	1916	0.102	CHP	1	1915.020	-27.59	-13	Pass
1916	1925	1	CHP	2	1916.500	-22.68	-13	Pass


5.2.5 B25_15MHz



Band25_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-24.93	-13	Pass
1849	1850	0.152	CHP	2	1849.730	-29.10	-13	Pass
1850	1865	0.152	CHP	/	/	/	/	/


Band25 15MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 15MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band25 15MHz QPSK HCH 1907.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.005	-41.16	-13	Pass
1916	1930	1	CHP	2	1916.500	-40.75	-13	Pass

Band25 15MHz QPSK HCH 1907.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.153	CHP	/	/	/	/	/
1915	1916	0.153	CHP	1	1915.030	-26.97	-13	Pass
1916	1930	1	CHP	2	1916.500	-20.48	-13	Pass


5.2.6 B25_20MHz



Band25 20MHz QPSK LCH 1860MHz RB 1 0 NTNV




Band25 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-23.14	-13	Pass
1849	1850	0.201	CHP	2	1849.960	-28.20	-13	Pass
1850	1870	0.201	CHP	/	/	/	/	/


Band25 20MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 20MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 20MHz QPSK HCH 1905MHz RB 1 0 NTNV



Band25 20MHz QPSK HCH 1905MHz RB 1 0 NTNV




Band25 20MHz QPSK HCH 1905MHz RB 1 99 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.021	-44.35	-13	Pass
1916	1935	1	CHP	2	1916.500	-40.08	-13	Pass

Band25 20MHz QPSK HCH 1905MHz RB 100 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.201	CHP	/	/	/	/	/
1915	1916	0.201	CHP	1	1915.040	-27.67	-13	Pass
1916	1935	1	CHP	2	1916.520	-22.70	-13	Pass