

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Verdict
Band41	5	40265	1	#0	QPSK	22.93	PASS
Band41	5	40265	1	#Mid	QPSK	23.32	PASS
Band41	5	40265	1	#Max	QPSK	23.01	PASS
Band41	5	40265	12	#0	QPSK	22.04	PASS
Band41	5	40265	12	#Mid	QPSK	22.14	PASS
Band41	5	40265	12	#Max	QPSK	22.19	PASS
Band41	5	40265	25	#0	QPSK	22.06	PASS
Band41	5	40265	1	#0	QAM16	21.86	PASS
Band41	5	40265	1	#Mid	QAM16	21.87	PASS
Band41	5	40265	1	#Max	QAM16	21.88	PASS
Band41	5	40265	12	#0	QAM16	21.16	PASS
Band41	5	40265	12	#Mid	QAM16	21.17	PASS
Band41	5	40265	12	#Max	QAM16	21.21	PASS
Band41	5	40265	25	#0	QAM16	21.02	PASS
Band41	5	40740	1	#0	QPSK	22.15	PASS
Band41	5	40740	1	#Mid	QPSK	22.58	PASS
Band41	5	40740	1	#Max	QPSK	22.36	PASS
Band41	5	40740	12	#0	QPSK	21.61	PASS
Band41	5	40740	12	#Mid	QPSK	21.63	PASS
Band41	5	40740	12	#Max	QPSK	21.62	PASS
Band41	5	40740	25	#0	QPSK	21.73	PASS
Band41	5	40740	1	#0	QAM16	21.78	PASS
Band41	5	40740	1	#Mid	QAM16	21.17	PASS
Band41	5	40740	1	#Max	QAM16	20.88	PASS
Band41	5	40740	12	#0	QAM16	20.54	PASS
Band41	5	40740	12	#Mid	QAM16	20.66	PASS
Band41	5	40740	12	#Max	QAM16	20.57	PASS
Band41	5	40740	25	#0	QAM16	20.58	PASS
Band41	5	41215	1	#0	QPSK	22.52	PASS
Band41	5	41215	1	#Mid	QPSK	23.15	PASS
Band41	5	41215	1	#Max	QPSK	22.50	PASS
Band41	5	41215	12	#0	QPSK	21.46	PASS
Band41	5	41215	12	#Mid	QPSK	21.52	PASS
Band41	5	41215	12	#Max	QPSK	21.48	PASS
Band41	5	41215	25	#0	QPSK	21.41	PASS
Band41	5	41215	1	#0	QAM16	21.36	PASS
Band41	5	41215	1	#Mid	QAM16	21.58	PASS
Band41	5	41215	1	#Max	QAM16	21.21	PASS
Band41	5	41215	12	#0	QAM16	20.33	PASS
Band41	5	41215	12	#Mid	QAM16	20.27	PASS
Band41	5	41215	12	#Max	QAM16	20.26	PASS

Band41	5	41215	25	#0	QAM16	20.60	PASS
Band41	10	40290	1	#0	QPSK	22.91	PASS
Band41	10	40290	1	#Mid	QPSK	23.32	PASS
Band41	10	40290	1	#Max	QPSK	23.04	PASS
Band41	10	40290	25	#0	QPSK	22.20	PASS
Band41	10	40290	25	#Mid	QPSK	22.23	PASS
Band41	10	40290	25	#Max	QPSK	22.22	PASS
Band41	10	40290	50	#0	QPSK	22.27	PASS
Band41	10	40290	1	#0	QAM16	22.60	PASS
Band41	10	40290	1	#Mid	QAM16	22.66	PASS
Band41	10	40290	1	#Max	QAM16	22.57	PASS
Band41	10	40290	25	#0	QAM16	21.17	PASS
Band41	10	40290	25	#Mid	QAM16	21.21	PASS
Band41	10	40290	25	#Max	QAM16	21.20	PASS
Band41	10	40290	50	#0	QAM16	21.13	PASS
Band41	10	40740	1	#0	QPSK	22.52	PASS
Band41	10	40740	1	#Mid	QPSK	22.60	PASS
Band41	10	40740	1	#Max	QPSK	22.35	PASS
Band41	10	40740	25	#0	QPSK	21.53	PASS
Band41	10	40740	25	#Mid	QPSK	21.70	PASS
Band41	10	40740	25	#Max	QPSK	21.53	PASS
Band41	10	40740	50	#0	QPSK	21.64	PASS
Band41	10	40740	1	#0	QAM16	22.03	PASS
Band41	10	40740	1	#Mid	QAM16	22.16	PASS
Band41	10	40740	1	#Max	QAM16	21.80	PASS
Band41	10	40740	25	#0	QAM16	20.65	PASS
Band41	10	40740	25	#Mid	QAM16	20.73	PASS
Band41	10	40740	25	#Max	QAM16	20.55	PASS
Band41	10	40740	50	#0	QAM16	20.64	PASS
Band41	10	41190	1	#0	QPSK	22.21	PASS
Band41	10	41190	1	#Mid	QPSK	22.60	PASS
Band41	10	41190	1	#Max	QPSK	22.26	PASS
Band41	10	41190	25	#0	QPSK	21.55	PASS
Band41	10	41190	25	#Mid	QPSK	21.52	PASS
Band41	10	41190	25	#Max	QPSK	21.55	PASS
Band41	10	41190	50	#0	QPSK	21.54	PASS
Band41	10	41190	1	#0	QAM16	20.45	PASS
Band41	10	41190	1	#Mid	QAM16	20.56	PASS
Band41	10	41190	1	#Max	QAM16	20.51	PASS
Band41	10	41190	25	#0	QAM16	20.44	PASS
Band41	10	41190	25	#Mid	QAM16	20.38	PASS
Band41	10	41190	25	#Max	QAM16	20.43	PASS
Band41	10	41190	50	#0	QAM16	20.57	PASS
Band41	15	40315	1	#0	QPSK	23.34	PASS

Band41	15	40315	1	#Mid	QPSK	23.30	PASS
Band41	15	40315	1	#Max	QPSK	23.01	PASS
Band41	15	40315	36	#0	QPSK	22.15	PASS
Band41	15	40315	36	#Mid	QPSK	22.35	PASS
Band41	15	40315	36	#Max	QPSK	22.18	PASS
Band41	15	40315	75	#0	QPSK	22.17	PASS
Band41	15	40315	1	#0	QAM16	22.75	PASS
Band41	15	40315	1	#Mid	QAM16	22.81	PASS
Band41	15	40315	1	#Max	QAM16	22.54	PASS
Band41	15	40315	36	#0	QAM16	21.17	PASS
Band41	15	40315	36	#Mid	QAM16	21.20	PASS
Band41	15	40315	36	#Max	QAM16	21.03	PASS
Band41	15	40315	75	#0	QAM16	21.19	PASS
Band41	15	40740	1	#0	QPSK	22.41	PASS
Band41	15	40740	1	#Mid	QPSK	22.41	PASS
Band41	15	40740	1	#Max	QPSK	22.20	PASS
Band41	15	40740	36	#0	QPSK	21.54	PASS
Band41	15	40740	36	#Mid	QPSK	21.70	PASS
Band41	15	40740	36	#Max	QPSK	21.53	PASS
Band41	15	40740	75	#0	QPSK	21.55	PASS
Band41	15	40740	1	#0	QAM16	20.78	PASS
Band41	15	40740	1	#Mid	QAM16	21.01	PASS
Band41	15	40740	1	#Max	QAM16	20.55	PASS
Band41	15	40740	36	#0	QAM16	20.72	PASS
Band41	15	40740	36	#Mid	QAM16	20.79	PASS
Band41	15	40740	36	#Max	QAM16	20.72	PASS
Band41	15	40740	75	#0	QAM16	20.67	PASS
Band41	15	41165	1	#0	QPSK	22.37	PASS
Band41	15	41165	1	#Mid	QPSK	22.66	PASS
Band41	15	41165	1	#Max	QPSK	22.19	PASS
Band41	15	41165	36	#0	QPSK	21.52	PASS
Band41	15	41165	36	#Mid	QPSK	21.58	PASS
Band41	15	41165	36	#Max	QPSK	21.49	PASS
Band41	15	41165	75	#0	QPSK	21.46	PASS
Band41	15	41165	1	#0	QAM16	21.50	PASS
Band41	15	41165	1	#Mid	QAM16	21.46	PASS
Band41	15	41165	1	#Max	QAM16	21.32	PASS
Band41	15	41165	36	#0	QAM16	20.26	PASS
Band41	15	41165	36	#Mid	QAM16	20.43	PASS
Band41	15	41165	36	#Max	QAM16	20.35	PASS
Band41	15	41165	75	#0	QAM16	20.61	PASS
Band41	20	40340	1	#0	QPSK	22.82	PASS
Band41	20	40340	1	#Mid	QPSK	23.00	PASS
Band41	20	40340	1	#Max	QPSK	22.49	PASS

Band41	20	40340	50	#0	QPSK	22.15	PASS
Band41	20	40340	50	#Mid	QPSK	22.26	PASS
Band41	20	40340	50	#Max	QPSK	22.07	PASS
Band41	20	40340	100	#0	QPSK	22.12	PASS
Band41	20	40340	1	#0	QAM16	21.98	PASS
Band41	20	40340	1	#Mid	QAM16	21.98	PASS
Band41	20	40340	1	#Max	QAM16	21.54	PASS
Band41	20	40340	50	#0	QAM16	21.33	PASS
Band41	20	40340	50	#Mid	QAM16	21.33	PASS
Band41	20	40340	50	#Max	QAM16	21.14	PASS
Band41	20	40340	100	#0	QAM16	21.16	PASS
Band41	20	40740	1	#0	QPSK	22.67	PASS
Band41	20	40740	1	#Mid	QPSK	22.73	PASS
Band41	20	40740	1	#Max	QPSK	22.61	PASS
Band41	20	40740	50	#0	QPSK	21.62	PASS
Band41	20	40740	50	#Mid	QPSK	21.68	PASS
Band41	20	40740	50	#Max	QPSK	21.49	PASS
Band41	20	40740	100	#0	QPSK	21.62	PASS
Band41	20	40740	1	#0	QAM16	20.44	PASS
Band41	20	40740	1	#Mid	QAM16	20.68	PASS
Band41	20	40740	1	#Max	QAM16	20.54	PASS
Band41	20	40740	50	#0	QAM16	20.62	PASS
Band41	20	40740	50	#Mid	QAM16	20.68	PASS
Band41	20	40740	50	#Max	QAM16	20.61	PASS
Band41	20	40740	100	#0	QAM16	20.54	PASS
Band41	20	41140	1	#0	QPSK	22.61	PASS
Band41	20	41140	1	#Mid	QPSK	22.68	PASS
Band41	20	41140	1	#Max	QPSK	22.48	PASS
Band41	20	41140	50	#0	QPSK	21.57	PASS
Band41	20	41140	50	#Mid	QPSK	21.55	PASS
Band41	20	41140	50	#Max	QPSK	21.48	PASS
Band41	20	41140	100	#0	QPSK	21.48	PASS
Band41	20	41140	1	#0	QAM16	21.61	PASS
Band41	20	41140	1	#Mid	QAM16	21.57	PASS
Band41	20	41140	1	#Max	QAM16	21.51	PASS
Band41	20	41140	50	#0	QAM16	20.61	PASS
Band41	20	41140	50	#Mid	QAM16	20.59	PASS
Band41	20	41140	50	#Max	QAM16	20.49	PASS
Band41	20	41140	100	#0	QAM16	20.52	PASS


2 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41	5	40740	1	#0	QPSK	9.09	13	PASS
Band41	5	40740	1	#0	QAM16	10.43	13	PASS
Band41	10	40740	1	#0	QPSK	8.16	13	PASS
Band41	10	40740	1	#0	QAM16	9.81	13	PASS
Band41	15	40740	1	#0	QPSK	8.16	13	PASS
Band41	15	40740	1	#0	QAM16	9.72	13	PASS
Band41	20	40740	1	#0	QPSK	8.18	13	PASS
Band41	20	40740	1	#0	QAM16	10.44	13	PASS


Band41 QPSK BW=5MHz Channel=40740 RB Size=1 Position=#0




Band41 QAM16 BW=5MHz Channel=40740 RB Size=1 Position=#0




Band41 QAM16 BW=10MHz Channel=40740 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=40740 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=40740 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=40740 RB Size=1 Position=#0



Band41 QAM16 BW=15MHz Channel=40740 RB Size=1 Position=#0




Band41 QAM16 BW=20MHz Channel=40740 RB Size=1 Position=#0




3 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band41	5	40740	25	#0	QPSK	4.506	4.951	PASS
Band41	5	40740	25	#0	QAM16	4.502	5.025	PASS
Band41	10	40740	50	#0	QPSK	8.991	9.680	PASS
Band41	10	40740	50	#0	QAM16	8.962	9.827	PASS
Band41	15	40740	75	#0	QPSK	13.442	14.620	PASS
Band41	15	40740	75	#0	QAM16	13.437	15.918	PASS
Band41	20	40740	100	#0	QPSK	17.936	19.426	PASS
Band41	20	40740	100	#0	QAM16	17.944	19.821	PASS


Band41 QPSK BW=5MHz Channel=40740 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=40740 RB Size=25 Position=#0




Band41 QAM16 BW=10MHz Channel=40740 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=40740 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=40740 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=40740 RB Size=100 Position=#0



Band41 QAM16 BW=15MHz Channel=40740 RB Size=75 Position=#0



Band41 QAM16 BW=20MHz Channel=40740 RB Size=100 Position=#0




4 Band edge


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	40265	1	#0	QPSK	2554.00	-14.69	-10	PASS
Band41	5	40265	1	#Max	QPSK	2547.21	-40.24	-25	PASS
Band41	5	40265	25	#0	QPSK	2548.92	-39.79	-25	PASS
Band41	5	40265	1	#0	QAM16	2554.00	-15.72	-10	PASS
Band41	5	40265	1	#Max	QAM16	2548.83	-39.16	-25	PASS
Band41	5	40265	25	#0	QAM16	2548.82	-40.00	-25	PASS
Band41	5	41215	1	#0	QPSK	2661.35	-39.46	-25	PASS
Band41	5	41215	1	#Max	QPSK	2656.00	-16.92	-10	PASS
Band41	5	41215	25	#0	QPSK	2661.37	-38.70	-25	PASS
Band41	5	41215	1	#0	QAM16	2662.45	-39.41	-25	PASS
Band41	5	41215	1	#Max	QAM16	2656.00	-17.64	-10	PASS
Band41	5	41215	25	#0	QAM16	2661.15	-38.79	-25	PASS
Band41	10	40290	1	#0	QPSK	2543.68	-39.42	-25	PASS
Band41	10	40290	1	#Max	QPSK	2544.81	-34.02	-25	PASS
Band41	10	40290	50	#0	QPSK	2544.79	-40.17	-25	PASS
Band41	10	40290	1	#0	QAM16	2544.50	-40.03	-25	PASS
Band41	10	40290	1	#Max	QAM16	2544.89	-37.27	-25	PASS
Band41	10	40290	50	#0	QAM16	2544.76	-39.57	-25	PASS
Band41	10	41190	1	#0	QPSK	2665.10	-37.64	-25	PASS
Band41	10	41190	1	#Max	QPSK	2665.73	-39.60	-25	PASS
Band41	10	41190	50	#0	QPSK	2665.10	-39.10	-25	PASS
Band41	10	41190	1	#0	QAM16	2665.10	-39.45	-25	PASS
Band41	10	41190	1	#Max	QAM16	2665.56	-39.74	-25	PASS
Band41	10	41190	50	#0	QAM16	2665.53	-39.37	-25	PASS
Band41	15	40315	1	#0	QPSK	2538.23	-40.41	-25	PASS
Band41	15	40315	1	#Max	QPSK	2539.68	-40.16	-25	PASS
Band41	15	40315	75	#0	QPSK	2538.11	-38.82	-25	PASS
Band41	15	40315	1	#0	QAM16	2539.43	-40.43	-25	PASS
Band41	15	40315	1	#Max	QAM16	2539.78	-39.43	-25	PASS
Band41	15	40315	75	#0	QAM16	2539.42	-40.38	-25	PASS
Band41	15	41165	1	#0	QPSK	2670.15	-39.10	-25	PASS
Band41	15	41165	1	#Max	QPSK	2671.28	-39.48	-25	PASS
Band41	15	41165	75	#0	QPSK	2671.04	-39.44	-25	PASS
Band41	15	41165	1	#0	QAM16	2672.85	-39.66	-25	PASS
Band41	15	41165	1	#Max	QAM16	2671.42	-39.46	-25	PASS
Band41	15	41165	75	#0	QAM16	2670.01	-38.60	-25	PASS
Band41	20	40340	1	#0	QPSK	2532.90	-40.27	-25	PASS
Band41	20	40340	1	#Max	QPSK	2531.68	-40.45	-25	PASS
Band41	20	40340	100	#0	QPSK	2533.43	-40.38	-25	PASS
Band41	20	40340	1	#0	QAM16	2534.45	-40.29	-25	PASS
Band41	20	40340	1	#Max	QAM16	2533.29	-40.50	-25	PASS
Band41	20	40340	100	#0	QAM16	2534.60	-40.45	-25	PASS

Band41	20	41140	1	#0	QPSK	2675.69	-39.82	-25	PASS
Band41	20	41140	1	#Max	QPSK	2677.52	-39.79	-25	PASS
Band41	20	41140	100	#0	QPSK	2675.49	-39.62	-25	PASS
Band41	20	41140	1	#0	QAM16	2677.27	-39.73	-25	PASS
Band41	20	41140	1	#Max	QAM16	2676.49	-39.71	-25	PASS
Band41	20	41140	100	#0	QAM16	2678.42	-39.64	-25	PASS


Band41 QPSK BW=5MHz Channel=40265 RB Size=1 Position=#Max




Band41 QPSK BW=5MHz Channel=40265 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=40265 RB Size=1 Position=#0




Band41 QAM16 BW=5MHz Channel=40265 RB Size=1 Position=#Max




Band41 QAM16 BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=41215 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=41215 RB Size=1 Position=#Max




Band41 QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=41215 RB Size=1 Position=#0




Band41 QAM16 BW=5MHz Channel=41215 RB Size=1 Position=#Max




Band41 QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=40290 RB Size=1 Position=#Max




Band41 QPSK BW=10MHz Channel=40290 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=40290 RB Size=1 Position=#0




Band41 QAM16 BW=10MHz Channel=40290 RB Size=1 Position=#Max




Band41 QAM16 BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=41190 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=41190 RB Size=1 Position=#Max




Band41 QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41190 RB Size=1 Position=#0




Band41 QAM16 BW=10MHz Channel=41190 RB Size=1 Position=#Max




Band41 QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=40315 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=40315 RB Size=1 Position=#Max




Band41 QAM16 BW=15MHz Channel=40315 RB Size=1 Position=#0




Band41 QAM16 BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=40315 RB Size=1 Position=#Max




Band41 QPSK BW=15MHz Channel=41165 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=41165 RB Size=1 Position=#Max




Band41 QAM16 BW=15MHz Channel=41165 RB Size=1 Position=#0




Band41 QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41165 RB Size=1 Position=#Max




Band41 QPSK BW=20MHz Channel=40340 RB Size=1 Position=#Max




Band41 QPSK BW=20MHz Channel=40340 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=40340 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=40340 RB Size=1 Position=#Max




Band41 QAM16 BW=20MHz Channel=40340 RB Size=1 Position=#0




Band41 QAM16 BW=20MHz Channel=40340 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=41140 RB Size=1 Position=#Max




Band41 QPSK BW=20MHz Channel=41140 RB Size=1 Position=#0




Band41 QAM16 BW=20MHz Channel=41140 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Band41 QAM16 BW=20MHz Channel=41140 RB Size=1 Position=#Max



Band41 QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0




5 Out-of-band emissions


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	40265	1	#0	QPSK	5907.70	-41.47	-25	PASS
Band41	5	40265	25	#0	QPSK	5780.80	-42.12	-25	PASS
Band41	5	40265	1	#0	QAM16	3155.50	-41.97	-25	PASS
Band41	5	40265	25	#0	QAM16	7649.20	-41.59	-25	PASS
Band41	5	40740	1	#0	QPSK	6578.20	-42.25	-25	PASS
Band41	5	40740	25	#0	QPSK	7589.80	-42.19	-25	PASS
Band41	5	40740	1	#0	QAM16	8178.40	-42.24	-25	PASS
Band41	5	40740	25	#0	QAM16	6819.40	-42.23	-25	PASS
Band41	5	41215	1	#0	QPSK	3015.10	-42.03	-25	PASS
Band41	5	41215	25	#0	QPSK	6502.60	-41.04	-25	PASS
Band41	5	41215	1	#0	QAM16	7304.50	-41.42	-25	PASS
Band41	5	41215	25	#0	QAM16	9654.40	-41.14	-25	PASS
Band41	10	40290	1	#0	QPSK	9622.00	-41.96	-25	PASS
Band41	10	40290	50	#0	QPSK	7553.80	-41.89	-25	PASS
Band41	10	40290	1	#0	QAM16	6231.70	-41.44	-25	PASS
Band41	10	40290	50	#0	QAM16	7589.80	-41.54	-25	PASS
Band41	10	40740	1	#0	QPSK	5932.00	-41.70	-25	PASS
Band41	10	40740	50	#0	QPSK	7397.20	-42.12	-25	PASS
Band41	10	40740	1	#0	QAM16	7513.30	-41.47	-25	PASS
Band41	10	40740	50	#0	QAM16	7144.30	-41.86	-25	PASS

Band41	10	41190	1	#0	QPSK	7651.00	-41.98	-25	PASS
Band41	10	41190	50	#0	QPSK	0.01	-41.37	-25	PASS
Band41	10	41190	1	#0	QAM16	7504.30	-40.96	-25	PASS
Band41	10	41190	50	#0	QAM16	7666.30	-41.97	-25	PASS
Band41	15	40315	1	#0	QPSK	3194.20	-41.85	-25	PASS
Band41	15	40315	75	#0	QPSK	7376.50	-42.10	-25	PASS
Band41	15	40315	1	#0	QAM16	7570.00	-41.65	-25	PASS
Band41	15	40315	75	#0	QAM16	7200.10	-41.92	-25	PASS
Band41	15	40740	1	#0	QPSK	5864.50	-41.61	-25	PASS
Band41	15	40740	75	#0	QPSK	6579.10	-40.85	-25	PASS
Band41	15	40740	1	#0	QAM16	5715.10	-41.62	-25	PASS
Band41	15	40740	75	#0	QAM16	5675.50	-41.47	-25	PASS
Band41	15	41165	1	#0	QPSK	7064.20	-41.48	-25	PASS
Band41	15	41165	75	#0	QPSK	5788.00	-41.46	-25	PASS
Band41	15	41165	1	#0	QAM16	7643.80	-40.61	-25	PASS
Band41	15	41165	75	#0	QAM16	7615.00	-41.38	-25	PASS
Band41	20	40340	1	#0	QPSK	7623.10	-41.46	-25	PASS
Band41	20	40340	100	#0	QPSK	7612.30	-41.62	-25	PASS
Band41	20	40340	1	#0	QAM16	7630.30	-41.96	-25	PASS
Band41	20	40340	100	#0	QAM16	5712.40	-42.15	-25	PASS
Band41	20	40740	1	#0	QPSK	8105.50	-41.94	-25	PASS
Band41	20	40740	100	#0	QPSK	7642.90	-42.09	-25	PASS
Band41	20	40740	1	#0	QAM16	6762.70	-41.80	-25	PASS
Band41	20	40740	100	#0	QAM16	6964.30	-41.76	-25	PASS
Band41	20	41140	1	#0	QPSK	5254.30	-40.21	-25	PASS
Band41	20	41140	100	#0	QPSK	7069.60	-41.58	-25	PASS
Band41	20	41140	1	#0	QAM16	7506.10	-41.34	-25	PASS
Band41	20	41140	100	#0	QAM16	6956.20	-41.19	-25	PASS


Band41 QPSK BW=5MHz Channel=40265 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=40265 RB Size=1 Position=#0




Band41 QAM16 BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=40740 RB Size=1 Position=#0




Band41 QAM16 BW=5MHz Channel=40740 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=40740 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=40740 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=41215 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=41215 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=40290 RB Size=1 Position=#0




Band41 QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=40290 RB Size=1 Position=#0




Band41 QAM16 BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=40740 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=40740 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=40740 RB Size=1 Position=#0




Band41 QAM16 BW=10MHz Channel=40740 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=41190 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41190 RB Size=1 Position=#0




Band41 QAM16 BW=20MHz Channel=40340 RB Size=1 Position=#0




Band41 QAM16 BW=20MHz Channel=40340 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=40740 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=40740 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=40740 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=40740 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=41140 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=41140 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=40315 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=40315 RB Size=1 Position=#0




Band41 QAM16 BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=40740 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=40740 RB Size=1 Position=#0




Band41 QAM16 BW=15MHz Channel=40740 RB Size=1 Position=#0




Band41 QAM16 BW=15MHz Channel=40740 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=41165 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41165 RB Size=1 Position=#0



Band41 QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0



Band41 QPSK BW=20MHz Channel=40340 RB Size=100 Position=#0



Band41 QPSK BW=20MHz Channel=40340 RB Size=1 Position=#0

