


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band26


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.05	-13	Pass	2985
30	805	0.1	RMS	793.999	-56.69	-13	Pass	7750
805	860	0.1	RMS	824.25	7.88	60	Pass	601
860	1000	0.1	RMS	896.026	-57.33	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.38	-13	Pass	2000
3000	10000	1	RMS	5763.395	-49.69	-13	Pass	7000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.81	-13	Pass	2985
30	805	0.1	RMS	799.299	-56.71	-13	Pass	7750
805	860	0.1	RMS	825.167	7.16	60	Pass	601
860	1000	0.1	RMS	999.4	-57.28	-13	Pass	1400
1000	3000	1	RMS	2769.885	-38.39	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.73	-13	Pass	7000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.89	-13	Pass	2985
30	805	0.1	RMS	790.898	-56.64	-13	Pass	7750
805	860	0.1	RMS	824.25	6.92	60	Pass	601
860	1000	0.1	RMS	901.73	-57.17	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.39	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.72	-13	Pass	7000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.53	-13	Pass	2985
30	805	0.1	RMS	804.1	-56.67	-13	Pass	7750
805	860	0.1	RMS	825.167	6.23	60	Pass	601
860	1000	0.1	RMS	901.229	-57.28	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.31	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.75	-13	Pass	7000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.82	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.26	-13	Pass	2985
30	805	0.1	RMS	799.899	-56.48	-13	Pass	7750
805	860	0.1	RMS	847.9	7.46	60	Pass	601
860	1000	0.1	RMS	900.329	-57.32	-13	Pass	1400
1000	3000	1	RMS	2664.832	-38.36	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.71	-13	Pass	7000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.9	-13	Pass	2985
30	805	0.1	RMS	774.596	-56.67	-13	Pass	7750
805	860	0.1	RMS	848.725	6.9	60	Pass	601
860	1000	0.1	RMS	892.823	-57.34	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.34	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.7	-13	Pass	7000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.29	-13	Pass	2985
30	805	0.1	RMS	804.9	-56.49	-13	Pass	7750
805	860	0.1	RMS	847.9	6.51	60	Pass	601
860	1000	0.1	RMS	975.583	-57.3	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.34	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.75	-13	Pass	7000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.17	-13	Pass	2985
30	805	0.1	RMS	764.995	-56.74	-13	Pass	7750
805	860	0.1	RMS	848.725	5.97	60	Pass	601
860	1000	0.1	RMS	987.591	-57.29	-13	Pass	1400
1000	3000	1	RMS	2671.836	-38.33	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.65	-13	Pass	7000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.96	-13	Pass	2985
30	805	0.1	RMS	782.197	-56.62	-13	Pass	7750
805	860	0.1	RMS	824.25	7.87	60	Pass	601
860	1000	0.1	RMS	898.528	-57.24	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.38	-13	Pass	2000
3000	10000	1	RMS	5761.394	-49.71	-13	Pass	7000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.29	-13	Pass	2985
30	805	0.1	RMS	777.496	-56.72	-13	Pass	7750
805	860	0.1	RMS	826.725	7.46	60	Pass	601
860	1000	0.1	RMS	998.699	-57.33	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.34	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.72	-13	Pass	7000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.52	-13	Pass	2985
30	805	0.1	RMS	789.598	-56.7	-13	Pass	7750
805	860	0.1	RMS	824.25	7.07	60	Pass	601
860	1000	0.1	RMS	925.147	-57.31	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.36	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.69	-13	Pass	7000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.53	-13	Pass	2985
30	805	0.1	RMS	802.7	-56.71	-13	Pass	7750
805	860	0.1	RMS	826.725	6.6	60	Pass	601
860	1000	0.1	RMS	883.917	-57.35	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.38	-13	Pass	2000
3000	10000	1	RMS	5760.394	-49.7	-13	Pass	7000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.99	-13	Pass	2985
30	805	0.1	RMS	780.397	-56.5	-13	Pass	7750
805	860	0.1	RMS	846.25	8.54	60	Pass	601
860	1000	0.1	RMS	904.031	-57.32	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.39	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.69	-13	Pass	7000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.41	-13	Pass	2985
30	805	0.1	RMS	802.7	-56.71	-13	Pass	7750
805	860	0.1	RMS	848.725	6.45	60	Pass	601
860	1000	0.1	RMS	999.7	-57.38	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.4	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.73	-13	Pass	7000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.3	-13	Pass	2985
30	805	0.1	RMS	803.8	-56.67	-13	Pass	7750
805	860	0.1	RMS	846.25	7.59	60	Pass	601
860	1000	0.1	RMS	904.432	-57.31	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.41	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.72	-13	Pass	7000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.55	-13	Pass	2985
30	805	0.1	RMS	788.898	-56.61	-13	Pass	7750
805	860	0.1	RMS	848.725	5.59	60	Pass	601
860	1000	0.1	RMS	902.63	-57.34	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.39	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.74	-13	Pass	7000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.41	-13	Pass	2985
30	805	0.1	RMS	803.4	-56.67	-13	Pass	7750
805	860	0.1	RMS	824.342	7.59	60	Pass	601
860	1000	0.1	RMS	896.026	-57.28	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.38	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.63	-13	Pass	7000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.99	-13	Pass	2985
30	805	0.1	RMS	803.8	-56.68	-13	Pass	7750
805	860	0.1	RMS	828.65	8.51	60	Pass	601
860	1000	0.1	RMS	916.24	-57.35	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.39	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.67	-13	Pass	7000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.74	-13	Pass	2985
30	805	0.1	RMS	799.499	-56.54	-13	Pass	7750
805	860	0.1	RMS	824.342	6.89	60	Pass	601
860	1000	0.1	RMS	899.828	-57.35	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.4	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.73	-13	Pass	7000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.55	-13	Pass	2985
30	805	0.1	RMS	804.2	-56.72	-13	Pass	7750
805	860	0.1	RMS	828.65	7.73	60	Pass	601
860	1000	0.1	RMS	979.685	-57.37	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.39	-13	Pass	2000
3000	10000	1	RMS	5760.394	-49.74	-13	Pass	7000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.83	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.77	-13	Pass	2985
30	805	0.1	RMS	803.3	-56.66	-13	Pass	7750
805	860	0.1	RMS	844.325	8.77	60	Pass	601
860	1000	0.1	RMS	984.789	-57.27	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.41	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.68	-13	Pass	7000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.84	-13	Pass	2985
30	805	0.1	RMS	801.4	-56.72	-13	Pass	7750
805	860	0.1	RMS	848.633	7.37	60	Pass	601
860	1000	0.1	RMS	998.299	-57.3	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.42	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.67	-13	Pass	7000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.39	-13	Pass	2985
30	805	0.1	RMS	794.699	-56.62	-13	Pass	7750
805	860	0.1	RMS	844.325	7.95	60	Pass	601
860	1000	0.1	RMS	902.23	-57.33	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.38	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.73	-13	Pass	7000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.15	-13	Pass	2985
30	805	0.1	RMS	762.294	-56.82	-13	Pass	7750
805	860	0.1	RMS	848.633	6.78	60	Pass	601
860	1000	0.1	RMS	960.772	-57.34	-13	Pass	1400
1000	3000	1	RMS	2674.837	-38.4	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.74	-13	Pass	7000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.09	-13	Pass	2985
30	805	0.1	RMS	801.5	-56.69	-13	Pass	7750
805	860	0.1	RMS	824.617	7.75	60	Pass	601
860	1000	0.1	RMS	897.927	-57.34	-13	Pass	1400
1000	3000	1	RMS	2663.832	-38.41	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.72	-13	Pass	7000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.38	-13	Pass	2985
30	805	0.1	RMS	799.899	-56.64	-13	Pass	7750
805	860	0.1	RMS	833.417	9.25	60	Pass	601
860	1000	0.1	RMS	906.533	-57.36	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.42	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.76	-13	Pass	7000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.7	-13	Pass	2985
30	805	0.1	RMS	803.5	-56.69	-13	Pass	7750
805	860	0.1	RMS	824.617	7.13	60	Pass	601
860	1000	0.1	RMS	898.427	-57.33	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.42	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.74	-13	Pass	7000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.68	-13	Pass	2985
30	805	0.1	RMS	799.399	-56.54	-13	Pass	7750
805	860	0.1	RMS	833.417	8.46	60	Pass	601
860	1000	0.1	RMS	917.741	-57.29	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.37	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.76	-13	Pass	7000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.03	-13	Pass	2985
30	805	0.1	RMS	794.599	-56.7	-13	Pass	7750
805	860	0.1	RMS	839.558	7.72	60	Pass	601
860	1000	0.1	RMS	934.053	-57.4	-13	Pass	1400
1000	3000	1	RMS	2671.836	-38.38	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.7	-13	Pass	7000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.02	-13	Pass	2985
30	805	0.1	RMS	772.796	-56.65	-13	Pass	7750
805	860	0.1	RMS	848.358	7.2	60	Pass	601
860	1000	0.1	RMS	921.844	-57.3	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.38	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.71	-13	Pass	7000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.32	-13	Pass	2985
30	805	0.1	RMS	793.599	-56.71	-13	Pass	7750
805	860	0.1	RMS	839.558	6.78	60	Pass	601
860	1000	0.1	RMS	998.099	-57.39	-13	Pass	1400
1000	3000	1	RMS	2665.833	-38.36	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.76	-13	Pass	7000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.29	-13	Pass	2985
30	805	0.1	RMS	804.9	-56.68	-13	Pass	7750
805	860	0.1	RMS	848.358	6.31	60	Pass	601
860	1000	0.1	RMS	912.938	-57.35	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.42	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.69	-13	Pass	7000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.24	-13	Pass	2985
30	805	0.1	RMS	804.6	-56.6	-13	Pass	7750
805	860	0.1	RMS	824.8	7.27	60	Pass	601
860	1000	0.1	RMS	901.63	-57.28	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.35	-13	Pass	2000
3000	10000	1	RMS	5771.396	-49.72	-13	Pass	7000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.4	-13	Pass	2985
30	805	0.1	RMS	803.4	-56.72	-13	Pass	7750
805	860	0.1	RMS	838.183	8.13	60	Pass	601
860	1000	0.1	RMS	961.573	-57.3	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.41	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.75	-13	Pass	7000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.47	-13	Pass	2985
30	805	0.1	RMS	804.9	-56.73	-13	Pass	7750
805	860	0.1	RMS	824.892	6.64	60	Pass	601
860	1000	0.1	RMS	896.226	-57.32	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.39	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.73	-13	Pass	7000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.63	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.42	-13	Pass	2985
30	805	0.1	RMS	804.8	-56.63	-13	Pass	7750
805	860	0.1	RMS	838.183	7.32	60	Pass	601
860	1000	0.1	RMS	979.986	-57.34	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.41	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.7	-13	Pass	7000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.83	-13	Pass	2985
30	805	0.1	RMS	804.3	-56.7	-13	Pass	7750
805	860	0.1	RMS	834.883	8.23	60	Pass	601
860	1000	0.1	RMS	896.226	-57.36	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.36	-13	Pass	2000
3000	10000	1	RMS	5759.394	-49.71	-13	Pass	7000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.88	-13	Pass	2985
30	805	0.1	RMS	796.099	-56.7	-13	Pass	7750
805	860	0.1	RMS	848.175	7.67	60	Pass	601
860	1000	0.1	RMS	998.199	-57.33	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.39	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.74	-13	Pass	7000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.83	-13	Pass	2985
30	805	0.1	RMS	790.598	-56.67	-13	Pass	7750
805	860	0.1	RMS	834.883	7.33	60	Pass	601
860	1000	0.1	RMS	999.8	-57.21	-13	Pass	1400
1000	3000	1	RMS	2671.836	-38.39	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.72	-13	Pass	7000



1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.12	-13	Pass	2985
30	805	0.1	RMS	792.998	-56.62	-13	Pass	7750
805	860	0.1	RMS	848.175	6.89	60	Pass	601
860	1000	0.1	RMS	993.695	-57.33	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.41	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.68	-13	Pass	7000



END