

## Appendix D : Test Result - n5/n26

### 1. Conducted Output Power

| Band | SCS<br>(kHz) | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Allocation | Modulation | Power<br>(dBm) | GT -<br>Lc<br>(dB) | ERP<br>(dBm) | ERP<br>(mW) | ERP<br>Limit<br>(mW) | Verdict |
|------|--------------|--------------------|---------------|------------------|------------|----------------|--------------------|--------------|-------------|----------------------|---------|
| n5   | 15           | 5                  | 165300        | 25@0             | DFT_BPSK   | 22             | -5.35              | 16.65        | 46.24       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 12@6             | DFT_BPSK   | 22.46          | -5.35              | 17.11        | 51.4        | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | DFT_BPSK   | 22.28          | -5.35              | 16.93        | 49.32       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | DFT_BPSK   | 22.57          | -5.35              | 17.22        | 52.72       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | DFT_QPSK   | 21.51          | -5.35              | 16.16        | 41.3        | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 12@6             | DFT_QPSK   | 22.51          | -5.35              | 17.16        | 52          | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | DFT_QPSK   | 22.22          | -5.35              | 16.87        | 48.64       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | DFT_QPSK   | 22.55          | -5.35              | 17.2         | 52.48       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | DFT_16QAM  | 20.45          | -5.35              | 15.1         | 32.36       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 12@6             | DFT_16QAM  | 21.46          | -5.35              | 16.11        | 40.83       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | DFT_16QAM  | 21.38          | -5.35              | 16.03        | 40.09       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | DFT_16QAM  | 21.7           | -5.35              | 16.35        | 43.15       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | DFT_64QAM  | 20.02          | -5.35              | 14.67        | 29.31       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 12@6             | DFT_64QAM  | 20             | -5.35              | 14.65        | 29.17       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | DFT_64QAM  | 19.85          | -5.35              | 14.5         | 28.18       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | DFT_64QAM  | 20.21          | -5.35              | 14.86        | 30.62       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | DFT_256QAM | 17.94          | -5.35              | 12.59        | 18.16       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 12@6             | DFT_256QAM | 18             | -5.35              | 12.65        | 18.41       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | DFT_256QAM | 17.75          | -5.35              | 12.4         | 17.38       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | DFT_256QAM | 18.08          | -5.35              | 12.73        | 18.75       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | CP_QPSK    | 19.5           | -5.35              | 14.15        | 26          | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 13@6             | CP_QPSK    | 20.94          | -5.35              | 15.59        | 36.22       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | CP_QPSK    | 20.77          | -5.35              | 15.42        | 34.83       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | CP_QPSK    | 21.09          | -5.35              | 15.74        | 37.5        | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | CP_16QAM   | 19.56          | -5.35              | 14.21        | 26.36       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 13@6             | CP_16QAM   | 20.54          | -5.35              | 15.19        | 33.04       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | CP_16QAM   | 20.52          | -5.35              | 15.17        | 32.89       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | CP_16QAM   | 20.85          | -5.35              | 15.5         | 35.48       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | CP_64QAM   | 19.03          | -5.35              | 13.68        | 23.33       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 13@6             | CP_64QAM   | 18.95          | -5.35              | 13.6         | 22.91       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | CP_64QAM   | 18.74          | -5.35              | 13.39        | 21.83       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | CP_64QAM   | 19.07          | -5.35              | 13.72        | 23.55       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | CP_256QAM  | 15.96          | -5.35              | 10.61        | 11.51       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 13@6             | CP_256QAM  | 15.95          | -5.35              | 10.6         | 11.48       | 7000                 | PASS    |

|    |    |   |        |      |            |       |       |       |       |      |      |
|----|----|---|--------|------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 5 | 165300 | 1@1  | CP_256QAM  | 15.73 | -5.35 | 10.38 | 10.91 | 7000 | PASS |
| n5 | 15 | 5 | 165300 | 1@23 | CP_256QAM  | 16.16 | -5.35 | 10.81 | 12.05 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | DFT_BPSK   | 22.39 | -5.35 | 17.04 | 50.58 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 12@6 | DFT_BPSK   | 22.92 | -5.35 | 17.57 | 57.15 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | DFT_BPSK   | 22.86 | -5.35 | 17.51 | 56.36 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | DFT_BPSK   | 22.74 | -5.35 | 17.39 | 54.83 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | DFT_QPSK   | 21.91 | -5.35 | 16.56 | 45.29 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 12@6 | DFT_QPSK   | 22.93 | -5.35 | 17.58 | 57.28 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | DFT_QPSK   | 22.8  | -5.35 | 17.45 | 55.59 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | DFT_QPSK   | 22.7  | -5.35 | 17.35 | 54.33 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | DFT_16QAM  | 20.9  | -5.35 | 15.55 | 35.89 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 12@6 | DFT_16QAM  | 21.89 | -5.35 | 16.54 | 45.08 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | DFT_16QAM  | 22.02 | -5.35 | 16.67 | 46.45 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | DFT_16QAM  | 21.9  | -5.35 | 16.55 | 45.19 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | DFT_64QAM  | 20.46 | -5.35 | 15.11 | 32.43 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 12@6 | DFT_64QAM  | 20.46 | -5.35 | 15.11 | 32.43 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | DFT_64QAM  | 20.51 | -5.35 | 15.16 | 32.81 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | DFT_64QAM  | 20.4  | -5.35 | 15.05 | 31.99 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | DFT_256QAM | 18.38 | -5.35 | 13.03 | 20.09 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 12@6 | DFT_256QAM | 18.4  | -5.35 | 13.05 | 20.18 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | DFT_256QAM | 18.38 | -5.35 | 13.03 | 20.09 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | DFT_256QAM | 18.22 | -5.35 | 12.87 | 19.36 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | CP_QPSK    | 19.93 | -5.35 | 14.58 | 28.71 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 13@6 | CP_QPSK    | 21.34 | -5.35 | 15.99 | 39.72 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | CP_QPSK    | 21.32 | -5.35 | 15.97 | 39.54 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | CP_QPSK    | 21.19 | -5.35 | 15.84 | 38.37 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | CP_16QAM   | 19.99 | -5.35 | 14.64 | 29.11 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 13@6 | CP_16QAM   | 20.99 | -5.35 | 15.64 | 36.64 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | CP_16QAM   | 21.05 | -5.35 | 15.7  | 37.15 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | CP_16QAM   | 20.98 | -5.35 | 15.63 | 36.56 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | CP_64QAM   | 19.45 | -5.35 | 14.1  | 25.7  | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 13@6 | CP_64QAM   | 19.37 | -5.35 | 14.02 | 25.23 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | CP_64QAM   | 19.29 | -5.35 | 13.94 | 24.77 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | CP_64QAM   | 19.17 | -5.35 | 13.82 | 24.1  | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | CP_256QAM  | 16.4  | -5.35 | 11.05 | 12.74 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 13@6 | CP_256QAM  | 16.36 | -5.35 | 11.01 | 12.62 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | CP_256QAM  | 16.44 | -5.35 | 11.09 | 12.85 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | CP_256QAM  | 16.36 | -5.35 | 11.01 | 12.62 | 7000 | PASS |
| n5 | 15 | 5 | 169300 | 25@0 | DFT_BPSK   | 21.71 | -5.35 | 16.36 | 43.25 | 7000 | PASS |
| n5 | 15 | 5 | 169300 | 12@6 | DFT_BPSK   | 22.2  | -5.35 | 16.85 | 48.42 | 7000 | PASS |
| n5 | 15 | 5 | 169300 | 1@1  | DFT_BPSK   | 22.23 | -5.35 | 16.88 | 48.75 | 7000 | PASS |
| n5 | 15 | 5 | 169300 | 1@23 | DFT_BPSK   | 21.91 | -5.35 | 16.56 | 45.29 | 7000 | PASS |
| n5 | 15 | 5 | 169300 | 25@0 | DFT_QPSK   | 21.22 | -5.35 | 15.87 | 38.64 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 5  | 169300 | 12@6  | DFT_QPSK   | 22.19 | -5.35 | 16.84 | 48.31 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | DFT_QPSK   | 22.2  | -5.35 | 16.85 | 48.42 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | DFT_QPSK   | 21.87 | -5.35 | 16.52 | 44.87 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | DFT_16QAM  | 20.19 | -5.35 | 14.84 | 30.48 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 12@6  | DFT_16QAM  | 21.17 | -5.35 | 15.82 | 38.19 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | DFT_16QAM  | 21.36 | -5.35 | 16.01 | 39.9  | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | DFT_16QAM  | 21.07 | -5.35 | 15.72 | 37.33 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | DFT_64QAM  | 19.78 | -5.35 | 14.43 | 27.73 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 12@6  | DFT_64QAM  | 19.7  | -5.35 | 14.35 | 27.23 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | DFT_64QAM  | 19.85 | -5.35 | 14.5  | 28.18 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | DFT_64QAM  | 19.53 | -5.35 | 14.18 | 26.18 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | DFT_256QAM | 17.68 | -5.35 | 12.33 | 17.1  | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 12@6  | DFT_256QAM | 17.73 | -5.35 | 12.38 | 17.3  | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | DFT_256QAM | 17.74 | -5.35 | 12.39 | 17.34 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | DFT_256QAM | 17.42 | -5.35 | 12.07 | 16.11 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | CP_QPSK    | 19.25 | -5.35 | 13.9  | 24.55 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 13@6  | CP_QPSK    | 20.63 | -5.35 | 15.28 | 33.73 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | CP_QPSK    | 20.71 | -5.35 | 15.36 | 34.36 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | CP_QPSK    | 20.4  | -5.35 | 15.05 | 31.99 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | CP_16QAM   | 19.28 | -5.35 | 13.93 | 24.72 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 13@6  | CP_16QAM   | 20.21 | -5.35 | 14.86 | 30.62 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | CP_16QAM   | 20.49 | -5.35 | 15.14 | 32.66 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | CP_16QAM   | 20.16 | -5.35 | 14.81 | 30.27 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | CP_64QAM   | 18.72 | -5.35 | 13.37 | 21.73 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 13@6  | CP_64QAM   | 18.65 | -5.35 | 13.3  | 21.38 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | CP_64QAM   | 18.7  | -5.35 | 13.35 | 21.63 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | CP_64QAM   | 18.38 | -5.35 | 13.03 | 20.09 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | CP_256QAM  | 15.68 | -5.35 | 10.33 | 10.79 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 13@6  | CP_256QAM  | 15.65 | -5.35 | 10.3  | 10.72 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | CP_256QAM  | 15.88 | -5.35 | 10.53 | 11.3  | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | CP_256QAM  | 15.51 | -5.35 | 10.16 | 10.38 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 50@0  | DFT_BPSK   | 22.14 | -5.35 | 16.79 | 47.75 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 25@12 | DFT_BPSK   | 22.66 | -5.35 | 17.31 | 53.83 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | DFT_BPSK   | 22.29 | -5.35 | 16.94 | 49.43 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | DFT_BPSK   | 22.9  | -5.35 | 17.55 | 56.89 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 50@0  | DFT_QPSK   | 21.66 | -5.35 | 16.31 | 42.76 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 25@12 | DFT_QPSK   | 22.67 | -5.35 | 17.32 | 53.95 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | DFT_QPSK   | 22.27 | -5.35 | 16.92 | 49.2  | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | DFT_QPSK   | 22.86 | -5.35 | 17.51 | 56.36 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 50@0  | DFT_16QAM  | 20.66 | -5.35 | 15.31 | 33.96 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 25@12 | DFT_16QAM  | 21.68 | -5.35 | 16.33 | 42.95 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | DFT_16QAM  | 21.38 | -5.35 | 16.03 | 40.09 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | DFT_16QAM  | 22.05 | -5.35 | 16.7  | 46.77 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 10 | 165800 | 50@0  | DFT_64QAM  | 20.18 | -5.35 | 14.83 | 30.41 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 25@12 | DFT_64QAM  | 20.23 | -5.35 | 14.88 | 30.76 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | DFT_64QAM  | 19.87 | -5.35 | 14.52 | 28.31 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | DFT_64QAM  | 20.54 | -5.35 | 15.19 | 33.04 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 50@0  | DFT_256QAM | 18.1  | -5.35 | 12.75 | 18.84 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 25@12 | DFT_256QAM | 18.13 | -5.35 | 12.78 | 18.97 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | DFT_256QAM | 17.73 | -5.35 | 12.38 | 17.3  | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | DFT_256QAM | 18.39 | -5.35 | 13.04 | 20.14 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 52@0  | CP_QPSK    | 19.66 | -5.35 | 14.31 | 26.98 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 26@13 | CP_QPSK    | 21.17 | -5.35 | 15.82 | 38.19 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | CP_QPSK    | 20.77 | -5.35 | 15.42 | 34.83 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | CP_QPSK    | 21.34 | -5.35 | 15.99 | 39.72 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 52@0  | CP_16QAM   | 19.69 | -5.35 | 14.34 | 27.16 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 26@13 | CP_16QAM   | 20.71 | -5.35 | 15.36 | 34.36 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | CP_16QAM   | 20.5  | -5.35 | 15.15 | 32.73 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | CP_16QAM   | 21.1  | -5.35 | 15.75 | 37.58 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 52@0  | CP_64QAM   | 19.18 | -5.35 | 13.83 | 24.15 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 26@13 | CP_64QAM   | 19.2  | -5.35 | 13.85 | 24.27 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | CP_64QAM   | 18.75 | -5.35 | 13.4  | 21.88 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | CP_64QAM   | 19.32 | -5.35 | 13.97 | 24.95 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 52@0  | CP_256QAM  | 16.12 | -5.35 | 10.77 | 11.94 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 26@13 | CP_256QAM  | 16.15 | -5.35 | 10.8  | 12.02 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | CP_256QAM  | 15.83 | -5.35 | 10.48 | 11.17 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | CP_256QAM  | 16.53 | -5.35 | 11.18 | 13.12 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 50@0  | DFT_BPSK   | 22.38 | -5.35 | 17.03 | 50.47 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 25@12 | DFT_BPSK   | 22.89 | -5.35 | 17.54 | 56.75 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | DFT_BPSK   | 22.82 | -5.35 | 17.47 | 55.85 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | DFT_BPSK   | 22.59 | -5.35 | 17.24 | 52.97 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 50@0  | DFT_QPSK   | 21.85 | -5.35 | 16.5  | 44.67 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 25@12 | DFT_QPSK   | 22.89 | -5.35 | 17.54 | 56.75 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | DFT_QPSK   | 22.76 | -5.35 | 17.41 | 55.08 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | DFT_QPSK   | 22.56 | -5.35 | 17.21 | 52.6  | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 50@0  | DFT_16QAM  | 20.84 | -5.35 | 15.49 | 35.4  | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 25@12 | DFT_16QAM  | 21.97 | -5.35 | 16.62 | 45.92 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | DFT_16QAM  | 21.93 | -5.35 | 16.58 | 45.5  | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | DFT_16QAM  | 21.68 | -5.35 | 16.33 | 42.95 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 50@0  | DFT_64QAM  | 20.32 | -5.35 | 14.97 | 31.41 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 25@12 | DFT_64QAM  | 20.44 | -5.35 | 15.09 | 32.28 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | DFT_64QAM  | 20.43 | -5.35 | 15.08 | 32.21 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | DFT_64QAM  | 20.2  | -5.35 | 14.85 | 30.55 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 50@0  | DFT_256QAM | 18.31 | -5.35 | 12.96 | 19.77 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 25@12 | DFT_256QAM | 18.36 | -5.35 | 13.01 | 20    | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | DFT_256QAM | 18.32 | -5.35 | 12.97 | 19.82 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 10 | 167300 | 1@50  | DFT_256QAM | 18.07 | -5.35 | 12.72 | 18.71 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 52@0  | CP_QPSK    | 19.88 | -5.35 | 14.53 | 28.38 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 26@13 | CP_QPSK    | 21.38 | -5.35 | 16.03 | 40.09 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | CP_QPSK    | 21.26 | -5.35 | 15.91 | 38.99 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | CP_QPSK    | 21.08 | -5.35 | 15.73 | 37.41 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 52@0  | CP_16QAM   | 19.87 | -5.35 | 14.52 | 28.31 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 26@13 | CP_16QAM   | 20.94 | -5.35 | 15.59 | 36.22 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | CP_16QAM   | 21.01 | -5.35 | 15.66 | 36.81 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | CP_16QAM   | 20.83 | -5.35 | 15.48 | 35.32 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 52@0  | CP_64QAM   | 19.37 | -5.35 | 14.02 | 25.23 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 26@13 | CP_64QAM   | 19.4  | -5.35 | 14.05 | 25.41 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | CP_64QAM   | 19.23 | -5.35 | 13.88 | 24.43 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | CP_64QAM   | 19.05 | -5.35 | 13.7  | 23.44 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 52@0  | CP_256QAM  | 16.26 | -5.35 | 10.91 | 12.33 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 26@13 | CP_256QAM  | 16.42 | -5.35 | 11.07 | 12.79 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | CP_256QAM  | 16.42 | -5.35 | 11.07 | 12.79 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | CP_256QAM  | 16.24 | -5.35 | 10.89 | 12.27 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 50@0  | DFT_BPSK   | 21.94 | -5.35 | 16.59 | 45.6  | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 25@12 | DFT_BPSK   | 22.47 | -5.35 | 17.12 | 51.52 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | DFT_BPSK   | 22.7  | -5.35 | 17.35 | 54.33 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | DFT_BPSK   | 21.95 | -5.35 | 16.6  | 45.71 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 50@0  | DFT_QPSK   | 21.43 | -5.35 | 16.08 | 40.55 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 25@12 | DFT_QPSK   | 22.45 | -5.35 | 17.1  | 51.29 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | DFT_QPSK   | 22.65 | -5.35 | 17.3  | 53.7  | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | DFT_QPSK   | 21.91 | -5.35 | 16.56 | 45.29 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 50@0  | DFT_16QAM  | 20.42 | -5.35 | 15.07 | 32.14 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 25@12 | DFT_16QAM  | 21.44 | -5.35 | 16.09 | 40.64 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | DFT_16QAM  | 21.8  | -5.35 | 16.45 | 44.16 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | DFT_16QAM  | 21.07 | -5.35 | 15.72 | 37.33 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 50@0  | DFT_64QAM  | 19.97 | -5.35 | 14.62 | 28.97 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 25@12 | DFT_64QAM  | 20.01 | -5.35 | 14.66 | 29.24 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | DFT_64QAM  | 20.31 | -5.35 | 14.96 | 31.33 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | DFT_64QAM  | 19.6  | -5.35 | 14.25 | 26.61 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 50@0  | DFT_256QAM | 17.26 | -5.35 | 11.91 | 15.52 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 25@12 | DFT_256QAM | 17.94 | -5.35 | 12.59 | 18.16 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | DFT_256QAM | 18.18 | -5.35 | 12.83 | 19.19 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | DFT_256QAM | 17.45 | -5.35 | 12.1  | 16.22 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 52@0  | CP_QPSK    | 19.39 | -5.35 | 14.04 | 25.35 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 26@13 | CP_QPSK    | 20.86 | -5.35 | 15.51 | 35.56 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | CP_QPSK    | 21.12 | -5.35 | 15.77 | 37.76 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | CP_QPSK    | 20.43 | -5.35 | 15.08 | 32.21 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 52@0  | CP_16QAM   | 19.42 | -5.35 | 14.07 | 25.53 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 26@13 | CP_16QAM   | 20.43 | -5.35 | 15.08 | 32.21 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 10 | 168800 | 1@1   | CP_16QAM   | 20.91 | -5.35 | 15.56 | 35.97 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | CP_16QAM   | 20.17 | -5.35 | 14.82 | 30.34 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 52@0  | CP_64QAM   | 18.92 | -5.35 | 13.57 | 22.75 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 26@13 | CP_64QAM   | 18.26 | -5.35 | 12.91 | 19.54 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | CP_64QAM   | 19.12 | -5.35 | 13.77 | 23.82 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | CP_64QAM   | 18.44 | -5.35 | 13.09 | 20.37 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 52@0  | CP_256QAM  | 15.9  | -5.35 | 10.55 | 11.35 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 26@13 | CP_256QAM  | 15.91 | -5.35 | 10.56 | 11.38 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | CP_256QAM  | 16.32 | -5.35 | 10.97 | 12.5  | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | CP_256QAM  | 16.65 | -5.35 | 11.3  | 13.49 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 75@0  | DFT_BPSK   | 22.27 | -5.35 | 16.92 | 49.2  | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 36@18 | DFT_BPSK   | 22.83 | -5.35 | 17.48 | 55.98 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | DFT_BPSK   | 22.3  | -5.35 | 16.95 | 49.55 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | DFT_BPSK   | 22.87 | -5.35 | 17.52 | 56.49 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 75@0  | DFT_QPSK   | 21.78 | -5.35 | 16.43 | 43.95 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 36@18 | DFT_QPSK   | 22.84 | -5.35 | 17.49 | 56.1  | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | DFT_QPSK   | 22.3  | -5.35 | 16.95 | 49.55 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | DFT_QPSK   | 22.78 | -5.35 | 17.43 | 55.34 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 75@0  | DFT_16QAM  | 20.77 | -5.35 | 15.42 | 34.83 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 36@18 | DFT_16QAM  | 21.89 | -5.35 | 16.54 | 45.08 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | DFT_16QAM  | 21.4  | -5.35 | 16.05 | 40.27 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | DFT_16QAM  | 21.98 | -5.35 | 16.63 | 46.03 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 75@0  | DFT_64QAM  | 20.32 | -5.35 | 14.97 | 31.41 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 36@18 | DFT_64QAM  | 20.37 | -5.35 | 15.02 | 31.77 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | DFT_64QAM  | 19.94 | -5.35 | 14.59 | 28.77 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | DFT_64QAM  | 20.55 | -5.35 | 15.2  | 33.11 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 75@0  | DFT_256QAM | 18.27 | -5.35 | 12.92 | 19.59 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 36@18 | DFT_256QAM | 18.34 | -5.35 | 12.99 | 19.91 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | DFT_256QAM | 17.76 | -5.35 | 12.41 | 17.42 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | DFT_256QAM | 18.35 | -5.35 | 13    | 19.95 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 79@0  | CP_QPSK    | 19.83 | -5.35 | 14.48 | 28.05 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 39@19 | CP_QPSK    | 21.4  | -5.35 | 16.05 | 40.27 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | CP_QPSK    | 20.77 | -5.35 | 15.42 | 34.83 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | CP_QPSK    | 21.3  | -5.35 | 15.95 | 39.36 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 79@0  | CP_16QAM   | 19.86 | -5.35 | 14.51 | 28.25 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 39@19 | CP_16QAM   | 20.94 | -5.35 | 15.59 | 36.22 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | CP_16QAM   | 20.57 | -5.35 | 15.22 | 33.27 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | CP_16QAM   | 21.11 | -5.35 | 15.76 | 37.67 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 79@0  | CP_64QAM   | 19.34 | -5.35 | 13.99 | 25.06 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 39@19 | CP_64QAM   | 19.42 | -5.35 | 14.07 | 25.53 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | CP_64QAM   | 19.36 | -5.35 | 14.01 | 25.18 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | CP_64QAM   | 19.32 | -5.35 | 13.97 | 24.95 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 79@0  | CP_256QAM  | 16.45 | -5.35 | 11.1  | 12.88 | 7000 | PASS |



|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 15 | 166300 | 39@19 | CP_256QAM  | 16.38 | -5.35 | 11.03 | 12.68 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | CP_256QAM  | 15.89 | -5.35 | 10.54 | 11.32 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | CP_256QAM  | 16.51 | -5.35 | 11.16 | 13.06 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 75@0  | DFT_BPSK   | 22.39 | -5.35 | 17.04 | 50.58 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 36@18 | DFT_BPSK   | 22.88 | -5.35 | 17.53 | 56.62 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | DFT_BPSK   | 22.66 | -5.35 | 17.31 | 53.83 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | DFT_BPSK   | 22.39 | -5.35 | 17.04 | 50.58 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 75@0  | DFT_QPSK   | 21.86 | -5.35 | 16.51 | 44.77 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 36@18 | DFT_QPSK   | 22.96 | -5.35 | 17.61 | 57.68 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | DFT_QPSK   | 22.68 | -5.35 | 17.33 | 54.08 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | DFT_QPSK   | 22.37 | -5.35 | 17.02 | 50.35 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 75@0  | DFT_16QAM  | 20.83 | -5.35 | 15.48 | 35.32 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 36@18 | DFT_16QAM  | 21.93 | -5.35 | 16.58 | 45.5  | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | DFT_16QAM  | 21.83 | -5.35 | 16.48 | 44.46 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | DFT_16QAM  | 21.52 | -5.35 | 16.17 | 41.4  | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 75@0  | DFT_64QAM  | 20.36 | -5.35 | 15.01 | 31.7  | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 36@18 | DFT_64QAM  | 20.44 | -5.35 | 15.09 | 32.28 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | DFT_64QAM  | 20.34 | -5.35 | 14.99 | 31.55 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | DFT_64QAM  | 20.06 | -5.35 | 14.71 | 29.58 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 75@0  | DFT_256QAM | 18.7  | -5.35 | 13.35 | 21.63 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 36@18 | DFT_256QAM | 18.4  | -5.35 | 13.05 | 20.18 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | DFT_256QAM | 18.14 | -5.35 | 12.79 | 19.01 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | DFT_256QAM | 17.86 | -5.35 | 12.51 | 17.82 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 79@0  | CP_QPSK    | 19.86 | -5.35 | 14.51 | 28.25 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 39@19 | CP_QPSK    | 21.44 | -5.35 | 16.09 | 40.64 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | CP_QPSK    | 21.13 | -5.35 | 15.78 | 37.84 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | CP_QPSK    | 20.86 | -5.35 | 15.51 | 35.56 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 79@0  | CP_16QAM   | 19.88 | -5.35 | 14.53 | 28.38 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 39@19 | CP_16QAM   | 20.98 | -5.35 | 15.63 | 36.56 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | CP_16QAM   | 20.91 | -5.35 | 15.56 | 35.97 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | CP_16QAM   | 20.64 | -5.35 | 15.29 | 33.81 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 79@0  | CP_64QAM   | 19.38 | -5.35 | 14.03 | 25.29 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 39@19 | CP_64QAM   | 19.43 | -5.35 | 14.08 | 25.59 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | CP_64QAM   | 19.12 | -5.35 | 13.77 | 23.82 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | CP_64QAM   | 16.23 | -5.35 | 10.88 | 12.25 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 79@0  | CP_256QAM  | 16.35 | -5.35 | 11    | 12.59 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 39@19 | CP_256QAM  | 16.39 | -5.35 | 11.04 | 12.71 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | CP_256QAM  | 16.28 | -5.35 | 10.93 | 12.39 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | CP_256QAM  | 16.03 | -5.35 | 10.68 | 11.69 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 75@0  | DFT_BPSK   | 22.11 | -5.35 | 16.76 | 47.42 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 36@18 | DFT_BPSK   | 22.72 | -5.35 | 17.37 | 54.58 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | DFT_BPSK   | 22.9  | -5.35 | 17.55 | 56.89 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | DFT_BPSK   | 22.01 | -5.35 | 16.66 | 46.34 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 15 | 168300 | 75@0  | DFT_QPSK   | 21.64 | -5.35 | 16.29 | 42.56 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 36@18 | DFT_QPSK   | 22.7  | -5.35 | 17.35 | 54.33 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | DFT_QPSK   | 22.83 | -5.35 | 17.48 | 55.98 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | DFT_QPSK   | 21.94 | -5.35 | 16.59 | 45.6  | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 75@0  | DFT_16QAM  | 20.62 | -5.35 | 15.27 | 33.65 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 36@18 | DFT_16QAM  | 21.72 | -5.35 | 16.37 | 43.35 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | DFT_16QAM  | 22.06 | -5.35 | 16.71 | 46.88 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | DFT_16QAM  | 21.14 | -5.35 | 15.79 | 37.93 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 75@0  | DFT_64QAM  | 20.15 | -5.35 | 14.8  | 30.2  | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 36@18 | DFT_64QAM  | 20.23 | -5.35 | 14.88 | 30.76 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | DFT_64QAM  | 20.6  | -5.35 | 15.25 | 33.5  | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | DFT_64QAM  | 19.68 | -5.35 | 14.33 | 27.1  | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 75@0  | DFT_256QAM | 18.08 | -5.35 | 12.73 | 18.75 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 36@18 | DFT_256QAM | 18.21 | -5.35 | 12.86 | 19.32 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | DFT_256QAM | 18.39 | -5.35 | 13.04 | 20.14 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | DFT_256QAM | 17.5  | -5.35 | 12.15 | 16.41 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 79@0  | CP_QPSK    | 19.6  | -5.35 | 14.25 | 26.61 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 39@19 | CP_QPSK    | 21.2  | -5.35 | 15.85 | 38.46 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | CP_QPSK    | 21.36 | -5.35 | 16.01 | 39.9  | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | CP_QPSK    | 20.46 | -5.35 | 15.11 | 32.43 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 79@0  | CP_16QAM   | 19.57 | -5.35 | 14.22 | 26.42 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 39@19 | CP_16QAM   | 20.73 | -5.35 | 15.38 | 34.51 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | CP_16QAM   | 21.12 | -5.35 | 15.77 | 37.76 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | CP_16QAM   | 20.25 | -5.35 | 14.9  | 30.9  | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 79@0  | CP_64QAM   | 19.04 | -5.35 | 13.69 | 23.39 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 39@19 | CP_64QAM   | 19.19 | -5.35 | 13.84 | 24.21 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | CP_64QAM   | 19.32 | -5.35 | 13.97 | 24.95 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | CP_64QAM   | 18.44 | -5.35 | 13.09 | 20.37 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 79@0  | CP_256QAM  | 16.05 | -5.35 | 10.7  | 11.75 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 39@19 | CP_256QAM  | 16.19 | -5.35 | 10.84 | 12.13 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | CP_256QAM  | 16.5  | -5.35 | 11.15 | 13.03 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | CP_256QAM  | 15.61 | -5.35 | 10.26 | 10.62 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 100@0 | DFT_BPSK   | 22.33 | -5.35 | 16.98 | 49.89 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 50@25 | DFT_BPSK   | 22.96 | -5.35 | 17.61 | 57.68 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | DFT_BPSK   | 22.28 | -5.35 | 16.93 | 49.32 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | DFT_BPSK   | 22.41 | -5.35 | 17.06 | 50.82 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 100@0 | DFT_QPSK   | 21.79 | -5.35 | 16.44 | 44.06 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 50@25 | DFT_QPSK   | 22.94 | -5.35 | 17.59 | 57.41 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | DFT_QPSK   | 22.25 | -5.35 | 16.9  | 48.98 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | DFT_QPSK   | 22.42 | -5.35 | 17.07 | 50.93 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 100@0 | DFT_16QAM  | 20.79 | -5.35 | 15.44 | 34.99 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 50@25 | DFT_16QAM  | 21.94 | -5.35 | 16.59 | 45.6  | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | DFT_16QAM  | 21.35 | -5.35 | 16    | 39.81 | 7000 | PASS |



|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 20 | 166800 | 1@104 | DFT_16QAM  | 21.55 | -5.35 | 16.2  | 41.69 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 100@0 | DFT_64QAM  | 20.31 | -5.35 | 14.96 | 31.33 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 50@25 | DFT_64QAM  | 20.41 | -5.35 | 15.06 | 32.06 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | DFT_64QAM  | 19.92 | -5.35 | 14.57 | 28.64 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | DFT_64QAM  | 20.07 | -5.35 | 14.72 | 29.65 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 100@0 | DFT_256QAM | 18.29 | -5.35 | 12.94 | 19.68 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 50@25 | DFT_256QAM | 18.43 | -5.35 | 13.08 | 20.32 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | DFT_256QAM | 17.75 | -5.35 | 12.4  | 17.38 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | DFT_256QAM | 17.89 | -5.35 | 12.54 | 17.95 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 106@0 | CP_QPSK    | 19.84 | -5.35 | 14.49 | 28.12 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 53@26 | CP_QPSK    | 21.47 | -5.35 | 16.12 | 40.93 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | CP_QPSK    | 20.76 | -5.35 | 15.41 | 34.75 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | CP_QPSK    | 20.86 | -5.35 | 15.51 | 35.56 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 106@0 | CP_16QAM   | 19.87 | -5.35 | 14.52 | 28.31 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 53@26 | CP_16QAM   | 21    | -5.35 | 15.65 | 36.73 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | CP_16QAM   | 20.54 | -5.35 | 15.19 | 33.04 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | CP_16QAM   | 20.69 | -5.35 | 15.34 | 34.2  | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 106@0 | CP_64QAM   | 19.37 | -5.35 | 14.02 | 25.23 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 53@26 | CP_64QAM   | 19.46 | -5.35 | 14.11 | 25.76 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | CP_64QAM   | 18.9  | -5.35 | 13.55 | 22.65 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | CP_64QAM   | 18.89 | -5.35 | 13.54 | 22.59 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 106@0 | CP_256QAM  | 16.39 | -5.35 | 11.04 | 12.71 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 53@26 | CP_256QAM  | 16.43 | -5.35 | 11.08 | 12.82 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | CP_256QAM  | 15.87 | -5.35 | 10.52 | 11.27 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | CP_256QAM  | 16.05 | -5.35 | 10.7  | 11.75 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 100@0 | DFT_BPSK   | 22.32 | -5.35 | 16.97 | 49.77 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 50@25 | DFT_BPSK   | 22.9  | -5.35 | 17.55 | 56.89 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | DFT_BPSK   | 22.47 | -5.35 | 17.12 | 51.52 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | DFT_BPSK   | 22.25 | -5.35 | 16.9  | 48.98 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 100@0 | DFT_QPSK   | 21.76 | -5.35 | 16.41 | 43.75 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 50@25 | DFT_QPSK   | 22.91 | -5.35 | 17.56 | 57.02 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | DFT_QPSK   | 22.42 | -5.35 | 17.07 | 50.93 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | DFT_QPSK   | 22.21 | -5.35 | 16.86 | 48.53 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 100@0 | DFT_16QAM  | 20.75 | -5.35 | 15.4  | 34.67 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 50@25 | DFT_16QAM  | 21.89 | -5.35 | 16.54 | 45.08 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | DFT_16QAM  | 21.58 | -5.35 | 16.23 | 41.98 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | DFT_16QAM  | 21.41 | -5.35 | 16.06 | 40.36 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 100@0 | DFT_64QAM  | 20.26 | -5.35 | 14.91 | 30.97 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 50@25 | DFT_64QAM  | 20.38 | -5.35 | 15.03 | 31.84 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | DFT_64QAM  | 20.1  | -5.35 | 14.75 | 29.85 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | DFT_64QAM  | 19.89 | -5.35 | 14.54 | 28.44 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 100@0 | DFT_256QAM | 18.24 | -5.35 | 12.89 | 19.45 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 50@25 | DFT_256QAM | 18.4  | -5.35 | 13.05 | 20.18 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 20 | 167300 | 1@1   | DFT_256QAM | 17.91 | -5.35 | 12.56 | 18.03 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | DFT_256QAM | 17.73 | -5.35 | 12.38 | 17.3  | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 106@0 | CP_QPSK    | 19.77 | -5.35 | 14.42 | 27.67 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 53@26 | CP_QPSK    | 21.41 | -5.35 | 16.06 | 40.36 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | CP_QPSK    | 20.91 | -5.35 | 15.56 | 35.97 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | CP_QPSK    | 20.69 | -5.35 | 15.34 | 34.2  | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 106@0 | CP_16QAM   | 19.77 | -5.35 | 14.42 | 27.67 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 53@26 | CP_16QAM   | 20.91 | -5.35 | 15.56 | 35.97 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | CP_16QAM   | 20.73 | -5.35 | 15.38 | 34.51 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | CP_16QAM   | 20.47 | -5.35 | 15.12 | 32.51 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 106@0 | CP_64QAM   | 19.26 | -5.35 | 13.91 | 24.6  | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 53@26 | CP_64QAM   | 19.37 | -5.35 | 14.02 | 25.23 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | CP_64QAM   | 18.3  | -5.35 | 12.95 | 19.72 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | CP_64QAM   | 18.7  | -5.35 | 13.35 | 21.63 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 106@0 | CP_256QAM  | 16.4  | -5.35 | 11.05 | 12.74 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 53@26 | CP_256QAM  | 16.39 | -5.35 | 11.04 | 12.71 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | CP_256QAM  | 16.07 | -5.35 | 10.72 | 11.8  | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | CP_256QAM  | 15.87 | -5.35 | 10.52 | 11.27 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 100@0 | DFT_BPSK   | 22.2  | -5.35 | 16.85 | 48.42 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 50@25 | DFT_BPSK   | 22.82 | -5.35 | 17.47 | 55.85 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | DFT_BPSK   | 22.65 | -5.35 | 17.3  | 53.7  | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | DFT_BPSK   | 22.01 | -5.35 | 16.66 | 46.34 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 100@0 | DFT_QPSK   | 21.67 | -5.35 | 16.32 | 42.85 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 50@25 | DFT_QPSK   | 22.83 | -5.35 | 17.48 | 55.98 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | DFT_QPSK   | 22.66 | -5.35 | 17.31 | 53.83 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | DFT_QPSK   | 21.94 | -5.35 | 16.59 | 45.6  | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 100@0 | DFT_16QAM  | 20.66 | -5.35 | 15.31 | 33.96 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 50@25 | DFT_16QAM  | 21.82 | -5.35 | 16.47 | 44.36 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | DFT_16QAM  | 21.77 | -5.35 | 16.42 | 43.85 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | DFT_16QAM  | 21.16 | -5.35 | 15.81 | 38.11 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 100@0 | DFT_64QAM  | 20.14 | -5.35 | 14.79 | 30.13 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 50@25 | DFT_64QAM  | 20.27 | -5.35 | 14.92 | 31.05 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | DFT_64QAM  | 20.28 | -5.35 | 14.93 | 31.12 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | DFT_64QAM  | 19.69 | -5.35 | 14.34 | 27.16 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 100@0 | DFT_256QAM | 18.5  | -5.35 | 13.15 | 20.65 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 50@25 | DFT_256QAM | 18.33 | -5.35 | 12.98 | 19.86 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | DFT_256QAM | 18.1  | -5.35 | 12.75 | 18.84 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | DFT_256QAM | 17.49 | -5.35 | 12.14 | 16.37 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 106@0 | CP_QPSK    | 19.63 | -5.35 | 14.28 | 26.79 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 53@26 | CP_QPSK    | 21.31 | -5.35 | 15.96 | 39.45 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | CP_QPSK    | 21.13 | -5.35 | 15.78 | 37.84 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | CP_QPSK    | 20.46 | -5.35 | 15.11 | 32.43 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 106@0 | CP_16QAM   | 19.69 | -5.35 | 14.34 | 27.16 | 7000 | PASS |

|    |    |    |        |       |           |       |       |       |       |      |      |
|----|----|----|--------|-------|-----------|-------|-------|-------|-------|------|------|
| n5 | 15 | 20 | 167800 | 53@26 | CP_16QAM  | 20.79 | -5.35 | 15.44 | 34.99 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | CP_16QAM  | 20.88 | -5.35 | 15.53 | 35.73 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | CP_16QAM  | 20.24 | -5.35 | 14.89 | 30.83 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 106@0 | CP_64QAM  | 19.14 | -5.35 | 13.79 | 23.93 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 53@26 | CP_64QAM  | 19.28 | -5.35 | 13.93 | 24.72 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | CP_64QAM  | 19.15 | -5.35 | 13.8  | 23.99 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | CP_64QAM  | 16.3  | -5.35 | 10.95 | 12.45 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 106@0 | CP_256QAM | 16.18 | -5.35 | 10.83 | 12.11 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 53@26 | CP_256QAM | 16.29 | -5.35 | 10.94 | 12.42 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | CP_256QAM | 16.28 | -5.35 | 10.93 | 12.39 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | CP_256QAM | 15.67 | -5.35 | 10.32 | 10.76 | 7000 | PASS |

| Band         | SCS<br>(kHz) | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Allocation | Modulation | Power<br>(dBm) | GT -<br>Lc<br>(dB) | ERP<br>(dBm) | ERP<br>(mW) | ERP<br>Limit<br>(mW) | Verdict |
|--------------|--------------|--------------------|---------------|------------------|------------|----------------|--------------------|--------------|-------------|----------------------|---------|
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | DFT_BPSK   | 22.03          | -5.35              | 16.68        | 46.56       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 12@6             | DFT_BPSK   | 22.53          | -5.35              | 17.18        | 52.24       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | DFT_BPSK   | 22.31          | -5.35              | 16.96        | 49.66       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | DFT_BPSK   | 22.59          | -5.35              | 17.24        | 52.97       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | DFT_QPSK   | 21.55          | -5.35              | 16.2         | 41.69       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 12@6             | DFT_QPSK   | 22.55          | -5.35              | 17.2         | 52.48       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | DFT_QPSK   | 22.31          | -5.35              | 16.96        | 49.66       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | DFT_QPSK   | 22.59          | -5.35              | 17.24        | 52.97       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | DFT_16QAM  | 20.5           | -5.35              | 15.15        | 32.73       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 12@6             | DFT_16QAM  | 21.47          | -5.35              | 16.12        | 40.93       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | DFT_16QAM  | 21.41          | -5.35              | 16.06        | 40.36       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | DFT_16QAM  | 21.72          | -5.35              | 16.37        | 43.35       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | DFT_64QAM  | 20.04          | -5.35              | 14.69        | 29.44       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 12@6             | DFT_64QAM  | 20.01          | -5.35              | 14.66        | 29.24       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | DFT_64QAM  | 19.93          | -5.35              | 14.58        | 28.71       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | DFT_64QAM  | 20.22          | -5.35              | 14.87        | 30.69       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | DFT_256QAM | 18             | -5.35              | 12.65        | 18.41       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 12@6             | DFT_256QAM | 18.05          | -5.35              | 12.7         | 18.62       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | DFT_256QAM | 17.76          | -5.35              | 12.41        | 17.42       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | DFT_256QAM | 18.08          | -5.35              | 12.73        | 18.75       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | CP_QPSK    | 19.54          | -5.35              | 14.19        | 26.24       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 13@6             | CP_QPSK    | 21             | -5.35              | 15.65        | 36.73       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | CP_QPSK    | 20.79          | -5.35              | 15.44        | 34.99       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | CP_QPSK    | 21.06          | -5.35              | 15.71        | 37.24       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | CP_16QAM   | 19.58          | -5.35              | 14.23        | 26.49       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 13@6             | CP_16QAM   | 20.57          | -5.35              | 15.22        | 33.27       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | CP_16QAM   | 20.54          | -5.35              | 15.19        | 33.04       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | CP_16QAM   | 20.84          | -5.35              | 15.49        | 35.4        | 7000                 | PASS    |

|              |    |   |        |      |            |       |       |       |       |      |      |
|--------------|----|---|--------|------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 5 | 165300 | 25@0 | CP_64QAM   | 19.03 | -5.35 | 13.68 | 23.33 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 13@6 | CP_64QAM   | 18.98 | -5.35 | 13.63 | 23.07 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 1@1  | CP_64QAM   | 18.79 | -5.35 | 13.44 | 22.08 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 1@23 | CP_64QAM   | 19.06 | -5.35 | 13.71 | 23.5  | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 25@0 | CP_256QAM  | 16.01 | -5.35 | 10.66 | 11.64 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 13@6 | CP_256QAM  | 16.01 | -5.35 | 10.66 | 11.64 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 1@1  | CP_256QAM  | 15.86 | -5.35 | 10.51 | 11.25 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 1@23 | CP_256QAM  | 16.16 | -5.35 | 10.81 | 12.05 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | DFT_BPSK   | 22.44 | -5.35 | 17.09 | 51.17 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 12@6 | DFT_BPSK   | 22.95 | -5.35 | 17.6  | 57.54 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | DFT_BPSK   | 22.88 | -5.35 | 17.53 | 56.62 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | DFT_BPSK   | 22.81 | -5.35 | 17.46 | 55.72 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | DFT_QPSK   | 21.94 | -5.35 | 16.59 | 45.6  | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 12@6 | DFT_QPSK   | 22.99 | -5.35 | 17.64 | 58.08 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | DFT_QPSK   | 22.8  | -5.35 | 17.45 | 55.59 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | DFT_QPSK   | 22.74 | -5.35 | 17.39 | 54.83 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | DFT_16QAM  | 20.95 | -5.35 | 15.6  | 36.31 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 12@6 | DFT_16QAM  | 21.93 | -5.35 | 16.58 | 45.5  | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | DFT_16QAM  | 22.04 | -5.35 | 16.69 | 46.67 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | DFT_16QAM  | 21.96 | -5.35 | 16.61 | 45.81 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | DFT_64QAM  | 20.49 | -5.35 | 15.14 | 32.66 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 12@6 | DFT_64QAM  | 20.47 | -5.35 | 15.12 | 32.51 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | DFT_64QAM  | 20.5  | -5.35 | 15.15 | 32.73 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | DFT_64QAM  | 20.43 | -5.35 | 15.08 | 32.21 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | DFT_256QAM | 18.4  | -5.35 | 13.05 | 20.18 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 12@6 | DFT_256QAM | 18.48 | -5.35 | 13.13 | 20.56 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | DFT_256QAM | 18.38 | -5.35 | 13.03 | 20.09 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | DFT_256QAM | 18.27 | -5.35 | 12.92 | 19.59 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | CP_QPSK    | 19.97 | -5.35 | 14.62 | 28.97 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 13@6 | CP_QPSK    | 21.4  | -5.35 | 16.05 | 40.27 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | CP_QPSK    | 21.33 | -5.35 | 15.98 | 39.63 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | CP_QPSK    | 21.24 | -5.35 | 15.89 | 38.82 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | CP_16QAM   | 20.05 | -5.35 | 14.7  | 29.51 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 13@6 | CP_16QAM   | 21    | -5.35 | 15.65 | 36.73 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | CP_16QAM   | 21.13 | -5.35 | 15.78 | 37.84 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | CP_16QAM   | 21.06 | -5.35 | 15.71 | 37.24 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | CP_64QAM   | 19.47 | -5.35 | 14.12 | 25.82 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 13@6 | CP_64QAM   | 19.4  | -5.35 | 14.05 | 25.41 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | CP_64QAM   | 19.29 | -5.35 | 13.94 | 24.77 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | CP_64QAM   | 19.24 | -5.35 | 13.89 | 24.49 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | CP_256QAM  | 16.42 | -5.35 | 11.07 | 12.79 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 13@6 | CP_256QAM  | 16.42 | -5.35 | 11.07 | 12.79 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | CP_256QAM  | 16.47 | -5.35 | 11.12 | 12.94 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 5  | 167300 | 1@23  | CP_256QAM  | 16.41 | -5.35 | 11.06 | 12.76 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | DFT_BPSK   | 21.69 | -5.35 | 16.34 | 43.05 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 12@6  | DFT_BPSK   | 22.19 | -5.35 | 16.84 | 48.31 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | DFT_BPSK   | 22.26 | -5.35 | 16.91 | 49.09 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | DFT_BPSK   | 21.92 | -5.35 | 16.57 | 45.39 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | DFT_QPSK   | 21.21 | -5.35 | 15.86 | 38.55 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 12@6  | DFT_QPSK   | 22.19 | -5.35 | 16.84 | 48.31 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | DFT_QPSK   | 22.24 | -5.35 | 16.89 | 48.87 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | DFT_QPSK   | 21.87 | -5.35 | 16.52 | 44.87 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | DFT_16QAM  | 20.16 | -5.35 | 14.81 | 30.27 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 12@6  | DFT_16QAM  | 21.14 | -5.35 | 15.79 | 37.93 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | DFT_16QAM  | 21.41 | -5.35 | 16.06 | 40.36 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | DFT_16QAM  | 21.08 | -5.35 | 15.73 | 37.41 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | DFT_64QAM  | 19.72 | -5.35 | 14.37 | 27.35 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 12@6  | DFT_64QAM  | 19.68 | -5.35 | 14.33 | 27.1  | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | DFT_64QAM  | 19.91 | -5.35 | 14.56 | 28.58 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | DFT_64QAM  | 19.56 | -5.35 | 14.21 | 26.36 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | DFT_256QAM | 17.66 | -5.35 | 12.31 | 17.02 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 12@6  | DFT_256QAM | 17.7  | -5.35 | 12.35 | 17.18 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | DFT_256QAM | 17.6  | -5.35 | 12.25 | 16.79 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | DFT_256QAM | 17.42 | -5.35 | 12.07 | 16.11 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | CP_QPSK    | 19.22 | -5.35 | 13.87 | 24.38 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 13@6  | CP_QPSK    | 20.61 | -5.35 | 15.26 | 33.57 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | CP_QPSK    | 20.76 | -5.35 | 15.41 | 34.75 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | CP_QPSK    | 20.4  | -5.35 | 15.05 | 31.99 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | CP_16QAM   | 19.25 | -5.35 | 13.9  | 24.55 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 13@6  | CP_16QAM   | 20.21 | -5.35 | 14.86 | 30.62 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | CP_16QAM   | 20.55 | -5.35 | 15.2  | 33.11 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | CP_16QAM   | 20.17 | -5.35 | 14.82 | 30.34 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | CP_64QAM   | 18.72 | -5.35 | 13.37 | 21.73 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 13@6  | CP_64QAM   | 18.58 | -5.35 | 13.23 | 21.04 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | CP_64QAM   | 18.73 | -5.35 | 13.38 | 21.78 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | CP_64QAM   | 18.4  | -5.35 | 13.05 | 20.18 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | CP_256QAM  | 15.66 | -5.35 | 10.31 | 10.74 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 13@6  | CP_256QAM  | 15.63 | -5.35 | 10.28 | 10.67 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | CP_256QAM  | 15.86 | -5.35 | 10.51 | 11.25 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | CP_256QAM  | 15.54 | -5.35 | 10.19 | 10.45 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 50@0  | DFT_BPSK   | 22.16 | -5.35 | 16.81 | 47.97 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 25@12 | DFT_BPSK   | 22.67 | -5.35 | 17.32 | 53.95 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | DFT_BPSK   | 22.32 | -5.35 | 16.97 | 49.77 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | DFT_BPSK   | 22.91 | -5.35 | 17.56 | 57.02 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 50@0  | DFT_QPSK   | 21.66 | -5.35 | 16.31 | 42.76 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 25@12 | DFT_QPSK   | 22.7  | -5.35 | 17.35 | 54.33 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 10 | 165800 | 1@1   | DFT_QPSK   | 22.29 | -5.35 | 16.94 | 49.43 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | DFT_QPSK   | 22.85 | -5.35 | 17.5  | 56.23 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 50@0  | DFT_16QAM  | 20.69 | -5.35 | 15.34 | 34.2  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 25@12 | DFT_16QAM  | 21.66 | -5.35 | 16.31 | 42.76 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | DFT_16QAM  | 21.41 | -5.35 | 16.06 | 40.36 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | DFT_16QAM  | 22.04 | -5.35 | 16.69 | 46.67 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 50@0  | DFT_64QAM  | 20.2  | -5.35 | 14.85 | 30.55 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 25@12 | DFT_64QAM  | 20.22 | -5.35 | 14.87 | 30.69 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | DFT_64QAM  | 19.91 | -5.35 | 14.56 | 28.58 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | DFT_64QAM  | 20.52 | -5.35 | 15.17 | 32.89 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 50@0  | DFT_256QAM | 18.14 | -5.35 | 12.79 | 19.01 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 25@12 | DFT_256QAM | 18.13 | -5.35 | 12.78 | 18.97 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | DFT_256QAM | 17.76 | -5.35 | 12.41 | 17.42 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | DFT_256QAM | 18.39 | -5.35 | 13.04 | 20.14 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 52@0  | CP_QPSK    | 19.69 | -5.35 | 14.34 | 27.16 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 26@13 | CP_QPSK    | 21.14 | -5.35 | 15.79 | 37.93 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | CP_QPSK    | 20.75 | -5.35 | 15.4  | 34.67 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | CP_QPSK    | 21.37 | -5.35 | 16.02 | 39.99 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 52@0  | CP_16QAM   | 19.71 | -5.35 | 14.36 | 27.29 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 26@13 | CP_16QAM   | 20.69 | -5.35 | 15.34 | 34.2  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | CP_16QAM   | 20.54 | -5.35 | 15.19 | 33.04 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | CP_16QAM   | 21.1  | -5.35 | 15.75 | 37.58 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 52@0  | CP_64QAM   | 19.19 | -5.35 | 13.84 | 24.21 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 26@13 | CP_64QAM   | 19.2  | -5.35 | 13.85 | 24.27 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | CP_64QAM   | 18.79 | -5.35 | 13.44 | 22.08 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | CP_64QAM   | 19.34 | -5.35 | 13.99 | 25.06 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 52@0  | CP_256QAM  | 16.17 | -5.35 | 10.82 | 12.08 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 26@13 | CP_256QAM  | 16.2  | -5.35 | 10.85 | 12.16 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | CP_256QAM  | 15.9  | -5.35 | 10.55 | 11.35 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | CP_256QAM  | 16.54 | -5.35 | 11.19 | 13.15 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 50@0  | DFT_BPSK   | 22.4  | -5.35 | 17.05 | 50.7  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 25@12 | DFT_BPSK   | 22.93 | -5.35 | 17.58 | 57.28 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | DFT_BPSK   | 22.8  | -5.35 | 17.45 | 55.59 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | DFT_BPSK   | 22.6  | -5.35 | 17.25 | 53.09 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 50@0  | DFT_QPSK   | 21.88 | -5.35 | 16.53 | 44.98 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 25@12 | DFT_QPSK   | 22.94 | -5.35 | 17.59 | 57.41 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | DFT_QPSK   | 22.75 | -5.35 | 17.4  | 54.95 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | DFT_QPSK   | 22.58 | -5.35 | 17.23 | 52.84 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 50@0  | DFT_16QAM  | 20.87 | -5.35 | 15.52 | 35.65 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 25@12 | DFT_16QAM  | 21.98 | -5.35 | 16.63 | 46.03 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | DFT_16QAM  | 21.92 | -5.35 | 16.57 | 45.39 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | DFT_16QAM  | 21.71 | -5.35 | 16.36 | 43.25 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 50@0  | DFT_64QAM  | 20.36 | -5.35 | 15.01 | 31.7  | 7000 | PASS |



|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 10 | 167300 | 25@12 | DFT_64QAM  | 20.49 | -5.35 | 15.14 | 32.66 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | DFT_64QAM  | 20.42 | -5.35 | 15.07 | 32.14 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | DFT_64QAM  | 20.22 | -5.35 | 14.87 | 30.69 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 50@0  | DFT_256QAM | 18.34 | -5.35 | 12.99 | 19.91 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 25@12 | DFT_256QAM | 18.38 | -5.35 | 13.03 | 20.09 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | DFT_256QAM | 18.29 | -5.35 | 12.94 | 19.68 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | DFT_256QAM | 18.11 | -5.35 | 12.76 | 18.88 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 52@0  | CP_QPSK    | 19.89 | -5.35 | 14.54 | 28.44 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 26@13 | CP_QPSK    | 21.4  | -5.35 | 16.05 | 40.27 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | CP_QPSK    | 21.28 | -5.35 | 15.93 | 39.17 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | CP_QPSK    | 21.09 | -5.35 | 15.74 | 37.5  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 52@0  | CP_16QAM   | 19.91 | -5.35 | 14.56 | 28.58 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 26@13 | CP_16QAM   | 20.94 | -5.35 | 15.59 | 36.22 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | CP_16QAM   | 20.98 | -5.35 | 15.63 | 36.56 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | CP_16QAM   | 20.86 | -5.35 | 15.51 | 35.56 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 52@0  | CP_64QAM   | 19.39 | -5.35 | 14.04 | 25.35 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 26@13 | CP_64QAM   | 19.41 | -5.35 | 14.06 | 25.47 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | CP_64QAM   | 19.22 | -5.35 | 13.87 | 24.38 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | CP_64QAM   | 19.06 | -5.35 | 13.71 | 23.5  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 52@0  | CP_256QAM  | 16.37 | -5.35 | 11.02 | 12.65 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 26@13 | CP_256QAM  | 16.42 | -5.35 | 11.07 | 12.79 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | CP_256QAM  | 16.43 | -5.35 | 11.08 | 12.82 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | CP_256QAM  | 16.29 | -5.35 | 10.94 | 12.42 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 50@0  | DFT_BPSK   | 21.94 | -5.35 | 16.59 | 45.6  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 25@12 | DFT_BPSK   | 22.46 | -5.35 | 17.11 | 51.4  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | DFT_BPSK   | 22.71 | -5.35 | 17.36 | 54.45 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | DFT_BPSK   | 21.94 | -5.35 | 16.59 | 45.6  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 50@0  | DFT_QPSK   | 21.44 | -5.35 | 16.09 | 40.64 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 25@12 | DFT_QPSK   | 22.48 | -5.35 | 17.13 | 51.64 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | DFT_QPSK   | 22.62 | -5.35 | 17.27 | 53.33 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | DFT_QPSK   | 21.88 | -5.35 | 16.53 | 44.98 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 50@0  | DFT_16QAM  | 20.43 | -5.35 | 15.08 | 32.21 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 25@12 | DFT_16QAM  | 21.47 | -5.35 | 16.12 | 40.93 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | DFT_16QAM  | 21.83 | -5.35 | 16.48 | 44.46 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | DFT_16QAM  | 21.1  | -5.35 | 15.75 | 37.58 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 50@0  | DFT_64QAM  | 19.97 | -5.35 | 14.62 | 28.97 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 25@12 | DFT_64QAM  | 20    | -5.35 | 14.65 | 29.17 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | DFT_64QAM  | 20.33 | -5.35 | 14.98 | 31.48 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | DFT_64QAM  | 19.59 | -5.35 | 14.24 | 26.55 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 50@0  | DFT_256QAM | 17.9  | -5.35 | 12.55 | 17.99 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 25@12 | DFT_256QAM | 17.94 | -5.35 | 12.59 | 18.16 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | DFT_256QAM | 18.17 | -5.35 | 12.82 | 19.14 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | DFT_256QAM | 17.45 | -5.35 | 12.1  | 16.22 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 10 | 168800 | 52@0  | CP_QPSK    | 19.4  | -5.35 | 14.05 | 25.41 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 26@13 | CP_QPSK    | 20.91 | -5.35 | 15.56 | 35.97 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | CP_QPSK    | 21.14 | -5.35 | 15.79 | 37.93 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | CP_QPSK    | 20.41 | -5.35 | 15.06 | 32.06 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 52@0  | CP_16QAM   | 19.43 | -5.35 | 14.08 | 25.59 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 26@13 | CP_16QAM   | 20.44 | -5.35 | 15.09 | 32.28 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | CP_16QAM   | 20.91 | -5.35 | 15.56 | 35.97 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | CP_16QAM   | 20.16 | -5.35 | 14.81 | 30.27 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 52@0  | CP_64QAM   | 18.92 | -5.35 | 13.57 | 22.75 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 26@13 | CP_64QAM   | 18.92 | -5.35 | 13.57 | 22.75 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | CP_64QAM   | 19.16 | -5.35 | 13.81 | 24.04 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | CP_64QAM   | 18.42 | -5.35 | 13.07 | 20.28 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 52@0  | CP_256QAM  | 15.91 | -5.35 | 10.56 | 11.38 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 26@13 | CP_256QAM  | 15.89 | -5.35 | 10.54 | 11.32 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | CP_256QAM  | 16.35 | -5.35 | 11    | 12.59 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | CP_256QAM  | 15.58 | -5.35 | 10.23 | 10.54 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 75@0  | DFT_BPSK   | 22.32 | -5.35 | 16.97 | 49.77 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 36@18 | DFT_BPSK   | 22.83 | -5.35 | 17.48 | 55.98 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | DFT_BPSK   | 22.34 | -5.35 | 16.99 | 50    | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | DFT_BPSK   | 22.86 | -5.35 | 17.51 | 56.36 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 75@0  | DFT_QPSK   | 21.83 | -5.35 | 16.48 | 44.46 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 36@18 | DFT_QPSK   | 22.84 | -5.35 | 17.49 | 56.1  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | DFT_QPSK   | 22.32 | -5.35 | 16.97 | 49.77 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | DFT_QPSK   | 22.81 | -5.35 | 17.46 | 55.72 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 75@0  | DFT_16QAM  | 20.82 | -5.35 | 15.47 | 35.24 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 36@18 | DFT_16QAM  | 21.87 | -5.35 | 16.52 | 44.87 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | DFT_16QAM  | 21.46 | -5.35 | 16.11 | 40.83 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | DFT_16QAM  | 22.02 | -5.35 | 16.67 | 46.45 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 75@0  | DFT_64QAM  | 20.34 | -5.35 | 14.99 | 31.55 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 36@18 | DFT_64QAM  | 20.37 | -5.35 | 15.02 | 31.77 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | DFT_64QAM  | 20    | -5.35 | 14.65 | 29.17 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | DFT_64QAM  | 20.56 | -5.35 | 15.21 | 33.19 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 75@0  | DFT_256QAM | 18.3  | -5.35 | 12.95 | 19.72 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 36@18 | DFT_256QAM | 18.33 | -5.35 | 12.98 | 19.86 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | DFT_256QAM | 17.82 | -5.35 | 12.47 | 17.66 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | DFT_256QAM | 18.37 | -5.35 | 13.02 | 20.04 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 79@0  | CP_QPSK    | 19.86 | -5.35 | 14.51 | 28.25 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 39@19 | CP_QPSK    | 21.39 | -5.35 | 16.04 | 40.18 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | CP_QPSK    | 20.82 | -5.35 | 15.47 | 35.24 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | CP_QPSK    | 21.32 | -5.35 | 15.97 | 39.54 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 79@0  | CP_16QAM   | 19.88 | -5.35 | 14.53 | 28.38 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 39@19 | CP_16QAM   | 20.93 | -5.35 | 15.58 | 36.14 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | CP_16QAM   | 20.58 | -5.35 | 15.23 | 33.34 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 15 | 166300 | 1@77  | CP_16QAM   | 21.08 | -5.35 | 15.73 | 37.41 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 79@0  | CP_64QAM   | 19.36 | -5.35 | 14.01 | 25.18 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 39@19 | CP_64QAM   | 19.42 | -5.35 | 14.07 | 25.53 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | CP_64QAM   | 18.84 | -5.35 | 13.49 | 22.34 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | CP_64QAM   | 19.31 | -5.35 | 13.96 | 24.89 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 79@0  | CP_256QAM  | 16.36 | -5.35 | 11.01 | 12.62 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 39@19 | CP_256QAM  | 16.34 | -5.35 | 10.99 | 12.56 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | CP_256QAM  | 15.96 | -5.35 | 10.61 | 11.51 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | CP_256QAM  | 16.53 | -5.35 | 11.18 | 13.12 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 75@0  | DFT_BPSK   | 22.36 | -5.35 | 17.01 | 50.23 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 36@18 | DFT_BPSK   | 22.93 | -5.35 | 17.58 | 57.28 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | DFT_BPSK   | 22.66 | -5.35 | 17.31 | 53.83 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | DFT_BPSK   | 22.43 | -5.35 | 17.08 | 51.05 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 75@0  | DFT_QPSK   | 21.84 | -5.35 | 16.49 | 44.57 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 36@18 | DFT_QPSK   | 22.98 | -5.35 | 17.63 | 57.94 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | DFT_QPSK   | 22.63 | -5.35 | 17.28 | 53.46 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | DFT_QPSK   | 22.39 | -5.35 | 17.04 | 50.58 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 75@0  | DFT_16QAM  | 20.83 | -5.35 | 15.48 | 35.32 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 36@18 | DFT_16QAM  | 21.98 | -5.35 | 16.63 | 46.03 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | DFT_16QAM  | 21.82 | -5.35 | 16.47 | 44.36 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | DFT_16QAM  | 21.56 | -5.35 | 16.21 | 41.78 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 75@0  | DFT_64QAM  | 20.33 | -5.35 | 14.98 | 31.48 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 36@18 | DFT_64QAM  | 20.48 | -5.35 | 15.13 | 32.58 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | DFT_64QAM  | 20.36 | -5.35 | 15.01 | 31.7  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | DFT_64QAM  | 20.09 | -5.35 | 14.74 | 29.79 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 75@0  | DFT_256QAM | 18.32 | -5.35 | 12.97 | 19.82 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 36@18 | DFT_256QAM | 18.42 | -5.35 | 13.07 | 20.28 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | DFT_256QAM | 18.13 | -5.35 | 12.78 | 18.97 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | DFT_256QAM | 17.92 | -5.35 | 12.57 | 18.07 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 79@0  | CP_QPSK    | 19.88 | -5.35 | 14.53 | 28.38 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 39@19 | CP_QPSK    | 21.47 | -5.35 | 16.12 | 40.93 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | CP_QPSK    | 21.15 | -5.35 | 15.8  | 38.02 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | CP_QPSK    | 20.85 | -5.35 | 15.5  | 35.48 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 79@0  | CP_16QAM   | 19.85 | -5.35 | 14.5  | 28.18 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 39@19 | CP_16QAM   | 21    | -5.35 | 15.65 | 36.73 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | CP_16QAM   | 20.9  | -5.35 | 15.55 | 35.89 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | CP_16QAM   | 20.65 | -5.35 | 15.3  | 33.88 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 79@0  | CP_64QAM   | 19.36 | -5.35 | 14.01 | 25.18 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 39@19 | CP_64QAM   | 19.47 | -5.35 | 14.12 | 25.82 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | CP_64QAM   | 19.15 | -5.35 | 13.8  | 23.99 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | CP_64QAM   | 18.89 | -5.35 | 13.54 | 22.59 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 79@0  | CP_256QAM  | 16.34 | -5.35 | 10.99 | 12.56 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 39@19 | CP_256QAM  | 16.44 | -5.35 | 11.09 | 12.85 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 15 | 167300 | 1@1   | CP_256QAM  | 16.28 | -5.35 | 10.93 | 12.39 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | CP_256QAM  | 16.06 | -5.35 | 10.71 | 11.78 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 75@0  | DFT_BPSK   | 22.09 | -5.35 | 16.74 | 47.21 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 36@18 | DFT_BPSK   | 22.7  | -5.35 | 17.35 | 54.33 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | DFT_BPSK   | 22.89 | -5.35 | 17.54 | 56.75 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | DFT_BPSK   | 22    | -5.35 | 16.65 | 46.24 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 75@0  | DFT_QPSK   | 21.62 | -5.35 | 16.27 | 42.36 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 36@18 | DFT_QPSK   | 22.74 | -5.35 | 17.39 | 54.83 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | DFT_QPSK   | 22.81 | -5.35 | 17.46 | 55.72 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | DFT_QPSK   | 21.93 | -5.35 | 16.58 | 45.5  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 75@0  | DFT_16QAM  | 20.61 | -5.35 | 15.26 | 33.57 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 36@18 | DFT_16QAM  | 21.72 | -5.35 | 16.37 | 43.35 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | DFT_16QAM  | 22.05 | -5.35 | 16.7  | 46.77 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | DFT_16QAM  | 21.09 | -5.35 | 15.74 | 37.5  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 75@0  | DFT_64QAM  | 20.13 | -5.35 | 14.78 | 30.06 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 36@18 | DFT_64QAM  | 20.22 | -5.35 | 14.87 | 30.69 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | DFT_64QAM  | 20.57 | -5.35 | 15.22 | 33.27 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | DFT_64QAM  | 19.64 | -5.35 | 14.29 | 26.85 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 75@0  | DFT_256QAM | 18.06 | -5.35 | 12.71 | 18.66 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 36@18 | DFT_256QAM | 18.17 | -5.35 | 12.82 | 19.14 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | DFT_256QAM | 18.39 | -5.35 | 13.04 | 20.14 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | DFT_256QAM | 17.49 | -5.35 | 12.14 | 16.37 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 79@0  | CP_QPSK    | 19.61 | -5.35 | 14.26 | 26.67 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 39@19 | CP_QPSK    | 21.24 | -5.35 | 15.89 | 38.82 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | CP_QPSK    | 21.35 | -5.35 | 16    | 39.81 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | CP_QPSK    | 20.42 | -5.35 | 15.07 | 32.14 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 79@0  | CP_16QAM   | 19.59 | -5.35 | 14.24 | 26.55 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 39@19 | CP_16QAM   | 20.78 | -5.35 | 15.43 | 34.91 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | CP_16QAM   | 21.1  | -5.35 | 15.75 | 37.58 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | CP_16QAM   | 20.23 | -5.35 | 14.88 | 30.76 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 79@0  | CP_64QAM   | 19.06 | -5.35 | 13.71 | 23.5  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 39@19 | CP_64QAM   | 19.24 | -5.35 | 13.89 | 24.49 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | CP_64QAM   | 19.31 | -5.35 | 13.96 | 24.89 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | CP_64QAM   | 18.43 | -5.35 | 13.08 | 20.32 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 79@0  | CP_256QAM  | 16.11 | -5.35 | 10.76 | 11.91 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 39@19 | CP_256QAM  | 16.17 | -5.35 | 10.82 | 12.08 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | CP_256QAM  | 16.57 | -5.35 | 11.22 | 13.24 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | CP_256QAM  | 15.61 | -5.35 | 10.26 | 10.62 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 100@0 | DFT_BPSK   | 22.39 | -5.35 | 17.04 | 50.58 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 50@25 | DFT_BPSK   | 22.93 | -5.35 | 17.58 | 57.28 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | DFT_BPSK   | 22.31 | -5.35 | 16.96 | 49.66 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | DFT_BPSK   | 22.45 | -5.35 | 17.1  | 51.29 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 100@0 | DFT_QPSK   | 21.84 | -5.35 | 16.49 | 44.57 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 20 | 166800 | 50@25 | DFT_QPSK   | 22.93 | -5.35 | 17.58 | 57.28 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | DFT_QPSK   | 22.32 | -5.35 | 16.97 | 49.77 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | DFT_QPSK   | 22.44 | -5.35 | 17.09 | 51.17 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 100@0 | DFT_16QAM  | 20.81 | -5.35 | 15.46 | 35.16 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 50@25 | DFT_16QAM  | 21.94 | -5.35 | 16.59 | 45.6  | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | DFT_16QAM  | 21.44 | -5.35 | 16.09 | 40.64 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | DFT_16QAM  | 21.57 | -5.35 | 16.22 | 41.88 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 100@0 | DFT_64QAM  | 20.32 | -5.35 | 14.97 | 31.41 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 50@25 | DFT_64QAM  | 20.42 | -5.35 | 15.07 | 32.14 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | DFT_64QAM  | 20.01 | -5.35 | 14.66 | 29.24 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | DFT_64QAM  | 20.07 | -5.35 | 14.72 | 29.65 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 100@0 | DFT_256QAM | 18.32 | -5.35 | 12.97 | 19.82 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 50@25 | DFT_256QAM | 18.43 | -5.35 | 13.08 | 20.32 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | DFT_256QAM | 17.74 | -5.35 | 12.39 | 17.34 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | DFT_256QAM | 17.9  | -5.35 | 12.55 | 17.99 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 106@0 | CP_QPSK    | 19.83 | -5.35 | 14.48 | 28.05 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 53@26 | CP_QPSK    | 21.47 | -5.35 | 16.12 | 40.93 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | CP_QPSK    | 20.8  | -5.35 | 15.45 | 35.08 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | CP_QPSK    | 20.87 | -5.35 | 15.52 | 35.65 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 106@0 | CP_16QAM   | 19.84 | -5.35 | 14.49 | 28.12 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 53@26 | CP_16QAM   | 21.01 | -5.35 | 15.66 | 36.81 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | CP_16QAM   | 20.61 | -5.35 | 15.26 | 33.57 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | CP_16QAM   | 20.71 | -5.35 | 15.36 | 34.36 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 106@0 | CP_64QAM   | 19.32 | -5.35 | 13.97 | 24.95 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 53@26 | CP_64QAM   | 19.48 | -5.35 | 14.13 | 25.88 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | CP_64QAM   | 18.78 | -5.35 | 13.43 | 22.03 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | CP_64QAM   | 18.91 | -5.35 | 13.56 | 22.7  | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 106@0 | CP_256QAM  | 16.39 | -5.35 | 11.04 | 12.71 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 53@26 | CP_256QAM  | 16.44 | -5.35 | 11.09 | 12.85 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | CP_256QAM  | 15.94 | -5.35 | 10.59 | 11.46 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | CP_256QAM  | 16.08 | -5.35 | 10.73 | 11.83 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 100@0 | DFT_BPSK   | 22.35 | -5.35 | 17    | 50.12 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 50@25 | DFT_BPSK   | 22.92 | -5.35 | 17.57 | 57.15 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | DFT_BPSK   | 22.48 | -5.35 | 17.13 | 51.64 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | DFT_BPSK   | 22.22 | -5.35 | 16.87 | 48.64 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 100@0 | DFT_QPSK   | 21.76 | -5.35 | 16.41 | 43.75 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 50@25 | DFT_QPSK   | 22.94 | -5.35 | 17.59 | 57.41 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | DFT_QPSK   | 22.42 | -5.35 | 17.07 | 50.93 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | DFT_QPSK   | 22.17 | -5.35 | 16.82 | 48.08 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 100@0 | DFT_16QAM  | 20.73 | -5.35 | 15.38 | 34.51 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 50@25 | DFT_16QAM  | 21.93 | -5.35 | 16.58 | 45.5  | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | DFT_16QAM  | 21.56 | -5.35 | 16.21 | 41.78 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | DFT_16QAM  | 21.33 | -5.35 | 15.98 | 39.63 | 7000 | PASS |



|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 20 | 167300 | 100@0 | DFT_64QAM  | 20.25 | -5.35 | 14.9  | 30.9  | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 50@25 | DFT_64QAM  | 20.4  | -5.35 | 15.05 | 31.99 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | DFT_64QAM  | 20.09 | -5.35 | 14.74 | 29.79 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | DFT_64QAM  | 19.85 | -5.35 | 14.5  | 28.18 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 100@0 | DFT_256QAM | 18.26 | -5.35 | 12.91 | 19.54 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 50@25 | DFT_256QAM | 18.43 | -5.35 | 13.08 | 20.32 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | DFT_256QAM | 17.91 | -5.35 | 12.56 | 18.03 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | DFT_256QAM | 17.68 | -5.35 | 12.33 | 17.1  | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 106@0 | CP_QPSK    | 19.75 | -5.35 | 14.4  | 27.54 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 53@26 | CP_QPSK    | 21.41 | -5.35 | 16.06 | 40.36 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | CP_QPSK    | 20.91 | -5.35 | 15.56 | 35.97 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | CP_QPSK    | 20.65 | -5.35 | 15.3  | 33.88 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 106@0 | CP_16QAM   | 19.78 | -5.35 | 14.43 | 27.73 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 53@26 | CP_16QAM   | 20.97 | -5.35 | 15.62 | 36.48 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | CP_16QAM   | 20.7  | -5.35 | 15.35 | 34.28 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | CP_16QAM   | 20.46 | -5.35 | 15.11 | 32.43 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 106@0 | CP_64QAM   | 19.22 | -5.35 | 13.87 | 24.38 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 53@26 | CP_64QAM   | 19.41 | -5.35 | 14.06 | 25.47 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | CP_64QAM   | 18.94 | -5.35 | 13.59 | 22.86 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | CP_64QAM   | 18.65 | -5.35 | 13.3  | 21.38 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 106@0 | CP_256QAM  | 16.31 | -5.35 | 10.96 | 12.47 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 53@26 | CP_256QAM  | 16.4  | -5.35 | 11.05 | 12.74 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | CP_256QAM  | 16.08 | -5.35 | 10.73 | 11.83 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | CP_256QAM  | 15.84 | -5.35 | 10.49 | 11.19 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 100@0 | DFT_BPSK   | 22.23 | -5.35 | 16.88 | 48.75 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 50@25 | DFT_BPSK   | 22.86 | -5.35 | 17.51 | 56.36 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | DFT_BPSK   | 22.62 | -5.35 | 17.27 | 53.33 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | DFT_BPSK   | 22    | -5.35 | 16.65 | 46.24 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 100@0 | DFT_QPSK   | 21.71 | -5.35 | 16.36 | 43.25 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 50@25 | DFT_QPSK   | 22.87 | -5.35 | 17.52 | 56.49 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | DFT_QPSK   | 22.64 | -5.35 | 17.29 | 53.58 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | DFT_QPSK   | 21.95 | -5.35 | 16.6  | 45.71 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 100@0 | DFT_16QAM  | 20.66 | -5.35 | 15.31 | 33.96 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 50@25 | DFT_16QAM  | 21.85 | -5.35 | 16.5  | 44.67 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | DFT_16QAM  | 21.78 | -5.35 | 16.43 | 43.95 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | DFT_16QAM  | 21.13 | -5.35 | 15.78 | 37.84 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 100@0 | DFT_64QAM  | 20.14 | -5.35 | 14.79 | 30.13 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 50@25 | DFT_64QAM  | 20.3  | -5.35 | 14.95 | 31.26 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | DFT_64QAM  | 20.28 | -5.35 | 14.93 | 31.12 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | DFT_64QAM  | 19.64 | -5.35 | 14.29 | 26.85 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 100@0 | DFT_256QAM | 18.19 | -5.35 | 12.84 | 19.23 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 50@25 | DFT_256QAM | 18.36 | -5.35 | 13.01 | 20    | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | DFT_256QAM | 18.1  | -5.35 | 12.75 | 18.84 | 7000 | PASS |



|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 20 | 167800 | 1@104 | DFT_256QAM | 17.49 | -5.35 | 12.14 | 16.37 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 106@0 | CP_QPSK    | 19.65 | -5.35 | 14.3  | 26.92 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 53@26 | CP_QPSK    | 21.35 | -5.35 | 16    | 39.81 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | CP_QPSK    | 21.12 | -5.35 | 15.77 | 37.76 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | CP_QPSK    | 20.44 | -5.35 | 15.09 | 32.28 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 106@0 | CP_16QAM   | 19.69 | -5.35 | 14.34 | 27.16 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 53@26 | CP_16QAM   | 20.83 | -5.35 | 15.48 | 35.32 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | CP_16QAM   | 20.91 | -5.35 | 15.56 | 35.97 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | CP_16QAM   | 20.28 | -5.35 | 14.93 | 31.12 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 106@0 | CP_64QAM   | 19.16 | -5.35 | 13.81 | 24.04 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 53@26 | CP_64QAM   | 19.31 | -5.35 | 13.96 | 24.89 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | CP_64QAM   | 19.14 | -5.35 | 13.79 | 23.93 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | CP_64QAM   | 18.45 | -5.35 | 13.1  | 20.42 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 106@0 | CP_256QAM  | 16.15 | -5.35 | 10.8  | 12.02 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 53@26 | CP_256QAM  | 16.33 | -5.35 | 10.98 | 12.53 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | CP_256QAM  | 16.29 | -5.35 | 10.94 | 12.42 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | CP_256QAM  | 15.64 | -5.35 | 10.29 | 10.69 | 7000 | PASS |

## 2. Frequency Stability

| Temperature (°C) | Voltage (V) | Band         | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Result(Hz) | Result (ppm) | Low Limit (ppm) | High Limit (ppm) | Verdict |
|------------------|-------------|--------------|-----------|-----------------|------------|---------------|------------|------------|--------------|-----------------|------------------|---------|
| 20(Ref.)         | 7.74        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -4.5       | -0.00538     | -2.5            | 2.5              | PASS    |
| 20               | 6           | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | 0.3        | 0.00036      | -2.5            | 2.5              | PASS    |
| 20               | 8.9         | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | 4          | 0.00478      | -2.5            | 2.5              | PASS    |
| -30              | 7.74        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -2.9       | -0.00347     | -2.5            | 2.5              | PASS    |
| -20              | 7.74        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -6.2       | -0.00741     | -2.5            | 2.5              | PASS    |
| -10              | 7.74        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -4.2       | -0.00502     | -2.5            | 2.5              | PASS    |
| 0                | 7.74        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -8.3       | -0.00992     | -2.5            | 2.5              | PASS    |
| 10               | 7.74        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | 9.4        | 0.01124      | -2.5            | 2.5              | PASS    |
| 30               | 7.74        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | 4.4        | 0.00526      | -2.5            | 2.5              | PASS    |
| 40               | 7.74        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -4.2       | -0.00502     | -2.5            | 2.5              | PASS    |
| 50               | 7.74        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | 3.3        | 0.00395      | -2.5            | 2.5              | PASS    |

**Note:** The frequency fundamental emissions stay within the authorized frequency block.

### 3. Peak-to-average Ratio

| Band         | SCS<br>(kHz) | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Allocation | Modulation | Result<br>(dB) | High Limit<br>(dB) | Verdict |
|--------------|--------------|--------------------|---------------|------------------|------------|----------------|--------------------|---------|
| n26(824-849) | 15           | 20                 | 167300        | 100@0            | DFT_BPSK   | 4.30           | 13                 | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 100@0            | DFT_QPSK   | 5.56           | 13                 | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 100@0            | DFT_16QAM  | 6.13           | 13                 | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 100@0            | DFT_64QAM  | 6.23           | 13                 | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 100@0            | DFT_256QAM | 6.66           | 13                 | PASS    |




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=167300 RB=100@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=20MHz  
Channel=167300 RB=100@0



n26(824-849) SCS=15kHz DFT\_16QAM BW=20MHz  
Channel=167300 RB=100@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=20MHz  
Channel=167300 RB=100@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=20MHz  
Channel=167300 RB=100@0

## 4. Occupied Bandwidth


| Band         | SCS<br>(kHz) | Bandwidth<br>(MHz) | UL<br>Channel | UL<br>Frequency<br>(MHz) | RB<br>Allocation | Modulation | 99%<br>OBW<br>(MHz) | -26dB<br>EBW<br>(MHz) | Verdict |
|--------------|--------------|--------------------|---------------|--------------------------|------------------|------------|---------------------|-----------------------|---------|
| n26(824-849) | 15           | 5                  | 167300        | 836.5                    | 25@0             | DFT_BPSK   | 4.496               | 4.900                 | PASS    |
| n26(824-849) | 15           | 5                  | 167300        | 836.5                    | 25@0             | CP_QPSK    | 4.496               | 4.940                 | PASS    |
| n26(824-849) | 15           | 5                  | 167300        | 836.5                    | 25@0             | CP_16QAM   | 4.486               | 4.870                 | PASS    |
| n26(824-849) | 15           | 5                  | 167300        | 836.5                    | 25@0             | CP_64QAM   | 4.496               | 4.960                 | PASS    |
| n26(824-849) | 15           | 5                  | 167300        | 836.5                    | 25@0             | CP_256QAM  | 4.486               | 4.950                 | PASS    |
| n26(824-849) | 15           | 10                 | 167300        | 836.5                    | 50@0             | DFT_BPSK   | 9.011               | 9.600                 | PASS    |
| n26(824-849) | 15           | 10                 | 167300        | 836.5                    | 52@0             | CP_QPSK    | 9.291               | 9.920                 | PASS    |
| n26(824-849) | 15           | 10                 | 167300        | 836.5                    | 52@0             | CP_16QAM   | 9.311               | 9.920                 | PASS    |
| n26(824-849) | 15           | 10                 | 167300        | 836.5                    | 52@0             | CP_64QAM   | 9.311               | 9.920                 | PASS    |
| n26(824-849) | 15           | 10                 | 167300        | 836.5                    | 52@0             | CP_256QAM  | 9.291               | 9.880                 | PASS    |
| n26(824-849) | 15           | 15                 | 167300        | 836.5                    | 75@0             | DFT_BPSK   | 13.487              | 14.280                | PASS    |
| n26(824-849) | 15           | 15                 | 167300        | 836.5                    | 79@0             | CP_QPSK    | 14.116              | 14.940                | PASS    |
| n26(824-849) | 15           | 15                 | 167300        | 836.5                    | 79@0             | CP_16QAM   | 14.146              | 15.000                | PASS    |
| n26(824-849) | 15           | 15                 | 167300        | 836.5                    | 79@0             | CP_64QAM   | 14.146              | 15.000                | PASS    |
| n26(824-849) | 15           | 15                 | 167300        | 836.5                    | 79@0             | CP_256QAM  | 14.146              | 14.970                | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 836.5                    | 100@0            | DFT_BPSK   | 18.022              | 19.120                | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 836.5                    | 106@0            | CP_QPSK    | 19.021              | 20.200                | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 836.5                    | 106@0            | CP_16QAM   | 19.021              | 20.240                | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 836.5                    | 106@0            | CP_64QAM   | 19.061              | 20.240                | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 836.5                    | 106@0            | CP_256QAM  | 18.981              | 20.240                | PASS    |




n26(824-849) SCS=15kHz DFT\_BPSK BW=5MHz  
Channel=167300 RB=25@0




n26(824-849) SCS=15kHz CP\_QPSK BW=5MHz  
Channel=167300 RB=25@0




n26(824-849) SCS=15kHz CP\_16QAM BW=5MHz  
Channel=167300 RB=25@0



n26(824-849) SCS=15kHz CP\_64QAM BW=5MHz  
Channel=167300 RB=25@0




n26(824-849) SCS=15kHz CP\_256QAM BW=5MHz  
Channel=167300 RB=25@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=10MHz  
Channel=167300 RB=50@0







n26(824-849) SCS=15kHz CP\_QPSK BW=10MHz  
Channel=167300 RB=52@0




n26(824-849) SCS=15kHz CP\_16QAM BW=10MHz  
Channel=167300 RB=52@0




n26(824-849) SCS=15kHz CP\_64QAM BW=10MHz  
Channel=167300 RB=52@0




n26(824-849) SCS=15kHz CP\_256QAM BW=10MHz  
Channel=167300 RB=52@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=15MHz  
Channel=167300 RB=75@0




n26(824-849) SCS=15kHz CP\_QPSK BW=15MHz  
Channel=167300 RB=79@0




n26(824-849) SCS=15kHz CP\_16QAM BW=15MHz  
Channel=167300 RB=79@0




n26(824-849) SCS=15kHz CP\_64QAM BW=15MHz  
Channel=167300 RB=79@0




n26(824-849) SCS=15kHz CP\_256QAM BW=15MHz  
Channel=167300 RB=79@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=167300 RB=100@0



n26(824-849) SCS=15kHz CP\_QPSK BW=20MHz  
Channel=167300 RB=106@0




n26(824-849) SCS=15kHz CP\_16QAM BW=20MHz  
Channel=167300 RB=106@0



n26(824-849) SCS=15kHz CP\_64QAM BW=20MHz

Channel=167300 RB=106@0





n26(824-849) SCS=15kHz CP\_256QAM BW=20MHz

Channel=167300 RB=106@0




## 5. Conducted Band Edge







n26(824-849) SCS=15kHz DFT\_64QAM BW=5MHz  
LowChannel=165300 RB=1@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=5MHz  
LowChannel=165300 RB=25@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=5MHz  
LowChannel=165300 RB=1@0



n26(824-849) SCS=15kHz DFT\_256QAM BW=5MHz  
LowChannel=165300 RB=25@0




n26(824-849) SCS=15kHz CP\_QPSK BW=5MHz  
LowChannel=165300 RB=25@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=5MHz  
HighChannel=169300 RB=1@24







n26(824-849) SCS=15kHz DFT\_BPSK BW=5MHz  
HighChannel=169300 RB=25@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=5MHz  
HighChannel=169300 RB=1@24




n26(824-849) SCS=15kHz DFT\_QPSK BW=5MHz  
HighChannel=169300 RB=25@0



n26(824-849) SCS=15kHz DFT\_16QAM BW=5MHz  
HighChannel=169300 RB=1@24




n26(824-849) SCS=15kHz DFT\_16QAM BW=5MHz  
HighChannel=169300 RB=25@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=5MHz  
HighChannel=169300 RB=1@24







n26(824-849) SCS=15kHz DFT\_64QAM BW=5MHz  
HighChannel=169300 RB=25@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=5MHz  
HighChannel=169300 RB=1@24




n26(824-849) SCS=15kHz DFT\_256QAM BW=5MHz  
HighChannel=169300 RB=25@0




n26(824-849) SCS=15kHz CP\_QPSK BW=5MHz  
HighChannel=169300 RB=25@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=10MHz  
LowChannel=165800 RB=1@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=10MHz  
LowChannel=165800 RB=50@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=10MHz  
LowChannel=165800 RB=1@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=10MHz  
LowChannel=165800 RB=50@0




n26(824-849) SCS=15kHz DFT\_16QAM BW=10MHz  
LowChannel=165800 RB=1@0



n26(824-849) SCS=15kHz DFT\_16QAM BW=10MHz  
LowChannel=165800 RB=50@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=10MHz  
LowChannel=165800 RB=1@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=10MHz  
LowChannel=165800 RB=50@0







n26(824-849) SCS=15kHz DFT\_256QAM BW=10MHz  
LowChannel=165800 RB=1@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=10MHz  
LowChannel=165800 RB=50@0




n26(824-849) SCS=15kHz CP\_QPSK BW=10MHz  
LowChannel=165800 RB=52@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=10MHz  
HighChannel=168800 RB=1@51




n26(824-849) SCS=15kHz DFT\_BPSK BW=10MHz  
HighChannel=168800 RB=50@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=10MHz  
HighChannel=168800 RB=1@51




n26(824-849) SCS=15kHz DFT\_QPSK BW=10MHz  
HighChannel=168800 RB=50@0




n26(824-849) SCS=15kHz DFT\_16QAM BW=10MHz  
HighChannel=168800 RB=1@51




n26(824-849) SCS=15kHz DFT\_16QAM BW=10MHz  
HighChannel=168800 RB=50@0



n26(824-849) SCS=15kHz DFT\_64QAM BW=10MHz  
HighChannel=168800 RB=1@51




n26(824-849) SCS=15kHz DFT\_64QAM BW=10MHz  
HighChannel=168800 RB=50@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=10MHz  
HighChannel=168800 RB=1@51







n26(824-849) SCS=15kHz DFT\_256QAM BW=10MHz  
HighChannel=168800 RB=50@0




n26(824-849) SCS=15kHz CP\_QPSK BW=10MHz  
HighChannel=168800 RB=52@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=15MHz  
LowChannel=166300 RB=1@0



n26(824-849) SCS=15kHz DFT\_BPSK BW=15MHz  
LowChannel=166300 RB=75@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=15MHz  
LowChannel=166300 RB=1@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=15MHz  
LowChannel=166300 RB=75@0







n26(824-849) SCS=15kHz DFT\_16QAM BW=15MHz  
LowChannel=166300 RB=1@0




n26(824-849) SCS=15kHz DFT\_16QAM BW=15MHz  
LowChannel=166300 RB=75@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=15MHz  
LowChannel=166300 RB=1@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=15MHz  
LowChannel=166300 RB=75@0



n26(824-849) SCS=15kHz DFT\_256QAM BW=15MHz  
LowChannel=166300 RB=1@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=15MHz  
LowChannel=166300 RB=75@0




n26(824-849) SCS=15kHz CP\_QPSK BW=15MHz

LowChannel=166300 RB=79@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=15MHz

HighChannel=168300 RB=1@78




n26(824-849) SCS=15kHz DFT\_BPSK BW=15MHz

HighChannel=168300 RB=75@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=15MHz

HighChannel=168300 RB=1@78



n26(824-849) SCS=15kHz DFT\_QPSK BW=15MHz


HighChannel=168300 RB=75@0




n26(824-849) SCS=15kHz DFT\_16QAM BW=15MHz

HighChannel=168300 RB=1@78







n26(824-849) SCS=15kHz DFT\_16QAM BW=15MHz  
HighChannel=168300 RB=75@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=15MHz  
HighChannel=168300 RB=1@78




n26(824-849) SCS=15kHz DFT\_64QAM BW=15MHz  
HighChannel=168300 RB=75@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=15MHz  
HighChannel=168300 RB=1@78




n26(824-849) SCS=15kHz DFT\_256QAM BW=15MHz  
HighChannel=168300 RB=75@0




n26(824-849) SCS=15kHz CP\_QPSK BW=15MHz  
HighChannel=168300 RB=79@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
LowChannel=166800 RB=1@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
LowChannel=166800 RB=100@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=20MHz  
LowChannel=166800 RB=1@0



n26(824-849) SCS=15kHz DFT\_QPSK BW=20MHz  
LowChannel=166800 RB=100@0




n26(824-849) SCS=15kHz DFT\_16QAM BW=20MHz  
LowChannel=166800 RB=1@0




n26(824-849) SCS=15kHz DFT\_16QAM BW=20MHz  
LowChannel=166800 RB=100@0







n26(824-849) SCS=15kHz DFT\_64QAM BW=20MHz  
LowChannel=166800 RB=1@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=20MHz  
LowChannel=166800 RB=100@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=20MHz  
LowChannel=166800 RB=1@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=20MHz  
LowChannel=166800 RB=100@0




n26(824-849) SCS=15kHz CP\_QPSK BW=20MHz  
LowChannel=166800 RB=106@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
HighChannel=167800 RB=1@105




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
HighChannel=167800 RB=100@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=20MHz  
HighChannel=167800 RB=1@105




n26(824-849) SCS=15kHz DFT\_QPSK BW=20MHz  
HighChannel=167800 RB=100@0



n26(824-849) SCS=15kHz DFT\_16QAM BW=20MHz  
HighChannel=167800 RB=1@105




n26(824-849) SCS=15kHz DFT\_16QAM BW=20MHz  
HighChannel=167800 RB=100@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=20MHz  
HighChannel=167800 RB=1@105







n26(824-849) SCS=15kHz DFT\_64QAM BW=20MHz  
HighChannel=167800 RB=100@0



n26(824-849) SCS=15kHz DFT\_256QAM BW=20MHz  
HighChannel=167800 RB=1@105




n26(824-849) SCS=15kHz DFT\_256QAM BW=20MHz  
HighChannel=167800 RB=100@0




n26(824-849) SCS=15kHz CP\_QPSK BW=20MHz  
HighChannel=167800 RB=106@0


## 6. Conducted Spurious Emissions




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=166800 RB=1@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=166800 RB=1@105




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=166800 RB=100@0



n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=167300 RB=1@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=167300 RB=1@105




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=167300 RB=100@0






n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=167800 RB=1@0



n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=167800 RB=1@105



n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=167800 RB=100@0

## 7. Radiated Spurious Emissions

| n5 - DFT-s-OFDM - PI/2 BPSK - 20M - Middle Channel |               |                |                |                       |                     |                    |                       |                       |        |
|----------------------------------------------------|---------------|----------------|----------------|-----------------------|---------------------|--------------------|-----------------------|-----------------------|--------|
| Frequency<br>(MHz)                                 | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) | SPA. Reading<br>(dBm) | S.G. Power<br>(dBm) | Cable loss<br>(dB) | Antenna Gain<br>(dBi) | Polarization<br>(H/V) | Result |
| 2472                                               | -52.07        | -13            | -39.07         | -60.35                | -59.15              | 3.63               | 10.71                 | H                     | Pass   |
| 5752                                               | -46.42        | -13            | -33.42         | -62.74                | -52.46              | 5.96               | 12                    | H                     | Pass   |
| 7304                                               | -45.13        | -13            | -32.13         | -66.29                | -49.34              | 6.51               | 10.72                 | H                     | Pass   |
| 2464                                               | -45.24        | -13            | -32.24         | -54.48                | -52.36              | 3.62               | 10.74                 | V                     | Pass   |
| 5776                                               | -44.36        | -13            | -31.36         | -62.02                | -50.38              | 5.98               | 12                    | V                     | Pass   |
| 7280                                               | -44.05        | -13            | -31.05         | -67.06                | -48.16              | 6.51               | 10.62                 | V                     | Pass   |
| n26 - DFT-s-OFDM - PI/2 BPSK - 5M - Middle Channel |               |                |                |                       |                     |                    |                       |                       |        |
| Frequency<br>(MHz)                                 | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) | SPA. Reading<br>(dBm) | S.G. Power<br>(dBm) | Cable loss<br>(dB) | Antenna Gain<br>(dBi) | Polarization<br>(H/V) | Result |
| 2432                                               | -34.62        | -13            | -21.62         | -42.99                | -41.57              | 3.6                | 10.55                 | H                     | Pass   |
| 5808                                               | -38.34        | -13            | -25.34         | -54.87                | -44.25              | 5.99               | 11.9                  | H                     | Pass   |
| 7360                                               | -45.87        | -13            | -32.87         | -67.17                | -50.26              | 6.53               | 10.92                 | H                     | Pass   |
| 2424                                               | -50.05        | -13            | -37.05         | -59.31                | -56.9               | 3.59               | 10.44                 | V                     | Pass   |
| 3024                                               | -50.69        | -13            | -37.69         | -64.02                | -56.99              | 4.04               | 10.34                 | V                     | Pass   |
| 5808                                               | -38.12        | -13            | -25.12         | -55.77                | -44.03              | 5.99               | 11.9                  | V                     | Pass   |

**Note:** Spurious emissions within 30-1000MHz were found more than 20dB below limit line.