


Manufacturer : Ningbo Behealthy Technology Group Co.,Ltd
Address : No.318, Huisheng Road, Economic evelopment Zone, Fenghua,
Ningbo, Zhejiang, China
Gain : 0.0 dBi
Model : OM400

Winding Procese:

winding	Wire gauge	Number of turns	Winding direction
N1	2UEW-B-0.04*4P	14TS	CCW

Outside Diagra:

item	Materials
WIRE	Silk-covered wire $\varnothing$ 0.05*108p
FERRITE	50*5.3*0.5 Double slot ferrite hard magnetic
SOLDER	XCD-907B
Adhesive	Double-sided adhesive
High temperature adhesive	8MM High-temperature tape



Note: Coil outlet position winding 8MM (ref) High-temperature adhesive paper

A	B	C	D1	D2	E	F	G	H	I
42.0±1	13.5±0.5	0.8±0.05	22±1	20±1	3±1.5	43.5±0.5	11.0 ref	2.2±0.2 Max	5.0 ref