



3.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.783	18.73	30	11.27	Pass	401
849	850	0.002	RMS	849.004	-29.78	-13	16.78	Pass	501
850	860	0.1	RMS	850	-50.41	-13	37.41	Pass	401




3.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.635	6.51	30	23.49	Pass	401
849	850	0.03	RMS	849	-28.22	-13	15.22	Pass	401
850	860	0.1	RMS	850	-39.61	-13	26.61	Pass	401




3.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.24	-49.83	-13	36.83	Pass	401
823	824	0.051	RMS	824	-28.53	-13	15.53	Pass	401
824	829	0.1	RMS	824.363	18.61	30	11.39	Pass	401




3.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-38.09	-13	25.09	Pass	401
823	824	0.051	RMS	823.998	-33.32	-13	20.32	Pass	401
824	829	0.1	RMS	825.7	4.9	30	25.1	Pass	401




3.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.2	-51.15	-13	38.15	Pass	401
823	824	0.051	RMS	824	-29.04	-13	16.04	Pass	401
824	829	0.1	RMS	824.375	17.84	30	12.16	Pass	401




3.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.36	-13	25.36	Pass	401
823	824	0.051	RMS	824	-34.32	-13	21.32	Pass	401
824	829	0.1	RMS	825.725	3.88	30	26.12	Pass	401




3.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.7	19.29	30	10.71	Pass	401
849	850	0.051	RMS	849	-21.75	-13	8.75	Pass	401
850	860	0.1	RMS	850	-50.3	-13	37.3	Pass	401




3.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	847.313	5.27	30	24.73	Pass	401
849	850	0.051	RMS	849	-30.02	-13	17.02	Pass	401
850	860	0.1	RMS	850	-40.43	-13	27.43	Pass	401




3.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.688	18.52	30	11.48	Pass	401
849	850	0.051	RMS	849	-21.57	-13	8.57	Pass	401
850	860	0.1	RMS	850	-51.9	-13	38.9	Pass	401




3.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	847.188	4.11	30	25.89	Pass	401
849	850	0.051	RMS	849.003	-31	-13	18	Pass	401
850	860	0.1	RMS	850.075	-40.91	-13	27.91	Pass	401




3.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.82	-51.22	-13	38.22	Pass	401
823	824	0.1	RMS	824	-38.01	-13	25.01	Pass	401
824	834	0.1	RMS	824.625	19.2	30	10.8	Pass	401




3.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-43.15	-13	30.15	Pass	401
823	824	0.1	RMS	823.993	-36.04	-13	23.04	Pass	401
824	834	0.1	RMS	832.05	2.08	30	27.92	Pass	401




3.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-52.16	-13	39.16	Pass	401
823	824	0.1	RMS	824	-38.75	-13	25.75	Pass	401
824	834	0.1	RMS	824.625	18.24	30	11.76	Pass	401




3.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-43.23	-13	30.23	Pass	401
823	824	0.1	RMS	824	-37.37	-13	24.37	Pass	401
824	834	0.1	RMS	830.625	1.07	30	28.93	Pass	401




3.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.45	19.29	30	10.71	Pass	401
849	850	0.1	RMS	849.003	-32.15	-13	19.15	Pass	401
850	860	0.1	RMS	850	-52.33	-13	39.33	Pass	401




3.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	846.575	2.2	30	27.8	Pass	401
849	850	0.1	RMS	849	-35.22	-13	22.22	Pass	401
850	860	0.1	RMS	850	-42.08	-13	29.08	Pass	401




3.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.45	18.64	30	11.36	Pass	401
849	850	0.1	RMS	849	-32.64	-13	19.64	Pass	401
850	860	0.1	RMS	850	-52.93	-13	39.93	Pass	401



3.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	846.575	1	30	29	Pass	401
849	850	0.1	RMS	849.003	-36.1	-13	23.1	Pass	401
850	860	0.1	RMS	850	-42.64	-13	29.64	Pass	401



4. LTE_Band7


4.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2491.863	-41.84	-25	16.84	Pass	401
2494	2496	1	RMS	2495.995	-31.31	-13	18.31	Pass	401
2496	2499	1	RMS	2496	-31.07	-10	21.07	Pass	4
2499	2500	0.1	RMS	2500	-31.44	-10	21.44	Pass	401
2500	2505	0.1	RMS	2500.425	17.16	30	12.84	Pass	401




4.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-45.96	-25	20.96	Pass	401
2494	2496	1	RMS	2495.99	-36.29	-13	23.29	Pass	401
2496	2499	1	RMS	2499	-30.01	-10	20.01	Pass	4
2499	2500	0.1	RMS	2499.998	-34.69	-10	24.69	Pass	401
2500	2505	0.1	RMS	2503.438	3.27	30	26.73	Pass	401




4.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2491.72	-46.03	-25	21.03	Pass	401
2494	2496	1	RMS	2495.975	-34.06	-13	21.06	Pass	401
2496	2499	1	RMS	2496	-33.87	-10	23.87	Pass	4
2499	2500	0.1	RMS	2500	-32.55	-10	22.55	Pass	401
2500	2505	0.1	RMS	2500.438	16.17	30	13.83	Pass	401




4.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-46.3	-25	21.3	Pass	401
2494	2496	1	RMS	2495.995	-38.73	-13	25.73	Pass	401
2496	2499	1	RMS	2499	-30.02	-10	20.02	Pass	4
2499	2500	0.1	RMS	2500	-35.31	-10	25.31	Pass	401
2500	2505	0.1	RMS	2503.4	2.34	30	27.66	Pass	401




4.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.738	17.02	30	12.98	Pass	401
2570	2571	0.051	RMS	2570	-17.64	-10	7.64	Pass	401
2571	2575	1	RMS	2574	-39.37	-10	29.37	Pass	5
2575	2576	1	RMS	2575.003	-47.21	-13	34.21	Pass	401
2576	2595	1	RMS	2578.328	-43.95	-25	18.95	Pass	401




4.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.975	3.09	30	26.91	Pass	401
2570	2571	0.1	RMS	2570	-24.27	-10	14.27	Pass	401
2571	2575	1	RMS	2571	-25.61	-10	15.61	Pass	5
2575	2576	1	RMS	2575.005	-45.85	-13	32.85	Pass	401
2576	2595	1	RMS	2577.33	-46.17	-25	21.17	Pass	401




4.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.738	16.38	30	13.62	Pass	401
2570	2571	0.1	RMS	2570	-12.99	-10	2.99	Pass*	401
2571	2575	1	RMS	2574	-39.75	-10	29.75	Pass	5
2575	2576	1	RMS	2575	-47.68	-13	34.68	Pass	401
2576	2595	1	RMS	2578.28	-44.8	-25	19.8	Pass	401




4.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2567.375	2.11	30	27.89	Pass	401
2570	2571	0.1	RMS	2570	-25.46	-10	15.46	Pass	401
2571	2575	1	RMS	2571	-27.05	-10	17.05	Pass	5
2575	2576	1	RMS	2575.003	-45.64	-13	32.64	Pass	401
2576	2595	1	RMS	2576	-46.95	-25	21.95	Pass	401




4.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.1	-47.78	-25	22.78	Pass	401
2490	2496	1	RMS	2491.83	-34.27	-13	21.27	Pass	401
2496	2499	1	RMS	2499	-40.4	-10	30.4	Pass	4
2499	2500	0.2	RMS	2500	-36.01	-10	26.01	Pass	401
2500	2510	0.1	RMS	2500.675	17.37	30	12.63	Pass	401




4.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-45.94	-25	20.94	Pass	401
2490	2496	1	RMS	2496	-33.44	-13	20.44	Pass	401
2496	2499	1	RMS	2499	-31.01	-10	21.01	Pass	4
2499	2500	0.2	RMS	2499.995	-34.66	-10	24.66	Pass	401
2500	2510	0.1	RMS	2504.3	0.51	30	29.49	Pass	401




4.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.025	-47.63	-25	22.63	Pass	401
2490	2496	1	RMS	2491.86	-34.71	-13	21.71	Pass	401
2496	2499	1	RMS	2499	-41	-10	31	Pass	4
2499	2500	0.2	RMS	2500	-36.36	-10	26.36	Pass	401
2500	2510	0.1	RMS	2500.675	16.7	30	13.3	Pass	401




4.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-47.23	-25	22.23	Pass	401
2490	2496	1	RMS	2496	-34.62	-13	21.62	Pass	401
2496	2499	1	RMS	2499	-31.69	-10	21.69	Pass	4
2499	2500	0.2	RMS	2499.995	-35.75	-10	25.75	Pass	401
2500	2510	0.1	RMS	2505.125	-0.7	30	30.7	Pass	401




4.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.5	17.37	30	12.63	Pass	401
2570	2571	0.2	RMS	2570	-21.96	-10	11.96	Pass	401
2571	2575	1	RMS	2574	-42.65	-10	32.65	Pass	5
2575	2580	1	RMS	2578.35	-41.78	-13	28.78	Pass	401
2580	2595	1	RMS	2587.2	-43.24	-25	18.24	Pass	401




4.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2563.95	0.16	30	29.84	Pass	401
2570	2571	0.2	RMS	2570	-31.15	-10	21.15	Pass	401
2571	2575	1	RMS	2571	-29.8	-10	19.8	Pass	5
2575	2580	1	RMS	2575	-34.35	-13	21.35	Pass	401
2580	2595	1	RMS	2584.613	-49.32	-25	24.32	Pass	401




4.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.5	16.59	30	13.41	Pass	401
2570	2571	0.2	RMS	2570.003	-22.96	-10	12.96	Pass	401
2571	2575	1	RMS	2574	-43.08	-10	33.08	Pass	5
2575	2580	1	RMS	2578.338	-42.88	-13	29.88	Pass	401
2580	2595	1	RMS	2587.163	-44.44	-25	19.44	Pass	401




4.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2562.625	-0.74	30	30.74	Pass	401
2570	2571	0.2	RMS	2570	-32.39	-10	22.39	Pass	401
2571	2575	1	RMS	2571	-30.83	-10	20.83	Pass	5
2575	2580	1	RMS	2575	-36.19	-13	23.19	Pass	401
2580	2595	1	RMS	2580.038	-48.85	-25	23.85	Pass	401




4.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.6	-35.93	-25	10.93	Pass	401
2490	2496	1	RMS	2494.29	-43.92	-13	30.92	Pass	401
2496	2499	1	RMS	2499	-44.6	-10	34.6	Pass	4
2499	2500	0.3	RMS	2500	-30.42	-10	20.42	Pass	401
2500	2515	0.1	RMS	2500.938	17.44	30	12.56	Pass	401




4.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-39.25	-25	14.25	Pass	401
2490	2496	1	RMS	2495.985	-34.25	-13	21.25	Pass	401
2496	2499	1	RMS	2499	-31.04	-10	21.04	Pass	4
2499	2500	0.3	RMS	2499.998	-35.08	-10	25.08	Pass	401
2500	2515	0.1	RMS	2506.488	-1.16	30	31.16	Pass	401




4.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.6	-36.09	-25	11.09	Pass	401
2490	2496	1	RMS	2494.245	-44.6	-13	31.6	Pass	401
2496	2499	1	RMS	2499	-45.03	-10	35.03	Pass	4
2499	2500	0.3	RMS	2500	-30.49	-10	20.49	Pass	401
2500	2515	0.1	RMS	2500.938	16.68	30	13.32	Pass	401




4.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-41.11	-25	16.11	Pass	401
2490	2496	1	RMS	2496	-34.84	-13	21.84	Pass	401
2496	2499	1	RMS	2499	-31.88	-10	21.88	Pass	4
2499	2500	0.3	RMS	2499.998	-35.81	-10	25.81	Pass	401
2500	2515	0.1	RMS	2506.563	-2.01	30	32.01	Pass	401




4.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.25	17.56	30	12.44	Pass	401
2570	2571	0.3	RMS	2570	-22.61	-10	12.61	Pass	401
2571	2575	1	RMS	2571	-40.33	-10	30.33	Pass	5
2575	2585	1	RMS	2582.55	-40.95	-13	27.95	Pass	401
2585	2595	1	RMS	2595	-53.17	-25	28.17	Pass	401




4.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2557.4	-1.31	30	31.31	Pass	401
2570	2571	0.3	RMS	2570	-32.63	-10	22.63	Pass	401
2571	2575	1	RMS	2571	-30.04	-10	20.04	Pass	5
2575	2585	1	RMS	2575	-33.47	-13	20.47	Pass	401
2585	2595	1	RMS	2586.525	-50.47	-25	25.47	Pass	401




4.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.25	17.01	30	12.99	Pass	401
2570	2571	0.3	RMS	2570.008	-22.67	-10	12.67	Pass	401
2571	2575	1	RMS	2571	-40.61	-10	30.61	Pass	5
2575	2585	1	RMS	2575.9	-41.39	-13	28.39	Pass	401
2585	2595	1	RMS	2589.175	-53.27	-25	28.27	Pass	401




4.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2557.7	-2.02	30	32.02	Pass	401
2570	2571	0.3	RMS	2570	-34.36	-10	24.36	Pass	401
2571	2575	1	RMS	2571	-32.24	-10	22.24	Pass	5
2575	2585	1	RMS	2575.05	-34.92	-13	21.92	Pass	401
2585	2595	1	RMS	2585.075	-50.33	-25	25.33	Pass	401




4.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.325	-39.03	-25	14.03	Pass	401
2490	2496	1	RMS	2492.22	-43.24	-13	30.24	Pass	401
2496	2499	1	RMS	2499	-45.68	-10	35.68	Pass	4
2499	2500	0.51	RMS	2500	-29.01	-10	19.01	Pass	401
2500	2520	0.1	RMS	2501.2	17.08	30	12.92	Pass	401




4.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-40.58	-25	15.58	Pass	16
2490	2496	1	RMS	2495.94	-36.56	-13	23.56	Pass	401
2496	2499	1	RMS	2499	-34.06	-10	24.06	Pass	4
2499	2500	0.51	RMS	2499.998	-34.92	-10	24.92	Pass	401
2500	2520	0.1	RMS	2508.85	-2.41	30	32.41	Pass	401




4.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.4	-39.03	-25	14.03	Pass	401
2490	2496	1	RMS	2492.25	-43.92	-13	30.92	Pass	401
2496	2499	1	RMS	2499	-46.02	-10	36.02	Pass	4
2499	2500	0.51	RMS	2500	-28.58	-10	18.58	Pass	401
2500	2520	0.1	RMS	2501.2	16.4	30	13.6	Pass	401




4.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-40.67	-25	15.67	Pass	401
2490	2496	1	RMS	2495.985	-36.27	-13	23.27	Pass	401
2496	2499	1	RMS	2499	-33.7	-10	23.7	Pass	4
2499	2500	0.51	RMS	2499.998	-34.7	-10	24.7	Pass	401
2500	2520	0.1	RMS	2509.3	-3.25	30	33.25	Pass	401



4.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2569	17.5	30	12.5	Pass	401
2570	2571	0.51	RMS	2570	-21.71	-10	11.71	Pass	401
2571	2575	1	RMS	2571	-44.64	-10	34.64	Pass	5
2575	2590	1	RMS	2577.85	-39.68	-13	26.68	Pass	401
2590	2595	1	RMS	2592.463	-53.78	-25	28.78	Pass	401




4.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2555.45	-2.27	30	32.27	Pass	401
2570	2571	0.51	RMS	2570	-32.96	-10	22.96	Pass	401
2571	2575	1	RMS	2571	-32.27	-10	22.27	Pass	5
2575	2590	1	RMS	2575	-35.48	-13	22.48	Pass	401
2590	2595	1	RMS	2590	-52.08	-25	27.08	Pass	401



4.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2569	16.13	30	13.87	Pass	401
2570	2571	0.51	RMS	2570.003	-22.72	-10	12.72	Pass	401
2571	2575	1	RMS	2571	-45.88	-10	35.88	Pass	5
2575	2590	1	RMS	2577.925	-41.54	-13	28.54	Pass	401
2590	2595	1	RMS	2591.788	-53.79	-25	28.79	Pass	401



4.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2554.75	-3.18	30	33.18	Pass	401
2570	2571	0.51	RMS	2570	-34.5	-10	24.5	Pass	401
2571	2575	1	RMS	2571	-33.69	-10	23.69	Pass	5
2575	2590	1	RMS	2575.038	-36.55	-13	23.55	Pass	401
2590	2595	1	RMS	2590.025	-51.44	-25	26.44	Pass	401



5. LTE_Band12


5.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.03	-13	18.03	Pass	401
698.9	699	0.03	RMS	699	-26.63	-13	13.63	Pass	401
699	701	0.1	RMS	699.28	19.29	30	10.71	Pass	401




5.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.76	-13	19.76	Pass	401
698.9	699	0.03	RMS	699	-33.68	-13	20.68	Pass	401
699	701	0.1	RMS	700.035	10.99	30	19.01	Pass	401




5.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.18	-13	20.18	Pass	401
698.9	699	0.03	RMS	698.999	-28.96	-13	15.96	Pass	401
699	701	0.1	RMS	699.275	18.2	30	11.8	Pass	401




5.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.2	-13	19.2	Pass	401
698.9	699	0.03	RMS	699	-33.91	-13	20.91	Pass	401
699	701	0.1	RMS	699.615	10.14	30	19.86	Pass	401




5.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.77	19.38	30	10.62	Pass	401
716	716.1	0.03	RMS	716	-20.64	-13	7.64	Pass	5
716.1	725	0.1	RMS	716.1	-24.71	-13	11.71	Pass	401




5.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	714.895	10.94	30	19.06	Pass	401
716	716.1	0.03	RMS	716	-27.64	-13	14.64	Pass	401
716.1	725	0.1	RMS	716.1	-31.06	-13	18.06	Pass	401




5.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.77	17.8	30	12.2	Pass	401
716	716.1	0.03	RMS	716	-20.77	-13	7.77	Pass	401
716.1	725	0.1	RMS	716.1	-26.28	-13	13.28	Pass	401




5.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715	9.66	30	20.34	Pass	401
716	716.1	0.03	RMS	716	-28.99	-13	15.99	Pass	401
716.1	725	0.1	RMS	716.1	-31.52	-13	18.52	Pass	401



5.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.67	-13	17.67	Pass	401
698.9	698.985	0.03	RMS	698.984	-28.57	-13	15.57	Pass	401
699	702	0.1	RMS	699.263	19.25	30	10.75	Pass	401



5.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-36.45	-13	23.45	Pass	401
698.9	699	0.03	RMS	699	-33.59	-13	20.59	Pass	401
699	702	0.1	RMS	701.723	7.49	30	22.51	Pass	401

