



12.15. LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.8	19.34	30	10.66	Pass	401
824	824.0375	0.002	RMS	824.003	-28.7	-20	8.7	Pass	401
824.0375	829	0.1	RMS	824.038	-18.71	-13	5.71	Pass	51




12.16. LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.95	7.11	30	22.89	Pass	401
824	824.0375	0.03	RMS	824	-27.46	-20	7.46	Pass	401
824.0375	829	0.1	RMS	824.038	-24.32	-13	11.32	Pass	401




12.17. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.04	-13	13.04	Pass	401
813.9625	814	0.002	RMS	813.998	-38.34	-20	18.34	Pass	401
814	819	0.1	RMS	814.363	20.06	30	9.94	Pass	401




12.18. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-31.35	-13	18.35	Pass	401
813.9625	814	0.051	RMS	814	-32.42	-20	12.42	Pass	401
814	819	0.1	RMS	817.4	5.91	30	24.09	Pass	401




12.19. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.43	-13	14.43	Pass	401
813.9625	814	0.002	RMS	813.998	-40.35	-20	20.35	Pass	401
814	819	0.1	RMS	814.375	18.82	30	11.18	Pass	401




12.20. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.64	-13	19.64	Pass	401
813.9625	814	0.051	RMS	814	-33.57	-20	13.57	Pass	401
814	819	0.1	RMS	817.35	4.93	30	25.07	Pass	401




12.21. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.688	19.76	30	10.24	Pass	401
824	824.0375	0.002	RMS	824.002	-33.67	-20	13.67	Pass	401
824.0375	829	0.1	RMS	824.038	-20.65	-13	7.65	Pass	401




12.22. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.9	5.87	30	24.13	Pass	401
824	824.0375	0.051	RMS	824	-29.72	-20	9.72	Pass	401
824.0375	829	0.1	RMS	824.038	-28.63	-13	15.63	Pass	401




12.23. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.675	19.09	30	10.91	Pass	401
824	824.0375	0.002	RMS	824	-34.38	-20	14.38	Pass	401
824.0375	829	0.1	RMS	824.038	-20.6	-13	7.6	Pass	401




12.24. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.3	4.92	30	25.08	Pass	401
824	824.0375	0.051	RMS	824	-30.65	-20	10.65	Pass	401
824.0375	829	0.1	RMS	824.038	-29.91	-13	16.91	Pass	401




12.25. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-39.76	-13	26.76	Pass	401
813.9625	814	0.02	RMS	813.999	-45.38	-20	25.38	Pass	401
814	819	0.1	RMS	814.625	20.35	30	9.65	Pass	401




12.26. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-35.48	-13	22.48	Pass	401
813.9625	814	0.1	RMS	814	-34.2	-20	14.2	Pass	401
814	819	0.1	RMS	818.288	3	30	27	Pass	401




12.27. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-39.55	-13	26.55	Pass	401
813.9625	814	0.02	RMS	813.999	-45.01	-20	25.01	Pass	401
814	819	0.1	RMS	814.613	19.31	30	10.69	Pass	401




12.28. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-37.26	-13	24.26	Pass	401
813.9625	814	0.1	RMS	814	-36.29	-20	16.29	Pass	401
814	819	0.1	RMS	818.238	1.76	30	28.24	Pass	401




12.29. LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.438	20.05	30	9.95	Pass	401
824	824.0375	0.02	RMS	824	-39.16	-20	19.16	Pass	401
824.0375	829	0.1	RMS	824.038	-34.81	-13	21.81	Pass	401




12.30. LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.888	2.98	30	27.02	Pass	401
824	824.0375	0.1	RMS	824	-33.21	-20	13.21	Pass	401
824.0375	829	0.1	RMS	824.038	-34.23	-13	21.23	Pass	401




12.31. LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.45	19.22	30	10.78	Pass	401
824	824.0375	0.02	RMS	824.001	-38.76	-20	18.76	Pass	401
824.0375	829	0.1	RMS	824.038	-34.21	-13	21.21	Pass	401



12.32. LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.038	2.02	30	27.98	Pass	401
824	824.0375	0.1	RMS	824	-34.37	-20	14.37	Pass	401
824.0375	829	0.1	RMS	824.038	-35.38	-13	22.38	Pass	401



13. LTE_Band38


13.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2561.768	-38.26	-25	13.26	Pass	401
2564	2565	1	RMS	2565	-40.65	-13	27.65	Pass	401
2565	2569	1	RMS	2566	-27.91	-10	17.91	Pass	5
2569	2570	0.051	RMS	2569.833	-26.7	-10	16.7	Pass	401
2570	2575	0.1	RMS	2570.425	18.94	30	11.06	Pass	401




13.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-38.78	-25	13.78	Pass	20
2564	2565	1	RMS	2565	-34.97	-13	21.97	Pass	2
2565	2569	1	RMS	2569	-21.6	-10	11.6	Pass	5
2569	2570	0.1	RMS	2570	-27.87	-10	17.87	Pass	401
2570	2575	0.1	RMS	2572.638	5.2	30	24.8	Pass	401




13.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2561.815	-37.71	-25	12.71	Pass	401
2564	2565	1	RMS	2564.993	-41.24	-13	28.24	Pass	401
2565	2569	1	RMS	2566	-28.13	-10	18.13	Pass	5
2569	2570	0.051	RMS	2569.793	-27.47	-10	17.47	Pass	401
2570	2575	0.1	RMS	2570.413	18.73	30	11.27	Pass	401




13.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-40.37	-25	15.37	Pass	20
2564	2565	1	RMS	2565	-36.69	-13	23.69	Pass	2
2565	2569	1	RMS	2569	-22.77	-10	12.77	Pass	5
2569	2570	0.1	RMS	2570	-28.51	-10	18.51	Pass	401
2570	2575	0.1	RMS	2572.563	3.81	30	26.19	Pass	401



13.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.725	18.66	30	11.34	Pass	401
2620	2621	0.051	RMS	2620.003	-14.17	-10	4.17	Pass*	401
2621	2625	1	RMS	2621	-28.83	-10	18.83	Pass	5
2625	2626	1	RMS	2625	-40.29	-13	27.29	Pass	401
2626	2645	1	RMS	2628.375	-37.9	-25	12.9	Pass	401




13.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2617.65	4.49	30	25.51	Pass	401
2620	2621	0.1	RMS	2620	-20.82	-10	10.82	Pass	401
2621	2625	1	RMS	2621	-21.99	-10	11.99	Pass	5
2625	2626	1	RMS	2625	-32.91	-13	19.91	Pass	401
2626	2645	1	RMS	2626	-38.1	-25	13.1	Pass	20




13.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.763	18.64	30	11.36	Pass	401
2620	2621	0.051	RMS	2620.003	-13.38	-10	3.38	Pass*	401
2621	2625	1	RMS	2621	-28.57	-10	18.57	Pass	5
2625	2626	1	RMS	2625.008	-41.49	-13	28.49	Pass	401
2626	2645	1	RMS	2628.328	-40.01	-25	15.01	Pass	401




13.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2617.3	3.84	30	26.16	Pass	401
2620	2621	0.1	RMS	2620	-21.33	-10	11.33	Pass	401
2621	2625	1	RMS	2621	-22.7	-10	12.7	Pass	5
2625	2626	1	RMS	2625.003	-34.63	-13	21.63	Pass	401
2626	2645	1	RMS	2626	-39.41	-25	14.41	Pass	20




13.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2553.175	-37.03	-25	12.03	Pass	401
2560	2565	1	RMS	2561.85	-26.82	-13	13.82	Pass	401
2565	2569	1	RMS	2569	-35.23	-10	25.23	Pass	5
2569	2570	0.2	RMS	2570	-28.6	-10	18.6	Pass	401
2570	2580	0.1	RMS	2570.675	19.34	30	10.66	Pass	401




13.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.963	-36.78	-25	11.78	Pass	401
2560	2565	1	RMS	2565	-26.99	-13	13.99	Pass	401
2565	2569	1	RMS	2569	-23.15	-10	13.15	Pass	5
2569	2570	0.2	RMS	2569.998	-27.41	-10	17.41	Pass	401
2570	2580	0.1	RMS	2574.3	1.81	30	28.19	Pass	401




13.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2552.988	-40.53	-25	15.53	Pass	401
2560	2565	1	RMS	2561.875	-30.39	-13	17.39	Pass	401
2565	2569	1	RMS	2569	-35.07	-10	25.07	Pass	5
2569	2570	0.2	RMS	2569.998	-29.71	-10	19.71	Pass	401
2570	2580	0.1	RMS	2570.65	17.47	30	12.53	Pass	401




13.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.963	-38.72	-25	13.72	Pass	401
2560	2565	1	RMS	2565	-27.6	-13	14.6	Pass	401
2565	2569	1	RMS	2569	-24.4	-10	14.4	Pass	5
2569	2570	0.2	RMS	2570	-28.82	-10	18.82	Pass	401
2570	2580	0.1	RMS	2575.1	0.68	30	29.32	Pass	401




13.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.525	19.44	30	10.56	Pass	401
2620	2621	0.1	RMS	2620	-23.67	-10	13.67	Pass	401
2621	2625	1	RMS	2621	-32.25	-10	22.25	Pass	5
2625	2630	1	RMS	2628.288	-30.74	-13	17.74	Pass	401
2630	2645	1	RMS	2637.125	-35.49	-25	10.49	Pass	401




13.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.875	2.55	30	27.45	Pass	401
2620	2621	0.2	RMS	2620	-27.83	-10	17.83	Pass	401
2621	2625	1	RMS	2621	-25.06	-10	15.06	Pass	5
2625	2630	1	RMS	2625.013	-29.14	-13	16.14	Pass	401
2630	2645	1	RMS	2630.038	-37.16	-25	12.16	Pass	401




13.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.475	18.64	30	11.36	Pass	401
2620	2621	0.2	RMS	2620.003	-19.48	-10	9.48	Pass	401
2621	2625	1	RMS	2621	-33.36	-10	23.36	Pass	5
2625	2630	1	RMS	2628.325	-32.63	-13	19.63	Pass	401
2630	2645	1	RMS	2637.088	-37.6	-25	12.6	Pass	401




13.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2614.325	0.68	30	29.32	Pass	401
2620	2621	0.2	RMS	2620.005	-28.48	-10	18.48	Pass	401
2621	2625	1	RMS	2621	-26.04	-10	16.04	Pass	5
2625	2630	1	RMS	2625.025	-29.97	-13	16.97	Pass	401
2630	2645	1	RMS	2630	-38.79	-25	13.79	Pass	401




13.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2545.05	-43.22	-25	18.22	Pass	401
2555	2565	1	RMS	2557.625	-27.36	-13	14.36	Pass	401
2565	2569	1	RMS	2569	-31.74	-10	21.74	Pass	5
2569	2570	0.3	RMS	2570	-26.31	-10	16.31	Pass	401
2570	2585	0.1	RMS	2570.938	19.53	30	10.47	Pass	401




13.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.925	-37.31	-25	12.31	Pass	401
2555	2565	1	RMS	2564.975	-26.41	-13	13.41	Pass	401
2565	2569	1	RMS	2569	-23.2	-10	13.2	Pass	5
2569	2570	0.3	RMS	2569.585	-27.04	-10	17.04	Pass	401
2570	2585	0.1	RMS	2576.45	0.39	30	29.61	Pass	401




13.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2545.025	-44.81	-25	19.81	Pass	401
2555	2565	1	RMS	2557.55	-30.39	-13	17.39	Pass	401
2565	2569	1	RMS	2569	-31.84	-10	21.84	Pass	5
2569	2570	0.3	RMS	2569.993	-26.57	-10	16.57	Pass	401
2570	2585	0.1	RMS	2570.9	18.11	30	11.89	Pass	401




13.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.975	-39.13	-25	14.13	Pass	401
2555	2565	1	RMS	2564.925	-27.81	-13	14.81	Pass	401
2565	2569	1	RMS	2569	-25.08	-10	15.08	Pass	5
2569	2570	0.3	RMS	2569.728	-28.95	-10	18.95	Pass	401
2570	2585	0.1	RMS	2576.563	-0.79	30	30.79	Pass	401




13.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.25	19.5	30	10.5	Pass	401
2620	2621	0.3	RMS	2620.003	-19.86	-10	9.86	Pass	401
2621	2625	1	RMS	2621	-30.6	-10	20.6	Pass	5
2625	2635	1	RMS	2632.55	-30.9	-13	17.9	Pass	401
2635	2645	1	RMS	2645	-44.49	-25	19.49	Pass	401




13.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2612.05	0.27	30	29.73	Pass	401
2620	2621	0.3	RMS	2620.003	-28.49	-10	18.49	Pass	401
2621	2625	1	RMS	2621	-24.23	-10	14.23	Pass	5
2625	2635	1	RMS	2625.025	-27.48	-13	14.48	Pass	401
2635	2645	1	RMS	2635.075	-37.61	-25	12.61	Pass	401




13.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.25	18.28	30	11.72	Pass	401
2620	2621	0.3	RMS	2620	-21.33	-10	11.33	Pass	401
2621	2625	1	RMS	2621	-33.01	-10	23.01	Pass	5
2625	2635	1	RMS	2632.575	-32.6	-13	19.6	Pass	401
2635	2645	1	RMS	2645	-45.76	-25	20.76	Pass	401




13.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2610.475	-0.16	30	30.16	Pass	401
2620	2621	0.3	RMS	2620	-29.08	-10	19.08	Pass	401
2621	2625	1	RMS	2621	-26.24	-10	16.24	Pass	5
2625	2635	1	RMS	2625.05	-28.67	-13	15.67	Pass	401
2635	2645	1	RMS	2635.025	-39.6	-25	14.6	Pass	401




13.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.963	-47.87	-25	22.87	Pass	401
2550	2565	1	RMS	2553.375	-30.79	-13	17.79	Pass	401
2565	2569	1	RMS	2569	-32.86	-10	22.86	Pass	5
2569	2570	0.51	RMS	2569.993	-25.18	-10	15.18	Pass	401
2570	2590	0.1	RMS	2571.15	18.76	30	11.24	Pass	401




13.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-39.46	-25	14.46	Pass	401
2550	2565	1	RMS	2564.963	-27.94	-13	14.94	Pass	401
2565	2569	1	RMS	2569	-25.73	-10	15.73	Pass	5
2569	2570	0.51	RMS	2569.993	-26.55	-10	16.55	Pass	401
2570	2590	0.1	RMS	2579	-0.65	30	30.65	Pass	401




13.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-40.73	-25	15.73	Pass	401
2550	2565	1	RMS	2565	-29.4	-13	16.4	Pass	401
2565	2569	1	RMS	2569	-27.18	-10	17.18	Pass	5
2569	2570	0.51	RMS	2569.99	-28.64	-10	18.64	Pass	401
2570	2590	0.1	RMS	2579.35	-1.9	30	31.9	Pass	401




13.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2619	19.15	30	10.85	Pass	401
2620	2621	0.51	RMS	2620	-20.05	-10	10.05	Pass	401
2621	2625	1	RMS	2621	-32.31	-10	22.31	Pass	5
2625	2640	1	RMS	2636.775	-32.33	-13	19.33	Pass	401
2640	2645	1	RMS	2640.125	-47.92	-25	22.92	Pass	401




13.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.4	-1.14	30	31.14	Pass	401
2620	2621	0.51	RMS	2620	-27.39	-10	17.39	Pass	401
2621	2625	1	RMS	2621	-26.35	-10	16.35	Pass	5
2625	2640	1	RMS	2625.038	-28.72	-13	15.72	Pass	401
2640	2645	1	RMS	2640.013	-40.35	-25	15.35	Pass	401




13.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2619	17.85	30	12.15	Pass	401
2620	2621	0.51	RMS	2620.003	-20.56	-10	10.56	Pass	401
2621	2625	1	RMS	2621	-32.36	-10	22.36	Pass	5
2625	2640	1	RMS	2636.813	-35.13	-13	22.13	Pass	401
2640	2645	1	RMS	2640.25	-47.88	-25	22.88	Pass	401



13.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2609.9	-1.63	30	31.63	Pass	401
2620	2621	0.51	RMS	2620	-29.3	-10	19.3	Pass	401
2621	2625	1	RMS	2621	-28.3	-10	18.3	Pass	5
2625	2640	1	RMS	2625.038	-30.1	-13	17.1	Pass	401
2640	2645	1	RMS	2640	-41.97	-25	16.97	Pass	401



14. LTE_Band41 full


14.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.713	-36.48	-25	11.48	Pass	401
2490	2495	1	RMS	2492	-25.43	-13	12.43	Pass	6
2495	2496	0.05	RMS	2496	-27.94	-13	14.94	Pass	21
2496	2501	0.1	RMS	2496.438	19.26	30	10.74	Pass	401




14.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-34.04	-25	9.04	Pass	401
2490	2495	1	RMS	2495	-17.36	-13	4.36	Pass*	6
2495	2496	0.051	RMS	2495.963	-26.7	-13	13.7	Pass	401
2496	2501	0.1	RMS	2497.763	5.21	30	24.79	Pass	401




14.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.788	-38.62	-25	13.62	Pass	401
2490	2495	1	RMS	2492	-26.68	-13	13.68	Pass	6
2495	2496	0.05	RMS	2496	-29.87	-13	16.87	Pass	21
2496	2501	0.1	RMS	2496.438	18.75	30	11.25	Pass	401




14.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-34.15	-25	9.15	Pass	401
2490	2495	1	RMS	2495	-19.43	-13	6.43	Pass	6
2495	2496	0.051	RMS	2496	-29.42	-13	16.42	Pass	401
2496	2501	0.1	RMS	2499.388	4.76	30	25.24	Pass	401




14.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.738	19.82	30	10.18	Pass	401
2690	2691	0.05	RMS	2690	-11.37	-10	1.37	Pass*	21
2691	2695	1	RMS	2691	-25.78	-10	15.78	Pass	5
2695	2696	1	RMS	2695	-35.78	-13	22.78	Pass	401
2696	2715	1	RMS	2698.328	-38.11	-25	13.11	Pass	401




14.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.638	5.08	30	24.92	Pass	401
2690	2691	0.1	RMS	2690	-16.16	-10	6.16	Pass	401
2691	2695	1	RMS	2691	-10.17	-10	0.17	Pass*	5
2695	2696	1	RMS	2695	-30.88	-13	17.88	Pass	401
2696	2715	1	RMS	2696.048	-31.96	-25	6.96	Pass	401




14.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.75	18.19	30	11.81	Pass	401
2690	2691	0.05	RMS	2690	-11.19	-10	1.19	Pass*	21
2691	2695	1	RMS	2694	-25.66	-10	15.66	Pass	5
2695	2696	1	RMS	2695	-35.59	-13	22.59	Pass	401
2696	2715	1	RMS	2698.28	-41.35	-25	16.35	Pass	401




14.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.588	4.37	30	25.63	Pass	401
2690	2691	0.1	RMS	2690.003	-17.24	-10	7.24	Pass	401
2691	2695	1	RMS	2691	-11.72	-10	1.72	Pass*	5
2695	2696	1	RMS	2695.003	-30.02	-13	17.02	Pass	401
2696	2715	1	RMS	2696.048	-31.9	-25	6.9	Pass	401




14.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.825	-26.23	-25	1.23	Pass*	401
2490	2495	1	RMS	2492	-30.9	-13	17.9	Pass	6
2495	2496	0.1	RMS	2495.995	-32.39	-13	19.39	Pass	401
2496	2506	0.1	RMS	2496.7	20.08	30	9.92	Pass	401




14.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-25.99	-25	0.99	Pass*	16
2490	2495	1	RMS	2495	-19.93	-13	6.93	Pass	6
2495	2496	0.1	RMS	2496	-26.75	-13	13.75	Pass	401
2496	2506	0.1	RMS	2500.375	2.83	30	27.17	Pass	401




14.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.788	-27.07	-25	2.07	Pass*	401
2490	2495	1	RMS	2492	-33.39	-13	20.39	Pass	6
2495	2496	0.1	RMS	2496	-33.21	-13	20.21	Pass	401
2496	2506	0.1	RMS	2496.675	18.55	30	11.45	Pass	401




14.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.75	-25	3.75	Pass*	16
2490	2495	1	RMS	2495	-23.13	-13	10.13	Pass	6
2495	2496	0.1	RMS	2495.998	-30.73	-13	17.73	Pass	401
2496	2506	0.1	RMS	2501.05	1.23	30	28.77	Pass	401




14.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.5	19.28	30	10.72	Pass	401
2690	2691	0.2	RMS	2690	-16.44	-10	6.44	Pass	6
2691	2695	1	RMS	2691	-30.59	-10	20.59	Pass	5
2695	2700	1	RMS	2698.338	-25.81	-13	12.81	Pass	401
2700	2715	1	RMS	2707.163	-33.71	-25	8.71	Pass	401




14.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.925	3.33	30	26.67	Pass	401
2690	2691	0.2	RMS	2690	-16.2	-10	6.2	Pass	401
2691	2695	1	RMS	2691	-11.65	-10	1.65	Pass*	5
2695	2700	1	RMS	2695	-15.75	-13	2.75	Pass*	401
2700	2715	1	RMS	2700	-33.6	-25	8.6	Pass	401




14.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.5	18.49	30	11.51	Pass	401
2690	2691	0.2	RMS	2690.003	-15.57	-10	5.57	Pass*	401
2691	2695	1	RMS	2694	-32.72	-10	22.72	Pass	5
2695	2700	1	RMS	2698.3	-27.78	-13	14.78	Pass	401
2700	2715	1	RMS	2707.088	-36.48	-25	11.48	Pass	401




14.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2684.35	2.27	30	27.73	Pass	401
2690	2691	0.2	RMS	2690.003	-18.52	-10	8.52	Pass	401
2691	2695	1	RMS	2691	-14.39	-10	4.39	Pass*	5
2695	2700	1	RMS	2695.038	-18.26	-13	5.26	Pass*	401
2700	2715	1	RMS	2700.113	-33.18	-25	8.18	Pass	401




14.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.625	-25.46	-25	0.46	Pass*	401
2490	2495	1	RMS	2490	-30.96	-13	17.96	Pass	6
2495	2496	0.15	RMS	2496	-28.74	-13	15.74	Pass	401
2496	2511	0.1	RMS	2496.9	19.65	30	10.35	Pass	401




14.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-26.24	-25	1.24	Pass*	16
2490	2495	1	RMS	2495	-22.12	-13	9.12	Pass	6
2495	2496	0.15	RMS	2495.998	-28.97	-13	15.97	Pass	401
2496	2511	0.1	RMS	2502.45	0.99	30	29.01	Pass	401




14.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.625	-29.45	-25	4.45	Pass*	401
2490	2495	1	RMS	2495	-31.88	-13	18.88	Pass	6
2495	2496	0.15	RMS	2495.995	-30.39	-13	17.39	Pass	401
2496	2511	0.1	RMS	2496.938	18.4	30	11.6	Pass	401




14.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.85	-25	3.85	Pass*	16
2490	2495	1	RMS	2495	-24.95	-13	11.95	Pass	6
2495	2496	0.15	RMS	2495.8	-31.19	-13	18.19	Pass	401
2496	2511	0.1	RMS	2503.238	-0.52	30	30.52	Pass	401




14.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.288	19.28	30	10.72	Pass	401
2690	2691	0.3	RMS	2690.003	-16.49	-10	6.49	Pass	401
2691	2695	1	RMS	2691	-29.45	-10	19.45	Pass	5
2695	2705	1	RMS	2702.575	-26.89	-13	13.89	Pass	401
2705	2715	1	RMS	2714.975	-42.06	-25	17.06	Pass	401




14.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2682.05	0.97	30	29.03	Pass	401
2690	2691	0.3	RMS	2690	-16.13	-10	6.13	Pass	401
2691	2695	1	RMS	2691	-12.54	-10	2.54	Pass*	5
2695	2705	1	RMS	2695.025	-15.87	-13	2.87	Pass*	401
2705	2715	1	RMS	2705.55	-35.49	-25	10.49	Pass	401




14.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.213	18.67	30	11.33	Pass	401
2690	2691	0.3	RMS	2690.005	-18.26	-10	8.26	Pass	401
2691	2695	1	RMS	2691	-30.5	-10	20.5	Pass	5
2695	2705	1	RMS	2702.575	-28.39	-13	15.39	Pass	401
2705	2715	1	RMS	2715	-43.52	-25	18.52	Pass	401




14.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.513	-0.05	30	30.05	Pass	401
2690	2691	0.3	RMS	2690.035	-19.55	-10	9.55	Pass	401
2691	2695	1	RMS	2691	-15.34	-10	5.34	Pass*	5
2695	2705	1	RMS	2695.1	-17.68	-13	4.68	Pass*	401
2705	2715	1	RMS	2705.125	-35.7	-25	10.7	Pass	401




14.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2479.313	-27.95	-25	2.95	Pass*	401
2490	2495	1	RMS	2495	-32.07	-13	19.07	Pass	6
2495	2496	0.2	RMS	2495.993	-30.96	-13	17.96	Pass	401
2496	2516	0.1	RMS	2497.2	19.11	30	10.89	Pass	401




14.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-27.95	-25	2.95	Pass*	16
2490	2495	1	RMS	2495	-25.87	-13	12.87	Pass	6
2495	2496	0.2	RMS	2495.995	-30.79	-13	17.79	Pass	401
2496	2516	0.1	RMS	2505	0.06	30	29.94	Pass	401




14.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2479.275	-27.12	-25	2.12	Pass*	401
2490	2495	1	RMS	2495	-31.37	-13	18.37	Pass	6
2495	2496	0.2	RMS	2495.993	-29.05	-13	16.05	Pass	401
2496	2516	0.1	RMS	2497.15	19.17	30	10.83	Pass	401




14.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.49	-25	4.49	Pass*	16
2490	2495	1	RMS	2495	-27.18	-13	14.18	Pass	401
2495	2496	0.2	RMS	2495.993	-32.43	-13	19.43	Pass	401
2496	2516	0.1	RMS	2505.35	-1.31	30	31.31	Pass	401




14.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2689	19.13	30	10.87	Pass	401
2690	2691	0.51	RMS	2690.003	-16.23	-10	6.23	Pass	401
2691	2695	1	RMS	2691	-29.84	-10	19.84	Pass	5
2695	2710	1	RMS	2706.775	-25.55	-13	12.55	Pass	401
2710	2715	1	RMS	2710.225	-46.97	-25	21.97	Pass	401




14.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.65	0.26	30	29.74	Pass	401
2690	2691	0.51	RMS	2690.008	-15.54	-10	5.54	Pass*	401
2691	2695	1	RMS	2691	-15.22	-10	5.22	Pass*	5
2695	2710	1	RMS	2695	-16.65	-13	3.65	Pass*	401
2710	2715	1	RMS	2713.238	-38.5	-25	13.5	Pass	401




14.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2689	18.07	30	11.93	Pass	401
2690	2691	0.51	RMS	2690.005	-17.53	-10	7.53	Pass	401
2691	2695	1	RMS	2691	-30.75	-10	20.75	Pass	5
2695	2710	1	RMS	2706.738	-27.53	-13	14.53	Pass	401
2710	2715	1	RMS	2710.013	-46.91	-25	21.91	Pass	401



14.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2678.4	-1.4	30	31.4	Pass	401
2690	2691	0.51	RMS	2690	-19.32	-10	9.32	Pass	401
2691	2695	1	RMS	2691	-18.89	-10	8.89	Pass	5
2695	2710	1	RMS	2695	-20.13	-13	7.13	Pass	401
2710	2715	1	RMS	2710.025	-37.19	-25	12.19	Pass	401



--BLANK BELOW--