

			NV	50	-60000.00	-9.209517	20	PASS
			NV	-20	-60000.00	-9.209517	20	PASS
	Ant1	6535	NV	20	-80000.00	-12.241775	20	PASS
			NV	50	-40000.00	-6.120888	20	PASS
			NV	40	-40000.00	-6.120888	20	PASS
			NV	30	-40000.00	-6.120888	20	PASS
			NV	0	-40000.00	-6.120888	20	PASS
			NV	-10	-60000.00	-9.181331	20	PASS
			NV	-30	-60000.00	-9.181331	20	PASS
			NV	-20	-40000.00	-6.120888	20	PASS
			NV	10	-40000.00	-6.120888	20	PASS
	Ant2	6535	NV	0	-60000.00	-9.181331	20	PASS
			NV	50	-40000.00	-6.120888	20	PASS
			NV	40	-60000.00	-9.181331	20	PASS
			NV	30	-40000.00	-6.120888	20	PASS
			NV	10	-40000.00	-6.120888	20	PASS
			NV	-10	-40000.00	-6.120888	20	PASS
			NV	-20	-40000.00	-6.120888	20	PASS
			NV	-30	-60000.00	-9.181331	20	PASS
			NV	20	-60000.00	-9.181331	20	PASS
	Ant1	6695	NV	20	-80000.00	-11.949216	20	PASS
			NV	40	-40000.00	-5.974608	20	PASS
			NV	50	-60000.00	-8.961912	20	PASS
			NV	30	-80000.00	-11.949216	20	PASS
			NV	0	-60000.00	-8.961912	20	PASS
			NV	-10	-60000.00	-8.961912	20	PASS
			NV	-30	-80000.00	-11.949216	20	PASS
			NV	-20	-60000.00	-8.961912	20	PASS
			NV	10	-40000.00	-5.974608	20	PASS
	Ant2	6695	NV	0	-60000.00	-8.961912	20	PASS
			NV	50	-60000.00	-8.961912	20	PASS
			NV	40	-60000.00	-8.961912	20	PASS
			NV	30	-60000.00	-8.961912	20	PASS
			NV	10	-40000.00	-5.974608	20	PASS
			NV	-10	-60000.00	-8.961912	20	PASS
			NV	-20	-80000.00	-11.949216	20	PASS
			NV	-30	-60000.00	-8.961912	20	PASS
			NV	20	-60000.00	-8.961912	20	PASS
	Ant1	6855	NV	0	-40000.00	-5.835157	20	PASS
			NV	40	-60000.00	-8.752735	20	PASS
			NV	30	-60000.00	-8.752735	20	PASS
			NV	50	-60000.00	-8.752735	20	PASS

			NV	-10	-60000.00	-8.752735	20	PASS
			NV	-20	-60000.00	-8.752735	20	PASS
			NV	-30	-80000.00	-11.670314	20	PASS
			NV	20	-60000.00	-8.752735	20	PASS
			NV	10	-40000.00	-5.835157	20	PASS
	Ant2	6855	NV	0	-60000.00	-8.752735	20	PASS
			NV	50	-60000.00	-8.752735	20	PASS
			NV	40	-40000.00	-5.835157	20	PASS
			NV	30	-60000.00	-8.752735	20	PASS
			NV	10	-40000.00	-5.835157	20	PASS
			NV	-10	-40000.00	-5.835157	20	PASS
			NV	-20	-60000.00	-8.752735	20	PASS
			NV	-30	-60000.00	-8.752735	20	PASS
			NV	20	-60000.00	-8.752735	20	PASS
	Ant1	6875	NV	0	-80000.00	-11.636364	20	PASS
			NV	30	-80000.00	-11.636364	20	PASS
			NV	50	-80000.00	-11.636364	20	PASS
			NV	40	-60000.00	-8.727273	20	PASS
			NV	-30	-80000.00	-11.636364	20	PASS
			NV	10	-80000.00	-11.636364	20	PASS
			NV	-10	-80000.00	-11.636364	20	PASS
			NV	-20	-80000.00	-11.636364	20	PASS
			NV	20	-80000.00	-11.636364	20	PASS
	Ant2	6875	NV	0	-80000.00	-11.636364	20	PASS
			NV	50	-80000.00	-11.636364	20	PASS
			NV	40	-60000.00	-8.727273	20	PASS
			NV	30	-80000.00	-11.636364	20	PASS
			NV	10	-80000.00	-11.636364	20	PASS
			NV	-10	-80000.00	-11.636364	20	PASS
			NV	-20	-80000.00	-11.636364	20	PASS
			NV	-30	-80000.00	-11.636364	20	PASS
			NV	20	-80000.00	-11.636364	20	PASS
	Ant1	6895	NV	30	-80000.00	-11.602611	20	PASS
			NV	0	-80000.00	-11.602611	20	PASS
			NV	50	-60000.00	-8.701958	20	PASS
			NV	40	-60000.00	-8.701958	20	PASS
			NV	-30	-80000.00	-11.602611	20	PASS
			NV	-10	-40000.00	-5.801305	20	PASS
			NV	-20	-60000.00	-8.701958	20	PASS
			NV	20	-80000.00	-11.602611	20	PASS
			NV	10	-40000.00	-5.801305	20	PASS
	Ant2	6895	NV	0	-40000.00	-5.801305	20	PASS

			NV	50	-40000.00	-5.801305	20	PASS
			NV	40	-60000.00	-8.701958	20	PASS
			NV	30	-60000.00	-8.701958	20	PASS
			NV	10	-80000.00	-11.602611	20	PASS
			NV	-10	-60000.00	-8.701958	20	PASS
			NV	-20	-60000.00	-8.701958	20	PASS
			NV	-30	-60000.00	-8.701958	20	PASS
			NV	20	-80000.00	-11.602611	20	PASS
	Ant1	6995	NV	40	-80000.00	-11.436741	20	PASS
			NV	20	-80000.00	-11.436741	20	PASS
			NV	50	-80000.00	-11.436741	20	PASS
			NV	30	-80000.00	-11.436741	20	PASS
			NV	0	-60000.00	-8.577555	20	PASS
			NV	-10	-60000.00	-8.577555	20	PASS
			NV	-30	-80000.00	-11.436741	20	PASS
			NV	-20	-80000.00	-11.436741	20	PASS
			NV	10	-80000.00	-11.436741	20	PASS
	Ant2	6995	NV	0	-80000.00	-11.436741	20	PASS
			NV	50	-60000.00	-8.577555	20	PASS
			NV	40	-80000.00	-11.436741	20	PASS
			NV	30	-60000.00	-8.577555	20	PASS
			NV	10	-40000.00	-5.718370	20	PASS
			NV	-10	-60000.00	-8.577555	20	PASS
			NV	-20	-80000.00	-11.436741	20	PASS
			NV	-30	-60000.00	-8.577555	20	PASS
			NV	20	-80000.00	-11.436741	20	PASS
	Ant1	7115	NV	20	-80000.00	-11.243851	20	PASS
			NV	40	-80000.00	-11.243851	20	PASS
			NV	50	-80000.00	-11.243851	20	PASS
			NV	30	-80000.00	-11.243851	20	PASS
			NV	0	-80000.00	-11.243851	20	PASS
			NV	-10	-80000.00	-11.243851	20	PASS
			NV	-20	-80000.00	-11.243851	20	PASS
			NV	-30	-60000.00	-8.432888	20	PASS
			NV	10	-80000.00	-11.243851	20	PASS
	Ant2	7115	NV	40	-80000.00	-11.243851	20	PASS
			NV	-30	-60000.00	-8.432888	20	PASS
			NV	50	-80000.00	-11.243851	20	PASS
			NV	30	-80000.00	-11.243851	20	PASS
			NV	20	-80000.00	-11.243851	20	PASS
			NV	0	-80000.00	-11.243851	20	PASS
			NV	-10	-60000.00	-8.432888	20	PASS

			NV	-20	-80000.00	-11.243851	20	PASS
			NV	10	-80000.00	-11.243851	20	PASS
11AX40MIMO	Ant1	5965	NV	0	-40000.00	-6.705784	20	PASS
			NV	50	-40000.00	-6.705784	20	PASS
			NV	40	-40000.00	-6.705784	20	PASS
			NV	30	-40000.00	-6.705784	20	PASS
			NV	-30	-40000.00	-6.705784	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-6.705784	20	PASS
			NV	-20	-40000.00	-6.705784	20	PASS
			NV	20	-40000.00	-6.705784	20	PASS
	Ant2	5965	NV	10	-40000.00	-6.705784	20	PASS
			NV	20	-40000.00	-6.705784	20	PASS
			NV	30	-40000.00	-6.705784	20	PASS
			NV	50	-40000.00	-6.705784	20	PASS
			NV	-10	-40000.00	-6.705784	20	PASS
			NV	-20	-40000.00	-6.705784	20	PASS
			NV	-30	-40000.00	-6.705784	20	PASS
			NV	40	-40000.00	-6.705784	20	PASS
			NV	0	-40000.00	-6.705784	20	PASS
	Ant1	6165	NV	40	-40000.00	-6.488240	20	PASS
			NV	50	-40000.00	-6.488240	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.488240	20	PASS
			NV	0	-80000.00	-12.976480	20	PASS
			NV	-10	-40000.00	-6.488240	20	PASS
			NV	-30	-40000.00	-6.488240	20	PASS
			NV	-20	-40000.00	-6.488240	20	PASS
			NV	10	-40000.00	-6.488240	20	PASS
	Ant2	6165	NV	0	0.00	0.000000	20	PASS
			NV	40	-80000.00	-12.976480	20	PASS
			NV	30	-40000.00	-6.488240	20	PASS
			NV	-30	-80000.00	-12.976480	20	PASS
			NV	10	-80000.00	-12.976480	20	PASS
			NV	-10	-40000.00	-6.488240	20	PASS
			NV	-20	-40000.00	-6.488240	20	PASS
			NV	50	-40000.00	-6.488240	20	PASS
			NV	20	-40000.00	-6.488240	20	PASS
	Ant1	6405	NV	20	-40000.00	-6.245121	20	PASS
			NV	50	40000.00	6.245121	20	PASS
			NV	40	-40000.00	-6.245121	20	PASS
			NV	30	-80000.00	-12.490242	20	PASS

			NV	0	-40000.00	-6.245121	20	PASS
			NV	-10	-80000.00	-12.490242	20	PASS
			NV	-30	-40000.00	-6.245121	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	10	-40000.00	-6.245121	20	PASS
	Ant2	6405	NV	0	120000.00	18.735363	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	40	40000.00	6.245121	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	10	120000.00	18.735363	20	PASS
			NV	-10	-40000.00	-6.245121	20	PASS
			NV	-20	-40000.00	-6.245121	20	PASS
			NV	-30	-40000.00	-6.245121	20	PASS
			NV	20	-40000.00	-6.245121	20	PASS
	Ant1	6445	NV	20	-40000.00	-6.206362	20	PASS
			NV	40	-40000.00	-6.206362	20	PASS
			NV	-20	-40000.00	-6.206362	20	PASS
			NV	30	-40000.00	-6.206362	20	PASS
			NV	50	-40000.00	-6.206362	20	PASS
			NV	-10	-40000.00	-6.206362	20	PASS
			NV	-30	-40000.00	-6.206362	20	PASS
			NV	0	-40000.00	-6.206362	20	PASS
			NV	10	-40000.00	-6.206362	20	PASS
	Ant2	6445	NV	0	-40000.00	-6.206362	20	PASS
			NV	50	-40000.00	-6.206362	20	PASS
			NV	40	-40000.00	-6.206362	20	PASS
			NV	30	-40000.00	-6.206362	20	PASS
			NV	10	-40000.00	-6.206362	20	PASS
			NV	-10	-40000.00	-6.206362	20	PASS
			NV	-20	-40000.00	-6.206362	20	PASS
			NV	-30	-40000.00	-6.206362	20	PASS
			NV	20	-40000.00	-6.206362	20	PASS
	Ant1	6485	NV	10	-40000.00	-6.168080	20	PASS
			NV	30	-40000.00	-6.168080	20	PASS
			NV	40	-40000.00	-6.168080	20	PASS
			NV	20	-40000.00	-6.168080	20	PASS
			NV	-10	-40000.00	-6.168080	20	PASS
			NV	-20	-40000.00	-6.168080	20	PASS
			NV	-30	-40000.00	-6.168080	20	PASS
			NV	50	-40000.00	-6.168080	20	PASS
			NV	0	-40000.00	-6.168080	20	PASS
	Ant2	6485	NV	20	-40000.00	-6.168080	20	PASS

			NV	50	0.00	0.000000	20	PASS
			NV	30	40000.00	6.168080	20	PASS
			NV	10	120000.00	18.504241	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	-10	-80000.00	-12.336160	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	40	80000.00	12.336160	20	PASS
	Ant1	6525	NV	50	-40000.00	-6.130268	20	PASS
			NV	-30	-40000.00	-6.130268	20	PASS
			NV	-20	-80000.00	-12.260536	20	PASS
			NV	-10	-40000.00	-6.130268	20	PASS
			NV	0	-40000.00	-6.130268	20	PASS
			NV	10	-40000.00	-6.130268	20	PASS
			NV	20	-40000.00	-6.130268	20	PASS
			NV	30	-40000.00	-6.130268	20	PASS
			NV	40	-80000.00	-12.260536	20	PASS
	Ant2	6525	NV	-20	-40000.00	-6.130268	20	PASS
			NV	-10	-40000.00	-6.130268	20	PASS
			NV	0	-40000.00	-6.130268	20	PASS
			NV	10	-40000.00	-6.130268	20	PASS
			NV	20	-40000.00	-6.130268	20	PASS
			NV	30	-40000.00	-6.130268	20	PASS
			NV	40	-40000.00	-6.130268	20	PASS
			NV	50	-40000.00	-6.130268	20	PASS
			NV	-30	-40000.00	-6.130268	20	PASS
	Ant1	6565	NV	-20	-40000.00	-6.092917	20	PASS
			NV	50	-40000.00	-6.092917	20	PASS
			NV	40	-40000.00	-6.092917	20	PASS
			NV	30	-40000.00	-6.092917	20	PASS
			NV	20	-40000.00	-6.092917	20	PASS
			NV	10	-40000.00	-6.092917	20	PASS
			NV	-10	-40000.00	-6.092917	20	PASS
			NV	-30	-40000.00	-6.092917	20	PASS
			NV	0	-40000.00	-6.092917	20	PASS
	Ant2	6565	NV	20	-120000.00	-18.278751	20	PASS
			NV	-20	-120000.00	-18.278751	20	PASS
			NV	50	-80000.00	-12.185834	20	PASS
			NV	40	-40000.00	-6.092917	20	PASS
			NV	30	-120000.00	-18.278751	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-6.092917	20	PASS

			NV	0	-120000.00	-18.278751	20	PASS
			NV	10	-80000.00	-12.185834	20	PASS
	Ant1	6685	NV	0	-80000.00	-11.967091	20	PASS
			NV	50	-80000.00	-11.967091	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	30	-40000.00	-5.983545	20	PASS
			NV	10	-40000.00	-5.983545	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-20	-80000.00	-11.967091	20	PASS
			NV	-30	-40000.00	-5.983545	20	PASS
			NV	20	0.00	0.000000	20	PASS
	Ant2	6685	NV	30	0.00	0.000000	20	PASS
			NV	10	-40000.00	-5.983545	20	PASS
			NV	40	-40000.00	-5.983545	20	PASS
			NV	20	-40000.00	-5.983545	20	PASS
			NV	-10	-80000.00	-11.967091	20	PASS
			NV	-30	-40000.00	-5.983545	20	PASS
			NV	-20	-40000.00	-5.983545	20	PASS
			NV	50	-40000.00	-5.983545	20	PASS
			NV	0	-40000.00	-5.983545	20	PASS
	Ant1	6845	NV	40	-40000.00	-5.843682	20	PASS
			NV	50	-40000.00	-5.843682	20	PASS
			NV	30	-40000.00	-5.843682	20	PASS
			NV	20	-40000.00	-5.843682	20	PASS
			NV	0	-40000.00	-5.843682	20	PASS
			NV	-10	-40000.00	-5.843682	20	PASS
			NV	-30	-80000.00	-11.687363	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	10	-40000.00	-5.843682	20	PASS
	Ant2	6845	NV	0	40000.00	5.843682	20	PASS
			NV	40	40000.00	5.843682	20	PASS
			NV	30	40000.00	5.843682	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	10	40000.00	5.843682	20	PASS
			NV	-10	-40000.00	-5.843682	20	PASS
			NV	-20	-80000.00	-11.687363	20	PASS
			NV	50	40000.00	5.843682	20	PASS
			NV	20	0.00	0.000000	20	PASS
	Ant1	6885	NV	20	-40000.00	-5.809731	20	PASS
			NV	40	-40000.00	-5.809731	20	PASS
			NV	50	-40000.00	-5.809731	20	PASS
			NV	30	-80000.00	-11.619463	20	PASS

			NV	0	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-30	-40000.00	-5.809731	20	PASS
			NV	-20	-40000.00	-5.809731	20	PASS
			NV	10	0.00	0.000000	20	PASS
	Ant2	6885	NV	0	-40000.00	-5.809731	20	PASS
			NV	50	-40000.00	-5.809731	20	PASS
			NV	40	-80000.00	-11.619463	20	PASS
			NV	30	-120000.00	-17.429194	20	PASS
			NV	10	-40000.00	-5.809731	20	PASS
			NV	-10	-40000.00	-5.809731	20	PASS
			NV	-20	-40000.00	-5.809731	20	PASS
			NV	-30	-40000.00	-5.809731	20	PASS
			NV	20	-120000.00	-17.429194	20	PASS
	Ant1	6925	NV	20	-40000.00	-5.776173	20	PASS
			NV	50	-40000.00	-5.776173	20	PASS
			NV	40	-40000.00	-5.776173	20	PASS
			NV	30	-40000.00	-5.776173	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-5.776173	20	PASS
			NV	0	-40000.00	-5.776173	20	PASS
			NV	-30	-40000.00	-5.776173	20	PASS
			NV	10	-40000.00	-5.776173	20	PASS
	Ant2	6925	NV	0	0.00	0.000000	20	PASS
			NV	40	-40000.00	-5.776173	20	PASS
			NV	30	40000.00	5.776173	20	PASS
			NV	10	-40000.00	-5.776173	20	PASS
			NV	50	-80000.00	-11.552347	20	PASS
			NV	-10	-80000.00	-11.552347	20	PASS
			NV	-20	120000.00	17.328520	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	20	-80000.00	-11.552347	20	PASS
	Ant1	6965	NV	10	-40000.00	-5.743001	20	PASS
			NV	40	-40000.00	-5.743001	20	PASS
			NV	30	-80000.00	-11.486001	20	PASS
			NV	20	-40000.00	-5.743001	20	PASS
			NV	0	-40000.00	-5.743001	20	PASS
			NV	-10	-40000.00	-5.743001	20	PASS
			NV	-30	-80000.00	-11.486001	20	PASS
			NV	50	-40000.00	-5.743001	20	PASS
			NV	-20	-40000.00	-5.743001	20	PASS
	Ant2	6965	NV	20	-120000.00	-17.229002	20	PASS

			NV	50	-80000.00	-11.486001	20	PASS
			NV	40	-40000.00	-5.743001	20	PASS
			NV	30	-80000.00	-11.486001	20	PASS
			NV	0	-120000.00	-17.229002	20	PASS
			NV	-10	-120000.00	-17.229002	20	PASS
			NV	-30	-40000.00	-5.743001	20	PASS
			NV	-20	-40000.00	-5.743001	20	PASS
			NV	10	-80000.00	-11.486001	20	PASS
	Ant1	7085	NV	0	-40000.00	-5.645730	20	PASS
			NV	50	-40000.00	-5.645730	20	PASS
			NV	40	-80000.00	-11.291461	20	PASS
			NV	30	-40000.00	-5.645730	20	PASS
			NV	10	-40000.00	-5.645730	20	PASS
			NV	-10	-40000.00	-5.645730	20	PASS
			NV	-20	-80000.00	-11.291461	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	20	-120000.00	-16.937191	20	PASS
	Ant2	7085	NV	20	-80000.00	-11.291461	20	PASS
			NV	40	-80000.00	-11.291461	20	PASS
			NV	50	-80000.00	-11.291461	20	PASS
			NV	30	-80000.00	-11.291461	20	PASS
			NV	0	-80000.00	-11.291461	20	PASS
			NV	-10	-80000.00	-11.291461	20	PASS
			NV	-30	-80000.00	-11.291461	20	PASS
			NV	-20	-80000.00	-11.291461	20	PASS
11AX80MIMO	Ant1	5985	NV	10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	40	-80000.00	-13.366750	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	-10	-80000.00	-13.366750	20	PASS
			NV	-20	0.00	0.000000	20	PASS
	Ant2	5985	NV	-30	0.00	0.000000	20	PASS
			NV	20	-80000.00	-13.366750	20	PASS
			NV	0	-80000.00	-13.366750	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	30	-80000.00	-13.366750	20	PASS
			NV	50	-80000.00	-13.366750	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-20	-80000.00	-13.366750	20	PASS
			NV	-30	-80000.00	-13.366750	20	PASS

			NV	20	0.00	0.000000	20	PASS
			NV	10	-80000.00	-13.366750	20	PASS
	Ant1	6145	NV	0	80000.00	13.018714	20	PASS
			NV	50	-80000.00	-13.018714	20	PASS
			NV	40	80000.00	13.018714	20	PASS
			NV	30	-80000.00	-13.018714	20	PASS
			NV	10	-80000.00	-13.018714	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-30	-160000.00	-26.037429	20	FAIL
			NV	20	0.00	0.000000	20	PASS
	Ant2	6145	NV	0	80000.00	13.018714	20	PASS
			NV	50	-320000.00	13.018714	20	PASS
			NV	40	80000.00	13.018714	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	10	-80000.00	-13.018714	20	PASS
			NV	-10	80000.00	13.018714	20	PASS
			NV	-20	80000.00	13.018714	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
	Ant1	6385	NV	0	-80000.00	-12.529366	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	40	-80000.00	-12.529366	20	PASS
			NV	30	-80000.00	-12.529366	20	PASS
			NV	10	-80000.00	-12.529366	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-20	-80000.00	-12.529366	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	20	-80000.00	-12.529366	20	PASS
	Ant2	6385	NV	30	-80000.00	-12.529366	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	50	-80000.00	-12.529366	20	PASS
			NV	40	-80000.00	-12.529366	20	PASS
			NV	-30	-80000.00	-12.529366	20	PASS
			NV	-10	-80000.00	-12.529366	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	20	-80000.00	-12.529366	20	PASS
			NV	10	-80000.00	-12.529366	20	PASS
	Ant1	6465	NV	0	-80000.00	-12.374323	20	PASS
			NV	50	-80000.00	-12.374323	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS

			NV	10	0.00	0.000000	20	PASS
			NV	-10	-80000.00	-12.374323	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
	Ant2	6465	NV	40	-80000.00	-12.374323	20	PASS
			NV	20	-80000.00	-12.374323	20	PASS
			NV	50	-80000.00	-12.374323	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-30	-80000.00	-12.374323	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	10	-80000.00	-12.374323	20	PASS
	Ant1	6545	NV	0	-80000.00	-12.223071	20	PASS
			NV	50	-80000.00	-12.223071	20	PASS
			NV	40	-80000.00	-12.223071	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
	Ant2	6545	NV	20	0.00	0.000000	20	PASS
			NV	40	-80000.00	-12.223071	20	PASS
			NV	50	-80000.00	-12.223071	20	PASS
			NV	30	-80000.00	-12.223071	20	PASS
			NV	0	-80000.00	-12.223071	20	PASS
			NV	-10	-80000.00	-12.223071	20	PASS
			NV	-20	-80000.00	-12.223071	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	10	-80000.00	-12.223071	20	PASS
	Ant1	6625	NV	40	0.00	0.000000	20	PASS
			NV	-30	-80000.00	-12.075472	20	PASS
			NV	50	-80000.00	-12.075472	20	PASS
			NV	30	-80000.00	-12.075472	20	PASS
			NV	20	-80000.00	-12.075472	20	PASS
			NV	0	-80000.00	-12.075472	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	10	-80000.00	-12.075472	20	PASS
	Ant2	6625	NV	0	-80000.00	-12.075472	20	PASS

			NV	50	-80000.00	-12.075472	20	PASS
			NV	40	-80000.00	-12.075472	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	20	-80000.00	-12.075472	20	PASS
	Ant1	6705	NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	-10	-80000.00	-11.931394	20	PASS
			NV	-20	-80000.00	-11.931394	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
	Ant2	6705	NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	30	80000.00	11.931394	20	PASS
			NV	20	80000.00	11.931394	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	-10	-80000.00	-11.931394	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
	Ant1	6785	NV	0	-80000.00	-11.790715	20	PASS
			NV	40	80000.00	11.790715	20	PASS
			NV	30	-80000.00	-11.790715	20	PASS
			NV	-30	-80000.00	-11.790715	20	PASS
			NV	10	-80000.00	-11.790715	20	PASS
			NV	-10	-80000.00	-11.790715	20	PASS
			NV	-20	-80000.00	-11.790715	20	PASS
			NV	50	-80000.00	-11.790715	20	PASS
			NV	20	0.00	0.000000	20	PASS
	Ant2	6785	NV	20	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	0	80000.00	11.790715	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-30	-80000.00	-11.790715	20	PASS

			NV	-20	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
	Ant1	6865	NV	0	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	40	-80000.00	-11.653314	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	10	-80000.00	-11.653314	20	PASS
			NV	-10	-80000.00	-11.653314	20	PASS
			NV	-20	-80000.00	-11.653314	20	PASS
			NV	-30	-80000.00	-11.653314	20	PASS
			NV	20	0.00	0.000000	20	PASS
	Ant2	6865	NV	20	-80000.00	-11.653314	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	0	-80000.00	-11.653314	20	PASS
			NV	10	0.00	0.000000	20	PASS
	Ant1	6945	NV	0	-80000.00	-11.519078	20	PASS
			NV	50	-80000.00	-11.519078	20	PASS
			NV	40	-80000.00	-11.519078	20	PASS
			NV	30	-80000.00	-11.519078	20	PASS
			NV	10	-80000.00	-11.519078	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-20	-80000.00	-11.519078	20	PASS
			NV	-30	-80000.00	-11.519078	20	PASS
	Ant2	6945	NV	20	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	30	-80000.00	-11.519078	20	PASS
			NV	40	-80000.00	-11.519078	20	PASS
			NV	20	-80000.00	-11.519078	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-20	-80000.00	-11.519078	20	PASS
			NV	-30	80000.00	11.519078	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	0	-80000.00	-11.519078	20	PASS
	Ant1	7025	NV	20	-80000.00	-11.387900	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	30	-80000.00	-11.387900	20	PASS
			NV	10	0.00	0.000000	20	PASS

			NV	0	-80000.00	-11.387900	20	PASS
			NV	-10	-80000.00	-11.387900	20	PASS
			NV	-20	80000.00	11.387900	20	PASS
			NV	-30	80000.00	11.387900	20	PASS
			NV	40	-80000.00	-11.387900	20	PASS
	Ant2	7025	NV	50	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-80000.00	-11.387900	20	PASS
			NV	20	-80000.00	-11.387900	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-80000.00	-11.387900	20	PASS

Note: NV: 120V/60Hz

NT: 20℃

LV: 102V/60Hz

HV: 138V/60Hz

3.6 Contention Based Protocol Measurement

3.6.1 Test Limit

Unlicensed indoor low power device must detect co-channel radio frequency power that is at least -62dBm (The threshold is referenced to a 0dBi antenna gain.) or low.

Indoor low power device must detect an AWGN signal with 90% (or better) level of certainty.

3.6.2 Test Procedure


Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	

Test was performed in accordance with method of KDB 987594 D02v01- Section I

3.6.3 Test Setting

1. Configure the EUT to transmit with a constant duty cycle.
2. Set the operating parameters of the EUT including power level, operating frequency, modulation and bandwidth.
3. Set the signal analyzer center frequency to the nominal EUT channel center frequency. The span range of the signal analyzer shall be between two times and five times the OBW of the EUT.
Connect the output port of the EUT to the signal analyzer 2. Ensure that the attenuator 2 provides enough attenuation to not overload the signal analyzer 2 receiver.
4. Monitoring the signal analyzer 2, verify the EUT is operating and transmitting with the parameters set at step two.
5. Using an AWGN signal source, generate a 10 MHz-wide AWGN signal. Use Table 1 of KDB 987594 to determine the center frequency of the 10 MHz AWGN signal relative to the EUT's channel bandwidth and center frequency.
6. Set the AWGN signal power to an extremely low level. Connect the AWGN signal source, via a 3-dB splitter, to the signal analyzer 1 and the EUT as shown in below figure.
7. Transmit the AWGN signal (RF ON) and verify its characteristics on the signal analyzer 1.
8. Monitor the signal analyzer 2 to verify if the AWGN signal has been detected and the EUT has ceased transmission. If the EUT continues to transmit, then incrementally increase the AWGN signal power level until the EUT stops transmitting.
9. Determine and record the AWGN signal power level (at the EUT's antenna port) at which the EUT ceased transmission. Repeat the procedure at least 10 times to verify the EUT can detect an AWGN signal with 90% (or better) level of certainty.
10. Refer to Table 1 to determine number of times the detection threshold testing needs to be repeated. If testing is required more than once, then go back to step 5, choose a different center frequency for the AWGN signal and repeat the process.

3.6.4 Test Setup



3.6.5 Test Result

Test Channel	Bandwidth (MHz)	Freq. (MHz)	Interference Freq.(MHz)	Incumbent Signal Level (Refer to 0dBi Antenna) (dBm)	Antenna Gain (dBi)	AWGN Signal Level (at Antenna Port) (dBm)	Detected Number	Detection Probability (%)	Limit (%)	Test Result
Operation Band: U-NII 5										
37	20	6135	6135	-72.54	6.56	-65.98	10	100	90	Pass
39	80	6145	6110	-65.81	6.56	-59.25	10	100	90	Pass
39	80	6145	6145	-66.83	6.56	-60.27	10	100	90	Pass
39	80	6145	6180	-65.43	6.56	-58.87	10	100	90	Pass
Operation Band: U-NII 6										
101	20	6455	6455	-71.23	6.56	-64.67	10	100	90	Pass
103	80	6465	6430	-65.41	6.56	-58.85	10	100	90	Pass
103	80	6465	6465	-67.53	6.56	-60.97	10	100	90	Pass
103	80	6465	6500	-65.92	6.56	-59.36	10	100	90	Pass
Operation Band: U-NII 7										
149	20	6695	6695	-71.92	6.56	-65.36	10	100	90	Pass
151	80	6705	6670	-68.23	6.56	-61.67	10	100	90	Pass
151	80	6705	6705	-67.54	6.56	-60.98	10	100	90	Pass
151	80	6705	6740	-65.95	6.56	-59.39	10	100	90	Pass
Operation Band: U-NII 8										
213	20	7015	7015	-71.28	6.56	-64.72	10	100	90	Pass
215	80	7025	6990	-68.36	6.56	-61.80	10	100	90	Pass
215	80	7025	7025	-67.54	6.56	-60.98	10	100	90	Pass
215	80	7025	7060	-68.54	6.56	-61.98	10	100	90	Pass

Note 1: Incumbent Signal Level = AWGN Signal Level (at Antenna port) – Antenna Gain, it's equivalent to incumbent signal level with reference to a 0dBi antenna gain, and this power level is less than or equal to the detection threshold (-62 dBm).

Note 2: AWGN Signal Level at antenna port is the actual injected level at antenna port

Note 3: Unequal antenna gains, with equal transmit powers. For antenna gains given by $G_1, G_2, \dots, G_N$ dBi


If transmit signals are correlated, then Directional gain = $10 \log[(10^{G_1/20} + 10^{G_2/20} + \dots + 10^{G_N/20})^2 / N_{ANT}]$ dBi

[Note the "20"s in the denominator of each exponent and the square of the sum of terms; the object is to combine the signal levels coherently.]

Directional gain = $10 \log[(10^{3.6/20} + 10^{3.5/20})^2 / N_{ANT}]$ dBi=6.56 dBi


Test Channel	Bandwidth (MHz)	Freq. (MHz)	Interference Freq. (MHz)	AWGN Signal Level (at Antenna Port) (dBm)	EUT Status
Operation Band: U-NII 5					
37	20	6135	6135	-72.54	Stop transmission
				-73.62	Stop but with Beacon signal
39	80	6145	6110	-65.81	Stop transmission
				-67.36	Stop but with Beacon signal
39	80	6145	6185	-66.83	Stop transmission
				-68.64	Stop but with Beacon signal
39	80	6145	6180	-65.43	Stop transmission
				-67.15	Stop but with Beacon signal
Operation Band: U-NII 6					
101	20	6455	6455	-71.23	Stop transmission
				-73.85	Stop but with Beacon signal
103	80	6465	6430	-65.41	Stop transmission
				-68.27	Stop but with Beacon signal
103	80	6465	6465	-67.53	Stop transmission
				-69.16	Stop but with Beacon signal
103	80	6465	6500	-65.92	Stop transmission
				-67.88	Stop but with Beacon signal
Operation Band: U-NII 7					
149	20	6695	6695	-71.92	Stop transmission
				-73.54	Stop but with Beacon signal
151	80	6705	6670	-68.23	Stop transmission
				-69.35	Stop but with Beacon signal
151	80	6705	6705	-67.54	Stop transmission
				-69.37	Stop but with Beacon signal
151	80	6705	6740	-65.95	Stop transmission
				-67.68	Stop but with Beacon signal

Operation Band: U-NII 8					
213	20	7015	7015	-71.28	Stop transmission
				-73.84	Stop but with Beacon signal
215	80	7025	6990	-68.36	Stop transmission
				-69.85	Stop but with Beacon signal
215	80	7025	7025	-67.54	Stop transmission
				-69.47	Stop but with Beacon signal
215	80	7025	7060	-68.54	Stop transmission
				-69.29	Stop but with Beacon signal




AWGN Signal Level (at Antenna Port) Calibration Plots (NII-6 Band)


802.11ax-HE20 / CH101




802.11ax-HE80 / CH103 (Low Edge)



802.11ax-HE80 / CH103 (Middle)




802.11ax-HE80 / CH103 (High Edge)




AWGN Signal Level (at Antenna Port) Calibration Plots (NII-7 Band)


802.11ax-HE20 / CH149




802.11ax-HE80 / CH151 (Low Edge)



802.11ax-HE80 / CH151 (Middle)




802.11ax-HE80 / CH151 (High Edge)




AWGN Signal Level (at Antenna Port) Calibration Plots (NII-8 Band)


802.11ax-HE20 / CH213




802.11ax-HE80 / CH215 (Low Edge)



802.11ax-HE80 / CH215 (Middle)




802.11ax-HE80 / CH215 (High Edge)




EUT TX stop


802.11ax-HE20 / CH37




802.11ax-HE80 / CH39




802.11ax-HE20 / CH101




802.11ax-HE80 / CH103




802.11ax-HE20 / CH149




802.11ax-HE80 / CH151



802.11ax-HE20 / CH213



802.11ax-HE80 / CH215




EUT TX Waveform


802.11ax-HE20 / CH37




802.11ax-HE80 / CH39




802.11ax-HE20 / CH101




802.11ax-HE80 / CH103




802.11ax-HE20 / CH149




802.11ax-HE80 / CH151



802.11ax-HE20 / CH213



802.11ax-HE80 / CH215



3.7 Radiated Spurious Emission Measurement

3.7.1 Test Limit

For 15.407(b)(6) requirement

For transmitters operating within the 5.925-7.125 GHz band: Any emissions outside of the 5.925-7.125 GHz band must not exceed an e.i.r.p. of -27 dBm/MHz.

Refer to 987594 D02 U-NII 6GHz EMC Measurement v01 clause G

Use guidance in KDB 789033 for measurements below 1000 MHz and above 1000 MHz. Unwanted

emissions outside of restricted bands are measured with a RMS detector. In addition, 15.35(b) applies where the peak emissions must be limited to no more than 20 dB above the average limit.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47CFR must not exceed the limits shown in Table per Section 15.209.

Frequency [MHz]	Field Strength [uV/m]	Measured Distance [Meters]
0.009 - 0.490	2400/F (kHz)	300
0.490 - 1.705	24000/F (kHz)	30
1.705 - 30	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

3.7.2 Test Procedure

Test Method	
○Conducted Measurement	●Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	

3.7.3 Test Setting

Table 1 - RBW as a function of frequency

Frequency	RBW
9 ~ 150 kHz	200 ~ 300 Hz
0.15 ~ 30 MHz	9 ~ 10 kHz
30 ~ 1000 MHz	100 ~ 120 kHz
> 1000MHz	1MHz

Quasi-Peak Measurements below 1GHz

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. Span was set greater than 1MHz
3. RBW = as specified in Table 1
4. Detector = CISPR quasi-peak
5. Sweep time = auto couple
6. Trace was allowed to stabilize

Peak Measurements above 1GHz


1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

Average Measurements above 1GHz (Method VB)


1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW; If the EUT is configured to transmit with duty cycle $\geq 98\%$, set VBW = 10 Hz.
If the EUT duty cycle is $< 98\%$, set $VBW \geq 1/T$. T is the minimum transmission duration.
4. Detector = Peak
5. Sweep time = auto
6. Trace mode = max hold
7. Trace was allowed to stabilize

3.7.4 Test Setup


(A) Radiated Emission Test Set-Up Frequency Below 30 MHz



(B) Radiated Emission Test Set-Up Frequency 30 MHz-1000 MHz



(C) Radiated Emission Test Set-Up Frequency Above 1 GHz



3.7.5 Test Result

1) Radiated emission: 9kHz-30MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

2) Radiated emission: 30MHz-1G

Note:


1. Measurement = Reading + Correct Factor.
2. Over = Measurement – Limit

We only recorded the data of the worst mode. Please see the following:

Below 1G (30MHz~1GHz)


Worst Case Operating Mode: AX 20 Channel 1

VERTICAL



HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	Level	Factor	ment			Height	Degree	Comment
			dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		46.3402	27.36	-10.85	16.51	40.00	-23.49	peak		
2		81.2117	31.28	-14.37	16.91	40.00	-23.09	peak		
3		131.2965	33.53	-10.24	23.29	43.50	-20.21	peak		
4	*	230.0985	41.48	-10.28	31.20	46.00	-14.80	peak		
5		336.0352	32.89	-7.35	25.54	46.00	-20.46	peak		
6		520.8882	28.79	-2.88	25.91	46.00	-20.09	peak		



3) Radiated emission: Above 1G

Note:



1. Measurement = Reading + Correct Factor.
2. Over = Measurement – Limit
3. For 802.11AX mode, only worst case for antenna1 was recored.

Above 1G (1GHz~18GHz)	Test mode:11AX20	Test Channel:1
-----------------------	------------------	----------------

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode:11AX20

Test Channel:45

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode:11AX20

Test Channel:93

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode:11AX20

Test Channel:97

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode:11AX20

Test Channel:105

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode:11AX20

Test Channel:113

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode:11AX20

Test Channel:117

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode:11AX20

Test Channel:149

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode:11AX20

Test Channel:181

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode:11AX20

Test Channel:185

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode:11AX20

Test Channel:189

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	13790.000	34.88	10.65	45.53	68.20	-22.67	peak		

HORIZONTAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	13790.000	36.22	10.65	46.87	68.20	-21.33	peak		

Above 1G (1GHz~18GHz)


Test mode:11AX20

Test Channel:209

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode:11AX20

Test Channel:229


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	14190.000	35.38	10.58	45.96	68.20	-22.24	peak		


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	7125.000	31.25	13.92	45.17	68.20	-23.03	peak		

HORIZONTAL

Radiated Emission



Radiated Emission





Above 1G (1GHz~18GHz)

Test mode:11AX40


Test Channel:3

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11930.000	37.62	11.01	48.63	74.00	-25.37	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5925.000	38.81	9.61	48.42	68.20	-19.78	peak	


Above 1G (1GHz~18GHz)

Test mode:11AX40

Test Channel:43

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	12330.000	33.17	11.55	44.72	74.00	-29.28 peak		

HORIZONTAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	12330.000	35.30	11.55	46.85	74.00	-27.15 peak		

Above 1G (1GHz~18GHz)


Test mode:11AX40

Test Channel:91

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode:11AX40

Test Channel:99

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode:11AX40

Test Channel:107

VERTICAL



HORIZONTAL

