

Appendix E: Maximum power spectral density

Test Result

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm]	Limit [dBm/MHz]	Verdict
11AX20SISO	Ant1	5955	-1.89	5.20	3.31	≤5	PASS
11AX20SISO	Ant2	5955	-0.54	2.90	2.36	≤5	PASS
11AX20SISO	Ant3	5955	-3.11	6.10	2.99	≤5	PASS
11AX20SISO	Ant4	5955	-1.75	6.30	4.55	≤5	PASS
11AX20SISO	Ant1	6175	-1.12	5.20	4.08	≤5	PASS
11AX20SISO	Ant2	6175	-0.15	2.90	2.75	≤5	PASS
11AX20SISO	Ant3	6175	-2.83	6.10	3.27	≤5	PASS
11AX20SISO	Ant4	6175	-2.88	6.30	3.42	≤5	PASS
11AX20SISO	Ant1	6415	-1.46	5.20	3.74	≤5	PASS
11AX20SISO	Ant2	6415	1.28	2.90	4.18	≤5	PASS
11AX20SISO	Ant3	6415	-2.13	6.10	3.97	≤5	PASS
11AX20SISO	Ant4	6415	-2.36	6.30	3.94	≤5	PASS
11AX20SISO	Ant1	6435	-1.12	5.20	4.08	≤5	PASS
11AX20SISO	Ant2	6435	2.05	2.90	4.95	≤5	PASS
11AX20SISO	Ant3	6435	-1.96	6.10	4.14	≤5	PASS
11AX20SISO	Ant4	6435	-1.92	6.30	4.38	≤5	PASS
11AX20SISO	Ant1	6475	-1.26	5.20	3.94	≤5	PASS
11AX20SISO	Ant2	6475	1.63	2.90	4.53	≤5	PASS
11AX20SISO	Ant3	6475	-2.47	6.10	3.63	≤5	PASS
11AX20SISO	Ant4	6475	-2.1	6.30	4.20	≤5	PASS
11AX20SISO	Ant1	6515	-1.03	5.20	4.17	≤5	PASS
11AX20SISO	Ant2	6515	0.82	2.90	3.72	≤5	PASS
11AX20SISO	Ant3	6515	-2.1	6.10	4.00	≤5	PASS
11AX20SISO	Ant4	6515	-2.26	6.30	4.04	≤5	PASS
11AX20SISO	Ant1	6535	-1.63	5.20	3.57	≤5	PASS
11AX20SISO	Ant2	6535	0.95	2.90	3.85	≤5	PASS
11AX20SISO	Ant3	6535	-2.28	6.10	3.82	≤5	PASS
11AX20SISO	Ant4	6535	-2.45	6.30	3.85	≤5	PASS
11AX20SISO	Ant1	6695	-1.39	5.20	3.81	≤5	PASS
11AX20SISO	Ant2	6695	1.88	2.90	4.78	≤5	PASS
11AX20SISO	Ant3	6695	-2.11	6.10	3.99	≤5	PASS
11AX20SISO	Ant4	6695	-1.99	6.30	4.31	≤5	PASS
11AX20SISO	Ant1	6855	-1.47	5.20	3.73	≤5	PASS
11AX20SISO	Ant2	6855	1.03	2.90	3.93	≤5	PASS
11AX20SISO	Ant3	6855	-1.9	6.10	4.20	≤5	PASS
11AX20SISO	Ant4	6855	-1.91	6.30	4.39	≤5	PASS
11AX20SISO	Ant1	6875	-0.98	5.20	4.22	≤5	PASS
11AX20SISO	Ant2	6875	1.71	2.90	4.61	≤5	PASS
11AX20SISO	Ant3	6875	-1.35	6.10	4.75	≤5	PASS
11AX20SISO	Ant4	6875	-1.7	6.30	4.60	≤5	PASS

11AX20SISO	Ant1	6895	-1.7	5.20	3.50	≤5	PASS
11AX20SISO	Ant2	6895	1.65	2.90	4.55	≤5	PASS
11AX20SISO	Ant3	6895	-2.18	6.10	3.92	≤5	PASS
11AX20SISO	Ant4	6895	-2.08	6.30	4.22	≤5	PASS
11AX20SISO	Ant1	6995	-1	5.20	4.20	≤5	PASS
11AX20SISO	Ant2	6995	1.2	2.90	4.10	≤5	PASS
11AX20SISO	Ant3	6995	-2.04	6.10	4.06	≤5	PASS
11AX20SISO	Ant4	6995	-2.76	6.30	3.54	≤5	PASS
11AX20SISO	Ant1	7115	-0.92	5.20	4.28	≤5	PASS
11AX20SISO	Ant2	7115	1.9	2.90	4.80	≤5	PASS
11AX20SISO	Ant3	7115	-1.89	6.10	4.21	≤5	PASS
11AX20SISO	Ant4	7115	-1.74	6.30	4.56	≤5	PASS
11AX20MIMO	Ant1	5955	-13.08	5.20	-7.88	≤5	PASS
11AX20MIMO	Ant2	5955	-11.78	2.90	-8.88	≤5	PASS
11AX20MIMO	Ant3	5955	-16.83	6.10	-10.73	≤5	PASS
11AX20MIMO	Ant4	5955	-12.75	6.30	-6.45	≤5	PASS
11AX20MIMO	total	5955	-7.23	11.25	4.02	≤5	PASS
11AX20MIMO	Ant1	6175	-11.26	5.20	-6.06	≤5	PASS
11AX20MIMO	Ant2	6175	-12.05	2.90	-9.15	≤5	PASS
11AX20MIMO	Ant3	6175	-15.15	6.10	-9.05	≤5	PASS
11AX20MIMO	Ant4	6175	-13.88	6.30	-7.58	≤5	PASS
11AX20MIMO	total	6175	-6.81	11.25	4.44	≤5	PASS
11AX20MIMO	Ant1	6415	-12.79	5.20	-7.59	≤5	PASS
11AX20MIMO	Ant2	6415	-11.21	2.90	-8.31	≤5	PASS
11AX20MIMO	Ant3	6415	-15.83	6.10	-9.73	≤5	PASS
11AX20MIMO	Ant4	6415	-14.53	6.30	-8.23	≤5	PASS
11AX20MIMO	total	6415	-7.22	11.25	4.03	≤5	PASS
11AX20MIMO	Ant1	6435	-11.72	5.20	-6.52	≤5	PASS
11AX20MIMO	Ant2	6435	-10.61	2.90	-7.71	≤5	PASS
11AX20MIMO	Ant3	6435	-15.78	6.10	-9.68	≤5	PASS
11AX20MIMO	Ant4	6435	-14.22	6.30	-7.92	≤5	PASS
11AX20MIMO	total	6435	-6.61	11.25	4.64	≤5	PASS
11AX20MIMO	Ant1	6475	-12.14	5.20	-6.94	≤5	PASS
11AX20MIMO	Ant2	6475	-10.72	2.90	-7.82	≤5	PASS
11AX20MIMO	Ant3	6475	-16.37	6.10	-10.27	≤5	PASS
11AX20MIMO	Ant4	6475	-14.59	6.30	-8.29	≤5	PASS
11AX20MIMO	total	6475	-6.91	11.25	4.34	≤5	PASS
11AX20MIMO	Ant1	6515	-11.91	5.20	-6.71	≤5	PASS
11AX20MIMO	Ant2	6515	-10.59	2.90	-7.69	≤5	PASS
11AX20MIMO	Ant3	6515	-16.26	6.10	-10.16	≤5	PASS
11AX20MIMO	Ant4	6515	-13.92	6.30	-7.62	≤5	PASS
11AX20MIMO	total	6515	-6.66	11.25	4.59	≤5	PASS
11AX20MIMO	Ant1	6535	-12.56	5.20	-7.36	≤5	PASS
11AX20MIMO	Ant2	6535	-10.87	2.90	-7.97	≤5	PASS
11AX20MIMO	Ant3	6535	-16.07	6.10	-9.97	≤5	PASS

11AX20MIMO	Ant4	6535	-14.3	6.30	-8.00	≤5	PASS
11AX20MIMO	total	6535	-7.01	11.25	4.24	≤5	PASS
11AX20MIMO	Ant1	6695	-13.9	5.20	-8.70	≤5	PASS
11AX20MIMO	Ant2	6695	-10.5	2.90	-7.60	≤5	PASS
11AX20MIMO	Ant3	6695	-16.24	6.10	-10.14	≤5	PASS
11AX20MIMO	Ant4	6695	-13.01	6.30	-6.71	≤5	PASS
11AX20MIMO	total	6695	-6.91	11.25	4.34	≤5	PASS
11AX20MIMO	Ant1	6855	-12.21	5.20	-7.01	≤5	PASS
11AX20MIMO	Ant2	6855	-11.29	2.90	-8.39	≤5	PASS
11AX20MIMO	Ant3	6855	-13.53	6.10	-7.43	≤5	PASS
11AX20MIMO	Ant4	6855	-13.09	6.30	-6.79	≤5	PASS
11AX20MIMO	total	6855	-6.42	11.25	4.83	≤5	PASS
11AX20MIMO	Ant1	6875	-13.67	5.20	-8.47	≤5	PASS
11AX20MIMO	Ant2	6875	-11.07	2.90	-8.17	≤5	PASS
11AX20MIMO	Ant3	6875	-13.49	6.10	-7.39	≤5	PASS
11AX20MIMO	Ant4	6875	-13.09	6.30	-6.79	≤5	PASS
11AX20MIMO	total	6875	-6.68	11.25	4.57	≤5	PASS
11AX20MIMO	Ant1	6895	-12.46	5.20	-7.26	≤5	PASS
11AX20MIMO	Ant2	6895	-12.24	2.90	-9.34	≤5	PASS
11AX20MIMO	Ant3	6895	-14.03	6.10	-7.93	≤5	PASS
11AX20MIMO	Ant4	6895	-14.24	6.30	-7.94	≤5	PASS
11AX20MIMO	total	6895	-7.13	11.25	4.12	≤5	PASS
11AX20MIMO	Ant1	6995	-13.34	5.20	-8.14	≤5	PASS
11AX20MIMO	Ant2	6995	-13.43	2.90	-10.53	≤5	PASS
11AX20MIMO	Ant3	6995	-13.38	6.10	-7.28	≤5	PASS
11AX20MIMO	Ant4	6995	-14.58	6.30	-8.28	≤5	PASS
11AX20MIMO	total	6995	-7.63	11.25	3.62	≤5	PASS
11AX20MIMO	Ant1	7115	-12.48	5.20	-7.28	≤5	PASS
11AX20MIMO	Ant2	7115	-12.11	2.90	-9.21	≤5	PASS
11AX20MIMO	Ant3	7115	-15.06	6.10	-8.96	≤5	PASS
11AX20MIMO	Ant4	7115	-14.4	6.30	-8.10	≤5	PASS
11AX20MIMO	total	7115	-7.32	11.25	3.93	≤5	PASS
11AX40SISO	Ant1	5965	-4.89	5.20	0.31	≤5	PASS
11AX40SISO	Ant2	5965	-1.53	2.90	1.37	≤5	PASS
11AX40SISO	Ant3	5965	-6.16	6.10	-0.06	≤5	PASS
11AX40SISO	Ant4	5965	-3.86	6.30	2.44	≤5	PASS
11AX40SISO	Ant1	6165	-4.56	5.20	0.64	≤5	PASS
11AX40SISO	Ant2	6165	-1.73	2.90	1.17	≤5	PASS
11AX40SISO	Ant3	6165	-3.96	6.10	2.14	≤5	PASS
11AX40SISO	Ant4	6165	-5.76	6.30	0.54	≤5	PASS
11AX40SISO	Ant1	6405	-3.66	5.20	1.54	≤5	PASS
11AX40SISO	Ant2	6405	0.17	2.90	3.07	≤5	PASS
11AX40SISO	Ant3	6405	-4.3	6.10	1.80	≤5	PASS
11AX40SISO	Ant4	6405	-5.49	6.30	0.81	≤5	PASS
11AX40SISO	Ant1	6445	-3.18	5.20	2.02	≤5	PASS

11AX40SISO	Ant2	6445	0.77	2.90	3.67	≤5	PASS
11AX40SISO	Ant3	6445	-4.05	6.10	2.05	≤5	PASS
11AX40SISO	Ant4	6445	-4.97	6.30	1.33	≤5	PASS
11AX40SISO	Ant1	6485	-3.01	5.20	2.19	≤5	PASS
11AX40SISO	Ant2	6485	0.42	2.90	3.32	≤5	PASS
11AX40SISO	Ant3	6485	-4.79	6.10	1.31	≤5	PASS
11AX40SISO	Ant4	6485	-5.22	6.30	1.08	≤5	PASS
11AX40SISO	Ant1	6525	-3.3	5.20	1.90	≤5	PASS
11AX40SISO	Ant2	6525	-0.21	2.90	2.69	≤5	PASS
11AX40SISO	Ant3	6525	-5.3	6.10	0.80	≤5	PASS
11AX40SISO	Ant4	6525	-5.54	6.30	0.76	≤5	PASS
11AX40SISO	Ant1	6565	-3.55	5.20	1.65	≤5	PASS
11AX40SISO	Ant2	6565	0.38	2.90	3.28	≤5	PASS
11AX40SISO	Ant3	6565	-4.55	6.10	1.55	≤5	PASS
11AX40SISO	Ant4	6565	-5.79	6.30	0.51	≤5	PASS
11AX40SISO	Ant1	6685	-3.4	5.20	1.80	≤5	PASS
11AX40SISO	Ant2	6685	0.44	2.90	3.34	≤5	PASS
11AX40SISO	Ant3	6685	-4.07	6.10	2.03	≤5	PASS
11AX40SISO	Ant4	6685	-5.35	6.30	0.95	≤5	PASS
11AX40SISO	Ant1	6845	-3.2	5.20	2.00	≤5	PASS
11AX40SISO	Ant2	6845	1.19	2.90	4.09	≤5	PASS
11AX40SISO	Ant3	6845	-1.94	6.10	4.16	≤5	PASS
11AX40SISO	Ant4	6845	-3.57	6.30	2.73	≤5	PASS
11AX40SISO	Ant1	6885	-4.62	5.20	0.58	≤5	PASS
11AX40SISO	Ant2	6885	0.32	2.90	3.22	≤5	PASS
11AX40SISO	Ant3	6885	-2.68	6.10	3.42	≤5	PASS
11AX40SISO	Ant4	6885	-4.74	6.30	1.56	≤5	PASS
11AX40SISO	Ant1	6925	-3.61	5.20	1.59	≤5	PASS
11AX40SISO	Ant2	6925	-1.27	2.90	1.63	≤5	PASS
11AX40SISO	Ant3	6925	-3.48	6.10	2.62	≤5	PASS
11AX40SISO	Ant4	6925	-5.3	6.30	1.00	≤5	PASS
11AX40SISO	Ant1	6965	-3.96	5.20	1.24	≤5	PASS
11AX40SISO	Ant2	6965	-0.87	2.90	2.03	≤5	PASS
11AX40SISO	Ant3	6965	-3.26	6.10	2.84	≤5	PASS
11AX40SISO	Ant4	6965	-4.96	6.30	1.34	≤5	PASS
11AX40SISO	Ant1	7085	-4.28	5.20	0.92	≤5	PASS
11AX40SISO	Ant2	7085	-0.19	2.90	2.71	≤5	PASS
11AX40SISO	Ant3	7085	-3.33	6.10	2.77	≤5	PASS
11AX40SISO	Ant4	7085	-4.9	6.30	1.40	≤5	PASS
11AX40MIMO	Ant1	5965	-14.45	5.20	-9.25	≤5	PASS
11AX40MIMO	Ant2	5965	-13.52	2.90	-10.62	≤5	PASS
11AX40MIMO	Ant3	5965	-18.36	6.10	-12.26	≤5	PASS
11AX40MIMO	Ant4	5965	-14.04	6.30	-7.74	≤5	PASS
11AX40MIMO	total	5965	-8.72	11.25	2.53	≤5	PASS
11AX40MIMO	Ant1	6165	-12.59	5.20	-7.39	≤5	PASS

11AX40MIMO	Ant2	6165	-15.37	2.90	-12.47	≤5	PASS
11AX40MIMO	Ant3	6165	-17.23	6.10	-11.13	≤5	PASS
11AX40MIMO	Ant4	6165	-15.88	6.30	-9.58	≤5	PASS
11AX40MIMO	total	6165	-8.90	11.25	2.35	≤5	PASS
11AX40MIMO	Ant1	6405	-12.35	5.20	-7.15	≤5	PASS
11AX40MIMO	Ant2	6405	-12.24	2.90	-9.34	≤5	PASS
11AX40MIMO	Ant3	6405	-15.69	6.10	-9.59	≤5	PASS
11AX40MIMO	Ant4	6405	-15.63	6.30	-9.33	≤5	PASS
11AX40MIMO	total	6405	-7.64	11.25	3.61	≤5	PASS
11AX40MIMO	Ant1	6445	-12.54	5.20	-7.34	≤5	PASS
11AX40MIMO	Ant2	6445	-12.12	2.90	-9.22	≤5	PASS
11AX40MIMO	Ant3	6445	-15.62	6.10	-9.52	≤5	PASS
11AX40MIMO	Ant4	6445	-15.25	6.30	-8.95	≤5	PASS
11AX40MIMO	total	6445	-7.59	11.25	3.66	≤5	PASS
11AX40MIMO	Ant1	6485	-12.92	5.20	-7.72	≤5	PASS
11AX40MIMO	Ant2	6485	-12.19	2.90	-9.29	≤5	PASS
11AX40MIMO	Ant3	6485	-16.13	6.10	-10.03	≤5	PASS
11AX40MIMO	Ant4	6485	-15.51	6.30	-9.21	≤5	PASS
11AX40MIMO	total	6485	-7.85	11.25	3.40	≤5	PASS
11AX40MIMO	Ant1	6525	-13.51	5.20	-8.31	≤5	PASS
11AX40MIMO	Ant2	6525	-12.53	2.90	-9.63	≤5	PASS
11AX40MIMO	Ant3	6525	-16.97	6.10	-10.87	≤5	PASS
11AX40MIMO	Ant4	6525	-15.84	6.30	-9.54	≤5	PASS
11AX40MIMO	total	6525	-8.34	11.25	2.91	≤5	PASS
11AX40MIMO	Ant1	6565	-15.12	5.20	-9.92	≤5	PASS
11AX40MIMO	Ant2	6565	-11.6	2.90	-8.70	≤5	PASS
11AX40MIMO	Ant3	6565	-18.16	6.10	-12.06	≤5	PASS
11AX40MIMO	Ant4	6565	-16.1	6.30	-9.80	≤5	PASS
11AX40MIMO	total	6565	-8.55	11.25	2.70	≤5	PASS
11AX40MIMO	Ant1	6685	-14.29	5.20	-9.09	≤5	PASS
11AX40MIMO	Ant2	6685	-11.59	2.90	-8.69	≤5	PASS
11AX40MIMO	Ant3	6685	-17.76	6.10	-11.66	≤5	PASS
11AX40MIMO	Ant4	6685	-14.12	6.30	-7.82	≤5	PASS
11AX40MIMO	total	6685	-7.90	11.25	3.35	≤5	PASS
11AX40MIMO	Ant1	6845	-11.47	5.20	-6.27	≤5	PASS
11AX40MIMO	Ant2	6845	-13.21	2.90	-10.31	≤5	PASS
11AX40MIMO	Ant3	6845	-14.45	6.10	-8.35	≤5	PASS
11AX40MIMO	Ant4	6845	-14.51	6.30	-8.21	≤5	PASS
11AX40MIMO	total	6845	-7.20	11.25	4.05	≤5	PASS
11AX40MIMO	Ant1	6885	-13.9	5.20	-8.70	≤5	PASS
11AX40MIMO	Ant2	6885	-16.97	2.90	-14.07	≤5	PASS
11AX40MIMO	Ant3	6885	-17.08	6.10	-10.98	≤5	PASS
11AX40MIMO	Ant4	6885	-16.81	6.30	-10.51	≤5	PASS
11AX40MIMO	total	6885	-9.95	11.25	1.30	≤5	PASS
11AX40MIMO	Ant1	6925	-13.3	5.20	-8.10	≤5	PASS

11AX40MIMO	Ant2	6925	-16.26	2.90	-13.36	≤5	PASS
11AX40MIMO	Ant3	6925	-15.57	6.10	-9.47	≤5	PASS
11AX40MIMO	Ant4	6925	-16.25	6.30	-9.95	≤5	PASS
11AX40MIMO	total	6925	-9.14	11.25	2.11	≤5	PASS
11AX40MIMO	Ant1	6965	-12.63	5.20	-7.43	≤5	PASS
11AX40MIMO	Ant2	6965	-14.82	2.90	-11.92	≤5	PASS
11AX40MIMO	Ant3	6965	-13	6.10	-6.90	≤5	PASS
11AX40MIMO	Ant4	6965	-15.24	6.30	-8.94	≤5	PASS
11AX40MIMO	total	6965	-7.76	11.25	3.49	≤5	PASS
11AX40MIMO	Ant1	7085	-13.31	5.20	-8.11	≤5	PASS
11AX40MIMO	Ant2	7085	-14.32	2.90	-11.42	≤5	PASS
11AX40MIMO	Ant3	7085	-15.27	6.10	-9.17	≤5	PASS
11AX40MIMO	Ant4	7085	-17.53	6.30	-11.23	≤5	PASS
11AX40MIMO	total	7085	-8.83	11.25	2.42	≤5	PASS
11AX80SISO	Ant1	5985	-7.77	5.20	-2.57	≤5	PASS
11AX80SISO	Ant2	5985	-4.31	2.90	-1.41	≤5	PASS
11AX80SISO	Ant3	5985	-7.6	6.10	-1.50	≤5	PASS
11AX80SISO	Ant4	5985	-8.77	6.30	-2.47	≤5	PASS
11AX80SISO	Ant1	6145	-7.99	5.20	-2.79	≤5	PASS
11AX80SISO	Ant2	6145	-5.13	2.90	-2.23	≤5	PASS
11AX80SISO	Ant3	6145	-6.36	6.10	-0.26	≤5	PASS
11AX80SISO	Ant4	6145	-7.85	6.30	-1.55	≤5	PASS
11AX80SISO	Ant1	6385	-6.9	5.20	-1.70	≤5	PASS
11AX80SISO	Ant2	6385	-3.67	2.90	-0.77	≤5	PASS
11AX80SISO	Ant3	6385	-7.65	6.10	-1.55	≤5	PASS
11AX80SISO	Ant4	6385	-8.01	6.30	-1.71	≤5	PASS
11AX80SISO	Ant1	6465	-6.03	5.20	-0.83	≤5	PASS
11AX80SISO	Ant2	6465	-2.33	2.90	0.57	≤5	PASS
11AX80SISO	Ant3	6465	-7.36	6.10	-1.26	≤5	PASS
11AX80SISO	Ant4	6465	-6.68	6.30	-0.38	≤5	PASS
11AX80SISO	Ant1	6545	-6.65	5.20	-1.45	≤5	PASS
11AX80SISO	Ant2	6545	-2.92	2.90	-0.02	≤5	PASS
11AX80SISO	Ant3	6545	-8.28	6.10	-2.18	≤5	PASS
11AX80SISO	Ant4	6545	-7.2	6.30	-0.90	≤5	PASS
11AX80SISO	Ant1	6625	-6.87	5.20	-1.67	≤5	PASS
11AX80SISO	Ant2	6625	-3.13	2.90	-0.23	≤5	PASS
11AX80SISO	Ant3	6625	-9.16	6.10	-3.06	≤5	PASS
11AX80SISO	Ant4	6625	-7.71	6.30	-1.41	≤5	PASS
11AX80SISO	Ant1	6705	-7.2	5.20	-2.00	≤5	PASS
11AX80SISO	Ant2	6705	-2.84	2.90	0.06	≤5	PASS
11AX80SISO	Ant3	6705	-7.46	6.10	-1.36	≤5	PASS
11AX80SISO	Ant4	6705	-8.35	6.30	-2.05	≤5	PASS
11AX80SISO	Ant1	6785	-6.82	5.20	-1.62	≤5	PASS
11AX80SISO	Ant2	6785	-2.73	2.90	0.17	≤5	PASS
11AX80SISO	Ant3	6785	-6.59	6.10	-0.49	≤5	PASS

11AX80SISO	Ant4	6785	-7.67	6.30	-1.37	≤5	PASS
11AX80SISO	Ant1	6865	-6.04	5.20	-0.84	≤5	PASS
11AX80SISO	Ant2	6865	-2.15	2.90	0.75	≤5	PASS
11AX80SISO	Ant3	6865	-4.26	6.10	1.84	≤5	PASS
11AX80SISO	Ant4	6865	-6.4	6.30	-0.10	≤5	PASS
11AX80SISO	Ant1	6945	-6.93	5.20	-1.73	≤5	PASS
11AX80SISO	Ant2	6945	-5	2.90	-2.10	≤5	PASS
11AX80SISO	Ant3	6945	-6.47	6.10	-0.37	≤5	PASS
11AX80SISO	Ant4	6945	-8.26	6.30	-1.96	≤5	PASS
11AX80SISO	Ant1	7025	-7.31	5.20	-2.11	≤5	PASS
11AX80SISO	Ant2	7025	-4.8	2.90	-1.90	≤5	PASS
11AX80SISO	Ant3	7025	-5.57	6.10	0.53	≤5	PASS
11AX80SISO	Ant4	7025	-7.83	6.30	-1.53	≤5	PASS
11AX80MIMO	Ant1	5985	-14.38	5.20	-9.18	≤5	PASS
11AX80MIMO	Ant2	5985	-14.1	2.90	-11.20	≤5	PASS
11AX80MIMO	Ant3	5985	-18.8	6.10	-12.70	≤5	PASS
11AX80MIMO	Ant4	5985	-14.42	6.30	-8.12	≤5	PASS
11AX80MIMO	total	5985	-9.04	11.25	2.21	≤5	PASS
11AX80MIMO	Ant1	6145	-15.25	5.20	-10.05	≤5	PASS
11AX80MIMO	Ant2	6145	-17.4	2.90	-14.50	≤5	PASS
11AX80MIMO	Ant3	6145	-15.17	6.10	-9.07	≤5	PASS
11AX80MIMO	Ant4	6145	-16.67	6.30	-10.37	≤5	PASS
11AX80MIMO	total	6145	-10.00	11.25	1.25	≤5	PASS
11AX80MIMO	Ant1	6385	-12.99	5.20	-7.79	≤5	PASS
11AX80MIMO	Ant2	6385	-12.03	2.90	-9.13	≤5	PASS
11AX80MIMO	Ant3	6385	-14.88	6.10	-8.78	≤5	PASS
11AX80MIMO	Ant4	6385	-34.8	6.30	-28.50	≤5	PASS
11AX80MIMO	total	6385	-8.36	11.25	2.89	≤5	PASS
11AX80MIMO	Ant1	6465	-13.96	5.20	-8.76	≤5	PASS
11AX80MIMO	Ant2	6465	-13.71	2.90	-10.81	≤5	PASS
11AX80MIMO	Ant3	6465	-19.57	6.10	-13.47	≤5	PASS
11AX80MIMO	Ant4	6465	-17.22	6.30	-10.92	≤5	PASS
11AX80MIMO	total	6465	-9.48	11.25	1.77	≤5	PASS
11AX80MIMO	Ant1	6545	-14.85	5.20	-9.65	≤5	PASS
11AX80MIMO	Ant2	6545	-13.69	2.90	-10.79	≤5	PASS
11AX80MIMO	Ant3	6545	-18.58	6.10	-12.48	≤5	PASS
11AX80MIMO	Ant4	6545	-16.78	6.30	-10.48	≤5	PASS
11AX80MIMO	total	6545	-9.57	11.25	1.68	≤5	PASS
11AX80MIMO	Ant1	6625	-17.01	5.20	-11.81	≤5	PASS
11AX80MIMO	Ant2	6625	-14.63	2.90	-11.73	≤5	PASS
11AX80MIMO	Ant3	6625	-22.33	6.10	-16.23	≤5	PASS
11AX80MIMO	Ant4	6625	-17.99	6.30	-11.69	≤5	PASS
11AX80MIMO	total	6625	-11.19	11.25	0.06	≤5	PASS
11AX80MIMO	Ant1	6705	-17.74	5.20	-12.54	≤5	PASS
11AX80MIMO	Ant2	6705	-15.17	2.90	-12.27	≤5	PASS

11AX80MIMO	Ant3	6705	-21.15	6.10	-15.05	≤5	PASS
11AX80MIMO	Ant4	6705	-17.73	6.30	-11.43	≤5	PASS
11AX80MIMO	total	6705	-11.44	11.25	-0.19	≤5	PASS
11AX80MIMO	Ant1	6785	-19.57	5.20	-14.37	≤5	PASS
11AX80MIMO	Ant2	6785	-18.51	2.90	-15.61	≤5	PASS
11AX80MIMO	Ant3	6785	-21.48	6.10	-15.38	≤5	PASS
11AX80MIMO	Ant4	6785	-18.5	6.30	-12.20	≤5	PASS
11AX80MIMO	total	6785	-13.34	11.25	-2.09	≤5	PASS
11AX80MIMO	Ant1	6865	-15.11	5.20	-9.91	≤5	PASS
11AX80MIMO	Ant2	6865	-17.82	2.90	-14.92	≤5	PASS
11AX80MIMO	Ant3	6865	-20.12	6.10	-14.02	≤5	PASS
11AX80MIMO	Ant4	6865	-18.45	6.30	-12.15	≤5	PASS
11AX80MIMO	total	6865	-11.46	11.25	-0.21	≤5	PASS
11AX80MIMO	Ant1	6945	-16.45	5.20	-11.25	≤5	PASS
11AX80MIMO	Ant2	6945	-19.21	2.90	-16.31	≤5	PASS
11AX80MIMO	Ant3	6945	-19.89	6.10	-13.79	≤5	PASS
11AX80MIMO	Ant4	6945	-21.36	6.30	-15.06	≤5	PASS
11AX80MIMO	total	6945	-12.82	11.25	-1.57	≤5	PASS
11AX80MIMO	Ant1	7025	-16.82	5.20	-11.62	≤5	PASS
11AX80MIMO	Ant2	7025	-19.51	2.90	-16.61	≤5	PASS
11AX80MIMO	Ant3	7025	-18.32	6.10	-12.22	≤5	PASS
11AX80MIMO	Ant4	7025	-21.02	6.30	-14.72	≤5	PASS
11AX80MIMO	total	7025	-12.63	11.25	-1.38	≤5	PASS
11AX160SISO	Ant1	6025	-9.35	5.20	-4.15	≤5	PASS
11AX160SISO	Ant2	6025	-6.41	2.90	-3.51	≤5	PASS
11AX160SISO	Ant3	6025	-9.73	6.10	-3.63	≤5	PASS
11AX160SISO	Ant4	6025	-10.86	6.30	-4.56	≤5	PASS
11AX160SISO	Ant1	6185	-9.01	5.20	-3.81	≤5	PASS
11AX160SISO	Ant2	6185	-5.7	2.90	-2.80	≤5	PASS
11AX160SISO	Ant3	6185	-9.61	6.10	-3.51	≤5	PASS
11AX160SISO	Ant4	6185	-10.61	6.30	-4.31	≤5	PASS
11AX160SISO	Ant1	6345	-8.78	5.20	-3.58	≤5	PASS
11AX160SISO	Ant2	6345	-5.68	2.90	-2.78	≤5	PASS
11AX160SISO	Ant3	6345	-9.79	6.10	-3.69	≤5	PASS
11AX160SISO	Ant4	6345	-10.69	6.30	-4.39	≤5	PASS
11AX160SISO	Ant1	6505	-8.4	5.20	-3.20	≤5	PASS
11AX160SISO	Ant2	6505	-5.51	2.90	-2.61	≤5	PASS
11AX160SISO	Ant3	6505	-10.83	6.10	-4.73	≤5	PASS
11AX160SISO	Ant4	6505	-9.91	6.30	-3.61	≤5	PASS
11AX160SISO	Ant1	6665	-9.35	5.20	-4.15	≤5	PASS
11AX160SISO	Ant2	6665	-5.3	2.90	-2.40	≤5	PASS
11AX160SISO	Ant3	6665	-10.21	6.10	-4.11	≤5	PASS
11AX160SISO	Ant4	6665	-10.47	6.30	-4.17	≤5	PASS
11AX160SISO	Ant1	6825	-7.33	5.20	-2.13	≤5	PASS
11AX160SISO	Ant2	6825	-5.6	2.90	-2.70	≤5	PASS

11AX160SISO	Ant3	6825	-6.74	6.10	-0.64	≤5	PASS
11AX160SISO	Ant4	6825	-10.17	6.30	-3.87	≤5	PASS
11AX160SISO	Ant1	6985	-10.13	5.20	-4.93	≤5	PASS
11AX160SISO	Ant2	6985	-8.45	2.90	-5.55	≤5	PASS
11AX160SISO	Ant3	6985	-7.84	6.10	-1.74	≤5	PASS
11AX160SISO	Ant4	6985	-11.72	6.30	-5.42	≤5	PASS
11AX160MIMO	Ant1	6025	-18.78	5.20	-13.58	≤5	PASS
11AX160MIMO	Ant2	6025	-22.01	2.90	-19.11	≤5	PASS
11AX160MIMO	Ant3	6025	-22.75	6.10	-16.65	≤5	PASS
11AX160MIMO	Ant4	6025	-18.45	6.30	-12.15	≤5	PASS
11AX160MIMO	total	6025	-14.07	11.25	-2.82	≤5	PASS
11AX160MIMO	Ant1	6185	-17.87	5.20	-12.67	≤5	PASS
11AX160MIMO	Ant2	6185	-20.3	2.90	-17.40	≤5	PASS
11AX160MIMO	Ant3	6185	-21.41	6.10	-15.31	≤5	PASS
11AX160MIMO	Ant4	6185	-21.79	6.30	-15.49	≤5	PASS
11AX160MIMO	total	6185	-14.03	11.25	-2.78	≤5	PASS
11AX160MIMO	Ant1	6345	-19.34	5.20	-14.14	≤5	PASS
11AX160MIMO	Ant2	6345	-21.01	2.90	-18.11	≤5	PASS
11AX160MIMO	Ant3	6345	-21.61	6.10	-15.51	≤5	PASS
11AX160MIMO	Ant4	6345	-22.18	6.30	-15.88	≤5	PASS
11AX160MIMO	total	6345	-14.88	11.25	-3.63	≤5	PASS
11AX160MIMO	Ant1	6505	-18.36	5.20	-13.16	≤5	PASS
11AX160MIMO	Ant2	6505	-19.46	2.90	-16.56	≤5	PASS
11AX160MIMO	Ant3	6505	-21.72	6.10	-15.62	≤5	PASS
11AX160MIMO	Ant4	6505	-21.13	6.30	-14.83	≤5	PASS
11AX160MIMO	total	6505	-13.94	11.25	-2.69	≤5	PASS
11AX160MIMO	Ant1	6665	-19.48	5.20	-14.28	≤5	PASS
11AX160MIMO	Ant2	6665	-18.01	2.90	-15.11	≤5	PASS
11AX160MIMO	Ant3	6665	-23.06	6.10	-16.96	≤5	PASS
11AX160MIMO	Ant4	6665	-19.85	6.30	-13.55	≤5	PASS
11AX160MIMO	total	6665	-13.73	11.25	-2.48	≤5	PASS
11AX160MIMO	Ant1	6825	-17.31	5.20	-12.11	≤5	PASS
11AX160MIMO	Ant2	6825	-20.33	2.90	-17.43	≤5	PASS
11AX160MIMO	Ant3	6825	-19.92	6.10	-13.82	≤5	PASS
11AX160MIMO	Ant4	6825	-18.79	6.30	-12.49	≤5	PASS
11AX160MIMO	total	6825	-12.90	11.25	-1.65	≤5	PASS
11AX160MIMO	Ant1	6985	-20.62	5.20	-15.42	≤5	PASS
11AX160MIMO	Ant2	6985	-23.54	2.90	-20.64	≤5	PASS
11AX160MIMO	Ant3	6985	-20.71	6.10	-14.61	≤5	PASS
11AX160MIMO	Ant4	6985	-22.63	6.30	-16.33	≤5	PASS
11AX160MIMO	total	6985	-15.68	11.25	-4.43	≤5	PASS

Note: 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs











