





Test Graphs


BLE 1M Ant1 2402



BLE 1M Ant1 2440




BLE 1M Ant1 2480







BLE 2M Ant1 2402



BLE 2M Ant1 2440



BLE 2M Ant1 2480





Appendix E: Band edge measurements


Test Result

TestMode	Antenna	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	-0.99	-46.81	≤-20.99	PASS
		High	2480	-1.87	-43.64	≤-21.87	PASS
BLE_2M	Ant1	Low	2402	-1.16	-34.69	≤-21.16	PASS
		High	2480	-1.76	-46.16	≤-21.76	PASS




Test Graphs


BLE 1M Ant1 Low 2402



BLE 1M Ant1 High 2480




BLE 2M Ant1 Low 2402





BLE 2M Ant1_High_2480





Appendix F: Conducted Spurious Emission


Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	-1.77	-1.77	---	PASS
			30~1000	-1.77	-59.36	≤ -21.77	PASS
			1000~26500	-1.77	-42.31	≤ -21.77	PASS
		2440	Reference	-2.60	-2.60	---	PASS
			30~1000	-2.60	-59.04	≤ -22.6	PASS
			1000~26500	-2.60	-47.68	≤ -22.6	PASS
		2480	Reference	-2.29	-2.29	---	PASS
			30~1000	-2.29	-58.85	≤ -22.29	PASS
			1000~26500	-2.29	-43.52	≤ -22.29	PASS
BLE_2M	Ant1	2402	Reference	-3.01	-3.01	---	PASS
			30~1000	-3.01	-58.55	≤ -23.01	PASS
			1000~26500	-3.01	-48.35	≤ -23.01	PASS
		2440	Reference	-2.75	-2.75	---	PASS
			30~1000	-2.75	-58.61	≤ -22.75	PASS
			1000~26500	-2.75	-48.18	≤ -22.75	PASS
		2480	Reference	-4.09	-4.09	---	PASS
			30~1000	-4.09	-58.93	≤ -24.09	PASS
			1000~26500	-4.09	-39.57	≤ -24.09	PASS




Test Graphs


BLE 1M Ant1 2402 0~Reference



BLE 1M Ant1 2402 30~1000




BLE 1M Ant1 2402 1000~26500







BLE 1M Ant1 2440 0~Reference



BLE 1M Ant1 2440 30~1000




BLE 1M Ant1 2440 1000~26500







BLE 1M Ant1 2480 0~Reference



BLE 1M Ant1 2480 30~1000




BLE 1M Ant1 2480 1000~26500







BLE 2M Ant1 2402 0~Reference



BLE 2M Ant1 2402 30~1000




BLE 2M Ant1 2402 1000~26500







BLE 2M Ant1 2440 0~Reference




BLE 2M Ant1 2440 30~1000




BLE 2M Ant1 2440 1000~26500




BLE 2M Ant1 2480 0~Reference



BLE_2M_Ant1_2480_30~1000



BLE 2M Ant1 2480 1000~26500



The End Report

Dongguan DN Testing Co., Ltd.

Add: No. 1, West Fourth Street, Xingfa South Road, Wusha Community, Chang 'an Town, Dongguan City, Guangdong P.R.China

Web: www.dn-testing.com

Tel:+86-769-88087383

E-mail: service@dn-testing.com