



Appendix P: Test Data for E-UTRA Band 71

Product Name: tablet pc

Test Model: TAB10P

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Nick Peng
Supervised by:	Ling Zhu



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



P.1 Conducted Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band71	5MHz	QPSK	133147	1RB#0	24.10	PASS
Band71	5MHz	16QAM	133147	1RB#0	23.08	PASS
Band71	5MHz	QPSK	133147	1RB#12	24.15	PASS
Band71	5MHz	16QAM	133147	1RB#12	23.20	PASS
Band71	5MHz	QPSK	133147	1RB#24	23.97	PASS
Band71	5MHz	16QAM	133147	1RB#24	22.98	PASS
Band71	5MHz	QPSK	133147	12RB#0	23.04	PASS
Band71	5MHz	16QAM	133147	12RB#0	21.99	PASS
Band71	5MHz	QPSK	133147	12RB#6	23.03	PASS
Band71	5MHz	16QAM	133147	12RB#6	21.96	PASS
Band71	5MHz	QPSK	133147	12RB#13	23.17	PASS
Band71	5MHz	16QAM	133147	12RB#13	22.09	PASS
Band71	5MHz	QPSK	133147	25RB#0	23.09	PASS
Band71	5MHz	16QAM	133147	25RB#0	22.12	PASS
Band71	5MHz	QPSK	133297	1RB#0	23.77	PASS
Band71	5MHz	16QAM	133297	1RB#0	22.98	PASS
Band71	5MHz	QPSK	133297	1RB#12	23.89	PASS
Band71	5MHz	16QAM	133297	1RB#12	23.09	PASS
Band71	5MHz	QPSK	133297	1RB#24	23.71	PASS
Band71	5MHz	16QAM	133297	1RB#24	22.95	PASS
Band71	5MHz	QPSK	133297	12RB#0	22.80	PASS
Band71	5MHz	16QAM	133297	12RB#0	21.83	PASS
Band71	5MHz	QPSK	133297	12RB#6	22.76	PASS
Band71	5MHz	16QAM	133297	12RB#6	21.82	PASS
Band71	5MHz	QPSK	133297	12RB#13	22.73	PASS
Band71	5MHz	16QAM	133297	12RB#13	21.78	PASS
Band71	5MHz	QPSK	133297	25RB#0	22.80	PASS
Band71	5MHz	16QAM	133297	25RB#0	21.76	PASS
Band71	5MHz	QPSK	133447	1RB#0	24.03	PASS
Band71	5MHz	16QAM	133447	1RB#0	23.10	PASS
Band71	5MHz	QPSK	133447	1RB#12	24.28	PASS
Band71	5MHz	16QAM	133447	1RB#12	23.28	PASS
Band71	5MHz	QPSK	133447	1RB#24	24.20	PASS
Band71	5MHz	16QAM	133447	1RB#24	23.28	PASS
Band71	5MHz	QPSK	133447	12RB#0	23.12	PASS
Band71	5MHz	16QAM	133447	12RB#0	22.12	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band71	5MHz	QPSK	133447	12RB#6	23.18	PASS
Band71	5MHz	16QAM	133447	12RB#6	22.18	PASS
Band71	5MHz	QPSK	133447	12RB#13	23.23	PASS
Band71	5MHz	16QAM	133447	12RB#13	22.20	PASS
Band71	5MHz	QPSK	133447	25RB#0	23.22	PASS
Band71	5MHz	16QAM	133447	25RB#0	22.28	PASS
Band71	10MHz	QPSK	133172	1RB#0	24.05	PASS
Band71	10MHz	16QAM	133172	1RB#0	23.28	PASS
Band71	10MHz	QPSK	133172	1RB#24	24.06	PASS
Band71	10MHz	16QAM	133172	1RB#24	23.26	PASS
Band71	10MHz	QPSK	133172	1RB#49	23.80	PASS
Band71	10MHz	16QAM	133172	1RB#49	23.00	PASS
Band71	10MHz	QPSK	133172	25RB#0	23.04	PASS
Band71	10MHz	16QAM	133172	25RB#0	22.03	PASS
Band71	10MHz	QPSK	133172	25RB#12	23.03	PASS
Band71	10MHz	16QAM	133172	25RB#12	22.00	PASS
Band71	10MHz	QPSK	133172	25RB#25	23.00	PASS
Band71	10MHz	16QAM	133172	25RB#25	21.97	PASS
Band71	10MHz	QPSK	133172	50RB#0	23.01	PASS
Band71	10MHz	16QAM	133172	50RB#0	22.00	PASS
Band71	10MHz	QPSK	133297	1RB#0	23.81	PASS
Band71	10MHz	16QAM	133297	1RB#0	22.99	PASS
Band71	10MHz	QPSK	133297	1RB#24	23.86	PASS
Band71	10MHz	16QAM	133297	1RB#24	23.06	PASS
Band71	10MHz	QPSK	133297	1RB#49	23.74	PASS
Band71	10MHz	16QAM	133297	1RB#49	22.94	PASS
Band71	10MHz	QPSK	133297	25RB#0	22.83	PASS
Band71	10MHz	16QAM	133297	25RB#0	21.82	PASS
Band71	10MHz	QPSK	133297	25RB#12	22.79	PASS
Band71	10MHz	16QAM	133297	25RB#12	21.83	PASS
Band71	10MHz	QPSK	133297	25RB#25	22.77	PASS
Band71	10MHz	16QAM	133297	25RB#25	21.87	PASS
Band71	10MHz	QPSK	133297	50RB#0	22.78	PASS
Band71	10MHz	16QAM	133297	50RB#0	21.85	PASS
Band71	10MHz	QPSK	133422	1RB#0	23.90	PASS
Band71	10MHz	16QAM	133422	1RB#0	22.78	PASS
Band71	10MHz	QPSK	133422	1RB#24	24.18	PASS
Band71	10MHz	16QAM	133422	1RB#24	23.17	PASS
Band71	10MHz	QPSK	133422	1RB#49	24.22	PASS
Band71	10MHz	16QAM	133422	1RB#49	23.18	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band71	10MHz	QPSK	133422	25RB#0	23.11	PASS
Band71	10MHz	16QAM	133422	25RB#0	22.12	PASS
Band71	10MHz	QPSK	133422	25RB#12	23.09	PASS
Band71	10MHz	16QAM	133422	25RB#12	22.16	PASS
Band71	10MHz	QPSK	133422	25RB#25	23.19	PASS
Band71	10MHz	16QAM	133422	25RB#25	22.21	PASS
Band71	10MHz	QPSK	133422	50RB#0	23.11	PASS
Band71	10MHz	16QAM	133422	50RB#0	22.11	PASS
Band71	15MHz	QPSK	133197	1RB#0	24.01	PASS
Band71	15MHz	16QAM	133197	1RB#0	23.17	PASS
Band71	15MHz	QPSK	133197	1RB#38	23.87	PASS
Band71	15MHz	16QAM	133197	1RB#38	23.06	PASS
Band71	15MHz	QPSK	133197	1RB#74	23.56	PASS
Band71	15MHz	16QAM	133197	1RB#74	22.79	PASS
Band71	15MHz	QPSK	133197	38RB#0	23.18	PASS
Band71	15MHz	16QAM	133197	38RB#0	23.14	PASS
Band71	15MHz	QPSK	133197	38RB#18	23.07	PASS
Band71	15MHz	16QAM	133197	38RB#18	23.03	PASS
Band71	15MHz	QPSK	133197	38RB#37	22.83	PASS
Band71	15MHz	16QAM	133197	38RB#37	22.78	PASS
Band71	15MHz	QPSK	133197	75RB#0	22.92	PASS
Band71	15MHz	16QAM	133197	75RB#0	21.94	PASS
Band71	15MHz	QPSK	133297	1RB#0	23.81	PASS
Band71	15MHz	16QAM	133297	1RB#0	23.14	PASS
Band71	15MHz	QPSK	133297	1RB#38	23.78	PASS
Band71	15MHz	16QAM	133297	1RB#38	23.04	PASS
Band71	15MHz	QPSK	133297	1RB#74	23.71	PASS
Band71	15MHz	16QAM	133297	1RB#74	23.01	PASS
Band71	15MHz	QPSK	133297	38RB#0	23.16	PASS
Band71	15MHz	16QAM	133297	38RB#0	23.13	PASS
Band71	15MHz	QPSK	133297	38RB#18	23.01	PASS
Band71	15MHz	16QAM	133297	38RB#18	23.01	PASS
Band71	15MHz	QPSK	133297	38RB#37	23.09	PASS
Band71	15MHz	16QAM	133297	38RB#37	23.12	PASS
Band71	15MHz	QPSK	133297	75RB#0	22.80	PASS
Band71	15MHz	16QAM	133297	75RB#0	21.82	PASS
Band71	15MHz	QPSK	133397	1RB#0	23.69	PASS
Band71	15MHz	16QAM	133397	1RB#0	22.65	PASS
Band71	15MHz	QPSK	133397	1RB#38	23.96	PASS
Band71	15MHz	16QAM	133397	1RB#38	22.94	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band71	15MHz	QPSK	133397	1RB#74	24.17	PASS
Band71	15MHz	16QAM	133397	1RB#74	23.05	PASS
Band71	15MHz	QPSK	133397	38RB#0	22.58	PASS
Band71	15MHz	16QAM	133397	38RB#0	22.60	PASS
Band71	15MHz	QPSK	133397	38RB#18	22.97	PASS
Band71	15MHz	16QAM	133397	38RB#18	22.89	PASS
Band71	15MHz	QPSK	133397	38RB#37	23.11	PASS
Band71	15MHz	16QAM	133397	38RB#37	23.11	PASS
Band71	15MHz	QPSK	133397	75RB#0	23.13	PASS
Band71	15MHz	16QAM	133397	75RB#0	22.09	PASS
Band71	20MHz	QPSK	133222	1RB#0	23.96	PASS
Band71	20MHz	16QAM	133222	1RB#0	23.02	PASS
Band71	20MHz	QPSK	133222	1RB#49	23.98	PASS
Band71	20MHz	16QAM	133222	1RB#49	23.18	PASS
Band71	20MHz	QPSK	133222	1RB#99	23.47	PASS
Band71	20MHz	16QAM	133222	1RB#99	22.62	PASS
Band71	20MHz	QPSK	133222	50RB#0	22.97	PASS
Band71	20MHz	16QAM	133222	50RB#0	21.94	PASS
Band71	20MHz	QPSK	133222	50RB#25	22.98	PASS
Band71	20MHz	16QAM	133222	50RB#25	21.98	PASS
Band71	20MHz	QPSK	133222	50RB#50	22.82	PASS
Band71	20MHz	16QAM	133222	50RB#50	21.88	PASS
Band71	20MHz	QPSK	133222	100RB#0	22.83	PASS
Band71	20MHz	16QAM	133222	100RB#0	21.86	PASS
Band71	20MHz	QPSK	133322	1RB#0	23.57	PASS
Band71	20MHz	16QAM	133322	1RB#0	22.69	PASS
Band71	20MHz	QPSK	133322	1RB#49	23.78	PASS
Band71	20MHz	16QAM	133322	1RB#49	22.95	PASS
Band71	20MHz	QPSK	133322	1RB#99	23.66	PASS
Band71	20MHz	16QAM	133322	1RB#99	22.83	PASS
Band71	20MHz	QPSK	133322	50RB#0	22.77	PASS
Band71	20MHz	16QAM	133322	50RB#0	21.81	PASS
Band71	20MHz	QPSK	133322	50RB#25	22.72	PASS
Band71	20MHz	16QAM	133322	50RB#25	21.80	PASS
Band71	20MHz	QPSK	133322	50RB#50	22.81	PASS
Band71	20MHz	16QAM	133322	50RB#50	21.89	PASS
Band71	20MHz	QPSK	133322	100RB#0	22.73	PASS
Band71	20MHz	16QAM	133322	100RB#0	21.72	PASS
Band71	20MHz	QPSK	133372	1RB#0	23.60	PASS
Band71	20MHz	16QAM	133372	1RB#0	22.65	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band71	20MHz	QPSK	133372	1RB#49	24.15	PASS
Band71	20MHz	16QAM	133372	1RB#49	23.11	PASS
Band71	20MHz	QPSK	133372	1RB#99	24.05	PASS
Band71	20MHz	16QAM	133372	1RB#99	23.07	PASS
Band71	20MHz	QPSK	133372	50RB#0	22.95	PASS
Band71	20MHz	16QAM	133372	50RB#0	21.94	PASS
Band71	20MHz	QPSK	133372	50RB#25	22.94	PASS
Band71	20MHz	16QAM	133372	50RB#25	21.95	PASS
Band71	20MHz	QPSK	133372	50RB#50	23.04	PASS
Band71	20MHz	16QAM	133372	50RB#50	22.07	PASS
Band71	20MHz	QPSK	133372	100RB#0	22.97	PASS
Band71	20MHz	16QAM	133372	100RB#0	22.04	PASS





P.2 Peak-to-Average Ratio(CCDF)


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band71	5MHz	QPSK	133147	25RB#0	5.24	13	PASS
Band71	5MHz	16QAM	133147	25RB#0	5.94	13	PASS
Band71	5MHz	QPSK	133297	25RB#0	5.35	13	PASS
Band71	5MHz	16QAM	133297	25RB#0	6.00	13	PASS
Band71	5MHz	QPSK	133447	25RB#0	5.32	13	PASS
Band71	5MHz	16QAM	133447	25RB#0	6.05	13	PASS
Band71	10MHz	QPSK	133172	50RB#0	5.39	13	PASS
Band71	10MHz	16QAM	133172	50RB#0	6.12	13	PASS
Band71	10MHz	QPSK	133297	50RB#0	5.30	13	PASS
Band71	10MHz	16QAM	133297	50RB#0	6.06	13	PASS
Band71	10MHz	QPSK	133422	50RB#0	5.35	13	PASS
Band71	10MHz	16QAM	133422	50RB#0	6.12	13	PASS
Band71	15MHz	QPSK	133197	75RB#0	5.77	13	PASS
Band71	15MHz	16QAM	133197	75RB#0	6.23	13	PASS
Band71	15MHz	QPSK	133297	75RB#0	5.61	13	PASS
Band71	15MHz	16QAM	133297	75RB#0	6.17	13	PASS
Band71	15MHz	QPSK	133397	75RB#0	5.64	13	PASS
Band71	15MHz	16QAM	133397	75RB#0	6.22	13	PASS
Band71	20MHz	QPSK	133222	100RB#0	5.42	13	PASS
Band71	20MHz	16QAM	133222	100RB#0	6.26	13	PASS
Band71	20MHz	QPSK	133322	100RB#0	5.43	13	PASS
Band71	20MHz	16QAM	133322	100RB#0	6.23	13	PASS
Band71	20MHz	QPSK	133372	100RB#0	6.12	13	PASS
Band71	20MHz	16QAM	133372	100RB#0	6.15	13	PASS








Test Graphs



















Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity










Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



P.3 26dB Bandwidth and Occupied Bandwidth


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band71	5MHz	QPSK	133147	25RB#0	4.5274	5.123	PASS
Band71	5MHz	16QAM	133147	25RB#0	4.5114	5.131	PASS
Band71	5MHz	QPSK	133297	25RB#0	4.5365	5.184	PASS
Band71	5MHz	16QAM	133297	25RB#0	4.5160	5.138	PASS
Band71	5MHz	QPSK	133447	25RB#0	4.5202	5.320	PASS
Band71	5MHz	16QAM	133447	25RB#0	4.5096	5.153	PASS
Band71	10MHz	QPSK	133172	50RB#0	9.0008	10.05	PASS
Band71	10MHz	16QAM	133172	50RB#0	8.9817	10.02	PASS
Band71	10MHz	QPSK	133297	50RB#0	9.0105	10.15	PASS
Band71	10MHz	16QAM	133297	50RB#0	8.9865	10.05	PASS
Band71	10MHz	QPSK	133422	50RB#0	9.0119	10.19	PASS
Band71	10MHz	16QAM	133422	50RB#0	9.0101	10.01	PASS
Band71	15MHz	QPSK	133197	75RB#0	13.491	14.98	PASS
Band71	15MHz	16QAM	133197	75RB#0	13.485	15.05	PASS
Band71	15MHz	QPSK	133297	75RB#0	13.492	15.11	PASS
Band71	15MHz	16QAM	133297	75RB#0	13.509	15.03	PASS
Band71	15MHz	QPSK	133397	75RB#0	13.516	15.00	PASS
Band71	15MHz	16QAM	133397	75RB#0	13.511	14.99	PASS
Band71	20MHz	QPSK	133222	100RB#0	17.976	19.65	PASS
Band71	20MHz	16QAM	133222	100RB#0	17.921	19.62	PASS
Band71	20MHz	QPSK	133322	100RB#0	17.940	19.48	PASS
Band71	20MHz	16QAM	133322	100RB#0	17.931	19.89	PASS
Band71	20MHz	QPSK	133372	100RB#0	17.977	19.73	PASS
Band71	20MHz	16QAM	133372	100RB#0	17.970	19.65	PASS








Test Graphs




































P.4 Band Edge


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Peak Frequency	Result(dBm)	Verdict
Band71	5MHz	QPSK	133147	25RB#0	662.89	-31.49	PASS
Band71	5MHz	16QAM	133147	25RB#0	662.89	-32.89	PASS
Band71	5MHz	QPSK	133447	25RB#0	698.14	-32.71	PASS
Band71	5MHz	16QAM	133447	25RB#0	698.10	-32.36	PASS
Band71	10MHz	QPSK	133172	50RB#0	662.85	-37.63	PASS
Band71	10MHz	16QAM	133172	50RB#0	662.89	-39.99	PASS
Band71	10MHz	QPSK	133422	50RB#0	698.11	-38.67	PASS
Band71	10MHz	16QAM	133422	50RB#0	698.11	-38.00	PASS
Band71	15MHz	QPSK	133197	75RB#0	662.88	-41.94	PASS
Band71	15MHz	16QAM	133197	75RB#0	662.84	-42.13	PASS
Band71	15MHz	QPSK	133397	75RB#0	698.22	-40.17	PASS
Band71	15MHz	16QAM	133397	75RB#0	698.16	-41.72	PASS
Band71	20MHz	QPSK	133222	100RB#0	662.65	-44.78	PASS
Band71	20MHz	16QAM	133222	100RB#0	662.88	-44.84	PASS
Band71	20MHz	QPSK	133372	100RB#0	698.25	-42.38	PASS
Band71	20MHz	16QAM	133372	100RB#0	698.10	-43.09	PASS


Test Graphs

























P.5 Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band71	5MHz	QPSK	133147	1RB#0	0.009~0.15	-51.72	PASS
Band71	5MHz	QPSK	133147	1RB#0	0.15~30	-52.93	PASS
Band71	5MHz	QPSK	133147	1RB#0	30~1000	-60.59	PASS
Band71	5MHz	QPSK	133147	1RB#0	1000~3000	-39.21	PASS
Band71	5MHz	QPSK	133147	1RB#0	3000~10000	-44.17	PASS
Band71	5MHz	16QAM	133147	1RB#0	0.009~0.15	-54.47	PASS
Band71	5MHz	16QAM	133147	1RB#0	0.15~30	-52.78	PASS
Band71	5MHz	16QAM	133147	1RB#0	30~1000	-60.62	PASS
Band71	5MHz	16QAM	133147	1RB#0	1000~3000	-40.81	PASS
Band71	5MHz	16QAM	133147	1RB#0	3000~10000	-43.77	PASS
Band71	5MHz	QPSK	133297	1RB#0	0.009~0.15	-53.22	PASS
Band71	5MHz	QPSK	133297	1RB#0	0.15~30	-53.01	PASS
Band71	5MHz	QPSK	133297	1RB#0	30~1000	-62.34	PASS
Band71	5MHz	QPSK	133297	1RB#0	1000~3000	-42.16	PASS
Band71	5MHz	QPSK	133297	1RB#0	3000~10000	-44.49	PASS
Band71	5MHz	16QAM	133297	1RB#0	0.009~0.15	-55.49	PASS
Band71	5MHz	16QAM	133297	1RB#0	0.15~30	-52.42	PASS
Band71	5MHz	16QAM	133297	1RB#0	30~1000	-62.33	PASS
Band71	5MHz	16QAM	133297	1RB#0	1000~3000	-42.02	PASS
Band71	5MHz	16QAM	133297	1RB#0	3000~10000	-43.87	PASS
Band71	5MHz	QPSK	133447	1RB#0	0.009~0.15	-54.37	PASS
Band71	5MHz	QPSK	133447	1RB#0	0.15~30	-52.20	PASS
Band71	5MHz	QPSK	133447	1RB#0	30~1000	-62.48	PASS
Band71	5MHz	QPSK	133447	1RB#0	1000~3000	-41.11	PASS
Band71	5MHz	QPSK	133447	1RB#0	3000~10000	-44.50	PASS
Band71	5MHz	16QAM	133447	1RB#0	0.009~0.15	-56.83	PASS
Band71	5MHz	16QAM	133447	1RB#0	0.15~30	-51.09	PASS
Band71	5MHz	16QAM	133447	1RB#0	30~1000	-62.48	PASS
Band71	5MHz	16QAM	133447	1RB#0	1000~3000	-42.12	PASS
Band71	5MHz	16QAM	133447	1RB#0	3000~10000	-43.99	PASS
Band71	10MHz	QPSK	133172	1RB#0	0.009~0.15	-52.21	PASS
Band71	10MHz	QPSK	133172	1RB#0	0.15~30	-55.25	PASS
Band71	10MHz	QPSK	133172	1RB#0	30~1000	-62.71	PASS
Band71	10MHz	QPSK	133172	1RB#0	1000~3000	-40.99	PASS
Band71	10MHz	QPSK	133172	1RB#0	3000~10000	-44.04	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band71	10MHz	16QAM	133172	1RB#0	0.009~0.15	-53.73	PASS
Band71	10MHz	16QAM	133172	1RB#0	0.15~30	-53.68	PASS
Band71	10MHz	16QAM	133172	1RB#0	30~1000	-62.55	PASS
Band71	10MHz	16QAM	133172	1RB#0	1000~3000	-40.77	PASS
Band71	10MHz	16QAM	133172	1RB#0	3000~10000	-44.09	PASS
Band71	10MHz	QPSK	133297	1RB#0	0.009~0.15	-52.67	PASS
Band71	10MHz	QPSK	133297	1RB#0	0.15~30	-54.14	PASS
Band71	10MHz	QPSK	133297	1RB#0	30~1000	-61.21	PASS
Band71	10MHz	QPSK	133297	1RB#0	1000~3000	-40.58	PASS
Band71	10MHz	QPSK	133297	1RB#0	3000~10000	-43.92	PASS
Band71	10MHz	16QAM	133297	1RB#0	0.009~0.15	-54.90	PASS
Band71	10MHz	16QAM	133297	1RB#0	0.15~30	-53.14	PASS
Band71	10MHz	16QAM	133297	1RB#0	30~1000	-60.99	PASS
Band71	10MHz	16QAM	133297	1RB#0	1000~3000	-40.54	PASS
Band71	10MHz	16QAM	133297	1RB#0	3000~10000	-43.75	PASS
Band71	10MHz	QPSK	133422	1RB#0	0.009~0.15	-53.11	PASS
Band71	10MHz	QPSK	133422	1RB#0	0.15~30	-53.12	PASS
Band71	10MHz	QPSK	133422	1RB#0	30~1000	-62.59	PASS
Band71	10MHz	QPSK	133422	1RB#0	1000~3000	-42.76	PASS
Band71	10MHz	QPSK	133422	1RB#0	3000~10000	-44.34	PASS
Band71	10MHz	16QAM	133422	1RB#0	0.009~0.15	-56.00	PASS
Band71	10MHz	16QAM	133422	1RB#0	0.15~30	-52.12	PASS
Band71	10MHz	16QAM	133422	1RB#0	30~1000	-62.62	PASS
Band71	10MHz	16QAM	133422	1RB#0	1000~3000	-42.83	PASS
Band71	10MHz	16QAM	133422	1RB#0	3000~10000	-44.23	PASS
Band71	15MHz	QPSK	133197	1RB#0	0.009~0.15	-51.76	PASS
Band71	15MHz	QPSK	133197	1RB#0	0.15~30	-54.12	PASS
Band71	15MHz	QPSK	133197	1RB#0	30~1000	-62.76	PASS
Band71	15MHz	QPSK	133197	1RB#0	1000~3000	-40.35	PASS
Band71	15MHz	QPSK	133197	1RB#0	3000~10000	-44.08	PASS
Band71	15MHz	16QAM	133197	1RB#0	0.009~0.15	-53.45	PASS
Band71	15MHz	16QAM	133197	1RB#0	0.15~30	-50.96	PASS
Band71	15MHz	16QAM	133197	1RB#0	30~1000	-62.65	PASS
Band71	15MHz	16QAM	133197	1RB#0	1000~3000	-40.17	PASS
Band71	15MHz	16QAM	133197	1RB#0	3000~10000	-44.34	PASS
Band71	15MHz	QPSK	133297	1RB#0	0.009~0.15	-54.03	PASS
Band71	15MHz	QPSK	133297	1RB#0	0.15~30	-51.86	PASS
Band71	15MHz	QPSK	133297	1RB#0	30~1000	-62.78	PASS
Band71	15MHz	QPSK	133297	1RB#0	1000~3000	-40.96	PASS
Band71	15MHz	QPSK	133297	1RB#0	3000~10000	-44.28	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band71	15MHz	16QAM	133297	1RB#0	0.009~0.15	-52.42	PASS
Band71	15MHz	16QAM	133297	1RB#0	0.15~30	-54.17	PASS
Band71	15MHz	16QAM	133297	1RB#0	30~1000	-62.91	PASS
Band71	15MHz	16QAM	133297	1RB#0	1000~3000	-41.17	PASS
Band71	15MHz	16QAM	133297	1RB#0	3000~10000	-44.35	PASS
Band71	15MHz	QPSK	133397	1RB#0	0.009~0.15	-55.31	PASS
Band71	15MHz	QPSK	133397	1RB#0	0.15~30	-55.78	PASS
Band71	15MHz	QPSK	133397	1RB#0	30~1000	-62.98	PASS
Band71	15MHz	QPSK	133397	1RB#0	1000~3000	-43.10	PASS
Band71	15MHz	QPSK	133397	1RB#0	3000~10000	-43.78	PASS
Band71	15MHz	16QAM	133397	1RB#0	0.009~0.15	-55.60	PASS
Band71	15MHz	16QAM	133397	1RB#0	0.15~30	-52.16	PASS
Band71	15MHz	16QAM	133397	1RB#0	30~1000	-62.69	PASS
Band71	15MHz	16QAM	133397	1RB#0	1000~3000	-44.03	PASS
Band71	15MHz	16QAM	133397	1RB#0	3000~10000	-44.27	PASS
Band71	20MHz	QPSK	133222	1RB#0	0.009~0.15	-54.50	PASS
Band71	20MHz	QPSK	133222	1RB#0	0.15~30	-54.83	PASS
Band71	20MHz	QPSK	133222	1RB#0	30~1000	-62.33	PASS
Band71	20MHz	QPSK	133222	1RB#0	1000~3000	-42.04	PASS
Band71	20MHz	QPSK	133222	1RB#0	3000~10000	-44.16	PASS
Band71	20MHz	16QAM	133222	1RB#0	0.009~0.15	-54.51	PASS
Band71	20MHz	16QAM	133222	1RB#0	0.15~30	-54.28	PASS
Band71	20MHz	16QAM	133222	1RB#0	30~1000	-62.65	PASS
Band71	20MHz	16QAM	133222	1RB#0	1000~3000	-42.05	PASS
Band71	20MHz	16QAM	133222	1RB#0	3000~10000	-44.15	PASS
Band71	20MHz	QPSK	133322	1RB#0	0.009~0.15	-54.41	PASS
Band71	20MHz	QPSK	133322	1RB#0	0.15~30	-50.39	PASS
Band71	20MHz	QPSK	133322	1RB#0	30~1000	-62.47	PASS
Band71	20MHz	QPSK	133322	1RB#0	1000~3000	-40.43	PASS
Band71	20MHz	QPSK	133322	1RB#0	3000~10000	-43.54	PASS
Band71	20MHz	16QAM	133322	1RB#0	0.009~0.15	-54.16	PASS
Band71	20MHz	16QAM	133322	1RB#0	0.15~30	-53.86	PASS
Band71	20MHz	16QAM	133322	1RB#0	30~1000	-62.74	PASS
Band71	20MHz	16QAM	133322	1RB#0	1000~3000	-39.98	PASS
Band71	20MHz	16QAM	133322	1RB#0	3000~10000	-44.42	PASS
Band71	20MHz	QPSK	133372	1RB#0	0.009~0.15	-56.06	PASS
Band71	20MHz	QPSK	133372	1RB#0	0.15~30	-54.69	PASS
Band71	20MHz	QPSK	133372	1RB#0	30~1000	-62.74	PASS
Band71	20MHz	QPSK	133372	1RB#0	1000~3000	-44.01	PASS
Band71	20MHz	QPSK	133372	1RB#0	3000~10000	-44.39	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band71	20MHz	16QAM	133372	1RB#0	0.009~0.15	-54.80	PASS
Band71	20MHz	16QAM	133372	1RB#0	0.15~30	-52.47	PASS
Band71	20MHz	16QAM	133372	1RB#0	30~1000	-62.47	PASS
Band71	20MHz	16QAM	133372	1RB#0	1000~3000	-44.97	PASS
Band71	20MHz	16QAM	133372	1RB#0	3000~10000	-44.38	PASS

Test Graphs

