







Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=1 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=1 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=1 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=1 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=1 Position=#0



Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=1 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=1 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=1 Position=#0




Band38 16QAM BW=10MHz Channel=38200 RB Size=1 Position=#0




Band38 16QAM BW=15MHz Channel=37825 RB Size=1 Position=#0




Band38 16QAM BW=10MHz Channel=37800 RB Size=1 Position=#0




Band38 16QAM BW=10MHz Channel=38000 RB Size=1 Position=#0




Band38 16QAM BW=20MHz Channel=38000 RB Size=1 Position=#0




Band38 16QAM BW=20MHz Channel=38150 RB Size=1 Position=#0




Band38 16QAM BW=20MHz Channel=37850 RB Size=1 Position=#0




Band38 16QAM BW=15MHz Channel=38000 RB Size=1 Position=#0




Band38 16QAM BW=15MHz Channel=38175 RB Size=1 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=1 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=1 Position=#0




Band38 16QAM BW=5MHz Channel=37775 RB Size=1 Position=#0




Band38 16QAM BW=5MHz Channel=38000 RB Size=1 Position=#0




Band38 16QAM BW=5MHz Channel=38225 RB Size=1 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=1 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=1 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=1 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=1 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=1 Position=#0




Band41 16QAM BW=10MHz Channel=39700 RB Size=1 Position=#0




Band41 16QAM BW=10MHz Channel=41540 RB Size=1 Position=#0




Band41 16QAM BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 16QAM BW=15MHz Channel=40620 RB Size=1 Position=#0




Band41 16QAM BW=15MHz Channel=39725 RB Size=1 Position=#0




Band41 16QAM BW=20MHz Channel=40620 RB Size=1 Position=#0




Band41 16QAM BW=20MHz Channel=41490 RB Size=1 Position=#0




Band41 16QAM BW=15MHz Channel=41515 RB Size=1 Position=#0




Band41 16QAM BW=20MHz Channel=39750 RB Size=1 Position=#0




Band41 16QAM BW=5MHz Channel=41565 RB Size=1 Position=#0




Band41 16QAM BW=5MHz Channel=40620 RB Size=1 Position=#0




Band41 16QAM BW=5MHz Channel=39675 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=1 Position=#0



Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0



Band41 QPSK BW=5MHz Channel=41565 RB Size=1 Position=#0



RADIATED SPURIOUS EMISSION

Note:

(1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequency below 1000MHz.

(2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.25	-26.19	7.00	12.93	-32.12	-13.00	-19.12	H
5580.14	-26.28	8.40	17.11	-34.99	-13.00	-21.99	H
7439.72	-26.02	8.10	22.20	-40.12	-13.00	-27.12	H
3720.25	-25.11	7.00	12.93	-31.04	-13.00	-18.04	V
5580.14	-24.95	8.40	17.11	-33.66	-13.00	-20.66	V
7439.72	-23.40	8.10	22.20	-37.50	-13.00	-24.50	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.24	-28.08	7.00	12.93	-34.01	-13.00	-21.01	H
5640.14	-25.20	8.40	17.11	-33.91	-13.00	-20.91	H
7519.88	-23.61	8.10	22.20	-37.71	-13.00	-24.71	H
3760.24	-27.93	7.00	12.93	-33.86	-13.00	-20.86	V
5640.14	-27.02	8.40	17.11	-35.73	-13.00	-22.73	V
7519.88	-27.37	8.10	22.20	-41.47	-13.00	-28.47	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.09	-28.11	7.00	12.93	-34.04	-13.00	-21.04	H
5700.18	-24.88	8.40	17.11	-33.59	-13.00	-20.59	H
7599.88	-25.56	8.10	22.20	-39.66	-13.00	-26.66	H
3800.09	-27.11	7.00	12.93	-33.04	-13.00	-20.04	V
5700.18	-28.93	8.40	17.11	-37.64	-13.00	-24.64	V
7599.88	-26.26	8.10	22.20	-40.36	-13.00	-27.36	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.21	-27.07	7.20	12.56	-32.43	-13.00	-19.43	H
5160.08	-29.14	8.10	16.32	-37.36	-13.00	-24.36	H
6880.40	-23.49	8.30	21.13	-36.32	-13.00	-23.32	H
3440.21	-29.66	7.20	12.56	-35.02	-13.00	-22.02	V
5160.08	-25.82	8.10	16.32	-34.04	-13.00	-21.04	V
6880.40	-27.13	8.30	21.13	-39.96	-13.00	-26.96	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.01	-26.91	7.20	12.56	-32.27	-13.00	-19.27	H
5196.53	-28.19	8.10	16.32	-36.41	-13.00	-23.41	H
6929.58	-22.67	8.30	21.13	-35.50	-13.00	-22.50	H
3465.01	-26.65	7.20	12.56	-32.01	-13.00	-19.01	V
5196.53	-27.29	8.10	16.32	-35.51	-13.00	-22.51	V
6929.58	-26.12	8.30	21.13	-38.95	-13.00	-25.95	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.50	-24.23	7.20	12.56	-29.59	-13.00	-16.59	H
5235.16	-26.54	8.10	16.32	-34.76	-13.00	-21.76	H
6979.59	-24.75	8.30	21.13	-37.58	-13.00	-24.58	H
3490.50	-29.62	7.20	12.56	-34.98	-13.00	-21.98	V
5235.16	-25.00	8.10	16.32	-33.22	-13.00	-20.22	V
6979.59	-26.14	8.30	21.13	-38.97	-13.00	-25.97	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.68	-27.83	7.40	9.72	-30.15	-13.00	-17.15	H
2486.26	-26.76	8.30	10.86	-29.32	-13.00	-16.32	H
3315.47	-28.35	7.20	11.57	-32.72	-13.00	-19.72	H
1657.68	-27.88	7.40	9.72	-30.20	-13.00	-17.20	V
2486.26	-26.97	8.30	10.86	-29.53	-13.00	-16.53	V
3315.47	-27.93	7.20	11.57	-32.30	-13.00	-19.30	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.16	-29.35	7.40	9.72	-31.67	-13.00	-18.67	H
2509.12	-28.02	8.30	10.86	-30.58	-13.00	-17.58	H
3345.02	-26.98	7.20	11.57	-31.35	-13.00	-18.35	H
1672.16	-28.27	7.40	9.72	-30.59	-13.00	-17.59	V
2509.12	-25.41	8.30	10.86	-27.97	-13.00	-14.97	V
3345.02	-26.29	7.20	11.57	-30.66	-13.00	-17.66	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.34	-28.70	7.40	9.72	-31.02	-13.00	-18.02	H
2531.26	-26.48	8.30	10.86	-29.04	-13.00	-16.04	H
3375.53	-24.55	7.20	11.57	-28.92	-13.00	-15.92	H
1687.34	-27.73	7.40	9.72	-30.05	-13.00	-17.05	V
2531.26	-29.23	8.30	10.86	-31.79	-13.00	-18.79	V
3375.53	-26.72	7.20	11.57	-31.09	-13.00	-18.09	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5020.89	-28.20	8.00	15.86	-36.06	-25.00	-11.06	H
7531.20	-25.77	8.30	19.28	-36.75	-25.00	-11.75	H
10258.89	-28.39	8.10	23.19	-43.48	-25.00	-18.48	H
5020.89	-28.62	8.00	15.86	-36.48	-25.00	-11.48	V
7531.20	-28.80	8.30	19.28	-39.78	-25.00	-14.78	V
10258.89	-24.93	8.10	23.19	-40.02	-25.00	-15.02	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.89	-26.41	8.00	15.86	-34.27	-25.00	-9.27	H
7604.80	-28.92	8.30	19.28	-39.90	-25.00	-14.90	H
10139.68	-26.52	8.10	23.19	-41.61	-25.00	-16.61	H
5069.89	-29.22	8.00	15.86	-37.08	-25.00	-12.08	V
7604.80	-27.21	8.30	19.28	-38.19	-25.00	-13.19	V
10139.68	-28.88	8.10	23.19	-43.97	-25.00	-18.97	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.83	-29.85	8.00	15.86	-37.71	-25.00	-12.71	H
7678.04	-30.43	8.30	19.28	-41.41	-25.00	-16.41	H
10237.88	-24.55	8.10	23.19	-39.64	-25.00	-14.64	H
5118.83	-31.47	8.00	15.86	-39.33	-25.00	-14.33	V
7678.04	-27.91	8.30	19.28	-38.89	-25.00	-13.89	V
10237.88	-28.75	8.10	23.19	-43.84	-25.00	-18.84	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.99	-28.54	6.70	9.34	-31.18	-13.00	-18.18	H
2111.93	-29.99	7.80	10.42	-32.61	-13.00	-19.61	H
2815.76	-24.19	8.00	11.12	-27.31	-13.00	-14.31	H
1407.99	-28.16	6.70	9.34	-30.80	-13.00	-17.80	V
2111.93	-29.96	7.80	10.42	-32.58	-13.00	-19.58	V
2815.76	-25.70	8.00	11.12	-28.82	-13.00	-15.82	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.51	-28.59	6.70	9.34	-31.23	-13.00	-18.23	H
2122.41	-26.25	7.80	10.42	-28.87	-13.00	-15.87	H
2829.79	-26.58	8.00	11.12	-29.70	-13.00	-16.70	H
1414.51	-28.15	6.70	9.34	-30.79	-13.00	-17.79	V
2122.41	-25.96	7.80	10.42	-28.58	-13.00	-15.58	V
2829.79	-28.88	8.00	11.12	-32.00	-13.00	-19.00	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.59	-27.27	6.70	9.34	-29.91	-13.00	-16.91	H
2132.56	-28.82	7.80	10.42	-31.44	-13.00	-18.44	H
2843.66	-26.56	8.00	11.12	-29.68	-13.00	-16.68	H
1421.59	-29.58	6.70	9.34	-32.22	-13.00	-19.22	V
2132.56	-28.91	7.80	10.42	-31.53	-13.00	-18.53	V
2843.66	-27.49	8.00	11.12	-30.61	-13.00	-17.61	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1564.05	-47.87	7.40	9.72	-50.19	-40.00	-10.19	H
2346.10	-39.68	8.30	10.86	-42.24	-13.00	-29.24	H
3127.98	-36.79	7.70	11.57	-40.66	-13.00	-27.66	H
1564.05	-45.68	7.40	9.72	-48.00	-40.00	-8.00	V
2346.10	-37.91	8.30	10.86	-40.47	-13.00	-27.47	V
3127.98	-35.33	7.70	11.57	-39.20	-13.00	-26.20	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.11	-26.27	7.00	12.93	-32.20	-13.00	-19.20	H
5580.15	-25.31	8.40	17.11	-34.02	-13.00	-21.02	H
7439.88	-23.90	8.10	22.20	-38.00	-13.00	-25.00	H
3720.11	-28.83	7.00	12.93	-34.76	-13.00	-21.76	V
5580.15	-27.91	8.40	17.11	-36.62	-13.00	-23.62	V
7439.88	-27.96	8.10	22.20	-42.06	-13.00	-29.06	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.03	-24.66	7.00	12.93	-30.59	-13.00	-17.59	H
5639.93	-26.18	8.40	17.11	-34.89	-13.00	-21.89	H
7520.14	-27.27	8.10	22.20	-41.37	-13.00	-28.37	H
3760.03	-25.86	7.00	12.93	-31.79	-13.00	-18.79	V
5639.93	-27.27	8.40	17.11	-35.98	-13.00	-22.98	V
7520.14	-23.45	8.10	22.20	-37.55	-13.00	-24.55	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.75	-24.81	7.00	12.93	-30.74	-13.00	-17.74	H
5699.95	-25.92	8.40	17.11	-34.63	-13.00	-21.63	H
7600.03	-23.29	8.10	22.20	-37.39	-13.00	-24.39	H
3799.75	-27.41	7.00	12.93	-33.34	-13.00	-20.34	V
5699.95	-24.76	8.40	17.11	-33.47	-13.00	-20.47	V
7600.03	-26.60	8.10	22.20	-40.70	-13.00	-27.70	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1663.31	-30.22	7.40	9.72	-32.54	-13.00	-19.54	H
2494.23	-29.29	8.30	10.86	-31.85	-13.00	-18.85	H
3325.86	-29.54	7.20	11.57	-33.91	-13.00	-20.91	H
1663.31	-28.04	7.40	9.72	-30.36	-13.00	-17.36	V
2494.23	-26.69	8.30	10.86	-29.25	-13.00	-16.25	V
3325.86	-28.27	7.20	11.57	-32.64	-13.00	-19.64	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.84	-27.27	7.40	9.72	-29.59	-13.00	-16.59	H
2509.01	-28.58	8.30	10.86	-31.14	-13.00	-18.14	H
3345.86	-26.70	7.20	11.57	-31.07	-13.00	-18.07	H
1672.84	-29.96	7.40	9.72	-32.28	-13.00	-19.28	V
2509.01	-29.20	8.30	10.86	-31.76	-13.00	-18.76	V
3345.86	-25.85	7.20	11.57	-30.22	-13.00	-17.22	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1683.34	-26.68	7.40	9.72	-29.00	-13.00	-16.00	H
2524.41	-28.15	8.30	10.86	-30.71	-13.00	-17.71	H
3366.56	-27.71	7.20	11.57	-32.08	-13.00	-19.08	H
1683.34	-30.14	7.40	9.72	-32.46	-13.00	-19.46	V
2524.41	-26.84	8.30	10.86	-29.40	-13.00	-16.40	V
3366.56	-25.39	7.20	11.57	-29.76	-13.00	-16.76	V

LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.22	-28.73	7.40	9.72	-31.05	-13.00	-18.05	H
2508.84	-28.76	8.30	10.86	-31.32	-13.00	-18.32	H
3346.04	-26.92	7.20	11.57	-31.29	-13.00	-18.29	H
1673.22	-28.07	7.40	9.72	-30.39	-13.00	-17.39	V
2508.84	-29.72	8.30	10.86	-32.28	-13.00	-19.28	V
3346.04	-29.94	7.20	11.57	-34.31	-13.00	-21.31	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5130.29	-30.19	8.10	15.86	-37.95	-25.00	-12.95	H
7695.00	-34.85	9.00	19.28	-45.13	-25.00	-20.13	H
10260.25	-31.84	8.70	23.19	-46.33	-25.00	-21.33	H
5130.29	-32.81	8.10	15.86	-40.57	-25.00	-15.57	V
7695.00	-34.40	9.00	19.28	-44.68	-25.00	-19.68	V
10260.25	-29.15	8.70	23.19	-43.64	-25.00	-18.64	V
LTE Band 38 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.97	-33.95	8.10	15.86	-41.71	-25.00	-16.71	H
7815.11	-31.90	9.00	19.28	-42.18	-25.00	-17.18	H
10419.87	-28.67	8.70	23.19	-43.16	-25.00	-18.16	H
5209.97	-32.30	8.10	15.86	-40.06	-25.00	-15.06	V
7815.11	-32.05	9.00	19.28	-42.33	-25.00	-17.33	V
10419.87	-29.71	8.70	23.19	-44.20	-25.00	-19.20	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5289.82	-32.81	8.10	15.86	-40.57	-25.00	-15.57	H
7935.15	-32.80	9.00	19.28	-43.08	-25.00	-18.08	H
10580.09	-31.02	8.70	23.19	-45.51	-25.00	-20.51	H
5289.82	-32.47	8.10	15.86	-40.23	-25.00	-15.23	V
7935.15	-35.05	9.00	19.28	-45.33	-25.00	-20.33	V
10580.09	-32.47	8.70	23.19	-46.96	-25.00	-21.96	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5011.85	-34.53	7.90	15.86	-42.49	-25.00	-17.49	H
7518.01	-33.56	9.00	19.28	-43.84	-25.00	-18.84	H
10024.28	-32.05	8.70	23.19	-46.54	-25.00	-21.54	H
5011.85	-31.42	7.90	15.86	-39.38	-25.00	-14.38	V
7518.01	-34.38	9.00	19.28	-44.66	-25.00	-19.66	V
10024.28	-29.61	8.70	23.19	-44.10	-25.00	-19.10	V
LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.22	-32.62	7.90	15.86	-40.58	-25.00	-15.58	H
7779.13	-30.79	9.00	19.28	-41.07	-25.00	-16.07	H
10372.05	-30.05	8.70	23.19	-44.54	-25.00	-19.54	H
5186.22	-31.07	7.90	15.86	-39.03	-25.00	-14.03	V
7779.13	-30.80	9.00	19.28	-41.08	-25.00	-16.08	V
10372.05	-30.54	8.70	23.19	-45.03	-25.00	-20.03	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5359.87	-30.00	7.90	15.86	-37.96	-25.00	-12.96	H
8040.19	-34.29	9.00	19.28	-44.57	-25.00	-19.57	H
10720.16	-31.92	8.70	23.19	-46.41	-25.00	-21.41	H
5359.87	-35.19	7.90	15.86	-43.15	-25.00	-18.15	V
8040.19	-34.26	9.00	19.28	-44.54	-25.00	-19.54	V
10720.16	-32.69	8.70	23.19	-47.18	-25.00	-22.18	V

*****END OF THE REPORT*****