

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	ERP (dBm)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	23.36	-0.14	21.07	PASS
Band26(814-824)	1.4	26697	1	#Mid	QPSK	24.22	-0.14	21.93	PASS
Band26(814-824)	1.4	26697	1	#Max	QPSK	24.17	-0.14	21.88	PASS
Band26(814-824)	1.4	26697	3	#0	QPSK	23.89	-0.14	21.60	PASS
Band26(814-824)	1.4	26697	3	#Mid	QPSK	23.86	-0.14	21.57	PASS
Band26(814-824)	1.4	26697	3	#Max	QPSK	23.81	-0.14	21.52	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	21.85	-0.14	19.56	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	23.59	-0.14	21.30	PASS
Band26(814-824)	1.4	26697	1	#Mid	16QAM	23.54	-0.14	21.25	PASS
Band26(814-824)	1.4	26697	1	#Max	16QAM	23.56	-0.14	21.27	PASS
Band26(814-824)	1.4	26697	3	#0	16QAM	23.07	-0.14	20.78	PASS
Band26(814-824)	1.4	26697	3	#Mid	16QAM	23.02	-0.14	20.73	PASS
Band26(814-824)	1.4	26697	3	#Max	16QAM	23.13	-0.14	20.84	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	21.68	-0.14	19.39	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	24.34	-0.14	22.05	PASS
Band26(814-824)	1.4	26740	1	#Mid	QPSK	24.38	-0.14	22.09	PASS
Band26(814-824)	1.4	26740	1	#Max	QPSK	24.31	-0.14	22.02	PASS
Band26(814-824)	1.4	26740	3	#0	QPSK	23.91	-0.14	21.62	PASS
Band26(814-824)	1.4	26740	3	#Mid	QPSK	23.98	-0.14	21.69	PASS
Band26(814-824)	1.4	26740	3	#Max	QPSK	23.95	-0.14	21.66	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	21.97	-0.14	19.68	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	24.08	-0.14	21.79	PASS
Band26(814-824)	1.4	26740	1	#Mid	16QAM	24.21	-0.14	21.92	PASS
Band26(814-824)	1.4	26740	1	#Max	16QAM	24.09	-0.14	21.80	PASS
Band26(814-824)	1.4	26740	3	#0	16QAM	23.34	-0.14	21.05	PASS
Band26(814-824)	1.4	26740	3	#Mid	16QAM	23.22	-0.14	20.93	PASS
Band26(814-824)	1.4	26740	3	#Max	16QAM	23.19	-0.14	20.90	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	21.91	-0.14	19.62	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	24.65	-0.14	22.36	PASS
Band26(814-824)	1.4	26783	1	#Mid	QPSK	24.64	-0.14	22.35	PASS
Band26(814-824)	1.4	26783	1	#Max	QPSK	24.58	-0.14	22.29	PASS
Band26(814-824)	1.4	26783	3	#0	QPSK	23.96	-0.14	21.67	PASS
Band26(814-824)	1.4	26783	3	#Mid	QPSK	24.00	-0.14	21.71	PASS
Band26(814-824)	1.4	26783	3	#Max	QPSK	23.91	-0.14	21.62	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	21.86	-0.14	19.57	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	23.78	-0.14	21.49	PASS
Band26(814-824)	1.4	26783	1	#Mid	16QAM	23.83	-0.14	21.54	PASS
Band26(814-824)	1.4	26783	1	#Max	16QAM	23.78	-0.14	21.49	PASS
Band26(814-824)	1.4	26783	3	#0	16QAM	23.23	-0.14	20.94	PASS
Band26(814-824)	1.4	26783	3	#Mid	16QAM	23.14	-0.14	20.85	PASS

Band26(814-824)	1.4	26783	3	#Max	16QAM	23.12	-0.14	20.83	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	21.82	-0.14	19.53	PASS
Band26(814-824)	3	26705	1	#0	QPSK	24.40	-0.14	22.11	PASS
Band26(814-824)	3	26705	1	#Mid	QPSK	24.49	-0.14	22.20	PASS
Band26(814-824)	3	26705	1	#Max	QPSK	24.44	-0.14	22.15	PASS
Band26(814-824)	3	26705	8	#0	QPSK	21.88	-0.14	19.59	PASS
Band26(814-824)	3	26705	8	#Mid	QPSK	21.87	-0.14	19.58	PASS
Band26(814-824)	3	26705	8	#Max	QPSK	21.93	-0.14	19.64	PASS
Band26(814-824)	3	26705	15	#0	QPSK	21.84	-0.14	19.55	PASS
Band26(814-824)	3	26705	1	#0	16QAM	23.59	-0.14	21.30	PASS
Band26(814-824)	3	26705	1	#Mid	16QAM	23.65	-0.14	21.36	PASS
Band26(814-824)	3	26705	1	#Max	16QAM	23.58	-0.14	21.29	PASS
Band26(814-824)	3	26705	8	#0	16QAM	21.99	-0.14	19.70	PASS
Band26(814-824)	3	26705	8	#Mid	16QAM	22.06	-0.14	19.77	PASS
Band26(814-824)	3	26705	8	#Max	16QAM	22.11	-0.14	19.82	PASS
Band26(814-824)	3	26705	15	#0	16QAM	22.06	-0.14	19.77	PASS
Band26(814-824)	3	26740	1	#0	QPSK	24.36	-0.14	22.07	PASS
Band26(814-824)	3	26740	1	#Mid	QPSK	24.40	-0.14	22.11	PASS
Band26(814-824)	3	26740	1	#Max	QPSK	24.35	-0.14	22.06	PASS
Band26(814-824)	3	26740	8	#0	QPSK	22.01	-0.14	19.72	PASS
Band26(814-824)	3	26740	8	#Mid	QPSK	22.02	-0.14	19.73	PASS
Band26(814-824)	3	26740	8	#Max	QPSK	21.95	-0.14	19.66	PASS
Band26(814-824)	3	26740	15	#0	QPSK	22.01	-0.14	19.72	PASS
Band26(814-824)	3	26740	1	#0	16QAM	24.18	-0.14	21.89	PASS
Band26(814-824)	3	26740	1	#Mid	16QAM	24.10	-0.14	21.81	PASS
Band26(814-824)	3	26740	1	#Max	16QAM	24.06	-0.14	21.77	PASS
Band26(814-824)	3	26740	8	#0	16QAM	22.17	-0.14	19.88	PASS
Band26(814-824)	3	26740	8	#Mid	16QAM	22.21	-0.14	19.92	PASS
Band26(814-824)	3	26740	8	#Max	16QAM	22.10	-0.14	19.81	PASS
Band26(814-824)	3	26740	15	#0	16QAM	22.15	-0.14	19.86	PASS
Band26(814-824)	3	26775	1	#0	QPSK	24.46	-0.14	22.17	PASS
Band26(814-824)	3	26775	1	#Mid	QPSK	24.48	-0.14	22.19	PASS
Band26(814-824)	3	26775	1	#Max	QPSK	24.42	-0.14	22.13	PASS
Band26(814-824)	3	26775	8	#0	QPSK	21.96	-0.14	19.67	PASS
Band26(814-824)	3	26775	8	#Mid	QPSK	21.98	-0.14	19.69	PASS
Band26(814-824)	3	26775	8	#Max	QPSK	22.08	-0.14	19.79	PASS
Band26(814-824)	3	26775	15	#0	QPSK	22.02	-0.14	19.73	PASS
Band26(814-824)	3	26775	1	#0	16QAM	24.00	-0.14	21.71	PASS
Band26(814-824)	3	26775	1	#Mid	16QAM	24.07	-0.14	21.78	PASS
Band26(814-824)	3	26775	1	#Max	16QAM	24.00	-0.14	21.71	PASS
Band26(814-824)	3	26775	8	#0	16QAM	22.15	-0.14	19.86	PASS
Band26(814-824)	3	26775	8	#Mid	16QAM	22.22	-0.14	19.93	PASS
Band26(814-824)	3	26775	8	#Max	16QAM	22.14	-0.14	19.85	PASS

Band26(814-824)	3	26775	15	#0	16QAM	22.16	-0.14	19.87	PASS
Band26(814-824)	5	26715	1	#0	QPSK	24.33	-0.14	22.04	PASS
Band26(814-824)	5	26715	1	#Mid	QPSK	24.35	-0.14	22.06	PASS
Band26(814-824)	5	26715	1	#Max	QPSK	24.44	-0.14	22.15	PASS
Band26(814-824)	5	26715	12	#0	QPSK	21.81	-0.14	19.52	PASS
Band26(814-824)	5	26715	12	#Mid	QPSK	21.84	-0.14	19.55	PASS
Band26(814-824)	5	26715	12	#Max	QPSK	21.97	-0.14	19.68	PASS
Band26(814-824)	5	26715	25	#0	QPSK	21.94	-0.14	19.65	PASS
Band26(814-824)	5	26715	1	#0	16QAM	23.93	-0.14	21.64	PASS
Band26(814-824)	5	26715	1	#Mid	16QAM	24.06	-0.14	21.77	PASS
Band26(814-824)	5	26715	1	#Max	16QAM	24.04	-0.14	21.75	PASS
Band26(814-824)	5	26715	12	#0	16QAM	22.00	-0.14	19.71	PASS
Band26(814-824)	5	26715	12	#Mid	16QAM	22.01	-0.14	19.72	PASS
Band26(814-824)	5	26715	12	#Max	16QAM	22.10	-0.14	19.81	PASS
Band26(814-824)	5	26715	25	#0	16QAM	22.03	-0.14	19.74	PASS
Band26(814-824)	5	26740	1	#0	QPSK	24.42	-0.14	22.13	PASS
Band26(814-824)	5	26740	1	#Mid	QPSK	24.43	-0.14	22.14	PASS
Band26(814-824)	5	26740	1	#Max	QPSK	24.44	-0.14	22.15	PASS
Band26(814-824)	5	26740	12	#0	QPSK	22.04	-0.14	19.75	PASS
Band26(814-824)	5	26740	12	#Mid	QPSK	22.08	-0.14	19.79	PASS
Band26(814-824)	5	26740	12	#Max	QPSK	21.99	-0.14	19.70	PASS
Band26(814-824)	5	26740	25	#0	QPSK	21.96	-0.14	19.67	PASS
Band26(814-824)	5	26740	1	#0	16QAM	24.04	-0.14	21.75	PASS
Band26(814-824)	5	26740	1	#Mid	16QAM	24.11	-0.14	21.82	PASS
Band26(814-824)	5	26740	1	#Max	16QAM	23.93	-0.14	21.64	PASS
Band26(814-824)	5	26740	12	#0	16QAM	22.15	-0.14	19.86	PASS
Band26(814-824)	5	26740	12	#Mid	16QAM	22.17	-0.14	19.88	PASS
Band26(814-824)	5	26740	12	#Max	16QAM	22.10	-0.14	19.81	PASS
Band26(814-824)	5	26740	25	#0	16QAM	22.08	-0.14	19.79	PASS
Band26(814-824)	5	26765	1	#0	QPSK	24.71	-0.14	22.42	PASS
Band26(814-824)	5	26765	1	#Mid	QPSK	24.65	-0.14	22.36	PASS
Band26(814-824)	5	26765	1	#Max	QPSK	24.68	-0.14	22.39	PASS
Band26(814-824)	5	26765	12	#0	QPSK	22.03	-0.14	19.74	PASS
Band26(814-824)	5	26765	12	#Mid	QPSK	21.95	-0.14	19.66	PASS
Band26(814-824)	5	26765	12	#Max	QPSK	22.10	-0.14	19.81	PASS
Band26(814-824)	5	26765	25	#0	QPSK	21.90	-0.14	19.61	PASS
Band26(814-824)	5	26765	1	#0	16QAM	23.94	-0.14	21.65	PASS
Band26(814-824)	5	26765	1	#Mid	16QAM	23.78	-0.14	21.49	PASS
Band26(814-824)	5	26765	1	#Max	16QAM	23.83	-0.14	21.54	PASS
Band26(814-824)	5	26765	12	#0	16QAM	22.08	-0.14	19.79	PASS
Band26(814-824)	5	26765	12	#Mid	16QAM	22.09	-0.14	19.80	PASS
Band26(814-824)	5	26765	12	#Max	16QAM	22.14	-0.14	19.85	PASS
Band26(814-824)	5	26765	25	#0	16QAM	22.31	-0.14	20.02	PASS

Band26(814-824)	10	26740	1	#0	QPSK	24.63	-0.14	22.34	PASS
Band26(814-824)	10	26740	1	#Mid	QPSK	24.73	-0.14	22.44	PASS
Band26(814-824)	10	26740	1	#Max	QPSK	24.65	-0.14	22.36	PASS
Band26(814-824)	10	26740	25	#0	QPSK	22.44	-0.14	20.15	PASS
Band26(814-824)	10	26740	25	#Mid	QPSK	22.43	-0.14	20.14	PASS
Band26(814-824)	10	26740	25	#Max	QPSK	22.50	-0.14	20.21	PASS
Band26(814-824)	10	26740	50	#0	QPSK	22.44	-0.14	20.15	PASS
Band26(814-824)	10	26740	1	#0	16QAM	23.74	-0.14	21.45	PASS
Band26(814-824)	10	26740	1	#Mid	16QAM	23.81	-0.14	21.52	PASS
Band26(814-824)	10	26740	1	#Max	16QAM	23.85	-0.14	21.56	PASS
Band26(814-824)	10	26740	25	#0	16QAM	22.65	-0.14	20.36	PASS
Band26(814-824)	10	26740	25	#Mid	16QAM	22.78	-0.14	20.49	PASS
Band26(814-824)	10	26740	25	#Max	16QAM	22.71	-0.14	20.42	PASS
Band26(814-824)	10	26740	50	#0	16QAM	22.56	-0.14	20.27	PASS

2 Frequency stability


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
Band26(814-824)	10	26740	50	#0	QPSK	VL	NT	-4.30	-0.005	±2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	VN	NT	-4.20	-0.005	±2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	VH	NT	-5.10	-0.006	±2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	-30	-6.00	-0.007	±2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	-20	-7.60	-0.009	±2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	-10	-7.90	-0.010	±2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	0	-8.20	-0.010	±2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	10	-8.10	-0.010	±2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	20	-9.70	-0.012	±2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	VL	NT	-11.60	-0.014	±2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	VN	NT	-13.40	-0.016	±2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	VH	NT	-14.90	-0.018	±2.5	PASS

Band26(814-824)	10	26740	50	#0	16QAM	NV	-30	-12.80	-0.016	±2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	-20	-17.00	-0.021	±2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	-10	-14.10	-0.017	±2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	0	-16.20	-0.020	±2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	10	-16.30	-0.020	±2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	20	-18.30	-0.022	±2.5	PASS

3 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	4.78	13	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	5.39	13	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	4.78	13	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	5.74	13	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	4.81	13	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	5.80	13	PASS
Band26(814-824)	3	26705	1	#0	QPSK	4.70	13	PASS
Band26(814-824)	3	26705	1	#0	16QAM	5.91	13	PASS
Band26(814-824)	3	26740	1	#0	QPSK	4.81	13	PASS
Band26(814-824)	3	26740	1	#0	16QAM	5.74	13	PASS
Band26(814-824)	3	26775	1	#0	QPSK	4.81	13	PASS
Band26(814-824)	3	26775	1	#0	16QAM	5.83	13	PASS
Band26(814-824)	5	26715	1	#0	QPSK	4.67	13	PASS
Band26(814-824)	5	26715	1	#0	16QAM	5.68	13	PASS
Band26(814-824)	5	26740	1	#0	QPSK	4.90	13	PASS
Band26(814-824)	5	26740	1	#0	16QAM	5.74	13	PASS
Band26(814-824)	5	26765	1	#0	QPSK	4.75	13	PASS
Band26(814-824)	5	26765	1	#0	16QAM	5.65	13	PASS
Band26(814-824)	10	26740	1	#0	QPSK	4.72	13	PASS
Band26(814-824)	10	26740	1	#0	16QAM	5.80	13	PASS

Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Date: 5.JAN.2024 09:13:20

Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Date: 5.JAN.2024 09:13:25

Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Date: 5.JAN.2024 09:13:30

Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Date: 5.JAN.2024 09:13:34

Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Date: 5.JAN.2024 09:13:39

Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Date: 5.JAN.2024 09:13:44

Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=1 Position=#0




Date: 5.JAN.2024 09:13:49

Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=1 Position=#0




Date: 5.JAN.2024 09:13:53

Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=1 Position=#0




Date: 5.JAN.2024 09:13:58

Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=1 Position=#0




Date: 5.JAN.2024 09:14:02

Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=1 Position=#0




Date: 5.JAN.2024 09:14:07

Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=1 Position=#0




Date: 5.JAN.2024 09:14:12

Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=1 Position=#0




Date: 5.JAN.2024 09:14:17

Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=1 Position=#0




Date: 5.JAN.2024 09:14:21

Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=1 Position=#0




Date: 5.JAN.2024 09:14:26

Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=1 Position=#0




Date: 5.JAN.2024 09:14:30

Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=1 Position=#0




Date: 5.JAN.2024 09:14:35

Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=1 Position=#0




Date: 5.JAN.2024 09:14:40

Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=1 Position=#0



Date: 5.JAN.2024 09:14:45

Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=1 Position=#0




Date: 5.JAN.2024 09:14:49

4 Occupied bandwidth


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	1.098	1.246	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	1.098	1.258	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	1.094	1.246	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	1.094	1.258	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	1.098	1.242	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	1.094	1.250	PASS
Band26(814-824)	3	26705	15	#0	QPSK	2.735	3.087	PASS
Band26(814-824)	3	26705	15	#0	16QAM	2.735	3.061	PASS
Band26(814-824)	3	26740	15	#0	QPSK	2.735	3.061	PASS
Band26(814-824)	3	26740	15	#0	16QAM	2.726	3.096	PASS
Band26(814-824)	3	26775	15	#0	QPSK	2.726	3.078	PASS
Band26(814-824)	3	26775	15	#0	16QAM	2.735	3.061	PASS
Band26(814-824)	5	26715	25	#0	QPSK	4.486	4.913	PASS
Band26(814-824)	5	26715	25	#0	16QAM	4.501	4.942	PASS
Band26(814-824)	5	26740	25	#0	QPSK	4.501	4.913	PASS
Band26(814-824)	5	26740	25	#0	16QAM	4.501	4.928	PASS
Band26(814-824)	5	26765	25	#0	QPSK	4.486	4.928	PASS
Band26(814-824)	5	26765	25	#0	16QAM	4.486	4.928	PASS
Band26(814-824)	10	26740	50	#0	QPSK	8.973	9.855	PASS
Band26(814-824)	10	26740	50	#0	16QAM	8.944	9.739	PASS

Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Date: 5.JAN.2024 09:14:56

Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Date: 5.JAN.2024 09:15:01

Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Date: 5.JAN.2024 09:15:07

Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Date: 5.JAN.2024 09:15:12

Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Date: 5.JAN.2024 09:15:17

Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Date: 5.JAN.2024 09:15:22

Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Date: 5.JAN.2024 09:15:29

Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Date: 5.JAN.2024 09:15:34

Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Date: 5.JAN.2024 09:15:41

Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=15 Position=#0




Date: 5.JAN.2024 09:15:46

Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Date: 5.JAN.2024 09:15:52

Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Date: 5.JAN.2024 09:15:57

Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Date: 5.JAN.2024 09:16:03

Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Date: 5.JAN.2024 09:16:09

Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0




Date: 5.JAN.2024 09:16:15

Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=25 Position=#0




Date: 5.JAN.2024 09:16:21

Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Date: 5.JAN.2024 09:16:27

Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0




Date: 5.JAN.2024 09:16:33

Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0



Date: 5.JAN.2024 09:16:41

Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0




Date: 5.JAN.2024 09:16:47


5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	813.95	-26.03	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	813.93	-25.06	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	824.04	-28.33	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	822.53	-28.13	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	817.04	-23.10	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	813.96	-22.25	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	824.04	-23.62	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	820.95	-22.44	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	813.96	-30.09	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	813.96	-29.47	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	818.96	-31.93	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	824.04	-31.12	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	824.06	-34.33	-13	PASS
Band26(814-824)	10	26740	50	#0	16QAM	824.08	-33.07	-13	PASS


Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0



Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	6304.85	-30.79	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	6800.40	-30.68	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	6967.85	-31.15	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	6242.80	-31.10	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	6842.05	-30.73	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	6984.00	-30.71	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	6758.75	-31.00	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	6241.95	-30.96	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	6313.35	-28.91	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	6315.90	-30.25	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	6304.00	-31.28	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	6205.40	-30.56	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	6764.70	-30.79	-13	PASS
Band26(814-824)	10	26740	50	#0	16QAM	6804.65	-30.72	-13	PASS


Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0



Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098554	-62.28	-13
2	0.15	30	10	11.444245	-58.01	-13
3	30	1000	100	634.730333333333	-47.99	-13
4	1000	26500	1000	6764.7	-30.79	-13

Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0115756	-61.73	-13
2	0.15	30	10	5.281215	-57.11	-13
3	30	1000	100	924.986666666667	-48.24	-13
4	1000	26500	1000	6804.65	-30.72	-13