

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	Verdict
Band41	5	39675	1	#0	QPSK	27.19	-0.26	26.93	PASS
Band41	5	39675	1	#Mid	QPSK	27.86	-0.26	27.60	PASS
Band41	5	39675	1	#Max	QPSK	27.60	-0.26	27.34	PASS
Band41	5	39675	12	#0	QPSK	27.51	-0.26	27.25	PASS
Band41	5	39675	12	#Mid	QPSK	27.73	-0.26	27.47	PASS
Band41	5	39675	12	#Max	QPSK	27.66	-0.26	27.40	PASS
Band41	5	39675	25	#0	QPSK	27.56	-0.26	27.30	PASS
Band41	5	39675	1	#0	16QAM	27.12	-0.26	26.86	PASS
Band41	5	39675	1	#Mid	16QAM	27.62	-0.26	27.36	PASS
Band41	5	39675	1	#Max	16QAM	27.39	-0.26	27.13	PASS
Band41	5	39675	12	#0	16QAM	27.25	-0.26	26.99	PASS
Band41	5	39675	12	#Mid	16QAM	27.27	-0.26	27.01	PASS
Band41	5	39675	12	#Max	16QAM	27.13	-0.26	26.87	PASS
Band41	5	39675	25	#0	16QAM	27.17	-0.26	26.91	PASS
Band41	5	40620	1	#0	QPSK	28.17	-0.26	27.91	PASS
Band41	5	40620	1	#Mid	QPSK	28.48	-0.26	28.22	PASS
Band41	5	40620	1	#Max	QPSK	28.08	-0.26	27.82	PASS
Band41	5	40620	12	#0	QPSK	27.81	-0.26	27.55	PASS
Band41	5	40620	12	#Mid	QPSK	27.91	-0.26	27.65	PASS
Band41	5	40620	12	#Max	QPSK	27.78	-0.26	27.52	PASS
Band41	5	40620	25	#0	QPSK	27.80	-0.26	27.54	PASS
Band41	5	40620	1	#0	16QAM	27.56	-0.26	27.30	PASS
Band41	5	40620	1	#Mid	16QAM	27.89	-0.26	27.63	PASS
Band41	5	40620	1	#Max	16QAM	27.51	-0.26	27.25	PASS
Band41	5	40620	12	#0	16QAM	26.91	-0.26	26.65	PASS
Band41	5	40620	12	#Mid	16QAM	27.01	-0.26	26.75	PASS
Band41	5	40620	12	#Max	16QAM	26.89	-0.26	26.63	PASS
Band41	5	40620	25	#0	16QAM	26.92	-0.26	26.66	PASS
Band41	5	41565	1	#0	QPSK	27.14	-0.26	26.88	PASS
Band41	5	41565	1	#Mid	QPSK	27.42	-0.26	27.16	PASS
Band41	5	41565	1	#Max	QPSK	26.90	-0.26	26.64	PASS
Band41	5	41565	12	#0	QPSK	27.35	-0.26	27.09	PASS
Band41	5	41565	12	#Mid	QPSK	27.39	-0.26	27.13	PASS
Band41	5	41565	12	#Max	QPSK	27.22	-0.26	26.96	PASS
Band41	5	41565	25	#0	QPSK	27.27	-0.26	27.01	PASS
Band41	5	41565	1	#0	16QAM	27.12	-0.26	26.86	PASS
Band41	5	41565	1	#Mid	16QAM	27.38	-0.26	27.12	PASS
Band41	5	41565	1	#Max	16QAM	26.92	-0.26	26.66	PASS
Band41	5	41565	12	#0	16QAM	26.97	-0.26	26.71	PASS
Band41	5	41565	12	#Mid	16QAM	26.95	-0.26	26.69	PASS

Band41	5	41565	12	#Max	16QAM	26.96	-0.26	26.70	PASS
Band41	5	41565	25	#0	16QAM	26.96	-0.26	26.70	PASS
Band41	10	39700	1	#0	QPSK	27.29	-0.26	27.03	PASS
Band41	10	39700	1	#Mid	QPSK	27.76	-0.26	27.50	PASS
Band41	10	39700	1	#Max	QPSK	28.03	-0.26	27.77	PASS
Band41	10	39700	25	#0	QPSK	27.63	-0.26	27.37	PASS
Band41	10	39700	25	#Mid	QPSK	27.83	-0.26	27.57	PASS
Band41	10	39700	25	#Max	QPSK	28.00	-0.26	27.74	PASS
Band41	10	39700	50	#0	QPSK	27.83	-0.26	27.57	PASS
Band41	10	39700	1	#0	16QAM	27.22	-0.26	26.96	PASS
Band41	10	39700	1	#Mid	16QAM	27.70	-0.26	27.44	PASS
Band41	10	39700	1	#Max	16QAM	28.00	-0.26	27.74	PASS
Band41	10	39700	25	#0	16QAM	27.24	-0.26	26.98	PASS
Band41	10	39700	25	#Mid	16QAM	27.29	-0.26	27.03	PASS
Band41	10	39700	25	#Max	16QAM	27.14	-0.26	26.88	PASS
Band41	10	39700	50	#0	16QAM	27.28	-0.26	27.02	PASS
Band41	10	40620	1	#0	QPSK	28.20	-0.26	27.94	PASS
Band41	10	40620	1	#Mid	QPSK	28.38	-0.26	28.12	PASS
Band41	10	40620	1	#Max	QPSK	28.44	-0.26	28.18	PASS
Band41	10	40620	25	#0	QPSK	27.78	-0.26	27.52	PASS
Band41	10	40620	25	#Mid	QPSK	27.86	-0.26	27.60	PASS
Band41	10	40620	25	#Max	QPSK	27.92	-0.26	27.66	PASS
Band41	10	40620	50	#0	QPSK	27.88	-0.26	27.62	PASS
Band41	10	40620	1	#0	16QAM	27.59	-0.26	27.33	PASS
Band41	10	40620	1	#Mid	16QAM	27.80	-0.26	27.54	PASS
Band41	10	40620	1	#Max	16QAM	27.86	-0.26	27.60	PASS
Band41	10	40620	25	#0	16QAM	26.93	-0.26	26.67	PASS
Band41	10	40620	25	#Mid	16QAM	26.99	-0.26	26.73	PASS
Band41	10	40620	25	#Max	16QAM	26.83	-0.26	26.57	PASS
Band41	10	40620	50	#0	16QAM	26.99	-0.26	26.73	PASS
Band41	10	41540	1	#0	QPSK	27.32	-0.26	27.06	PASS
Band41	10	41540	1	#Mid	QPSK	27.38	-0.26	27.12	PASS
Band41	10	41540	1	#Max	QPSK	27.29	-0.26	27.03	PASS
Band41	10	41540	25	#0	QPSK	27.43	-0.26	27.17	PASS
Band41	10	41540	25	#Mid	QPSK	27.43	-0.26	27.17	PASS
Band41	10	41540	25	#Max	QPSK	27.42	-0.26	27.16	PASS
Band41	10	41540	50	#0	QPSK	27.44	-0.26	27.18	PASS
Band41	10	41540	1	#0	16QAM	27.29	-0.26	27.03	PASS
Band41	10	41540	1	#Mid	16QAM	27.38	-0.26	27.12	PASS
Band41	10	41540	1	#Max	16QAM	27.29	-0.26	27.03	PASS
Band41	10	41540	25	#0	16QAM	26.96	-0.26	26.70	PASS
Band41	10	41540	25	#Mid	16QAM	27.00	-0.26	26.74	PASS
Band41	10	41540	25	#Max	16QAM	26.99	-0.26	26.73	PASS

Band41	10	41540	50	#0	16QAM	27.01	-0.26	26.75	PASS
Band41	15	39725	1	#0	QPSK	27.39	-0.26	27.13	PASS
Band41	15	39725	1	#Mid	QPSK	27.83	-0.26	27.57	PASS
Band41	15	39725	1	#Max	QPSK	27.94	-0.26	27.68	PASS
Band41	15	39725	36	#0	QPSK	27.76	-0.26	27.50	PASS
Band41	15	39725	36	#Mid	QPSK	27.89	-0.26	27.63	PASS
Band41	15	39725	36	#Max	QPSK	28.02	-0.26	27.76	PASS
Band41	15	39725	75	#0	QPSK	27.85	-0.26	27.59	PASS
Band41	15	39725	1	#0	16QAM	27.33	-0.26	27.07	PASS
Band41	15	39725	1	#Mid	16QAM	27.79	-0.26	27.53	PASS
Band41	15	39725	1	#Max	16QAM	27.91	-0.26	27.65	PASS
Band41	15	39725	36	#0	16QAM	27.16	-0.26	26.90	PASS
Band41	15	39725	36	#Mid	16QAM	27.14	-0.26	26.88	PASS
Band41	15	39725	36	#Max	16QAM	27.04	-0.26	26.78	PASS
Band41	15	39725	75	#0	16QAM	27.05	-0.26	26.79	PASS
Band41	15	40620	1	#0	QPSK	28.28	-0.26	28.02	PASS
Band41	15	40620	1	#Mid	QPSK	28.33	-0.26	28.07	PASS
Band41	15	40620	1	#Max	QPSK	28.13	-0.26	27.87	PASS
Band41	15	40620	36	#0	QPSK	27.77	-0.26	27.51	PASS
Band41	15	40620	36	#Mid	QPSK	27.74	-0.26	27.48	PASS
Band41	15	40620	36	#Max	QPSK	27.73	-0.26	27.47	PASS
Band41	15	40620	75	#0	QPSK	27.73	-0.26	27.47	PASS
Band41	15	40620	1	#0	16QAM	27.62	-0.26	27.36	PASS
Band41	15	40620	1	#Mid	16QAM	27.71	-0.26	27.45	PASS
Band41	15	40620	1	#Max	16QAM	27.55	-0.26	27.29	PASS
Band41	15	40620	36	#0	16QAM	26.91	-0.26	26.65	PASS
Band41	15	40620	36	#Mid	16QAM	26.88	-0.26	26.62	PASS
Band41	15	40620	36	#Max	16QAM	26.77	-0.26	26.51	PASS
Band41	15	40620	75	#0	16QAM	26.91	-0.26	26.65	PASS
Band41	15	41515	1	#0	QPSK	27.49	-0.26	27.23	PASS
Band41	15	41515	1	#Mid	QPSK	27.39	-0.26	27.13	PASS
Band41	15	41515	1	#Max	QPSK	27.05	-0.26	26.79	PASS
Band41	15	41515	36	#0	QPSK	27.57	-0.26	27.31	PASS
Band41	15	41515	36	#Mid	QPSK	27.44	-0.26	27.18	PASS
Band41	15	41515	36	#Max	QPSK	27.34	-0.26	27.08	PASS
Band41	15	41515	75	#0	QPSK	27.43	-0.26	27.17	PASS
Band41	15	41515	1	#0	16QAM	27.45	-0.26	27.19	PASS
Band41	15	41515	1	#Mid	16QAM	27.37	-0.26	27.11	PASS
Band41	15	41515	1	#Max	16QAM	27.07	-0.26	26.81	PASS
Band41	15	41515	36	#0	16QAM	26.72	-0.26	26.46	PASS
Band41	15	41515	36	#Mid	16QAM	26.69	-0.26	26.43	PASS
Band41	15	41515	36	#Max	16QAM	26.79	-0.26	26.53	PASS
Band41	15	41515	75	#0	16QAM	26.82	-0.26	26.56	PASS

Band41	20	39750	1	#0	QPSK	27.59	-0.26	27.33	PASS
Band41	20	39750	1	#Mid	QPSK	27.87	-0.26	27.61	PASS
Band41	20	39750	1	#Max	QPSK	28.20	-0.26	27.94	PASS
Band41	20	39750	50	#0	QPSK	27.82	-0.26	27.56	PASS
Band41	20	39750	50	#Mid	QPSK	27.92	-0.26	27.66	PASS
Band41	20	39750	50	#Max	QPSK	28.11	-0.26	27.85	PASS
Band41	20	39750	100	#0	QPSK	28.02	-0.26	27.76	PASS
Band41	20	39750	1	#0	16QAM	27.52	-0.26	27.26	PASS
Band41	20	39750	1	#Mid	16QAM	27.84	-0.26	27.58	PASS
Band41	20	39750	1	#Max	16QAM	28.17	-0.26	27.91	PASS
Band41	20	39750	50	#0	16QAM	27.19	-0.26	26.93	PASS
Band41	20	39750	50	#Mid	16QAM	27.21	-0.26	26.95	PASS
Band41	20	39750	50	#Max	16QAM	27.25	-0.26	26.99	PASS
Band41	20	39750	100	#0	16QAM	27.09	-0.26	26.83	PASS
Band41	20	40620	1	#0	QPSK	28.43	-0.26	28.17	PASS
Band41	20	40620	1	#Mid	QPSK	28.29	-0.26	28.03	PASS
Band41	20	40620	1	#Max	QPSK	28.24	-0.26	27.98	PASS
Band41	20	40620	50	#0	QPSK	27.83	-0.26	27.57	PASS
Band41	20	40620	50	#Mid	QPSK	27.72	-0.26	27.46	PASS
Band41	20	40620	50	#Max	QPSK	27.71	-0.26	27.45	PASS
Band41	20	40620	100	#0	QPSK	27.75	-0.26	27.49	PASS
Band41	20	40620	1	#0	16QAM	27.74	-0.26	27.48	PASS
Band41	20	40620	1	#Mid	16QAM	27.58	-0.26	27.32	PASS
Band41	20	40620	1	#Max	16QAM	27.55	-0.26	27.29	PASS
Band41	20	40620	50	#0	16QAM	26.96	-0.26	26.70	PASS
Band41	20	40620	50	#Mid	16QAM	26.96	-0.26	26.70	PASS
Band41	20	40620	50	#Max	16QAM	26.88	-0.26	26.62	PASS
Band41	20	40620	100	#0	16QAM	26.91	-0.26	26.65	PASS
Band41	20	41490	1	#0	QPSK	27.73	-0.26	27.47	PASS
Band41	20	41490	1	#Mid	QPSK	27.39	-0.26	27.13	PASS
Band41	20	41490	1	#Max	QPSK	27.22	-0.26	26.96	PASS
Band41	20	41490	50	#0	QPSK	27.70	-0.26	27.44	PASS
Band41	20	41490	50	#Mid	QPSK	27.53	-0.26	27.27	PASS
Band41	20	41490	50	#Max	QPSK	27.45	-0.26	27.19	PASS
Band41	20	41490	100	#0	QPSK	27.56	-0.26	27.30	PASS
Band41	20	41490	1	#0	16QAM	27.66	-0.26	27.40	PASS
Band41	20	41490	1	#Mid	16QAM	27.39	-0.26	27.13	PASS
Band41	20	41490	1	#Max	16QAM	27.20	-0.26	26.94	PASS
Band41	20	41490	50	#0	16QAM	26.91	-0.26	26.65	PASS
Band41	20	41490	50	#Mid	16QAM	26.92	-0.26	26.66	PASS
Band41	20	41490	50	#Max	16QAM	26.93	-0.26	26.67	PASS
Band41	20	41490	100	#0	16QAM	26.96	-0.26	26.70	PASS

2 Frequency stability


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
Band41	20	39750	100	#0	QPSK	VL	NT	-15.70	-0.006	±2.5	PASS
Band41	20	39750	100	#0	QPSK	VN	NT	-13.60	-0.005	±2.5	PASS
Band41	20	39750	100	#0	QPSK	VH	NT	4.50	0.002	±2.5	PASS
Band41	20	39750	100	#0	QPSK	NV	-30	13.30	0.005	±2.5	PASS
Band41	20	39750	100	#0	QPSK	NV	-20	7.20	0.003	±2.5	PASS
Band41	20	39750	100	#0	QPSK	NV	-10	16.60	0.007	±2.5	PASS
Band41	20	39750	100	#0	QPSK	NV	0	3.10	0.001	±2.5	PASS
Band41	20	39750	100	#0	QPSK	NV	10	1.60	0.001	±2.5	PASS
Band41	20	39750	100	#0	QPSK	NV	20	-3.70	-0.001	±2.5	PASS
Band41	20	39750	100	#0	16QAM	VL	NT	-19.70	-0.008	±2.5	PASS
Band41	20	39750	100	#0	16QAM	VN	NT	-16.10	-0.006	±2.5	PASS
Band41	20	39750	100	#0	16QAM	VH	NT	-20.90	-0.008	±2.5	PASS
Band41	20	39750	100	#0	16QAM	NV	-30	-20.90	-0.008	±2.5	PASS
Band41	20	39750	100	#0	16QAM	NV	-20	-29.30	-0.012	±2.5	PASS
Band41	20	39750	100	#0	16QAM	NV	-10	-24.90	-0.010	±2.5	PASS
Band41	20	39750	100	#0	16QAM	NV	0	-17.30	-0.007	±2.5	PASS
Band41	20	39750	100	#0	16QAM	NV	10	-19.20	-0.008	±2.5	PASS
Band41	20	39750	100	#0	16QAM	NV	20	-17.60	-0.007	±2.5	PASS
Band41	20	40620	100	#0	QPSK	VL	NT	-7.50	-0.003	±2.5	PASS
Band41	20	40620	100	#0	QPSK	VN	NT	4.70	0.002	±2.5	PASS
Band41	20	40620	100	#0	QPSK	VH	NT	2.40	0.001	±2.5	PASS
Band41	20	40620	100	#0	QPSK	NV	-30	-5.60	-0.002	±2.5	PASS
Band41	20	40620	100	#0	QPSK	NV	-20	-2.70	-0.001	±2.5	PASS
Band41	20	40620	100	#0	QPSK	NV	-10	-5.10	-0.002	±2.5	PASS
Band41	20	40620	100	#0	QPSK	NV	0	-1.00	0.000	±2.5	PASS
Band41	20	40620	100	#0	QPSK	NV	10	-12.20	-0.005	±2.5	PASS
Band41	20	40620	100	#0	QPSK	NV	20	-26.10	-0.010	±2.5	PASS
Band41	20	40620	100	#0	16QAM	VL	NT	-18.80	-0.007	±2.5	PASS
Band41	20	40620	100	#0	16QAM	VN	NT	-17.10	-0.007	±2.5	PASS
Band41	20	40620	100	#0	16QAM	VH	NT	-14.40	-0.006	±2.5	PASS
Band41	20	40620	100	#0	16QAM	NV	-30	-2.10	-0.001	±2.5	PASS
Band41	20	40620	100	#0	16QAM	NV	-20	0.50	0.000	±2.5	PASS
Band41	20	40620	100	#0	16QAM	NV	-10	-4.80	-0.002	±2.5	PASS
Band41	20	40620	100	#0	16QAM	NV	0	5.70	0.002	±2.5	PASS
Band41	20	40620	100	#0	16QAM	NV	10	9.00	0.003	±2.5	PASS
Band41	20	40620	100	#0	16QAM	NV	20	28.30	0.011	±2.5	PASS
Band41	20	41490	100	#0	QPSK	VL	NT	-16.90	-0.006	±2.5	PASS
Band41	20	41490	100	#0	QPSK	VN	NT	-7.40	-0.003	±2.5	PASS
Band41	20	41490	100	#0	QPSK	VH	NT	5.10	0.002	±2.5	PASS
Band41	20	41490	100	#0	QPSK	NV	-30	6.00	0.002	±2.5	PASS

Band41	20	41490	100	#0	QPSK	NV	-20	2.20	0.001	±2.5	PASS
Band41	20	41490	100	#0	QPSK	NV	-10	1.50	0.001	±2.5	PASS
Band41	20	41490	100	#0	QPSK	NV	0	-1.50	-0.001	±2.5	PASS
Band41	20	41490	100	#0	QPSK	NV	10	-15.40	-0.006	±2.5	PASS
Band41	20	41490	100	#0	QPSK	NV	20	-21.50	-0.008	±2.5	PASS
Band41	20	41490	100	#0	16QAM	VL	NT	-32.80	-0.012	±2.5	PASS
Band41	20	41490	100	#0	16QAM	VN	NT	-25.10	-0.009	±2.5	PASS
Band41	20	41490	100	#0	16QAM	VH	NT	-40.70	-0.015	±2.5	PASS
Band41	20	41490	100	#0	16QAM	NV	-30	-39.60	-0.015	±2.5	PASS
Band41	20	41490	100	#0	16QAM	NV	-20	-43.60	-0.016	±2.5	PASS
Band41	20	41490	100	#0	16QAM	NV	-10	-29.80	-0.011	±2.5	PASS
Band41	20	41490	100	#0	16QAM	NV	0	-39.40	-0.015	±2.5	PASS
Band41	20	41490	100	#0	16QAM	NV	10	-27.60	-0.010	±2.5	PASS
Band41	20	41490	100	#0	16QAM	NV	20	-31.70	-0.012	±2.5	PASS

3 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41	5	39675	1	#0	QPSK	7.71	13	PASS
Band41	5	39675	1	#0	16QAM	8.64	13	PASS
Band41	5	40620	1	#0	QPSK	8.14	13	PASS
Band41	5	40620	1	#0	16QAM	8.58	13	PASS
Band41	5	41565	1	#0	QPSK	8.00	13	PASS
Band41	5	41565	1	#0	16QAM	8.46	13	PASS
Band41	10	39700	1	#0	QPSK	8.20	13	PASS
Band41	10	39700	1	#0	16QAM	8.87	13	PASS
Band41	10	40620	1	#0	QPSK	8.06	13	PASS
Band41	10	40620	1	#0	16QAM	8.87	13	PASS
Band41	10	41540	1	#0	QPSK	8.32	13	PASS
Band41	10	41540	1	#0	16QAM	9.19	13	PASS
Band41	15	39725	1	#0	QPSK	7.74	13	PASS
Band41	15	39725	1	#0	16QAM	8.72	13	PASS
Band41	15	40620	1	#0	QPSK	8.23	13	PASS
Band41	15	40620	1	#0	16QAM	8.99	13	PASS
Band41	15	41515	1	#0	QPSK	8.03	13	PASS
Band41	15	41515	1	#0	16QAM	8.49	13	PASS
Band41	20	39750	1	#0	QPSK	7.77	13	PASS
Band41	20	39750	1	#0	16QAM	8.84	13	PASS
Band41	20	40620	1	#0	QPSK	8.12	13	PASS
Band41	20	40620	1	#0	16QAM	8.93	13	PASS
Band41	20	41490	1	#0	QPSK	7.83	13	PASS
Band41	20	41490	1	#0	16QAM	8.72	13	PASS

Band41 QPSK BW=5MHz Channel=39675 RB Size=1 Position=#0




Date: 15.JAN.2024 14:49:31

Band41 16QAM BW=5MHz Channel=39675 RB Size=1 Position=#0




Date: 15.JAN.2024 14:49:36

Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0




Date: 15.JAN.2024 14:49:40

Band41 16QAM BW=5MHz Channel=40620 RB Size=1 Position=#0




Date: 15.JAN.2024 14:49:45

Band41 QPSK BW=5MHz Channel=41565 RB Size=1 Position=#0




Date: 15.JAN.2024 14:49:50

Band41 16QAM BW=5MHz Channel=41565 RB Size=1 Position=#0




Date: 15.JAN.2024 14:49:54

Band41 QPSK BW=10MHz Channel=39700 RB Size=1 Position=#0




Date: 15.JAN.2024 14:49:59

Band41 16QAM BW=10MHz Channel=39700 RB Size=1 Position=#0




Date: 15.JAN.2024 14:50:03

Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0




Date: 15.JAN.2024 14:50:08

Band41 16QAM BW=10MHz Channel=40620 RB Size=1 Position=#0




Date: 15.JAN.2024 14:50:13

Band41 QPSK BW=10MHz Channel=41540 RB Size=1 Position=#0




Date: 15.JAN.2024 14:50:17

Band41 16QAM BW=10MHz Channel=41540 RB Size=1 Position=#0




Date: 15.JAN.2024 14:50:22

Band41 QPSK BW=15MHz Channel=39725 RB Size=1 Position=#0




Date: 15.JAN.2024 14:50:27

Band41 16QAM BW=15MHz Channel=39725 RB Size=1 Position=#0




Date: 15.JAN.2024 14:50:31

Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0




Date: 15.JAN.2024 14:50:36

Band41 16QAM BW=15MHz Channel=40620 RB Size=1 Position=#0




Date: 15.JAN.2024 14:50:41

Band41 QPSK BW=15MHz Channel=41515 RB Size=1 Position=#0




Date: 15.JAN.2024 14:50:45

Band41 16QAM BW=15MHz Channel=41515 RB Size=1 Position=#0




Date: 15.JAN.2024 14:50:50

Band41 QPSK BW=20MHz Channel=39750 RB Size=1 Position=#0




Date: 15.JAN.2024 14:50:55

Band41 16QAM BW=20MHz Channel=39750 RB Size=1 Position=#0




Date: 15.JAN.2024 14:50:59

Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0




Date: 15.JAN.2024 14:51:04

Band41 16QAM BW=20MHz Channel=40620 RB Size=1 Position=#0




Date: 15.JAN.2024 14:51:09

Band41 QPSK BW=20MHz Channel=41490 RB Size=1 Position=#0



Date: 15.JAN.2024 14:51:13

Band41 16QAM BW=20MHz Channel=41490 RB Size=1 Position=#0




Date: 15.JAN.2024 14:51:18

4 Occupied bandwidth


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band41	5	39675	25	#0	QPSK	4.501	5.174	PASS
Band41	5	39675	25	#0	16QAM	4.486	4.913	PASS
Band41	5	40620	25	#0	QPSK	4.501	4.928	PASS
Band41	5	40620	25	#0	16QAM	4.486	4.957	PASS
Band41	5	41565	25	#0	QPSK	4.501	4.971	PASS
Band41	5	41565	25	#0	16QAM	4.501	4.928	PASS
Band41	10	39700	50	#0	QPSK	9.001	9.884	PASS
Band41	10	39700	50	#0	16QAM	8.944	9.768	PASS
Band41	10	40620	50	#0	QPSK	9.001	10.000	PASS
Band41	10	40620	50	#0	16QAM	9.001	9.826	PASS
Band41	10	41540	50	#0	QPSK	9.001	9.623	PASS
Band41	10	41540	50	#0	16QAM	8.973	9.855	PASS
Band41	15	39725	75	#0	QPSK	13.502	15.174	PASS
Band41	15	39725	75	#0	16QAM	13.502	15.739	PASS
Band41	15	40620	75	#0	QPSK	13.415	14.913	PASS
Band41	15	40620	75	#0	16QAM	13.502	14.739	PASS
Band41	15	41515	75	#0	QPSK	13.502	14.696	PASS
Band41	15	41515	75	#0	16QAM	13.459	14.435	PASS
Band41	20	39750	100	#0	QPSK	18.061	20.522	PASS
Band41	20	39750	100	#0	16QAM	18.003	20.406	PASS
Band41	20	40620	100	#0	QPSK	18.003	20.000	PASS
Band41	20	40620	100	#0	16QAM	18.003	20.638	PASS
Band41	20	41490	100	#0	QPSK	18.003	20.580	PASS
Band41	20	41490	100	#0	16QAM	18.061	19.884	PASS

Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Date: 15.JAN.2024 14:51:34

Band41 16QAM BW=5MHz Channel=39675 RB Size=25 Position=#0




Date: 15.JAN.2024 14:51:39

Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0




Date: 15.JAN.2024 14:51:44

Band41 16QAM BW=5MHz Channel=40620 RB Size=25 Position=#0




Date: 15.JAN.2024 14:51:49

Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




Date: 15.JAN.2024 14:51:55

Band41 16QAM BW=5MHz Channel=41565 RB Size=25 Position=#0




Date: 15.JAN.2024 14:52:00

Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Date: 15.JAN.2024 14:52:06

Band41 16QAM BW=10MHz Channel=39700 RB Size=50 Position=#0




Date: 15.JAN.2024 14:52:12

Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0




Date: 15.JAN.2024 14:52:18

Band41 16QAM BW=10MHz Channel=40620 RB Size=50 Position=#0




Date: 15.JAN.2024 14:52:24

Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Date: 15.JAN.2024 14:52:30

Band41 16QAM BW=10MHz Channel=41540 RB Size=50 Position=#0




Date: 15.JAN.2024 14:52:36

Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0



Date: 15.JAN.2024 14:52:42

Band41 16QAM BW=15MHz Channel=39725 RB Size=75 Position=#0



Date: 15.JAN.2024 14:52:47

Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0