

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	high Limit (dBm)	Verdict
Band41(2555-2655)	5	40265	1	#0	QPSK	21.92	37	PASS
Band41(2555-2655)	5	40265	1	#Mid	QPSK	21.63	37	PASS
Band41(2555-2655)	5	40265	1	#Max	QPSK	21.53	37	PASS
Band41(2555-2655)	5	40265	12	#0	QPSK	22.50	37	PASS
Band41(2555-2655)	5	40265	12	#Mid	QPSK	21.84	37	PASS
Band41(2555-2655)	5	40265	12	#Max	QPSK	22.43	37	PASS
Band41(2555-2655)	5	40265	25	#0	QPSK	22.30	37	PASS
Band41(2555-2655)	5	40265	1	#0	QAM16	21.77	37	PASS
Band41(2555-2655)	5	40265	1	#Mid	QAM16	22.24	37	PASS
Band41(2555-2655)	5	40265	1	#Max	QAM16	21.78	37	PASS
Band41(2555-2655)	5	40265	12	#0	QAM16	21.98	37	PASS
Band41(2555-2655)	5	40265	12	#Mid	QAM16	22.09	37	PASS
Band41(2555-2655)	5	40265	12	#Max	QAM16	21.68	37	PASS
Band41(2555-2655)	5	40265	25	#0	QAM16	22.23	37	PASS
Band41(2555-2655)	5	40740	1	#0	QPSK	21.61	37	PASS
Band41(2555-2655)	5	40740	1	#Mid	QPSK	22.11	37	PASS
Band41(2555-2655)	5	40740	1	#Max	QPSK	22.37	37	PASS
Band41(2555-2655)	5	40740	12	#0	QPSK	22.11	37	PASS
Band41(2555-2655)	5	40740	12	#Mid	QPSK	21.53	37	PASS
Band41(2555-2655)	5	40740	12	#Max	QPSK	22.41	37	PASS
Band41(2555-2655)	5	40740	25	#0	QPSK	21.84	37	PASS
Band41(2555-2655)	5	40740	1	#0	QAM16	22.02	37	PASS
Band41(2555-2655)	5	40740	1	#Mid	QAM16	21.98	37	PASS
Band41(2555-2655)	5	40740	1	#Max	QAM16	21.88	37	PASS
Band41(2555-2655)	5	40740	12	#0	QAM16	22.22	37	PASS
Band41(2555-2655)	5	40740	12	#Mid	QAM16	22.36	37	PASS
Band41(2555-2655)	5	40740	12	#Max	QAM16	22.04	37	PASS
Band41(2555-2655)	5	40740	25	#0	QAM16	21.66	37	PASS
Band41(2555-2655)	5	41215	1	#0	QPSK	22.07	37	PASS
Band41(2555-2655)	5	41215	1	#Mid	QPSK	22.29	37	PASS
Band41(2555-2655)	5	41215	1	#Max	QPSK	22.06	37	PASS
Band41(2555-2655)	5	41215	12	#0	QPSK	22.02	37	PASS
Band41(2555-2655)	5	41215	12	#Mid	QPSK	21.84	37	PASS
Band41(2555-2655)	5	41215	12	#Max	QPSK	21.59	37	PASS
Band41(2555-2655)	5	41215	25	#0	QPSK	21.84	37	PASS
Band41(2555-2655)	5	41215	1	#0	QAM16	21.50	37	PASS
Band41(2555-2655)	5	41215	1	#Mid	QAM16	21.83	37	PASS
Band41(2555-2655)	5	41215	1	#Max	QAM16	21.76	37	PASS
Band41(2555-2655)	5	41215	12	#0	QAM16	22.15	37	PASS
Band41(2555-2655)	5	41215	12	#Mid	QAM16	22.21	37	PASS

Band41(2555-2655)	5	41215	12	#Max	QAM16	21.93	37	PASS
Band41(2555-2655)	5	41215	25	#0	QAM16	21.93	37	PASS
Band41(2555-2655)	10	40290	1	#0	QPSK	22.25	37	PASS
Band41(2555-2655)	10	40290	1	#Mid	QPSK	22.22	37	PASS
Band41(2555-2655)	10	40290	1	#Max	QPSK	22.23	37	PASS
Band41(2555-2655)	10	40290	25	#0	QPSK	21.82	37	PASS
Band41(2555-2655)	10	40290	25	#Mid	QPSK	21.77	37	PASS
Band41(2555-2655)	10	40290	25	#Max	QPSK	22.19	37	PASS
Band41(2555-2655)	10	40290	50	#0	QPSK	21.93	37	PASS
Band41(2555-2655)	10	40290	1	#0	QAM16	22.04	37	PASS
Band41(2555-2655)	10	40290	1	#Mid	QAM16	21.85	37	PASS
Band41(2555-2655)	10	40290	1	#Max	QAM16	21.57	37	PASS
Band41(2555-2655)	10	40290	25	#0	QAM16	22.27	37	PASS
Band41(2555-2655)	10	40290	25	#Mid	QAM16	22.15	37	PASS
Band41(2555-2655)	10	40290	25	#Max	QAM16	22.03	37	PASS
Band41(2555-2655)	10	40290	50	#0	QAM16	22.39	37	PASS
Band41(2555-2655)	10	40740	1	#0	QPSK	22.26	37	PASS
Band41(2555-2655)	10	40740	1	#Mid	QPSK	22.27	37	PASS
Band41(2555-2655)	10	40740	1	#Max	QPSK	21.50	37	PASS
Band41(2555-2655)	10	40740	25	#0	QPSK	21.77	37	PASS
Band41(2555-2655)	10	40740	25	#Mid	QPSK	22.35	37	PASS
Band41(2555-2655)	10	40740	25	#Max	QPSK	21.86	37	PASS
Band41(2555-2655)	10	40740	50	#0	QPSK	22.20	37	PASS
Band41(2555-2655)	10	40740	1	#0	QAM16	21.82	37	PASS
Band41(2555-2655)	10	40740	1	#Mid	QAM16	22.09	37	PASS
Band41(2555-2655)	10	40740	1	#Max	QAM16	21.57	37	PASS
Band41(2555-2655)	10	40740	25	#0	QAM16	21.99	37	PASS
Band41(2555-2655)	10	40740	25	#Mid	QAM16	21.64	37	PASS
Band41(2555-2655)	10	40740	25	#Max	QAM16	22.34	37	PASS
Band41(2555-2655)	10	40740	50	#0	QAM16	21.92	37	PASS
Band41(2555-2655)	10	41190	1	#0	QPSK	22.45	37	PASS
Band41(2555-2655)	10	41190	1	#Mid	QPSK	22.34	37	PASS
Band41(2555-2655)	10	41190	1	#Max	QPSK	21.72	37	PASS
Band41(2555-2655)	10	41190	25	#0	QPSK	22.43	37	PASS
Band41(2555-2655)	10	41190	25	#Mid	QPSK	21.84	37	PASS
Band41(2555-2655)	10	41190	25	#Max	QPSK	21.94	37	PASS
Band41(2555-2655)	10	41190	50	#0	QPSK	22.04	37	PASS
Band41(2555-2655)	10	41190	1	#0	QAM16	21.68	37	PASS
Band41(2555-2655)	10	41190	1	#Mid	QAM16	22.10	37	PASS
Band41(2555-2655)	10	41190	1	#Max	QAM16	22.44	37	PASS
Band41(2555-2655)	10	41190	25	#0	QAM16	21.89	37	PASS
Band41(2555-2655)	10	41190	25	#Mid	QAM16	22.06	37	PASS
Band41(2555-2655)	10	41190	25	#Max	QAM16	21.88	37	PASS
Band41(2555-2655)	10	41190	50	#0	QAM16	22.32	37	PASS

Band41(2555-2655)	15	40315	1	#0	QPSK	21.72	37	PASS
Band41(2555-2655)	15	40315	1	#Mid	QPSK	21.53	37	PASS
Band41(2555-2655)	15	40315	1	#Max	QPSK	22.44	37	PASS
Band41(2555-2655)	15	40315	36	#0	QPSK	22.46	37	PASS
Band41(2555-2655)	15	40315	36	#Mid	QPSK	21.56	37	PASS
Band41(2555-2655)	15	40315	36	#Max	QPSK	21.89	37	PASS
Band41(2555-2655)	15	40315	75	#0	QPSK	21.99	37	PASS
Band41(2555-2655)	15	40315	1	#0	QAM16	21.59	37	PASS
Band41(2555-2655)	15	40315	1	#Mid	QAM16	21.53	37	PASS
Band41(2555-2655)	15	40315	1	#Max	QAM16	22.31	37	PASS
Band41(2555-2655)	15	40315	36	#0	QAM16	21.76	37	PASS
Band41(2555-2655)	15	40315	36	#Mid	QAM16	22.06	37	PASS
Band41(2555-2655)	15	40315	36	#Max	QAM16	22.29	37	PASS
Band41(2555-2655)	15	40315	75	#0	QAM16	21.73	37	PASS
Band41(2555-2655)	15	40740	1	#0	QPSK	22.27	37	PASS
Band41(2555-2655)	15	40740	1	#Mid	QPSK	21.76	37	PASS
Band41(2555-2655)	15	40740	1	#Max	QPSK	22.02	37	PASS
Band41(2555-2655)	15	40740	36	#0	QPSK	21.52	37	PASS
Band41(2555-2655)	15	40740	36	#Mid	QPSK	21.85	37	PASS
Band41(2555-2655)	15	40740	36	#Max	QPSK	22.22	37	PASS
Band41(2555-2655)	15	40740	75	#0	QPSK	22.33	37	PASS
Band41(2555-2655)	15	40740	1	#0	QAM16	22.23	37	PASS
Band41(2555-2655)	15	40740	1	#Mid	QAM16	21.66	37	PASS
Band41(2555-2655)	15	40740	1	#Max	QAM16	21.93	37	PASS
Band41(2555-2655)	15	40740	36	#0	QAM16	21.53	37	PASS
Band41(2555-2655)	15	40740	36	#Mid	QAM16	22.21	37	PASS
Band41(2555-2655)	15	40740	36	#Max	QAM16	21.74	37	PASS
Band41(2555-2655)	15	40740	75	#0	QAM16	21.80	37	PASS
Band41(2555-2655)	15	41165	1	#0	QPSK	22.38	37	PASS
Band41(2555-2655)	15	41165	1	#Mid	QPSK	22.19	37	PASS
Band41(2555-2655)	15	41165	1	#Max	QPSK	21.90	37	PASS
Band41(2555-2655)	15	41165	36	#0	QPSK	21.89	37	PASS
Band41(2555-2655)	15	41165	36	#Mid	QPSK	22.41	37	PASS
Band41(2555-2655)	15	41165	36	#Max	QPSK	21.63	37	PASS
Band41(2555-2655)	15	41165	75	#0	QPSK	21.63	37	PASS
Band41(2555-2655)	15	41165	1	#0	QAM16	21.63	37	PASS
Band41(2555-2655)	15	41165	1	#Mid	QAM16	22.22	37	PASS
Band41(2555-2655)	15	41165	1	#Max	QAM16	21.83	37	PASS
Band41(2555-2655)	15	41165	36	#0	QAM16	22.27	37	PASS
Band41(2555-2655)	15	41165	36	#Mid	QAM16	21.70	37	PASS
Band41(2555-2655)	15	41165	36	#Max	QAM16	22.32	37	PASS
Band41(2555-2655)	15	41165	75	#0	QAM16	21.75	37	PASS
Band41(2555-2655)	20	40340	1	#0	QPSK	21.58	37	PASS
Band41(2555-2655)	20	40340	1	#Mid	QPSK	21.61	37	PASS

Band41(2555-2655)	20	40340	1	#Max	QPSK	21.87	37	PASS
Band41(2555-2655)	20	40340	50	#0	QPSK	21.83	37	PASS
Band41(2555-2655)	20	40340	50	#Mid	QPSK	22.24	37	PASS
Band41(2555-2655)	20	40340	50	#Max	QPSK	21.95	37	PASS
Band41(2555-2655)	20	40340	100	#0	QPSK	21.68	37	PASS
Band41(2555-2655)	20	40340	1	#0	QAM16	21.52	37	PASS
Band41(2555-2655)	20	40340	1	#Mid	QAM16	22.18	37	PASS
Band41(2555-2655)	20	40340	1	#Max	QAM16	22.43	37	PASS
Band41(2555-2655)	20	40340	50	#0	QAM16	21.59	37	PASS
Band41(2555-2655)	20	40340	50	#Mid	QAM16	22.25	37	PASS
Band41(2555-2655)	20	40340	50	#Max	QAM16	22.30	37	PASS
Band41(2555-2655)	20	40340	100	#0	QAM16	22.16	37	PASS
Band41(2555-2655)	20	40740	1	#0	QPSK	22.48	37	PASS
Band41(2555-2655)	20	40740	1	#Mid	QPSK	22.16	37	PASS
Band41(2555-2655)	20	40740	1	#Max	QPSK	22.29	37	PASS
Band41(2555-2655)	20	40740	50	#0	QPSK	21.84	37	PASS
Band41(2555-2655)	20	40740	50	#Mid	QPSK	21.90	37	PASS
Band41(2555-2655)	20	40740	50	#Max	QPSK	22.25	37	PASS
Band41(2555-2655)	20	40740	100	#0	QPSK	22.31	37	PASS
Band41(2555-2655)	20	40740	1	#0	QAM16	22.31	37	PASS
Band41(2555-2655)	20	40740	1	#Mid	QAM16	22.15	37	PASS
Band41(2555-2655)	20	40740	1	#Max	QAM16	22.30	37	PASS
Band41(2555-2655)	20	40740	50	#0	QAM16	22.34	37	PASS
Band41(2555-2655)	20	40740	50	#Mid	QAM16	21.79	37	PASS
Band41(2555-2655)	20	40740	50	#Max	QAM16	21.63	37	PASS
Band41(2555-2655)	20	40740	100	#0	QAM16	22.21	37	PASS
Band41(2555-2655)	20	41140	1	#0	QPSK	22.20	37	PASS
Band41(2555-2655)	20	41140	1	#Mid	QPSK	21.89	37	PASS
Band41(2555-2655)	20	41140	1	#Max	QPSK	22.11	37	PASS
Band41(2555-2655)	20	41140	50	#0	QPSK	21.99	37	PASS
Band41(2555-2655)	20	41140	50	#Mid	QPSK	22.08	37	PASS
Band41(2555-2655)	20	41140	50	#Max	QPSK	22.02	37	PASS
Band41(2555-2655)	20	41140	100	#0	QPSK	21.92	37	PASS
Band41(2555-2655)	20	41140	1	#0	QAM16	21.56	37	PASS
Band41(2555-2655)	20	41140	1	#Mid	QAM16	22.50	37	PASS
Band41(2555-2655)	20	41140	1	#Max	QAM16	22.43	37	PASS
Band41(2555-2655)	20	41140	50	#0	QAM16	21.98	37	PASS
Band41(2555-2655)	20	41140	50	#Mid	QAM16	22.32	37	PASS
Band41(2555-2655)	20	41140	50	#Max	QAM16	21.69	37	PASS
Band41(2555-2655)	20	41140	100	#0	QAM16	21.82	37	PASS

2 Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result(Hz)	Result (ppm)	Low Limit	high Limit	Verdict
------	--------------------	---------------	------------	----------------	------------	------------	-----------------	--------------	---------------	---------

								(ppm)	(ppm)	
Band41(2555-2655)	20	40340	100	#0	QPSK	1.65	0.001	-2.5	2.5	PASS
Band41(2555-2655)	20	40340	100	#0	QAM16	-12.23	-0.005	-2.5	2.5	PASS
Band41(2555-2655)	20	40740	100	#0	QPSK	-0.57	0.000	-2.5	2.5	PASS
Band41(2555-2655)	20	40740	100	#0	QAM16	-5.50	-0.002	-2.5	2.5	PASS
Band41(2555-2655)	20	41140	100	#0	QPSK	1.54	0.001	-2.5	2.5	PASS
Band41(2555-2655)	20	41140	100	#0	QAM16	-2.00	-0.001	-2.5	2.5	PASS

3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41(2555-2655)	5	40740	1	#0	QPSK	10.19	13	PASS
Band41(2555-2655)	5	40740	1	#0	QAM16	11.18	13	PASS
Band41(2555-2655)	10	40740	1	#0	QPSK	10.95	13	PASS
Band41(2555-2655)	10	40740	1	#0	QAM16	10.94	13	PASS
Band41(2555-2655)	15	40740	1	#0	QPSK	9.68	13	PASS
Band41(2555-2655)	15	40740	1	#0	QAM16	10.13	13	PASS
Band41(2555-2655)	20	40740	1	#0	QPSK	11.46	13	PASS
Band41(2555-2655)	20	40740	1	#0	QAM16	10.29	13	PASS

Band41(2555-2655) QAM16 BW=10MHz Channel=40740 RB Size=1 Position=#0



Band41(2555-2655) QAM16 BW=15MHz Channel=40740 RB Size=1 Position=#0



Band41(2555-2655) QAM16 BW=20MHz Channel=40740 RB Size=1 Position=#0



Band41(2555-2655) QAM16 BW=5MHz Channel=40740 RB Size=1 Position=#0




Band41(2555-2655) QPSK BW=10MHz Channel=40740 RB Size=1 Position=#0



Band41(2555-2655) QPSK BW=15MHz Channel=40740 RB Size=1 Position=#0



Band41(2555-2655) QPSK BW=20MHz Channel=40740 RB Size=1 Position=#0



Band41(2555-2655) QPSK BW=5MHz Channel=40740 RB Size=1 Position=#0




4 Occupied bandwidth


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band41(2555-2655)	5	40265	25	#0	QPSK	4.491	4.926	PASS
Band41(2555-2655)	5	40265	25	#0	QAM16	4.503	4.896	PASS
Band41(2555-2655)	5	40740	25	#0	QPSK	4.487	5.123	PASS
Band41(2555-2655)	5	40740	25	#0	QAM16	4.494	4.845	PASS
Band41(2555-2655)	5	41215	25	#0	QPSK	4.508	5.103	PASS
Band41(2555-2655)	5	41215	25	#0	QAM16	4.513	4.917	PASS
Band41(2555-2655)	10	40290	50	#0	QPSK	9.007	9.620	PASS
Band41(2555-2655)	10	40290	50	#0	QAM16	9.008	10.341	PASS
Band41(2555-2655)	10	40740	50	#0	QPSK	8.990	9.712	PASS
Band41(2555-2655)	10	40740	50	#0	QAM16	8.972	9.771	PASS
Band41(2555-2655)	10	41190	50	#0	QPSK	9.000	9.899	PASS
Band41(2555-2655)	10	41190	50	#0	QAM16	9.001	10.384	PASS
Band41(2555-2655)	15	40315	75	#0	QPSK	13.502	14.793	PASS
Band41(2555-2655)	15	40315	75	#0	QAM16	13.497	15.242	PASS
Band41(2555-2655)	15	40740	75	#0	QPSK	13.432	14.441	PASS
Band41(2555-2655)	15	40740	75	#0	QAM16	13.497	14.810	PASS
Band41(2555-2655)	15	41165	75	#0	QPSK	13.453	14.491	PASS
Band41(2555-2655)	15	41165	75	#0	QAM16	13.476	15.227	PASS
Band41(2555-2655)	20	40340	100	#0	QPSK	18.033	19.608	PASS
Band41(2555-2655)	20	40340	100	#0	QAM16	17.986	19.287	PASS

Band41(2555-2655)	20	40740	100	#0	QPSK	17.967	19.166	PASS
Band41(2555-2655)	20	40740	100	#0	QAM16	17.963	19.920	PASS
Band41(2555-2655)	20	41140	100	#0	QPSK	17.979	19.732	PASS
Band41(2555-2655)	20	41140	100	#0	QAM16	18.012	19.445	PASS


Band41(2555-2655) QAM16 BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41(2555-2655) QAM16 BW=10MHz Channel=40740 RB Size=50 Position=#0




Band41(2555-2655) QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2555-2655) QAM16 BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41(2555-2655) QAM16 BW=15MHz Channel=40740 RB Size=75 Position=#0




Band41(2555-2655) QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2555-2655) QAM16 BW=20MHz Channel=40340 RB Size=100 Position=#0




Band41(2555-2655) QAM16 BW=20MHz Channel=40740 RB Size=100 Position=#0




Band41(2555-2655) QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2555-2655) QAM16 BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41(2555-2655) QAM16 BW=5MHz Channel=40740 RB Size=25 Position=#0




Band41(2555-2655) QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2555-2655) QPSK BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=10MHz Channel=40740 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=40740 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=20MHz Channel=40340 RB Size=100 Position=#0




Band41(2555-2655) QPSK BW=20MHz Channel=40740 RB Size=100 Position=#0




Band41(2555-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2555-2655) QPSK BW=5MHz Channel=40265 RB Size=25 Position=#0



Band41(2555-2655) QPSK BW=5MHz Channel=40740 RB Size=25 Position=#0




Band41(2555-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(2555-2655)	5	40265	25	#0	QPSK	2554.00	-23.29	-10	PASS
Band41(2555-2655)	5	40265	25	#0	QAM16	2553.98	-23.34	-10	PASS
Band41(2555-2655)	5	41215	25	#0	QPSK	2656.06	-23.17	-10	PASS
Band41(2555-2655)	5	41215	25	#0	QAM16	2661.00	-38.90	-25	PASS
Band41(2555-2655)	10	40290	50	#0	QPSK	2543.72	-36.54	-25	PASS
Band41(2555-2655)	10	40290	50	#0	QAM16	2544.09	-39.28	-25	PASS
Band41(2555-2655)	10	41190	50	#0	QPSK	2665.10	-39.19	-25	PASS
Band41(2555-2655)	10	41190	50	#0	QAM16	2666.08	-39.54	-25	PASS
Band41(2555-2655)	15	40315	75	#0	QPSK	2539.26	-40.23	-25	PASS
Band41(2555-2655)	15	40315	75	#0	QAM16	2537.38	-39.05	-25	PASS
Band41(2555-2655)	15	41165	75	#0	QPSK	2670.01	-41.44	-25	PASS
Band41(2555-2655)	15	41165	75	#0	QAM16	2671.46	-41.11	-25	PASS
Band41(2555-2655)	20	40340	100	#0	QPSK	2534.96	-41.46	-25	PASS
Band41(2555-2655)	20	40340	100	#0	QAM16	2533.57	-42.46	-25	PASS
Band41(2555-2655)	20	41140	100	#0	QPSK	2675.31	-42.52	-25	PASS
Band41(2555-2655)	20	41140	100	#0	QAM16	2677.98	-42.49	-25	PASS


Band41(2555-2655) QAM16 BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41(2555-2655) QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2555-2655) QAM16 BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41(2555-2655) QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2555-2655) QAM16 BW=20MHz Channel=40340 RB Size=100 Position=#0




Band41(2555-2655) QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2555-2655) QAM16 BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41(2555-2655) QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2555-2655) QPSK BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=20MHz Channel=40340 RB Size=100 Position=#0




Band41(2555-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Band41(2555-2655) QPSK BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41(2555-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(2555-2655)	5	40265	25	#0	QPSK	3872.35	-38.17	-25	PASS
Band41(2555-2655)	5	40265	25	#0	QAM16	3776.05	-39.19	-25	PASS
Band41(2555-2655)	5	41215	25	#0	QPSK	8474.05	-38.89	-25	PASS
Band41(2555-2655)	5	41215	25	#0	QAM16	3873.93	-39.09	-25	PASS
Band41(2555-2655)	10	40290	50	#0	QPSK	3860.20	-38.63	-25	PASS
Band41(2555-2655)	10	40290	50	#0	QAM16	3769.30	-38.65	-25	PASS
Band41(2555-2655)	10	41190	50	#0	QPSK	3810.70	-39.05	-25	PASS
Band41(2555-2655)	10	41190	50	#0	QAM16	3828.93	-38.49	-25	PASS
Band41(2555-2655)	15	40315	75	#0	QPSK	3873.03	-39.10	-25	PASS
Band41(2555-2655)	15	40315	75	#0	QAM16	3829.38	-38.09	-25	PASS
Band41(2555-2655)	15	41165	75	#0	QPSK	3827.35	-38.32	-25	PASS
Band41(2555-2655)	15	41165	75	#0	QAM16	3809.13	-38.15	-25	PASS
Band41(2555-2655)	20	40340	100	#0	QPSK	3794.05	-39.51	-25	PASS
Band41(2555-2655)	20	40340	100	#0	QAM16	3759.40	-39.48	-25	PASS
Band41(2555-2655)	20	41140	100	#0	QPSK	3831.18	-38.81	-25	PASS
Band41(2555-2655)	20	41140	100	#0	QAM16	3940.08	-38.57	-25	PASS


Band41(2555-2655) QAM16 BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41(2555-2655) QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2555-2655) QAM16 BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41(2555-2655) QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2555-2655) QAM16 BW=20MHz Channel=40340 RB Size=100 Position=#0




Band41(2555-2655) QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2555-2655) QAM16 BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41(2555-2655) QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2555-2655) QPSK BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=20MHz Channel=40340 RB Size=100 Position=#0



Band41(2555-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Band41(2555-2655) QPSK BW=5MHz Channel=40265 RB Size=25 Position=#0



Band41(2555-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0

