

01 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	NB Index	Modulation	Power (dBm)	ERP (dBm)	Verdict
Band12	1.4	23017	1	#0	0	QPSK	19.86	17.95	PASS
Band12	1.4	23017	6	#0	0	QPSK	17.95	16.04	PASS
Band12	1.4	23017	1	#0	0	16QAM	19.38	17.47	PASS
Band12	1.4	23017	5	#0	0	16QAM	17.83	15.92	PASS
Band12	1.4	23095	1	#0	0	QPSK	19.81	17.90	PASS
Band12	1.4	23095	6	#0	0	QPSK	17.79	15.88	PASS
Band12	1.4	23095	1	#0	0	16QAM	18.99	17.08	PASS
Band12	1.4	23095	5	#0	0	16QAM	17.80	15.89	PASS
Band12	1.4	23173	1	#Max	0	QPSK	19.53	17.62	PASS
Band12	1.4	23173	6	#Max	0	QPSK	17.73	15.82	PASS
Band12	1.4	23173	1	#Max	0	16QAM	18.28	16.37	PASS
Band12	1.4	23173	5	#Max	0	16QAM	17.66	15.75	PASS
Band12	3	23025	1	#0	0	QPSK	19.65	17.74	PASS
Band12	3	23025	6	#0	0	QPSK	17.81	15.90	PASS
Band12	3	23025	1	#0	0	16QAM	18.90	16.99	PASS
Band12	3	23025	5	#0	0	16QAM	17.95	16.04	PASS
Band12	3	23095	1	#0	0	QPSK	20.09	18.18	PASS
Band12	3	23095	6	#0	0	QPSK	18.08	16.17	PASS
Band12	3	23095	1	#0	0	16QAM	18.88	16.97	PASS
Band12	3	23095	5	#0	0	16QAM	18.03	16.12	PASS
Band12	3	23165	1	#Max	1	QPSK	19.37	17.46	PASS
Band12	3	23165	6	#Max	1	QPSK	17.51	15.60	PASS
Band12	3	23165	1	#Max	1	16QAM	18.47	16.56	PASS
Band12	3	23165	5	#Max	1	16QAM	17.65	15.74	PASS
Band12	5	23035	1	#0	0	QPSK	20.11	18.20	PASS
Band12	5	23035	6	#0	0	QPSK	19.03	17.12	PASS
Band12	5	23035	1	#0	0	16QAM	19.98	18.07	PASS
Band12	5	23035	5	#0	0	16QAM	18.89	16.98	PASS
Band12	5	23095	1	#0	0	QPSK	19.96	18.05	PASS
Band12	5	23095	6	#0	0	QPSK	18.89	16.98	PASS
Band12	5	23095	1	#0	0	16QAM	19.87	17.96	PASS
Band12	5	23095	5	#0	0	16QAM	18.94	17.03	PASS
Band12	5	23155	1	#Max	3	QPSK	19.62	17.71	PASS
Band12	5	23155	6	#Max	3	QPSK	18.69	16.78	PASS
Band12	5	23155	1	#Max	3	16QAM	19.46	17.55	PASS
Band12	5	23155	5	#Max	3	16QAM	18.59	16.68	PASS
Band12	10	23060	1	#0	0	QPSK	18.89	16.98	PASS
Band12	10	23060	4	#0	0	QPSK	19.96	18.05	PASS
Band12	10	23060	1	#0	0	16QAM	19.73	17.82	PASS

Band12	10	23060	4	#0	0	16QAM	19.79	17.88	PASS
Band12	10	23095	1	#0	0	QPSK	19.81	17.90	PASS
Band12	10	23095	4	#0	0	QPSK	19.92	18.01	PASS
Band12	10	23095	1	#0	0	16QAM	19.77	17.86	PASS
Band12	10	23095	4	#0	0	16QAM	19.92	18.01	PASS
Band12	10	23130	1	#Max	7	QPSK	19.70	17.79	PASS
Band12	10	23130	4	#Max	7	QPSK	19.75	17.84	PASS
Band12	10	23130	1	#Max	7	16QAM	19.62	17.71	PASS
Band12	10	23130	4	#Max	7	16QAM	19.55	17.64	PASS


02 Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	NB Index	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
Band12	1.4	23017	6	#0	0	QPSK	-3.22	-0.005	-2.5	2.5	PASS
Band12	1.4	23017	5	#0	0	16QAM	9.68	0.014	-2.5	2.5	PASS
Band12	1.4	23095	6	#0	0	QPSK	-1.63	-0.002	-2.5	2.5	PASS
Band12	1.4	23095	5	#0	0	16QAM	9.79	0.014	-2.5	2.5	PASS
Band12	1.4	23173	6	#0	0	QPSK	-2.7	-0.004	-2.5	2.5	PASS
Band12	1.4	23173	5	#0	0	16QAM	10.96	0.015	-2.5	2.5	PASS


03 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	NB Index	Modulation	Result (dB)	high Limit (dB)	Verdict
Band12	1.4	23017	6	#0	0	QPSK	9.99	13	PASS
Band12	1.4	23017	5	#0	0	16QAM	10.08	13	PASS
Band12	1.4	23095	6	#0	0	QPSK	9.48	13	PASS
Band12	1.4	23095	5	#0	0	16QAM	10.19	13	PASS
Band12	1.4	23173	6	#0	0	QPSK	9.46	13	PASS
Band12	1.4	23173	5	#0	0	16QAM	10.30	13	PASS
Band12	3	23025	6	#0	0	QPSK	9.57	13	PASS
Band12	3	23025	5	#0	0	16QAM	10.60	13	PASS
Band12	3	23095	6	#0	0	QPSK	9.76	13	PASS
Band12	3	23095	5	#0	0	16QAM	10.56	13	PASS
Band12	3	23165	6	#0	0	QPSK	10.39	13	PASS
Band12	3	23165	5	#0	0	16QAM	10.13	13	PASS
Band12	5	23035	6	#0	0	QPSK	9.51	13	PASS
Band12	5	23035	5	#0	0	16QAM	10.36	13	PASS
Band12	5	23095	6	#0	0	QPSK	10.33	13	PASS
Band12	5	23095	5	#0	0	16QAM	10.71	13	PASS
Band12	5	23155	6	#0	0	QPSK	9.72	13	PASS
Band12	5	23155	5	#0	0	16QAM	10.77	13	PASS
Band12	10	23060	6	#0	0	QPSK	9.69	13	PASS
Band12	10	23060	5	#0	0	16QAM	10.82	13	PASS
Band12	10	23095	6	#0	0	QPSK	9.98	13	PASS
Band12	10	23095	5	#0	0	16QAM	11.76	13	PASS
Band12	10	23130	6	#0	0	QPSK	9.63	13	PASS
Band12	10	23130	5	#0	0	16QAM	10.19	13	PASS


Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=1.4MHz Channel=23017 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=1.4MHz Channel=23095 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=1.4MHz Channel=23173 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=3MHz Channel=23025 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=3MHz Channel=23025 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=3MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=3MHz Channel=23095 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=3MHz Channel=23165 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=3MHz Channel=23165 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=5MHz Channel=23035 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=5MHz Channel=23035 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=5MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=5MHz Channel=23095 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=5MHz Channel=23155 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=5MHz Channel=23155 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=10MHz Channel=23060 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=10MHz Channel=23060 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=10MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=10MHz Channel=23095 RB Size=5 Position=#0 NB Index=0



Band12 QPSK BW=10MHz Channel=23130 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=10MHz Channel=23130 RB Size=5 Position=#0 NB Index=0




04 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	NB Index	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band12	1.4	23017	6	#0	0	QPSK	1.085444795	1.273	PASS
Band12	1.4	23017	5	#0	0	16QAM	0.9261328884	1.109	PASS
Band12	1.4	23095	6	#0	0	QPSK	1.094326153	1.304	PASS
Band12	1.4	23095	5	#0	0	16QAM	0.9169789218	1.110	PASS
Band12	1.4	23173	6	#0	0	QPSK	1.090191216	1.238	PASS
Band12	1.4	23173	5	#0	0	16QAM	0.9207044854	1.212	PASS
Band12	3	23025	6	#0	0	QPSK	1.093258386	1.288	PASS
Band12	3	23025	5	#0	0	16QAM	0.9193880496	1.092	PASS
Band12	3	23095	6	#0	0	QPSK	1.09252821	1.284	PASS
Band12	3	23095	5	#0	0	16QAM	0.930684846	1.127	PASS
Band12	3	23165	6	#0	0	QPSK	1.094799444	1.272	PASS
Band12	3	23165	5	#0	0	16QAM	0.9279875334	1.213	PASS
Band12	5	23035	6	#0	0	QPSK	1.098055052	1.301	PASS
Band12	5	23035	5	#0	0	16QAM	0.9288781209	1.136	PASS
Band12	5	23095	6	#0	0	QPSK	1.104665525	1.315	PASS
Band12	5	23095	5	#0	0	16QAM	0.9291789962	1.122	PASS
Band12	5	23155	6	#0	0	QPSK	1.092820795	1.274	PASS
Band12	5	23155	5	#0	0	16QAM	0.9340324609	1.128	PASS
Band12	10	23060	6	#0	0	QPSK	1.109397284	1.298	PASS
Band12	10	23060	5	#0	0	16QAM	0.9445980672	1.168	PASS
Band12	10	23095	6	#0	0	QPSK	1.105598869	1.279	PASS
Band12	10	23095	5	#0	0	16QAM	0.9488874642	1.155	PASS
Band12	10	23130	6	#0	0	QPSK	1.106422952	1.315	PASS
Band12	10	23130	5	#0	0	16QAM	0.9383149069	1.097	PASS


Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=1.4MHz Channel=23017 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=1.4MHz Channel=23095 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=1.4MHz Channel=23173 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=3MHz Channel=23025 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=3MHz Channel=23025 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=3MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=3MHz Channel=23095 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=3MHz Channel=23165 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=3MHz Channel=23165 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=5MHz Channel=23035 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=5MHz Channel=23035 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=5MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=5MHz Channel=23095 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=5MHz Channel=23155 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=5MHz Channel=23155 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=10MHz Channel=23060 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=10MHz Channel=23060 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=10MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=10MHz Channel=23095 RB Size=5 Position=#0 NB Index=0



Band12 QPSK BW=10MHz Channel=23130 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=10MHz Channel=23130 RB Size=5 Position=#0 NB Index=0




05 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	NB Index	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	0	QPSK	699	-33.35	-13	PASS
Band12	1.4	23017	6	#0	0	QPSK	699	-36.85	-13	PASS
Band12	1.4	23017	1	#0	0	16QAM	698.9916	-36.12	-13	PASS
Band12	1.4	23017	5	#0	0	16QAM	698.986	-38.24	-13	PASS
Band12	1.4	23173	1	#Max	0	QPSK	716.0112	-35.49	-13	PASS
Band12	1.4	23173	6	#Max	0	QPSK	716.0112	-38.90	-13	PASS
Band12	1.4	23173	1	#Max	0	16QAM	716.0476	-36.01	-13	PASS
Band12	1.4	23173	5	#Max	0	16QAM	716.0056	-37.70	-13	PASS
Band12	3	23025	1	#0	0	QPSK	699	-38.32	-13	PASS
Band12	3	23025	6	#0	0	QPSK	698.904	-37.98	-13	PASS
Band12	3	23025	1	#0	0	16QAM	698.862	-44.54	-13	PASS
Band12	3	23025	5	#0	0	16QAM	698.964	-38.83	-13	PASS
Band12	3	23165	1	#Max	1	QPSK	716.03	-36.23	-13	PASS
Band12	3	23165	6	#Max	1	QPSK	716.03	-37.50	-13	PASS
Band12	3	23165	1	#Max	1	16QAM	716.084	-38.77	-13	PASS
Band12	3	23165	5	#Max	1	16QAM	716	-38.61	-13	PASS
Band12	5	23035	1	#0	0	QPSK	698.97	-32.16	-13	PASS
Band12	5	23035	6	#0	0	QPSK	698.97	-37.55	-13	PASS
Band12	5	23035	1	#0	0	16QAM	699	-35.49	-13	PASS
Band12	5	23035	5	#0	0	16QAM	699	-33.13	-13	PASS
Band12	5	23155	1	#Max	3	QPSK	716.05	-33.23	-13	PASS
Band12	5	23155	6	#Max	3	QPSK	716.04	-35.79	-13	PASS
Band12	5	23155	1	#Max	3	16QAM	716.23	-39.68	-13	PASS
Band12	5	23155	5	#Max	3	16QAM	716	-36.31	-13	PASS
Band12	10	23060	1	#0	0	QPSK	698.88	-43.84	-13	PASS
Band12	10	23060	4	#0	0	QPSK	699	-37.83	-13	PASS
Band12	10	23060	1	#0	0	16QAM	696.98	-44.23	-13	PASS
Band12	10	23060	4	#0	0	16QAM	698.86	-37.10	-13	PASS
Band12	10	23130	1	#Max	7	QPSK	716.78	-40.96	-13	PASS
Band12	10	23130	4	#Max	7	QPSK	716	-38.89	-13	PASS
Band12	10	23130	1	#Max	7	16QAM	716.82	-41.95	-13	PASS
Band12	10	23130	4	#Max	7	16QAM	716.3	-36.61	-13	PASS


Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0 NB Index=0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=1.4MHz Channel=23017 RB Size=1 Position=#0 NB Index=0




Band12 16QAM BW=1.4MHz Channel=23017 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#Max NB Index=0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#Max NB Index=0




Band12 16QAM BW=1.4MHz Channel=23173 RB Size=1 Position=#Max NB Index=0




Band12 16QAM BW=1.4MHz Channel=23173 RB Size=5 Position=#Max NB Index=0




Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#0 NB Index=0




Band12 QPSK BW=3MHz Channel=23025 RB Size=6 Position=#0 NB Index=0



Band12 16QAM BW=3MHz Channel=23025 RB Size=1 Position=#0 NB Index=0



Band12 16QAM BW=3MHz Channel=23025 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#Max NB Index=1




Band12 QPSK BW=3MHz Channel=23165 RB Size=6 Position=#Max NB Index=1




Band12 16QAM BW=3MHz Channel=23165 RB Size=1 Position=#Max NB Index=1




Band12 16QAM BW=3MHz Channel=23165 RB Size=5 Position=#Max NB Index=1




Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#0 NB Index=0




Band12 QPSK BW=5MHz Channel=23035 RB Size=6 Position=#0 NB Index=0




Band12 16QAM BW=5MHz Channel=23035 RB Size=1 Position=#0 NB Index=0




Band12 16QAM BW=5MHz Channel=23035 RB Size=5 Position=#0 NB Index=0




Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#Max NB Index=3




Band12 QPSK BW=5MHz Channel=23155 RB Size=6 Position=#Max NB Index=3




Band12 16QAM BW=5MHz Channel=23155 RB Size=1 Position=#Max NB Index=3




Band12 16QAM BW=5MHz Channel=23155 RB Size=5 Position=#Max NB Index=3




Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#0 NB Index=0




Band12 QPSK BW=10MHz Channel=23060 RB Size=4 Position=#0 NB Index=0




Band12 16QAM BW=10MHz Channel=23060 RB Size=1 Position=#0 NB Index=0




Band12 16QAM BW=10MHz Channel=23060 RB Size=4 Position=#0 NB Index=0




Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#Max NB Index=7




Band12 QPSK BW=10MHz Channel=23130 RB Size=4 Position=#Max NB Index=7



Band12 16QAM BW=10MHz Channel=23130 RB Size=1 Position=#Max NB Index=7



Band12 16QAM BW=10MHz Channel=23130 RB Size=4 Position=#Max NB Index=7




06 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	NB Index	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	0	QPSK	25031.8375	-34.29	-13	PASS
Band12	1.4	23017	6	#0	0	QPSK	26025.0625	-33.93	-13	PASS
Band12	1.4	23017	1	#0	0	16QAM	692.898	-33.17	-13	PASS
Band12	1.4	23017	5	#0	0	16QAM	24983.3875	-34.60	-13	PASS
Band12	1.4	23095	1	#0	0	QPSK	24968.0875	-33.45	-13	PASS
Band12	1.4	23095	6	#0	0	QPSK	25992.55	-33.99	-13	PASS
Band12	1.4	23095	1	#0	0	16QAM	24954.0625	-34.49	-13	PASS
Band12	1.4	23095	5	#0	0	16QAM	26005.3	-32.82	-13	PASS
Band12	1.4	23173	1	#0	0	QPSK	25522.7125	-33.34	-13	PASS
Band12	1.4	23173	6	#0	0	QPSK	24998.6875	-33.42	-13	PASS
Band12	1.4	23173	1	#0	0	16QAM	25518.8875	-33.71	-13	PASS
Band12	1.4	23173	5	#0	0	16QAM	24994.225	-34.18	-13	PASS
Band12	3	23025	1	#0	0	QPSK	25967.05	-34.84	-13	PASS
Band12	3	23025	6	#0	0	QPSK	25531.6375	-33.78	-13	PASS
Band12	3	23025	1	#0	0	16QAM	25995.7375	-34.12	-13	PASS
Band12	3	23025	5	#0	0	16QAM	24958.525	-34.10	-13	PASS
Band12	3	23095	1	#0	0	QPSK	25512.5125	-34.23	-13	PASS
Band12	3	23095	6	#0	0	QPSK	25515.7	-34.30	-13	PASS
Band12	3	23095	1	#0	0	16QAM	24974.4625	-33.78	-13	PASS
Band12	3	23095	5	#0	0	16QAM	24975.1	-32.72	-13	PASS
Band12	3	23165	1	#0	0	QPSK	25527.175	-33.78	-13	PASS
Band12	3	23165	6	#0	0	QPSK	26036.5375	-34.39	-13	PASS
Band12	3	23165	1	#0	0	16QAM	24987.85	-33.07	-13	PASS
Band12	3	23165	5	#0	0	16QAM	25029.2875	-34.55	-13	PASS
Band12	5	23035	1	#0	0	QPSK	25028.65	-33.95	-13	PASS
Band12	5	23035	6	#0	0	QPSK	25514.425	-34.72	-13	PASS
Band12	5	23035	1	#0	0	16QAM	25563.5125	-33.28	-13	PASS
Band12	5	23035	5	#0	0	16QAM	24963.625	-34.13	-13	PASS
Band12	5	23095	1	#0	0	QPSK	25045.8625	-34.16	-13	PASS
Band12	5	23095	6	#0	0	QPSK	26000.2	-33.58	-13	PASS
Band12	5	23095	1	#0	0	16QAM	25008.8875	-33.94	-13	PASS
Band12	5	23095	5	#0	0	16QAM	25954.3	-34.43	-13	PASS
Band12	5	23155	1	#0	0	QPSK	26018.05	-34.17	-13	PASS
Band12	5	23155	6	#0	0	QPSK	25541.2	-33.56	-13	PASS
Band12	5	23155	1	#0	0	16QAM	25601.125	-33.76	-13	PASS
Band12	5	23155	5	#0	0	16QAM	25536.7375	-33.18	-13	PASS
Band12	10	23060	1	#0	0	QPSK	25573.7125	-33.87	-13	PASS
Band12	10	23060	6	#0	0	QPSK	25535.4625	-33.95	-13	PASS
Band12	10	23060	1	#0	0	16QAM	26017.4125	-34.42	-13	PASS


Band12	10	23060	5	#0	0	16QAM	25991.9125	-33.67	-13	PASS
Band12	10	23095	1	#0	0	QPSK	25527.8125	-33.22	-13	PASS
Band12	10	23095	6	#0	0	QPSK	24982.75	-34.46	-13	PASS
Band12	10	23095	1	#0	0	16QAM	25502.3125	-34.21	-13	PASS
Band12	10	23095	5	#0	0	16QAM	25549.4875	-33.13	-13	PASS
Band12	10	23130	1	#0	0	QPSK	25519.525	-33.70	-13	PASS
Band12	10	23130	6	#0	0	QPSK	26034.625	-33.58	-13	PASS
Band12	10	23130	1	#0	0	16QAM	26048.0125	-33.63	-13	PASS
Band12	10	23130	5	#0	0	16QAM	24967.45	-33.46	-13	PASS

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01002225	-53.43	-13
2	0.15	30	10	0.164925	-58.99	-13
3	30	1000	100	690.764	-35.51	-13
4	1000	26500	1000	25031.8375	-34.29	-13

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0113829	-55.74	-13
2	0.15	30	10	0.15	-55.13	-13
3	30	1000	100	676.77175	-48.58	-13
4	1000	26500	1000	26025.0625	-33.93	-13

Band12 16QAM BW=1.4MHz Channel=23017 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00957105	-53.45	-13
2	0.15	30	10	0.15	-56.96	-13
3	30	1000	100	692.898	-33.17	-13
4	1000	26500	1000	25634.275	-33.56	-13

Band12 16QAM BW=1.4MHz Channel=23017 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096627	-56.24	-13
2	0.15	30	10	0.158955	-59.55	-13
3	30	1000	100	691.9765	-51.67	-13
4	1000	26500	1000	24983.3875	-34.6	-13

Band12 QPSK BW=1.4MHz Channel=23095 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00993765	-52.58	-13
2	0.15	30	10	0.16417875	-57.83	-13
3	30	1000	100	553.412	-49.77	-13
4	1000	26500	1000	24968.0875	-33.45	-13

Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009165675	-51.58	-13
2	0.15	30	10	0.15	-56.87	-13
3	30	1000	100	685.45325	-48.2	-13
4	1000	26500	1000	25992.55	-33.99	-13

Band12 16QAM BW=1.4MHz Channel=23095 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009052875	-53.32	-13
2	0.15	30	10	0.15	-59.45	-13
3	30	1000	100	721.804	-45.25	-13
4	1000	26500	1000	24954.0625	-34.49	-13

Band12 16QAM BW=1.4MHz Channel=23095 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00928905	-55.29	-13
2	0.15	30	10	0.15	-56.91	-13
3	30	1000	100	496.35175	-50.13	-13
4	1000	26500	1000	26005.3	-32.82	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-55.35	-13
2	0.15	30	10	0.1514925	-57.78	-13
3	30	1000	100	721.804	-40.74	-13
4	1000	26500	1000	25522.7125	-33.34	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011915175	-57.2	-13
2	0.15	30	10	0.17611875	-59.04	-13
3	30	1000	100	446.227	-47	-13
4	1000	26500	1000	24998.6875	-33.42	-13

Band12 16QAM BW=1.4MHz Channel=23173 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010561575	-56.17	-13
2	0.15	30	10	0.1574625	-56.05	-13
3	30	1000	100	721.97375	-40.01	-13
4	1000	26500	1000	25518.8875	-33.71	-13

Band12 16QAM BW=1.4MHz Channel=23173 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009461775	-55.23	-13
2	0.15	30	10	0.15	-54.78	-13
3	30	1000	100	726.363	-40.98	-13
4	1000	26500	1000	24994.225	-34.18	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0112419	-54.67	-13
2	0.15	30	10	0.17761125	-58.55	-13
3	30	1000	100	739.5065	-52.47	-13
4	1000	26500	1000	25967.05	-34.84	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-55.54	-13
2	0.15	30	10	0.15671625	-57.14	-13
3	30	1000	100	728.13325	-49.75	-13
4	1000	26500	1000	25531.6375	-33.78	-13

Band12 16QAM BW=3MHz Channel=23025 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099729	-55.42	-13
2	0.15	30	10	0.16567125	-59.11	-13
3	30	1000	100	684.14375	-50.02	-13
4	1000	26500	1000	25995.7375	-34.12	-13

Band12 16QAM BW=3MHz Channel=23025 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010046925	-54.19	-13
2	0.15	30	10	0.15	-58.01	-13
3	30	1000	100	681.4035	-48.37	-13
4	1000	26500	1000	24958.525	-34.1	-13

Band12 QPSK BW=3MHz Channel=23095 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009630975	-54.72	-13
2	0.15	30	10	0.15597	-57.63	-13
3	30	1000	100	495.0665	-50.07	-13
4	1000	26500	1000	25512.5125	-34.23	-13

Band12 QPSK BW=3MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0108894	-57.03	-13
2	0.15	30	10	0.1634325	-58.48	-13
3	30	1000	100	683.0525	-49.34	-13
4	1000	26500	1000	25515.7	-34.3	-13

Band12 16QAM BW=3MHz Channel=23095 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00900705	-54.56	-13
2	0.15	30	10	0.15522375	-56.48	-13
3	30	1000	100	679.9485	-55.16	-13
4	1000	26500	1000	24974.4625	-33.78	-13

Band12 16QAM BW=3MHz Channel=23095 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010269	-55.05	-13
2	0.15	30	10	0.15	-57.81	-13
3	30	1000	100	678.833	-54.21	-13
4	1000	26500	1000	24975.1	-32.72	-13

Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01116435	-56.06	-13
2	0.15	30	10	0.15223875	-57.83	-13
3	30	1000	100	482.86875	-47.56	-13
4	1000	26500	1000	25527.175	-33.78	-13

Band12 QPSK BW=3MHz Channel=23165 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01179885	-55.36	-13
2	0.15	30	10	0.15	-57.67	-13
3	30	1000	100	740.1855	-51.46	-13
4	1000	26500	1000	26036.5375	-34.39	-13

Band12 16QAM BW=3MHz Channel=23165 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-56.38	-13
2	0.15	30	10	0.1544775	-58.64	-13
3	30	1000	100	521.32925	-51.1	-13
4	1000	26500	1000	24987.85	-33.07	-13

Band12 16QAM BW=3MHz Channel=23165 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010053975	-52.14	-13
2	0.15	30	10	0.1694025	-59.25	-13
3	30	1000	100	742.00425	-49.1	-13
4	1000	26500	1000	25029.2875	-34.55	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009454725	-56.18	-13
2	0.15	30	10	0.158955	-56.82	-13
3	30	1000	100	676.99	-51.55	-13
4	1000	26500	1000	25028.65	-33.95	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00945825	-55.71	-13
2	0.15	30	10	0.18358125	-59.63	-13
3	30	1000	100	469.82225	-47.3	-13
4	1000	26500	1000	25514.425	-34.72	-13

Band12 16QAM BW=5MHz Channel=23035 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0108189	-55.71	-13
2	0.15	30	10	0.15597	-57.46	-13
3	30	1000	100	673.86175	-51.8	-13
4	1000	26500	1000	25563.5125	-33.28	-13

Band12 16QAM BW=5MHz Channel=23035 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009327825	-53.2	-13
2	0.15	30	10	0.1544775	-55.16	-13
3	30	1000	100	678.6875	-49	-13
4	1000	26500	1000	24963.625	-34.13	-13

Band12 QPSK BW=5MHz Channel=23095 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009489975	-55.23	-13
2	0.15	30	10	0.164925	-58.13	-13
3	30	1000	100	974.07675	-49.09	-13
4	1000	26500	1000	25045.8625	-34.16	-13

Band12 QPSK BW=5MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010209075	-55.11	-13
2	0.15	30	10	0.15373125	-58.85	-13
3	30	1000	100	678.542	-51.55	-13
4	1000	26500	1000	26000.2	-33.58	-13

Band12 16QAM BW=5MHz Channel=23095 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010540425	-56.7	-13
2	0.15	30	10	0.15373125	-55.82	-13
3	30	1000	100	896.889	-55	-13
4	1000	26500	1000	25008.8875	-33.94	-13

Band12 16QAM BW=5MHz Channel=23095 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009158625	-54.75	-13
2	0.15	30	10	0.15373125	-56.24	-13
3	30	1000	100	475.73925	-50.35	-13
4	1000	26500	1000	25954.3	-34.43	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009743775	-55.62	-13
2	0.15	30	10	0.1574625	-58.36	-13
3	30	1000	100	743.4835	-49.94	-13
4	1000	26500	1000	26018.05	-34.17	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00916215	-54.25	-13
2	0.15	30	10	0.15	-58.37	-13
3	30	1000	100	442.9775	-46.51	-13
4	1000	26500	1000	25541.2	-33.56	-13

Band12 16QAM BW=5MHz Channel=23155 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009271425	-56.29	-13
2	0.15	30	10	0.15	-54.23	-13
3	30	1000	100	678.2995	-53.15	-13
4	1000	26500	1000	25601.125	-33.76	-13

Band12 16QAM BW=5MHz Channel=23155 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011872875	-56.13	-13
2	0.15	30	10	0.15373125	-58.06	-13
3	30	1000	100	480.953	-50.2	-13
4	1000	26500	1000	25536.7375	-33.18	-13

Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-56.12	-13
2	0.15	30	10	0.15	-59.01	-13
3	30	1000	100	930.37825	-57.06	-13
4	1000	26500	1000	25573.7125	-33.87	-13

Band12 QPSK BW=10MHz Channel=23060 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009059925	-53.69	-13
2	0.15	30	10	0.152985	-59	-13
3	30	1000	100	646.92	-57.86	-13
4	1000	26500	1000	25535.4625	-33.95	-13

Band12 16QAM BW=10MHz Channel=23060 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009222075	-54.75	-13
2	0.15	30	10	0.16791	-57.17	-13
3	30	1000	100	431.45875	-53.88	-13
4	1000	26500	1000	26017.4125	-34.42	-13

Band12 16QAM BW=10MHz Channel=23060 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009454725	-53.87	-13
2	0.15	30	10	0.15223875	-58.01	-13
3	30	1000	100	508.404	-50.53	-13
4	1000	26500	1000	25991.9125	-33.67	-13

Band12 QPSK BW=10MHz Channel=23095 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011259525	-54.69	-13
2	0.15	30	10	0.15074625	-57.72	-13
3	30	1000	100	472.902	-39.62	-13
4	1000	26500	1000	25527.8125	-33.22	-13

Band12 QPSK BW=10MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-54.54	-13
2	0.15	30	10	0.16268625	-58.93	-13
3	30	1000	100	833.4995	-57	-13
4	1000	26500	1000	24982.75	-34.46	-13

Band12 16QAM BW=10MHz Channel=23095 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010131525	-54.43	-13
2	0.15	30	10	0.16119375	-56.68	-13
3	30	1000	100	474.04175	-55.65	-13
4	1000	26500	1000	25502.3125	-34.21	-13

Band12 16QAM BW=10MHz Channel=23095 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009623925	-55.53	-13
2	0.15	30	10	0.15	-57.65	-13
3	30	1000	100	895.36125	-49.72	-13
4	1000	26500	1000	25549.4875	-33.13	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-55.56	-13
2	0.15	30	10	0.15223875	-55.64	-13
3	30	1000	100	937.31375	-50.46	-13
4	1000	26500	1000	25519.525	-33.7	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009920025	-56.61	-13
2	0.15	30	10	0.15820875	-58.49	-13
3	30	1000	100	514.97575	-51.1	-13
4	1000	26500	1000	26034.625	-33.58	-13

Band12 16QAM BW=10MHz Channel=23130 RB Size=1 Position=#0 NB Index=0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01109385	-54.92	-13
2	0.15	30	10	0.16194	-57.53	-13
3	30	1000	100	495.988	-56.1	-13
4	1000	26500	1000	26048.0125	-33.63	-13

Band12 16QAM BW=10MHz Channel=23130 RB Size=5 Position=#0 NB Index=0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011358225	-54.49	-13
2	0.15	30	10	0.16417875	-59.19	-13
3	30	1000	100	437.9335	-46.68	-13
4	1000	26500	1000	24967.45	-33.46	-13