

## 01 Conducted output power

| Band  | Bandwidth (MHz) | UL Channel | RB Size | RB Position | NB Index | Modulation | Power (dBm)  | EIRP (dBm)   | Verdict |
|-------|-----------------|------------|---------|-------------|----------|------------|--------------|--------------|---------|
| Band2 | 1.4             | 18607      | 1       | #0          | 0        | QPSK       | 18.20        | 18.67        | PASS    |
| Band2 | 1.4             | 18607      | 6       | #0          | 0        | QPSK       | 18.13        | 18.60        | PASS    |
| Band2 | 1.4             | 18607      | 1       | #0          | 0        | 16QAM      | <b>19.49</b> | <b>19.96</b> | PASS    |
| Band2 | 1.4             | 18607      | 5       | #0          | 0        | 16QAM      | 18.18        | 18.65        | PASS    |
| Band2 | 1.4             | 18900      | 1       | #0          | 0        | QPSK       | <b>20.70</b> | <b>21.17</b> | PASS    |
| Band2 | 1.4             | 18900      | 6       | #0          | 0        | QPSK       | 18.23        | 18.70        | PASS    |
| Band2 | 1.4             | 18900      | 1       | #0          | 0        | 16QAM      | 19.27        | 19.74        | PASS    |
| Band2 | 1.4             | 18900      | 5       | #0          | 0        | 16QAM      | 18.04        | 18.51        | PASS    |
| Band2 | 1.4             | 19193      | 1       | #Max        | 0        | QPSK       | 19.99        | 20.46        | PASS    |
| Band2 | 1.4             | 19193      | 6       | #Max        | 0        | QPSK       | 18.11        | 18.58        | PASS    |
| Band2 | 1.4             | 19193      | 1       | #Max        | 0        | 16QAM      | 19.29        | 19.76        | PASS    |
| Band2 | 1.4             | 19193      | 5       | #Max        | 0        | 16QAM      | 18.25        | 18.72        | PASS    |
| Band2 | 3               | 18615      | 1       | #0          | 0        | QPSK       | <b>20.73</b> | <b>21.20</b> | PASS    |
| Band2 | 3               | 18615      | 6       | #0          | 0        | QPSK       | 18.11        | 18.58        | PASS    |
| Band2 | 3               | 18615      | 1       | #0          | 0        | 16QAM      | <b>19.44</b> | <b>19.91</b> | PASS    |
| Band2 | 3               | 18615      | 5       | #0          | 0        | 16QAM      | 18.26        | 18.73        | PASS    |
| Band2 | 3               | 18900      | 1       | #0          | 0        | QPSK       | 20.48        | 20.95        | PASS    |
| Band2 | 3               | 18900      | 6       | #0          | 0        | QPSK       | 18.01        | 18.48        | PASS    |
| Band2 | 3               | 18900      | 1       | #0          | 0        | 16QAM      | 19.22        | 19.69        | PASS    |
| Band2 | 3               | 18900      | 5       | #0          | 0        | 16QAM      | 18.05        | 18.52        | PASS    |
| Band2 | 3               | 19185      | 1       | #Max        | 1        | QPSK       | 20.06        | 20.53        | PASS    |
| Band2 | 3               | 19185      | 6       | #Max        | 1        | QPSK       | 18.11        | 18.58        | PASS    |
| Band2 | 3               | 19185      | 1       | #Max        | 1        | 16QAM      | 19.22        | 19.69        | PASS    |
| Band2 | 3               | 19185      | 5       | #Max        | 1        | 16QAM      | 18.25        | 18.72        | PASS    |
| Band2 | 5               | 18625      | 1       | #0          | 0        | QPSK       | <b>20.42</b> | <b>20.89</b> | PASS    |
| Band2 | 5               | 18625      | 6       | #0          | 0        | QPSK       | 19.13        | 19.60        | PASS    |
| Band2 | 5               | 18625      | 1       | #0          | 0        | 16QAM      | <b>20.60</b> | <b>21.07</b> | PASS    |
| Band2 | 5               | 18625      | 5       | #0          | 0        | 16QAM      | 19.31        | 19.78        | PASS    |
| Band2 | 5               | 18900      | 1       | #0          | 0        | QPSK       | 20.20        | 20.67        | PASS    |
| Band2 | 5               | 18900      | 6       | #0          | 0        | QPSK       | 19.01        | 19.48        | PASS    |
| Band2 | 5               | 18900      | 1       | #0          | 0        | 16QAM      | 20.49        | 20.96        | PASS    |
| Band2 | 5               | 18900      | 5       | #0          | 0        | 16QAM      | 19.23        | 19.70        | PASS    |
| Band2 | 5               | 19175      | 1       | #Max        | 3        | QPSK       | 20.17        | 20.64        | PASS    |
| Band2 | 5               | 19175      | 6       | #Max        | 3        | QPSK       | 19.20        | 19.67        | PASS    |
| Band2 | 5               | 19175      | 1       | #Max        | 3        | 16QAM      | 20.23        | 20.70        | PASS    |
| Band2 | 5               | 19175      | 5       | #Max        | 3        | 16QAM      | 18.88        | 19.35        | PASS    |
| Band2 | 10              | 18650      | 1       | #0          | 0        | QPSK       | <b>20.38</b> | <b>20.85</b> | PASS    |
| Band2 | 10              | 18650      | 4       | #0          | 0        | QPSK       | 20.23        | 20.70        | PASS    |
| Band2 | 10              | 18650      | 1       | #0          | 0        | 16QAM      | 20.37        | 20.84        | PASS    |

|       |    |       |   |      |    |       |              |              |      |
|-------|----|-------|---|------|----|-------|--------------|--------------|------|
| Band2 | 10 | 18650 | 4 | #0   | 0  | 16QAM | 20.21        | 20.68        | PASS |
| Band2 | 10 | 18900 | 1 | #0   | 0  | QPSK  | 20.33        | 20.80        | PASS |
| Band2 | 10 | 18900 | 4 | #0   | 0  | QPSK  | 20.38        | 20.85        | PASS |
| Band2 | 10 | 18900 | 1 | #0   | 0  | 16QAM | <b>20.49</b> | <b>20.96</b> | PASS |
| Band2 | 10 | 18900 | 4 | #0   | 0  | 16QAM | 20.44        | 20.91        | PASS |
| Band2 | 10 | 19150 | 1 | #Max | 7  | QPSK  | 20.17        | 20.64        | PASS |
| Band2 | 10 | 19150 | 4 | #Max | 7  | QPSK  | 20.31        | 20.78        | PASS |
| Band2 | 10 | 19150 | 1 | #Max | 7  | 16QAM | 20.34        | 20.81        | PASS |
| Band2 | 10 | 19150 | 4 | #Max | 7  | 16QAM | 20.36        | 20.83        | PASS |
| Band2 | 15 | 18675 | 1 | #0   | 7  | QPSK  | 20.19        | 20.66        | PASS |
| Band2 | 15 | 18675 | 6 | #0   | 7  | QPSK  | 20.28        | 20.75        | PASS |
| Band2 | 15 | 18675 | 1 | #0   | 0  | 16QAM | 20.33        | 20.80        | PASS |
| Band2 | 15 | 18675 | 5 | #0   | 0  | 16QAM | <b>20.48</b> | <b>20.95</b> | PASS |
| Band2 | 15 | 18900 | 1 | #0   | 7  | QPSK  | <b>20.39</b> | <b>20.86</b> | PASS |
| Band2 | 15 | 18900 | 6 | #0   | 7  | QPSK  | 20.33        | 20.80        | PASS |
| Band2 | 15 | 18900 | 1 | #0   | 0  | 16QAM | 20.30        | 20.77        | PASS |
| Band2 | 15 | 18900 | 5 | #0   | 0  | 16QAM | 20.31        | 20.78        | PASS |
| Band2 | 15 | 19125 | 1 | #Max | 11 | QPSK  | 20.27        | 20.74        | PASS |
| Band2 | 15 | 19125 | 6 | #Max | 11 | QPSK  | 20.34        | 20.81        | PASS |
| Band2 | 15 | 19125 | 1 | #Max | 11 | 16QAM | 20.31        | 20.78        | PASS |
| Band2 | 15 | 19125 | 5 | #Max | 1  | 16QAM | 20.39        | 20.86        | PASS |
| Band2 | 20 | 18700 | 1 | #0   | 0  | QPSK  | 20.29        | 20.76        | PASS |
| Band2 | 20 | 18700 | 6 | #0   | 0  | QPSK  | 20.30        | 20.77        | PASS |
| Band2 | 20 | 18700 | 1 | #0   | 0  | 16QAM | 20.36        | 20.83        | PASS |
| Band2 | 20 | 18700 | 5 | #0   | 0  | 16QAM | <b>20.48</b> | <b>20.95</b> | PASS |
| Band2 | 20 | 18900 | 1 | #0   | 0  | QPSK  | 20.33        | 20.80        | PASS |
| Band2 | 20 | 18900 | 6 | #0   | 0  | QPSK  | 20.31        | 20.78        | PASS |
| Band2 | 20 | 18900 | 1 | #0   | 0  | 16QAM | 20.30        | 20.77        | PASS |
| Band2 | 20 | 18900 | 5 | #0   | 0  | 16QAM | 20.33        | 20.80        | PASS |
| Band2 | 20 | 19100 | 1 | #Max | 15 | QPSK  | 20.32        | 20.79        | PASS |
| Band2 | 20 | 19100 | 6 | #Max | 15 | QPSK  | <b>20.36</b> | <b>20.83</b> | PASS |
| Band2 | 20 | 19100 | 1 | #Max | 15 | 16QAM | 20.35        | 20.82        | PASS |
| Band2 | 20 | 19100 | 5 | #Max | 15 | 16QAM | 20.48        | 20.95        | PASS |


## 02 Frequency stability

| Band  | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Size | RB<br>Position | NB<br>Index | Modulation | Result(Hz) | Result<br>(ppm) | Low<br>Limit<br>(ppm) | high<br>Limit<br>(ppm) | Verdict |
|-------|--------------------|---------------|------------|----------------|-------------|------------|------------|-----------------|-----------------------|------------------------|---------|
| Band2 | 1.4                | 18607         | 6          | #0             | 0           | QPSK       | -8.66      | -0.005          | -2.5                  | 2.5                    | PASS    |
| Band2 | 1.4                | 18607         | 5          | #0             | 0           | 16QAM      | 2.2        | 0.001           | -2.5                  | 2.5                    | PASS    |
| Band2 | 1.4                | 18900         | 6          | #0             | 0           | QPSK       | -6.58      | -0.004          | -2.5                  | 2.5                    | PASS    |
| Band2 | 1.4                | 18900         | 5          | #0             | 0           | 16QAM      | 5.6        | 0.003           | -2.5                  | 2.5                    | PASS    |
| Band2 | 1.4                | 19193         | 6          | #0             | 0           | QPSK       | -16.63     | -0.009          | -2.5                  | 2.5                    | PASS    |
| Band2 | 1.4                | 19193         | 5          | #0             | 0           | 16QAM      | 2.25       | 0.001           | -2.5                  | 2.5                    | PASS    |


**03 Peak-to-Average Ratio**

| Band  | Bandwidth (MHz) | UL Channel | RB Size | RB Position | NB Index | Modulation | Result (dB) | high Limit (dB) | Verdict |
|-------|-----------------|------------|---------|-------------|----------|------------|-------------|-----------------|---------|
| Band2 | 1.4             | 18607      | 6       | #0          | 0        | QPSK       | 9.45        | 13              | PASS    |
| Band2 | 1.4             | 18607      | 5       | #0          | 0        | 16QAM      | 11.56       | 13              | PASS    |
| Band2 | 1.4             | 18900      | 6       | #0          | 0        | QPSK       | 10.53       | 13              | PASS    |
| Band2 | 1.4             | 18900      | 5       | #0          | 0        | 16QAM      | 10.34       | 13              | PASS    |
| Band2 | 1.4             | 19193      | 6       | #0          | 0        | QPSK       | 10.72       | 13              | PASS    |
| Band2 | 1.4             | 19193      | 5       | #0          | 0        | 16QAM      | 12.56       | 13              | PASS    |
| Band2 | 3               | 18615      | 6       | #0          | 0        | QPSK       | 11.80       | 13              | PASS    |
| Band2 | 3               | 18615      | 5       | #0          | 0        | 16QAM      | 11.26       | 13              | PASS    |
| Band2 | 3               | 18900      | 6       | #0          | 0        | QPSK       | 11.46       | 13              | PASS    |
| Band2 | 3               | 18900      | 5       | #0          | 0        | 16QAM      | 11.87       | 13              | PASS    |
| Band2 | 3               | 19185      | 6       | #0          | 0        | QPSK       | 10.39       | 13              | PASS    |
| Band2 | 3               | 19185      | 5       | #0          | 0        | 16QAM      | 11.20       | 13              | PASS    |
| Band2 | 5               | 18625      | 6       | #0          | 0        | QPSK       | 11.70       | 13              | PASS    |
| Band2 | 5               | 18625      | 5       | #0          | 0        | 16QAM      | 10.07       | 13              | PASS    |
| Band2 | 5               | 18900      | 6       | #0          | 0        | QPSK       | 12.98       | 13              | PASS    |
| Band2 | 5               | 18900      | 5       | #0          | 0        | 16QAM      | 12.85       | 13              | PASS    |
| Band2 | 5               | 19175      | 6       | #0          | 0        | QPSK       | 9.85        | 13              | PASS    |
| Band2 | 5               | 19175      | 5       | #0          | 0        | 16QAM      | 10.31       | 13              | PASS    |
| Band2 | 10              | 18650      | 6       | #0          | 0        | QPSK       | 12.25       | 13              | PASS    |
| Band2 | 10              | 18650      | 5       | #0          | 0        | 16QAM      | 12.77       | 13              | PASS    |
| Band2 | 10              | 18900      | 6       | #0          | 0        | QPSK       | 9.94        | 13              | PASS    |
| Band2 | 10              | 18900      | 5       | #0          | 0        | 16QAM      | 11.76       | 13              | PASS    |
| Band2 | 10              | 19150      | 6       | #0          | 0        | QPSK       | 8.80        | 13              | PASS    |
| Band2 | 10              | 19150      | 5       | #0          | 0        | 16QAM      | 10.60       | 13              | PASS    |
| Band2 | 15              | 18675      | 6       | #0          | 0        | QPSK       | 10.44       | 13              | PASS    |
| Band2 | 15              | 18675      | 5       | #0          | 0        | 16QAM      | 11.63       | 13              | PASS    |
| Band2 | 15              | 18900      | 6       | #0          | 0        | QPSK       | 12.37       | 13              | PASS    |
| Band2 | 15              | 18900      | 5       | #0          | 0        | 16QAM      | 12.06       | 13              | PASS    |
| Band2 | 15              | 19125      | 6       | #0          | 0        | QPSK       | 9.03        | 13              | PASS    |
| Band2 | 15              | 19125      | 5       | #0          | 0        | 16QAM      | 12.52       | 13              | PASS    |
| Band2 | 20              | 18700      | 6       | #0          | 0        | QPSK       | 10.33       | 13              | PASS    |
| Band2 | 20              | 18700      | 5       | #0          | 0        | 16QAM      | 10.94       | 13              | PASS    |
| Band2 | 20              | 18900      | 6       | #0          | 0        | QPSK       | 10.43       | 13              | PASS    |
| Band2 | 20              | 18900      | 5       | #0          | 0        | 16QAM      | 9.96        | 13              | PASS    |
| Band2 | 20              | 19100      | 6       | #0          | 0        | QPSK       | 10.53       | 13              | PASS    |
| Band2 | 20              | 19100      | 5       | #0          | 0        | 16QAM      | 12.10       | 13              | PASS    |


Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=3MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=3MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=5MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=5MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=10MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=10MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=15MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=15MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=20MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=20MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=3MHz Channel=18615 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=3MHz Channel=18615 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=3MHz Channel=19185 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=3MHz Channel=19185 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=5MHz Channel=18625 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=5MHz Channel=18625 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=5MHz Channel=19175 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=5MHz Channel=19175 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=10MHz Channel=18650 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=10MHz Channel=18650 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=10MHz Channel=19150 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=10MHz Channel=19150 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=15MHz Channel=18675 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=15MHz Channel=18675 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=15MHz Channel=19125 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=15MHz Channel=19125 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=20MHz Channel=18700 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=20MHz Channel=18700 RB Size=5 Position=#0 NB Index=0



Band2 QPSK BW=20MHz Channel=19100 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=20MHz Channel=19100 RB Size=5 Position=#0 NB Index=0




#### 04 Occupied bandwidth

| Band  | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Size | RB<br>Position | NB<br>Index | Modulation | 99% OBW<br>(MHz) | -26dB EBW<br>(MHz) | Verdict |
|-------|--------------------|---------------|------------|----------------|-------------|------------|------------------|--------------------|---------|
| Band2 | 1.4                | 18607         | 6          | #0             | 0           | QPSK       | 1.091105729      | 1.264              | PASS    |
| Band2 | 1.4                | 18607         | 5          | #0             | 0           | 16QAM      | 0.9302112942     | 1.128              | PASS    |
| Band2 | 1.4                | 18900         | 6          | #0             | 0           | QPSK       | 1.091881244      | 1.263              | PASS    |
| Band2 | 1.4                | 18900         | 5          | #0             | 0           | 16QAM      | 0.9210125524     | 1.130              | PASS    |
| Band2 | 1.4                | 19193         | 6          | #0             | 0           | QPSK       | 1.09166771       | 1.280              | PASS    |
| Band2 | 1.4                | 19193         | 5          | #0             | 0           | 16QAM      | 0.9201238993     | 1.115              | PASS    |
| Band2 | 3                  | 18615         | 6          | #0             | 0           | QPSK       | 1.096818158      | 1.269              | PASS    |
| Band2 | 3                  | 18615         | 5          | #0             | 0           | 16QAM      | 0.9330910877     | 1.124              | PASS    |
| Band2 | 3                  | 18900         | 6          | #0             | 0           | QPSK       | 1.101278159      | 1.266              | PASS    |
| Band2 | 3                  | 18900         | 5          | #0             | 0           | 16QAM      | 0.9361386121     | 1.131              | PASS    |
| Band2 | 3                  | 19185         | 6          | #0             | 0           | QPSK       | 1.097490919      | 1.261              | PASS    |
| Band2 | 3                  | 19185         | 5          | #0             | 0           | 16QAM      | 0.92396475       | 1.196              | PASS    |
| Band2 | 5                  | 18625         | 6          | #0             | 0           | QPSK       | 1.105678398      | 1.279              | PASS    |
| Band2 | 5                  | 18625         | 5          | #0             | 0           | 16QAM      | 0.9401791812     | 1.174              | PASS    |
| Band2 | 5                  | 18900         | 6          | #0             | 0           | QPSK       | 1.114064742      | 1.300              | PASS    |
| Band2 | 5                  | 18900         | 5          | #0             | 0           | 16QAM      | 0.9357621546     | 1.162              | PASS    |
| Band2 | 5                  | 19175         | 6          | #0             | 0           | QPSK       | 1.094375459      | 1.284              | PASS    |
| Band2 | 5                  | 19175         | 5          | #0             | 0           | 16QAM      | 0.9398170055     | 1.128              | PASS    |
| Band2 | 10                 | 18650         | 6          | #0             | 0           | QPSK       | 1.111147233      | 1.301              | PASS    |
| Band2 | 10                 | 18650         | 5          | #0             | 0           | 16QAM      | 0.9490317775     | 1.189              | PASS    |
| Band2 | 10                 | 18900         | 6          | #0             | 0           | QPSK       | 1.114692432      | 1.296              | PASS    |
| Band2 | 10                 | 18900         | 5          | #0             | 0           | 16QAM      | 0.95489226       | 1.186              | PASS    |
| Band2 | 10                 | 19150         | 6          | #0             | 0           | QPSK       | 1.112606226      | 1.319              | PASS    |
| Band2 | 10                 | 19150         | 5          | #0             | 0           | 16QAM      | 0.9390717806     | 1.113              | PASS    |
| Band2 | 15                 | 18675         | 6          | #0             | 0           | QPSK       | 1.112653836      | 1.308              | PASS    |
| Band2 | 15                 | 18675         | 5          | #0             | 0           | 16QAM      | 0.9548520543     | 1.165              | PASS    |
| Band2 | 15                 | 18900         | 6          | #0             | 0           | QPSK       | 1.121973001      | 1.316              | PASS    |
| Band2 | 15                 | 18900         | 5          | #0             | 0           | 16QAM      | 0.9658253884     | 1.164              | PASS    |
| Band2 | 15                 | 19125         | 6          | #0             | 0           | QPSK       | 1.119476282      | 1.331              | PASS    |
| Band2 | 15                 | 19125         | 5          | #0             | 0           | 16QAM      | 0.959357912      | 1.134              | PASS    |
| Band2 | 20                 | 18700         | 6          | #0             | 0           | QPSK       | 1.11769377       | 1.309              | PASS    |
| Band2 | 20                 | 18700         | 5          | #0             | 0           | 16QAM      | 0.9661161135     | 1.163              | PASS    |
| Band2 | 20                 | 18900         | 6          | #0             | 0           | QPSK       | 1.138208136      | 1.313              | PASS    |
| Band2 | 20                 | 18900         | 5          | #0             | 0           | 16QAM      | 0.973529957      | 1.159              | PASS    |
| Band2 | 20                 | 19100         | 6          | #0             | 0           | QPSK       | 1.117183838      | 1.317              | PASS    |
| Band2 | 20                 | 19100         | 5          | #0             | 0           | 16QAM      | 0.9748855508     | 1.170              | PASS    |


Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=3MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=3MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=5MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=5MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=10MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=10MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=15MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=15MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=20MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=20MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=3MHz Channel=18615 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=3MHz Channel=18615 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=3MHz Channel=19185 RB Size=6 Position=#0 NB Index=0



Band2 16QAM BW=3MHz Channel=19185 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=5MHz Channel=18625 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=5MHz Channel=18625 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=5MHz Channel=19175 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=5MHz Channel=19175 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=10MHz Channel=18650 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=10MHz Channel=18650 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=10MHz Channel=19150 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=10MHz Channel=19150 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=15MHz Channel=18675 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=15MHz Channel=18675 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=15MHz Channel=19125 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=15MHz Channel=19125 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=20MHz Channel=18700 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=20MHz Channel=18700 RB Size=5 Position=#0 NB Index=0



Band2 QPSK BW=20MHz Channel=19100 RB Size=6 Position=#0 NB Index=0



Band2 16QAM BW=20MHz Channel=19100 RB Size=5 Position=#0 NB Index=0




**05 Band edge**

| Band  | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Size | RB<br>Position | NB<br>Index | Modulation | Spur Freq<br>(MHz) | Spur Level<br>(dBm) | Limit<br>(dBm) | Verdict |
|-------|--------------------|---------------|------------|----------------|-------------|------------|--------------------|---------------------|----------------|---------|
| Band2 | 1.4                | 18607         | 1          | #0             | 0           | QPSK       | 1850               | -27.99              | -13            | PASS    |
| Band2 | 1.4                | 18607         | 6          | #0             | 0           | QPSK       | 1849.986           | -36.40              | -13            | PASS    |
| Band2 | 1.4                | 18607         | 1          | #0             | 0           | 16QAM      | 1849.9944          | -31.05              | -13            | PASS    |
| Band2 | 1.4                | 18607         | 5          | #0             | 0           | 16QAM      | 1849.9776          | -35.80              | -13            | PASS    |
| Band2 | 1.4                | 19193         | 1          | #Max           | 0           | QPSK       | 1910               | -31.44              | -13            | PASS    |
| Band2 | 1.4                | 19193         | 6          | #Max           | 0           | QPSK       | 1910               | -34.39              | -13            | PASS    |
| Band2 | 1.4                | 19193         | 1          | #Max           | 0           | 16QAM      | 1910               | -33.81              | -13            | PASS    |
| Band2 | 1.4                | 19193         | 5          | #Max           | 0           | 16QAM      | 1910.0084          | -35.49              | -13            | PASS    |
| Band2 | 3                  | 18615         | 1          | #0             | 0           | QPSK       | 1849.514           | -37.53              | -13            | PASS    |
| Band2 | 3                  | 18615         | 6          | #0             | 0           | QPSK       | 1849.91            | -34.34              | -13            | PASS    |
| Band2 | 3                  | 18615         | 1          | #0             | 0           | 16QAM      | 1850               | -32.98              | -13            | PASS    |
| Band2 | 3                  | 18615         | 5          | #0             | 0           | 16QAM      | 1850               | -34.77              | -13            | PASS    |
| Band2 | 3                  | 19185         | 1          | #Max           | 1           | QPSK       | 1910.018           | -36.38              | -13            | PASS    |
| Band2 | 3                  | 19185         | 6          | #Max           | 1           | QPSK       | 1910.114           | -33.98              | -13            | PASS    |
| Band2 | 3                  | 19185         | 1          | #Max           | 1           | 16QAM      | 1910.018           | -33.49              | -13            | PASS    |
| Band2 | 3                  | 19185         | 5          | #Max           | 1           | 16QAM      | 1910               | -34.75              | -13            | PASS    |
| Band2 | 5                  | 18625         | 1          | #0             | 0           | QPSK       | 1849.96            | -35.80              | -13            | PASS    |
| Band2 | 5                  | 18625         | 6          | #0             | 0           | QPSK       | 1849.86            | -31.15              | -13            | PASS    |
| Band2 | 5                  | 18625         | 1          | #0             | 0           | 16QAM      | 1849.73            | -32.18              | -13            | PASS    |
| Band2 | 5                  | 18625         | 5          | #0             | 0           | 16QAM      | 1849.95            | -32.03              | -13            | PASS    |
| Band2 | 5                  | 19175         | 1          | #Max           | 3           | QPSK       | 1910.24            | -32.91              | -13            | PASS    |
| Band2 | 5                  | 19175         | 6          | #Max           | 3           | QPSK       | 1910.18            | -30.71              | -13            | PASS    |
| Band2 | 5                  | 19175         | 1          | #Max           | 3           | 16QAM      | 1910.05            | -35.17              | -13            | PASS    |
| Band2 | 5                  | 19175         | 5          | #Max           | 3           | 16QAM      | 1910.11            | -29.50              | -13            | PASS    |
| Band2 | 10                 | 18650         | 1          | #0             | 0           | QPSK       | 1849.6             | -34.92              | -13            | PASS    |
| Band2 | 10                 | 18650         | 4          | #0             | 0           | QPSK       | 1849.98            | -27.89              | -13            | PASS    |
| Band2 | 10                 | 18650         | 1          | #0             | 0           | 16QAM      | 1849.66            | -39.27              | -13            | PASS    |
| Band2 | 10                 | 18650         | 4          | #0             | 0           | 16QAM      | 1850               | -34.37              | -13            | PASS    |
| Band2 | 10                 | 19150         | 1          | #Max           | 7           | QPSK       | 1910.26            | -33.51              | -13            | PASS    |
| Band2 | 10                 | 19150         | 4          | #Max           | 7           | QPSK       | 1910.06            | -27.43              | -13            | PASS    |
| Band2 | 10                 | 19150         | 1          | #Max           | 7           | 16QAM      | 1910.54            | -39.09              | -13            | PASS    |
| Band2 | 10                 | 19150         | 4          | #Max           | 7           | 16QAM      | 1910               | -31.78              | -13            | PASS    |
| Band2 | 15                 | 18675         | 1          | #0             | 7           | QPSK       | 1840.04            | -52.36              | -13            | PASS    |
| Band2 | 15                 | 18675         | 6          | #0             | 7           | QPSK       | 1849.85            | -51.02              | -13            | PASS    |
| Band2 | 15                 | 18675         | 1          | #0             | 0           | 16QAM      | 1850               | -38.35              | -13            | PASS    |
| Band2 | 15                 | 18675         | 5          | #0             | 0           | 16QAM      | 1850               | -34.62              | -13            | PASS    |
| Band2 | 15                 | 19125         | 1          | #Max           | 11          | QPSK       | 1910               | -29.80              | -13            | PASS    |
| Band2 | 15                 | 19125         | 6          | #Max           | 11          | QPSK       | 1910.06            | -30.06              | -13            | PASS    |
| Band2 | 15                 | 19125         | 1          | #Max           | 11          | 16QAM      | 1910.36            | -35.03              | -13            | PASS    |

|       |    |       |   |      |    |       |         |        |     |      |
|-------|----|-------|---|------|----|-------|---------|--------|-----|------|
| Band2 | 15 | 19125 | 5 | #Max | 1  | 16QAM | 1913.33 | -52.81 | -13 | PASS |
| Band2 | 20 | 18700 | 1 | #0   | 0  | QPSK  | 1848.68 | -37.31 | -13 | PASS |
| Band2 | 20 | 18700 | 6 | #0   | 0  | QPSK  | 1849.88 | -39.89 | -13 | PASS |
| Band2 | 20 | 18700 | 1 | #0   | 0  | 16QAM | 1848.04 | -43.91 | -13 | PASS |
| Band2 | 20 | 18700 | 5 | #0   | 0  | 16QAM | 1849.96 | -40.50 | -13 | PASS |
| Band2 | 20 | 19100 | 1 | #Max | 15 | QPSK  | 1911.88 | -37.87 | -13 | PASS |
| Band2 | 20 | 19100 | 6 | #Max | 15 | QPSK  | 1910.16 | -26.68 | -13 | PASS |
| Band2 | 20 | 19100 | 1 | #Max | 15 | 16QAM | 1912.6  | -45.95 | -13 | PASS |
| Band2 | 20 | 19100 | 5 | #Max | 15 | 16QAM | 1913.56 | -39.92 | -13 | PASS |


Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0 NB Index=0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=1 Position=#0 NB Index=0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#Max NB Index=0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#Max NB Index=0



Band2 16QAM BW=1.4MHz Channel=19193 RB Size=1 Position=#Max NB Index=0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=5 Position=#Max NB Index=0



Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0 NB Index=0




Band2 QPSK BW=3MHz Channel=18615 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=3MHz Channel=18615 RB Size=1 Position=#0 NB Index=0




Band2 16QAM BW=3MHz Channel=18615 RB Size=5 Position=#0 NB Index=0



Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#Max NB Index=1




Band2 QPSK BW=3MHz Channel=19185 RB Size=6 Position=#Max NB Index=1




Band2 16QAM BW=3MHz Channel=19185 RB Size=1 Position=#Max NB Index=1



Band2 16QAM BW=3MHz Channel=19185 RB Size=5 Position=#Max NB Index=1




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0 NB Index=0




Band2 QPSK BW=5MHz Channel=18625 RB Size=6 Position=#0 NB Index=0




Band2 16QAM BW=5MHz Channel=18625 RB Size=1 Position=#0 NB Index=0




Band2 16QAM BW=5MHz Channel=18625 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#Max NB Index=3




Band2 QPSK BW=5MHz Channel=19175 RB Size=6 Position=#Max NB Index=3




Band2 16QAM BW=5MHz Channel=19175 RB Size=1 Position=#Max NB Index=3




Band2 16QAM BW=5MHz Channel=19175 RB Size=5 Position=#Max NB Index=3




Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0 NB Index=0




Band2 QPSK BW=10MHz Channel=18650 RB Size=4 Position=#0 NB Index=0




Band2 16QAM BW=10MHz Channel=18650 RB Size=1 Position=#0 NB Index=0




Band2 16QAM BW=10MHz Channel=18650 RB Size=4 Position=#0 NB Index=0




Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#Max NB Index=7




Band2 QPSK BW=10MHz Channel=19150 RB Size=4 Position=#Max NB Index=7




Band2 16QAM BW=10MHz Channel=19150 RB Size=1 Position=#Max NB Index=7




Band2 16QAM BW=10MHz Channel=19150 RB Size=4 Position=#Max NB Index=7




Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#0 NB Index=7




Band2 QPSK BW=15MHz Channel=18675 RB Size=6 Position=#0 NB Index=7




Band2 16QAM BW=15MHz Channel=18675 RB Size=1 Position=#0 NB Index=0




Band2 16QAM BW=15MHz Channel=18675 RB Size=5 Position=#0 NB Index=0




Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#Max NB Index=11




Band2 QPSK BW=15MHz Channel=19125 RB Size=6 Position=#Max NB Index=11




Band2 16QAM BW=15MHz Channel=19125 RB Size=1 Position=#Max NB Index=11




Band2 16QAM BW=15MHz Channel=19125 RB Size=5 Position=#Max NB Index=1




Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#0 NB Index=0



Band2 QPSK BW=20MHz Channel=18700 RB Size=6 Position=#0 NB Index=0



Band2 16QAM BW=20MHz Channel=18700 RB Size=1 Position=#0 NB Index=0



Band2 16QAM BW=20MHz Channel=18700 RB Size=5 Position=#0 NB Index=0

