



## Appendix A

### RF Test Data for BT(Conducted Measurement)

Product Name: Car CarPlay Stereo

Test Model: 1026SCP

#### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 23.9° C   |
| Relative Humidity: | 52.4%     |
| ATM Pressure:      | 100.0 kPa |
| Test Engineer:     | Jose Zhu  |
| Supervised by:     | Nick Peng |



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



## A.1 -20dB Bandwidth

| Condition | Mode  | Frequency (MHz) | Antenna | -20 dB Bandwidth (MHz) | Limit -20 dB Bandwidth (MHz) | Verdict |
|-----------|-------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | 0.937                  | N/A                          | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant1    | 0.941                  | N/A                          | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | 0.972                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | 1.289                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant1    | 1.287                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | 1.285                  | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | 1.3                    | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant1    | 1.296                  | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | 1.306                  | N/A                          | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



## -20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




## -20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







## A.2 Maximum Peak Conducted Output Power

| Condition | Mode  | Frequency (MHz) | Antenna | Conducted Power (dBm) | Limit (dBm) | Verdict |
|-----------|-------|-----------------|---------|-----------------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | 0.93                  | 21          | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant1    | 1.02                  | 21          | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | -0.44                 | 21          | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | 0.26                  | 21          | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant1    | -0.24                 | 21          | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | 0.64                  | 21          | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | -0.3                  | 21          | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant1    | -0.87                 | 21          | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | 1.08                  | 21          | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity






## Test Graphs

## Power NVNT 1-DH5 2402MHz Ant1




## Power NVNT 1-DH5 2441MHz Ant1






## Power NVNT 1-DH5 2480MHz Ant1




## Power NVNT 2-DH5 2402MHz Ant1






## Power NVNT 2-DH5 2441MHz Ant1




## Power NVNT 2-DH5 2480MHz Ant1







## Power NVNT 3-DH5 2402MHz Ant1



## Power NVNT 3-DH5 2441MHz Ant1







### A.3 Carrier Frequencies Separation

| Condition | Mode  | Antenna | Hopping Freq1 (MHz) | Hopping Freq2 (MHz) | HFS (MHz) | Limit (MHz) | Verdict |
|-----------|-------|---------|---------------------|---------------------|-----------|-------------|---------|
| NVNT      | 1-DH5 | Ant1    | 2401.844            | 2402.97             | 1.126     | 0.648       | Pass    |
| NVNT      | 2-DH5 | Ant1    | 2402.168            | 2403.032            | 0.864     | 0.859       | Pass    |
| NVNT      | 3-DH5 | Ant1    | 2402.03             | 2402.994            | 0.964     | 0.871       | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity





## Test Graphs

## CFS NVNT 1-DH5 2402MHz Ant1



## CFS NVNT 2-DH5 2402MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity





## A.4 Dwell Time

| Condition | Mode  | Frequency<br>(MHz) | Antenna | Pulse Time<br>(ms) | Total Dwell Time<br>(ms) | Burst<br>Count | Period Time<br>(ms) | Limit<br>(ms) | Verdict |
|-----------|-------|--------------------|---------|--------------------|--------------------------|----------------|---------------------|---------------|---------|
| NVNT      | 1-DH5 | 2402               | Ant1    | 2.91               | 314.28                   | 108            | 31600               | 400           | Pass    |
| NVNT      | 2-DH5 | 2402               | Ant1    | 2.899              | 321.789                  | 111            | 31600               | 400           | Pass    |
| NVNT      | 3-DH5 | 2402               | Ant1    | 2.897              | 281.009                  | 97             | 31600               | 400           | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

## Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




## Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






## Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




## Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






## Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



## Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





## A.5 Number of Hopping Channel

| Condition | Mode  | Antenna | Hopping Number | Limit | Verdict |
|-----------|-------|---------|----------------|-------|---------|
| NVNT      | 1-DH5 | Ant1    | 79             | 15    | Pass    |
| NVNT      | 2-DH5 | Ant1    | 79             | 15    | Pass    |
| NVNT      | 3-DH5 | Ant1    | 79             | 15    | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



Hopping No. NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



## A.6 Band Edge

| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | -56.99          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | -55.53          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | -50.9           | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | -54.69          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | -48.27          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | -54.19          | -20         | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity






## Test Graphs

## Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




## Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






## Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




## Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






## Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




## Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






## Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




## Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






## Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




## Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






## Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



## Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





## (Hopping)

| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | Hopping      | -62.24          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | Hopping      | -62.31          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | Hopping      | -61.28          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | Hopping      | -60.44          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | Hopping      | -62.03          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | Hopping      | -56.33          | -20         | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

## Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




## Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission








## Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



## Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






## Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




## Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






## Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



## Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






## Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



## Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






## Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



## Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





## A.7 Conducted RF Spurious Emission

| Condition | Mode  | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | -54.13          | -20         | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant1    | -55.92          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | -52.79          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | -52.26          | -20         | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant1    | -52.4           | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | -53.13          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | -52.2           | -20         | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant1    | -52.6           | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | -53.54          | -20         | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

## Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




## Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






## Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




## Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission








## Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




## Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






## Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




## Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






## Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




## Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






## Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




## Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






## Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




## Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






## Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




## Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






## Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



## Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





## A.8 Duty Cycle

| Condition | Mode  | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|-------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | 1-DH5 | 2402            | Ant1    | 77.63          | 1.1                    | 0.34      |
| NVNT      | 1-DH5 | 2441            | Ant1    | 77.6           | 1.1                    | 0.34      |
| NVNT      | 1-DH5 | 2480            | Ant1    | 77.6           | 1.1                    | 0.34      |
| NVNT      | 2-DH5 | 2402            | Ant1    | 77.28          | 1.12                   | 0.35      |
| NVNT      | 2-DH5 | 2441            | Ant1    | 77.28          | 1.12                   | 0.35      |
| NVNT      | 2-DH5 | 2480            | Ant1    | 77.33          | 1.12                   | 0.34      |
| NVNT      | 3-DH5 | 2402            | Ant1    | 77.28          | 1.12                   | 0.35      |
| NVNT      | 3-DH5 | 2441            | Ant1    | 77.28          | 1.12                   | 0.35      |
| NVNT      | 3-DH5 | 2480            | Ant1    | 97.22          | 0.12                   | 7.14      |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity






## Test Graphs

## Duty Cycle NVNT 1-DH5 2402MHz Ant1




## Duty Cycle NVNT 1-DH5 2441MHz Ant1






## Duty Cycle NVNT 1-DH5 2480MHz Ant1




## Duty Cycle NVNT 2-DH5 2402MHz Ant1






## Duty Cycle NVNT 2-DH5 2441MHz Ant1




## Duty Cycle NVNT 2-DH5 2480MHz Ant1






## Duty Cycle NVNT 3-DH5 2402MHz Ant1




## Duty Cycle NVNT 3-DH5 2441MHz Ant1





## Duty Cycle NVNT 3-DH5 2480MHz Ant1





## A.9 Restrict Band

| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|------------|------------------|------------|----------|----------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -50.57      | 2.66       | -                | 47.35      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -58.63      | 2.66       | 1.1              | 40.39      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2337.936        | -47.95      | 2.66       | -                | 49.97      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2380.464        | -57.33      | 2.66       | 1.1              | 41.69      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -50.45      | 2.66       | -                | 47.47      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -57.63      | 2.66       | 1.1              | 41.39      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -49         | 2.66       | -                | 48.92      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -57.62      | 2.66       | 1.1              | 41.40      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2483.728        | -44.79      | 2.66       | -                | 53.13      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2483.944        | -56.87      | 2.66       | 1.1              | 42.15      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -49.82      | 2.66       | -                | 48.10      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -57.26      | 2.66       | 1.1              | 41.76      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -48.24      | 2.66       | -                | 49.68      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -59.08      | 2.66       | 1.12             | 39.96      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2346.864        | -47.66      | 2.66       | -                | 50.26      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2374.8          | -57.65      | 2.66       | 1.12             | 41.39      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -50.84      | 2.66       | -                | 47.08      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -58.1       | 2.66       | 1.12             | 40.94      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -48.04      | 2.66       | -                | 49.88      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -57.35      | 2.66       | 1.12             | 41.69      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2485.48         | -44.68      | 2.66       | -                | 53.24      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2483.776        | -56.92      | 2.66       | 1.12             | 42.12      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -50.62      | 2.66       | -                | 47.30      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -57.64      | 2.66       | 1.12             | 41.40      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -50.36      | 2.66       | -                | 47.56      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -58.66      | 2.66       | 1.12             | 40.38      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2363.952        | -47.86      | 2.66       | -                | 50.06      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2349.648        | -57.37      | 2.66       | 1.12             | 41.67      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -50.58      | 2.66       | -                | 47.34      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -58.15      | 2.66       | 1.12             | 40.89      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -49.72      | 2.66       | -                | 48.20      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -56.68      | 2.66       | 0.12             | 42.36      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.656        | -45.43      | 2.66       | -                | 52.49      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.536        | -56.52      | 2.66       | 0.12             | 42.52      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -50.55      | 2.66       | -                | 47.37      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -57.7       | 2.66       | 0.12             | 41.34      | Average  | 54             | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

## Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




## Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average








## Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




## Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average








## Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




## Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






## Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




## Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






## Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




## Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average






## Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



## Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity