







| Condition | Antenna | Mode            | Frequency(MHz) | MIMO_Conducted_Power(dBm) | Limit(dBm) | Result |
|-----------|---------|-----------------|----------------|---------------------------|------------|--------|
| NVNT      | MIMO_TX | 802.11n(HT20)   | 5180.00        | 14.49                     | 30         | Pass   |
| NVNT      | MIMO_TX | 802.11n(HT20)   | 5200.00        | 14.30                     | 30         | Pass   |
| NVNT      | MIMO_TX | 802.11n(HT20)   | 5240.00        | 13.99                     | 30         | Pass   |
| NVNT      | MIMO_TX | 802.11ac(VHT20) | 5180.00        | 14.50                     | 30         | Pass   |
| NVNT      | MIMO_TX | 802.11ac(VHT20) | 5200.00        | 14.48                     | 30         | Pass   |
| NVNT      | MIMO_TX | 802.11ac(VHT20) | 5240.00        | 13.95                     | 30         | Pass   |
| NVNT      | MIMO_TX | 802.11n(HT40)   | 5190.00        | 14.66                     | 30         | Pass   |
| NVNT      | MIMO_TX | 802.11n(HT40)   | 5230.00        | 14.88                     | 30         | Pass   |
| NVNT      | MIMO_TX | 802.11ac(VHT40) | 5190.00        | 14.44                     | 30         | Pass   |
| NVNT      | MIMO_TX | 802.11ac(VHT40) | 5230.00        | 14.13                     | 30         | Pass   |
| NVNT      | MIMO_TX | 802.11ac(VHT80) | 5210.00        | 14.29                     | 30         | Pass   |





#### 4. Power Spectral Density


| Condition | Antenna | Modulation      | Frequency (MHz) | PSD(dBm/MHz) | Duty factor(dB) | Total PSD(dBm/MHz) | limit(dBm) | Result |
|-----------|---------|-----------------|-----------------|--------------|-----------------|--------------------|------------|--------|
| NVNT      | ANT1    | 802.11a         | 5180.00         | -2.58        | 0.29            | -2.29              | 11         | Pass   |
| NVNT      | ANT2    | 802.11a         | 5180.00         | -2.91        | 0.40            | -2.51              | 11         | Pass   |
| NVNT      | ANT1    | 802.11a         | 5200.00         | -2.47        | 0.40            | -2.07              | 11         | Pass   |
| NVNT      | ANT2    | 802.11a         | 5200.00         | -4.43        | 0.29            | -4.14              | 11         | Pass   |
| NVNT      | ANT1    | 802.11a         | 5240.00         | -3.46        | 0.29            | -3.17              | 11         | Pass   |
| NVNT      | ANT2    | 802.11a         | 5240.00         | -3.43        | 0.48            | -2.95              | 11         | Pass   |
| NVNT      | ANT1    | 802.11n(HT20)   | 5180.00         | -5.18        | 0.31            | -4.88              | 11         | Pass   |
| NVNT      | ANT2    | 802.11n(HT20)   | 5180.00         | -5.59        | 0.51            | -5.08              | 11         | Pass   |
| NVNT      | ANT1    | 802.11n(HT20)   | 5200.00         | -3.78        | 0.43            | -3.35              | 11         | Pass   |
| NVNT      | ANT2    | 802.11n(HT20)   | 5200.00         | -3.02        | 0.22            | -2.80              | 11         | Pass   |
| NVNT      | ANT1    | 802.11n(HT20)   | 5240.00         | -6.16        | 0.39            | -5.77              | 11         | Pass   |
| NVNT      | ANT2    | 802.11n(HT20)   | 5240.00         | -6.02        | 0.31            | -5.71              | 11         | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT20) | 5180.00         | -4.59        | 0.51            | -4.08              | 11         | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT20) | 5180.00         | -4.26        | 0.30            | -3.96              | 11         | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT20) | 5200.00         | -6.52        | 0.51            | -6.01              | 11         | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT20) | 5200.00         | -5.62        | 0.47            | -5.15              | 11         | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT20) | 5240.00         | -6.32        | 0.26            | -6.06              | 11         | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT20) | 5240.00         | -6.44        | 0.47            | -5.97              | 11         | Pass   |
| NVNT      | ANT1    | 802.11n(HT40)   | 5190.00         | -13.13       | 0.91            | -12.22             | 11         | Pass   |
| NVNT      | ANT2    | 802.11n(HT40)   | 5190.00         | -13.17       | 0.84            | -12.33             | 11         | Pass   |
| NVNT      | ANT1    | 802.11n(HT40)   | 5230.00         | -12.83       | 0.99            | -11.84             | 11         | Pass   |
| NVNT      | ANT2    | 802.11n(HT40)   | 5230.00         | -10.50       | 0.91            | -9.59              | 11         | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT40) | 5190.00         | -12.78       | 0.97            | -11.81             | 11         | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT40) | 5190.00         | -12.83       | 0.76            | -12.07             | 11         | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT40) | 5230.00         | -13.17       | 0.51            | -12.66             | 11         | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT40) | 5230.00         | -12.66       | 1.06            | -11.60             | 11         | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT80) | 5210.00         | -22.35       | 1.43            | -20.92             | 11         | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT80) | 5210.00         | -22.05       | 1.30            | -20.75             | 11         | Pass   |















































| Condition | Antenna | Mode            | Frequency (MHz) | MIMO PSD(dBm/MHz) | Limit(dBm/MHz) | Result |
|-----------|---------|-----------------|-----------------|-------------------|----------------|--------|
| NVNT      | MIMO TX | 802.11n(HT20)   | 5180.00         | -2.34             | 11             | Pass   |
| NVNT      | MIMO TX | 802.11n(HT20)   | 5200.00         | -0.31             | 11             | Pass   |
| NVNT      | MIMO TX | 802.11n(HT20)   | 5240.00         | -3.03             | 11             | Pass   |
| NVNT      | MIMO TX | 802.11ac(VHT20) | 5180.00         | -1.83             | 11             | Pass   |
| NVNT      | MIMO TX | 802.11ac(VHT20) | 5200.00         | -2.85             | 11             | Pass   |
| NVNT      | MIMO TX | 802.11ac(VHT20) | 5240.00         | -3.31             | 11             | Pass   |
| NVNT      | MIMO TX | 802.11n(HT40)   | 5190.00         | -10.26            | 11             | Pass   |
| NVNT      | MIMO TX | 802.11n(HT40)   | 5230.00         | -8.41             | 11             | Pass   |
| NVNT      | MIMO TX | 802.11ac(VHT40) | 5190.00         | -9.57             | 11             | Pass   |
| NVNT      | MIMO TX | 802.11ac(VHT40) | 5230.00         | -9.85             | 11             | Pass   |
| NVNT      | MIMO TX | 802.11ac(VHT80) | 5210.00         | -18.98            | 11             | Pass   |









NVNT\_MIMO\_TX\_802\_11n(HT20)\_Power\_Spectral\_Density\_5200
















## 5. Bandedge



| Condition | Antenna | Modulation      | TX_Frequency (MHz) | Max. Mark Frequency(MHz) | Spurious level(dBm) | limit(dBm) | Result |
|-----------|---------|-----------------|--------------------|--------------------------|---------------------|------------|--------|
| NVNT      | ANT1    | 802.11a         | 5180.00            | 5149.60                  | -40.39              | -27        | Pass   |
| NVNT      | ANT2    | 802.11a         | 5180.00            | 5147.80                  | -40.79              | -27        | Pass   |
| NVNT      | ANT1    | 802.11a         | 5240.00            | 5375.00                  | -43.08              | -27        | Pass   |
| NVNT      | ANT2    | 802.11a         | 5240.00            | 5410.80                  | -43.28              | -27        | Pass   |
| NVNT      | ANT1    | 802.11n(HT20)   | 5180.00            | 5149.20                  | -41.07              | -27        | Pass   |
| NVNT      | ANT2    | 802.11n(HT20)   | 5180.00            | 5149.40                  | -40.61              | -27        | Pass   |
| NVNT      | ANT1    | 802.11n(HT20)   | 5240.00            | 5414.40                  | -43.02              | -27        | Pass   |
| NVNT      | ANT2    | 802.11n(HT20)   | 5240.00            | 5381.80                  | -42.94              | -27        | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT20) | 5180.00            | 5149.60                  | -41.37              | -27        | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT20) | 5180.00            | 5149.60                  | -40.70              | -27        | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT20) | 5240.00            | 5397.00                  | -43.21              | -27        | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT20) | 5240.00            | 5404.00                  | -42.80              | -27        | Pass   |
| NVNT      | ANT1    | 802.11n(HT40)   | 5190.00            | 5149.10                  | -34.42              | -27        | Pass   |
| NVNT      | ANT2    | 802.11n(HT40)   | 5190.00            | 5148.26                  | -35.33              | -27        | Pass   |
| NVNT      | ANT1    | 802.11n(HT40)   | 5230.00            | 5374.43                  | -42.55              | -27        | Pass   |
| NVNT      | ANT2    | 802.11n(HT40)   | 5230.00            | 5411.18                  | -43.12              | -27        | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT40) | 5190.00            | 5146.16                  | -34.24              | -27        | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT40) | 5190.00            | 5148.26                  | -34.29              | -27        | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT40) | 5230.00            | 5378.63                  | -42.66              | -27        | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT40) | 5230.00            | 5402.15                  | -42.75              | -27        | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT80) | 5210.00            | 5147.42                  | -35.96              | -27        | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT80) | 5210.00            | 5354.06                  | -42.91              | -27        | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT80) | 5210.00            | 5142.38                  | -34.33              | -27        | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT80) | 5210.00            | 5393.54                  | -42.58              | -27        | Pass   |



Bandedge\_NVNT\_ANT1\_802\_11a\_5180







Bandedge\_NVNT\_ANT2\_802\_11a\_5180













































## 6. Spurious Emission



| Condition | Antenna | Modulation      | TX_Frequency (MHz) | Max. Mark Frequency(MHz) | Spurious level(dBm) | limit(dBm) | Result |
|-----------|---------|-----------------|--------------------|--------------------------|---------------------|------------|--------|
| NVNT      | ANT1    | 802.11a         | 5180.00            | 26208.83                 | -32.29              | -27        | Pass   |
| NVNT      | ANT2    | 802.11a         | 5180.00            | 2412.30                  | -27.40              | -27        | Pass   |
| NVNT      | ANT1    | 802.11a         | 5200.00            | 26076.48                 | -31.93              | -27        | Pass   |
| NVNT      | ANT2    | 802.11a         | 5200.00            | 26155.89                 | -32.30              | -27        | Pass   |
| NVNT      | ANT1    | 802.11a         | 5240.00            | 26208.83                 | -32.34              | -27        | Pass   |
| NVNT      | ANT2    | 802.11a         | 5240.00            | 26235.30                 | -32.15              | -27        | Pass   |
| NVNT      | ANT1    | 802.11n(HT20)   | 5180.00            | 24779.45                 | -32.53              | -27        | Pass   |
| NVNT      | ANT2    | 802.11n(HT20)   | 5180.00            | 2412.30                  | -27.76              | -27        | Pass   |
| NVNT      | ANT1    | 802.11n(HT20)   | 5200.00            | 26288.24                 | -31.92              | -27        | Pass   |
| NVNT      | ANT2    | 802.11n(HT20)   | 5200.00            | 2412.30                  | -27.26              | -27        | Pass   |
| NVNT      | ANT1    | 802.11n(HT20)   | 5240.00            | 24355.93                 | -32.09              | -27        | Pass   |
| NVNT      | ANT2    | 802.11n(HT20)   | 5240.00            | 24673.57                 | -32.33              | -27        | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT20) | 5180.00            | 26182.36                 | -31.38              | -27        | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT20) | 5180.00            | 2412.30                  | -27.56              | -27        | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT20) | 5200.00            | 26182.36                 | -31.94              | -27        | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT20) | 5200.00            | 2412.30                  | -27.12              | -27        | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT20) | 5240.00            | 26182.36                 | -32.28              | -27        | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT20) | 5240.00            | 26261.77                 | -31.91              | -27        | Pass   |
| NVNT      | ANT1    | 802.11n(HT40)   | 5190.00            | 26208.83                 | -32.31              | -27        | Pass   |
| NVNT      | ANT2    | 802.11n(HT40)   | 5190.00            | 2412.30                  | -30.38              | -27        | Pass   |
| NVNT      | ANT1    | 802.11n(HT40)   | 5230.00            | 26182.36                 | -31.64              | -27        | Pass   |
| NVNT      | ANT2    | 802.11n(HT40)   | 5230.00            | 2412.30                  | -28.49              | -27        | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT40) | 5190.00            | 24832.39                 | -32.23              | -27        | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT40) | 5190.00            | 26261.77                 | -32.08              | -27        | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT40) | 5230.00            | 24726.51                 | -32.57              | -27        | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT40) | 5230.00            | 24832.39                 | -31.96              | -27        | Pass   |
| NVNT      | ANT1    | 802.11ac(VHT80) | 5210.00            | 24805.92                 | -31.79              | -27        | Pass   |
| NVNT      | ANT2    | 802.11ac(VHT80) | 5210.00            | 26182.36                 | -31.69              | -27        | Pass   |


















































## 7. Frequency Stability

| Condition           | Antenna | Modulation | Frequency (MHz) | Fc(MHz)  | FI(MHz)  | Fh(MHz)  | Limit(MHz) | Result |
|---------------------|---------|------------|-----------------|----------|----------|----------|------------|--------|
| 55degrees C&&3.80V  | ANT1    | 802.11a    | 5180.00         | 5180.018 | 5171.672 | 5188.364 | 5150~5250  | Pass   |
| 45degrees C&&3.80V  | ANT1    | 802.11a    | 5180.00         | 5180.016 | 5171.824 | 5188.208 | 5150~5250  | Pass   |
| 35degrees C&&3.80V  | ANT1    | 802.11a    | 5180.00         | 5180.014 | 5171.908 | 5188.120 | 5150~5250  | Pass   |
| 25degrees C&&3.80V  | ANT1    | 802.11a    | 5180.00         | 5180.014 | 5171.976 | 5188.052 | 5150~5250  | Pass   |
| 15degrees C&&3.80V  | ANT1    | 802.11a    | 5180.00         | 5180.018 | 5172.040 | 5187.996 | 5150~5250  | Pass   |
| 5degrees C&&3.80V   | ANT1    | 802.11a    | 5180.00         | 5180.016 | 5172.096 | 5187.936 | 5150~5250  | Pass   |
| -5degrees C&&3.80V  | ANT1    | 802.11a    | 5180.00         | 5180.010 | 5172.156 | 5187.864 | 5150~5250  | Pass   |
| -15degrees C&&3.80V | ANT1    | 802.11a    | 5180.00         | 5180.018 | 5172.212 | 5187.824 | 5150~5250  | Pass   |
| 25degrees C&&4.37V  | ANT1    | 802.11a    | 5180.00         | 5180.026 | 5172.268 | 5187.784 | 5150~5250  | Pass   |
| 25degrees C&&3.80V  | ANT1    | 802.11a    | 5180.00         | 5180.022 | 5172.312 | 5187.732 | 5150~5250  | Pass   |
| 25degrees C&&3.23V  | ANT1    | 802.11a    | 5180.00         | 5180.018 | 5172.364 | 5187.672 | 5150~5250  | Pass   |
| 55degrees C&&3.80V  | ANT2    | 802.11a    | 5180.00         | 5180.022 | 5171.692 | 5188.352 | 5150~5250  | Pass   |
| 45degrees C&&3.80V  | ANT2    | 802.11a    | 5180.00         | 5180.022 | 5171.824 | 5188.220 | 5150~5250  | Pass   |
| 35degrees C&&3.80V  | ANT2    | 802.11a    | 5180.00         | 5180.018 | 5171.900 | 5188.136 | 5150~5250  | Pass   |
| 25degrees C&&3.80V  | ANT2    | 802.11a    | 5180.00         | 5180.018 | 5171.960 | 5188.076 | 5150~5250  | Pass   |
| 15degrees C&&3.80V  | ANT2    | 802.11a    | 5180.00         | 5180.016 | 5172.008 | 5188.024 | 5150~5250  | Pass   |
| 5degrees C&&3.80V   | ANT2    | 802.11a    | 5180.00         | 5180.014 | 5172.056 | 5187.972 | 5150~5250  | Pass   |
| -5degrees C&&3.80V  | ANT2    | 802.11a    | 5180.00         | 5179.996 | 5172.120 | 5187.872 | 5150~5250  | Pass   |
| -15degrees C&&3.80V | ANT2    | 802.11a    | 5180.00         | 5180.004 | 5172.168 | 5187.840 | 5150~5250  | Pass   |
| 25degrees C&&4.37V  | ANT2    | 802.11a    | 5180.00         | 5180.008 | 5172.228 | 5187.788 | 5150~5250  | Pass   |
| 25degrees C&&3.80V  | ANT2    | 802.11a    | 5180.00         | 5180.004 | 5172.288 | 5187.720 | 5150~5250  | Pass   |
| 25degrees C&&3.23V  | ANT2    | 802.11a    | 5180.00         | 5180.012 | 5172.336 | 5187.688 | 5150~5250  | Pass   |
| 55degrees C&&3.80V  | ANT1    | 802.11a    | 5200.00         | 5200.006 | 5191.656 | 5208.356 | 5150~5250  | Pass   |
| 45degrees C&&3.80V  | ANT1    | 802.11a    | 5200.00         | 5200.010 | 5191.824 | 5208.196 | 5150~5250  | Pass   |
| 35degrees C&&3.80V  | ANT1    | 802.11a    | 5200.00         | 5200.008 | 5191.908 | 5208.108 | 5150~5250  | Pass   |
| 25degrees C&&3.80V  | ANT1    | 802.11a    | 5200.00         | 5199.998 | 5191.968 | 5208.028 | 5150~5250  | Pass   |
| 15degrees C&&3.80V  | ANT1    | 802.11a    | 5200.00         | 5199.998 | 5192.024 | 5207.972 | 5150~5250  | Pass   |
| 5degrees C&&3.80V   | ANT1    | 802.11a    | 5200.00         | 5199.996 | 5192.084 | 5207.908 | 5150~5250  | Pass   |
| -5degrees C&&3.80V  | ANT1    | 802.11a    | 5200.00         | 5200.002 | 5192.136 | 5207.868 | 5150~5250  | Pass   |
| -15degrees C&&3.80V | ANT1    | 802.11a    | 5200.00         | 5199.994 | 5192.180 | 5207.808 | 5150~5250  | Pass   |
| 25degrees C&&4.37V  | ANT1    | 802.11a    | 5200.00         | 5199.984 | 5192.224 | 5207.744 | 5150~5250  | Pass   |
| 25degrees C&&3.80V  | ANT1    | 802.11a    | 5200.00         | 5199.994 | 5192.272 | 5207.716 | 5150~5250  | Pass   |
| 25degrees C&&3.23V  | ANT1    | 802.11a    | 5200.00         | 5199.976 | 5192.324 | 5207.628 | 5150~5250  | Pass   |
| 55degrees C&&3.80V  | ANT2    | 802.11a    | 5200.00         | 5200.030 | 5191.704 | 5208.356 | 5150~5250  | Pass   |
| 45degrees C&&3.80V  | ANT2    | 802.11a    | 5200.00         | 5200.024 | 5191.848 | 5208.200 | 5150~5250  | Pass   |
| 35degrees C&&3.80V  | ANT2    | 802.11a    | 5200.00         | 5200.024 | 5191.920 | 5208.128 | 5150~5250  | Pass   |
| 25degrees C&&3.80V  | ANT2    | 802.11a    | 5200.00         | 5200.012 | 5191.976 | 5208.048 | 5150~5250  | Pass   |
| 15degrees C&&3.80V  | ANT2    | 802.11a    | 5200.00         | 5200.028 | 5192.036 | 5208.020 | 5150~5250  | Pass   |
| 5degrees C&&3.80V   | ANT2    | 802.11a    | 5200.00         | 5200.028 | 5192.096 | 5207.960 | 5150~5250  | Pass   |
| -5degrees C&&3.80V  | ANT2    | 802.11a    | 5200.00         | 5200.036 | 5192.160 | 5207.912 | 5150~5250  | Pass   |
| -15degrees C&&3.80V | ANT2    | 802.11a    | 5200.00         | 5200.020 | 5192.216 | 5207.824 | 5150~5250  | Pass   |
| 25degrees C&&4.37V  | ANT2    | 802.11a    | 5200.00         | 5200.026 | 5192.272 | 5207.780 | 5150~5250  | Pass   |
| 25degrees C&&3.80V  | ANT2    | 802.11a    | 5200.00         | 5200.024 | 5192.324 | 5207.724 | 5150~5250  | Pass   |
| 25degrees C&&3.23V  | ANT2    | 802.11a    | 5200.00         | 5200.032 | 5192.364 | 5207.700 | 5150~5250  | Pass   |
| 55degrees C&&3.80V  | ANT1    | 802.11a    | 5240.00         | 5240.006 | 5231.652 | 5248.360 | 5150~5250  | Pass   |
| 45degrees C&&3.80V  | ANT1    | 802.11a    | 5240.00         | 5240.006 | 5231.816 | 5248.196 | 5150~5250  | Pass   |
| 35degrees C&&3.80V  | ANT1    | 802.11a    | 5240.00         | 5240.008 | 5231.900 | 5248.116 | 5150~5250  | Pass   |
| 25degrees C&&3.80V  | ANT1    | 802.11a    | 5240.00         | 5239.998 | 5231.964 | 5248.032 | 5150~5250  | Pass   |
| 15degrees C&&3.80V  | ANT1    | 802.11a    | 5240.00         | 5240.006 | 5232.024 | 5247.988 | 5150~5250  | Pass   |
| 5degrees C&&3.80V   | ANT1    | 802.11a    | 5240.00         | 5240.006 | 5232.080 | 5247.932 | 5150~5250  | Pass   |
| -5degrees C&&3.80V  | ANT1    | 802.11a    | 5240.00         | 5240.008 | 5232.136 | 5247.880 | 5150~5250  | Pass   |
| -15degrees C&&3.80V | ANT1    | 802.11a    | 5240.00         | 5240.016 | 5232.192 | 5247.840 | 5150~5250  | Pass   |
| 25degrees C&&4.37V  | ANT1    | 802.11a    | 5240.00         | 5240.016 | 5232.244 | 5247.788 | 5150~5250  | Pass   |
| 25degrees C&&3.80V  | ANT1    | 802.11a    | 5240.00         | 5240.000 | 5232.288 | 5247.712 | 5150~5250  | Pass   |
| 25degrees C&&3.23V  | ANT1    | 802.11a    | 5240.00         | 5240.012 | 5232.336 | 5247.688 | 5150~5250  | Pass   |
| 55degrees C&&3.80V  | ANT2    | 802.11a    | 5240.00         | 5240.020 | 5231.680 | 5248.360 | 5150~5250  | Pass   |
| 45degrees C&&3.80V  | ANT2    | 802.11a    | 5240.00         | 5240.002 | 5231.804 | 5248.200 | 5150~5250  | Pass   |
| 35degrees C&&3.80V  | ANT2    | 802.11a    | 5240.00         | 5240.002 | 5231.884 | 5248.120 | 5150~5250  | Pass   |
| 25degrees C&&3.80V  | ANT2    | 802.11a    | 5240.00         | 5239.998 | 5231.940 | 5248.056 | 5150~5250  | Pass   |
| 15degrees C&&3.80V  | ANT2    | 802.11a    | 5240.00         | 5239.992 | 5231.996 | 5247.988 | 5150~5250  | Pass   |
| 5degrees C&&3.80V   | ANT2    | 802.11a    | 5240.00         | 5239.994 | 5232.060 | 5247.928 | 5150~5250  | Pass   |
| -5degrees C&&3.80V  | ANT2    | 802.11a    | 5240.00         | 5239.984 | 5232.112 | 5247.856 | 5150~5250  | Pass   |
| -15degrees C&&3.80V | ANT2    | 802.11a    | 5240.00         | 5239.966 | 5232.160 | 5247.772 | 5150~5250  | Pass   |
| 25degrees C&&4.37V  | ANT2    | 802.11a    | 5240.00         | 5239.982 | 5232.224 | 5247.740 | 5150~5250  | Pass   |
| 25degrees C&&3.80V  | ANT2    | 802.11a    | 5240.00         | 5239.966 | 5232.280 | 5247.652 | 5150~5250  | Pass   |
| 25degrees C&&3.23V  | ANT2    | 802.11a    | 5240.00         | 5239.968 | 5232.324 | 5247.612 | 5150~5250  | Pass   |

ShenZhen BANTEK Testing Co.,Ltd.

Add : A5&amp;A6, Building B1&amp;B2, No.45 Gangtou Road, Bogang Community, Shajing Street

Bao'an District, Shenzhen, Guangdong, China 518104

Tel : +(86)755-2334 4200

E-mail : Service@btek-lab.com

Web : www.btek-lab.com



|                    |      |               |         |          |          |          |           |      |
|--------------------|------|---------------|---------|----------|----------|----------|-----------|------|
| 55degrees C&&3.80V | ANT1 | 802.11n(HT20) | 5180.00 | 5180.018 | 5171.116 | 5188.920 | 5150~5250 | Pass |
| 45degrees C&&3.80V | ANT1 | 802.11n(HT20) | 5180.00 | 5180.022 | 5171.244 | 5188.800 | 5150~5250 | Pass |
| 35degrees C&&3.80V | ANT1 | 802.11n(HT20) | 5180.00 | 5180.024 | 5171.324 | 5188.724 | 5150~5250 | Pass |
| 25degrees C&&3.80V | ANT1 | 802.11n(HT20) | 5180.00 | 5180.018 | 5171.388 | 5188.648 | 5150~5250 | Pass |
| 15degrees C&&3.80V | ANT1 | 802.11n(HT20) | 5180.00 | 5180.022 | 5171.460 | 5188.584 | 5150~5250 | Pass |



|                     |      |                 |         |          |          |          |           |      |
|---------------------|------|-----------------|---------|----------|----------|----------|-----------|------|
| 5degrees C&&3.80V   | ANT1 | 802.11n(HT20)   | 5180.00 | 5180.018 | 5171.516 | 5188.520 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5180.00 | 5180.022 | 5171.572 | 5188.472 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT1 | 802.11n(HT20)   | 5180.00 | 5180.016 | 5171.628 | 5188.404 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT1 | 802.11n(HT20)   | 5180.00 | 5180.018 | 5171.696 | 5188.340 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5180.00 | 5180.032 | 5171.748 | 5188.316 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT1 | 802.11n(HT20)   | 5180.00 | 5180.008 | 5171.800 | 5188.216 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5180.00 | 5180.018 | 5171.108 | 5188.928 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5180.00 | 5180.010 | 5171.232 | 5188.788 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5180.00 | 5180.010 | 5171.312 | 5188.708 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5180.00 | 5180.002 | 5171.372 | 5188.632 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5180.00 | 5179.996 | 5171.432 | 5188.560 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT2 | 802.11n(HT20)   | 5180.00 | 5179.996 | 5171.496 | 5188.496 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5180.00 | 5179.994 | 5171.564 | 5188.424 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT2 | 802.11n(HT20)   | 5180.00 | 5180.000 | 5171.624 | 5188.376 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT2 | 802.11n(HT20)   | 5180.00 | 5180.002 | 5171.676 | 5188.328 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5180.00 | 5179.998 | 5171.724 | 5188.272 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT2 | 802.11n(HT20)   | 5180.00 | 5179.998 | 5171.768 | 5188.228 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5200.00 | 5200.010 | 5191.092 | 5208.928 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5200.00 | 5200.010 | 5191.224 | 5208.796 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5200.00 | 5200.014 | 5191.312 | 5208.716 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5200.00 | 5200.016 | 5191.384 | 5208.648 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5200.00 | 5200.006 | 5191.440 | 5208.572 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT1 | 802.11n(HT20)   | 5200.00 | 5200.008 | 5191.496 | 5208.520 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5200.00 | 5200.000 | 5191.556 | 5208.444 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT1 | 802.11n(HT20)   | 5200.00 | 5200.006 | 5191.608 | 5208.404 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT1 | 802.11n(HT20)   | 5200.00 | 5200.010 | 5191.656 | 5208.364 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5200.00 | 5199.988 | 5191.700 | 5208.276 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT1 | 802.11n(HT20)   | 5200.00 | 5200.002 | 5191.752 | 5208.252 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5200.00 | 5200.022 | 5191.104 | 5208.940 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5200.00 | 5200.026 | 5191.240 | 5208.812 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5200.00 | 5200.018 | 5191.316 | 5208.720 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5200.00 | 5200.026 | 5191.388 | 5208.664 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5200.00 | 5200.026 | 5191.460 | 5208.592 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT2 | 802.11n(HT20)   | 5200.00 | 5200.020 | 5191.520 | 5208.520 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5200.00 | 5200.026 | 5191.572 | 5208.480 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT2 | 802.11n(HT20)   | 5200.00 | 5200.030 | 5191.628 | 5208.432 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT2 | 802.11n(HT20)   | 5200.00 | 5200.026 | 5191.692 | 5208.360 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5200.00 | 5200.036 | 5191.744 | 5208.328 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT2 | 802.11n(HT20)   | 5200.00 | 5200.042 | 5191.800 | 5208.284 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5240.00 | 5240.008 | 5231.104 | 5248.912 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5240.00 | 5240.014 | 5231.240 | 5248.788 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5240.00 | 5240.014 | 5231.324 | 5248.704 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5240.00 | 5240.012 | 5231.392 | 5248.632 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5240.00 | 5240.008 | 5231.460 | 5248.556 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT1 | 802.11n(HT20)   | 5240.00 | 5240.006 | 5231.524 | 5248.488 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5240.00 | 5240.018 | 5231.584 | 5248.452 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT1 | 802.11n(HT20)   | 5240.00 | 5240.012 | 5231.636 | 5248.388 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT1 | 802.11n(HT20)   | 5240.00 | 5240.020 | 5231.688 | 5248.352 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11n(HT20)   | 5240.00 | 5240.020 | 5231.736 | 5248.304 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT1 | 802.11n(HT20)   | 5240.00 | 5240.008 | 5231.784 | 5248.232 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5240.00 | 5240.018 | 5231.116 | 5248.920 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5240.00 | 5240.004 | 5231.240 | 5248.768 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5240.00 | 5240.002 | 5231.320 | 5248.684 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5240.00 | 5240.000 | 5231.388 | 5248.612 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5240.00 | 5240.004 | 5231.456 | 5248.552 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT2 | 802.11n(HT20)   | 5240.00 | 5239.980 | 5231.504 | 5248.456 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5240.00 | 5239.994 | 5231.564 | 5248.424 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT2 | 802.11n(HT20)   | 5240.00 | 5239.986 | 5231.620 | 5248.352 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT2 | 802.11n(HT20)   | 5240.00 | 5239.974 | 5231.672 | 5248.276 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11n(HT20)   | 5240.00 | 5239.988 | 5231.724 | 5248.252 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT2 | 802.11n(HT20)   | 5240.00 | 5239.988 | 5231.788 | 5248.188 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5180.00 | 5180.032 | 5171.128 | 5188.936 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5180.00 | 5180.026 | 5171.256 | 5188.796 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5180.00 | 5180.024 | 5171.336 | 5188.712 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5180.00 | 5180.026 | 5171.400 | 5188.652 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5180.00 | 5180.030 | 5171.476 | 5188.584 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT1 | 802.11ac(VHT20) | 5180.00 | 5180.020 | 5171.540 | 5188.500 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5180.00 | 5180.024 | 5171.596 | 5188.452 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT1 | 802.11ac(VHT20) | 5180.00 | 5180.022 | 5171.648 | 5188.396 | 5150~5250 | Pass |



|                    |      |                 |         |          |          |          |           |      |
|--------------------|------|-----------------|---------|----------|----------|----------|-----------|------|
| 25degrees C&&4.37V | ANT1 | 802.11ac(VHT20) | 5180.00 | 5180.020 | 5171.712 | 5188.328 | 5150~5250 | Pass |
| 25degrees C&&3.80V | ANT1 | 802.11ac(VHT20) | 5180.00 | 5180.010 | 5171.760 | 5188.260 | 5150~5250 | Pass |
| 25degrees C&&3.23V | ANT1 | 802.11ac(VHT20) | 5180.00 | 5180.014 | 5171.816 | 5188.212 | 5150~5250 | Pass |
| 55degrees C&&3.80V | ANT2 | 802.11ac(VHT20) | 5180.00 | 5180.018 | 5171.096 | 5188.940 | 5150~5250 | Pass |
| 45degrees C&&3.80V | ANT2 | 802.11ac(VHT20) | 5180.00 | 5180.010 | 5171.232 | 5188.788 | 5150~5250 | Pass |
| 35degrees C&&3.80V | ANT2 | 802.11ac(VHT20) | 5180.00 | 5180.014 | 5171.324 | 5188.704 | 5150~5250 | Pass |



|                     |      |                 |         |          |          |          |           |      |
|---------------------|------|-----------------|---------|----------|----------|----------|-----------|------|
| 25degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5180.00 | 5180.014 | 5171.392 | 5188.636 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5180.00 | 5180.008 | 5171.460 | 5188.556 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT2 | 802.11ac(VHT20) | 5180.00 | 5180.006 | 5171.520 | 5188.492 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5180.00 | 5180.010 | 5171.576 | 5188.444 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT2 | 802.11ac(VHT20) | 5180.00 | 5180.002 | 5171.628 | 5188.376 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT2 | 802.11ac(VHT20) | 5180.00 | 5180.002 | 5171.676 | 5188.328 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5180.00 | 5179.980 | 5171.728 | 5188.232 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT2 | 802.11ac(VHT20) | 5180.00 | 5179.974 | 5171.780 | 5188.168 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5200.00 | 5200.010 | 5191.100 | 5208.920 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5200.00 | 5200.006 | 5191.228 | 5208.784 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5200.00 | 5200.008 | 5191.312 | 5208.704 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5200.00 | 5200.014 | 5191.380 | 5208.648 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5200.00 | 5200.010 | 5191.448 | 5208.572 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT1 | 802.11ac(VHT20) | 5200.00 | 5200.000 | 5191.500 | 5208.500 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5200.00 | 5199.998 | 5191.556 | 5208.440 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT1 | 802.11ac(VHT20) | 5200.00 | 5200.006 | 5191.612 | 5208.400 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT1 | 802.11ac(VHT20) | 5200.00 | 5199.976 | 5191.664 | 5208.288 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5200.00 | 5199.990 | 5191.716 | 5208.264 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT1 | 802.11ac(VHT20) | 5200.00 | 5200.004 | 5191.768 | 5208.240 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5200.00 | 5200.030 | 5191.124 | 5208.936 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5200.00 | 5200.026 | 5191.248 | 5208.804 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5200.00 | 5200.028 | 5191.332 | 5208.724 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5200.00 | 5200.032 | 5191.408 | 5208.656 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5200.00 | 5200.038 | 5191.476 | 5208.600 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT2 | 802.11ac(VHT20) | 5200.00 | 5200.038 | 5191.544 | 5208.532 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5200.00 | 5200.038 | 5191.604 | 5208.472 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT2 | 802.11ac(VHT20) | 5200.00 | 5200.044 | 5191.664 | 5208.424 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT2 | 802.11ac(VHT20) | 5200.00 | 5200.024 | 5191.716 | 5208.332 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5200.00 | 5200.044 | 5191.772 | 5208.316 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT2 | 802.11ac(VHT20) | 5200.00 | 5200.046 | 5191.820 | 5208.272 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5240.00 | 5240.016 | 5231.108 | 5248.924 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5240.00 | 5240.016 | 5231.240 | 5248.792 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5240.00 | 5240.014 | 5231.324 | 5248.704 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5240.00 | 5240.008 | 5231.396 | 5248.620 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5240.00 | 5240.012 | 5231.460 | 5248.564 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT1 | 802.11ac(VHT20) | 5240.00 | 5240.014 | 5231.516 | 5248.512 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5240.00 | 5240.026 | 5231.588 | 5248.464 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT1 | 802.11ac(VHT20) | 5240.00 | 5240.018 | 5231.640 | 5248.396 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT1 | 802.11ac(VHT20) | 5240.00 | 5240.018 | 5231.688 | 5248.348 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11ac(VHT20) | 5240.00 | 5240.010 | 5231.736 | 5248.284 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT1 | 802.11ac(VHT20) | 5240.00 | 5240.004 | 5231.792 | 5248.216 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5240.00 | 5240.004 | 5231.108 | 5248.900 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5240.00 | 5240.004 | 5231.236 | 5248.772 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5240.00 | 5240.002 | 5231.316 | 5248.688 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5240.00 | 5239.994 | 5231.384 | 5248.604 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5240.00 | 5239.996 | 5231.448 | 5248.544 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT2 | 802.11ac(VHT20) | 5240.00 | 5239.996 | 5231.504 | 5248.488 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5240.00 | 5239.996 | 5231.564 | 5248.428 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT2 | 802.11ac(VHT20) | 5240.00 | 5239.988 | 5231.608 | 5248.368 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT2 | 802.11ac(VHT20) | 5240.00 | 5239.974 | 5231.664 | 5248.284 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11ac(VHT20) | 5240.00 | 5239.988 | 5231.720 | 5248.256 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT2 | 802.11ac(VHT20) | 5240.00 | 5239.978 | 5231.772 | 5248.184 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT1 | 802.11n(HT40)   | 5190.00 | 5190.064 | 5171.856 | 5208.272 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT1 | 802.11n(HT40)   | 5190.00 | 5190.036 | 5172.048 | 5208.024 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT1 | 802.11n(HT40)   | 5190.00 | 5190.052 | 5172.224 | 5207.880 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11n(HT40)   | 5190.00 | 5190.036 | 5172.368 | 5207.704 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT1 | 802.11n(HT40)   | 5190.00 | 5190.040 | 5172.512 | 5207.568 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT1 | 802.11n(HT40)   | 5190.00 | 5190.040 | 5172.616 | 5207.464 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT1 | 802.11n(HT40)   | 5190.00 | 5190.036 | 5172.744 | 5207.328 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT1 | 802.11n(HT40)   | 5190.00 | 5190.004 | 5172.896 | 5207.112 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT1 | 802.11n(HT40)   | 5190.00 | 5190.016 | 5173.024 | 5207.008 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11n(HT40)   | 5190.00 | 5189.988 | 5173.136 | 5206.840 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT1 | 802.11n(HT40)   | 5190.00 | 5189.996 | 5173.240 | 5206.752 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT2 | 802.11n(HT40)   | 5190.00 | 5190.060 | 5171.840 | 5208.280 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT2 | 802.11n(HT40)   | 5190.00 | 5190.056 | 5172.040 | 5208.072 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT2 | 802.11n(HT40)   | 5190.00 | 5190.024 | 5172.192 | 5207.856 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11n(HT40)   | 5190.00 | 5190.040 | 5172.328 | 5207.752 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT2 | 802.11n(HT40)   | 5190.00 | 5190.024 | 5172.456 | 5207.592 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT2 | 802.11n(HT40)   | 5190.00 | 5190.040 | 5172.576 | 5207.504 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT2 | 802.11n(HT40)   | 5190.00 | 5190.024 | 5172.704 | 5207.344 | 5150~5250 | Pass |



|                        |      |               |         |          |          |          |           |      |
|------------------------|------|---------------|---------|----------|----------|----------|-----------|------|
| -15degrees<br>C&&3.80V | ANT2 | 802.11n(HT40) | 5190.00 | 5190.020 | 5172.840 | 5207.200 | 5150~5250 | Pass |
| 25degrees C&&4.37V     | ANT2 | 802.11n(HT40) | 5190.00 | 5190.024 | 5172.968 | 5207.080 | 5150~5250 | Pass |
| 25degrees C&&3.80V     | ANT2 | 802.11n(HT40) | 5190.00 | 5190.000 | 5173.080 | 5206.920 | 5150~5250 | Pass |
| 25degrees C&&3.23V     | ANT2 | 802.11n(HT40) | 5190.00 | 5190.024 | 5173.224 | 5206.824 | 5150~5250 | Pass |
| 55degrees C&&3.80V     | ANT1 | 802.11n(HT40) | 5230.00 | 5230.020 | 5211.816 | 5248.224 | 5150~5250 | Pass |



|                     |      |                 |         |          |          |          |           |      |
|---------------------|------|-----------------|---------|----------|----------|----------|-----------|------|
| 45degrees C&&3.80V  | ANT1 | 802.11n(HT40)   | 5230.00 | 5230.012 | 5212.032 | 5247.992 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT1 | 802.11n(HT40)   | 5230.00 | 5230.028 | 5212.200 | 5247.856 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11n(HT40)   | 5230.00 | 5230.024 | 5212.320 | 5247.728 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT1 | 802.11n(HT40)   | 5230.00 | 5230.024 | 5212.464 | 5247.584 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT1 | 802.11n(HT40)   | 5230.00 | 5230.004 | 5212.592 | 5247.416 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT1 | 802.11n(HT40)   | 5230.00 | 5229.948 | 5212.728 | 5247.168 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT1 | 802.11n(HT40)   | 5230.00 | 5229.936 | 5212.840 | 5247.032 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT1 | 802.11n(HT40)   | 5230.00 | 5229.948 | 5212.952 | 5246.944 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11n(HT40)   | 5230.00 | 5229.952 | 5213.056 | 5246.848 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT1 | 802.11n(HT40)   | 5230.00 | 5229.924 | 5213.200 | 5246.648 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT2 | 802.11n(HT40)   | 5230.00 | 5230.036 | 5211.856 | 5248.216 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT2 | 802.11n(HT40)   | 5230.00 | 5230.012 | 5212.056 | 5247.968 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT2 | 802.11n(HT40)   | 5230.00 | 5230.032 | 5212.224 | 5247.840 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11n(HT40)   | 5230.00 | 5230.004 | 5212.376 | 5247.632 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT2 | 802.11n(HT40)   | 5230.00 | 5229.996 | 5212.520 | 5247.472 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT2 | 802.11n(HT40)   | 5230.00 | 5229.960 | 5212.640 | 5247.280 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT2 | 802.11n(HT40)   | 5230.00 | 5229.948 | 5212.768 | 5247.128 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT2 | 802.11n(HT40)   | 5230.00 | 5229.908 | 5212.888 | 5246.928 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT2 | 802.11n(HT40)   | 5230.00 | 5229.944 | 5213.048 | 5246.840 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11n(HT40)   | 5230.00 | 5229.952 | 5213.192 | 5246.712 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT2 | 802.11n(HT40)   | 5230.00 | 5229.928 | 5213.328 | 5246.528 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5190.00 | 5190.056 | 5171.864 | 5208.248 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5190.00 | 5190.056 | 5172.072 | 5208.040 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5190.00 | 5190.044 | 5172.232 | 5207.856 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5190.00 | 5190.036 | 5172.376 | 5207.696 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5190.00 | 5190.040 | 5172.520 | 5207.560 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT1 | 802.11ac(VHT40) | 5190.00 | 5190.056 | 5172.624 | 5207.488 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5190.00 | 5190.024 | 5172.760 | 5207.288 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT1 | 802.11ac(VHT40) | 5190.00 | 5190.020 | 5172.904 | 5207.136 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT1 | 802.11ac(VHT40) | 5190.00 | 5190.004 | 5173.032 | 5206.976 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5190.00 | 5189.960 | 5173.152 | 5206.768 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT1 | 802.11ac(VHT40) | 5190.00 | 5189.996 | 5173.264 | 5206.728 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5190.00 | 5190.072 | 5171.872 | 5208.272 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5190.00 | 5190.044 | 5172.040 | 5208.048 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5190.00 | 5190.036 | 5172.176 | 5207.896 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5190.00 | 5190.024 | 5172.312 | 5207.736 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5190.00 | 5190.020 | 5172.448 | 5207.592 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT2 | 802.11ac(VHT40) | 5190.00 | 5190.012 | 5172.592 | 5207.432 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5190.00 | 5190.020 | 5172.728 | 5207.312 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT2 | 802.11ac(VHT40) | 5190.00 | 5189.992 | 5172.856 | 5207.128 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT2 | 802.11ac(VHT40) | 5190.00 | 5189.980 | 5172.968 | 5206.992 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5190.00 | 5189.980 | 5173.080 | 5206.880 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT2 | 802.11ac(VHT40) | 5190.00 | 5189.984 | 5173.200 | 5206.768 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5230.00 | 5230.036 | 5211.816 | 5248.256 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5230.00 | 5230.040 | 5212.040 | 5248.040 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5230.00 | 5230.048 | 5212.224 | 5247.872 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5230.00 | 5230.072 | 5212.384 | 5247.760 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5230.00 | 5230.072 | 5212.520 | 5247.624 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT1 | 802.11ac(VHT40) | 5230.00 | 5230.036 | 5212.616 | 5247.456 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5230.00 | 5230.064 | 5212.752 | 5247.376 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT1 | 802.11ac(VHT40) | 5230.00 | 5230.008 | 5212.872 | 5247.144 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT1 | 802.11ac(VHT40) | 5230.00 | 5230.032 | 5213.032 | 5247.032 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11ac(VHT40) | 5230.00 | 5229.992 | 5213.168 | 5246.816 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT1 | 802.11ac(VHT40) | 5230.00 | 5230.004 | 5213.304 | 5246.704 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5230.00 | 5230.016 | 5211.816 | 5248.216 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5230.00 | 5230.016 | 5212.040 | 5247.992 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5230.00 | 5230.024 | 5212.224 | 5247.824 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5230.00 | 5230.012 | 5212.368 | 5247.656 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5230.00 | 5230.004 | 5212.512 | 5247.496 | 5150~5250 | Pass |
| 5degrees C&&3.80V   | ANT2 | 802.11ac(VHT40) | 5230.00 | 5230.028 | 5212.632 | 5247.424 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5230.00 | 5229.996 | 5212.784 | 5247.208 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT2 | 802.11ac(VHT40) | 5230.00 | 5230.012 | 5212.920 | 5247.104 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT2 | 802.11ac(VHT40) | 5230.00 | 5229.964 | 5213.080 | 5246.848 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT2 | 802.11ac(VHT40) | 5230.00 | 5229.956 | 5213.192 | 5246.720 | 5150~5250 | Pass |
| 25degrees C&&3.23V  | ANT2 | 802.11ac(VHT40) | 5230.00 | 5229.948 | 5213.304 | 5246.592 | 5150~5250 | Pass |
| 55degrees C&&3.80V  | ANT1 | 802.11ac(VHT80) | 5210.00 | 5210.060 | 5172.284 | 5247.836 | 5150~5250 | Pass |
| 45degrees C&&3.80V  | ANT1 | 802.11ac(VHT80) | 5210.00 | 5210.048 | 5172.668 | 5247.428 | 5150~5250 | Pass |
| 35degrees C&&3.80V  | ANT1 | 802.11ac(VHT80) | 5210.00 | 5210.012 | 5173.208 | 5246.816 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11ac(VHT80) | 5210.00 | 5210.072 | 5173.640 | 5246.504 | 5150~5250 | Pass |
| 15degrees C&&3.80V  | ANT1 | 802.11ac(VHT80) | 5210.00 | 5209.982 | 5173.976 | 5245.988 | 5150~5250 | Pass |



|                     |      |                 |         |          |          |          |           |      |
|---------------------|------|-----------------|---------|----------|----------|----------|-----------|------|
| 5degrees C&&3.80V   | ANT1 | 802.11ac(VHT80) | 5210.00 | 5209.928 | 5174.348 | 5245.508 | 5150~5250 | Pass |
| -5degrees C&&3.80V  | ANT1 | 802.11ac(VHT80) | 5210.00 | 5209.946 | 5174.708 | 5245.184 | 5150~5250 | Pass |
| -15degrees C&&3.80V | ANT1 | 802.11ac(VHT80) | 5210.00 | 5209.934 | 5175.008 | 5244.860 | 5150~5250 | Pass |
| 25degrees C&&4.37V  | ANT1 | 802.11ac(VHT80) | 5210.00 | 5209.790 | 5175.284 | 5244.296 | 5150~5250 | Pass |
| 25degrees C&&3.80V  | ANT1 | 802.11ac(VHT80) | 5210.00 | 5209.784 | 5175.584 | 5243.984 | 5150~5250 | Pass |



|                        |      |                 |         |          |          |          |           |      |
|------------------------|------|-----------------|---------|----------|----------|----------|-----------|------|
| 25degrees C&&3.23V     | ANT1 | 802.11ac(VHT80) | 5210.00 | 5209.742 | 5175.932 | 5243.552 | 5150~5250 | Pass |
| 55degrees C&&3.80V     | ANT2 | 802.11ac(VHT80) | 5210.00 | 5210.012 | 5172.248 | 5247.776 | 5150~5250 | Pass |
| 45degrees C&&3.80V     | ANT2 | 802.11ac(VHT80) | 5210.00 | 5210.006 | 5172.656 | 5247.356 | 5150~5250 | Pass |
| 35degrees C&&3.80V     | ANT2 | 802.11ac(VHT80) | 5210.00 | 5209.898 | 5173.112 | 5246.684 | 5150~5250 | Pass |
| 25degrees C&&3.80V     | ANT2 | 802.11ac(VHT80) | 5210.00 | 5209.814 | 5173.496 | 5246.132 | 5150~5250 | Pass |
| 15degrees C&&3.80V     | ANT2 | 802.11ac(VHT80) | 5210.00 | 5209.796 | 5173.844 | 5245.748 | 5150~5250 | Pass |
| 5degrees C&&3.80V      | ANT2 | 802.11ac(VHT80) | 5210.00 | 5209.700 | 5174.252 | 5245.148 | 5150~5250 | Pass |
| -5degrees C&&3.80V     | ANT2 | 802.11ac(VHT80) | 5210.00 | 5209.826 | 5174.720 | 5244.932 | 5150~5250 | Pass |
| -15degrees<br>C&&3.80V | ANT2 | 802.11ac(VHT80) | 5210.00 | 5209.760 | 5175.008 | 5244.512 | 5150~5250 | Pass |
| 25degrees C&&4.37V     | ANT2 | 802.11ac(VHT80) | 5210.00 | 5209.646 | 5175.284 | 5244.008 | 5150~5250 | Pass |
| 25degrees C&&3.80V     | ANT2 | 802.11ac(VHT80) | 5210.00 | 5209.736 | 5175.620 | 5243.852 | 5150~5250 | Pass |
| 25degrees C&&3.23V     | ANT2 | 802.11ac(VHT80) | 5210.00 | 5209.544 | 5175.872 | 5243.216 | 5150~5250 | Pass |

