

Band: 26a / Bandwidth: 3MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	815.5	1	0	23.58	-1.49	19.94	<=38.45	Pass
			7	23.65	-1.49	20.01	<=38.45	Pass
			14	23.61	-1.49	19.97	<=38.45	Pass
		8	0	21.09	-1.49	17.45	<=38.45	Pass
			4	21.03	-1.49	17.39	<=38.45	Pass
			7	21.06	-1.49	17.42	<=38.45	Pass
		15	0	20.95	-1.49	17.31	<=38.45	Pass
	819	1	0	23.47	-1.49	19.83	<=38.45	Pass
			7	23.50	-1.49	19.86	<=38.45	Pass
			14	23.54	-1.49	19.90	<=38.45	Pass
		8	0	21.00	-1.49	17.36	<=38.45	Pass
			4	20.94	-1.49	17.30	<=38.45	Pass
			7	20.93	-1.49	17.29	<=38.45	Pass
		15	0	21.05	-1.49	17.41	<=38.45	Pass
	822.5	1	0	23.32	-1.49	19.68	<=38.45	Pass
			7	23.45	-1.49	19.81	<=38.45	Pass
			14	23.37	-1.49	19.73	<=38.45	Pass
		8	0	20.87	-1.49	17.23	<=38.45	Pass
			4	20.91	-1.49	17.27	<=38.45	Pass
			7	20.83	-1.49	17.19	<=38.45	Pass
		15	0	20.90	-1.49	17.26	<=38.45	Pass
16QAM	815.5	1	0	22.70	-1.49	19.06	<=38.45	Pass
			7	23.26	-1.49	19.62	<=38.45	Pass
			14	23.38	-1.49	19.74	<=38.45	Pass
		8	0	21.27	-1.49	17.63	<=38.45	Pass
			4	21.13	-1.49	17.49	<=38.45	Pass
			7	21.10	-1.49	17.46	<=38.45	Pass
		15	0	21.07	-1.49	17.43	<=38.45	Pass
	819	1	0	22.50	-1.49	18.86	<=38.45	Pass
			7	23.12	-1.49	19.48	<=38.45	Pass
			14	23.29	-1.49	19.65	<=38.45	Pass
		8	0	21.11	-1.49	17.47	<=38.45	Pass
			4	21.13	-1.49	17.49	<=38.45	Pass
			7	20.97	-1.49	17.33	<=38.45	Pass
		15	0	20.98	-1.49	17.34	<=38.45	Pass
	822.5	1	0	23.01	-1.49	19.37	<=38.45	Pass
			7	22.37	-1.49	18.73	<=38.45	Pass
			14	23.21	-1.49	19.57	<=38.45	Pass
		8	0	21.07	-1.49	17.43	<=38.45	Pass
			4	21.02	-1.49	17.38	<=38.45	Pass
			7	21.20	-1.49	17.56	<=38.45	Pass
		15	0	21.02	-1.49	17.38	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26a_5MHz_ERP

Band: 26a / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	816.5	1	0	23.47	-1.49	19.83	<=38.45	Pass
			13	23.49	-1.49	19.85	<=38.45	Pass
			24	23.33	-1.49	19.69	<=38.45	Pass
		12	0	21.10	-1.49	17.46	<=38.45	Pass
			6	21.04	-1.49	17.40	<=38.45	Pass
			13	20.91	-1.49	17.27	<=38.45	Pass
		25	0	20.96	-1.49	17.32	<=38.45	Pass

16QAM	819	1	0	23.48	-1.49	19.84	<=38.45	Pass
			13	23.38	-1.49	19.74	<=38.45	Pass
			24	23.36	-1.49	19.72	<=38.45	Pass
		12	0	20.96	-1.49	17.32	<=38.45	Pass
			6	20.87	-1.49	17.23	<=38.45	Pass
			13	20.98	-1.49	17.34	<=38.45	Pass
		25	0	20.84	-1.49	17.20	<=38.45	Pass
	821.5	1	0	23.50	-1.49	19.86	<=38.45	Pass
			13	23.38	-1.49	19.74	<=38.45	Pass
			24	23.15	-1.49	19.51	<=38.45	Pass
		12	0	20.96	-1.49	17.32	<=38.45	Pass
			6	20.81	-1.49	17.17	<=38.45	Pass
			13	20.91	-1.49	17.27	<=38.45	Pass
		25	0	20.85	-1.49	17.21	<=38.45	Pass
	816.5	1	0	22.87	-1.49	19.23	<=38.45	Pass
			13	22.68	-1.49	19.04	<=38.45	Pass
			24	22.11	-1.49	18.47	<=38.45	Pass
		12	0	20.96	-1.49	17.32	<=38.45	Pass
			6	21.00	-1.49	17.36	<=38.45	Pass
			13	20.93	-1.49	17.29	<=38.45	Pass
		25	0	21.01	-1.49	17.37	<=38.45	Pass
	819	1	0	22.14	-1.49	18.50	<=38.45	Pass
			13	22.93	-1.49	19.29	<=38.45	Pass
			24	22.63	-1.49	18.99	<=38.45	Pass
		12	0	20.94	-1.49	17.30	<=38.45	Pass
			6	20.94	-1.49	17.30	<=38.45	Pass
			13	20.95	-1.49	17.31	<=38.45	Pass
		25	0	21.01	-1.49	17.37	<=38.45	Pass
	821.5	1	0	22.66	-1.49	19.02	<=38.45	Pass
			13	21.96	-1.49	18.32	<=38.45	Pass
			24	22.74	-1.49	19.10	<=38.45	Pass
		12	0	20.94	-1.49	17.30	<=38.45	Pass
			6	20.84	-1.49	17.20	<=38.45	Pass
			13	20.96	-1.49	17.32	<=38.45	Pass
		25	0	20.91	-1.49	17.27	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26a_10MHz_ERP

Band: 26a / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	819	1	0	23.54	-1.49	19.90	<=38.45	Pass
			25	23.33	-1.49	19.69	<=38.45	Pass
			49	23.34	-1.49	19.70	<=38.45	Pass
		25	0	21.58	-1.49	17.94	<=38.45	Pass
			13	21.46	-1.49	17.82	<=38.45	Pass
			25	21.43	-1.49	17.79	<=38.45	Pass
		50	0	21.42	-1.49	17.78	<=38.45	Pass
16QAM	819	1	0	23.15	-1.49	19.51	<=38.45	Pass
			25	22.99	-1.49	19.35	<=38.45	Pass
			49	22.56	-1.49	18.92	<=38.45	Pass
		25	0	21.58	-1.49	17.94	<=38.45	Pass
			13	21.48	-1.49	17.84	<=38.45	Pass
			25	21.63	-1.49	17.99	<=38.45	Pass
		50	0	21.42	-1.49	17.78	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	814.7	6	0	20	3.27	-7.553	-0.0093	-2.5 to 2.5	Pass
					3.85	9.098	0.0112	-2.5 to 2.5	Pass
					4.43	29.597	0.0363	-2.5 to 2.5	Pass
				-30	3.85	47.522	0.0583	-2.5 to 2.5	Pass
				-20	3.85	8.798	0.0108	-2.5 to 2.5	Pass
				-10	3.85	12.703	0.0156	-2.5 to 2.5	Pass
				0	3.85	10.757	0.0132	-2.5 to 2.5	Pass
				10	3.85	5.279	0.0065	-2.5 to 2.5	Pass
				30	3.85	0.916	0.0011	-2.5 to 2.5	Pass
				40	3.85	-6.323	-0.0078	-2.5 to 2.5	Pass
				50	3.85	-17.982	-0.0221	-2.5 to 2.5	Pass
	819	6	0	20	3.27	3.691	0.0045	-2.5 to 2.5	Pass
					3.85	15.149	0.0185	-2.5 to 2.5	Pass
					4.43	29.640	0.0362	-2.5 to 2.5	Pass
				-30	3.85	44.231	0.0540	-2.5 to 2.5	Pass
				-20	3.85	8.111	0.0099	-2.5 to 2.5	Pass
				-10	3.85	17.066	0.0208	-2.5 to 2.5	Pass
				0	3.85	18.868	0.0230	-2.5 to 2.5	Pass
				10	3.85	17.352	0.0212	-2.5 to 2.5	Pass
				30	3.85	16.880	0.0206	-2.5 to 2.5	Pass
				40	3.85	13.361	0.0163	-2.5 to 2.5	Pass
				50	3.85	7.782	0.0095	-2.5 to 2.5	Pass
	823.3	6	0	20	3.27	-24.190	-0.0294	-2.5 to 2.5	Pass
					3.85	-34.733	-0.0422	-2.5 to 2.5	Pass
					4.43	-33.045	-0.0401	-2.5 to 2.5	Pass
				-30	3.85	-32.201	-0.0391	-2.5 to 2.5	Pass
				-20	3.85	-38.424	-0.0467	-2.5 to 2.5	Pass
				-10	3.85	-43.530	-0.0529	-2.5 to 2.5	Pass
				0	3.85	-44.017	-0.0535	-2.5 to 2.5	Pass
				10	3.85	2.017	0.0024	-2.5 to 2.5	Pass
				30	3.85	-1.001	-0.0012	-2.5 to 2.5	Pass
				40	3.85	-4.935	-0.0060	-2.5 to 2.5	Pass
16QAM	814.7	6	0	20	3.27	-13.447	-0.0165	-2.5 to 2.5	Pass
					3.85	-15.879	-0.0195	-2.5 to 2.5	Pass
					4.43	-16.665	-0.0205	-2.5 to 2.5	Pass
				-30	3.85	-17.695	-0.0217	-2.5 to 2.5	Pass
				-20	3.85	-17.982	-0.0221	-2.5 to 2.5	Pass
				-10	3.85	-19.112	-0.0235	-2.5 to 2.5	Pass
				0	3.85	-17.524	-0.0215	-2.5 to 2.5	Pass
				10	3.85	-18.396	-0.0226	-2.5 to 2.5	Pass
				30	3.85	-19.784	-0.0243	-2.5 to 2.5	Pass
				40	3.85	-21.987	-0.0270	-2.5 to 2.5	Pass
				50	3.85	-22.202	-0.0273	-2.5 to 2.5	Pass
	819	6	0	20	3.27	-28.682	-0.0350	-2.5 to 2.5	Pass
					3.85	-36.006	-0.0440	-2.5 to 2.5	Pass
					4.43	-16.766	-0.0205	-2.5 to 2.5	Pass
				-30	3.85	3.662	0.0045	-2.5 to 2.5	Pass
				-20	3.85	28.167	0.0344	-2.5 to 2.5	Pass
				-10	3.85	31.257	0.0382	-2.5 to 2.5	Pass

				0	3.85	28.639	0.0350	-2.5 to 2.5	Pass
				10	3.85	24.133	0.0295	-2.5 to 2.5	Pass
				30	3.85	19.698	0.0241	-2.5 to 2.5	Pass
				40	3.85	9.656	0.0118	-2.5 to 2.5	Pass
				50	3.85	-1.974	-0.0024	-2.5 to 2.5	Pass
	823.3	6	0	20	3.27	-24.834	-0.0302	-2.5 to 2.5	Pass
					3.85	-43.488	-0.0528	-2.5 to 2.5	Pass
					4.43	-7.825	-0.0095	-2.5 to 2.5	Pass
				-30	3.85	-4.063	-0.0049	-2.5 to 2.5	Pass
				-20	3.85	7.739	0.0094	-2.5 to 2.5	Pass
				-10	3.85	18.668	0.0227	-2.5 to 2.5	Pass
				0	3.85	22.802	0.0277	-2.5 to 2.5	Pass
				10	3.85	23.189	0.0282	-2.5 to 2.5	Pass
				30	3.85	25.563	0.0310	-2.5 to 2.5	Pass
				40	3.85	28.410	0.0345	-2.5 to 2.5	Pass
				50	3.85	30.441	0.0370	-2.5 to 2.5	Pass

2.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	815.5	15	0	20	3.27	-16.379	-0.0201	-2.5 to 2.5	Pass
					3.85	-19.183	-0.0235	-2.5 to 2.5	Pass
					4.43	-26.393	-0.0324	-2.5 to 2.5	Pass
				-30	3.85	-29.054	-0.0356	-2.5 to 2.5	Pass
				-20	3.85	-35.262	-0.0432	-2.5 to 2.5	Pass
				-10	3.85	-44.332	-0.0544	-2.5 to 2.5	Pass
				0	3.85	-6.208	-0.0076	-2.5 to 2.5	Pass
				10	3.85	-20.528	-0.0252	-2.5 to 2.5	Pass
				30	3.85	-36.292	-0.0445	-2.5 to 2.5	Pass
				40	3.85	-4.849	-0.0059	-2.5 to 2.5	Pass
				50	3.85	-21.687	-0.0266	-2.5 to 2.5	Pass
	819	15	0	20	3.27	-18.997	-0.0232	-2.5 to 2.5	Pass
					3.85	-19.355	-0.0236	-2.5 to 2.5	Pass
					4.43	-15.478	-0.0189	-2.5 to 2.5	Pass
				-30	3.85	-12.517	-0.0153	-2.5 to 2.5	Pass
				-20	3.85	-11.716	-0.0143	-2.5 to 2.5	Pass
				-10	3.85	-9.212	-0.0112	-2.5 to 2.5	Pass
				0	3.85	-7.768	-0.0095	-2.5 to 2.5	Pass
				10	3.85	-10.443	-0.0128	-2.5 to 2.5	Pass
				30	3.85	-8.197	-0.0100	-2.5 to 2.5	Pass
				40	3.85	-6.409	-0.0078	-2.5 to 2.5	Pass
				50	3.85	-5.922	-0.0072	-2.5 to 2.5	Pass
	822.5	15	0	20	3.27	-19.097	-0.0232	-2.5 to 2.5	Pass
					3.85	-25.907	-0.0315	-2.5 to 2.5	Pass
					4.43	-17.724	-0.0215	-2.5 to 2.5	Pass
				-30	3.85	-10.571	-0.0129	-2.5 to 2.5	Pass
				-20	3.85	-5.050	-0.0061	-2.5 to 2.5	Pass
				-10	3.85	-4.463	-0.0054	-2.5 to 2.5	Pass
				0	3.85	-7.281	-0.0089	-2.5 to 2.5	Pass
				10	3.85	-8.011	-0.0097	-2.5 to 2.5	Pass
				30	3.85	-12.474	-0.0152	-2.5 to 2.5	Pass
				40	3.85	-14.963	-0.0182	-2.5 to 2.5	Pass
				50	3.85	-20.013	-0.0243	-2.5 to 2.5	Pass
16QAM	815.5	15	0	20	3.27	-12.903	-0.0158	-2.5 to 2.5	Pass
					3.85	-17.595	-0.0216	-2.5 to 2.5	Pass
					4.43	-19.999	-0.0245	-2.5 to 2.5	Pass

				-30	3.85	-20.871	-0.0256	-2.5 to 2.5	Pass
				-20	3.85	-23.832	-0.0292	-2.5 to 2.5	Pass
				-10	3.85	-26.464	-0.0325	-2.5 to 2.5	Pass
				0	3.85	-31.013	-0.0380	-2.5 to 2.5	Pass
				10	3.85	-35.005	-0.0429	-2.5 to 2.5	Pass
				30	3.85	-38.424	-0.0471	-2.5 to 2.5	Pass
				40	3.85	-40.684	-0.0499	-2.5 to 2.5	Pass
				50	3.85	-43.173	-0.0529	-2.5 to 2.5	Pass
	819	15	0	20	3.27	-12.088	-0.0148	-2.5 to 2.5	Pass
					3.85	-11.630	-0.0142	-2.5 to 2.5	Pass
					4.43	-3.176	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	4.692	0.0057	-2.5 to 2.5	Pass
				-20	3.85	8.783	0.0107	-2.5 to 2.5	Pass
				-10	3.85	-0.472	-0.0006	-2.5 to 2.5	Pass
				0	3.85	-3.262	-0.0040	-2.5 to 2.5	Pass
				10	3.85	-2.775	-0.0034	-2.5 to 2.5	Pass
				30	3.85	-4.005	-0.0049	-2.5 to 2.5	Pass
				40	3.85	0.172	0.0002	-2.5 to 2.5	Pass
				50	3.85	2.747	0.0034	-2.5 to 2.5	Pass
	822.5	15	0	20	3.27	-17.881	-0.0217	-2.5 to 2.5	Pass
					3.85	-30.284	-0.0368	-2.5 to 2.5	Pass
					4.43	-21.629	-0.0263	-2.5 to 2.5	Pass
				-30	3.85	-13.833	-0.0168	-2.5 to 2.5	Pass
				-20	3.85	-9.542	-0.0116	-2.5 to 2.5	Pass
				-10	3.85	-6.409	-0.0078	-2.5 to 2.5	Pass
				0	3.85	-1.431	-0.0017	-2.5 to 2.5	Pass
				10	3.85	-2.904	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-1.631	-0.0020	-2.5 to 2.5	Pass
				40	3.85	1.903	0.0023	-2.5 to 2.5	Pass
				50	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass

2.1.3 B26a_5MHz

Band: 26a / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	816.5	25	0	20	3.27	-10.057	-0.0123	-2.5 to 2.5	Pass
					3.85	-8.698	-0.0107	-2.5 to 2.5	Pass
					4.43	-1.130	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	4.950	0.0061	-2.5 to 2.5	Pass
				-20	3.85	11.315	0.0139	-2.5 to 2.5	Pass
				-10	3.85	14.648	0.0179	-2.5 to 2.5	Pass
				0	3.85	18.783	0.0230	-2.5 to 2.5	Pass
				10	3.85	20.041	0.0245	-2.5 to 2.5	Pass
				30	3.85	17.567	0.0215	-2.5 to 2.5	Pass
				40	3.85	16.322	0.0200	-2.5 to 2.5	Pass
				50	3.85	13.919	0.0170	-2.5 to 2.5	Pass
	819	25	0	20	3.27	-20.256	-0.0247	-2.5 to 2.5	Pass
					3.85	-20.542	-0.0251	-2.5 to 2.5	Pass
					4.43	-13.747	-0.0168	-2.5 to 2.5	Pass
				-30	3.85	-10.200	-0.0125	-2.5 to 2.5	Pass
				-20	3.85	-4.134	-0.0050	-2.5 to 2.5	Pass
				-10	3.85	-1.545	-0.0019	-2.5 to 2.5	Pass
				0	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				10	3.85	2.832	0.0035	-2.5 to 2.5	Pass
				30	3.85	5.951	0.0073	-2.5 to 2.5	Pass
				40	3.85	8.211	0.0100	-2.5 to 2.5	Pass
				50	3.85	4.363	0.0053	-2.5 to 2.5	Pass

	821.5	25	0	20	3.27	-23.317	-0.0284	-2.5 to 2.5	Pass
					3.85	-33.960	-0.0413	-2.5 to 2.5	Pass
					4.43	-24.090	-0.0293	-2.5 to 2.5	Pass
				-30	3.85	-16.422	-0.0200	-2.5 to 2.5	Pass
				-20	3.85	-9.999	-0.0122	-2.5 to 2.5	Pass
				-10	3.85	-5.121	-0.0062	-2.5 to 2.5	Pass
				0	3.85	-5.350	-0.0065	-2.5 to 2.5	Pass
				10	3.85	-3.390	-0.0041	-2.5 to 2.5	Pass
				30	3.85	-1.888	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-0.744	-0.0009	-2.5 to 2.5	Pass
16QAM	816.5	25	0	20	3.27	-7.467	-0.0091	-2.5 to 2.5	Pass
					3.85	-10.014	-0.0123	-2.5 to 2.5	Pass
					4.43	-11.473	-0.0141	-2.5 to 2.5	Pass
				-30	3.85	-11.759	-0.0144	-2.5 to 2.5	Pass
				-20	3.85	-10.972	-0.0134	-2.5 to 2.5	Pass
				-10	3.85	-12.889	-0.0158	-2.5 to 2.5	Pass
				0	3.85	-13.247	-0.0162	-2.5 to 2.5	Pass
				10	3.85	-13.819	-0.0169	-2.5 to 2.5	Pass
				30	3.85	-11.287	-0.0138	-2.5 to 2.5	Pass
				40	3.85	-10.672	-0.0131	-2.5 to 2.5	Pass
	819	25	0	20	3.27	-22.058	-0.0269	-2.5 to 2.5	Pass
					3.85	-23.289	-0.0284	-2.5 to 2.5	Pass
					4.43	-12.074	-0.0147	-2.5 to 2.5	Pass
				-30	3.85	-5.579	-0.0068	-2.5 to 2.5	Pass
				-20	3.85	-1.259	-0.0015	-2.5 to 2.5	Pass
				-10	3.85	2.089	0.0026	-2.5 to 2.5	Pass
				0	3.85	5.965	0.0073	-2.5 to 2.5	Pass
				10	3.85	7.110	0.0087	-2.5 to 2.5	Pass
				30	3.85	10.686	0.0130	-2.5 to 2.5	Pass
				40	3.85	11.215	0.0137	-2.5 to 2.5	Pass
	821.5	25	0	20	3.27	-12.231	-0.0149	-2.5 to 2.5	Pass
					3.85	-12.860	-0.0157	-2.5 to 2.5	Pass
					4.43	-5.765	-0.0070	-2.5 to 2.5	Pass
				-30	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	3.977	0.0048	-2.5 to 2.5	Pass
				-10	3.85	4.950	0.0060	-2.5 to 2.5	Pass
				0	3.85	5.579	0.0068	-2.5 to 2.5	Pass
				10	3.85	8.154	0.0099	-2.5 to 2.5	Pass
				30	3.85	11.430	0.0139	-2.5 to 2.5	Pass
				40	3.85	11.115	0.0135	-2.5 to 2.5	Pass
				50	3.85	7.997	0.0097	-2.5 to 2.5	Pass

2.1.4 B26a_10MHz

Band: 26a / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	819	50	0	20	3.27	-17.481	-0.0213	-2.5 to 2.5	Pass
					3.85	-11.258	-0.0137	-2.5 to 2.5	Pass
					4.43	-7.811	-0.0095	-2.5 to 2.5	Pass
				-30	3.85	-1.202	-0.0015	-2.5 to 2.5	Pass
				-20	3.85	2.432	0.0030	-2.5 to 2.5	Pass
				-10	3.85	4.735	0.0058	-2.5 to 2.5	Pass
				0	3.85	7.167	0.0088	-2.5 to 2.5	Pass
				10	3.85	8.941	0.0109	-2.5 to 2.5	Pass

				30	3.85	7.896	0.0096	-2.5 to 2.5	Pass
				40	3.85	7.167	0.0088	-2.5 to 2.5	Pass
				50	3.85	7.381	0.0090	-2.5 to 2.5	Pass
16QAM	819	50	0	20	3.27	-18.711	-0.0228	-2.5 to 2.5	Pass
					3.85	-15.607	-0.0191	-2.5 to 2.5	Pass
					4.43	-13.533	-0.0165	-2.5 to 2.5	Pass
				-30	3.85	-9.255	-0.0113	-2.5 to 2.5	Pass
				-20	3.85	-5.078	-0.0062	-2.5 to 2.5	Pass
				-10	3.85	-2.589	-0.0032	-2.5 to 2.5	Pass
				0	3.85	-3.877	-0.0047	-2.5 to 2.5	Pass
				10	3.85	-4.907	-0.0060	-2.5 to 2.5	Pass
				30	3.85	-7.138	-0.0087	-2.5 to 2.5	Pass
				40	3.85	-8.411	-0.0103	-2.5 to 2.5	Pass
				50	3.85	-7.510	-0.0092	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	6	0	Refer To Test Graph		Pass
16QAM	819	6	0	Refer To Test Graph		Pass

3.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	15	0	Refer To Test Graph		Pass
16QAM	819	15	0	Refer To Test Graph		Pass

3.1.3 B26a_5MHz


Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	25	0	Refer To Test Graph		Pass
16QAM	819	25	0	Refer To Test Graph		Pass

3.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	Refer To Test Graph		Pass
16QAM	819	50	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B26a_1.4MHz




3.2.2 B26a_3MHz



3.2.3 B26a_5MHz



3.2.4 B26a_10MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26a_OBW

Band: 26a / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.114	/	Pass
		819	6	0	1.111	/	Pass
		823.3	6	0	1.113	/	Pass
	16QAM	814.7	6	0	1.112	/	Pass
		819	6	0	1.118	/	Pass
		823.3	6	0	1.111	/	Pass
3	QPSK	815.5	15	0	2.770	/	Pass
		819	15	0	2.759	/	Pass
		822.5	15	0	2.750	/	Pass
	16QAM	815.5	15	0	2.756	/	Pass
		819	15	0	2.744	/	Pass
		822.5	15	0	2.745	/	Pass
5	QPSK	816.5	25	0	4.557	/	Pass
		819	25	0	4.544	/	Pass
		821.5	25	0	4.541	/	Pass
	16QAM	816.5	25	0	4.573	/	Pass
		819	25	0	4.539	/	Pass
		821.5	25	0	4.567	/	Pass
10	QPSK	819	50	0	9.043	/	Pass
	16QAM	819	50	0	9.079	/	Pass

4.1.2 Band26a_XDB


Band: 26a / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.277	/	Pass
		819	6	0	1.271	/	Pass
		823.3	6	0	1.271	/	Pass
	16QAM	814.7	6	0	1.266	/	Pass
		819	6	0	1.276	/	Pass
		823.3	6	0	1.277	/	Pass
3	QPSK	815.5	15	0	3.106	/	Pass
		819	15	0	3.100	/	Pass
		822.5	15	0	3.072	/	Pass
	16QAM	815.5	15	0	3.091	/	Pass
		819	15	0	3.099	/	Pass
		822.5	15	0	3.144	/	Pass
5	QPSK	816.5	25	0	5.056	/	Pass
		819	25	0	5.049	/	Pass
		821.5	25	0	5.056	/	Pass
	16QAM	816.5	25	0	5.069	/	Pass
		819	25	0	5.034	/	Pass
		821.5	25	0	5.046	/	Pass
10	QPSK	819	50	0	9.995	/	Pass




	16QAM	819	50	0	10.025	/	Pass
--	-------	-----	----	---	--------	---	------

4.2 Test Graph


4.2.1 Band26a_OBW




Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_6_0_NTNV




Band26a_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26a_3MHz_QPSK_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_HCH_822.5MHz_RB_15_0_NTNV




Band26a_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26a_5MHz_QPSK_MCH_819MHz_RB_25_0_NTNV




Band26a_5MHz_QPSK_HCH_821.5MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_MCH_819MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_HCH_821.5MHz_RB_25_0_NTNV




Band26a_10MHz_QPSK_MCH_819MHz_RB_50_0_NTNV




Band26a_10MHz_16QAM_MCH_819MHz_RB_50_0_NTNV




4.2.2 Band26a_XDB




Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_6_0_NTNV




Band26a_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26a_3MHz_QPSK_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_HCH_822.5MHz_RB_15_0_NTNV




Band26a_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26a_5MHz_QPSK_MCH_819MHz_RB_25_0_NTNV




Band26a_5MHz_QPSK_HCH_821.5MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_MCH_819MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_HCH_821.5MHz_RB_25_0_NTNV



Band26a_10MHz_QPSK_MCH_819MHz_RB_50_0_NTNV



Band26a_10MHz_16QAM_MCH_819MHz_RB_50_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	6	0	5.42	<=13	Pass
	819	6	0	5.62	<=13	Pass
	823.3	6	0	5.72	<=13	Pass
16QAM	814.7	6	0	5.89	<=13	Pass
	819	6	0	6.13	<=13	Pass
	823.3	6	0	6.39	<=13	Pass

5.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	15	0	5.56	<=13	Pass
	819	15	0	5.57	<=13	Pass
	822.5	15	0	5.66	<=13	Pass
16QAM	815.5	15	0	5.93	<=13	Pass
	819	15	0	6.25	<=13	Pass
	822.5	15	0	6.42	<=13	Pass

5.1.3 B26a_5MHz


Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	25	0	5.56	<=13	Pass
	819	25	0	5.57	<=13	Pass
	821.5	25	0	5.68	<=13	Pass
16QAM	816.5	25	0	6.03	<=13	Pass
	819	25	0	6.20	<=13	Pass
	821.5	25	0	6.32	<=13	Pass

5.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	5.55	<=13	Pass
16QAM	819	50	0	6.18	<=13	Pass

5.2 Test Graph


5.2.1 B26a_1.4MHz




Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV



Band26a_1.4MHz_16QAM_MCH_819MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_6_0_NTNV




5.2.2 B26a_3MHz


Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 15 0 NTNV




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV



Band26a_3MHz_16QAM_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_HCH_822.5MHz_RB_15_0_NTNV




5.2.3 B26a_5MHz


Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 25 0 NTNV




Band26a_5MHz_QPSK_HCH_821.5MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV



Band26a_5MHz_16QAM_MCH_819MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_HCH_821.5MHz_RB_25_0_NTNV




5.2.4 B26a_10MHz

Band26a 10MHz QPSK MCH 819MHz RB 50 0 NTNV



Band26a 10MHz 16QAM MCH 819MHz RB 50 0 NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	814.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	819	1	0	Refer To Test Graph	Pass
	823.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
16QAM	814.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	819	1	0	Refer To Test Graph	Pass
	823.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass

6.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	815.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	819	1	0	Refer To Test Graph	Pass
	822.5	1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
16QAM	815.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	819	1	0	Refer To Test Graph	Pass
	822.5	1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass

6.1.3 B26a_5MHz

Band: 26a / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	816.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	819	1	0	Refer To Test Graph	Pass
	821.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
16QAM	816.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass


	819	1	0	Refer To Test Graph	Pass
	821.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	819	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	819	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	819	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	819	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 B26a_1.4MHz




Band26a_1.4MHz_QPSK_LCH_814.7MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_LCH_814.7MHz_RB_1_0_NTNV



Band26a_1.4MHz_QPSK_LCH_814.7MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_LCH_814.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.945	-43.23	-13	Pass
813	813.963	0.013	CHP	2	813.960	-41.27	-13	Pass
813.963	814	0.013	CHP	3	813.965	-41.33	-20	Pass
814	817	0.013	CHP	/	/	/	/	/


Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_1_0_NTNV



Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_1_0_NTNV




Band26a 1.4MHz_QPSK_HCH_823.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.016	-39.19	-20	Pass
824.038	825	0.003	/	2	824.048	-42.44	-13	Pass
825	827	0.1	CHP	3	825.617	-48.49	-13	Pass

Band26a 1.4MHz_QPSK_HCH_823.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.013	CHP	/	/	/	/	/
824	824.038	0.013	CHP	1	824.020	-45.18	-20	Pass
824.038	825	0.013	CHP	2	824.040	-45.90	-13	Pass
825	827	0.1	CHP	3	825.055	-48.42	-13	Pass


Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV



Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.945	-41.51	-13	Pass
813	813.963	0.013	CHP	2	813.905	-37.46	-13	Pass
813.963	814	0.013	CHP	3	813.980	-36.65	-20	Pass
814	817	0.013	CHP	/	/	/	/	/


Band26a_1.4MHz_16QAM_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_1_0_NTNV



Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.016	-38.47	-20	Pass
824.038	825	0.003	/	2	824.047	-41.34	-13	Pass
825	827	0.1	CHP	3	825.558	-47.66	-13	Pass


Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.013	CHP	/	/	/	/	/
824	824.038	0.013	CHP	1	824.005	-44.29	-20	Pass
824.038	825	0.013	CHP	2	824.040	-44.85	-13	Pass
825	827	0.1	CHP	3	825.055	-46.66	-13	Pass


6.2.2 B26a_3MHz

Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.898	-42.95	-13	Pass
813	813.963	0.003	/	2	813.957	-30.07	-13	Pass
813.963	814	0.003	/	3	813.999	-23.37	-20	Pass
814	817	0.003	/	/	/	/	/	/


Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV




Band26a_3MHz_QPSK_LCH_815.5MHz_RB_1_0_NTNV




Band26a_3MHz_QPSK_LCH_815.5MHz_RB_1_0_NTNV



Band26a_3MHz_QPSK_LCH_815.5MHz_RB_1_0_NTNV




Band26a_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.800	-39.40	-13	Pass
813	813.963	0.031	CHP	2	813.958	-32.76	-13	Pass
813.963	814	0.031	CHP	3	813.994	-28.48	-20	Pass
814	817	0.031	CHP	/	/	/	/	/


Band26a_3MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_3MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_3MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_3MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_0_NTNV



Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_0_NTNV



Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_0_NTNV



Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_0_NTNV

