

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 CA_42C_NTNV_EIRP

Band: CA_42C / NTNV										
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Conducted Power (dBm)			Gain (dBi)	EIRP (dBm)		Verdict
				CC1	CC2	Sum		Result	Limit	
CC1:5 CC2:20	CC1: QPSK CC2: QPSK	CC1:3452.5 CC2:3464.2	CC1: 1@0 CC2: 0@0	19.71	-21.50	19.72	-1.30	18.42	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.12	8.11	11.13	-1.30	9.83	<=30	Pass
			CC1: 12@0 CC2: 50@50	13.14	13.08	16.12	-1.30	14.82	<=30	Pass
			CC1: 12@13 CC2: 50@0	14.77	14.73	17.76	-1.30	16.46	<=30	Pass
			CC1: 25@0 CC2: 100@0	14.69	14.64	17.68	-1.30	16.38	<=30	Pass
		CC1:3490.4 CC2:3502.1	CC1: 1@0 CC2: 0@0	19.42	-20.72	19.43	-1.30	18.13	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.13	8.10	11.13	-1.30	9.83	<=30	Pass
			CC1: 12@0 CC2: 50@50	13.11	13.09	16.11	-1.30	14.81	<=30	Pass
			CC1: 12@13 CC2: 50@0	14.68	14.65	17.68	-1.30	16.38	<=30	Pass
			CC1: 25@0 CC2: 100@0	14.67	14.61	17.65	-1.30	16.35	<=30	Pass
		CC1:3528.3 CC2:3540	CC1: 1@0 CC2: 0@0	19.77	-20.74	19.78	-1.30	18.48	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.40	8.30	11.36	-1.30	10.06	<=30	Pass
			CC1: 12@0 CC2: 50@50	14.03	13.20	16.63	-1.30	15.33	<=30	Pass
			CC1: 12@13 CC2: 50@0	14.95	14.91	17.94	-1.30	16.64	<=30	Pass
			CC1: 25@0 CC2: 100@0	14.97	14.91	17.95	-1.30	16.65	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3452.5 CC2:3464.2	CC1: 1@0 CC2: 0@0	18.84	-21.46	18.85	-1.30	17.55	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.40	8.10	11.26	-1.30	9.96	<=30	Pass
			CC1: 12@0 CC2: 50@50	14.14	12.42	16.29	-1.30	14.99	<=30	Pass
			CC1: 12@13 CC2: 50@0	13.79	13.79	16.80	-1.30	15.50	<=30	Pass
			CC1: 25@0 CC2: 100@0	13.70	13.66	16.69	-1.30	15.39	<=30	Pass
		CC1:3490.4 CC2:3502.1	CC1: 1@0 CC2: 0@0	18.59	-21.60	18.60	-1.30	17.30	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.00	7.78	10.90	-1.30	9.60	<=30	Pass
			CC1: 12@0 CC2: 50@50	13.03	13.03	16.04	-1.30	14.74	<=30	Pass
			CC1: 12@13 CC2: 50@0	13.58	13.62	16.61	-1.30	15.31	<=30	Pass
			CC1: 25@0 CC2: 100@0	13.59	13.55	16.58	-1.30	15.28	<=30	Pass

		CC1:3528.3 CC2:3540	CC1: 1@0 CC2: 0@0	18.84	-20.88	18.85	-1.30	17.55	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.45	8.23	11.35	-1.30	10.05	<=30	Pass
			CC1: 12@0 CC2: 50@50	13.51	13.35	16.44	-1.30	15.14	<=30	Pass
			CC1: 12@13 CC2: 50@0	13.98	13.94	16.97	-1.30	15.67	<=30	Pass
			CC1: 25@0 CC2: 100@0	14.05	13.89	16.98	-1.30	15.68	<=30	Pass
		CC1:3452.5 CC2:3464.2	CC1: 1@0 CC2: 0@0	18.03	-24.22	18.04	-1.30	16.74	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.00	8.34	11.18	-1.30	9.88	<=30	Pass
			CC1: 12@0 CC2: 50@50	13.18	13.16	16.18	-1.30	14.88	<=30	Pass
			CC1: 12@13 CC2: 50@0	13.85	13.89	16.88	-1.30	15.58	<=30	Pass
			CC1: 25@0 CC2: 100@0	13.78	13.80	16.80	-1.30	15.50	<=30	Pass
		CC1:3490.4 CC2:3502.1	CC1: 1@0 CC2: 0@0	17.97	-22.44	17.98	-1.30	16.68	<=30	Pass
			CC1: 1@0 CC2: 1@99	7.87	8.00	10.95	-1.30	9.65	<=30	Pass
			CC1: 12@0 CC2: 50@50	13.08	13.09	16.10	-1.30	14.80	<=30	Pass
			CC1: 12@13 CC2: 50@0	13.55	13.63	16.60	-1.30	15.30	<=30	Pass
			CC1: 25@0 CC2: 100@0	13.62	13.61	16.63	-1.30	15.33	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3528.3 CC2:3540	CC1: 1@0 CC2: 0@0	17.49	-21.89	17.50	-1.30	16.20	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.26	8.22	11.25	-1.30	9.95	<=30	Pass
			CC1: 12@0 CC2: 50@50	13.39	13.29	16.35	-1.30	15.05	<=30	Pass
			CC1: 12@13 CC2: 50@0	13.84	13.86	16.86	-1.30	15.56	<=30	Pass
			CC1: 25@0 CC2: 100@0	14.01	13.89	16.96	-1.30	15.66	<=30	Pass
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:3455 CC2:3469.4	CC1: 1@0 CC2: 0@0	19.81	-21.66	19.82	-1.30	18.52	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.18	8.20	11.20	-1.30	9.90	<=30	Pass
			CC1: 25@0 CC2: 50@50	13.84	12.32	16.09	-1.30	14.79	<=30	Pass
			CC1: 25@25 CC2: 50@0	14.65	14.72	17.70	-1.30	16.40	<=30	Pass
			CC1: 50@0 CC2: 100@0	14.68	14.68	17.69	-1.30	16.39	<=30	Pass
		CC1:3490.3 CC2:3504.7	CC1: 1@0 CC2: 0@0	19.46	-20.96	19.47	-1.30	18.17	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.18	8.11	11.16	-1.30	9.86	<=30	Pass
			CC1: 25@0 CC2: 50@50	13.07	13.13	16.11	-1.30	14.81	<=30	Pass
			CC1: 25@25 CC2: 50@0	8.19	8.19	11.20	-1.30	9.90	<=30	Pass
			CC1: 50@0 CC2: 100@0	8.12	8.04	11.09	-1.30	9.79	<=30	Pass
		CC1:3525.6	CC1: 1@0	19.74	-21.11	19.75	-1.30	18.45	<=30	Pass

		CC2:3540	CC2: 0@0							
			CC1: 1@0 CC2: 1@99	8.38	8.35	11.38	-1.30	10.08	<=30	Pass
			CC1: 25@0 CC2: 50@50	13.44	13.40	16.43	-1.30	15.13	<=30	Pass
			CC1: 25@25 CC2: 50@0	14.90	14.91	17.92	-1.30	16.62	<=30	Pass
			CC1: 50@0 CC2: 100@0	14.85	14.84	17.86	-1.30	16.56	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3455 CC2:3469.4	CC1: 1@0 CC2: 0@0	18.83	-21.76	18.84	-1.30	17.54	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.10	8.37	11.25	-1.30	9.95	<=30	Pass
			CC1: 25@0 CC2: 50@50	13.12	13.12	16.13	-1.30	14.83	<=30	Pass
			CC1: 25@25 CC2: 50@0	13.69	13.75	16.73	-1.30	15.43	<=30	Pass
			CC1: 50@0 CC2: 100@0	13.65	13.64	16.66	-1.30	15.36	<=30	Pass
		CC1:3490.3 CC2:3504.7	CC1: 1@0 CC2: 0@0	18.18	-21.80	18.19	-1.30	16.89	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.04	7.72	10.89	-1.30	9.59	<=30	Pass
			CC1: 25@0 CC2: 50@50	13.14	13.19	16.18	-1.30	14.88	<=30	Pass
			CC1: 25@25 CC2: 50@0	13.61	13.69	16.66	-1.30	15.36	<=30	Pass
			CC1: 50@0 CC2: 100@0	13.58	13.64	16.62	-1.30	15.32	<=30	Pass
		CC1:3525.6 CC2:3540	CC1: 1@0 CC2: 0@0	18.68	-21.13	18.69	-1.30	17.39	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.58	8.56	11.58	-1.30	10.28	<=30	Pass
			CC1: 25@0 CC2: 50@50	13.43	13.33	16.39	-1.30	15.09	<=30	Pass
			CC1: 25@25 CC2: 50@0	13.86	13.88	16.88	-1.30	15.58	<=30	Pass
			CC1: 50@0 CC2: 100@0	13.85	13.84	16.86	-1.30	15.56	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3455 CC2:3469.4	CC1: 1@0 CC2: 0@0	17.22	-21.76	17.23	-1.30	15.93	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.39	8.01	11.21	-1.30	9.91	<=30	Pass
			CC1: 25@0 CC2: 50@50	13.09	13.21	16.16	-1.30	14.86	<=30	Pass
			CC1: 25@25 CC2: 50@0	13.64	13.77	16.72	-1.30	15.42	<=30	Pass
			CC1: 50@0 CC2: 100@0	13.65	13.75	16.71	-1.30	15.41	<=30	Pass
		CC1:3490.3 CC2:3504.7	CC1: 1@0 CC2: 0@0	17.86	-22.79	17.87	-1.30	16.57	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.24	8.25	11.26	-1.30	9.96	<=30	Pass
			CC1: 25@0 CC2: 50@50	13.11	13.17	16.15	-1.30	14.85	<=30	Pass
			CC1: 25@25 CC2: 50@0	13.62	13.75	16.70	-1.30	15.40	<=30	Pass
			CC1: 50@0 CC2: 100@0	13.62	13.70	16.67	-1.30	15.37	<=30	Pass
		CC1:3525.6 CC2:3540	CC1: 1@0 CC2: 0@0	17.96	-21.95	17.97	-1.30	16.67	<=30	Pass

			CC1: 1@0 CC2: 1@99	8.03	8.41	11.23	-1.30	9.93	<=30	Pass
			CC1: 25@0 CC2: 50@50	13.27	13.30	16.30	-1.30	15.00	<=30	Pass
			CC1: 25@25 CC2: 50@0	13.87	13.97	16.93	-1.30	15.63	<=30	Pass
			CC1: 50@0 CC2: 100@0	13.91	13.83	16.88	-1.30	15.58	<=30	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:3457.5 CC2:3474.6	CC1: 1@0 CC2: 0@0	19.89	-22.28	19.90	-1.30	18.60	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.19	8.16	11.19	-1.30	9.89	<=30	Pass
			CC1: 36@0 CC2: 50@50	12.38	13.67	16.04	-1.30	14.74	<=30	Pass
			CC1: 36@39 CC2: 50@0	14.69	14.75	17.73	-1.30	16.43	<=30	Pass
			CC1: 75@0 CC2: 100@0	14.63	14.63	17.64	-1.30	16.34	<=30	Pass
		CC1:3490.2 CC2:3507.3	CC1: 1@0 CC2: 0@0	19.56	-21.02	19.57	-1.30	18.27	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.16	8.07	11.13	-1.30	9.83	<=30	Pass
			CC1: 36@0 CC2: 50@50	12.33	13.67	16.01	-1.30	14.71	<=30	Pass
			CC1: 36@39 CC2: 50@0	14.61	14.68	17.66	-1.30	16.36	<=30	Pass
			CC1: 75@0 CC2: 100@0	14.63	14.63	17.64	-1.30	16.34	<=30	Pass
		CC1:3522.9 CC2:3540	CC1: 1@0 CC2: 0@0	19.74	-20.99	19.75	-1.30	18.45	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.42	8.22	11.33	-1.30	10.03	<=30	Pass
			CC1: 36@0 CC2: 50@50	13.41	13.37	16.40	-1.30	15.10	<=30	Pass
			CC1: 36@39 CC2: 50@0	14.85	14.85	17.86	-1.30	16.56	<=30	Pass
			CC1: 75@0 CC2: 100@0	14.86	14.79	17.84	-1.30	16.54	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3457.5 CC2:3474.6	CC1: 1@0 CC2: 0@0	18.83	-21.77	18.84	-1.30	17.54	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.23	8.13	11.19	-1.30	9.89	<=30	Pass
			CC1: 36@0 CC2: 50@50	13.08	13.23	16.17	-1.30	14.87	<=30	Pass
			CC1: 36@39 CC2: 50@0	13.59	13.68	16.65	-1.30	15.35	<=30	Pass
			CC1: 75@0 CC2: 100@0	13.56	13.60	16.59	-1.30	15.29	<=30	Pass
		CC1:3490.2 CC2:3507.3	CC1: 1@0 CC2: 0@0	18.32	-21.96	18.33	-1.30	17.03	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.09	7.70	10.91	-1.30	9.61	<=30	Pass
			CC1: 36@0 CC2: 50@50	13.03	13.12	16.09	-1.30	14.79	<=30	Pass
			CC1: 36@39 CC2: 50@0	13.53	13.65	16.60	-1.30	15.30	<=30	Pass
			CC1: 75@0 CC2: 100@0	13.59	13.63	16.62	-1.30	15.32	<=30	Pass
		CC1:3522.9 CC2:3540	CC1: 1@0 CC2: 0@0	18.74	-21.16	18.75	-1.30	17.45	<=30	Pass
			CC1: 1@0	8.25	8.34	11.31	-1.30	10.01	<=30	Pass

			CC2: 1@99							
			CC1: 36@0 CC2: 50@50	13.47	13.36	16.43	-1.30	15.13	<=30	Pass
			CC1: 36@39 CC2: 50@0	13.78	13.79	16.80	-1.30	15.50	<=30	Pass
			CC1: 75@0 CC2: 100@0	13.94	13.86	16.91	-1.30	15.61	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3457.5 CC2:3474.6	CC1: 1@0 CC2: 0@0	17.97	-21.61	17.98	-1.30	16.68	<=30	Pass
			CC1: 1@0 CC2: 1@99	7.72	8.10	10.92	-1.30	9.62	<=30	Pass
			CC1: 36@0 CC2: 50@50	13.10	13.21	16.17	-1.30	14.87	<=30	Pass
			CC1: 36@39 CC2: 50@0	13.63	13.73	16.69	-1.30	15.39	<=30	Pass
			CC1: 75@0 CC2: 100@0	13.55	13.60	16.59	-1.30	15.29	<=30	Pass
		CC1:3490.2 CC2:3507.3	CC1: 1@0 CC2: 0@0	17.86	-22.72	17.87	-1.30	16.57	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.58	8.29	11.45	-1.30	10.15	<=30	Pass
			CC1: 36@0 CC2: 50@50	13.05	13.18	16.13	-1.30	14.83	<=30	Pass
			CC1: 36@39 CC2: 50@0	13.59	13.70	16.66	-1.30	15.36	<=30	Pass
			CC1: 75@0 CC2: 100@0	13.65	13.69	16.68	-1.30	15.38	<=30	Pass
		CC1:3522.9 CC2:3540	CC1: 1@0 CC2: 0@0	17.84	-21.97	17.85	-1.30	16.55	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.21	8.37	11.30	-1.30	10.00	<=30	Pass
			CC1: 36@0 CC2: 50@50	13.39	13.34	16.38	-1.30	15.08	<=30	Pass
			CC1: 36@39 CC2: 50@0	13.79	13.80	16.81	-1.30	15.51	<=30	Pass
			CC1: 75@0 CC2: 100@0	13.80	13.76	16.79	-1.30	15.49	<=30	Pass
	CC1:20 CC2:5	CC1:3460 CC2:3471.7	CC1: 1@0 CC2: 0@0	19.91	-28.18	19.92	-1.30	18.62	<=30	Pass
			CC1: 1@0 CC2: 1@24	8.28	8.17	11.24	-1.30	9.94	<=30	Pass
			CC1: 50@0 CC2: 12@13	13.31	12.97	16.15	-1.30	14.85	<=30	Pass
			CC1: 50@50 CC2: 12@0	14.73	14.69	17.72	-1.30	16.42	<=30	Pass
			CC1: 100@0 CC2: 25@0	14.74	14.73	17.75	-1.30	16.45	<=30	Pass
		CC1:3497.9 CC2:3509.6	CC1: 1@0 CC2: 0@0	19.52	-26.78	19.53	-1.30	18.23	<=30	Pass
			CC1: 1@0 CC2: 1@24	8.25	7.99	11.13	-1.30	9.83	<=30	Pass
			CC1: 50@0 CC2: 12@13	13.31	12.38	15.86	-1.30	14.56	<=30	Pass
			CC1: 50@50 CC2: 12@0	14.71	14.70	17.72	-1.30	16.42	<=30	Pass
			CC1: 100@0 CC2: 25@0	14.63	14.63	17.64	-1.30	16.34	<=30	Pass
		CC1:3535.8 CC2:3547.5	CC1: 1@0 CC2: 0@0	19.79	-26.89	19.80	-1.30	18.50	<=30	Pass
			CC1: 1@0 CC2: 1@24	8.48	8.21	11.36	-1.30	10.06	<=30	Pass

			CC1: 50@0 CC2: 12@13	13.41	13.06	16.25	-1.30	14.95	<=30	Pass
			CC1: 50@50 CC2: 12@0	15.00	14.97	18.00	-1.30	16.70	<=30	Pass
			CC1: 100@0 CC2: 25@0	14.86	14.83	17.86	-1.30	16.56	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3460 CC2:3471.7	CC1: 1@0 CC2: 0@0	18.73	-27.50	18.74	-1.30	17.44	<=30	Pass
			CC1: 1@0 CC2: 1@24	8.11	7.81	10.97	-1.30	9.67	<=30	Pass
			CC1: 50@0 CC2: 12@13	12.85	13.60	16.24	-1.30	14.94	<=30	Pass
			CC1: 50@50 CC2: 12@0	13.68	13.67	16.69	-1.30	15.39	<=30	Pass
			CC1: 100@0 CC2: 25@0	13.67	13.65	16.67	-1.30	15.37	<=30	Pass
		CC1:3497.9 CC2:3509.6	CC1: 1@0 CC2: 0@0	18.70	-26.91	18.71	-1.30	17.41	<=30	Pass
			CC1: 1@0 CC2: 1@24	8.06	8.18	11.13	-1.30	9.83	<=30	Pass
			CC1: 50@0 CC2: 12@13	13.06	13.25	16.17	-1.30	14.87	<=30	Pass
			CC1: 50@50 CC2: 12@0	13.71	13.74	16.74	-1.30	15.44	<=30	Pass
			CC1: 100@0 CC2: 25@0	13.55	13.52	16.55	-1.30	15.25	<=30	Pass
		CC1:3535.8 CC2:3547.5	CC1: 1@0 CC2: 0@0	18.99	-30.53	19.00	-1.30	17.70	<=30	Pass
			CC1: 1@0 CC2: 1@24	8.60	8.18	11.40	-1.30	10.10	<=30	Pass
			CC1: 50@0 CC2: 12@13	13.36	13.22	16.30	-1.30	15.00	<=30	Pass
			CC1: 50@50 CC2: 12@0	14.04	14.00	17.03	-1.30	15.73	<=30	Pass
			CC1: 100@0 CC2: 25@0	13.96	13.94	16.96	-1.30	15.66	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3460 CC2:3471.7	CC1: 1@0 CC2: 0@0	17.85	-31.23	17.86	-1.30	16.56	<=30	Pass
			CC1: 1@0 CC2: 1@24	8.34	8.14	11.25	-1.30	9.95	<=30	Pass
			CC1: 50@0 CC2: 12@13	13.18	13.02	16.11	-1.30	14.81	<=30	Pass
			CC1: 50@50 CC2: 12@0	13.62	13.52	16.58	-1.30	15.28	<=30	Pass
			CC1: 100@0 CC2: 25@0	13.65	13.56	16.62	-1.30	15.32	<=30	Pass
		CC1:3497.9 CC2:3509.6	CC1: 1@0 CC2: 0@0	17.56	-32.29	17.57	-1.30	16.27	<=30	Pass
			CC1: 1@0 CC2: 1@24	8.06	8.06	11.07	-1.30	9.77	<=30	Pass
			CC1: 50@0 CC2: 12@13	13.15	12.96	16.07	-1.30	14.77	<=30	Pass
			CC1: 50@50 CC2: 12@0	13.75	13.62	16.70	-1.30	15.40	<=30	Pass
			CC1: 100@0 CC2: 25@0	13.69	13.62	16.67	-1.30	15.37	<=30	Pass
		CC1:3535.8 CC2:3547.5	CC1: 1@0 CC2: 0@0	17.64	-32.50	17.65	-1.30	16.35	<=30	Pass
			CC1: 1@0 CC2: 1@24	8.45	7.83	11.15	-1.30	9.85	<=30	Pass
			CC1: 50@0	13.47	13.36	16.43	-1.30	15.13	<=30	Pass

CC1:20 CC2:10			CC2: 12@13							
			CC1: 50@50 CC2: 12@0	14.09	14.02	17.07	-1.30	15.77	<=30	Pass
			CC1: 100@0 CC2: 25@0	13.91	13.84	16.89	-1.30	15.59	<=30	Pass
	CC1: QPSK CC2: QPSK	CC1:3460 CC2:3474.4	CC1: 1@0 CC2: 0@0	19.85	-29.34	19.86	-1.30	18.56	<=30	Pass
			CC1: 1@0 CC2: 1@49	8.34	8.31	11.34	-1.30	10.04	<=30	Pass
			CC1: 50@0 CC2: 25@25	13.32	13.07	16.21	-1.30	14.91	<=30	Pass
			CC1: 50@50 CC2: 25@0	14.68	14.63	17.67	-1.30	16.37	<=30	Pass
			CC1: 100@0 CC2: 50@0	14.75	14.71	17.74	-1.30	16.44	<=30	Pass
		CC1:3495.3 CC2:3509.7	CC1: 1@0 CC2: 0@0	19.47	-27.78	19.48	-1.30	18.18	<=30	Pass
			CC1: 1@0 CC2: 1@49	8.19	8.09	11.15	-1.30	9.85	<=30	Pass
			CC1: 50@0 CC2: 25@25	13.11	12.99	16.06	-1.30	14.76	<=30	Pass
			CC1: 50@50 CC2: 25@0	14.72	14.60	17.67	-1.30	16.37	<=30	Pass
			CC1: 100@0 CC2: 50@0	14.69	14.54	17.63	-1.30	16.33	<=30	Pass
		CC1:3530.6 CC2:3545	CC1: 1@0 CC2: 0@0	19.67	-27.84	19.68	-1.30	18.38	<=30	Pass
			CC1: 1@0 CC2: 1@49	8.38	8.27	11.34	-1.30	10.04	<=30	Pass
			CC1: 50@0 CC2: 25@25	13.41	13.28	16.36	-1.30	15.06	<=30	Pass
			CC1: 50@50 CC2: 25@0	14.92	14.80	17.87	-1.30	16.57	<=30	Pass
			CC1: 100@0 CC2: 50@0	14.95	14.79	17.88	-1.30	16.58	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3460 CC2:3474.4	CC1: 1@0 CC2: 0@0	18.93	-28.49	18.94	-1.30	17.64	<=30	Pass
			CC1: 1@0 CC2: 1@49	8.28	7.67	10.99	-1.30	9.69	<=30	Pass
			CC1: 50@0 CC2: 25@25	13.20	13.22	16.22	-1.30	14.92	<=30	Pass
			CC1: 50@50 CC2: 25@0	13.66	13.64	16.66	-1.30	15.36	<=30	Pass
			CC1: 100@0 CC2: 50@0	13.61	13.62	16.63	-1.30	15.33	<=30	Pass
		CC1:3495.3 CC2:3509.7	CC1: 1@0 CC2: 0@0	18.31	-28.68	18.32	-1.30	17.02	<=30	Pass
			CC1: 1@0 CC2: 1@49	7.84	7.87	10.87	-1.30	9.57	<=30	Pass
			CC1: 50@0 CC2: 25@25	13.21	13.01	16.12	-1.30	14.82	<=30	Pass
			CC1: 50@50 CC2: 25@0	13.65	13.49	16.58	-1.30	15.28	<=30	Pass
			CC1: 100@0 CC2: 50@0	13.63	13.49	16.57	-1.30	15.27	<=30	Pass
		CC1:3530.6 CC2:3545	CC1: 1@0 CC2: 0@0	19.03	-27.86	19.04	-1.30	17.74	<=30	Pass
			CC1: 1@0 CC2: 1@49	8.00	8.21	11.12	-1.30	9.82	<=30	Pass
			CC1: 50@0 CC2: 25@25	13.47	13.30	16.40	-1.30	15.10	<=30	Pass

			CC1: 50@50 CC2: 25@0	13.97	13.83	16.91	-1.30	15.61	<=30	Pass
			CC1: 100@0 CC2: 50@0	13.92	13.78	16.86	-1.30	15.56	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3460 CC2:3474.4	CC1: 1@0 CC2: 0@0	17.80	-28.64	17.81	-1.30	16.51	<=30	Pass
			CC1: 1@0 CC2: 1@49	8.50	8.15	11.34	-1.30	10.04	<=30	Pass
			CC1: 50@0 CC2: 25@25	13.29	12.99	16.15	-1.30	14.85	<=30	Pass
			CC1: 50@50 CC2: 25@0	13.61	13.55	16.59	-1.30	15.29	<=30	Pass
			CC1: 100@0 CC2: 50@0	13.62	13.56	16.60	-1.30	15.30	<=30	Pass
			CC1: 1@0 CC2: 0@0	17.56	-29.78	17.57	-1.30	16.27	<=30	Pass
		CC1:3495.3 CC2:3509.7	CC1: 1@0 CC2: 1@49	7.99	7.89	10.95	-1.30	9.65	<=30	Pass
			CC1: 50@0 CC2: 25@25	13.16	13.01	16.10	-1.30	14.80	<=30	Pass
			CC1: 50@50 CC2: 25@0	13.79	13.63	16.72	-1.30	15.42	<=30	Pass
			CC1: 100@0 CC2: 50@0	13.70	13.54	16.63	-1.30	15.33	<=30	Pass
			CC1: 1@0 CC2: 0@0	17.75	-28.84	17.76	-1.30	16.46	<=30	Pass
		CC1:3530.6 CC2:3545	CC1: 1@0 CC2: 1@49	8.19	7.99	11.10	-1.30	9.80	<=30	Pass
			CC1: 50@0 CC2: 25@25	13.47	13.32	16.41	-1.30	15.11	<=30	Pass
			CC1: 50@50 CC2: 25@0	13.93	13.77	16.86	-1.30	15.56	<=30	Pass
			CC1: 100@0 CC2: 50@0	13.90	13.79	16.86	-1.30	15.56	<=30	Pass
			CC1: 1@0 CC2: 0@0	19.88	-27.72	19.89	-1.30	18.59	<=30	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:3460 CC2:3477.1	CC1: 1@0 CC2: 1@74	8.24	8.23	11.25	-1.30	9.95	<=30	Pass
			CC1: 50@0 CC2: 36@39	13.27	13.03	16.16	-1.30	14.86	<=30	Pass
			CC1: 50@50 CC2: 36@0	14.66	14.62	17.65	-1.30	16.35	<=30	Pass
			CC1: 100@0 CC2: 75@0	14.65	14.63	17.65	-1.30	16.35	<=30	Pass
			CC1: 1@0 CC2: 0@0	19.52	-26.09	19.53	-1.30	18.23	<=30	Pass
		CC1:3492.7 CC2:3509.8	CC1: 1@0 CC2: 1@74	8.20	8.17	11.20	-1.30	9.90	<=30	Pass
			CC1: 50@0 CC2: 36@39	13.09	12.96	16.04	-1.30	14.74	<=30	Pass
			CC1: 50@50 CC2: 36@0	14.63	14.50	17.58	-1.30	16.28	<=30	Pass
			CC1: 100@0 CC2: 75@0	14.67	14.52	17.61	-1.30	16.31	<=30	Pass
			CC1: 1@0 CC2: 0@0	19.76	-26.18	19.78	-1.30	18.48	<=30	Pass
		CC1:3525.4 CC2:3542.5	CC1: 1@0 CC2: 1@74	8.37	8.27	11.33	-1.30	10.03	<=30	Pass
			CC1: 50@0 CC2: 36@39	13.32	13.19	16.27	-1.30	14.97	<=30	Pass
			CC1: 50@50	14.97	14.85	17.92	-1.30	16.62	<=30	Pass

			CC2: 36@0							
			CC1: 100@0 CC2: 75@0	14.91	14.75	17.84	-1.30	16.54	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3460 CC2:3477.1	CC1: 1@0 CC2: 0@0	19.16	-26.83	19.17	-1.30	17.87	<=30	Pass
			CC1: 1@0 CC2: 1@74	8.32	7.89	11.12	-1.30	9.82	<=30	Pass
			CC1: 50@0 CC2: 36@39	13.30	13.06	16.19	-1.30	14.89	<=30	Pass
			CC1: 50@50 CC2: 36@0	13.60	13.54	16.58	-1.30	15.28	<=30	Pass
			CC1: 100@0 CC2: 75@0	13.60	13.61	16.62	-1.30	15.32	<=30	Pass
		CC1:3492.7 CC2:3509.8	CC1: 1@0 CC2: 0@0	18.32	-27.00	18.33	-1.30	17.03	<=30	Pass
			CC1: 1@0 CC2: 1@74	7.91	7.95	10.94	-1.30	9.64	<=30	Pass
			CC1: 50@0 CC2: 36@39	13.10	12.93	16.03	-1.30	14.73	<=30	Pass
			CC1: 50@50 CC2: 36@0	13.67	13.49	16.59	-1.30	15.29	<=30	Pass
			CC1: 100@0 CC2: 75@0	13.68	13.53	16.62	-1.30	15.32	<=30	Pass
		CC1:3525.4 CC2:3542.5	CC1: 1@0 CC2: 0@0	19.00	-26.18	19.01	-1.30	17.71	<=30	Pass
			CC1: 1@0 CC2: 1@74	8.48	7.98	11.24	-1.30	9.94	<=30	Pass
			CC1: 50@0 CC2: 36@39	13.45	13.23	16.35	-1.30	15.05	<=30	Pass
			CC1: 50@50 CC2: 36@0	13.97	13.79	16.89	-1.30	15.59	<=30	Pass
			CC1: 100@0 CC2: 75@0	13.90	13.77	16.85	-1.30	15.55	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3460 CC2:3477.1	CC1: 1@0 CC2: 0@0	17.95	-26.93	17.96	-1.30	16.66	<=30	Pass
			CC1: 1@0 CC2: 1@74	8.00	8.11	11.07	-1.30	9.77	<=30	Pass
			CC1: 50@0 CC2: 36@39	13.20	12.97	16.10	-1.30	14.80	<=30	Pass
			CC1: 50@50 CC2: 36@0	13.61	13.51	16.57	-1.30	15.27	<=30	Pass
			CC1: 100@0 CC2: 75@0	13.59	13.57	16.59	-1.30	15.29	<=30	Pass
		CC1:3492.7 CC2:3509.8	CC1: 1@0 CC2: 0@0	17.48	-28.93	17.49	-1.30	16.19	<=30	Pass
			CC1: 1@0 CC2: 1@74	7.86	7.61	10.75	-1.30	9.45	<=30	Pass
			CC1: 50@0 CC2: 36@39	13.24	13.02	16.14	-1.30	14.84	<=30	Pass
			CC1: 50@50 CC2: 36@0	13.67	13.56	16.63	-1.30	15.33	<=30	Pass
			CC1: 100@0 CC2: 75@0	13.76	13.61	16.70	-1.30	15.40	<=30	Pass
		CC1:3525.4 CC2:3542.5	CC1: 1@0 CC2: 0@0	17.75	-27.19	17.76	-1.30	16.46	<=30	Pass
			CC1: 1@0 CC2: 1@74	8.19	7.99	11.10	-1.30	9.80	<=30	Pass
			CC1: 50@0 CC2: 36@39	13.41	13.15	16.29	-1.30	14.99	<=30	Pass
			CC1: 50@50 CC2: 36@0	13.92	13.73	16.84	-1.30	15.54	<=30	Pass

			CC1: 100@0 CC2: 75@0	13.97	13.84	16.92	-1.30	15.62	<=30	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:3460 CC2:3479.8	CC1: 1@0 CC2: 0@0	19.97	-26.65	19.98	-1.30	18.68	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.22	8.28	11.26	-1.30	9.96	<=30	Pass
			CC1: 50@0 CC2: 50@50	13.19	13.00	16.11	-1.30	14.81	<=30	Pass
			CC1: 50@50 CC2: 50@0	15.66	15.68	18.68	-1.30	17.38	<=30	Pass
			CC1: 100@0 CC2: 100@0	14.69	14.71	17.71	-1.30	16.41	<=30	Pass
		CC1:3490.1 CC2:3509.9	CC1: 1@0 CC2: 0@0	19.49	-24.93	19.50	-1.30	18.20	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.13	8.11	11.13	-1.30	9.83	<=30	Pass
			CC1: 50@0 CC2: 50@50	13.08	12.99	16.05	-1.30	14.75	<=30	Pass
			CC1: 50@50 CC2: 50@0	15.65	15.57	18.62	-1.30	17.32	<=30	Pass
			CC1: 100@0 CC2: 100@0	14.65	14.52	17.60	-1.30	16.30	<=30	Pass
		CC1:3520.2 CC2:3540	CC1: 1@0 CC2: 0@0	19.66	-25.05	19.67	-1.30	18.37	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.37	8.27	11.33	-1.30	10.03	<=30	Pass
			CC1: 50@0 CC2: 50@50	13.33	13.24	16.30	-1.30	15.00	<=30	Pass
			CC1: 50@50 CC2: 50@0	15.89	15.82	18.87	-1.30	17.57	<=30	Pass
			CC1: 100@0 CC2: 100@0	14.84	14.72	17.79	-1.30	16.49	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3460 CC2:3479.8	CC1: 1@0 CC2: 0@0	18.80	-25.71	18.81	-1.30	17.51	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.14	7.81	10.99	-1.30	9.69	<=30	Pass
			CC1: 50@0 CC2: 50@50	13.17	13.01	16.10	-1.30	14.80	<=30	Pass
			CC1: 50@50 CC2: 50@0	14.62	14.68	17.66	-1.30	16.36	<=30	Pass
			CC1: 100@0 CC2: 100@0	13.63	13.66	16.66	-1.30	15.36	<=30	Pass
		CC1:3490.1 CC2:3509.9	CC1: 1@0 CC2: 0@0	18.37	-24.99	18.38	-1.30	17.08	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.00	7.86	10.94	-1.30	9.64	<=30	Pass
			CC1: 50@0 CC2: 50@50	13.27	13.11	16.20	-1.30	14.90	<=30	Pass
			CC1: 50@50 CC2: 50@0	14.78	14.69	17.75	-1.30	16.45	<=30	Pass
			CC1: 100@0 CC2: 100@0	13.64	13.54	16.60	-1.30	15.30	<=30	Pass
		CC1:3520.2 CC2:3540	CC1: 1@0 CC2: 0@0	18.25	-25.09	18.26	-1.30	16.96	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.47	8.42	11.46	-1.30	10.16	<=30	Pass
			CC1: 50@0 CC2: 50@50	13.36	13.20	16.29	-1.30	14.99	<=30	Pass
			CC1: 50@50 CC2: 50@0	14.90	14.84	17.88	-1.30	16.58	<=30	Pass
			CC1: 100@0	13.91	13.78	16.86	-1.30	15.56	<=30	Pass

	CC1: 64QAM CC2: 64QAM	CC1:3460 CC2:3479.8	CC2: 100@0							
			CC1: 1@0 CC2: 0@0	17.90	-25.79	17.80	-1.30	16.50	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.30	7.94	11.13	-1.30	9.83	<=30	Pass
			CC1: 50@0 CC2: 50@50	13.23	13.02	16.14	-1.30	14.84	<=30	Pass
			CC1: 50@50 CC2: 50@0	13.60	13.59	16.61	-1.30	15.31	<=30	Pass
		CC1:3490.1 CC2:3509.9	CC1: 100@0 CC2: 100@0	13.56	13.58	16.58	-1.30	15.28	<=30	Pass
			CC1: 1@0 CC2: 0@0	17.59	-26.92	17.60	-1.30	16.30	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.13	8.21	11.18	-1.30	9.88	<=30	Pass
			CC1: 50@0 CC2: 50@50	13.25	13.09	16.18	-1.30	14.88	<=30	Pass
			CC1: 50@50 CC2: 50@0	13.73	13.70	16.73	-1.30	15.43	<=30	Pass
		CC1:3520.2 CC2:3540	CC1: 100@0 CC2: 100@0	13.71	13.62	16.68	-1.30	15.38	<=30	Pass
			CC1: 1@0 CC2: 0@0	17.39	-26.05	17.40	-1.30	16.10	<=30	Pass
			CC1: 1@0 CC2: 1@99	8.61	8.26	11.45	-1.30	10.15	<=30	Pass
			CC1: 50@0 CC2: 50@50	13.42	13.23	16.34	-1.30	15.04	<=30	Pass
			CC1: 50@50 CC2: 50@0	13.90	13.79	16.86	-1.30	15.56	<=30	Pass
			CC1: 100@0 CC2: 100@0	13.84	13.71	16.79	-1.30	15.49	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. 99% & 26dB Bandwidth

2.1 Test Result

2.1.1 CA_42C_NTNV_OBW

Band: CA_42C / NTNV						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	99% Occupied Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:5 CC2:20	CC1: QPSK CC2: QPSK	CC1:3452.5 CC2:3464.2	CC1: 25@0 CC2: 100@0	22.95	/	Pass
		CC1:3490.4 CC2:3502.1	CC1: 25@0 CC2: 100@0	23.00	/	Pass
		CC1:3528.3 CC2:3540	CC1: 25@0 CC2: 100@0	22.93	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3452.5 CC2:3464.2	CC1: 25@0 CC2: 100@0	22.96	/	Pass
		CC1:3490.4 CC2:3502.1	CC1: 25@0 CC2: 100@0	22.97	/	Pass
		CC1:3528.3 CC2:3540	CC1: 25@0 CC2: 100@0	22.94	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3452.5 CC2:3464.2	CC1: 25@0 CC2: 100@0	22.94	/	Pass
		CC1:3490.4 CC2:3502.1	CC1: 25@0 CC2: 100@0	22.96	/	Pass

		CC1:3528.3 CC2:3540	CC1: 25@0 CC2: 100@0	22.85	/	Pass
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:3455 CC2:3469.4	CC1: 50@0 CC2: 100@0	28.25	/	Pass
		CC1:3490.3 CC2:3504.7	CC1: 50@0 CC2: 100@0	28.25	/	Pass
		CC1:3525.6 CC2:3540	CC1: 50@0 CC2: 100@0	28.25	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3455 CC2:3469.4	CC1: 50@0 CC2: 100@0	28.17	/	Pass
		CC1:3490.3 CC2:3504.7	CC1: 50@0 CC2: 100@0	28.10	/	Pass
		CC1:3525.6 CC2:3540	CC1: 50@0 CC2: 100@0	28.11	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3455 CC2:3469.4	CC1: 50@0 CC2: 100@0	28.12	/	Pass
		CC1:3490.3 CC2:3504.7	CC1: 50@0 CC2: 100@0	28.19	/	Pass
		CC1:3525.6 CC2:3540	CC1: 50@0 CC2: 100@0	28.11	/	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:3457.5 CC2:3474.6	CC1: 75@0 CC2: 100@0	33.05	/	Pass
		CC1:3490.2 CC2:3507.3	CC1: 75@0 CC2: 100@0	33.02	/	Pass
		CC1:3522.9 CC2:3540	CC1: 75@0 CC2: 100@0	33.08	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3457.5 CC2:3474.6	CC1: 75@0 CC2: 100@0	33.05	/	Pass
		CC1:3490.2 CC2:3507.3	CC1: 75@0 CC2: 100@0	32.98	/	Pass
		CC1:3522.9 CC2:3540	CC1: 75@0 CC2: 100@0	32.99	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3457.5 CC2:3474.6	CC1: 75@0 CC2: 100@0	32.95	/	Pass
		CC1:3490.2 CC2:3507.3	CC1: 75@0 CC2: 100@0	33.01	/	Pass
		CC1:3522.9 CC2:3540	CC1: 75@0 CC2: 100@0	32.95	/	Pass
CC1:20 CC2:5	CC1: QPSK CC2: QPSK	CC1:3460 CC2:3471.7	CC1: 100@0 CC2: 25@0	23.01	/	Pass
		CC1:3497.9 CC2:3509.6	CC1: 100@0 CC2: 25@0	23.00	/	Pass
		CC1:3535.8 CC2:3547.5	CC1: 100@0 CC2: 25@0	22.95	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3460 CC2:3471.7	CC1: 100@0 CC2: 25@0	23.06	/	Pass
		CC1:3497.9 CC2:3509.6	CC1: 100@0 CC2: 25@0	22.95	/	Pass
		CC1:3535.8 CC2:3547.5	CC1: 100@0 CC2: 25@0	23.03	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3460 CC2:3471.7	CC1: 100@0 CC2: 25@0	22.93	/	Pass
		CC1:3497.9 CC2:3509.6	CC1: 100@0 CC2: 25@0	22.99	/	Pass
		CC1:3535.8 CC2:3547.5	CC1: 100@0 CC2: 25@0	23.04	/	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:3460 CC2:3474.4	CC1: 100@0 CC2: 50@0	28.22	/	Pass
		CC1:3495.3 CC2:3509.7	CC1: 100@0 CC2: 50@0	28.18	/	Pass
		CC1:3530.6	CC1: 100@0	28.17	/	Pass

	CC1: 16QAM CC2: 16QAM	CC2:3545	CC2: 50@0			
		CC1:3460 CC2:3474.4	CC1: 100@0 CC2: 50@0	28.27	/	Pass
		CC1:3495.3 CC2:3509.7	CC1: 100@0 CC2: 50@0	28.16	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3530.6 CC2:3545	CC1: 100@0 CC2: 50@0	28.17	/	Pass
		CC1:3460 CC2:3474.4	CC1: 100@0 CC2: 50@0	28.12	/	Pass
		CC1:3495.3 CC2:3509.7	CC1: 100@0 CC2: 50@0	28.14	/	Pass
		CC1:3530.6 CC2:3545	CC1: 100@0 CC2: 50@0	28.12	/	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:3460 CC2:3477.1	CC1: 100@0 CC2: 75@0	33.01	/	Pass
		CC1:3492.7 CC2:3509.8	CC1: 100@0 CC2: 75@0	32.99	/	Pass
		CC1:3525.4 CC2:3542.5	CC1: 100@0 CC2: 75@0	33.04	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3460 CC2:3477.1	CC1: 100@0 CC2: 75@0	33.12	/	Pass
		CC1:3492.7 CC2:3509.8	CC1: 100@0 CC2: 75@0	32.99	/	Pass
		CC1:3525.4 CC2:3542.5	CC1: 100@0 CC2: 75@0	33.01	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3460 CC2:3477.1	CC1: 100@0 CC2: 75@0	32.99	/	Pass
		CC1:3492.7 CC2:3509.8	CC1: 100@0 CC2: 75@0	33.03	/	Pass
		CC1:3525.4 CC2:3542.5	CC1: 100@0 CC2: 75@0	32.97	/	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:3460 CC2:3479.8	CC1: 100@0 CC2: 100@0	37.89	/	Pass
		CC1:3490.1 CC2:3509.9	CC1: 100@0 CC2: 100@0	37.91	/	Pass
		CC1:3520.2 CC2:3540	CC1: 100@0 CC2: 100@0	37.93	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3460 CC2:3479.8	CC1: 100@0 CC2: 100@0	37.96	/	Pass
		CC1:3490.1 CC2:3509.9	CC1: 100@0 CC2: 100@0	37.84	/	Pass
		CC1:3520.2 CC2:3540	CC1: 100@0 CC2: 100@0	37.84	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3460 CC2:3479.8	CC1: 100@0 CC2: 100@0	37.91	/	Pass
		CC1:3490.1 CC2:3509.9	CC1: 100@0 CC2: 100@0	37.89	/	Pass
		CC1:3520.2 CC2:3540	CC1: 100@0 CC2: 100@0	37.89	/	Pass

2.1.2 CA_42C_NTNV_XDB

Band: CA_42C / NTNV						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	26dB Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:5 CC2:20	CC1: QPSK CC2: QPSK	CC1:3452.5 CC2:3464.2	CC1: 25@0 CC2: 100@0	24.34	/	Pass
		CC1:3490.4 CC2:3502.1	CC1: 25@0 CC2: 100@0	24.12	/	Pass
		CC1:3528.3 CC2:3540	CC1: 25@0 CC2: 100@0	24.18	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3452.5 CC2:3464.2	CC1: 25@0 CC2: 100@0	24.55	/	Pass
		CC1:3490.4 CC2:3502.1	CC1: 25@0 CC2: 100@0	24.11	/	Pass
		CC1:3528.3 CC2:3540	CC1: 25@0 CC2: 100@0	26.94	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3452.5 CC2:3464.2	CC1: 25@0 CC2: 100@0	24.66	/	Pass
		CC1:3490.4 CC2:3502.1	CC1: 25@0 CC2: 100@0	24.45	/	Pass
		CC1:3528.3 CC2:3540	CC1: 25@0 CC2: 100@0	24.61	/	Pass
	CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:3455 CC2:3469.4	CC1: 50@0 CC2: 100@0	30.36	/
CC1:3490.3 CC2:3504.7			CC1: 50@0 CC2: 100@0	31.03	/	Pass
CC1:3525.6 CC2:3540			CC1: 50@0 CC2: 100@0	30.42	/	Pass
CC1: 16QAM CC2: 16QAM		CC1:3455 CC2:3469.4	CC1: 50@0 CC2: 100@0	30.67	/	Pass
		CC1:3490.3 CC2:3504.7	CC1: 50@0 CC2: 100@0	30.32	/	Pass
		CC1:3525.6 CC2:3540	CC1: 50@0 CC2: 100@0	30.44	/	Pass
CC1: 64QAM CC2: 64QAM		CC1:3455 CC2:3469.4	CC1: 50@0 CC2: 100@0	30.31	/	Pass
		CC1:3490.3 CC2:3504.7	CC1: 50@0 CC2: 100@0	30.21	/	Pass
		CC1:3525.6 CC2:3540	CC1: 50@0 CC2: 100@0	30.21	/	Pass
CC1:15 CC2:20		CC1: QPSK CC2: QPSK	CC1:3457.5 CC2:3474.6	CC1: 75@0 CC2: 100@0	36.35	/
	CC1:3490.2 CC2:3507.3		CC1: 75@0 CC2: 100@0	35.65	/	Pass
	CC1:3522.9 CC2:3540		CC1: 75@0 CC2: 100@0	37.02	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3457.5 CC2:3474.6	CC1: 75@0 CC2: 100@0	35.52	/	Pass
		CC1:3490.2 CC2:3507.3	CC1: 75@0 CC2: 100@0	36.15	/	Pass
		CC1:3522.9 CC2:3540	CC1: 75@0 CC2: 100@0	37.84	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3457.5 CC2:3474.6	CC1: 75@0 CC2: 100@0	35.32	/	Pass
		CC1:3490.2 CC2:3507.3	CC1: 75@0 CC2: 100@0	36.83	/	Pass
		CC1:3522.9 CC2:3540	CC1: 75@0 CC2: 100@0	35.86	/	Pass
	CC1:20	CC1:	CC1:3460	CC1: 100@0	24.30	/


CC2:5	QPSK CC2: QPSK	CC2:3471.7	CC2: 25@0			
		CC1:3497.9 CC2:3509.6	CC1: 100@0 CC2: 25@0	24.10	/	Pass
		CC1:3535.8 CC2:3547.5	CC1: 100@0 CC2: 25@0	24.14	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3460 CC2:3471.7	CC1: 100@0 CC2: 25@0	24.06	/	Pass
		CC1:3497.9 CC2:3509.6	CC1: 100@0 CC2: 25@0	24.11	/	Pass
		CC1:3535.8 CC2:3547.5	CC1: 100@0 CC2: 25@0	24.46	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3460 CC2:3471.7	CC1: 100@0 CC2: 25@0	24.23	/	Pass
		CC1:3497.9 CC2:3509.6	CC1: 100@0 CC2: 25@0	24.05	/	Pass
		CC1:3535.8 CC2:3547.5	CC1: 100@0 CC2: 25@0	24.28	/	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:3460 CC2:3474.4	CC1: 100@0 CC2: 50@0	31.04	/	Pass
		CC1:3495.3 CC2:3509.7	CC1: 100@0 CC2: 50@0	30.32	/	Pass
		CC1:3530.6 CC2:3545	CC1: 100@0 CC2: 50@0	31.94	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3460 CC2:3474.4	CC1: 100@0 CC2: 50@0	30.32	/	Pass
		CC1:3495.3 CC2:3509.7	CC1: 100@0 CC2: 50@0	30.54	/	Pass
		CC1:3530.6 CC2:3545	CC1: 100@0 CC2: 50@0	31.10	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3460 CC2:3474.4	CC1: 100@0 CC2: 50@0	30.28	/	Pass
		CC1:3495.3 CC2:3509.7	CC1: 100@0 CC2: 50@0	31.07	/	Pass
		CC1:3530.6 CC2:3545	CC1: 100@0 CC2: 50@0	30.25	/	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:3460 CC2:3477.1	CC1: 100@0 CC2: 75@0	36.96	/	Pass
		CC1:3492.7 CC2:3509.8	CC1: 100@0 CC2: 75@0	35.75	/	Pass
		CC1:3525.4 CC2:3542.5	CC1: 100@0 CC2: 75@0	36.76	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:3460 CC2:3477.1	CC1: 100@0 CC2: 75@0	37.72	/	Pass
		CC1:3492.7 CC2:3509.8	CC1: 100@0 CC2: 75@0	35.98	/	Pass
		CC1:3525.4 CC2:3542.5	CC1: 100@0 CC2: 75@0	35.59	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3460 CC2:3477.1	CC1: 100@0 CC2: 75@0	36.09	/	Pass
		CC1:3492.7 CC2:3509.8	CC1: 100@0 CC2: 75@0	35.34	/	Pass
		CC1:3525.4 CC2:3542.5	CC1: 100@0 CC2: 75@0	35.32	/	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:3460 CC2:3479.8	CC1: 100@0 CC2: 100@0	42.31	/	Pass
		CC1:3490.1 CC2:3509.9	CC1: 100@0 CC2: 100@0	40.32	/	Pass
		CC1:3520.2 CC2:3540	CC1: 100@0 CC2: 100@0	41.23	/	Pass
	CC1: 16QAM	CC1:3460 CC2:3479.8	CC1: 100@0 CC2: 100@0	40.28	/	Pass

	CC2: 16QAM	CC1:3490.1 CC2:3509.9	CC1: 100@0 CC2: 100@0	41.25	/	Pass
		CC1:3520.2 CC2:3540	CC1: 100@0 CC2: 100@0	40.69	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:3460 CC2:3479.8	CC1: 100@0 CC2: 100@0	41.15	/	Pass
		CC1:3490.1 CC2:3509.9	CC1: 100@0 CC2: 100@0	41.55	/	Pass
		CC1:3520.2 CC2:3540	CC1: 100@0 CC2: 100@0	40.58	/	Pass


2.2 Test Graph

2.2.1 CA_42C_NTNV_OBW


CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3452.5 CC2:3464.2MHz_CC1: 25@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3490.4 CC2:3502.1MHz_CC1: 25@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3528.3 CC2:3540MHz_CC1: 25@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3452.5 CC2:3464.2MHz_CC1:
25@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3490.4 CC2:3502.1MHz_CC1: 25@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3528.3 CC2:3540MHz_CC1: 25@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3452.5 CC2:3464.2MHz_CC1:
25@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3490.4 CC2:3502.1MHz_CC1:
25@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3528.3 CC2:3540MHz_CC1: 25@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3455 CC2:3469.4MHz_CC1: 50@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3490.3 CC2:3504.7MHz_CC1: 50@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3525.6 CC2:3540MHz_CC1: 50@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3455 CC2:3469.4MHz_CC1:
50@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3490.3 CC2:3504.7MHz_CC1:
50@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3525.6 CC2:3540MHz_CC1:
50@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3455 CC2:3469.4MHz_CC1:
50@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3490.3 CC2:3504.7MHz_CC1:
50@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3525.6 CC2:3540MHz_CC1:
50@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3457.5 CC2:3474.6MHz_CC1: 75@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3490.2 CC2:3507.3MHz_CC1: 75@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3522.9 CC2:3540MHz_CC1: 75@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3457.5 CC2:3474.6MHz_CC1:
75@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3490.2 CC2:3507.3MHz_CC1:
75@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3522.9 CC2:3540MHz_CC1:
75@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3457.5 CC2:3474.6MHz_CC1:75@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3490.2 CC2:3507.3MHz_CC1:75@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3522.9 CC2:3540MHz_CC1:
75@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3471.7MHz_CC1: 100@0
CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3497.9 CC2:3509.6MHz_CC1: 100@0
CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3535.8 CC2:3547.5MHz_CC1: 100@0
CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:3460 CC2:3471.7MHz_CC1:
100@0 CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:3497.9 CC2:3509.6MHz_CC1:
100@0 CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:3535.8 CC2:3547.5MHz_CC1:
100@0 CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:3460 CC2:3471.7MHz_CC1:
100@0 CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:3497.9 CC2:3509.6MHz_CC1:
100@0 CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:3535.8 CC2:3547.5MHz_CC1:
100@0 CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3474.4MHz_CC1: 100@0
CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3495.3 CC2:3509.7MHz_CC1:
100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3530.6 CC2:3545MHz_CC1: 100@0
CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3460 CC2:3474.4MHz_CC1:
100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3495.3 CC2:3509.7MHz_CC1:
100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3530.6 CC2:3545MHz_CC1:
100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3460 CC2:3474.4MHz_CC1:100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3495.3 CC2:3509.7MHz_CC1:100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3530.6 CC2:3545MHz_CC1: 100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3477.1MHz_CC1: 100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3492.7 CC2:3509.8MHz_CC1:
100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3525.4 CC2:3542.5MHz_CC1:
100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:3460 CC2:3477.1MHz_CC1:
100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:3492.7 CC2:3509.8MHz_CC1:
100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:3525.4 CC2:3542.5MHz_CC1:
100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:3460 CC2:3477.1MHz_CC1:
100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:3492.7 CC2:3509.8MHz_CC1:100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:3525.4 CC2:3542.5MHz_CC1:100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3479.8MHz_CC1: 100@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3490.1 CC2:3509.9MHz_CC1:
100@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3520.2 CC2:3540MHz_CC1: 100@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3460 CC2:3479.8MHz_CC1:
100@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3490.1 CC2:3509.9MHz_CC1:100@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3520.2 CC2:3540MHz_CC1:100@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3460 CC2:3479.8MHz_CC1:100@0 CC2: 100@0



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3490.1 CC2:3509.9MHz_CC1:100@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3520.2 CC2:3540MHz_CC1:
100@0 CC2: 100@0




2.2.2 CA_42C_NTNV_XDB


CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3452.5 CC2:3464.2MHz_CC1: 25@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3490.4 CC2:3502.1MHz_CC1: 25@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3528.3 CC2:3540MHz_CC1: 25@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3452.5 CC2:3464.2MHz_CC1: 25@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3490.4 CC2:3502.1MHz_CC1: 25@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3528.3 CC2:3540MHz_CC1: 25@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3452.5 CC2:3464.2MHz_CC1:
25@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3490.4 CC2:3502.1MHz_CC1:
25@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3528.3 CC2:3540MHz_CC1: 25@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3455 CC2:3469.4MHz_CC1: 50@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3490.3 CC2:3504.7MHz_CC1: 50@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3525.6 CC2:3540MHz_CC1: 50@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3455 CC2:3469.4MHz_CC1:
50@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3490.3 CC2:3504.7MHz_CC1:
50@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3525.6 CC2:3540MHz_CC1:
50@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3455 CC2:3469.4MHz_CC1:
50@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3490.3 CC2:3504.7MHz_CC1:
50@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3525.6 CC2:3540MHz_CC1:
50@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3457.5 CC2:3474.6MHz_CC1: 75@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3490.2 CC2:3507.3MHz_CC1: 75@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3522.9 CC2:3540MHz_CC1: 75@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3457.5 CC2:3474.6MHz_CC1: 75@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3490.2 CC2:3507.3MHz_CC1:
75@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3522.9 CC2:3540MHz_CC1:
75@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3457.5 CC2:3474.6MHz_CC1:75@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3490.2 CC2:3507.3MHz_CC1:75@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3522.9 CC2:3540MHz_CC1:
75@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3471.7MHz_CC1: 100@0
CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3497.9 CC2:3509.6MHz_CC1: 100@0
CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3535.8 CC2:3547.5MHz_CC1: 100@0
CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:3460 CC2:3471.7MHz_CC1:
100@0 CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:3497.9 CC2:3509.6MHz_CC1:
100@0 CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:3535.8 CC2:3547.5MHz_CC1:
100@0 CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:3460 CC2:3471.7MHz_CC1:
100@0 CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:3497.9 CC2:3509.6MHz_CC1:100@0 CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:3535.8 CC2:3547.5MHz_CC1:100@0 CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3474.4MHz_CC1: 100@0
CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3495.3 CC2:3509.7MHz_CC1:
100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3530.6 CC2:3545MHz_CC1: 100@0
CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3460 CC2:3474.4MHz_CC1: 100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3495.3 CC2:3509.7MHz_CC1:
100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3530.6 CC2:3545MHz_CC1:
100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3460 CC2:3474.4MHz_CC1:100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3495.3 CC2:3509.7MHz_CC1:100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3530.6 CC2:3545MHz_CC1: 100@0 CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3477.1MHz_CC1: 100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3492.7 CC2:3509.8MHz_CC1:100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3525.4 CC2:3542.5MHz_CC1:100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:3460 CC2:3477.1MHz_CC1:
100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:3492.7 CC2:3509.8MHz_CC1:
100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:3525.4 CC2:3542.5MHz_CC1:100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:3460 CC2:3477.1MHz_CC1:100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:3492.7 CC2:3509.8MHz_CC1:100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:3525.4 CC2:3542.5MHz_CC1:100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3479.8MHz_CC1: 100@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3490.1 CC2:3509.9MHz_CC1: 100@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3520.2 CC2:3540MHz_CC1: 100@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3460 CC2:3479.8MHz_CC1:
100@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3490.1 CC2:3509.9MHz_CC1:100@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3520.2 CC2:3540MHz_CC1:100@0 CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3460 CC2:3479.8MHz_CC1:100@0 CC2: 100@0



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3490.1 CC2:3509.9MHz_CC1:100@0 CC2: 100@0



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3520.2 CC2:3540MHz_CC1:
100@0 CC2: 100@0



3. Spurious Emission

3.1 Test Result

3.1.1 CA_42C_NTNV


Band: CA_42C / NTNv								
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
				CC1	CC2	Sum	Limit	
CC1:5 CC2:20	CC1: QPSK CC2: QPSK	CC1:3452.5 CC2:3464.2	CC1: 1@0 CC2: 1@99	Refer To Test Graph				Pass
			CC1: 25@0 CC2: 100@0	Refer To Test Graph				Pass
		CC1:3528.3 CC2:3540	CC1: 1@0 CC2: 1@99	Refer To Test Graph				Pass
			CC1: 25@0 CC2: 100@0	Refer To Test Graph				Pass
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:3455 CC2:3469.4	CC1: 1@0 CC2: 1@99	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass
		CC1:3525.6 CC2:3540	CC1: 1@0 CC2: 1@99	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:3457.5 CC2:3474.6	CC1: 1@0 CC2: 1@99	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph				Pass
		CC1:3522.9 CC2:3540	CC1: 1@0 CC2: 1@99	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph				Pass
CC1:20 CC2:5	CC1: QPSK CC2: QPSK	CC1:3460 CC2:3471.7	CC1: 1@0 CC2: 1@24	Refer To Test Graph				Pass
			CC1: 100@0 CC2: 25@0	Refer To Test Graph				Pass
		CC1:3535.8 CC2:3547.5	CC1: 1@0 CC2: 1@24	Refer To Test Graph				Pass
			CC1: 100@0 CC2: 25@0	Refer To Test Graph				Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:3460 CC2:3474.4	CC1: 1@0 CC2: 1@49	Refer To Test Graph				Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph				Pass
		CC1:3530.6 CC2:3545	CC1: 1@0 CC2: 1@49	Refer To Test Graph				Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph				Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:3460 CC2:3477.1	CC1: 1@0 CC2: 1@74	Refer To Test Graph				Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph				Pass
		CC1:3525.4 CC2:3542.5	CC1: 1@0 CC2: 1@74	Refer To Test Graph				Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph				Pass
CC1:20 CC2:20	CC1: QPSK	CC1:3460 CC2:3479.8	CC1: 1@0 CC2: 1@99	Refer To Test Graph				Pass

	CC2: QPSK		CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:3520.2 CC2:3540	CC1: 1@0 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass

3.2 Test Graph


3.2.1 CA_42C_NTNV

CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3452.5 CC2:3464.2MHz_CC1: 1@0
CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3412.1	3444.6	1	CHP	1	3427.480	-32.95	-13	Pass
3444.6	3448.6	0.5	CHP	2	3447.713	-46.99	-13	Pass
3448.6	3449.6	0.003	/	3	3449.567	-63.65	-13	Pass
3449.6	3474.6	0.003	/	/	/	/	/	/
3474.6	3475.6	0.003	/	4	3474.617	-64.18	-13	Pass
3475.6	3479.6	0.5	CHP	5	3475.850	-46.60	-13	Pass
3479.6	3512.1	1	CHP	6	3495.620	-34.24	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3452.5 CC2:3464.2MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3452.5 CC2:3464.2MHz_CC1: 1@0
CC2: 1@99



CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3452.5 CC2:3464.2MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3452.5 CC2:3464.2MHz_CC1: 25@0
CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3412.1	3444.6	1	CHP	1	3430.200	-37.93	-13	Pass
3444.6	3448.6	0.5	CHP	2	3446.050	-43.32	-13	Pass
3448.6	3449.6	0.2	CHP	3	3449.400	-38.51	-13	Pass
3449.6	3474.6	0.1	/	/	/	/	/	/
3474.6	3475.6	0.2	CHP	4	3475.000	-47.24	-13	Pass
3475.6	3479.6	0.5	CHP	5	3477.350	-44.07	-13	Pass
3479.6	3512.1	1	CHP	6	3493.350	-40.48	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3452.5 CC2:3464.2MHz_CC1: 25@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3452.5 CC2:3464.2MHz_CC1: 25@0
CC2: 100@0



CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3452.5 CC2:3464.2MHz_CC1: 25@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3528.3 CC2:3540MHz_CC1: 1@0
CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3487.9	3520.4	1	CHP	1	3503.153	-33.19	-13	Pass
3520.4	3524.4	0.5	CHP	2	3523.513	-47.49	-13	Pass
3524.4	3525.4	0.003	/	3	3525.393	-63.95	-13	Pass
3525.4	3550.4	0.003	/	/	/	/	/	/
3550.4	3551.4	0.003	/	4	3550.433	-63.79	-13	Pass
3551.4	3555.4	0.5	CHP	5	3551.650	-47.42	-13	Pass
3555.4	3587.9	1	CHP	6	3571.430	-34.96	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3528.3 CC2:3540MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3528.3 CC2:3540MHz_CC1: 1@0
CC2: 1@99



CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3528.3 CC2:3540MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3528.3 CC2:3540MHz_CC1: 25@0
CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3487.9	3520.4	1	CHP	1	3506.100	-38.13	-13	Pass
3520.4	3524.4	0.5	CHP	2	3521.300	-41.87	-13	Pass
3524.4	3525.4	0.2	CHP	3	3524.550	-42.62	-13	Pass
3525.4	3550.4	0.1	/	/	/	/	/	/
3550.4	3551.4	0.2	CHP	4	3550.950	-48.51	-13	Pass
3551.4	3555.4	0.5	CHP	5	3552.100	-45.15	-13	Pass
3555.4	3587.9	1	CHP	6	3558.200	-40.91	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3528.3 CC2:3540MHz_CC1: 25@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3528.3 CC2:3540MHz_CC1: 25@0
CC2: 100@0



CA_42C(3450-3550)_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3528.3 CC2:3540MHz_CC1: 25@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3455 CC2:3469.4MHz_CC1: 1@0
CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3404.7	3444.7	1	CHP	1	3422.776	-32.92	-13	Pass
3444.7	3448.7	0.5	CHP	2	3445.700	-46.55	-13	Pass
3448.7	3449.7	0.003	/	3	3449.664	-61.28	-13	Pass
3449.7	3479.7	0.003	/	/	/	/	/	/
3479.7	3480.7	0.003	/	4	3479.768	-63.37	-13	Pass
3480.7	3484.7	0.5	CHP	5	3480.952	-47.22	-13	Pass
3484.7	3524.7	1	CHP	6	3505.896	-34.35	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3455 CC2:3469.4MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3455 CC2:3469.4MHz_CC1: 1@0
CC2: 1@99



CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3455 CC2:3469.4MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3455 CC2:3469.4MHz_CC1: 50@0
CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3404.7	3444.7	1	CHP	1	3443.800	-40.59	-13	Pass
3444.7	3448.7	0.5	CHP	2	3444.950	-42.33	-13	Pass
3448.7	3449.7	0.2	CHP	3	3449.550	-46.73	-13	Pass
3449.7	3479.7	0.1	/	/	/	/	/	/
3479.7	3480.7	0.2	CHP	4	3479.800	-47.60	-13	Pass
3480.7	3484.7	0.5	CHP	5	3482.600	-44.27	-13	Pass
3484.7	3524.7	1	CHP	6	3490.500	-41.67	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3455 CC2:3469.4MHz_CC1: 50@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3455 CC2:3469.4MHz_CC1: 50@0
CC2: 100@0



CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3455 CC2:3469.4MHz_CC1: 50@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3525.6 CC2:3540MHz_CC1: 1@0
CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3475.3	3515.3	1	CHP	1	3493.340	-32.91	-13	Pass
3515.3	3519.3	0.5	CHP	2	3516.440	-46.66	-13	Pass
3519.3	3520.3	0.003	/	3	3520.296	-61.69	-13	Pass
3520.3	3550.3	0.003	/	/	/	/	/	/
3550.3	3551.3	0.003	/	4	3550.312	-64.12	-13	Pass
3551.3	3555.3	0.5	CHP	5	3551.552	-48.00	-13	Pass
3555.3	3595.3	1	CHP	6	3576.412	-34.84	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3525.6 CC2:3540MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3525.6 CC2:3540MHz_CC1: 1@0
CC2: 1@99



CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3525.6 CC2:3540MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3525.6 CC2:3540MHz_CC1: 50@0
CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3475.3	3515.3	1	CHP	1	3511.950	-28.47	-13	Pass
3515.3	3519.3	0.5	CHP	2	3516.450	-31.82	-13	Pass
3519.3	3520.3	0.2	CHP	3	3519.550	-36.30	-13	Pass
3520.3	3550.3	0.1	/	/	/	/	/	/
3550.3	3551.3	0.2	CHP	4	3550.600	-37.46	-13	Pass
3551.3	3555.3	0.5	CHP	5	3551.650	-33.45	-13	Pass
3555.3	3595.3	1	CHP	6	3556.150	-31.91	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3525.6 CC2:3540MHz_CC1: 50@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3525.6 CC2:3540MHz_CC1: 50@0
CC2: 100@0



CA_42C(3450-3550)_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3525.6 CC2:3540MHz_CC1: 50@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3457.5 CC2:3474.6MHz_CC1: 1@0
CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3397.3	3444.8	1	CHP	1	3418.160	-33.14	-13	Pass
3444.8	3448.8	0.5	CHP	2	3448.540	-46.38	-13	Pass
3448.8	3449.8	0.003	/	3	3449.772	-59.56	-13	Pass
3449.8	3484.8	0.003	/	/	/	/	/	/
3484.8	3485.8	0.003	/	4	3484.805	-61.31	-13	Pass
3485.8	3489.8	0.5	CHP	5	3488.683	-47.31	-13	Pass
3489.8	3537.3	1	CHP	6	3516.188	-34.55	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3457.5 CC2:3474.6MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3457.5 CC2:3474.6MHz_CC1: 1@0
CC2: 1@99



CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3457.5 CC2:3474.6MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3457.5 CC2:3474.6MHz_CC1: 75@0
CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3397.3	3444.8	1	CHP	1	3443.500	-39.87	-13	Pass
3444.8	3448.8	0.5	CHP	2	3448.150	-41.72	-13	Pass
3448.8	3449.8	0.2	CHP	3	3449.400	-44.83	-13	Pass
3449.8	3484.8	0.1	/	/	/	/	/	/
3484.8	3485.8	0.2	CHP	4	3484.950	-47.05	-13	Pass
3485.8	3489.8	0.5	CHP	5	3486.050	-43.07	-13	Pass
3489.8	3537.3	1	CHP	6	3493.800	-41.00	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3457.5 CC2:3474.6MHz_CC1: 75@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3457.5 CC2:3474.6MHz_CC1: 75@0
CC2: 100@0



CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3457.5 CC2:3474.6MHz_CC1: 75@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3522.9 CC2:3540MHz_CC1: 1@0
CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3462.7	3510.2	1	CHP	1	3483.443	-32.74	-13	Pass
3510.2	3514.2	0.5	CHP	2	3513.949	-46.46	-13	Pass
3514.2	3515.2	0.003	/	3	3515.186	-58.86	-13	Pass
3515.2	3550.2	0.003	/	/	/	/	/	/
3550.2	3551.2	0.003	/	4	3550.228	-61.46	-13	Pass
3551.2	3555.2	0.5	CHP	5	3551.609	-48.17	-13	Pass
3555.2	3602.7	1	CHP	6	3581.574	-35.18	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3522.9 CC2:3540MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3522.9 CC2:3540MHz_CC1: 1@0
CC2: 1@99



CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3522.9 CC2:3540MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3522.9 CC2:3540MHz_CC1: 75@0
CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3462.7	3510.2	1	CHP	1	3506.350	-29.28	-13	Pass
3510.2	3514.2	0.5	CHP	2	3513.200	-32.06	-13	Pass
3514.2	3515.2	0.2	CHP	3	3514.300	-37.03	-13	Pass
3515.2	3550.2	0.1	/	/	/	/	/	/
3550.2	3551.2	0.2	CHP	4	3550.650	-37.68	-13	Pass
3551.2	3555.2	0.5	CHP	5	3552.300	-33.60	-13	Pass
3555.2	3602.7	1	CHP	6	3556.400	-31.43	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3522.9 CC2:3540MHz_CC1: 75@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3522.9 CC2:3540MHz_CC1: 75@0
CC2: 100@0



CA_42C(3450-3550)_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3522.9 CC2:3540MHz_CC1: 75@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3471.7MHz_CC1: 1@0
CC2: 1@24




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3412.1	3444.6	1	CHP	1	3428.063	-33.08	-13	Pass
3444.6	3448.6	0.5	CHP	2	3447.693	-46.77	-13	Pass
3448.6	3449.6	0.003	/	3	3449.547	-64.47	-13	Pass
3449.6	3474.6	0.003	/	/	/	/	/	/
3474.6	3475.6	0.003	/	4	3474.693	-63.02	-13	Pass
3475.6	3479.6	0.5	CHP	5	3475.850	-46.54	-13	Pass
3479.6	3512.1	1	CHP	6	3496.370	-34.52	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3471.7MHz_CC1: 1@0
CC2: 1@24




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3471.7MHz_CC1: 1@0
CC2: 1@24



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3471.7MHz_CC1: 1@0
CC2: 1@24




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3471.7MHz_CC1: 100@0
CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3412.1	3444.6	1	CHP	1	3442.150	-39.99	-13	Pass
3444.6	3448.6	0.5	CHP	2	3447.850	-43.09	-13	Pass
3448.6	3449.6	0.2	CHP	3	3449.450	-46.87	-13	Pass
3449.6	3474.6	0.1	/	/	/	/	/	/
3474.6	3475.6	0.2	CHP	4	3474.900	-40.00	-13	Pass
3475.6	3479.6	0.5	CHP	5	3477.800	-42.72	-13	Pass
3479.6	3512.1	1	CHP	6	3497.950	-38.14	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3471.7MHz_CC1: 100@0
CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3471.7MHz_CC1: 100@0
CC2: 25@0



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3471.7MHz_CC1: 100@0
CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3535.8 CC2:3547.5MHz_CC1: 1@0
CC2: 1@24




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3487.9	3520.4	1	CHP	1	3503.860	-33.05	-13	Pass
3520.4	3524.4	0.5	CHP	2	3524.150	-46.74	-13	Pass
3524.4	3525.4	0.003	/	3	3525.397	-63.24	-13	Pass
3525.4	3550.4	0.003	/	/	/	/	/	/
3550.4	3551.4	0.003	/	4	3550.430	-63.00	-13	Pass
3551.4	3555.4	0.5	CHP	5	3551.650	-47.14	-13	Pass
3555.4	3587.9	1	CHP	6	3572.297	-34.94	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3535.8 CC2:3547.5MHz_CC1: 1@0
CC2: 1@24




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3535.8 CC2:3547.5MHz_CC1: 1@0
CC2: 1@24



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3535.8 CC2:3547.5MHz_CC1: 1@0
CC2: 1@24




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3535.8 CC2:3547.5MHz_CC1: 100@0
CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3487.9	3520.4	1	CHP	1	3506.500	-40.54	-13	Pass
3520.4	3524.4	0.5	CHP	2	3524.100	-42.46	-13	Pass
3524.4	3525.4	0.2	CHP	3	3525.250	-47.57	-13	Pass
3525.4	3550.4	0.1	/	/	/	/	/	/
3550.4	3551.4	0.2	CHP	4	3550.550	-46.04	-13	Pass
3551.4	3555.4	0.5	CHP	5	3551.650	-40.91	-13	Pass
3555.4	3587.9	1	CHP	6	3570.150	-38.40	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3535.8 CC2:3547.5MHz_CC1: 100@0
CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3535.8 CC2:3547.5MHz_CC1: 100@0
CC2: 25@0



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3535.8 CC2:3547.5MHz_CC1: 100@0
CC2: 25@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3474.4MHz_CC1: 1@0
CC2: 1@49




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3404.7	3444.7	1	CHP	1	3423.396	-33.07	-13	Pass
3444.7	3448.7	0.5	CHP	2	3448.448	-46.80	-13	Pass
3448.7	3449.7	0.003	/	3	3449.660	-63.81	-13	Pass
3449.7	3479.7	0.003	/	/	/	/	/	/
3479.7	3480.7	0.003	/	4	3479.708	-62.33	-13	Pass
3480.7	3484.7	0.5	CHP	5	3483.700	-46.30	-13	Pass
3484.7	3524.7	1	CHP	6	3506.452	-34.48	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3474.4MHz_CC1: 1@0
CC2: 1@49




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3474.4MHz_CC1: 1@0
CC2: 1@49



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3474.4MHz_CC1: 1@0
CC2: 1@49




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3474.4MHz_CC1: 100@0
CC2: 50@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3404.7	3444.7	1	CHP	1	3444.000	-41.29	-13	Pass
3444.7	3448.7	0.5	CHP	2	3447.000	-42.61	-13	Pass
3448.7	3449.7	0.2	CHP	3	3449.450	-47.10	-13	Pass
3449.7	3479.7	0.1	/	/	/	/	/	/
3479.7	3480.7	0.2	CHP	4	3479.800	-45.86	-13	Pass
3480.7	3484.7	0.5	CHP	5	3481.750	-42.66	-13	Pass
3484.7	3524.7	1	CHP	6	3486.400	-40.51	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3474.4MHz_CC1: 100@0
CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3474.4MHz_CC1: 100@0
CC2: 50@0



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3474.4MHz_CC1: 100@0
CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3530.6 CC2:3545MHz_CC1: 1@0
CC2: 1@49




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3475.3	3515.3	1	CHP	1	3493.824	-32.95	-13	Pass
3515.3	3519.3	0.5	CHP	2	3519.044	-46.99	-13	Pass
3519.3	3520.3	0.003	/	3	3520.268	-63.25	-13	Pass
3520.3	3550.3	0.003	/	/	/	/	/	/
3550.3	3551.3	0.003	/	4	3550.304	-62.43	-13	Pass
3551.3	3555.3	0.5	CHP	5	3554.244	-46.92	-13	Pass
3555.3	3595.3	1	CHP	6	3576.940	-34.88	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3530.6 CC2:3545MHz_CC1: 1@0
CC2: 1@49




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3530.6 CC2:3545MHz_CC1: 1@0
CC2: 1@49



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3530.6 CC2:3545MHz_CC1: 1@0
CC2: 1@49




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3530.6 CC2:3545MHz_CC1: 100@0
CC2: 50@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3475.3	3515.3	1	CHP	1	3513.200	-41.60	-13	Pass
3515.3	3519.3	0.5	CHP	2	3518.950	-43.12	-13	Pass
3519.3	3520.3	0.2	CHP	3	3519.600	-47.41	-13	Pass
3520.3	3550.3	0.1	/	/	/	/	/	/
3550.3	3551.3	0.2	CHP	4	3550.500	-47.66	-13	Pass
3551.3	3555.3	0.5	CHP	5	3551.550	-44.00	-13	Pass
3555.3	3595.3	1	CHP	6	3557.500	-42.20	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3530.6 CC2:3545MHz_CC1: 100@0
CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3530.6 CC2:3545MHz_CC1: 100@0
CC2: 50@0



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3530.6 CC2:3545MHz_CC1: 100@0
CC2: 50@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3477.1MHz_CC1: 1@0
CC2: 1@74




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3397.3	3444.8	1	CHP	1	3418.244	-33.22	-13	Pass
3444.8	3448.8	0.5	CHP	2	3448.517	-46.97	-13	Pass
3448.8	3449.8	0.003	/	3	3449.786	-62.71	-13	Pass
3449.8	3484.8	0.003	/	/	/	/	/	/
3484.8	3485.8	0.003	/	4	3484.823	-59.60	-13	Pass
3485.8	3489.8	0.5	CHP	5	3486.319	-46.78	-13	Pass
3489.8	3537.3	1	CHP	6	3516.263	-34.79	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3477.1MHz_CC1: 1@0
CC2: 1@74




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3477.1MHz_CC1: 1@0
CC2: 1@74



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3477.1MHz_CC1: 1@0
CC2: 1@74




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3477.1MHz_CC1: 100@0
CC2: 75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3397.3	3444.8	1	CHP	1	3442.800	-40.89	-13	Pass
3444.8	3448.8	0.5	CHP	2	3447.500	-43.43	-13	Pass
3448.8	3449.8	0.2	CHP	3	3449.700	-46.63	-13	Pass
3449.8	3484.8	0.1	/	/	/	/	/	/
3484.8	3485.8	0.2	CHP	4	3484.950	-46.86	-13	Pass
3485.8	3489.8	0.5	CHP	5	3488.650	-42.53	-13	Pass
3489.8	3537.3	1	CHP	6	3491.850	-40.51	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3477.1MHz_CC1: 100@0
CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3477.1MHz_CC1: 100@0
CC2: 75@0



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3477.1MHz_CC1: 100@0
CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3525.4 CC2:3542.5MHz_CC1: 1@0
CC2: 1@74




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3462.7	3510.2	1	CHP	1	3483.677	-32.84	-13	Pass
3510.2	3514.2	0.5	CHP	2	3513.949	-46.99	-13	Pass
3514.2	3515.2	0.003	/	3	3515.139	-60.89	-13	Pass
3515.2	3550.2	0.003	/	/	/	/	/	/
3550.2	3551.2	0.003	/	4	3550.205	-59.86	-13	Pass
3551.2	3555.2	0.5	CHP	5	3551.451	-47.63	-13	Pass
3555.2	3602.7	1	CHP	6	3581.681	-35.05	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3525.4 CC2:3542.5MHz_CC1: 1@0
CC2: 1@74




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3525.4 CC2:3542.5MHz_CC1: 1@0
CC2: 1@74



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3525.4 CC2:3542.5MHz_CC1: 1@0
CC2: 1@74




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3525.4 CC2:3542.5MHz_CC1:100@0 CC2: 75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3462.7	3510.2	1	CHP	1	3508.950	-41.54	-13	Pass
3510.2	3514.2	0.5	CHP	2	3512.550	-43.81	-13	Pass
3514.2	3515.2	0.2	CHP	3	3514.900	-47.65	-13	Pass
3515.2	3550.2	0.1	/	/	/	/	/	/
3550.2	3551.2	0.2	CHP	4	3550.300	-48.12	-13	Pass
3551.2	3555.2	0.5	CHP	5	3554.250	-44.28	-13	Pass
3555.2	3602.7	1	CHP	6	3555.950	-41.78	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3525.4 CC2:3542.5MHz_CC1:100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3525.4 CC2:3542.5MHz_CC1:
100@0 CC2: 75@0



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:3525.4 CC2:3542.5MHz_CC1:
100@0 CC2: 75@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3479.8MHz_CC1: 1@0
CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3389.9	3444.9	1	CHP	1	3413.319	-33.10	-13	Pass
3444.9	3448.9	0.5	CHP	2	3448.641	-45.55	-13	Pass
3448.9	3449.9	0.003	/	3	3449.895	-59.87	-13	Pass
3449.9	3489.9	0.003	/	/	/	/	/	/
3489.9	3490.9	0.003	/	4	3489.905	-58.56	-13	Pass
3490.9	3494.9	0.5	CHP	5	3491.153	-45.89	-13	Pass
3494.9	3549.9	1	CHP	6	3526.113	-35.03	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3479.8MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3479.8MHz_CC1: 1@0
CC2: 1@99



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3479.8MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3479.8MHz_CC1: 100@0
CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3389.9	3444.9	1	CHP	1	3444.300	-40.21	-13	Pass
3444.9	3448.9	0.5	CHP	2	3448.250	-41.54	-13	Pass
3448.9	3449.9	0.2	CHP	3	3449.300	-43.79	-13	Pass
3449.9	3489.9	0.1	/	/	/	/	/	/
3489.9	3490.9	0.2	CHP	4	3490.400	-46.77	-13	Pass
3490.9	3494.9	0.5	CHP	5	3493.350	-42.76	-13	Pass
3494.9	3549.9	1	CHP	6	3518.700	-39.55	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3479.8MHz_CC1: 100@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3479.8MHz_CC1: 100@0
CC2: 100@0



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3460 CC2:3479.8MHz_CC1: 100@0
CC2: 100@0




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3520.2 CC2:3540MHz_CC1: 1@0
CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3450.1	3505.1	1	CHP	1	3473.487	-33.07	-13	Pass
3505.1	3509.1	0.5	CHP	2	3508.847	-45.66	-13	Pass
3509.1	3510.1	0.003	/	3	3510.095	-58.65	-13	Pass
3510.1	3550.1	0.003	/	/	/	/	/	/
3550.1	3551.1	0.003	/	4	3550.105	-60.26	-13	Pass
3551.1	3555.1	0.5	CHP	5	3551.353	-46.55	-13	Pass
3555.1	3610.1	1	CHP	6	3586.308	-35.22	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3520.2 CC2:3540MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3520.2 CC2:3540MHz_CC1: 1@0
CC2: 1@99



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3520.2 CC2:3540MHz_CC1: 1@0
CC2: 1@99




CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3520.2 CC2:3540MHz_CC1: 100@0
CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3450.1	3505.1	1	CHP	1	3484.050	-39.20	-13	Pass
3505.1	3509.1	0.5	CHP	2	3508.100	-41.91	-13	Pass
3509.1	3510.1	0.2	CHP	3	3509.350	-44.80	-13	Pass
3510.1	3550.1	0.1	/	/	/	/	/	/
3550.1	3551.1	0.2	CHP	4	3550.250	-47.56	-13	Pass
3551.1	3555.1	0.5	CHP	5	3551.450	-44.06	-13	Pass
3555.1	3610.1	1	CHP	6	3575.200	-40.09	-13	Pass


CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3520.2 CC2:3540MHz_CC1: 100@0
CC2: 100@0



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3520.2 CC2:3540MHz_CC1: 100@0
CC2: 100@0



CA_42C(3450-3550)_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3520.2 CC2:3540MHz_CC1: 100@0
CC2: 100@0



4. Field Strength of Spurious Radiation

Test Band = LTE CA 42C_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8212.0625	41.35	-44.26	36.53	-61.64	-13.00	48.64	Horizontal
2	11977.8333	35.98	-38.86	39.40	-58.74	-13.00	45.74	Horizontal
3	6802.18	42.18	-46.59	35.18	-64.49	-13.00	51.49	Horizontal
4	10203.27	37.95	-42.05	38.94	-60.41	-13.00	47.41	Horizontal
5	13604.36	33.95	-38.26	39.71	-59.87	-13.00	46.87	Horizontal
6	17005.45	32.12	-36.88	38.83	-61.19	-13.00	48.19	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8438.7083	41.27	-44.10	36.78	-61.30	-13.00	48.30	Vertical
2	11993.1667	35.96	-38.65	39.40	-58.55	-13.00	45.55	Vertical
3	6802.18	44.49	-46.59	35.18	-62.18	-13.00	49.18	Vertical
4	10203.27	38.84	-42.05	38.94	-59.52	-13.00	46.52	Vertical
5	13604.36	33.88	-38.26	39.71	-59.94	-13.00	46.94	Vertical
6	17005.45	31.85	-36.88	38.83	-61.46	-13.00	48.46	Vertical

Test Band = LTE CA 42C_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8197.6875	40.90	-44.22	36.52	-62.07	-13.00	49.07	Horizontal
2	12332.8958	36.92	-38.99	39.20	-58.13	-13.00	45.13	Horizontal
3	6962.38	42.51	-46.00	35.44	-63.31	-13.00	50.31	Horizontal
4	10443.57	36.85	-40.95	39.11	-60.25	-13.00	47.25	Horizontal
5	13924.76	33.64	-38.54	40.19	-59.97	-13.00	46.97	Horizontal
6	17405.95	32.01	-37.14	41.24	-59.15	-13.00	46.15	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8443.0208	41.85	-44.07	36.79	-60.69	-13.00	47.69	Vertical
2	12364.0417	36.12	-38.68	39.18	-58.64	-13.00	45.64	Vertical
3	6962.38	44.57	-46.00	35.44	-61.25	-13.00	48.25	Vertical
4	10443.57	37.25	-40.95	39.11	-59.85	-13.00	46.85	Vertical
5	13924.76	34.18	-38.54	40.19	-59.43	-13.00	46.43	Vertical
6	17405.95	32.41	-37.14	41.24	-58.75	-13.00	45.75	Vertical

Test Band = LTE CA 42C_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8543.1667	41.40	-43.87	36.90	-60.84	-13.00	47.84	Horizontal
2	12028.625	36.00	-38.80	39.38	-58.68	-13.00	45.68	Horizontal
3	7122.58	43.26	-45.96	35.72	-62.24	-13.00	49.24	Horizontal
4	10683.87	36.90	-40.87	39.28	-59.95	-13.00	46.95	Horizontal
5	14245.16	34.28	-38.44	40.28	-59.14	-13.00	46.14	Horizontal
6	17806.45	33.77	-37.96	43.64	-55.81	-13.00	42.81	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8561.375	41.66	-43.96	36.92	-60.64	-13.00	47.64	Vertical
2	11977.3542	36.38	-38.87	39.40	-58.34	-13.00	45.34	Vertical
3	7122.58	43.29	-45.96	35.72	-62.21	-13.00	49.21	Vertical
4	10683.87	36.91	-40.87	39.28	-59.94	-13.00	46.94	Vertical
5	14245.16	34.20	-38.44	40.28	-59.22	-13.00	46.22	Vertical
6	17806.45	33.68	-37.96	43.64	-55.90	-13.00	42.90	Vertical