

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 CA_5B_NTNV_ERP

Band: CA_5B / NTNV										
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Conducted Power (dBm)			Gain (dBi)	EIRP (dBm)		Verdict
				CC1	CC2	Sum		Result	Limit	
CC1:3 CC2:5	CC1: QPSK CC2: QPSK	CC1:825.5 CC2:829.4	CC1: 1@0 CC2: 0@0	23.62	-28.68	23.62	1.00	22.47	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.44	4.25	13.94	1.00	12.79	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.57	9.78	19.11	1.00	17.96	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	23.17	14.84	23.77	1.00	22.62	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	23.06	14.55	23.64	1.00	22.49	<=38.45	Pass
		CC1:834.1 CC2:838	CC1: 1@0 CC2: 0@0	23.69	-27.88	23.69	1.00	22.54	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.22	5.91	13.96	1.00	12.81	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.20	11.06	18.96	1.00	17.81	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	22.86	15.35	23.56	1.00	22.41	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	22.88	15.58	23.62	1.00	22.47	<=38.45	Pass
		CC1:842.6 CC2:846.5	CC1: 1@0 CC2: 0@0	23.65	-28.30	23.65	1.00	22.50	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.62	3.73	14.05	1.00	12.90	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.73	9.43	19.21	1.00	18.06	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	23.21	14.66	23.78	1.00	22.63	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	23.53	12.55	23.87	1.00	22.72	<=38.45	Pass
	CC1: 16QAM CC2: 16QAM	CC1:825.5 CC2:829.4	CC1: 1@0 CC2: 0@0	24.02	-27.46	24.02	1.00	22.87	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.94	4.34	14.40	1.00	13.25	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.73	9.60	19.23	1.00	18.08	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	23.22	14.73	23.80	1.00	22.65	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	23.14	14.47	23.69	1.00	22.54	<=38.45	Pass
		CC1:834.1 CC2:838	CC1: 1@0 CC2: 0@0	24.01	-27.25	24.01	1.00	22.86	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.81	5.99	14.47	1.00	13.32	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.37	11.06	19.11	1.00	17.96	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	21.77	19.22	23.69	1.00	22.54	<=38.45	Pass
			CC1: 15@0	22.95	15.57	23.68	1.00	22.53	<=38.45	Pass

			CC2: 25@0							
		CC1:842.6 CC2:846.5	CC1: 1@0 CC2: 0@0	24.34	-27.33	24.34	1.00	23.19	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.62	6.07	14.33	1.00	13.18	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	16.85	15.40	19.20	1.00	18.05	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	22.03	19.22	23.86	1.00	22.71	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	23.38	14.50	23.90	1.00	22.75	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:825.5 CC2:829.4	CC1: 1@0 CC2: 0@0	23.80	-26.97	23.80	1.00	22.65	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.75	4.32	14.22	1.00	13.07	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	16.54	15.53	19.08	1.00	17.93	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	21.85	19.13	23.71	1.00	22.56	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	23.11	14.56	23.68	1.00	22.53	<=38.45	Pass
		CC1:834.1 CC2:838	CC1: 1@0 CC2: 0@0	23.96	-27.72	23.96	1.00	22.81	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.57	5.95	14.26	1.00	13.11	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.40	11.16	19.15	1.00	18.00	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	22.68	16.40	23.60	1.00	22.45	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	22.90	15.54	23.64	1.00	22.49	<=38.45	Pass
		CC1:842.6 CC2:846.5	CC1: 1@0 CC2: 0@0	23.95	-26.97	23.95	1.00	22.80	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	14.21	3.98	14.60	1.00	13.45	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.58	9.15	19.05	1.00	17.90	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	23.24	14.47	23.78	1.00	22.63	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	23.58	11.89	23.86	1.00	22.71	<=38.45	Pass
	CC1: 256QAM CC2: 256QAM	CC1:825.5 CC2:829.4	CC1: 1@0 CC2: 0@0	23.64	-25.99	23.64	1.00	22.49	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.68	4.21	14.15	1.00	13.00	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.72	9.81	19.25	1.00	18.10	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	22.77	16.70	23.73	1.00	22.58	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	23.19	14.65	23.76	1.00	22.61	<=38.45	Pass
		CC1:834.1 CC2:838	CC1: 1@0 CC2: 0@0	22.69	-29.15	22.69	1.00	21.54	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.58	5.97	14.28	1.00	13.13	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.23	10.97	18.98	1.00	17.83	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	23.00	15.35	23.69	1.00	22.54	<=38.45	Pass

			CC1: 15@0 CC2: 25@0	22.85	15.48	23.58	1.00	22.43	<=38.45	Pass
		CC1:842.6 CC2:846.5	CC1: 1@0 CC2: 0@0	23.96	-26.79	23.96	1.00	22.81	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.78	3.69	14.18	1.00	13.03	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.58	9.19	19.06	1.00	17.91	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	21.98	19.14	23.80	1.00	22.65	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	23.43	11.75	23.72	1.00	22.57	<=38.45	Pass
CC1:5 CC2:3	CC1: QPSK CC2: QPSK	CC1:826.5 CC2:830.4	CC1: 1@0 CC2: 0@0	23.25	-36.94	23.25	1.00	22.10	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.21	4.59	13.77	1.00	12.62	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.42	9.79	18.98	1.00	17.83	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	22.85	15.40	23.57	1.00	22.42	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	23.02	14.67	23.62	1.00	22.47	<=38.45	Pass
		CC1:835.1 CC2:839	CC1: 1@0 CC2: 0@0	23.28	-35.57	23.28	1.00	22.13	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	12.90	5.93	13.69	1.00	12.54	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.21	11.02	18.97	1.00	17.82	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	23.05	13.34	23.49	1.00	22.34	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	22.86	15.60	23.61	1.00	22.46	<=38.45	Pass
		CC1:843.6 CC2:847.5	CC1: 1@0 CC2: 0@0	23.72	-36.86	23.72	1.00	22.57	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.48	4.15	13.96	1.00	12.81	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.38	9.31	18.89	1.00	17.74	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	22.96	14.86	23.59	1.00	22.44	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	23.20	14.68	23.77	1.00	22.62	<=38.45	Pass
	CC1: 16QAM CC2: 16QAM	CC1:826.5 CC2:830.4	CC1: 1@0 CC2: 0@0	23.92	-35.29	23.92	1.00	22.77	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.99	4.82	14.49	1.00	13.34	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.59	9.90	19.14	1.00	17.99	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	23.05	14.88	23.66	1.00	22.51	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	23.30	12.45	23.64	1.00	22.49	<=38.45	Pass
		CC1:835.1 CC2:839	CC1: 1@0 CC2: 0@0	23.56	-34.68	23.56	1.00	22.41	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.55	6.27	14.29	1.00	13.14	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.24	11.21	19.03	1.00	17.88	<=38.45	Pass
			CC1: 12@13	23.23	13.52	23.67	1.00	22.52	<=38.45	Pass

			CC2: 8@0							
			CC1: 25@0 CC2: 15@0	22.86	15.53	23.60	1.00	22.45	<=38.45	Pass
		CC1:843.6 CC2:847.5	CC1: 1@0 CC2: 0@0	24.19	-36.12	24.19	1.00	23.04	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	14.03	4.20	14.46	1.00	13.31	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.50	9.40	19.00	1.00	17.85	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	23.08	14.72	23.67	1.00	22.52	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	23.17	14.60	23.74	1.00	22.59	<=38.45	Pass
		CC1:826.5 CC2:830.4	CC1: 1@0 CC2: 0@0	23.97	-35.84	23.97	1.00	22.82	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.49	4.59	14.01	1.00	12.86	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.43	9.77	18.99	1.00	17.84	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	23.06	14.75	23.66	1.00	22.51	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	22.36	17.46	23.58	1.00	22.43	<=38.45	Pass
		CC1:835.1 CC2:839	CC1: 1@0 CC2: 0@0	23.34	-34.72	23.34	1.00	22.19	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.27	6.23	14.06	1.00	12.91	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.22	11.15	19.00	1.00	17.85	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	23.24	13.23	23.65	1.00	22.50	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	22.83	15.49	23.56	1.00	22.41	<=38.45	Pass
		CC1:843.6 CC2:847.5	CC1: 1@0 CC2: 0@0	23.92	-36.26	23.92	1.00	22.77	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.54	3.93	13.99	1.00	12.84	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.67	9.55	19.17	1.00	18.02	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	23.05	14.82	23.66	1.00	22.51	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	23.11	14.56	23.68	1.00	22.53	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:826.5 CC2:830.4	CC1: 1@0 CC2: 0@0	23.58	-36.18	23.58	1.00	22.43	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.55	4.67	14.08	1.00	12.93	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.48	9.77	19.03	1.00	17.88	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	22.07	18.30	23.59	1.00	22.44	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	23.01	14.62	23.60	1.00	22.45	<=38.45	Pass
		CC1:835.1 CC2:839	CC1: 1@0 CC2: 0@0	22.20	-36.08	22.20	1.00	21.05	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.25	6.18	14.03	1.00	12.88	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.44	9.38	18.95	1.00	17.80	<=38.45	Pass

CC1:5 CC2:10	CC1: QPSK CC2: QPSK		CC1: 12@13 CC2: 8@0	22.86	15.35	23.57	1.00	22.42	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	22.86	15.52	23.60	1.00	22.45	<=38.45	Pass
		CC1:843.6 CC2:847.5	CC1: 1@0 CC2: 0@0	23.59	-36.33	23.59	1.00	22.44	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.71	4.09	14.16	1.00	13.01	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.45	9.43	18.96	1.00	17.81	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	23.05	14.84	23.67	1.00	22.52	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	23.20	14.63	23.77	1.00	22.62	<=38.45	Pass
			CC1: 1@0 CC2: 0@0	23.06	-28.05	23.06	1.00	21.91	<=38.45	Pass
		CC1:826.5 CC2:833.7	CC1: 1@0 CC2: 1@49	12.60	4.49	13.23	1.00	12.08	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.44	10.14	19.04	1.00	17.89	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	21.53	13.95	22.15	1.00	21.00	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	21.52	13.64	22.14	1.00	20.99	<=38.45	Pass
			CC1: 1@0 CC2: 0@0	23.41	-27.02	23.41	1.00	22.26	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.55	4.87	13.23	1.00	12.08	<=38.45	Pass
CC1:5 CC2:10	CC1: QPSK CC2: QPSK	CC1:831.7 CC2:838.9	CC1: 12@0 CC2: 25@25	18.19	11.03	18.95	1.00	17.80	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	20.94	15.84	22.03	1.00	20.88	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	21.14	14.20	21.90	1.00	20.75	<=38.45	Pass
		CC1:836.8 CC2:844	CC1: 1@0 CC2: 0@0	23.27	-26.05	23.27	1.00	22.12	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.70	3.87	13.23	1.00	12.08	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.30	9.59	18.84	1.00	17.69	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	19.01	18.97	21.95	1.00	20.80	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	21.46	13.36	22.04	1.00	20.89	<=38.45	Pass
		CC1:826.5 CC2:833.7	CC1: 1@0 CC2: 0@0	23.40	-27.90	23.40	1.00	22.25	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.17	4.57	13.73	1.00	12.58	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.49	10.19	19.09	1.00	17.94	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	20.58	12.93	21.19	1.00	20.04	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	20.60	12.65	21.20	1.00	20.05	<=38.45	Pass
		CC1:831.7 CC2:838.9	CC1: 1@0 CC2: 0@0	23.04	-27.93	23.04	1.00	21.89	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.05	4.92	13.67	1.00	12.52	<=38.45	Pass
			CC1: 12@0	17.78	12.51	18.91	1.00	17.76	<=38.45	Pass

		CC1:836.8 CC2:844	CC2: 25@25							
			CC1: 12@13 CC2: 25@0	20.39	13.53	21.12	1.00	19.97	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	20.27	13.29	21.02	1.00	19.87	<=38.45	Pass
			CC1: 1@0 CC2: 0@0	22.77	-28.01	22.77	1.00	21.62	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.16	4.03	13.66	1.00	12.51	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.50	9.74	19.04	1.00	17.89	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	19.94	14.53	20.96	1.00	19.81	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	20.41	12.41	21.00	1.00	19.85	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:826.5 CC2:833.7	CC1: 1@0 CC2: 0@0	22.17	-28.89	22.17	1.00	21.02	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.86	4.53	13.46	1.00	12.31	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.10	12.05	19.07	1.00	17.92	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	20.49	12.83	21.10	1.00	19.95	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	20.52	12.58	21.13	1.00	19.98	<=38.45	Pass
		CC1:831.7 CC2:838.9	CC1: 1@0 CC2: 0@0	22.24	-28.19	22.24	1.00	21.09	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.98	4.86	13.60	1.00	12.45	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.24	11.06	19.00	1.00	17.85	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	20.26	13.42	20.99	1.00	19.84	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	20.16	13.18	20.92	1.00	19.77	<=38.45	Pass
		CC1:836.8 CC2:844	CC1: 1@0 CC2: 0@0	22.20	-27.87	22.20	1.00	21.05	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.14	3.85	13.62	1.00	12.47	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.53	9.79	19.08	1.00	17.93	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	20.41	12.97	21.05	1.00	19.90	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	20.31	12.34	20.91	1.00	19.76	<=38.45	Pass
	CC1: 256QAM CC2: 256QAM	CC1:826.5 CC2:833.7	CC1: 1@0 CC2: 0@0	18.96	-31.60	18.97	1.00	17.82	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.75	4.46	13.35	1.00	12.20	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.41	10.13	19.01	1.00	17.86	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	18.53	10.85	19.13	1.00	17.98	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	18.56	10.55	19.16	1.00	18.01	<=38.45	Pass
		CC1:831.7 CC2:838.9	CC1: 1@0 CC2: 0@0	19.14	-30.97	19.14	1.00	17.99	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.78	4.81	13.42	1.00	12.27	<=38.45	Pass

CC1:10 CC2:5	CC1: QPSK CC2: QPSK		CC1: 12@0 CC2: 25@25	18.11	10.95	18.87	1.00	17.72	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	18.18	11.33	18.92	1.00	17.77	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	18.30	11.28	19.05	1.00	17.90	<=38.45	Pass
		CC1:836.8 CC2:844	CC1: 1@0 CC2: 0@0	18.97	-31.39	18.97	1.00	17.82	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.92	3.88	13.43	1.00	12.28	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.40	9.72	18.95	1.00	17.80	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	18.33	10.74	18.94	1.00	17.79	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	18.31	10.32	18.91	1.00	17.76	<=38.45	Pass
		CC1:829 CC2:836.2	CC1: 1@0 CC2: 0@0	23.32	-35.79	23.32	1.00	22.17	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	12.61	4.52	13.24	1.00	12.09	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.37	10.54	19.03	1.00	17.88	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	21.28	14.58	22.11	1.00	20.96	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	21.40	13.74	22.08	1.00	20.93	<=38.45	Pass
		CC1:834.2 CC2:841.4	CC1: 1@0 CC2: 0@0	23.28	-34.56	23.28	1.00	22.13	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	12.60	4.81	13.27	1.00	12.12	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.24	10.83	18.97	1.00	17.82	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	21.15	14.50	21.98	1.00	20.83	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	21.30	14.16	22.06	1.00	20.91	<=38.45	Pass
		CC1:839.3 CC2:846.5	CC1: 1@0 CC2: 0@0	23.24	-36.06	23.24	1.00	22.09	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	12.71	3.80	13.23	1.00	12.08	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.21	10.42	18.88	1.00	17.73	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	21.44	12.53	21.95	1.00	20.80	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	21.40	13.13	22.00	1.00	20.85	<=38.45	Pass
	CC1: 16QAM CC2: 16QAM	CC1:829 CC2:836.2	CC1: 1@0 CC2: 0@0	22.64	-36.19	22.64	1.00	21.49	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.19	4.57	13.75	1.00	12.60	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.36	11.31	19.14	1.00	17.99	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	20.42	12.57	21.07	1.00	19.92	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	20.44	12.72	21.11	1.00	19.96	<=38.45	Pass
		CC1:834.2 CC2:841.4	CC1: 1@0 CC2: 0@0	23.38	-34.61	23.38	1.00	22.23	<=38.45	Pass
			CC1: 1@0	13.13	4.82	13.73	1.00	12.58	<=38.45	Pass

			CC2: 1@24							
			CC1: 25@0 CC2: 12@13	18.29	10.80	19.00	1.00	17.85	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	20.37	12.82	21.06	1.00	19.91	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	20.37	12.89	21.08	1.00	19.93	<=38.45	Pass
		CC1:839.3 CC2:846.5	CC1: 1@0 CC2: 0@0	22.90	-36.13	22.90	1.00	21.75	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.21	3.84	13.69	1.00	12.54	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.45	9.22	18.94	1.00	17.79	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	20.36	12.72	21.04	1.00	19.89	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	20.39	12.59	21.05	1.00	19.90	<=38.45	Pass
		CC1:829 CC2:836.2	CC1: 1@0 CC2: 0@0	22.08	-36.60	22.08	1.00	20.93	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	12.93	4.50	13.51	1.00	12.36	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.40	10.53	19.06	1.00	17.91	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	20.39	12.75	21.07	1.00	19.92	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	20.45	12.62	21.11	1.00	19.96	<=38.45	Pass
		CC1:834.2 CC2:841.4	CC1: 1@0 CC2: 0@0	21.75	-35.94	21.75	1.00	20.60	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	12.83	4.81	13.47	1.00	12.32	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.17	11.50	19.02	1.00	17.87	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	20.30	12.74	20.98	1.00	19.83	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	20.27	12.83	20.98	1.00	19.83	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:839.3 CC2:846.5	CC1: 1@0 CC2: 0@0	22.17	-36.42	22.17	1.00	21.02	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.19	4.03	13.69	1.00	12.54	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.35	10.46	19.00	1.00	17.85	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	20.59	11.60	21.10	1.00	19.95	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	20.51	11.50	21.02	1.00	19.87	<=38.45	Pass
		CC1:829 CC2:836.2	CC1: 1@0 CC2: 0@0	18.93	-39.60	18.93	1.00	17.78	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	12.82	4.55	13.42	1.00	12.27	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.46	10.57	19.11	1.00	17.96	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	18.08	12.06	19.03	1.00	17.88	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	18.37	10.67	19.05	1.00	17.90	<=38.45	Pass
		CC1:834.2 CC2:841.4	CC1: 1@0 CC2: 0@0	19.02	-38.39	19.02	1.00	17.87	<=38.45	Pass

			CC1: 1@0 CC2: 1@24	12.95	4.90	13.58	1.00	12.43	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.23	10.75	18.94	1.00	17.79	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	18.20	11.58	19.04	1.00	17.89	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	18.31	10.88	19.02	1.00	17.87	<=38.45	Pass
		CC1:839.3 CC2:846.5	CC1: 1@0 CC2: 0@0	19.05	-39.42	19.05	1.00	17.90	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.06	3.86	13.55	1.00	12.40	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.54	9.30	19.03	1.00	17.88	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	18.36	9.36	18.86	1.00	17.71	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	18.48	9.44	18.98	1.00	17.83	<=38.45	Pass
CC1:10 CC2:10	CC1: QPSK CC2: QPSK	CC1:829 CC2:838.9	CC1: 1@0 CC2: 0@0	23.25	-27.66	23.25	1.00	22.10	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.71	4.25	13.29	1.00	12.14	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.42	10.64	19.09	1.00	17.94	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	22.40	15.02	23.13	1.00	21.98	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	21.48	14.01	22.20	1.00	21.05	<=38.45	Pass
		CC1:831.6 CC2:841.5	CC1: 1@0 CC2: 0@0	23.38	-27.28	23.38	1.00	22.23	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.84	3.87	13.36	1.00	12.21	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.31	10.35	18.96	1.00	17.81	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	22.26	15.15	23.03	1.00	21.88	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	21.38	13.91	22.09	1.00	20.94	<=38.45	Pass
		CC1:834.1 CC2:844	CC1: 1@0 CC2: 0@0	23.35	-27.90	23.35	1.00	22.20	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.77	4.04	13.32	1.00	12.17	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.33	9.87	18.90	1.00	17.75	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	22.36	14.63	23.04	1.00	21.89	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	21.28	13.31	21.93	1.00	20.78	<=38.45	Pass
	CC1: 16QAM CC2: 16QAM	CC1:829 CC2:838.9	CC1: 1@0 CC2: 0@0	23.28	-28.31	23.28	1.00	22.13	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.41	4.42	13.92	1.00	12.77	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.37	10.54	19.04	1.00	17.89	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	21.37	14.12	22.12	1.00	20.97	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.52	13.02	21.23	1.00	20.08	<=38.45	Pass
		CC1:831.6	CC1: 1@0	23.57	-27.72	23.57	1.00	22.42	<=38.45	Pass

		CC2:841.5	CC2: 0@0							
			CC1: 1@0 CC2: 1@49	13.41	3.96	13.88	1.00	12.73	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.39	10.80	19.09	1.00	17.94	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	21.40	14.27	22.16	1.00	21.01	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.38	12.89	21.09	1.00	19.94	<=38.45	Pass
		CC1:834.1 CC2:844	CC1: 1@0 CC2: 0@0	21.89	-28.80	21.89	1.00	20.74	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.36	4.14	13.85	1.00	12.70	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.45	9.97	19.03	1.00	17.88	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	21.26	13.92	21.99	1.00	20.84	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.27	12.29	20.91	1.00	19.76	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:829 CC2:838.9	CC1: 1@0 CC2: 0@0	22.10	-29.77	22.10	1.00	20.95	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.09	4.25	13.63	1.00	12.48	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.43	10.62	19.09	1.00	17.94	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	20.31	13.05	21.06	1.00	19.91	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.35	13.81	21.22	1.00	20.07	<=38.45	Pass
		CC1:831.6 CC2:841.5	CC1: 1@0 CC2: 0@0	22.19	-29.38	22.19	1.00	21.04	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.17	3.76	13.64	1.00	12.49	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.38	10.40	19.02	1.00	17.87	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	20.25	13.13	21.02	1.00	19.87	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.37	12.90	21.09	1.00	19.94	<=38.45	Pass
		CC1:834.1 CC2:844	CC1: 1@0 CC2: 0@0	22.20	-27.33	22.20	1.00	21.05	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.15	4.17	13.67	1.00	12.52	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.48	10.01	19.06	1.00	17.91	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	20.37	12.67	21.05	1.00	19.90	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.34	12.39	20.99	1.00	19.84	<=38.45	Pass
	CC1: 256QAM CC2: 256QAM	CC1:829 CC2:838.9	CC1: 1@0 CC2: 0@0	19.07	-32.13	19.07	1.00	17.92	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.84	4.17	13.39	1.00	12.24	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.15	11.93	19.08	1.00	17.93	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	18.26	10.94	19.00	1.00	17.85	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	18.37	10.87	19.08	1.00	17.93	<=38.45	Pass

		CC1:831.6 CC2:841.5	CC1: 1@0 CC2: 0@0	19.07	-30.27	19.07	1.00	17.92	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.96	3.73	13.45	1.00	12.30	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.39	10.43	19.03	1.00	17.88	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	18.31	11.16	19.07	1.00	17.92	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	18.13	10.66	18.85	1.00	17.70	<=38.45	Pass
		CC1:834.1 CC2:844	CC1: 1@0 CC2: 0@0	19.07	-30.45	19.07	1.00	17.92	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.06	4.07	13.57	1.00	12.42	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.42	9.98	19.00	1.00	17.85	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	18.09	11.27	18.91	1.00	17.76	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	18.22	10.24	18.86	1.00	17.71	<=38.45	Pass
Note1: EIRP=Conducted Power+Antenna Gain-2.15										

2. 99% & 26dB Bandwidth

2.1 Test Result

2.1.1 CA_5B_NTNV_OBW

Band: CA 5B / NTNV						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	99% Occupied Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:3 CC2:5	CC1: QPSK CC2: QPSK	CC1:825.5 CC2:829.4	CC1: 15@0 CC2: 25@0	7.49	/	Pass
		CC1:834.1 CC2:838	CC1: 15@0 CC2: 25@0	7.50	/	Pass
		CC1:842.6 CC2:846.5	CC1: 15@0 CC2: 25@0	7.51	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:825.5 CC2:829.4	CC1: 15@0 CC2: 25@0	7.46	/	Pass
		CC1:834.1 CC2:838	CC1: 15@0 CC2: 25@0	7.50	/	Pass
		CC1:842.6 CC2:846.5	CC1: 15@0 CC2: 25@0	7.52	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:825.5 CC2:829.4	CC1: 15@0 CC2: 25@0	7.48	/	Pass
		CC1:834.1 CC2:838	CC1: 15@0 CC2: 25@0	7.50	/	Pass
		CC1:842.6 CC2:846.5	CC1: 15@0 CC2: 25@0	7.52	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:825.5 CC2:829.4	CC1: 15@0 CC2: 25@0	7.49	/	Pass
		CC1:834.1 CC2:838	CC1: 15@0 CC2: 25@0	7.51	/	Pass
		CC1:842.6 CC2:846.5	CC1: 15@0 CC2: 25@0	7.53	/	Pass
CC1:5	CC1:	CC1:826.5	CC1: 25@0	7.51	/	Pass

CC2:3	QPSK CC2: QPSK	CC2:830.4	CC2: 15@0			
		CC1:835.1 CC2:839	CC1: 25@0 CC2: 15@0	7.50	/	Pass
		CC1:843.6 CC2:847.5	CC1: 25@0 CC2: 15@0	7.50	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:826.5 CC2:830.4	CC1: 25@0 CC2: 15@0	7.52	/	Pass
		CC1:835.1 CC2:839	CC1: 25@0 CC2: 15@0	7.50	/	Pass
		CC1:843.6 CC2:847.5	CC1: 25@0 CC2: 15@0	7.51	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:826.5 CC2:830.4	CC1: 25@0 CC2: 15@0	7.50	/	Pass
		CC1:835.1 CC2:839	CC1: 25@0 CC2: 15@0	7.52	/	Pass
		CC1:843.6 CC2:847.5	CC1: 25@0 CC2: 15@0	7.52	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:826.5 CC2:830.4	CC1: 25@0 CC2: 15@0	7.49	/	Pass
		CC1:835.1 CC2:839	CC1: 25@0 CC2: 15@0	7.50	/	Pass
		CC1:843.6 CC2:847.5	CC1: 25@0 CC2: 15@0	7.51	/	Pass
CC1:5 CC2:10	CC1: QPSK CC2: QPSK	CC1:826.5 CC2:833.7	CC1: 25@0 CC2: 50@0	13.95	/	Pass
		CC1:831.7 CC2:838.9	CC1: 25@0 CC2: 50@0	13.89	/	Pass
		CC1:836.8 CC2:844	CC1: 25@0 CC2: 50@0	13.84	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:826.5 CC2:833.7	CC1: 25@0 CC2: 50@0	13.91	/	Pass
		CC1:831.7 CC2:838.9	CC1: 25@0 CC2: 50@0	13.91	/	Pass
		CC1:836.8 CC2:844	CC1: 25@0 CC2: 50@0	13.84	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:826.5 CC2:833.7	CC1: 25@0 CC2: 50@0	13.91	/	Pass
		CC1:831.7 CC2:838.9	CC1: 25@0 CC2: 50@0	13.90	/	Pass
		CC1:836.8 CC2:844	CC1: 25@0 CC2: 50@0	13.90	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:826.5 CC2:833.7	CC1: 25@0 CC2: 50@0	13.85	/	Pass
		CC1:831.7 CC2:838.9	CC1: 25@0 CC2: 50@0	13.85	/	Pass
		CC1:836.8 CC2:844	CC1: 25@0 CC2: 50@0	13.85	/	Pass
CC1:10 CC2:5	CC1: QPSK CC2: QPSK	CC1:829 CC2:836.2	CC1: 50@0 CC2: 25@0	13.97	/	Pass
		CC1:834.2 CC2:841.4	CC1: 50@0 CC2: 25@0	13.92	/	Pass
		CC1:839.3 CC2:846.5	CC1: 50@0 CC2: 25@0	13.89	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:829 CC2:836.2	CC1: 50@0 CC2: 25@0	13.91	/	Pass
		CC1:834.2 CC2:841.4	CC1: 50@0 CC2: 25@0	13.85	/	Pass
		CC1:839.3 CC2:846.5	CC1: 50@0 CC2: 25@0	13.81	/	Pass

	CC1: 64QAM CC2: 64QAM	CC1:829 CC2:836.2	CC1: 50@0 CC2: 25@0	13.95	/	Pass
		CC1:834.2 CC2:841.4	CC1: 50@0 CC2: 25@0	13.86	/	Pass
		CC1:839.3 CC2:846.5	CC1: 50@0 CC2: 25@0	13.87	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:829 CC2:836.2	CC1: 50@0 CC2: 25@0	13.90	/	Pass
		CC1:834.2 CC2:841.4	CC1: 50@0 CC2: 25@0	13.86	/	Pass
		CC1:839.3 CC2:846.5	CC1: 50@0 CC2: 25@0	13.87	/	Pass
CC1:10 CC2:10	CC1: QPSK CC2: QPSK	CC1:829 CC2:838.9	CC1: 50@0 CC2: 50@0	19.02	/	Pass
		CC1:831.6 CC2:841.5	CC1: 50@0 CC2: 50@0	18.96	/	Pass
		CC1:834.1 CC2:844	CC1: 50@0 CC2: 50@0	18.93	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:829 CC2:838.9	CC1: 50@0 CC2: 50@0	18.90	/	Pass
		CC1:831.6 CC2:841.5	CC1: 50@0 CC2: 50@0	18.87	/	Pass
		CC1:834.1 CC2:844	CC1: 50@0 CC2: 50@0	18.86	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:829 CC2:838.9	CC1: 50@0 CC2: 50@0	18.92	/	Pass
		CC1:831.6 CC2:841.5	CC1: 50@0 CC2: 50@0	18.93	/	Pass
		CC1:834.1 CC2:844	CC1: 50@0 CC2: 50@0	18.91	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:829 CC2:838.9	CC1: 50@0 CC2: 50@0	18.85	/	Pass
		CC1:831.6 CC2:841.5	CC1: 50@0 CC2: 50@0	18.90	/	Pass
		CC1:834.1 CC2:844	CC1: 50@0 CC2: 50@0	18.90	/	Pass

2.1.2 CA_5B_NTNV_XDB

Band: CA_5B / NTNV						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	26dB Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:3 CC2:5	CC1: QPSK CC2: QPSK	CC1:825.5 CC2:829.4	CC1: 15@0 CC2: 25@0	7.96	/	Pass
		CC1:834.1 CC2:838	CC1: 15@0 CC2: 25@0	8.08	/	Pass
		CC1:842.6 CC2:846.5	CC1: 15@0 CC2: 25@0	8.06	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:825.5 CC2:829.4	CC1: 15@0 CC2: 25@0	7.97	/	Pass
		CC1:834.1 CC2:838	CC1: 15@0 CC2: 25@0	8.11	/	Pass
		CC1:842.6 CC2:846.5	CC1: 15@0 CC2: 25@0	8.14	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:825.5 CC2:829.4	CC1: 15@0 CC2: 25@0	7.95	/	Pass
		CC1:834.1 CC2:838	CC1: 15@0 CC2: 25@0	8.04	/	Pass


	CC1: 256QAM CC2: 256QAM	CC1:842.6 CC2:846.5	CC1: 15@0 CC2: 25@0	8.33	/	Pass
		CC1:825.5 CC2:829.4	CC1: 15@0 CC2: 25@0	7.94	/	Pass
		CC1:834.1 CC2:838	CC1: 15@0 CC2: 25@0	8.03	/	Pass
		CC1:842.6 CC2:846.5	CC1: 15@0 CC2: 25@0	8.07	/	Pass
CC1:5 CC2:3	CC1: QPSK CC2: QPSK	CC1:826.5 CC2:830.4	CC1: 25@0 CC2: 15@0	8.06	/	Pass
		CC1:835.1 CC2:839	CC1: 25@0 CC2: 15@0	8.07	/	Pass
		CC1:843.6 CC2:847.5	CC1: 25@0 CC2: 15@0	8.04	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:826.5 CC2:830.4	CC1: 25@0 CC2: 15@0	8.06	/	Pass
		CC1:835.1 CC2:839	CC1: 25@0 CC2: 15@0	10.31	/	Pass
		CC1:843.6 CC2:847.5	CC1: 25@0 CC2: 15@0	9.59	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:826.5 CC2:830.4	CC1: 25@0 CC2: 15@0	8.04	/	Pass
		CC1:835.1 CC2:839	CC1: 25@0 CC2: 15@0	8.26	/	Pass
		CC1:843.6 CC2:847.5	CC1: 25@0 CC2: 15@0	8.42	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:826.5 CC2:830.4	CC1: 25@0 CC2: 15@0	8.05	/	Pass
		CC1:835.1 CC2:839	CC1: 25@0 CC2: 15@0	8.06	/	Pass
		CC1:843.6 CC2:847.5	CC1: 25@0 CC2: 15@0	8.07	/	Pass
CC1:5 CC2:10	CC1: QPSK CC2: QPSK	CC1:826.5 CC2:833.7	CC1: 25@0 CC2: 50@0	14.66	/	Pass
		CC1:831.7 CC2:838.9	CC1: 25@0 CC2: 50@0	14.82	/	Pass
		CC1:836.8 CC2:844	CC1: 25@0 CC2: 50@0	14.65	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:826.5 CC2:833.7	CC1: 25@0 CC2: 50@0	14.62	/	Pass
		CC1:831.7 CC2:838.9	CC1: 25@0 CC2: 50@0	14.72	/	Pass
		CC1:836.8 CC2:844	CC1: 25@0 CC2: 50@0	14.76	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:826.5 CC2:833.7	CC1: 25@0 CC2: 50@0	14.68	/	Pass
		CC1:831.7 CC2:838.9	CC1: 25@0 CC2: 50@0	14.80	/	Pass
		CC1:836.8 CC2:844	CC1: 25@0 CC2: 50@0	14.81	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:826.5 CC2:833.7	CC1: 25@0 CC2: 50@0	14.67	/	Pass
		CC1:831.7 CC2:838.9	CC1: 25@0 CC2: 50@0	14.75	/	Pass
		CC1:836.8 CC2:844	CC1: 25@0 CC2: 50@0	14.78	/	Pass
CC1:10 CC2:5	CC1: QPSK CC2:	CC1:829 CC2:836.2	CC1: 50@0 CC2: 25@0	14.81	/	Pass
		CC1:834.2	CC1: 50@0	14.89	/	Pass

	QPSK	CC2:841.4	CC2: 25@0			
		CC1:839.3	CC1: 50@0	14.80	/	Pass
		CC2:846.5	CC2: 25@0			
	CC1: 16QAM CC2: 16QAM	CC1:829	CC1: 50@0	14.85	/	Pass
		CC2:836.2	CC2: 25@0			
		CC1:834.2	CC1: 50@0	14.70	/	Pass
		CC2:841.4	CC2: 25@0			
	CC1: 64QAM CC2: 64QAM	CC1:839.3	CC1: 50@0	14.79	/	Pass
		CC2:846.5	CC2: 25@0			
		CC1:829	CC1: 50@0	14.88	/	Pass
		CC2:836.2	CC2: 25@0			
	CC1: 256QAM CC2: 256QAM	CC1:834.2	CC1: 50@0	14.75	/	Pass
		CC2:841.4	CC2: 25@0			
		CC1:839.3	CC1: 50@0	14.85	/	Pass
		CC2:846.5	CC2: 25@0			
CC1:10 CC2:10	CC1: QPSK CC2: QPSK	CC1:829	CC1: 50@0	20.22	/	Pass
		CC2:838.9	CC2: 50@0			
		CC1:831.6	CC1: 50@0	20.22	/	Pass
	CC1: 16QAM CC2: 16QAM	CC2:841.5	CC2: 50@0			
		CC1:834.1	CC1: 50@0	20.23	/	Pass
		CC2:844	CC2: 50@0			
	CC1: 64QAM CC2: 64QAM	CC1:829	CC1: 50@0	20.09	/	Pass
		CC2:838.9	CC2: 50@0			
		CC1:831.6	CC1: 50@0	20.22	/	Pass
	CC1: 256QAM CC2: 256QAM	CC2:841.5	CC2: 50@0			
		CC1:834.1	CC1: 50@0	20.14	/	Pass
		CC2:844	CC2: 50@0			


2.2 Test Graph

2.2.1 CA_5B_NTNV_OBW


CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:825.5 CC2:829.4MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:834.1 CC2:838MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:842.6 CC2:846.5MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:825.5 CC2:829.4MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:834.1 CC2:838MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:842.6 CC2:846.5MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:825.5 CC2:829.4MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:834.1 CC2:838MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:842.6 CC2:846.5MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:825.5 CC2:829.4MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:834.1 CC2:838MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:842.6 CC2:846.5MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:QPSK CC2:QPSK_CC1:826.5 CC2:830.4MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:QPSK CC2:QPSK_CC1:835.1 CC2:839MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:QPSK CC2:QPSK_CC1:843.6 CC2:847.5MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:16QAM CC2:16QAM_CC1:826.5 CC2:830.4MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:16QAM CC2:16QAM_CC1:835.1 CC2:839MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:16QAM CC2:16QAM_CC1:843.6 CC2:847.5MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:64QAM CC2:64QAM_CC1:826.5 CC2:830.4MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:64QAM CC2:64QAM_CC1:835.1 CC2:839MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:64QAM CC2:64QAM_CC1:843.6 CC2:847.5MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:256QAM CC2:256QAM_CC1:826.5 CC2:830.4MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5_CC2:3MHz_CC1:256QAM_CC2:256QAM_CC1:835.1_CC2:839MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5_CC2:3MHz_CC1:256QAM_CC2:256QAM_CC1:843.6_CC2:847.5MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:826.5_CC2:833.7MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:831.7_CC2:838.9MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:836.8 CC2:844MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:826.5 CC2:833.7MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:16QAM_CC2:16QAM_CC1:831.7_CC2:838.9MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:16QAM_CC2:16QAM_CC1:836.8_CC2:844MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:64QAM_CC2:64QAM_CC1:826.5_CC2:833.7MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:64QAM_CC2:64QAM_CC1:831.7_CC2:838.9MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:64QAM_CC2:64QAM_CC1:836.8_CC2:844MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:256QAM_CC2:256QAM_CC1:826.5_CC2:833.7MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:256QAM_CC2:256QAM_CC1:831.7_CC2:838.9MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:256QAM_CC2:256QAM_CC1:836.8_CC2:844MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:829 CC2:836.2MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:834.2 CC2:841.4MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:839.3_CC2:846.5MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:829_CC2:836.2MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:834.2_CC2:841.4MHz_CC1: 50@0_CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:839.3_CC2:846.5MHz_CC1: 50@0_CC2: 25@0




CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:829 CC2:836.2MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:834.2 CC2:841.4MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:839.3_CC2:846.5MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:829_CC2:836.2MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:834.2_CC2:841.4MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:839.3_CC2:846.5MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:829 CC2:838.9MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:831.6 CC2:841.5MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:834.1 CC2:844MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:829 CC2:838.9MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:831.6 CC2:841.5MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:834.1 CC2:844MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:829 CC2:838.9MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:831.6 CC2:841.5MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:64QAM_CC2:64QAM_CC1:834.1_CC2:844MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:256QAM_CC2:256QAM_CC1:829_CC2:838.9MHz_CC1: 50@0 CC2: 50@0



CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:831.6 CC2:841.5MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:834.1 CC2:844MHz_CC1: 50@0 CC2: 50@0




2.2.2 CA_5B_NTNV_XDB


CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:825.5 CC2:829.4MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:834.1 CC2:838MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:QPSK CC2:QPSK CC1:842.6 CC2:846.5MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:16QAM CC2:16QAM CC1:825.5 CC2:829.4MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:834.1_CC2:838MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:842.6_CC2:846.5MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:825.5 CC2:829.4MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:834.1 CC2:838MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:842.6 CC2:846.5MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:825.5 CC2:829.4MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:834.1 CC2:838MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:842.6 CC2:846.5MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:QPSK CC2:QPSK_CC1:826.5 CC2:830.4MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:QPSK CC2:QPSK_CC1:835.1 CC2:839MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:QPSK CC2:QPSK CC1:843.6 CC2:847.5MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:16QAM CC2:16QAM CC1:826.5 CC2:830.4MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5_CC2:3MHz_CC1:16QAM_CC2:16QAM_CC1:835.1_CC2:839MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5_CC2:3MHz_CC1:16QAM_CC2:16QAM_CC1:843.6_CC2:847.5MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:64QAM CC2:64QAM_CC1:826.5 CC2:830.4MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:64QAM CC2:64QAM_CC1:835.1 CC2:839MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:64QAM CC2:64QAM_CC1:843.6 CC2:847.5MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:256QAM CC2:256QAM_CC1:826.5 CC2:830.4MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5_CC2:3MHz_CC1:256QAM_CC2:256QAM_CC1:835.1_CC2:839MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5_CC2:3MHz_CC1:256QAM_CC2:256QAM_CC1:843.6_CC2:847.5MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:826.5_CC2:833.7MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:831.7_CC2:838.9MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:836.8 CC2:844MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:826.5 CC2:833.7MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:16QAM_CC2:16QAM_CC1:831.7_CC2:838.9MHz_CC1: 25@0_CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:16QAM_CC2:16QAM_CC1:836.8_CC2:844MHz_CC1: 25@0_CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:64QAM_CC2:64QAM_CC1:826.5_CC2:833.7MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:64QAM_CC2:64QAM_CC1:831.7_CC2:838.9MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:64QAM_CC2:64QAM_CC1:836.8_CC2:844MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:256QAM_CC2:256QAM_CC1:826.5_CC2:833.7MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:256QAM_CC2:256QAM_CC1:831.7_CC2:838.9MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:256QAM_CC2:256QAM_CC1:836.8_CC2:844MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:829 CC2:836.2MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:834.2 CC2:841.4MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:839.3 CC2:846.5MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:829 CC2:836.2MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:834.2_CC2:841.4MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:839.3_CC2:846.5MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:64QAM CC2:64QAM CC1:829 CC2:836.2MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:64QAM CC2:64QAM CC1:834.2 CC2:841.4MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:839.3_CC2:846.5MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:829_CC2:836.2MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:834.2_CC2:841.4MHz_CC1: 50@0_CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:839.3_CC2:846.5MHz_CC1: 50@0_CC2: 25@0




CA_5B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:829_CC2:838.9MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:831.6_CC2:841.5MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz CC1:QPSK CC2:QPSK CC1:834.1 CC2:844MHz CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz CC1:16QAM CC2:16QAM CC1:829 CC2:838.9MHz CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:831.6 CC2:841.5MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:834.1 CC2:844MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:64QAM_CC2:64QAM_CC1:829_CC2:838.9MHz_CC1: 50@0_CC2: 50@0




CA_5B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:64QAM_CC2:64QAM_CC1:831.6_CC2:841.5MHz_CC1: 50@0_CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:834.1 CC2:844MHz_CC1: 50@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:829 CC2:838.9MHz_CC1: 50@0 CC2: 50@0



CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:831.6 CC2:841.5MHz_CC1: 50@0 CC2: 50@0



CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:834.1 CC2:844MHz_CC1: 50@0 CC2: 50@0



3. Spurious Emission


3.1 Test Result

3.1.1 CA_5B_NTNV


Band: CA_5B / NTN								
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
				CC1	CC2	Sum	Limit	
CC1:3 CC2:5	CC1: QPSK CC2: QPSK	CC1:825.5 CC2:829.4	CC1: 1@0 CC2: 1@24	Refer To Test Graph				Pass
			CC1: 15@0 CC2: 25@0	Refer To Test Graph				Pass
		CC1:842.6 CC2:846.5	CC1: 1@0 CC2: 1@24	Refer To Test Graph				Pass
			CC1: 15@0 CC2: 25@0	Refer To Test Graph				Pass
CC1:5 CC2:3	CC1: QPSK CC2: QPSK	CC1:826.5 CC2:830.4	CC1: 1@0 CC2: 1@14	Refer To Test Graph				Pass
			CC1: 25@0 CC2: 15@0	Refer To Test Graph				Pass
		CC1:843.6 CC2:847.5	CC1: 1@0 CC2: 1@14	Refer To Test Graph				Pass
			CC1: 25@0 CC2: 15@0	Refer To Test Graph				Pass
CC1:5 CC2:10	CC1: QPSK CC2: QPSK	CC1:826.5 CC2:833.7	CC1: 1@0 CC2: 1@49	Refer To Test Graph				Pass
			CC1: 25@0 CC2: 50@0	Refer To Test Graph				Pass
		CC1:836.8 CC2:844	CC1: 1@0 CC2: 1@49	Refer To Test Graph				Pass
			CC1: 25@0 CC2: 50@0	Refer To Test Graph				Pass
CC1:10 CC2:5	CC1: QPSK CC2: QPSK	CC1:829 CC2:836.2	CC1: 1@0 CC2: 1@24	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 25@0	Refer To Test Graph				Pass
		CC1:839.3 CC2:846.5	CC1: 1@0 CC2: 1@24	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 25@0	Refer To Test Graph				Pass
CC1:10 CC2:10	CC1: QPSK CC2: QPSK	CC1:829 CC2:838.9	CC1: 1@0 CC2: 1@49	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 50@0	Refer To Test Graph				Pass
		CC1:834.1 CC2:844	CC1: 1@0 CC2: 1@49	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 50@0	Refer To Test Graph				Pass

3.2 Test Graph

3.2.1 CA_5B_NTNV




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:825.5 CC2:829.4MHz_CC1: 15@0 CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
815.95	823	0.1	CHP	1	822.254	-35.41	-13	Pass
823	824	0.08	CHP	2	823.950	-33.88	-13	Pass
824	831.95	0.08	CHP	/	/	/	/	/

CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:825.5 CC2:829.4MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:842.6 CC2:846.5MHz_CC1: 1@0 CC2: 1@24




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
841.05	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-49.65	-13	Pass
850	857.05	1	CHP	2	850.529	-45.59	-13	Pass

CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:842.6 CC2:846.5MHz_CC1: 1@0 CC2: 1@24




CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:QPSK CC2:QPSK CC1:842.6 CC2:846.5MHz_CC1: 15@0 CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
841.05	849	0.081	CHP	/	/	/	/	/
849	850	0.081	CHP	1	849.050	-35.61	-13	Pass
850	857.05	1	CHP	2	850.506	-27.66	-13	Pass

CA_5B_SISO_NTNV_CC1:3 CC2:5MHz_CC1:QPSK CC2:QPSK CC1:842.6 CC2:846.5MHz_CC1: 15@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:5_CC2:3MHz_CC1:QPSK_CC2:QPSK_CC1:826.5_CC2:830.4MHz_CC1:1@0_CC2:1@14




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
815.95	823	0.1	CHP	1	817.042	-32.23	-13	Pass
823	824	0.003	/	2	824.000	-39.91	-13	Pass
824	831.95	0.003	/	/	/	/	/	/

CA_5B_SISO_NTNV_CC1:5_CC2:3MHz_CC1:QPSK_CC2:QPSK_CC1:826.5_CC2:830.4MHz_CC1:1@0_CC2:1@14




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:QPSK CC2:QPSK CC1:826.5 CC2:830.4MHz_CC1: 25@0 CC2: 15@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
815.95	823	0.1	CHP	1	822.659	-36.16	-13	Pass
823	824	0.081	CHP	2	823.950	-32.07	-13	Pass
824	831.95	0.081	CHP	/	/	/	/	/

CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:QPSK CC2:QPSK CC1:826.5 CC2:830.4MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5_CC2:3MHz_CC1:QPSK_CC2:QPSK_CC1:843.6_CC2:847.5MHz_CC1: 1@0_CC2: 1@14




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
841.05	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.000	-51.21	-13	Pass
850	857.05	1	CHP	2	850.601	-45.66	-13	Pass

CA_5B_SISO_NTNV_CC1:5_CC2:3MHz_CC1:QPSK_CC2:QPSK_CC1:843.6_CC2:847.5MHz_CC1: 1@0_CC2: 1@14




CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:QPSK CC2:QPSK CC1:843.6 CC2:847.5MHz_CC1: 25@0 CC2: 15@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
841.05	849	0.08	CHP	/	/	/	/	/
849	850	0.08	CHP	1	849.050	-35.39	-13	Pass
850	857.05	1	CHP	2	850.506	-25.08	-13	Pass

CA_5B_SISO_NTNV_CC1:5 CC2:3MHz_CC1:QPSK CC2:QPSK CC1:843.6 CC2:847.5MHz_CC1: 25@0 CC2: 15@0




CA_5B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:826.5 CC2:833.7MHz_CC1: 1@0 CC2: 1@49




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
808.85	823	0.1	CHP	1	810.593	-34.41	-13	Pass
823	824	0.003	/	2	823.988	-42.44	-13	Pass
824	838.85	0.003	/	/	/	/	/	/

CA_5B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:826.5 CC2:833.7MHz_CC1: 1@0 CC2: 1@49




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:826.5_CC2:833.7MHz_CC1: 25@0 CC2: 50@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
808.85	823	0.1	/	1	817.820	-35.82	-13	Pass
823	824	0.147	CHP	2	823.970	-28.18	-13	Pass
824	838.85	0.1	/	/	/	/	/	/

CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:826.5_CC2:833.7MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:836.8_CC2:844MHz_CC1: 1@0_CC2: 1@49




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834.15	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-58.07	-13	Pass
850	864.15	1	CHP	2	850.500	-45.88	-13	Pass

CA_5B_SISO_NTNV_CC1:5_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:836.8_CC2:844MHz_CC1: 1@0_CC2: 1@49




CA_5B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:836.8 CC2:844MHz_CC1: 25@0 CC2: 50@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834.15	849	0.1	/	/	/	/	/	/
849	850	0.146	CHP	1	849.090	-40.67	-13	Pass
850	864.15	1	CHP	2	850.500	-33.72	-13	Pass

CA_5B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:836.8 CC2:844MHz_CC1: 25@0 CC2: 50@0




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:829_CC2:836.2MHz_CC1: 1@0_CC2: 1@24




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
808.85	823	0.1	CHP	1	810.842	-34.15	-13	Pass
823	824	0.003	/	2	823.976	-49.33	-13	Pass
824	838.85	0.003	/	/	/	/	/	/

CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:829_CC2:836.2MHz_CC1: 1@0_CC2: 1@24




CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:829 CC2:836.2MHz_CC1: 50@0 CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
808.85	823	0.1	/	1	821.960	-35.82	-13	Pass
823	824	0.148	CHP	2	823.910	-34.66	-13	Pass
824	838.85	0.1	/	/	/	/	/	/

CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:829 CC2:836.2MHz_CC1: 50@0 CC2: 25@0




CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:839.3 CC2:846.5MHz_CC1: 1@0 CC2: 1@24




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834.15	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.014	-51.19	-13	Pass
850	864.15	1	CHP	2	850.547	-45.58	-13	Pass

CA_5B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:839.3 CC2:846.5MHz_CC1: 1@0 CC2: 1@24




CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:839.3_CC2:846.5MHz_CC1: 50@0_CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834.15	849	0.1	/	/	/	/	/	/
849	850	0.148	CHP	1	849.030	-38.26	-13	Pass
850	864.15	1	CHP	2	850.890	-30.78	-13	Pass

CA_5B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:839.3_CC2:846.5MHz_CC1: 50@0_CC2: 25@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:829 CC2:838.9MHz_CC1: 1@0 CC2: 1@49




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
803.95	823	0.1	CHP	1	822.312	-40.24	-13	Pass
823	824	0.003	/	2	824.000	-48.70	-13	Pass
824	843.95	0.003	/	/	/	/	/	/


CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:829 CC2:838.9MHz_CC1: 1@0 CC2: 1@49




CA_5B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:829_CC2:838.9MHz_CC1: 50@0_CC2: 50@0



CA_5B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:829_CC2:838.9MHz_CC1: 50@0_CC2: 50@0




CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:834.1 CC2:844MHz_CC1: 1@0 CC2: 1@49




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
829.05	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.030	-58.02	-13	Pass
850	869.05	1	CHP	2	850.501	-45.69	-13	Pass

CA_5B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:834.1 CC2:844MHz_CC1: 1@0 CC2: 1@49



CA_5B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:834.1_CC2:844MHz_CC1: 50@0_CC2: 50@0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
829.05	849	0.1	/	/	/	/	/	/
849	850	0.202	CHP	1	849.490	-35.01	-13	Pass
850	869.05	1	CHP	2	850.530	-28.81	-13	Pass

CA_5B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:834.1_CC2:844MHz_CC1: 50@0_CC2: 50@0

