

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 CA_66C_NTNV_EIRP

Band: CA_66C / NTNV										
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Conducted Power (dBm)			Gain (dBi)	EIRP (dBm)		Verdict
				CC1	CC2	Sum		Result	Limit	
CC1:5 CC2:20	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1724.2	CC1: 1@0 CC2: 0@0	22.75	-23.54	22.76	3.20	25.96	<=30	Pass
			CC1: 1@0 CC2: 1@99	10.82	11.96	14.44	3.20	17.64	<=30	Pass
			CC1: 12@0 CC2: 50@50	15.64	16.71	19.22	3.20	22.42	<=30	Pass
			CC1: 12@13 CC2: 50@0	17.56	18.35	20.96	3.20	24.16	<=30	Pass
			CC1: 25@0 CC2: 100@0	17.39	18.29	20.87	3.20	24.07	<=30	Pass
		CC1:1735.4 CC2:1747.1	CC1: 1@0 CC2: 0@0	22.80	-21.43	22.80	3.20	26.00	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.41	11.44	14.44	3.20	17.64	<=30	Pass
			CC1: 12@0 CC2: 50@50	16.86	16.49	19.69	3.20	22.89	<=30	Pass
			CC1: 12@13 CC2: 50@0	18.20	18.13	21.15	3.20	24.35	<=30	Pass
			CC1: 25@0 CC2: 100@0	18.37	18.11	21.24	3.20	24.44	<=30	Pass
		CC1:1758.3 CC2:1770	CC1: 1@0 CC2: 0@0	22.79	-21.17	22.79	3.20	25.99	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.46	11.46	14.47	3.20	17.67	<=30	Pass
			CC1: 12@0 CC2: 50@50	16.87	16.49	19.70	3.20	22.90	<=30	Pass
			CC1: 12@13 CC2: 50@0	18.09	18.23	21.14	3.20	24.34	<=30	Pass
			CC1: 25@0 CC2: 100@0	18.23	18.09	21.16	3.20	24.36	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1724.2	CC1: 1@0 CC2: 0@0	21.70	-21.56	21.71	3.20	24.91	<=30	Pass
			CC1: 1@0 CC2: 1@99	10.64	11.92	14.34	3.20	17.54	<=30	Pass
			CC1: 12@0 CC2: 50@50	15.69	16.73	19.25	3.20	22.45	<=30	Pass
			CC1: 12@13 CC2: 50@0	16.55	17.32	19.94	3.20	23.14	<=30	Pass
			CC1: 25@0 CC2: 100@0	16.43	17.35	19.91	3.20	23.11	<=30	Pass
		CC1:1735.4 CC2:1747.1	CC1: 1@0 CC2: 0@0	21.98	-21.46	21.98	3.20	25.18	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.62	11.24	14.45	3.20	17.65	<=30	Pass
			CC1: 12@0 CC2: 50@50	16.95	16.56	19.77	3.20	22.97	<=30	Pass
			CC1: 12@13 CC2: 50@0	17.27	17.16	20.20	3.20	23.40	<=30	Pass
			CC1: 25@0 CC2: 100@0	17.36	17.17	20.26	3.20	23.46	<=30	Pass

		CC1:1758.3 CC2:1770	CC1: 1@0 CC2: 0@0	21.81	-21.31	21.81	3.20	25.01	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.41	11.35	14.40	3.20	17.60	<=30	Pass
			CC1: 12@0 CC2: 50@50	16.88	16.53	19.72	3.20	22.92	<=30	Pass
			CC1: 12@13 CC2: 50@0	17.09	17.25	20.15	3.20	23.35	<=30	Pass
			CC1: 25@0 CC2: 100@0	17.21	17.09	20.15	3.20	23.35	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1724.2	CC1: 1@0 CC2: 0@0	20.73	-24.65	20.74	3.20	23.94	<=30	Pass
			CC1: 1@0 CC2: 1@99	10.65	12.17	14.49	3.20	17.69	<=30	Pass
			CC1: 12@0 CC2: 50@50	15.70	16.79	19.29	3.20	22.49	<=30	Pass
			CC1: 12@13 CC2: 50@0	16.54	17.35	19.95	3.20	23.15	<=30	Pass
			CC1: 25@0 CC2: 100@0	16.47	17.35	19.93	3.20	23.13	<=30	Pass
		CC1:1735.4 CC2:1747.1	CC1: 1@0 CC2: 0@0	20.87	-21.66	20.88	3.20	24.08	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.52	11.36	14.46	3.20	17.66	<=30	Pass
			CC1: 12@0 CC2: 50@50	16.93	16.58	19.77	3.20	22.97	<=30	Pass
			CC1: 12@13 CC2: 50@0	17.27	17.20	20.22	3.20	23.42	<=30	Pass
			CC1: 25@0 CC2: 100@0	17.41	17.13	20.27	3.20	23.47	<=30	Pass
		CC1:1758.3 CC2:1770	CC1: 1@0 CC2: 0@0	20.93	-22.25	20.93	3.20	24.13	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.53	11.89	14.73	3.20	17.93	<=30	Pass
			CC1: 12@0 CC2: 50@50	17.06	16.51	19.80	3.20	23.00	<=30	Pass
			CC1: 12@13 CC2: 50@0	17.27	17.24	20.24	3.20	23.44	<=30	Pass
			CC1: 25@0 CC2: 100@0	17.20	17.07	20.13	3.20	23.33	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1724.2	CC1: 1@0 CC2: 0@0	17.50	-22.99	17.51	3.20	20.71	<=30	Pass
			CC1: 1@0 CC2: 1@99	10.43	12.06	14.33	3.20	17.53	<=30	Pass
			CC1: 12@0 CC2: 50@50	13.74	14.78	17.30	3.20	20.50	<=30	Pass
			CC1: 12@13 CC2: 50@0	14.59	15.33	17.96	3.20	21.16	<=30	Pass
			CC1: 25@0 CC2: 100@0	14.53	15.34	17.95	3.20	21.15	<=30	Pass
		CC1:1735.4 CC2:1747.1	CC1: 1@0 CC2: 0@0	17.80	-24.66	17.81	3.20	21.01	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.41	11.59	14.52	3.20	17.72	<=30	Pass
			CC1: 12@0 CC2: 50@50	14.98	14.57	17.79	3.20	20.99	<=30	Pass
			CC1: 12@13 CC2: 50@0	15.30	15.19	18.23	3.20	21.43	<=30	Pass
			CC1: 25@0 CC2: 100@0	15.40	15.13	18.27	3.20	21.47	<=30	Pass
		CC1:1758.3	CC1: 1@0	17.68	-24.45	17.69	3.20	20.89	<=30	Pass

		CC2:1770	CC2: 0@0							
			CC1: 1@0 CC2: 1@99	11.31	11.22	14.28	3.20	17.48	<=30	Pass
			CC1: 12@0 CC2: 50@50	14.92	14.55	17.75	3.20	20.95	<=30	Pass
			CC1: 12@13 CC2: 50@0	15.10	15.25	18.16	3.20	21.36	<=30	Pass
			CC1: 25@0 CC2: 100@0	15.21	15.04	18.12	3.20	21.32	<=30	Pass
CC1:10 CC2:15	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1727	CC1: 1@0 CC2: 0@0	22.77	-22.30	22.77	3.20	25.97	<=30	Pass
			CC1: 1@0 CC2: 1@74	10.91	11.99	14.50	3.20	17.70	<=30	Pass
			CC1: 25@0 CC2: 36@39	16.09	16.87	19.51	3.20	22.71	<=30	Pass
			CC1: 25@25 CC2: 36@0	17.85	18.35	21.12	3.20	24.32	<=30	Pass
			CC1: 50@0 CC2: 75@0	17.61	18.30	20.98	3.20	24.18	<=30	Pass
		CC1:1737.8 CC2:1749.8	CC1: 1@0 CC2: 0@0	22.81	-22.41	22.81	3.20	26.01	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.49	11.45	14.48	3.20	17.68	<=30	Pass
			CC1: 25@0 CC2: 36@39	16.81	16.50	19.66	3.20	22.86	<=30	Pass
			CC1: 25@25 CC2: 36@0	18.20	18.08	21.15	3.20	24.35	<=30	Pass
			CC1: 50@0 CC2: 75@0	18.29	18.14	21.23	3.20	24.43	<=30	Pass
		CC1:1760.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	22.77	-22.24	22.78	3.20	25.98	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.51	11.41	14.48	3.20	17.68	<=30	Pass
			CC1: 25@0 CC2: 36@39	16.99	16.39	19.71	3.20	22.91	<=30	Pass
			CC1: 25@25 CC2: 36@0	18.31	17.97	21.15	3.20	24.35	<=30	Pass
			CC1: 50@0 CC2: 75@0	18.36	17.93	21.16	3.20	24.36	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1727	CC1: 1@0 CC2: 0@0	22.55	-22.42	22.56	3.20	25.76	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.49	12.13	14.84	3.20	18.04	<=30	Pass
			CC1: 25@0 CC2: 36@39	16.12	16.87	19.52	3.20	22.72	<=30	Pass
			CC1: 25@25 CC2: 36@0	16.88	17.37	20.14	3.20	23.34	<=30	Pass
			CC1: 50@0 CC2: 75@0	16.63	17.29	19.99	3.20	23.19	<=30	Pass
		CC1:1737.8 CC2:1749.8	CC1: 1@0 CC2: 0@0	21.80	-22.57	21.80	3.20	25.00	<=30	Pass
			CC1: 1@0 CC2: 0@0	22.49	-23.12	22.49	3.20	25.69	<=30	Pass
		CC1:1760.5 CC2:1772.5	CC1: 1@0 CC2: 1@74	12.06	11.53	14.82	3.20	18.02	<=30	Pass
			CC1: 25@0 CC2: 36@39	17.03	16.41	19.74	3.20	22.94	<=30	Pass
			CC1: 25@25 CC2: 36@0	17.36	17.03	20.21	3.20	23.41	<=30	Pass
			CC1: 50@0 CC2: 75@0	17.35	16.91	20.15	3.20	23.35	<=30	Pass

	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1727	CC1: 1@0 CC2: 0@0	20.64	-22.53	20.65	3.20	23.85	<=30	Pass
		CC1:1737.8 CC2:1749.8	CC1: 1@0 CC2: 0@0	20.55	-22.75	20.55	3.20	23.75	<=30	Pass
		CC1:1760.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	21.08	-23.23	21.09	3.20	24.29	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.68	11.31	14.51	3.20	17.71	<=30	Pass
			CC1: 25@0 CC2: 36@39	16.99	16.36	19.70	3.20	22.90	<=30	Pass
			CC1: 25@25 CC2: 36@0	17.36	17.01	20.20	3.20	23.40	<=30	Pass
			CC1: 50@0 CC2: 75@0	17.38	16.95	20.18	3.20	23.38	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1727	CC1: 1@0 CC2: 0@0	17.82	-23.05	17.83	3.20	21.03	<=30	Pass
		CC1:1737.8 CC2:1749.8	CC1: 1@0 CC2: 0@0	17.76	-25.75	17.76	3.20	20.96	<=30	Pass
		CC1:1760.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	18.11	-25.55	18.12	3.20	21.32	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.73	11.28	14.52	3.20	17.72	<=30	Pass
			CC1: 25@0 CC2: 36@39	14.98	14.34	17.68	3.20	20.88	<=30	Pass
			CC1: 25@25 CC2: 36@0	15.32	14.93	18.14	3.20	21.34	<=30	Pass
			CC1: 50@0 CC2: 75@0	15.31	14.87	18.11	3.20	21.31	<=30	Pass
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1729.4	CC1: 1@0 CC2: 0@0	22.59	-20.31	22.59	3.20	25.79	<=30	Pass
		CC1:1735.3 CC2:1749.7	CC1: 1@0 CC2: 0@0	22.62	-20.51	22.63	3.20	25.83	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.53	11.05	14.31	3.20	17.51	<=30	Pass
			CC1: 25@0 CC2: 50@50	16.92	16.30	19.63	3.20	22.83	<=30	Pass
			CC1: 25@25 CC2: 50@0	18.27	17.92	21.11	3.20	24.31	<=30	Pass
			CC1: 50@0 CC2: 100@0	18.40	17.92	21.18	3.20	24.38	<=30	Pass
		CC1:1755.6 CC2:1770	CC1: 1@0 CC2: 0@0	22.53	-20.08	22.53	3.20	25.73	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.33	11.23	14.30	3.20	17.50	<=30	Pass
			CC1: 25@0 CC2: 50@50	16.82	16.42	19.64	3.20	22.84	<=30	Pass
			CC1: 25@25 CC2: 50@0	18.17	18.10	21.15	3.20	24.35	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	18.22	17.98	21.11	3.20	24.31	<=30	Pass
			CC1: 1@0 CC2: 0@0	21.79	-20.53	21.79	3.20	24.99	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.05	11.24	14.16	3.20	17.36	<=30	Pass
			CC1: 25@0 CC2: 50@50	16.35	16.67	19.53	3.20	22.73	<=30	Pass
			CC1: 25@25 CC2: 50@0	16.96	17.32	20.16	3.20	23.36	<=30	Pass
			CC1: 50@0 CC2: 100@0	16.86	17.24	20.07	3.20	23.27	<=30	Pass
		CC1:1735.3	CC1: 1@0	22.41	-20.52	22.41	3.20	25.61	<=30	Pass

		CC2:1749.7	CC2: 0@0							
			CC1: 1@0 CC2: 1@99	12.08	11.16	14.66	3.20	17.86	<=30	Pass
			CC1: 25@0 CC2: 50@50	16.93	16.31	19.64	3.20	22.84	<=30	Pass
			CC1: 25@25 CC2: 50@0	17.32	16.95	20.15	3.20	23.35	<=30	Pass
			CC1: 50@0 CC2: 100@0	17.39	16.93	20.18	3.20	23.38	<=30	Pass
		CC1:1755.6 CC2:1770	CC1: 1@0 CC2: 0@0	21.67	-20.55	21.68	3.20	24.88	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1729.4	CC1: 1@0 CC2: 0@0	20.61	-20.94	20.61	3.20	23.81	<=30	Pass
		CC1:1735.3 CC2:1749.7	CC1: 1@0 CC2: 0@0	21.08	-21.59	21.08	3.20	24.28	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.69	10.90	14.33	3.20	17.53	<=30	Pass
			CC1: 25@0 CC2: 50@50	16.97	16.33	19.67	3.20	22.87	<=30	Pass
			CC1: 25@25 CC2: 50@0	17.36	16.97	20.18	3.20	23.38	<=30	Pass
			CC1: 50@0 CC2: 100@0	17.44	16.92	20.20	3.20	23.40	<=30	Pass
		CC1:1755.6 CC2:1770	CC1: 1@0 CC2: 0@0	20.50	-20.77	20.51	3.20	23.71	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1729.4	CC1: 1@0 CC2: 0@0	17.73	-24.96	17.74	3.20	20.94	<=30	Pass
		CC1:1735.3 CC2:1749.7	CC1: 1@0 CC2: 0@0	18.06	-24.93	18.07	3.20	21.27	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.78	10.91	14.38	3.20	17.58	<=30	Pass
			CC1: 25@0 CC2: 50@50	14.99	14.29	17.67	3.20	20.87	<=30	Pass
			CC1: 25@25 CC2: 50@0	15.39	14.91	18.17	3.20	21.37	<=30	Pass
			CC1: 50@0 CC2: 100@0	15.44	14.86	18.17	3.20	21.37	<=30	Pass
		CC1:1755.6 CC2:1770	CC1: 1@0 CC2: 0@0	17.65	-21.79	17.66	3.20	20.86	<=30	Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1729.5	CC1: 1@0 CC2: 0@0	23.12	-23.95	23.12	3.20	26.32	<=30	Pass
		CC1:1740.3 CC2:1752.3	CC1: 1@0 CC2: 0@0	23.28	-24.07	23.28	3.20	26.48	<=30	Pass
			CC1: 1@0 CC2: 1@49	11.85	11.05	14.48	3.20	17.68	<=30	Pass
			CC1: 36@0 CC2: 25@25	16.78	16.47	19.64	3.20	22.84	<=30	Pass
			CC1: 36@39 CC2: 25@0	18.16	18.02	21.10	3.20	24.30	<=30	Pass
			CC1: 75@0 CC2: 50@0	18.26	18.05	21.17	3.20	24.37	<=30	Pass
		CC1:1763 CC2:1775	CC1: 1@0 CC2: 0@0	23.16	-23.94	23.16	3.20	26.36	<=30	Pass
			CC1: 1@0 CC2: 1@49	11.90	11.00	14.49	3.20	17.69	<=30	Pass
			CC1: 36@0 CC2: 25@25	16.97	16.14	19.58	3.20	22.78	<=30	Pass
			CC1: 36@39 CC2: 25@0	18.39	17.77	21.10	3.20	24.30	<=30	Pass
			CC1: 75@0 CC2: 50@0	18.47	17.73	21.13	3.20	24.33	<=30	Pass

	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1729.5	CC1: 1@0 CC2: 0@0	22.56	-24.18	22.56	3.20	25.76	<=30	Pass
			CC1: 1@0 CC2: 1@49	11.50	11.56	14.55	3.20	17.75	<=30	Pass
			CC1: 36@0 CC2: 25@25	16.39	16.79	19.61	3.20	22.81	<=30	Pass
			CC1: 36@39 CC2: 25@0	17.09	17.13	20.12	3.20	23.32	<=30	Pass
			CC1: 75@0 CC2: 50@0	16.91	17.09	20.01	3.20	23.21	<=30	Pass
		CC1:1740.3 CC2:1752.3	CC1: 1@0 CC2: 0@0	22.41	-24.27	22.41	3.20	25.61	<=30	Pass
		CC1:1763 CC2:1775	CC1: 1@0 CC2: 0@0	22.47	-24.05	22.47	3.20	25.67	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1729.5	CC1: 1@0 CC2: 0@0	21.43	-24.31	21.42	3.20	24.62	<=30	Pass
		CC1:1740.3 CC2:1752.3	CC1: 1@0 CC2: 0@0	21.41	-24.42	21.41	3.20	24.61	<=30	Pass
		CC1:1763 CC2:1775	CC1: 1@0 CC2: 0@0	21.37	-24.24	21.37	3.20	24.57	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1729.5	CC1: 1@0 CC2: 0@0	18.52	-26.76	18.53	3.20	21.73	<=30	Pass
		CC1:1740.3 CC2:1752.3	CC1: 1@0 CC2: 0@0	18.42	-27.63	18.42	3.20	21.62	<=30	Pass
		CC1:1763 CC2:1775	CC1: 1@0 CC2: 0@0	18.45	-24.68	18.45	3.20	21.65	<=30	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1732.5	CC1: 1@0 CC2: 0@0	22.78	-21.14	22.77	3.20	25.97	<=30	Pass
		CC1:1737.5 CC2:1752.5	CC1: 1@0 CC2: 0@0	22.88	-21.18	22.87	3.20	26.07	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.76	11.24	14.51	3.20	17.71	<=30	Pass
			CC1: 36@0 CC2: 36@39	16.87	16.40	19.65	3.20	22.85	<=30	Pass
			CC1: 36@39 CC2: 36@0	19.26	19.09	22.19	3.20	25.39	<=30	Pass
			CC1: 75@0 CC2: 75@0	18.35	18.04	21.21	3.20	24.41	<=30	Pass
		CC1:1757.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	22.78	-21.02	22.77	3.20	25.97	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.58	11.40	14.50	3.20	17.70	<=30	Pass
			CC1: 36@0 CC2: 36@39	16.90	16.35	19.65	3.20	22.85	<=30	Pass
			CC1: 36@39 CC2: 36@0	19.48	18.97	22.24	3.20	25.44	<=30	Pass
			CC1: 75@0 CC2: 75@0	18.41	17.89	21.17	3.20	24.37	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1732.5	CC1: 1@0 CC2: 0@0	22.38	-21.25	22.37	3.20	25.57	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.67	11.58	14.63	3.20	17.83	<=30	Pass
			CC1: 36@0 CC2: 36@39	16.59	16.59	19.60	3.20	22.80	<=30	Pass
			CC1: 36@39 CC2: 36@0	18.13	18.13	21.14	3.20	24.34	<=30	Pass
			CC1: 75@0 CC2: 75@0	17.09	17.18	20.15	3.20	23.35	<=30	Pass
		CC1:1737.5 CC2:1752.5	CC1: 1@0 CC2: 0@0	22.28	-21.53	22.27	3.20	25.47	<=30	Pass
		CC1:1757.5	CC1: 1@0	22.65	-20.98	22.64	3.20	25.84	<=30	Pass

		CC2:1772.5	CC2: 0@0							
			CC1: 1@0 CC2: 1@74	12.14	11.52	14.85	3.20	18.05	<=30	Pass
			CC1: 36@0 CC2: 36@39	16.99	16.42	19.73	3.20	22.93	<=30	Pass
			CC1: 36@39 CC2: 36@0	18.45	17.94	21.21	3.20	24.41	<=30	Pass
			CC1: 75@0 CC2: 75@0	17.41	16.87	20.16	3.20	23.36	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1732.5	CC1: 1@0 CC2: 0@0	21.24	-21.71	21.22	3.20	24.42	<=30	Pass
			CC1:1737.5 CC2:1752.5	21.25	-21.73	21.23	3.20	24.43	<=30	Pass
		CC1:1757.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	21.28	-22.00	21.27	3.20	24.47	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.76	11.29	14.53	3.20	17.73	<=30	Pass
			CC1: 36@0 CC2: 36@39	16.96	16.36	19.68	3.20	22.88	<=30	Pass
			CC1: 36@39 CC2: 36@0	17.33	16.79	20.08	3.20	23.28	<=30	Pass
			CC1: 75@0 CC2: 75@0	17.34	16.82	20.10	3.20	23.30	<=30	Pass
		CC1:1717.5 CC2:1732.5	CC1: 1@0 CC2: 0@0	17.74	-24.36	17.73	3.20	20.93	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.11	11.46	14.29	3.20	17.49	<=30	Pass
			CC1: 36@0 CC2: 36@39	14.44	14.54	17.50	3.20	20.70	<=30	Pass
			CC1: 36@39 CC2: 36@0	14.99	15.07	18.04	3.20	21.24	<=30	Pass
			CC1: 75@0 CC2: 75@0	14.92	15.08	18.01	3.20	21.21	<=30	Pass
		CC1:1737.5 CC2:1752.5	CC1: 1@0 CC2: 0@0	18.18	-26.12	18.17	3.20	21.37	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.86	11.26	14.58	3.20	17.78	<=30	Pass
			CC1: 36@0 CC2: 36@39	14.79	14.33	17.58	3.20	20.78	<=30	Pass
			CC1: 36@39 CC2: 36@0	15.17	14.95	18.08	3.20	21.28	<=30	Pass
			CC1: 75@0 CC2: 75@0	15.30	14.96	18.14	3.20	21.34	<=30	Pass
		CC1:1757.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	18.24	-25.81	18.22	3.20	21.42	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.79	11.24	14.53	3.20	17.73	<=30	Pass
			CC1: 36@0 CC2: 36@39	14.86	14.31	17.60	3.20	20.80	<=30	Pass
			CC1: 36@39 CC2: 36@0	15.34	14.83	18.11	3.20	21.31	<=30	Pass
			CC1: 75@0 CC2: 75@0	15.33	14.84	18.10	3.20	21.30	<=30	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1734.6	CC1: 1@0 CC2: 0@0	21.09	-22.46	21.08	3.20	24.28	<=30	Pass
			CC1:1735.2 CC2:1752.3	21.26	-20.64	21.25	3.20	24.45	<=30	Pass
			CC1:1752.9 CC2:1770	21.61	-20.17	21.60	3.20	24.80	<=30	Pass
	CC1: 16QAM	CC1:1717.5 CC2:1734.6	CC1: 1@0 CC2: 0@0	21.09	-20.77	21.07	3.20	24.27	<=30	Pass

	CC2: 16QAM	CC1:1735.2 CC2:1752.3	CC1: 1@0 CC2: 0@0	21.32	-20.72	21.31	3.20	24.51	<=30	Pass
		CC1:1752.9 CC2:1770	CC1: 1@0 CC2: 0@0	21.65	-20.31	21.64	3.20	24.84	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1734.6	CC1: 1@0 CC2: 0@0	21.13	-20.68	21.12	3.20	24.32	<=30	Pass
		CC1:1735.2 CC2:1752.3	CC1: 1@0 CC2: 0@0	21.31	-20.57	21.30	3.20	24.50	<=30	Pass
		CC1:1752.9 CC2:1770	CC1: 1@0 CC2: 0@0	21.63	-20.18	21.61	3.20	24.81	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1734.6	CC1: 1@0 CC2: 0@0	17.84	-22.00	17.83	3.20	21.03	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.29	11.24	14.27	3.20	17.47	<=30	Pass
			CC1: 36@0 CC2: 50@50	14.64	14.50	17.58	3.20	20.78	<=30	Pass
			CC1: 36@39 CC2: 50@0	15.06	15.09	18.09	3.20	21.29	<=30	Pass
			CC1: 75@0 CC2: 100@0	15.02	15.00	18.02	3.20	21.22	<=30	Pass
		CC1:1735.2 CC2:1752.3	CC1: 1@0 CC2: 0@0	17.76	-21.92	17.75	3.20	20.95	<=30	Pass
		CC1:1752.9 CC2:1770	CC1: 1@0 CC2: 0@0	18.27	-24.57	18.26	3.20	21.46	<=30	Pass
	CC1:20 CC2:5	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1731.7	CC1: 1@0 CC2: 0@0	23.08	-26.11	23.08	3.20	26.28	<=30
CC1:1742.9 CC2:1754.6			CC1: 1@0 CC2: 0@0	23.17	-26.25	23.18	3.20	26.38	<=30	Pass
			CC1: 1@0 CC2: 1@24	11.79	11.02	14.44	3.20	17.64	<=30	Pass
			CC1: 50@0 CC2: 12@13	16.78	16.56	19.68	3.20	22.88	<=30	Pass
			CC1: 50@50 CC2: 12@0	18.21	18.12	21.15	3.20	24.35	<=30	Pass
			CC1: 100@0 CC2: 25@0	18.22	18.15	21.18	3.20	24.38	<=30	Pass
CC1:1765.8 CC2:1777.5			CC1: 1@0 CC2: 0@0	23.15	-25.92	23.15	3.20	26.35	<=30	Pass
			CC1: 1@0 CC2: 1@24	11.92	10.94	14.47	3.20	17.67	<=30	Pass
			CC1: 50@0 CC2: 12@13	16.89	16.00	19.48	3.20	22.68	<=30	Pass
			CC1: 50@50 CC2: 12@0	18.35	17.78	21.06	3.20	24.26	<=30	Pass
			CC1: 100@0 CC2: 25@0	18.42	17.74	21.09	3.20	24.29	<=30	Pass
CC1: 16QAM CC2: 16QAM		CC1:1720 CC2:1731.7	CC1: 1@0 CC2: 0@0	22.76	-26.20	22.76	3.20	25.96	<=30	Pass
			CC1: 1@0 CC2: 1@24	11.73	11.39	14.58	3.20	17.78	<=30	Pass
			CC1: 50@0 CC2: 12@13	16.53	16.66	19.61	3.20	22.81	<=30	Pass
			CC1: 50@50 CC2: 12@0	17.27	16.91	20.08	3.20	23.28	<=30	Pass
			CC1: 100@0 CC2: 25@0	17.10	16.91	20.00	3.20	23.20	<=30	Pass
		CC1:1742.9 CC2:1754.6	CC1: 1@0 CC2: 0@0	22.36	-26.61	22.36	3.20	25.56	<=30	Pass
		CC1:1765.8 CC2:1777.5	CC1: 1@0 CC2: 0@0	22.76	-26.43	22.77	3.20	25.97	<=30	Pass
		CC1: 1@0	12.35	10.86	14.69	3.20	17.89	<=30	Pass	

			CC2: 1@24							
			CC1: 50@0 CC2: 12@13	16.91	16.04	19.51	3.20	22.71	<=30	Pass
			CC1: 50@50 CC2: 12@0	17.35	16.79	20.06	3.20	23.26	<=30	Pass
			CC1: 100@0 CC2: 25@0	17.41	16.66	20.05	3.20	23.25	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1731.7	CC1: 1@0 CC2: 0@0	21.37	-26.69	21.37	3.20	24.57	<=30	Pass
			CC1: 1@0 CC2: 1@24	11.36	11.41	14.40	3.20	17.60	<=30	Pass
			CC1: 50@0 CC2: 12@13	16.58	16.45	19.53	3.20	22.73	<=30	Pass
			CC1: 50@50 CC2: 12@0	17.34	16.73	20.02	3.20	23.22	<=30	Pass
			CC1: 100@0 CC2: 25@0	17.08	16.94	20.01	3.20	23.21	<=30	Pass
		CC1:1742.9 CC2:1754.6	CC1: 1@0 CC2: 0@0	21.00	-26.91	21.01	3.20	24.21	<=30	Pass
			CC1: 1@0 CC2: 0@0	21.05	-26.89	21.06	3.20	24.26	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1731.7	CC1: 1@0 CC2: 0@0	18.07	-30.20	18.08	3.20	21.28	<=30	Pass
		CC1:1742.9 CC2:1754.6	CC1: 1@0 CC2: 0@0	18.43	-30.25	18.43	3.20	21.63	<=30	Pass
		CC1:1765.8 CC2:1777.5	CC1: 1@0 CC2: 0@0	18.06	-30.26	18.07	3.20	21.27	<=30	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1734.4	CC1: 1@0 CC2: 0@0	22.60	-22.33	22.61	3.20	25.81	<=30	Pass
		CC1:1740.3 CC2:1754.7	CC1: 1@0 CC2: 0@0	22.68	-22.42	22.68	3.20	25.88	<=30	Pass
			CC1: 1@0 CC2: 1@49	11.58	11.07	14.35	3.20	17.55	<=30	Pass
			CC1: 50@0 CC2: 25@25	16.72	16.42	19.58	3.20	22.78	<=30	Pass
			CC1: 50@50 CC2: 25@0	18.04	18.08	21.07	3.20	24.27	<=30	Pass
			CC1: 100@0 CC2: 50@0	18.17	18.08	21.13	3.20	24.33	<=30	Pass
		CC1:1760.6 CC2:1775	CC1: 1@0 CC2: 0@0	22.58	-22.08	22.58	3.20	25.78	<=30	Pass
			CC1: 1@0 CC2: 1@49	11.43	11.11	14.29	3.20	17.49	<=30	Pass
			CC1: 50@0 CC2: 25@25	16.94	16.22	19.61	3.20	22.81	<=30	Pass
			CC1: 50@50 CC2: 25@0	18.41	17.75	21.11	3.20	24.31	<=30	Pass
			CC1: 100@0 CC2: 50@0	18.42	17.75	21.11	3.20	24.31	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1734.4	CC1: 1@0 CC2: 0@0	22.41	-22.18	22.42	3.20	25.62	<=30	Pass
			CC1: 1@0 CC2: 1@49	11.70	11.22	14.48	3.20	17.68	<=30	Pass
			CC1: 50@0 CC2: 25@25	16.67	16.43	19.56	3.20	22.76	<=30	Pass
			CC1: 50@50 CC2: 25@0	17.22	16.89	20.07	3.20	23.27	<=30	Pass
			CC1: 100@0 CC2: 50@0	17.13	16.89	20.03	3.20	23.23	<=30	Pass
		CC1:1740.3 CC2:1754.7	CC1: 1@0 CC2: 0@0	22.04	-22.63	22.04	3.20	25.24	<=30	Pass

	CC1: 64QAM CC2: 64QAM		CC1: 1@0 CC2: 1@49	11.74	10.83	14.32	3.20	17.52	<=30	Pass
			CC1: 50@0 CC2: 25@25	16.73	16.45	19.61	3.20	22.81	<=30	Pass
			CC1: 50@50 CC2: 25@0	17.09	17.14	20.13	3.20	23.33	<=30	Pass
			CC1: 100@0 CC2: 50@0	17.26	17.13	20.21	3.20	23.41	<=30	Pass
		CC1:1760.6 CC2:1775	CC1: 1@0 CC2: 0@0	22.03	-22.49	22.03	3.20	25.23	<=30	Pass
			CC1: 1@0 CC2: 1@49	11.55	11.10	14.35	3.20	17.55	<=30	Pass
			CC1: 50@0 CC2: 25@25	16.96	16.20	19.61	3.20	22.81	<=30	Pass
			CC1: 50@50 CC2: 25@0	17.42	16.71	20.09	3.20	23.29	<=30	Pass
			CC1: 100@0 CC2: 50@0	17.43	16.75	20.11	3.20	23.31	<=30	Pass
		CC1:1720 CC2:1734.4	CC1: 1@0 CC2: 0@0	20.71	-23.03	20.71	3.20	23.91	<=30	Pass
			CC1: 1@0 CC2: 1@49	11.01	11.28	14.16	3.20	17.36	<=30	Pass
			CC1: 50@0 CC2: 25@25	16.70	16.44	19.59	3.20	22.79	<=30	Pass
			CC1: 50@50 CC2: 25@0	17.25	16.90	20.09	3.20	23.29	<=30	Pass
			CC1: 100@0 CC2: 50@0	17.23	16.95	20.11	3.20	23.31	<=30	Pass
		CC1:1740.3 CC2:1754.7	CC1: 1@0 CC2: 0@0	20.67	-23.07	20.67	3.20	23.87	<=30	Pass
			CC1: 1@0 CC2: 0@0	20.99	-23.43	20.99	3.20	24.19	<=30	Pass
		CC1:1760.6 CC2:1775	CC1: 1@0 CC2: 1@49	11.50	11.05	14.30	3.20	17.50	<=30	Pass
			CC1: 50@0 CC2: 25@25	17.01	16.21	19.64	3.20	22.84	<=30	Pass
			CC1: 50@50 CC2: 25@0	17.50	16.76	20.15	3.20	23.35	<=30	Pass
			CC1: 100@0 CC2: 50@0	17.44	16.77	20.13	3.20	23.33	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1734.4	CC1: 1@0 CC2: 0@0	17.67	-25.04	17.67	3.20	20.87	<=30	Pass
			CC1: 1@0 CC2: 0@0	17.62	-27.90	17.62	3.20	20.82	<=30	Pass
		CC1:1760.6 CC2:1775	CC1: 1@0 CC2: 0@0	17.82	-27.56	17.83	3.20	21.03	<=30	Pass
			CC1: 1@0 CC2: 1@49	11.37	11.29	14.34	3.20	17.54	<=30	Pass
			CC1: 50@0 CC2: 25@25	14.88	14.23	17.58	3.20	20.78	<=30	Pass
			CC1: 50@50 CC2: 25@0	15.40	14.77	18.11	3.20	21.31	<=30	Pass
			CC1: 100@0 CC2: 50@0	15.35	14.75	18.07	3.20	21.27	<=30	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1737.1	CC1: 1@0 CC2: 0@0	22.63	-20.95	22.64	3.20	25.84	<=30	Pass
			CC1: 1@0 CC2: 0@0	22.67	-21.03	22.67	3.20	25.87	<=30	Pass
		CC1:1737.7 CC2:1754.8	CC1: 1@0 CC2: 1@74	11.56	11.30	14.45	3.20	17.65	<=30	Pass
			CC1: 50@0	16.81	16.39	19.61	3.20	22.81	<=30	Pass

			CC2: 36@39							
			CC1: 50@50 CC2: 36@0	18.15	18.09	21.13	3.20	24.33	<=30	Pass
			CC1: 100@0 CC2: 75@0	18.31	18.11	21.23	3.20	24.43	<=30	Pass
		CC1:1755.4 CC2:1772.5	CC1: 1@0 CC2: 0@0	22.61	-20.65	22.62	3.20	25.82	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.39	11.44	14.43	3.20	17.63	<=30	Pass
			CC1: 50@0 CC2: 36@39	16.83	16.39	19.62	3.20	22.82	<=30	Pass
			CC1: 50@50 CC2: 36@0	18.37	17.91	21.16	3.20	24.36	<=30	Pass
			CC1: 100@0 CC2: 75@0	18.28	17.87	21.09	3.20	24.29	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1737.1	CC1: 1@0 CC2: 0@0	22.40	-21.20	22.41	3.20	25.61	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.84	11.35	14.61	3.20	17.81	<=30	Pass
			CC1: 50@0 CC2: 36@39	16.80	16.40	19.62	3.20	22.82	<=30	Pass
			CC1: 50@50 CC2: 36@0	17.28	16.98	20.15	3.20	23.35	<=30	Pass
			CC1: 100@0 CC2: 75@0	17.22	16.87	20.06	3.20	23.26	<=30	Pass
		CC1:1737.7 CC2:1754.8	CC1: 1@0 CC2: 0@0	22.10	-21.27	22.10	3.20	25.30	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.77	11.09	14.46	3.20	17.66	<=30	Pass
			CC1: 50@0 CC2: 36@39	16.88	16.46	19.68	3.20	22.88	<=30	Pass
			CC1: 50@50 CC2: 36@0	17.15	17.09	20.13	3.20	23.33	<=30	Pass
			CC1: 100@0 CC2: 75@0	17.35	17.11	20.25	3.20	23.45	<=30	Pass
		CC1:1755.4 CC2:1772.5	CC1: 1@0 CC2: 0@0	22.08	-21.11	22.09	3.20	25.29	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.50	11.42	14.47	3.20	17.67	<=30	Pass
			CC1: 50@0 CC2: 36@39	16.83	16.36	19.61	3.20	22.81	<=30	Pass
			CC1: 50@50 CC2: 36@0	17.35	16.86	20.12	3.20	23.32	<=30	Pass
			CC1: 100@0 CC2: 75@0	17.28	16.88	20.09	3.20	23.29	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1737.1	CC1: 1@0 CC2: 0@0	20.72	-21.59	20.72	3.20	23.92	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.18	11.43	14.32	3.20	17.52	<=30	Pass
			CC1: 50@0 CC2: 36@39	16.81	16.35	19.60	3.20	22.80	<=30	Pass
			CC1: 50@50 CC2: 36@0	17.29	16.94	20.13	3.20	23.33	<=30	Pass
			CC1: 100@0 CC2: 75@0	17.24	16.85	20.06	3.20	23.26	<=30	Pass
		CC1:1737.7 CC2:1754.8	CC1: 1@0 CC2: 0@0	20.68	-24.07	20.68	3.20	23.88	<=30	Pass
		CC1:1755.4 CC2:1772.5	CC1: 1@0 CC2: 0@0	21.04	-21.80	21.05	3.20	24.25	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.44	11.38	14.43	3.20	17.63	<=30	Pass

			CC1: 50@0 CC2: 36@39	16.89	16.43	19.68	3.20	22.88	<=30	Pass
			CC1: 50@50 CC2: 36@0	17.37	16.89	20.14	3.20	23.34	<=30	Pass
			CC1: 100@0 CC2: 75@0	17.28	16.91	20.11	3.20	23.31	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1737.1	CC1: 1@0 CC2: 0@0	17.70	-22.38	17.71	3.20	20.91	<=30	Pass
		CC1:1737.7 CC2:1754.8	CC1: 1@0 CC2: 0@0	17.66	-26.09	17.67	3.20	20.87	<=30	Pass
		CC1:1755.4 CC2:1772.5	CC1: 1@0 CC2: 0@0	17.89	-24.39	17.90	3.20	21.10	<=30	Pass
			CC1: 1@0 CC2: 1@74	11.32	11.61	14.48	3.20	17.68	<=30	Pass
			CC1: 50@0 CC2: 36@39	14.78	14.43	17.62	3.20	20.82	<=30	Pass
			CC1: 50@50 CC2: 36@0	15.32	14.91	18.13	3.20	21.33	<=30	Pass
			CC1: 100@0 CC2: 75@0	15.22	14.92	18.08	3.20	21.28	<=30	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1739.8	CC1: 1@0 CC2: 0@0	22.68	-19.92	22.68	3.20	25.88	<=30	Pass
		CC1:1735.1 CC2:1754.9	CC1: 1@0 CC2: 0@0	22.76	-20.10	22.77	3.20	25.97	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.59	11.16	14.39	3.20	17.59	<=30	Pass
			CC1: 50@0 CC2: 50@50	16.90	16.36	19.65	3.20	22.85	<=30	Pass
			CC1: 50@50 CC2: 50@0	19.22	19.02	22.13	3.20	25.33	<=30	Pass
			CC1: 100@0 CC2: 100@0	18.46	18.05	21.27	3.20	24.47	<=30	Pass
		CC1:1750.2 CC2:1770	CC1: 1@0 CC2: 0@0	22.71	-19.78	22.72	3.20	25.92	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.47	11.19	14.35	3.20	17.55	<=30	Pass
			CC1: 50@0 CC2: 50@50	16.77	16.47	19.63	3.20	22.83	<=30	Pass
			CC1: 50@50 CC2: 50@0	19.09	19.14	22.13	3.20	25.33	<=30	Pass
			CC1: 100@0 CC2: 100@0	18.12	18.00	21.07	3.20	24.27	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1739.8	CC1: 1@0 CC2: 0@0	22.44	-20.07	22.44	3.20	25.64	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.86	11.19	14.55	3.20	17.75	<=30	Pass
			CC1: 50@0 CC2: 50@50	16.88	16.28	19.60	3.20	22.80	<=30	Pass
			CC1: 50@50 CC2: 50@0	18.39	17.89	21.15	3.20	24.35	<=30	Pass
			CC1: 100@0 CC2: 100@0	17.28	16.73	20.02	3.20	23.22	<=30	Pass
		CC1:1735.1 CC2:1754.9	CC1: 1@0 CC2: 0@0	22.15	-20.24	22.16	3.20	25.36	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.78	10.95	14.40	3.20	17.60	<=30	Pass
			CC1: 50@0 CC2: 50@50	16.96	16.41	19.71	3.20	22.91	<=30	Pass
			CC1: 50@50 CC2: 50@0	18.28	18.07	21.18	3.20	24.38	<=30	Pass
			CC1: 100@0	17.48	17.07	20.29	3.20	23.49	<=30	Pass

		CC1:1750.2 CC2:1770	CC2: 100@0							
			CC1: 1@0 CC2: 0@0	22.10	-20.04	22.11	3.20	25.31	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.60	11.17	14.40	3.20	17.60	<=30	Pass
			CC1: 50@0 CC2: 50@50	16.81	16.50	19.67	3.20	22.87	<=30	Pass
			CC1: 50@50 CC2: 50@0	18.13	18.18	21.17	3.20	24.37	<=30	Pass
			CC1: 100@0 CC2: 100@0	17.10	17.01	20.07	3.20	23.27	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1739.8	CC1: 1@0 CC2: 0@0	20.72	-20.61	20.72	3.20	23.92	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.15	11.21	14.19	3.20	17.39	<=30	Pass
			CC1: 50@0 CC2: 50@50	16.91	16.28	19.62	3.20	22.82	<=30	Pass
			CC1: 50@50 CC2: 50@0	17.38	16.87	20.14	3.20	23.34	<=30	Pass
			CC1: 100@0 CC2: 100@0	17.30	16.75	20.05	3.20	23.25	<=30	Pass
		CC1:1735.1 CC2:1754.9	CC1: 1@0 CC2: 0@0	21.07	-21.22	21.07	3.20	24.27	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.66	11.04	14.38	3.20	17.58	<=30	Pass
			CC1: 50@0 CC2: 50@50	17.01	16.42	19.74	3.20	22.94	<=30	Pass
			CC1: 50@50 CC2: 50@0	17.34	17.08	20.22	3.20	23.42	<=30	Pass
			CC1: 100@0 CC2: 100@0	17.48	17.06	20.28	3.20	23.48	<=30	Pass
		CC1:1750.2 CC2:1770	CC1: 1@0 CC2: 0@0	20.72	-20.43	20.72	3.20	23.92	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1739.8	CC1: 1@0 CC2: 0@0	17.69	-22.07	17.70	3.20	20.90	<=30	Pass
		CC1:1735.1 CC2:1754.9	CC1: 1@0 CC2: 0@0	17.89	-24.78	17.89	3.20	21.09	<=30	Pass
			CC1: 1@0 CC2: 1@99	11.54	11.25	14.41	3.20	17.61	<=30	Pass
			CC1: 50@0 CC2: 50@50	14.92	14.41	17.68	3.20	20.88	<=30	Pass
			CC1: 50@50 CC2: 50@0	15.23	15.00	18.13	3.20	21.33	<=30	Pass
			CC1: 100@0 CC2: 100@0	15.41	15.05	18.25	3.20	21.45	<=30	Pass
		CC1:1750.2 CC2:1770	CC1: 1@0 CC2: 0@0	17.68	-21.75	17.69	3.20	20.89	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. 99% & 26dB Bandwidth

2.1 Test Result

2.1.1 CA_66C_NTNV_OBW

Band: CA_66C / NTN					
BW	Modulation	Frequency	RB	99% Occupied Bandwidth (MHz)	Verdict

(MHz)		(MHz)	Allocation	Sum	Limit	
CC1:5 CC2:20	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	23.02	/	Pass
		CC1:1735.4 CC2:1747.1	CC1: 25@0 CC2: 100@0	23.03	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	22.97	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	22.98	/	Pass
		CC1:1735.4 CC2:1747.1	CC1: 25@0 CC2: 100@0	23.03	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	22.97	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	22.95	/	Pass
		CC1:1735.4 CC2:1747.1	CC1: 25@0 CC2: 100@0	23.03	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	22.91	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	23.00	/	Pass
		CC1:1735.4 CC2:1747.1	CC1: 25@0 CC2: 100@0	22.96	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	23.00	/	Pass
CC1:10 CC2:15	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	23.26	/	Pass
		CC1:1737.8 CC2:1749.8	CC1: 50@0 CC2: 75@0	23.23	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	23.19	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	23.19	/	Pass
		CC1:1737.8 CC2:1749.8	CC1: 50@0 CC2: 75@0	23.30	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	23.24	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	23.22	/	Pass
		CC1:1737.8 CC2:1749.8	CC1: 50@0 CC2: 75@0	23.28	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	23.20	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	23.23	/	Pass
		CC1:1737.8 CC2:1749.8	CC1: 50@0 CC2: 75@0	23.21	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	23.23	/	Pass
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	28.14	/	Pass
		CC1:1735.3 CC2:1749.7	CC1: 50@0 CC2: 100@0	28.25	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	28.10	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	28.03	/	Pass
		CC1:1735.3 CC2:1749.7	CC1: 50@0 CC2: 100@0	28.13	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	28.08	/	Pass

	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	28.09	/	Pass
		CC1:1735.3 CC2:1749.7	CC1: 50@0 CC2: 100@0	28.18	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	28.00	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	28.07	/	Pass
		CC1:1735.3 CC2:1749.7	CC1: 50@0 CC2: 100@0	28.19	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	28.09	/	Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	23.22	/	Pass
		CC1:1740.3 CC2:1752.3	CC1: 75@0 CC2: 50@0	23.29	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	23.18	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	23.18	/	Pass
		CC1:1740.3 CC2:1752.3	CC1: 75@0 CC2: 50@0	23.25	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	23.20	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	23.13	/	Pass
		CC1:1740.3 CC2:1752.3	CC1: 75@0 CC2: 50@0	23.21	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	23.20	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	23.19	/	Pass
		CC1:1740.3 CC2:1752.3	CC1: 75@0 CC2: 50@0	23.28	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	23.33	/	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	28.69	/	Pass
		CC1:1737.5 CC2:1752.5	CC1: 75@0 CC2: 75@0	28.79	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	28.75	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	28.70	/	Pass
		CC1:1737.5 CC2:1752.5	CC1: 75@0 CC2: 75@0	28.82	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	28.73	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	28.60	/	Pass
		CC1:1737.5 CC2:1752.5	CC1: 75@0 CC2: 75@0	28.73	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	28.67	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	28.62	/	Pass
		CC1:1737.5 CC2:1752.5	CC1: 75@0 CC2: 75@0	28.80	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	28.68	/	Pass
CC1:15	CC1:	CC1:1717.5	CC1: 75@0	32.90	/	Pass

CC2:20	QPSK CC2: QPSK	CC2:1734.6	CC2: 100@0			
		CC1:1735.2 CC2:1752.3	CC1: 75@0 CC2: 100@0	33.12	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	33.04	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	32.84	/	Pass
		CC1:1735.2 CC2:1752.3	CC1: 75@0 CC2: 100@0	32.99	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	32.93	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	32.83	/	Pass
		CC1:1735.2 CC2:1752.3	CC1: 75@0 CC2: 100@0	33.06	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	32.86	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	32.89	/	Pass
		CC1:1735.2 CC2:1752.3	CC1: 75@0 CC2: 100@0	33.04	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	32.93	/	Pass
CC1:20 CC2:5	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	23.04	/	Pass
		CC1:1742.9 CC2:1754.6	CC1: 100@0 CC2: 25@0	23.06	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	22.98	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	22.93	/	Pass
		CC1:1742.9 CC2:1754.6	CC1: 100@0 CC2: 25@0	23.03	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	22.96	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	22.95	/	Pass
		CC1:1742.9 CC2:1754.6	CC1: 100@0 CC2: 25@0	23.00	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	22.99	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	22.90	/	Pass
		CC1:1742.9 CC2:1754.6	CC1: 100@0 CC2: 25@0	23.02	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	23.02	/	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	28.14	/	Pass
		CC1:1740.3 CC2:1754.7	CC1: 100@0 CC2: 50@0	28.29	/	Pass
		CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	28.08	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	28.10	/	Pass
		CC1:1740.3 CC2:1754.7	CC1: 100@0 CC2: 50@0	28.17	/	Pass
		CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	28.05	/	Pass
	CC1: 64QAM	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	28.07	/	Pass

	CC2: 64QAM	CC1:1740.3 CC2:1754.7	CC1: 100@0 CC2: 50@0	28.25	/	Pass
		CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	28.08	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	28.07	/	Pass
		CC1:1740.3 CC2:1754.7	CC1: 100@0 CC2: 50@0	28.23	/	Pass
		CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	28.16	/	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	32.93	/	Pass
		CC1:1737.7 CC2:1754.8	CC1: 100@0 CC2: 75@0	33.08	/	Pass
		CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	32.95	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	32.86	/	Pass
		CC1:1737.7 CC2:1754.8	CC1: 100@0 CC2: 75@0	33.00	/	Pass
		CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	32.88	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	32.94	/	Pass
		CC1:1737.7 CC2:1754.8	CC1: 100@0 CC2: 75@0	33.05	/	Pass
		CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	32.90	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	32.87	/	Pass
		CC1:1737.7 CC2:1754.8	CC1: 100@0 CC2: 75@0	33.04	/	Pass
		CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	32.90	/	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	37.86	/	Pass
		CC1:1735.1 CC2:1754.9	CC1: 100@0 CC2: 100@0	37.96	/	Pass
		CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	37.80	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	37.78	/	Pass
		CC1:1735.1 CC2:1754.9	CC1: 100@0 CC2: 100@0	37.87	/	Pass
		CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	37.74	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	37.73	/	Pass
		CC1:1735.1 CC2:1754.9	CC1: 100@0 CC2: 100@0	37.84	/	Pass
		CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	37.81	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	37.71	/	Pass
		CC1:1735.1 CC2:1754.9	CC1: 100@0 CC2: 100@0	37.91	/	Pass
		CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	37.74	/	Pass

2.1.2 CA_66C_NTNV_XDB

Band: CA_66C / NTNV						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	26dB Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:5 CC2:20	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	24.30	/	Pass
		CC1:1735.4 CC2:1747.1	CC1: 25@0 CC2: 100@0	24.38	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	24.36	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	24.19	/	Pass
		CC1:1735.4 CC2:1747.1	CC1: 25@0 CC2: 100@0	24.36	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	24.15	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	24.27	/	Pass
		CC1:1735.4 CC2:1747.1	CC1: 25@0 CC2: 100@0	24.29	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	24.21	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	24.29	/	Pass
		CC1:1735.4 CC2:1747.1	CC1: 25@0 CC2: 100@0	24.27	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	24.10	/	Pass
CC1:10 CC2:15	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	24.72	/	Pass
		CC1:1737.8 CC2:1749.8	CC1: 50@0 CC2: 75@0	24.78	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	24.68	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	24.69	/	Pass
		CC1:1737.8 CC2:1749.8	CC1: 50@0 CC2: 75@0	24.70	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	24.68	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	24.64	/	Pass
		CC1:1737.8 CC2:1749.8	CC1: 50@0 CC2: 75@0	24.71	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	24.62	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	24.77	/	Pass
		CC1:1737.8 CC2:1749.8	CC1: 50@0 CC2: 75@0	24.72	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	24.72	/	Pass
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	30.36	/	Pass
		CC1:1735.3 CC2:1749.7	CC1: 50@0 CC2: 100@0	30.43	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	30.35	/	Pass
	CC1:	CC1:1715	CC1: 50@0	30.20	/	Pass

	16QAM CC2: 16QAM	CC2:1729.4	CC2: 100@0			
		CC1:1735.3 CC2:1749.7	CC1: 50@0 CC2: 100@0	30.17	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	30.21	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	30.23	/	Pass
		CC1:1735.3 CC2:1749.7	CC1: 50@0 CC2: 100@0	30.37	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	30.24	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	30.18	/	Pass
		CC1:1735.3 CC2:1749.7	CC1: 50@0 CC2: 100@0	30.19	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	30.20	/	Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	24.71	/	Pass
		CC1:1740.3 CC2:1752.3	CC1: 75@0 CC2: 50@0	24.84	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	24.72	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	24.61	/	Pass
		CC1:1740.3 CC2:1752.3	CC1: 75@0 CC2: 50@0	24.68	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	24.64	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	24.69	/	Pass
		CC1:1740.3 CC2:1752.3	CC1: 75@0 CC2: 50@0	24.69	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	24.70	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	25.12	/	Pass
		CC1:1740.3 CC2:1752.3	CC1: 75@0 CC2: 50@0	24.64	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	24.72	/	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	30.96	/	Pass
		CC1:1737.5 CC2:1752.5	CC1: 75@0 CC2: 75@0	31.00	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	30.87	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	30.89	/	Pass
		CC1:1737.5 CC2:1752.5	CC1: 75@0 CC2: 75@0	30.98	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	30.94	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	30.97	/	Pass
		CC1:1737.5 CC2:1752.5	CC1: 75@0 CC2: 75@0	31.02	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	30.90	/	Pass
	CC1: 256QAM	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	30.88	/	Pass


	CC2: 256QAM	CC1:1737.5 CC2:1752.5	CC1: 75@0 CC2: 75@0	31.02	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	30.92	/	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	35.26	/	Pass
		CC1:1735.2 CC2:1752.3	CC1: 75@0 CC2: 100@0	35.48	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	35.23	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	35.19	/	Pass
		CC1:1735.2 CC2:1752.3	CC1: 75@0 CC2: 100@0	35.26	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	35.21	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	35.33	/	Pass
		CC1:1735.2 CC2:1752.3	CC1: 75@0 CC2: 100@0	35.20	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	35.25	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	35.18	/	Pass
		CC1:1735.2 CC2:1752.3	CC1: 75@0 CC2: 100@0	35.25	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	35.28	/	Pass
CC1:20 CC2:5	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	24.33	/	Pass
		CC1:1742.9 CC2:1754.6	CC1: 100@0 CC2: 25@0	24.34	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	24.23	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	24.17	/	Pass
		CC1:1742.9 CC2:1754.6	CC1: 100@0 CC2: 25@0	24.27	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	24.41	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	24.22	/	Pass
		CC1:1742.9 CC2:1754.6	CC1: 100@0 CC2: 25@0	24.23	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	24.23	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	24.18	/	Pass
		CC1:1742.9 CC2:1754.6	CC1: 100@0 CC2: 25@0	24.24	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	24.18	/	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	30.41	/	Pass
		CC1:1740.3 CC2:1754.7	CC1: 100@0 CC2: 50@0	30.32	/	Pass
		CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	30.29	/	Pass
	CC1: 16QAM CC2:	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	30.21	/	Pass
		CC1:1740.3	CC1: 100@0	30.29	/	Pass

	16QAM	CC2:1754.7	CC2: 50@0			
		CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	30.25	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	30.17	/	Pass
		CC1:1740.3 CC2:1754.7	CC1: 100@0 CC2: 50@0	30.22	/	Pass
		CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	30.19	/	Pass
		CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	30.14	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1740.3 CC2:1754.7	CC1: 100@0 CC2: 50@0	30.20	/	Pass
		CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	30.38	/	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	35.41	/	Pass
		CC1:1737.7 CC2:1754.8	CC1: 100@0 CC2: 75@0	35.44	/	Pass
		CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	35.29	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	35.21	/	Pass
		CC1:1737.7 CC2:1754.8	CC1: 100@0 CC2: 75@0	35.47	/	Pass
		CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	35.47	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	35.33	/	Pass
		CC1:1737.7 CC2:1754.8	CC1: 100@0 CC2: 75@0	35.35	/	Pass
		CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	35.36	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	35.21	/	Pass
		CC1:1737.7 CC2:1754.8	CC1: 100@0 CC2: 75@0	35.25	/	Pass
		CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	35.31	/	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	40.30	/	Pass
		CC1:1735.1 CC2:1754.9	CC1: 100@0 CC2: 100@0	40.39	/	Pass
		CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	40.34	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	40.31	/	Pass
		CC1:1735.1 CC2:1754.9	CC1: 100@0 CC2: 100@0	40.28	/	Pass
		CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	40.33	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	40.17	/	Pass
		CC1:1735.1 CC2:1754.9	CC1: 100@0 CC2: 100@0	40.26	/	Pass
		CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	40.30	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	40.22	/	Pass
		CC1:1735.1 CC2:1754.9	CC1: 100@0 CC2: 100@0	40.30	/	Pass


		CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	40.22	/	Pass
--	--	------------------------	--------------------------	-------	---	------

2.2 Test Graph


2.2.1 CA_66C_NTNV_OBW




CA 66C_SISO_NTNV_CC1:5 CC2:20MHz CC1:QPSK CC2:QPSK CC1:1758.3 CC2:1770MHz CC1: 25@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1712.5 CC2:1724.2MHz_CC1: 25@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1735.4 CC2:1747.1MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1758.3 CC2:1770MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1712.5 CC2:1724.2MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1735.4 CC2:1747.1MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1758.3 CC2:1770MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1712.5 CC2:1724.2MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1735.4 CC2:1747.1MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1758.3 CC2:1770MHz_CC1: 25@0 CC2:
100@0




CA 66C SISO NTN CC1:10 CC2:15MHz CC1:QPSK CC2:QPSK CC1:1715 CC2:1727MHz CC1: 50@0 CC2: 75@0




CA 66C SISO NTN CC1:10 CC2:15MHz CC1:QPSK CC2:QPSK CC1:1737.8 CC2:1749.8MHz CC1: 50@0 CC2: 75@0




CA 66C SISO NTN CC1:10 CC2:15MHz CC1:QPSK CC2:QPSK CC1:1760.5 CC2:1772.5MHz CC1: 50@0 CC2: 75@0




CA 66C SISO NTN CC1:10 CC2:15MHz CC1:16QAM CC2:16QAM CC1:1715 CC2:1727MHz CC1: 50@0 CC2: 75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1737.8 CC2:1749.8MHz_CC1: 50@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1760.5 CC2:1772.5MHz_CC1: 50@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz CC1:64QAM CC2:64QAM CC1:1715 CC2:1727MHz CC1: 50@0 CC2: 75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz CC1:64QAM CC2:64QAM CC1:1737.8 CC2:1749.8MHz CC1: 50@0 CC2: 75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1760.5 CC2:1772.5MHz_CC1: 50@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1715 CC2:1727MHz_CC1: 50@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1737.8 CC2:1749.8MHz_CC1: 50@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1760.5 CC2:1772.5MHz_CC1: 50@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:1715 CC2:1729.4MHz CC1: 50@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:1735.3 CC2:1749.7MHz_CC1: 50@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:1755.6 CC2:1770MHz CC1: 50@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1715 CC2:1729.4MHz_CC1: 50@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1735.3 CC2:1749.7MHz_CC1: 50@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1755.6 CC2:1770MHz_CC1: 50@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1715 CC2:1729.4MHz_CC1: 50@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1735.3 CC2:1749.7MHz_CC1: 50@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1755.6 CC2:1770MHz_CC1: 50@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1715 CC2:1729.4MHz_CC1: 50@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1735.3 CC2:1749.7MHz_CC1: 50@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1755.6 CC2:1770MHz_CC1: 50@0 CC2: 100@0




CA 66C SISO NTN CC1:15 CC2:10MHz CC1:QPSK CC2:QPSK CC1:1717.5 CC2:1729.5MHz CC1: 75@0 CC2: 50@0




CA 66C SISO NTN CC1:15 CC2:10MHz CC1:QPSK CC2:QPSK CC1:1740.3 CC2:1752.3MHz CC1: 75@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:15 CC2:10MHz CC1:QPSK CC2:QPSK CC1:1763 CC2:1775MHz CC1: 75@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1717.5 CC2:1729.5MHz_CC1: 75@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1740.3 CC2:1752.3MHz_CC1: 75@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1763 CC2:1775MHz_CC1: 75@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1717.5 CC2:1729.5MHz_CC1: 75@0 CC2:
50@0




CA_66C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1740.3 CC2:1752.3MHz_CC1: 75@0 CC2:
50@0




CA_66C_SISO_NTNV_CC1:15 CC2:10MHz CC1:64QAM CC2:64QAM CC1:1763 CC2:1775MHz CC1: 75@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1717.5 CC2:1729.5MHz_CC1: 75@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1740.3 CC2:1752.3MHz_CC1: 75@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1763 CC2:1775MHz_CC1: 75@0 CC2: 50@0




CA 66C SISO NTNv CC1:15 CC2:15MHz CC1:QPSK CC2:QPSK CC1:1717.5 CC2:1732.5MHz CC1: 75@0 CC2: 75@0




CA 66C SISO NTNv CC1:15 CC2:15MHz CC1:QPSK CC2:QPSK CC1:1737.5 CC2:1752.5MHz CC1: 75@0 CC2: 75@0




CA_66C_SISO_NTNV_CC1:15 CC2:15MHz CC1:QPSK CC2:QPSK CC1:1757.5 CC2:1772.5MHz CC1: 75@0 CC2: 75@0




CA_66C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1717.5 CC2:1732.5MHz_CC1: 75@0 CC2: 75@0




CA_66C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1737.5 CC2:1752.5MHz_CC1: 75@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1757.5 CC2:1772.5MHz_CC1: 75@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1717.5 CC2:1732.5MHz_CC1: 75@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1737.5 CC2:1752.5MHz_CC1: 75@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1757.5 CC2:1772.5MHz_CC1: 75@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1717.5 CC2:1732.5MHz_CC1: 75@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1737.5 CC2:1752.5MHz_CC1: 75@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1757.5 CC2:1772.5MHz_CC1: 75@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:1717.5 CC2:1734.6MHz_CC1: 75@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:1735.2 CC2:1752.3MHz_CC1: 75@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:15 CC2:20MHz CC1:QPSK CC2:QPSK CC1:1752.9 CC2:1770MHz CC1: 75@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1717.5 CC2:1734.6MHz_CC1: 75@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1735.2 CC2:1752.3MHz_CC1: 75@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1752.9 CC2:1770MHz_CC1: 75@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1717.5 CC2:1734.6MHz_CC1: 75@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1735.2 CC2:1752.3MHz_CC1: 75@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1752.9 CC2:1770MHz_CC1: 75@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1717.5 CC2:1734.6MHz_CC1: 75@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1735.2 CC2:1752.3MHz_CC1: 75@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1752.9 CC2:1770MHz_CC1: 75@0 CC2:
100@0




CA 66C SISO NTN CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:1720 CC2:1731.7MHz CC1: 100@0 CC2: 25@0




CA 66C SISO NTN CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:1742.9 CC2:1754.6MHz CC1: 100@0 CC2: 25@0




CA_66C_SISO_NTNV_CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:1765.8 CC2:1777.5MHz CC1: 100@0 CC2: 25@0




CA_66C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1720 CC2:1731.7MHz_CC1: 100@0 CC2: 25@0




CA_66C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1742.9 CC2:1754.6MHz_CC1: 100@0 CC2:
25@0




CA_66C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1765.8 CC2:1777.5MHz_CC1: 100@0 CC2:
25@0




CA_66C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1720 CC2:1731.7MHz_CC1: 100@0 CC2:
25@0




CA_66C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1742.9 CC2:1754.6MHz_CC1: 100@0 CC2:
25@0




CA_66C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1765.8 CC2:1777.5MHz_CC1: 100@0 CC2:
25@0




CA_66C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1720 CC2:1731.7MHz_CC1: 100@0 CC2:
25@0




CA_66C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1742.9 CC2:1754.6MHz_CC1: 100@0 CC2:
25@0




CA_66C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1765.8 CC2:1777.5MHz_CC1: 100@0 CC2:
25@0




CA_66C_SISO_NTNV_CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:1720 CC2:1734.4MHz CC1: 100@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:1740.3 CC2:1754.7MHz_CC1: 100@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:1760.6 CC2:1775MHz CC1: 100@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1720 CC2:1734.4MHz_CC1: 100@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1740.3 CC2:1754.7MHz_CC1: 100@0 CC2:
50@0




CA_66C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1760.6 CC2:1775MHz_CC1: 100@0 CC2:
50@0




CA_66C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1720 CC2:1734.4MHz_CC1: 100@0 CC2:
50@0




CA_66C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1740.3 CC2:1754.7MHz_CC1: 100@0 CC2:
50@0




CA_66C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1760.6 CC2:1775MHz_CC1: 100@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1720 CC2:1734.4MHz_CC1: 100@0 CC2: 50@0




CA_66C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1740.3 CC2:1754.7MHz_CC1: 100@0 CC2:
50@0




CA_66C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1760.6 CC2:1775MHz_CC1: 100@0 CC2:
50@0




CA_66C_SISO_NTNV_CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:1720 CC2:1737.1MHz CC1: 100@0 CC2: 75@0




CA_66C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:1737.7 CC2:1754.8MHz_CC1: 100@0 CC2: 75@0




CA_66C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:1755.4 CC2:1772.5MHz_CC1: 100@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1720 CC2:1737.1MHz_CC1: 100@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1737.7 CC2:1754.8MHz_CC1: 100@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1755.4 CC2:1772.5MHz_CC1: 100@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1720 CC2:1737.1MHz_CC1: 100@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1737.7 CC2:1754.8MHz_CC1: 100@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1755.4 CC2:1772.5MHz_CC1: 100@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1720 CC2:1737.1MHz_CC1: 100@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1737.7 CC2:1754.8MHz_CC1: 100@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1755.4 CC2:1772.5MHz_CC1: 100@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:1720 CC2:1739.8MHz_CC1: 100@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:1735.1 CC2:1754.9MHz_CC1: 100@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:1750.2 CC2:1770MHz_CC1: 100@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1720 CC2:1739.8MHz_CC1: 100@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1735.1 CC2:1754.9MHz_CC1: 100@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1750.2 CC2:1770MHz_CC1: 100@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1720 CC2:1739.8MHz_CC1: 100@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1735.1 CC2:1754.9MHz_CC1: 100@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1750.2 CC2:1770MHz_CC1: 100@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1720 CC2:1739.8MHz_CC1: 100@0 CC2:
100@0



CA_66C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1735.1 CC2:1754.9MHz_CC1: 100@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1750.2 CC2:1770MHz_CC1: 100@0 CC2:
100@0




2.2.2 CA_66C_NTNV_XDB


CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:1712.5 CC2:1724.2MHz_CC1: 25@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:1735.4 CC2:1747.1MHz_CC1: 25@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz CC1:QPSK CC2:QPSK CC1:1758.3 CC2:1770MHz CC1: 25@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1712.5 CC2:1724.2MHz_CC1: 25@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1735.4 CC2:1747.1MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1758.3 CC2:1770MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1712.5 CC2:1724.2MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1735.4 CC2:1747.1MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1758.3 CC2:1770MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1712.5 CC2:1724.2MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1735.4 CC2:1747.1MHz_CC1: 25@0 CC2:
100@0




CA_66C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1758.3 CC2:1770MHz_CC1: 25@0 CC2:
100@0




CA 66C SISO NTNv CC1:10 CC2:15MHz CC1:QPSK CC2:QPSK CC1:1715 CC2:1727MHz CC1: 50@0 CC2: 75@0




CA 66C SISO NTNv CC1:10 CC2:15MHz CC1:QPSK CC2:QPSK CC1:1737.8 CC2:1749.8MHz CC1: 50@0 CC2: 75@0




CA 66C SISO NTNV CC1:10 CC2:15MHz CC1:QPSK CC2:QPSK CC1:1760.5 CC2:1772.5MHz CC1: 50@0 CC2: 75@0




CA 66C SISO NTNV CC1:10 CC2:15MHz CC1:16QAM CC2:16QAM CC1:1715 CC2:1727MHz CC1: 50@0 CC2: 75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1737.8 CC2:1749.8MHz_CC1: 50@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1760.5 CC2:1772.5MHz_CC1: 50@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz CC1:64QAM CC2:64QAM CC1:1715 CC2:1727MHz CC1: 50@0 CC2: 75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz CC1:64QAM CC2:64QAM CC1:1737.8 CC2:1749.8MHz CC1: 50@0 CC2: 75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1760.5 CC2:1772.5MHz_CC1: 50@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1715 CC2:1727MHz_CC1: 50@0 CC2:
75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1737.8 CC2:1749.8MHz_CC1: 50@0 CC2: 75@0




CA_66C_SISO_NTNV_CC1:10 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1760.5 CC2:1772.5MHz_CC1: 50@0 CC2: 75@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:1715 CC2:1729.4MHz CC1: 50@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:1735.3 CC2:1749.7MHz_CC1: 50@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:1755.6 CC2:1770MHz CC1: 50@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1715 CC2:1729.4MHz_CC1: 50@0 CC2: 100@0




CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1735.3 CC2:1749.7MHz_CC1: 50@0 CC2:
100@0



CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1755.6 CC2:1770MHz_CC1: 50@0 CC2:
100@0



CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1715 CC2:1729.4MHz_CC1: 50@0 CC2:
100@0



CA_66C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1735.3 CC2:1749.7MHz_CC1: 50@0 CC2:
100@0

