

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.60	2.00	24.60	<=33.01	Pass
			2	22.69	2.00	24.69	<=33.01	Pass
			5	22.67	2.00	24.67	<=33.01	Pass
		3	0	22.66	2.00	24.66	<=33.01	Pass
			2	22.76	2.00	24.76	<=33.01	Pass
			3	22.64	2.00	24.64	<=33.01	Pass
		6	0	22.08	2.00	24.08	<=33.01	Pass
	1880	1	0	22.83	2.00	24.83	<=33.01	Pass
			2	22.97	2.00	24.97	<=33.01	Pass
			5	23.04	2.00	25.04	<=33.01	Pass
		3	0	22.94	2.00	24.94	<=33.01	Pass
			2	22.96	2.00	24.96	<=33.01	Pass
			3	22.78	2.00	24.78	<=33.01	Pass
		6	0	22.47	2.00	24.47	<=33.01	Pass
	1909.3	1	0	23.22	2.00	25.22	<=33.01	Pass
			2	23.31	2.00	25.31	<=33.01	Pass
			5	23.15	2.00	25.15	<=33.01	Pass
		3	0	23.26	2.00	25.26	<=33.01	Pass
			2	23.19	2.00	25.19	<=33.01	Pass
			3	23.23	2.00	25.23	<=33.01	Pass
		6	0	22.59	2.00	24.59	<=33.01	Pass
16QAM	1850.7	1	0	22.33	2.00	24.33	<=33.01	Pass
			2	22.30	2.00	24.30	<=33.01	Pass
			5	22.16	2.00	24.16	<=33.01	Pass
		3	0	22.11	2.00	24.11	<=33.01	Pass
			2	22.12	2.00	24.12	<=33.01	Pass
			3	22.08	2.00	24.08	<=33.01	Pass
		6	0	21.10	2.00	23.10	<=33.01	Pass
	1880	1	0	22.57	2.00	24.57	<=33.01	Pass
			2	22.48	2.00	24.48	<=33.01	Pass
			5	22.69	2.00	24.69	<=33.01	Pass
		3	0	22.24	2.00	24.24	<=33.01	Pass
			2	22.29	2.00	24.29	<=33.01	Pass
			3	22.40	2.00	24.40	<=33.01	Pass
		6	0	21.36	2.00	23.36	<=33.01	Pass
	1909.3	1	0	22.90	2.00	24.90	<=33.01	Pass
			2	22.78	2.00	24.78	<=33.01	Pass
			5	22.91	2.00	24.91	<=33.01	Pass
		3	0	22.74	2.00	24.74	<=33.01	Pass
			2	22.58	2.00	24.58	<=33.01	Pass
			3	22.60	2.00	24.60	<=33.01	Pass
		6	0	21.72	2.00	23.72	<=33.01	Pass
64QAM	1850.7	1	0	21.26	2.00	23.26	<=33.01	Pass
			2	21.24	2.00	23.24	<=33.01	Pass
			5	21.17	2.00	23.17	<=33.01	Pass
		3	0	21.15	2.00	23.15	<=33.01	Pass
			2	21.14	2.00	23.14	<=33.01	Pass
			3	21.12	2.00	23.12	<=33.01	Pass

		6	0	20.02	2.00	22.02	<=33.01	Pass
	1880	1	0	21.40	2.00	23.40	<=33.01	Pass
			2	21.52	2.00	23.52	<=33.01	Pass
			5	21.56	2.00	23.56	<=33.01	Pass
			0	21.43	2.00	23.43	<=33.01	Pass
		3	2	21.39	2.00	23.39	<=33.01	Pass
			3	21.46	2.00	23.46	<=33.01	Pass
			6	20.33	2.00	22.33	<=33.01	Pass
	1909.3	1	0	21.75	2.00	23.75	<=33.01	Pass
			2	21.87	2.00	23.87	<=33.01	Pass
			5	21.78	2.00	23.78	<=33.01	Pass
		3	0	21.74	2.00	23.74	<=33.01	Pass
			2	21.74	2.00	23.74	<=33.01	Pass
			3	21.62	2.00	23.62	<=33.01	Pass
		6	0	20.55	2.00	22.55	<=33.01	Pass

256QAM	1850.7	1	0	18.08	2.00	20.08	<=33.01	Pass
			2	18.17	2.00	20.17	<=33.01	Pass
			5	18.02	2.00	20.02	<=33.01	Pass
		3	0	18.10	2.00	20.10	<=33.01	Pass
			2	18.11	2.00	20.11	<=33.01	Pass
			3	18.18	2.00	20.18	<=33.01	Pass
		6	0	17.99	2.00	19.99	<=33.01	Pass
	1880	1	0	18.32	2.00	20.32	<=33.01	Pass
			2	18.42	2.00	20.42	<=33.01	Pass
			5	18.42	2.00	20.42	<=33.01	Pass
		3	0	18.27	2.00	20.27	<=33.01	Pass
			2	18.36	2.00	20.36	<=33.01	Pass
			3	18.42	2.00	20.42	<=33.01	Pass
		6	0	18.21	2.00	20.21	<=33.01	Pass
	1909.3	1	0	18.68	2.00	20.68	<=33.01	Pass
			2	18.66	2.00	20.66	<=33.01	Pass
			5	18.57	2.00	20.57	<=33.01	Pass
		3	0	18.57	2.00	20.57	<=33.01	Pass
			2	18.73	2.00	20.73	<=33.01	Pass
			3	18.63	2.00	20.63	<=33.01	Pass
		6	0	18.49	2.00	20.49	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	22.73	2.00	24.73	<=33.01	Pass
			7	22.61	2.00	24.61	<=33.01	Pass
			14	22.51	2.00	24.51	<=33.01	Pass
		8	0	22.08	2.00	24.08	<=33.01	Pass
			4	22.07	2.00	24.07	<=33.01	Pass
			7	22.13	2.00	24.13	<=33.01	Pass
		15	0	22.13	2.00	24.13	<=33.01	Pass
	1880	1	0	22.87	2.00	24.87	<=33.01	Pass
			7	22.96	2.00	24.96	<=33.01	Pass
			14	23.03	2.00	25.03	<=33.01	Pass
		8	0	22.31	2.00	24.31	<=33.01	Pass
			4	22.27	2.00	24.27	<=33.01	Pass
			7	22.32	2.00	24.32	<=33.01	Pass

	1908.5	15	0	22.35	2.00	24.35	<=33.01	Pass
		1	0	23.49	2.00	25.49	<=33.01	Pass
			7	23.34	2.00	25.34	<=33.01	Pass
			14	23.19	2.00	25.19	<=33.01	Pass
		8	0	22.84	2.00	24.84	<=33.01	Pass
			4	22.60	2.00	24.60	<=33.01	Pass
			7	22.67	2.00	24.67	<=33.01	Pass
		15	0	22.73	2.00	24.73	<=33.01	Pass
16QAM	1851.5	1	0	22.36	2.00	24.36	<=33.01	Pass
			7	22.34	2.00	24.34	<=33.01	Pass
			14	22.16	2.00	24.16	<=33.01	Pass
		8	0	21.23	2.00	23.23	<=33.01	Pass
			4	21.04	2.00	23.04	<=33.01	Pass
			7	21.11	2.00	23.11	<=33.01	Pass
		15	0	21.13	2.00	23.13	<=33.01	Pass
	1880	1	0	22.49	2.00	24.49	<=33.01	Pass
			7	22.65	2.00	24.65	<=33.01	Pass
			14	22.75	2.00	24.75	<=33.01	Pass
		8	0	21.35	2.00	23.35	<=33.01	Pass
			4	21.42	2.00	23.42	<=33.01	Pass
			7	21.38	2.00	23.38	<=33.01	Pass
		15	0	21.29	2.00	23.29	<=33.01	Pass
	1908.5	1	0	23.05	2.00	25.05	<=33.01	Pass
			7	23.06	2.00	25.06	<=33.01	Pass
			14	22.93	2.00	24.93	<=33.01	Pass
		8	0	21.82	2.00	23.82	<=33.01	Pass
			4	21.75	2.00	23.75	<=33.01	Pass
			7	21.76	2.00	23.76	<=33.01	Pass
		15	0	21.74	2.00	23.74	<=33.01	Pass
64QAM	1851.5	1	0	21.27	2.00	23.27	<=33.01	Pass
			7	21.32	2.00	23.32	<=33.01	Pass
			14	21.17	2.00	23.17	<=33.01	Pass
		8	0	20.09	2.00	22.09	<=33.01	Pass
			4	20.07	2.00	22.07	<=33.01	Pass
			7	20.02	2.00	22.02	<=33.01	Pass
		15	0	20.13	2.00	22.13	<=33.01	Pass
	1880	1	0	21.56	2.00	23.56	<=33.01	Pass
			7	21.54	2.00	23.54	<=33.01	Pass
			14	21.60	2.00	23.60	<=33.01	Pass
		8	0	20.35	2.00	22.35	<=33.01	Pass
			4	20.39	2.00	22.39	<=33.01	Pass
			7	20.53	2.00	22.53	<=33.01	Pass
		15	0	20.37	2.00	22.37	<=33.01	Pass
	1908.5	1	0	21.81	2.00	23.81	<=33.01	Pass
			7	21.96	2.00	23.96	<=33.01	Pass
			14	21.76	2.00	23.76	<=33.01	Pass
		8	0	20.76	2.00	22.76	<=33.01	Pass
			4	20.61	2.00	22.61	<=33.01	Pass
			7	20.67	2.00	22.67	<=33.01	Pass
		15	0	20.73	2.00	22.73	<=33.01	Pass
256QAM	1851.5	1	0	18.02	2.00	20.02	<=33.01	Pass
			7	18.11	2.00	20.11	<=33.01	Pass
			14	18.13	2.00	20.13	<=33.01	Pass
		8	0	18.05	2.00	20.05	<=33.01	Pass
			4	17.81	2.00	19.81	<=33.01	Pass
			7	17.96	2.00	19.96	<=33.01	Pass
		15	0	18.06	2.00	20.06	<=33.01	Pass
	1880	1	0	18.29	2.00	20.29	<=33.01	Pass

		8	7	18.37	2.00	20.37	<=33.01	Pass
			14	18.52	2.00	20.52	<=33.01	Pass
			0	18.32	2.00	20.32	<=33.01	Pass
			4	18.33	2.00	20.33	<=33.01	Pass
			7	18.34	2.00	20.34	<=33.01	Pass
	1908.5	15	0	18.27	2.00	20.27	<=33.01	Pass
		1	0	18.82	2.00	20.82	<=33.01	Pass
			7	18.76	2.00	20.76	<=33.01	Pass
			14	18.52	2.00	20.52	<=33.01	Pass
		8	0	18.73	2.00	20.73	<=33.01	Pass
			4	18.64	2.00	20.64	<=33.01	Pass
			7	18.57	2.00	20.57	<=33.01	Pass
		15	0	18.66	2.00	20.66	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.84	2.00	24.84	<=33.01	Pass
			13	22.59	2.00	24.59	<=33.01	Pass
			24	22.71	2.00	24.71	<=33.01	Pass
		12	0	22.18	2.00	24.18	<=33.01	Pass
			6	22.11	2.00	24.11	<=33.01	Pass
			13	22.02	2.00	24.02	<=33.01	Pass
		25	0	22.13	2.00	24.13	<=33.01	Pass
	1880	1	0	22.94	2.00	24.94	<=33.01	Pass
			13	23.06	2.00	25.06	<=33.01	Pass
			24	23.20	2.00	25.20	<=33.01	Pass
		12	0	22.36	2.00	24.36	<=33.01	Pass
			6	22.37	2.00	24.37	<=33.01	Pass
			13	22.62	2.00	24.62	<=33.01	Pass
		25	0	22.48	2.00	24.48	<=33.01	Pass
	1907.5	1	0	23.47	2.00	25.47	<=33.01	Pass
			13	23.38	2.00	25.38	<=33.01	Pass
			24	23.26	2.00	25.26	<=33.01	Pass
		12	0	22.91	2.00	24.91	<=33.01	Pass
			6	22.86	2.00	24.86	<=33.01	Pass
			13	22.79	2.00	24.79	<=33.01	Pass
		25	0	22.84	2.00	24.84	<=33.01	Pass
16QAM	1852.5	1	0	22.37	2.00	24.37	<=33.01	Pass
			13	22.23	2.00	24.23	<=33.01	Pass
			24	22.30	2.00	24.30	<=33.01	Pass
		12	0	21.21	2.00	23.21	<=33.01	Pass
			6	21.10	2.00	23.10	<=33.01	Pass
			13	21.09	2.00	23.09	<=33.01	Pass
		25	0	21.13	2.00	23.13	<=33.01	Pass
	1880	1	0	22.63	2.00	24.63	<=33.01	Pass
			13	22.65	2.00	24.65	<=33.01	Pass
			24	22.90	2.00	24.90	<=33.01	Pass
		12	0	21.41	2.00	23.41	<=33.01	Pass
			6	21.47	2.00	23.47	<=33.01	Pass
			13	21.47	2.00	23.47	<=33.01	Pass
		25	0	21.39	2.00	23.39	<=33.01	Pass
	1907.5	1	0	22.98	2.00	24.98	<=33.01	Pass

			13	22.98	2.00	24.98	<=33.01	Pass		
			24	22.82	2.00	24.82	<=33.01	Pass		
			12	0	21.93	2.00	23.93	<=33.01	Pass	
		6		21.90	2.00	23.90	<=33.01	Pass		
		13		21.66	2.00	23.66	<=33.01	Pass		
		25	0	21.78	2.00	23.78	<=33.01	Pass		
64QAM	1852.5	1	0	21.23	2.00	23.23	<=33.01	Pass		
			13	21.15	2.00	23.15	<=33.01	Pass		
			24	21.21	2.00	23.21	<=33.01	Pass		
		12	0	20.10	2.00	22.10	<=33.01	Pass		
			6	20.11	2.00	22.11	<=33.01	Pass		
			13	19.98	2.00	21.98	<=33.01	Pass		
		25	0	20.05	2.00	22.05	<=33.01	Pass		
		1880	1	0	21.43	2.00	23.43	<=33.01	Pass	
				13	21.47	2.00	23.47	<=33.01	Pass	
	24			21.84	2.00	23.84	<=33.01	Pass		
	12		0	20.41	2.00	22.41	<=33.01	Pass		
			6	20.41	2.00	22.41	<=33.01	Pass		
			13	20.55	2.00	22.55	<=33.01	Pass		
	25		0	20.30	2.00	22.30	<=33.01	Pass		
	1907.5		1	0	21.90	2.00	23.90	<=33.01	Pass	
				13	21.91	2.00	23.91	<=33.01	Pass	
		24		21.77	2.00	23.77	<=33.01	Pass		
		12	0	20.82	2.00	22.82	<=33.01	Pass		
			6	20.84	2.00	22.84	<=33.01	Pass		
			13	20.64	2.00	22.64	<=33.01	Pass		
		25	0	20.75	2.00	22.75	<=33.01	Pass		
		256QAM	1852.5	1	0	18.23	2.00	20.23	<=33.01	Pass
					13	18.10	2.00	20.10	<=33.01	Pass
	24				18.09	2.00	20.09	<=33.01	Pass	
	12			0	18.09	2.00	20.09	<=33.01	Pass	
				6	18.08	2.00	20.08	<=33.01	Pass	
				13	17.93	2.00	19.93	<=33.01	Pass	
25	0			17.88	2.00	19.88	<=33.01	Pass		
1880	1			0	18.34	2.00	20.34	<=33.01	Pass	
				13	18.44	2.00	20.44	<=33.01	Pass	
			24	18.64	2.00	20.64	<=33.01	Pass		
	12		0	18.28	2.00	20.28	<=33.01	Pass		
			6	18.31	2.00	20.31	<=33.01	Pass		
			13	18.39	2.00	20.39	<=33.01	Pass		
	25		0	18.33	2.00	20.33	<=33.01	Pass		
	1907.5		1	0	18.86	2.00	20.86	<=33.01	Pass	
				13	18.82	2.00	20.82	<=33.01	Pass	
24				18.62	2.00	20.62	<=33.01	Pass		
12			0	18.73	2.00	20.73	<=33.01	Pass		
			6	18.64	2.00	20.64	<=33.01	Pass		
			13	18.60	2.00	20.60	<=33.01	Pass		
25			0	18.67	2.00	20.67	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.72	2.00	24.72	<=33.01	Pass

		25	25	22.76	2.00	24.76	<=33.01	Pass
			49	23.22	2.00	25.22	<=33.01	Pass
			0	22.00	2.00	24.00	<=33.01	Pass
			13	22.09	2.00	24.09	<=33.01	Pass
			25	22.20	2.00	24.20	<=33.01	Pass
			50	0	22.16	2.00	24.16	<=33.01
	1880	1	0	22.90	2.00	24.90	<=33.01	Pass
			25	23.04	2.00	25.04	<=33.01	Pass
			49	23.29	2.00	25.29	<=33.01	Pass
		25	0	22.30	2.00	24.30	<=33.01	Pass
			13	22.38	2.00	24.38	<=33.01	Pass
			25	22.59	2.00	24.59	<=33.01	Pass
	50	0	22.41	2.00	24.41	<=33.01	Pass	
	1905	1	0	23.03	2.00	25.03	<=33.01	Pass
			25	23.45	2.00	25.45	<=33.01	Pass
			49	23.34	2.00	25.34	<=33.01	Pass
		25	0	22.82	2.00	24.82	<=33.01	Pass
			13	22.84	2.00	24.84	<=33.01	Pass
			25	22.73	2.00	24.73	<=33.01	Pass
	50	0	22.70	2.00	24.70	<=33.01	Pass	
16QAM	1855	1	0	22.40	2.00	24.40	<=33.01	Pass
			25	22.34	2.00	24.34	<=33.01	Pass
			49	22.79	2.00	24.79	<=33.01	Pass
		25	0	21.14	2.00	23.14	<=33.01	Pass
			13	21.16	2.00	23.16	<=33.01	Pass
			25	21.28	2.00	23.28	<=33.01	Pass
	50	0	21.12	2.00	23.12	<=33.01	Pass	
	1880	1	0	22.49	2.00	24.49	<=33.01	Pass
			25	22.62	2.00	24.62	<=33.01	Pass
			49	22.98	2.00	24.98	<=33.01	Pass
		25	0	21.32	2.00	23.32	<=33.01	Pass
			13	21.47	2.00	23.47	<=33.01	Pass
			25	21.67	2.00	23.67	<=33.01	Pass
	50	0	21.49	2.00	23.49	<=33.01	Pass	
	1905	1	0	22.84	2.00	24.84	<=33.01	Pass
			25	22.95	2.00	24.95	<=33.01	Pass
			49	22.90	2.00	24.90	<=33.01	Pass
		25	0	21.75	2.00	23.75	<=33.01	Pass
			13	21.78	2.00	23.78	<=33.01	Pass
			25	21.78	2.00	23.78	<=33.01	Pass
50	0	21.65	2.00	23.65	<=33.01	Pass		
64QAM	1855	1	0	21.14	2.00	23.14	<=33.01	Pass
			25	21.19	2.00	23.19	<=33.01	Pass
			49	21.57	2.00	23.57	<=33.01	Pass
		25	0	20.15	2.00	22.15	<=33.01	Pass
			13	20.12	2.00	22.12	<=33.01	Pass
			25	20.19	2.00	22.19	<=33.01	Pass
	50	0	20.13	2.00	22.13	<=33.01	Pass	
	1880	1	0	21.41	2.00	23.41	<=33.01	Pass
			25	21.62	2.00	23.62	<=33.01	Pass
			49	21.85	2.00	23.85	<=33.01	Pass
		25	0	20.32	2.00	22.32	<=33.01	Pass
			13	20.48	2.00	22.48	<=33.01	Pass
			25	20.61	2.00	22.61	<=33.01	Pass
	50	0	20.39	2.00	22.39	<=33.01	Pass	
	1905	1	0	21.59	2.00	23.59	<=33.01	Pass
			25	21.90	2.00	23.90	<=33.01	Pass
			49	21.73	2.00	23.73	<=33.01	Pass

		25	0	20.59	2.00	22.59	<=33.01	Pass	
			13	20.77	2.00	22.77	<=33.01	Pass	
			25	20.77	2.00	22.77	<=33.01	Pass	
		50	0	20.79	2.00	22.79	<=33.01	Pass	
256QAM	1855	1	0	18.15	2.00	20.15	<=33.01	Pass	
			25	18.12	2.00	20.12	<=33.01	Pass	
			49	18.57	2.00	20.57	<=33.01	Pass	
		25	0	18.14	2.00	20.14	<=33.01	Pass	
			13	18.06	2.00	20.06	<=33.01	Pass	
			25	18.16	2.00	20.16	<=33.01	Pass	
		50	0	18.10	2.00	20.10	<=33.01	Pass	
		1880	1	0	18.23	2.00	20.23	<=33.01	Pass
				25	18.41	2.00	20.41	<=33.01	Pass
				49	18.91	2.00	20.91	<=33.01	Pass
	25		0	18.20	2.00	20.20	<=33.01	Pass	
			13	18.46	2.00	20.46	<=33.01	Pass	
			25	18.63	2.00	20.63	<=33.01	Pass	
	50		0	18.40	2.00	20.40	<=33.01	Pass	
	1905		1	0	18.59	2.00	20.59	<=33.01	Pass
		25		18.80	2.00	20.80	<=33.01	Pass	
		49		18.64	2.00	20.64	<=33.01	Pass	
		25	0	18.56	2.00	20.56	<=33.01	Pass	
			13	18.76	2.00	20.76	<=33.01	Pass	
			25	18.59	2.00	20.59	<=33.01	Pass	
		50	0	18.60	2.00	20.60	<=33.01	Pass	
		Note1: EIRP=Conducted Power+Antenna Gain							

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.65	2.00	24.65	<=33.01	Pass
			38	22.87	2.00	24.87	<=33.01	Pass
			74	23.34	2.00	25.34	<=33.01	Pass
		36	0	22.07	2.00	24.07	<=33.01	Pass
			18	22.35	2.00	24.35	<=33.01	Pass
			39	22.57	2.00	24.57	<=33.01	Pass
		75	0	22.36	2.00	24.36	<=33.01	Pass
	1880	1	0	22.89	2.00	24.89	<=33.01	Pass
			38	22.97	2.00	24.97	<=33.01	Pass
			74	23.44	2.00	25.44	<=33.01	Pass
		36	0	22.21	2.00	24.21	<=33.01	Pass
			18	22.37	2.00	24.37	<=33.01	Pass
			39	22.66	2.00	24.66	<=33.01	Pass
		75	0	22.44	2.00	24.44	<=33.01	Pass
	1902.5	1	0	22.90	2.00	24.90	<=33.01	Pass
			38	23.19	2.00	25.19	<=33.01	Pass
			74	23.34	2.00	25.34	<=33.01	Pass
		36	0	22.39	2.00	24.39	<=33.01	Pass
			18	22.58	2.00	24.58	<=33.01	Pass
			39	22.68	2.00	24.68	<=33.01	Pass
		75	0	22.58	2.00	24.58	<=33.01	Pass
16QAM	1857.5	1	0	22.30	2.00	24.30	<=33.01	Pass
			38	22.53	2.00	24.53	<=33.01	Pass
			74	22.99	2.00	24.99	<=33.01	Pass

		36	0	21.21	2.00	23.21	<=33.01	Pass
			18	21.26	2.00	23.26	<=33.01	Pass
			39	21.63	2.00	23.63	<=33.01	Pass
		75	0	21.33	2.00	23.33	<=33.01	Pass
	1880	1	0	22.46	2.00	24.46	<=33.01	Pass
			38	22.62	2.00	24.62	<=33.01	Pass
			74	23.10	2.00	25.10	<=33.01	Pass
		36	0	21.29	2.00	23.29	<=33.01	Pass
			18	21.43	2.00	23.43	<=33.01	Pass
			39	21.67	2.00	23.67	<=33.01	Pass
		75	0	21.43	2.00	23.43	<=33.01	Pass
	1902.5	1	0	22.76	2.00	24.76	<=33.01	Pass
			38	22.85	2.00	24.85	<=33.01	Pass
			74	22.88	2.00	24.88	<=33.01	Pass
		36	0	21.45	2.00	23.45	<=33.01	Pass
			18	21.63	2.00	23.63	<=33.01	Pass
			39	21.77	2.00	23.77	<=33.01	Pass
		75	0	21.54	2.00	23.54	<=33.01	Pass
64QAM	1857.5	1	0	21.30	2.00	23.30	<=33.01	Pass
			38	21.43	2.00	23.43	<=33.01	Pass
			74	21.94	2.00	23.94	<=33.01	Pass
		36	0	20.23	2.00	22.23	<=33.01	Pass
			18	20.24	2.00	22.24	<=33.01	Pass
			39	20.52	2.00	22.52	<=33.01	Pass
		75	0	20.40	2.00	22.40	<=33.01	Pass
	1880	1	0	21.25	2.00	23.25	<=33.01	Pass
			38	21.61	2.00	23.61	<=33.01	Pass
			74	22.12	2.00	24.12	<=33.01	Pass
		36	0	20.31	2.00	22.31	<=33.01	Pass
			18	20.41	2.00	22.41	<=33.01	Pass
			39	20.68	2.00	22.68	<=33.01	Pass
		75	0	20.42	2.00	22.42	<=33.01	Pass
	1902.5	1	0	21.58	2.00	23.58	<=33.01	Pass
			38	21.75	2.00	23.75	<=33.01	Pass
			74	21.80	2.00	23.80	<=33.01	Pass
		36	0	20.37	2.00	22.37	<=33.01	Pass
			18	20.62	2.00	22.62	<=33.01	Pass
			39	20.69	2.00	22.69	<=33.01	Pass
		75	0	20.49	2.00	22.49	<=33.01	Pass
256QAM	1857.5	1	0	18.09	2.00	20.09	<=33.01	Pass
			38	18.26	2.00	20.26	<=33.01	Pass
			74	18.75	2.00	20.75	<=33.01	Pass
		36	0	18.06	2.00	20.06	<=33.01	Pass
			18	18.17	2.00	20.17	<=33.01	Pass
			39	18.40	2.00	20.40	<=33.01	Pass
		75	0	18.22	2.00	20.22	<=33.01	Pass
	1880	1	0	18.38	2.00	20.38	<=33.01	Pass
			38	18.42	2.00	20.42	<=33.01	Pass
			74	18.84	2.00	20.84	<=33.01	Pass
		36	0	18.21	2.00	20.21	<=33.01	Pass
			18	18.38	2.00	20.38	<=33.01	Pass
			39	18.67	2.00	20.67	<=33.01	Pass
		75	0	18.36	2.00	20.36	<=33.01	Pass
	1902.5	1	0	18.39	2.00	20.39	<=33.01	Pass
			38	18.65	2.00	20.65	<=33.01	Pass
			74	18.68	2.00	20.68	<=33.01	Pass
		36	0	18.32	2.00	20.32	<=33.01	Pass
			18	18.60	2.00	20.60	<=33.01	Pass

			39	18.71	2.00	20.71	<=33.01	Pass
		75	0	18.51	2.00	20.51	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.69	2.00	24.69	<=33.01	Pass
			50	23.11	2.00	25.11	<=33.01	Pass
			99	23.35	2.00	25.35	<=33.01	Pass
		50	0	22.21	2.00	24.21	<=33.01	Pass
			25	22.52	2.00	24.52	<=33.01	Pass
			50	22.63	2.00	24.63	<=33.01	Pass
		100	0	22.43	2.00	24.43	<=33.01	Pass
	1880	1	0	23.06	2.00	25.06	<=33.01	Pass
			50	22.96	2.00	24.96	<=33.01	Pass
			99	23.45	2.00	25.45	<=33.01	Pass
		50	0	22.26	2.00	24.26	<=33.01	Pass
			25	22.43	2.00	24.43	<=33.01	Pass
			50	22.75	2.00	24.75	<=33.01	Pass
		100	0	22.58	2.00	24.58	<=33.01	Pass
	1900	1	0	23.47	2.00	25.47	<=33.01	Pass
			50	22.92	2.00	24.92	<=33.01	Pass
			99	23.39	2.00	25.39	<=33.01	Pass
		50	0	22.58	2.00	24.58	<=33.01	Pass
			25	22.54	2.00	24.54	<=33.01	Pass
			50	22.70	2.00	24.70	<=33.01	Pass
		100	0	22.68	2.00	24.68	<=33.01	Pass
16QAM	1860	1	0	22.37	2.00	24.37	<=33.01	Pass
			50	22.68	2.00	24.68	<=33.01	Pass
			99	22.78	2.00	24.78	<=33.01	Pass
		50	0	21.31	2.00	23.31	<=33.01	Pass
			25	21.52	2.00	23.52	<=33.01	Pass
			50	21.59	2.00	23.59	<=33.01	Pass
		100	0	21.41	2.00	23.41	<=33.01	Pass
	1880	1	0	22.51	2.00	24.51	<=33.01	Pass
			50	22.62	2.00	24.62	<=33.01	Pass
			99	23.13	2.00	25.13	<=33.01	Pass
		50	0	21.25	2.00	23.25	<=33.01	Pass
			25	21.49	2.00	23.49	<=33.01	Pass
			50	21.78	2.00	23.78	<=33.01	Pass
		100	0	21.54	2.00	23.54	<=33.01	Pass
	1900	1	0	22.93	2.00	24.93	<=33.01	Pass
			50	22.53	2.00	24.53	<=33.01	Pass
			99	22.94	2.00	24.94	<=33.01	Pass
		50	0	21.59	2.00	23.59	<=33.01	Pass
			25	21.53	2.00	23.53	<=33.01	Pass
			50	21.69	2.00	23.69	<=33.01	Pass
		100	0	21.56	2.00	23.56	<=33.01	Pass
64QAM	1860	1	0	21.21	2.00	23.21	<=33.01	Pass
			50	21.51	2.00	23.51	<=33.01	Pass
			99	21.71	2.00	23.71	<=33.01	Pass
		50	0	20.23	2.00	22.23	<=33.01	Pass
			25	20.48	2.00	22.48	<=33.01	Pass

			50	20.59	2.00	22.59	<=33.01	Pass
		100	0	20.41	2.00	22.41	<=33.01	Pass
	1880	1	0	21.61	2.00	23.61	<=33.01	Pass
			50	21.54	2.00	23.54	<=33.01	Pass
			99	22.02	2.00	24.02	<=33.01	Pass
		50	0	20.36	2.00	22.36	<=33.01	Pass
			25	20.43	2.00	22.43	<=33.01	Pass
			50	20.80	2.00	22.80	<=33.01	Pass
		100	0	20.44	2.00	22.44	<=33.01	Pass
	1900	1	0	21.92	2.00	23.92	<=33.01	Pass
			50	21.67	2.00	23.67	<=33.01	Pass
			99	21.87	2.00	23.87	<=33.01	Pass
		50	0	20.58	2.00	22.58	<=33.01	Pass
			25	20.44	2.00	22.44	<=33.01	Pass
			50	20.68	2.00	22.68	<=33.01	Pass
	100	0	20.52	2.00	22.52	<=33.01	Pass	
256QAM	1860	1	0	18.11	2.00	20.11	<=33.01	Pass
			50	18.41	2.00	20.41	<=33.01	Pass
			99	18.72	2.00	20.72	<=33.01	Pass
		50	0	18.12	2.00	20.12	<=33.01	Pass
			25	18.43	2.00	20.43	<=33.01	Pass
			50	18.42	2.00	20.42	<=33.01	Pass
		100	0	18.39	2.00	20.39	<=33.01	Pass
	1880	1	0	18.54	2.00	20.54	<=33.01	Pass
			50	18.54	2.00	20.54	<=33.01	Pass
			99	19.01	2.00	21.01	<=33.01	Pass
		50	0	18.22	2.00	20.22	<=33.01	Pass
			25	18.42	2.00	20.42	<=33.01	Pass
			50	18.66	2.00	20.66	<=33.01	Pass
	100	0	18.52	2.00	20.52	<=33.01	Pass	
	1900	1	0	18.80	2.00	20.80	<=33.01	Pass
			50	18.49	2.00	20.49	<=33.01	Pass
			99	18.81	2.00	20.81	<=33.01	Pass
		50	0	18.51	2.00	20.51	<=33.01	Pass
			25	18.44	2.00	20.44	<=33.01	Pass
			50	18.66	2.00	20.66	<=33.01	Pass
		100	0	18.54	2.00	20.54	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	6	0	20	3.27	-10.291	-0.0055	-2.5 to 2.5	Pass
					3.85	-3.221	-0.0017	-2.5 to 2.5	Pass
					4.43	-0.986	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-3.256	-0.0017	-2.5 to 2.5	Pass
				-20	3.85	-1.170	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	4.623	0.0025	-2.5 to 2.5	Pass
				0	3.85	3.712	0.0020	-2.5 to 2.5	Pass

				10	3.85	-5.401	-0.0029	-2.5 to 2.5	Pass
				30	3.85	-4.150	-0.0022	-2.5 to 2.5	Pass
				40	3.85	6.556	0.0035	-2.5 to 2.5	Pass
				50	3.85	1.297	0.0007	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	15	0	20	3.27	-4.550	-0.0024	-2.5 to 2.5	Pass
					3.85	0.017	0.0000	-2.5 to 2.5	Pass
					4.43	3.795	0.0020	-2.5 to 2.5	Pass
				-30	3.85	0.901	0.0005	-2.5 to 2.5	Pass
				-20	3.85	0.448	0.0002	-2.5 to 2.5	Pass
				-10	3.85	-1.989	-0.0011	-2.5 to 2.5	Pass
				0	3.85	3.954	0.0021	-2.5 to 2.5	Pass
				10	3.85	-2.895	-0.0015	-2.5 to 2.5	Pass
				30	3.85	3.070	0.0016	-2.5 to 2.5	Pass
				40	3.85	2.424	0.0013	-2.5 to 2.5	Pass
				50	3.85	-3.628	-0.0019	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	25	0	20	3.27	-4.382	-0.0023	-2.5 to 2.5	Pass
					3.85	-2.221	-0.0012	-2.5 to 2.5	Pass
					4.43	1.396	0.0007	-2.5 to 2.5	Pass
				-30	3.85	1.816	0.0010	-2.5 to 2.5	Pass
				-20	3.85	-0.375	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.857	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-3.219	-0.0017	-2.5 to 2.5	Pass
				10	3.85	-1.545	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-4.633	-0.0025	-2.5 to 2.5	Pass
				40	3.85	-3.635	-0.0019	-2.5 to 2.5	Pass
				50	3.85	-1.580	-0.0008	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	3.27	-4.130	-0.0022	-2.5 to 2.5	Pass
					3.85	2.825	0.0015	-2.5 to 2.5	Pass
					4.43	5.301	0.0028	-2.5 to 2.5	Pass
				-30	3.85	1.620	0.0009	-2.5 to 2.5	Pass
				-20	3.85	-3.793	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	-3.149	-0.0017	-2.5 to 2.5	Pass
				0	3.85	-7.424	-0.0039	-2.5 to 2.5	Pass
				10	3.85	-4.584	-0.0024	-2.5 to 2.5	Pass
				30	3.85	-4.157	-0.0022	-2.5 to 2.5	Pass

				40	3.85	-2.200	-0.0012	-2.5 to 2.5	Pass
				50	3.85	5.355	0.0028	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	75	0	20	3.27	-1.528	-0.0008	-2.5 to 2.5	Pass
					3.85	3.921	0.0021	-2.5 to 2.5	Pass
					4.43	-0.874	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-1.479	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	7.881	0.0042	-2.5 to 2.5	Pass
				-10	3.85	4.051	0.0022	-2.5 to 2.5	Pass
				0	3.85	6.156	0.0033	-2.5 to 2.5	Pass
				10	3.85	4.112	0.0022	-2.5 to 2.5	Pass
				30	3.85	2.947	0.0016	-2.5 to 2.5	Pass
				40	3.85	4.120	0.0022	-2.5 to 2.5	Pass
				50	3.85	7.455	0.0040	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	100	0	20	3.27	-1.954	-0.0010	-2.5 to 2.5	Pass
					3.85	0.898	0.0005	-2.5 to 2.5	Pass
					4.43	2.165	0.0012	-2.5 to 2.5	Pass
				-30	3.85	3.895	0.0021	-2.5 to 2.5	Pass
				-20	3.85	0.270	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-4.157	-0.0022	-2.5 to 2.5	Pass
				0	3.85	-2.693	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-3.499	-0.0019	-2.5 to 2.5	Pass
				30	3.85	-4.736	-0.0025	-2.5 to 2.5	Pass
				40	3.85	-2.750	-0.0015	-2.5 to 2.5	Pass
				50	3.85	-0.986	-0.0005	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.114	/	Pass
		1880	6	0	1.114	/	Pass
		1909.3	6	0	1.111	/	Pass
	16QAM	1850.7	6	0	1.116	/	Pass
		1880	6	0	1.117	/	Pass
		1909.3	6	0	1.118	/	Pass

	64QAM	1850.7	6	0	1.107	/	Pass
		1880	6	0	1.116	/	Pass
		1909.3	6	0	1.116	/	Pass
	256QAM	1850.7	6	0	1.106	/	Pass
		1880	6	0	1.111	/	Pass
		1909.3	6	0	1.119	/	Pass
3	QPSK	1851.5	15	0	2.742	/	Pass
		1880	15	0	2.730	/	Pass
		1908.5	15	0	2.728	/	Pass
	16QAM	1851.5	15	0	2.742	/	Pass
		1880	15	0	2.742	/	Pass
		1908.5	15	0	2.732	/	Pass
	64QAM	1851.5	15	0	2.749	/	Pass
		1880	15	0	2.731	/	Pass
		1908.5	15	0	2.727	/	Pass
	256QAM	1851.5	15	0	2.745	/	Pass
		1880	15	0	2.731	/	Pass
		1908.5	15	0	2.728	/	Pass
5	QPSK	1852.5	25	0	4.557	/	Pass
		1880	25	0	4.548	/	Pass
		1907.5	25	0	4.532	/	Pass
	16QAM	1852.5	25	0	4.538	/	Pass
		1880	25	0	4.533	/	Pass
		1907.5	25	0	4.528	/	Pass
	64QAM	1852.5	25	0	4.536	/	Pass
		1880	25	0	4.543	/	Pass
		1907.5	25	0	4.543	/	Pass
	256QAM	1852.5	25	0	4.536	/	Pass
		1880	25	0	4.546	/	Pass
		1907.5	25	0	4.549	/	Pass
10	QPSK	1855	50	0	9.074	/	Pass
		1880	50	0	9.047	/	Pass
		1905	50	0	9.035	/	Pass
	16QAM	1855	50	0	9.058	/	Pass
		1880	50	0	9.071	/	Pass
		1905	50	0	9.043	/	Pass
	64QAM	1855	50	0	9.022	/	Pass
		1880	50	0	9.029	/	Pass
		1905	50	0	9.047	/	Pass
	256QAM	1855	50	0	9.047	/	Pass
		1880	50	0	9.087	/	Pass
		1905	50	0	9.071	/	Pass
15	QPSK	1857.5	75	0	13.711	/	Pass
		1880	75	0	13.669	/	Pass
		1902.5	75	0	13.709	/	Pass
	16QAM	1857.5	75	0	13.694	/	Pass
		1880	75	0	13.650	/	Pass
		1902.5	75	0	13.686	/	Pass
	64QAM	1857.5	75	0	13.648	/	Pass
		1880	75	0	13.661	/	Pass
		1902.5	75	0	13.709	/	Pass
	256QAM	1857.5	75	0	13.585	/	Pass
		1880	75	0	13.645	/	Pass
		1902.5	75	0	13.731	/	Pass
20	QPSK	1860	100	0	18.261	/	Pass
		1880	100	0	18.182	/	Pass
		1900	100	0	18.234	/	Pass
	16QAM	1860	100	0	18.222	/	Pass

	64QAM	1880	100	0	18.236	/	Pass
		1900	100	0	18.163	/	Pass
		1860	100	0	18.142	/	Pass
		1880	100	0	18.156	/	Pass
		1900	100	0	18.240	/	Pass
	256QAM	1860	100	0	18.154	/	Pass
		1880	100	0	18.171	/	Pass
		1900	100	0	18.161	/	Pass


3.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.327	/	Pass
		1880	6	0	1.343	/	Pass
		1909.3	6	0	1.320	/	Pass
	16QAM	1850.7	6	0	1.368	/	Pass
		1880	6	0	1.345	/	Pass
		1909.3	6	0	1.322	/	Pass
	64QAM	1850.7	6	0	1.320	/	Pass
		1880	6	0	1.355	/	Pass
		1909.3	6	0	1.334	/	Pass
	256QAM	1850.7	6	0	1.319	/	Pass
		1880	6	0	1.318	/	Pass
		1909.3	6	0	1.341	/	Pass
3	QPSK	1851.5	15	0	3.039	/	Pass
		1880	15	0	3.002	/	Pass
		1908.5	15	0	3.004	/	Pass
	16QAM	1851.5	15	0	3.016	/	Pass
		1880	15	0	3.010	/	Pass
		1908.5	15	0	3.006	/	Pass
	64QAM	1851.5	15	0	3.022	/	Pass
		1880	15	0	3.008	/	Pass
		1908.5	15	0	3.014	/	Pass
	256QAM	1851.5	15	0	3.031	/	Pass
		1880	15	0	3.019	/	Pass
		1908.5	15	0	3.032	/	Pass
5	QPSK	1852.5	25	0	5.068	/	Pass
		1880	25	0	5.069	/	Pass
		1907.5	25	0	5.038	/	Pass
	16QAM	1852.5	25	0	5.028	/	Pass
		1880	25	0	4.975	/	Pass
		1907.5	25	0	5.025	/	Pass
	64QAM	1852.5	25	0	5.055	/	Pass
		1880	25	0	5.060	/	Pass
		1907.5	25	0	5.059	/	Pass
	256QAM	1852.5	25	0	5.054	/	Pass
		1880	25	0	5.050	/	Pass
		1907.5	25	0	5.004	/	Pass
10	QPSK	1855	50	0	10.003	/	Pass
		1880	50	0	9.977	/	Pass
		1905	50	0	9.989	/	Pass
	16QAM	1855	50	0	9.935	/	Pass
		1880	50	0	10.014	/	Pass
		1905	50	0	9.925	/	Pass


	64QAM	1855	50	0	9.895	/	Pass
		1880	50	0	10.005	/	Pass
		1905	50	0	10.055	/	Pass
	256QAM	1855	50	0	9.967	/	Pass
		1880	50	0	9.953	/	Pass
		1905	50	0	10.034	/	Pass
15	QPSK	1857.5	75	0	17.610	/	Pass
		1880	75	0	16.292	/	Pass
		1902.5	75	0	16.998	/	Pass
	16QAM	1857.5	75	0	17.332	/	Pass
		1880	75	0	16.557	/	Pass
		1902.5	75	0	16.758	/	Pass
	64QAM	1857.5	75	0	16.443	/	Pass
		1880	75	0	15.948	/	Pass
		1902.5	75	0	16.758	/	Pass
	256QAM	1857.5	75	0	15.020	/	Pass
		1880	75	0	15.042	/	Pass
		1902.5	75	0	15.105	/	Pass
20	QPSK	1860	100	0	21.518	/	Pass
		1880	100	0	19.967	/	Pass
		1900	100	0	20.818	/	Pass
	16QAM	1860	100	0	21.214	/	Pass
		1880	100	0	20.225	/	Pass
		1900	100	0	20.847	/	Pass
	64QAM	1860	100	0	20.413	/	Pass
		1880	100	0	20.109	/	Pass
		1900	100	0	20.544	/	Pass
	256QAM	1860	100	0	19.787	/	Pass
		1880	100	0	19.760	/	Pass
		1900	100	0	19.858	/	Pass

3.2 Test Graph


3.2.1 Band2_OBW




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_256QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_256QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_256QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_256QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_256QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_256QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_256QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_256QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_256QAM_HCH_1900MHz_RB_100_0_NTNV




3.2.2 Band2_XDB




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2_1.4MHz_64QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_256QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_256QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_256QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_256QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_256QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_256QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_256QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_256QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_256QAM_HCH_1900MHz_RB_100_0_NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	1.72	<=13	Pass
	1880	6	0	2.54	<=13	Pass
	1909.3	6	0	2.68	<=13	Pass
16QAM	1850.7	6	0	2.19	<=13	Pass
	1880	6	0	2.53	<=13	Pass
	1909.3	6	0	2.68	<=13	Pass
64QAM	1850.7	6	0	2.54	<=13	Pass
	1880	6	0	2.54	<=13	Pass
	1909.3	6	0	2.68	<=13	Pass
256QAM	1850.7	6	0	3.32	<=13	Pass
	1880	6	0	3.36	<=13	Pass
	1909.3	6	0	3.52	<=13	Pass

4.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	2.97	<=13	Pass
	1880	15	0	2.98	<=13	Pass
	1908.5	15	0	3.06	<=13	Pass
16QAM	1851.5	15	0	2.97	<=13	Pass
	1880	15	0	2.98	<=13	Pass
	1908.5	15	0	3.07	<=13	Pass
64QAM	1851.5	15	0	2.97	<=13	Pass
	1880	15	0	2.98	<=13	Pass
	1908.5	15	0	3.07	<=13	Pass
256QAM	1851.5	15	0	3.55	<=13	Pass
	1880	15	0	3.55	<=13	Pass
	1908.5	15	0	3.70	<=13	Pass

4.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	3.67	<=13	Pass
	1880	25	0	3.68	<=13	Pass
	1907.5	25	0	3.75	<=13	Pass
16QAM	1852.5	25	0	3.67	<=13	Pass
	1880	25	0	3.68	<=13	Pass
	1907.5	25	0	3.75	<=13	Pass

64QAM	1852.5	25	0	3.66	<=13	Pass
	1880	25	0	3.68	<=13	Pass
	1907.5	25	0	3.75	<=13	Pass
256QAM	1852.5	25	0	4.15	<=13	Pass
	1880	25	0	4.20	<=13	Pass
	1907.5	25	0	4.31	<=13	Pass

4.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	4.26	<=13	Pass
	1880	50	0	4.26	<=13	Pass
	1905	50	0	4.30	<=13	Pass
16QAM	1855	50	0	4.25	<=13	Pass
	1880	50	0	4.26	<=13	Pass
	1905	50	0	4.31	<=13	Pass
64QAM	1855	50	0	4.25	<=13	Pass
	1880	50	0	4.26	<=13	Pass
	1905	50	0	4.31	<=13	Pass
256QAM	1855	50	0	4.62	<=13	Pass
	1880	50	0	4.61	<=13	Pass
	1905	50	0	4.71	<=13	Pass

4.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	4.37	<=13	Pass
	1880	75	0	4.41	<=13	Pass
	1902.5	75	0	4.47	<=13	Pass
16QAM	1857.5	75	0	4.35	<=13	Pass
	1880	75	0	4.42	<=13	Pass
	1902.5	75	0	4.46	<=13	Pass
64QAM	1857.5	75	0	4.36	<=13	Pass
	1880	75	0	4.40	<=13	Pass
	1902.5	75	0	4.45	<=13	Pass
256QAM	1857.5	75	0	4.69	<=13	Pass
	1880	75	0	4.72	<=13	Pass
	1902.5	75	0	4.78	<=13	Pass


4.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	4.57	<=13	Pass
	1880	100	0	4.60	<=13	Pass
	1900	100	0	4.59	<=13	Pass
16QAM	1860	100	0	4.58	<=13	Pass
	1880	100	0	4.60	<=13	Pass


	1900	100	0	4.58	<=13	Pass
64QAM	1860	100	0	4.58	<=13	Pass
	1880	100	0	4.60	<=13	Pass
	1900	100	0	4.59	<=13	Pass
256QAM	1860	100	0	4.72	<=13	Pass
	1880	100	0	4.74	<=13	Pass
	1900	100	0	4.77	<=13	Pass

4.2 Test Graph


4.2.1 B2_1.4MHz




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_256QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_256QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_256QAM_HCH_1909.3MHz_RB_6_0_NTNV




4.2.2 B2_3MHz




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_HCH_1908.5MHz_RB_15_0_NTNV




4.2.3 B2_5MHz




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_256QAM_LCH_1852.5MHz_RB_25_0_NTNV



Band2_5MHz_256QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_256QAM_HCH_1907.5MHz_RB_25_0_NTNV




4.2.4 B2_10MHz


Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_HCH_1905MHz_RB_50_0_NTNV




4.2.5 B2_15MHz




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_LCH_1857.5MHz_RB_75_0_NTNV



Band2_15MHz_256QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_HCH_1902.5MHz_RB_75_0_NTNV




4.2.6 B2_20MHz


Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_256QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_256QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_256QAM_HCH_1900MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1850.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1909.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1851.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1908.5	1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1852.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1907.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1855	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1905	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B2_1.4MHz



Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-31.84	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-25.03	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV



Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-26.10	-13	Pass
1911	1913	1	CHP	2	1911.500	-30.76	-13	Pass


Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.013	CHP	/	/	/	/	/
1910	1911	0.013	CHP	1	1910.005	-25.91	-13	Pass
1911	1913	1	CHP	2	1911.500	-29.32	-13	Pass


5.2.2 B2_3MHz

Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-35.15	-13	Pass
1849	1850	0.003	/	2	1849.998	-28.70	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-26.50	-13	Pass
1849	1850	0.03	/	2	1849.994	-24.07	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.028	-29.83	-13	Pass
1911	1913	1	CHP	2	1911.500	-33.15	-13	Pass


Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.006	-24.72	-13	Pass
1911	1913	1	CHP	2	1911.500	-28.00	-13	Pass


5.2.3 B2_5MHz

Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-35.30	-13	Pass
1849	1850	0.003	/	2	1849.997	-31.93	-13	Pass
1850	1855	0.003	/	/	/	/	/	/


Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-25.89	-13	Pass
1849	1850	0.051	CHP	2	1849.990	-26.12	-13	Pass
1850	1855	0.051	CHP	/	/	/	/	/


Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.014	-31.62	-13	Pass
1911	1915	1	CHP	2	1911.500	-33.80	-13	Pass


Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05	CHP	/	/	/	/	/
1910	1911	0.05	CHP	1	1910.010	-27.11	-13	Pass
1911	1915	1	CHP	2	1911.500	-25.52	-13	Pass


5.2.4 B2_10MHz

Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.499	-37.64	-13	Pass
1849	1850	0.003	/	2	1849.996	-44.12	-13	Pass
1850	1860	0.003	/	/	/	/	/	/


Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.500	-23.77	-13	Pass
1849	1850	0.1	/	2	1849.980	-28.06	-13	Pass
1850	1860	0.1	/	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_HCH_1905MHz_RB_1_49_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




5.2.5 B2_15MHz

Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-40.69	-13	Pass
1849	1850	0.003	/	2	1849.995	-42.37	-13	Pass
1850	1865	0.003	/	/	/	/	/	/


Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-24.24	-13	Pass
1849	1850	0.176	CHP	2	1849.970	-28.58	-13	Pass
1850	1865	0.176	CHP	/	/	/	/	/


Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-42.72	-13	Pass
1911	1925	1	CHP	2	1911.500	-39.41	-13	Pass

Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.17	CHP	/	/	/	/	/
1910	1911	0.17	CHP	1	1910.270	-29.13	-13	Pass
1911	1925	1	CHP	2	1911.500	-24.21	-13	Pass


5.2.6 B2_20MHz



Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-24.02	-13	Pass
1849	1850	0.215	CHP	2	1849.960	-27.77	-13	Pass
1850	1870	0.215	CHP	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.007	-44.89	-13	Pass
1911	1930	1	CHP	2	1911.500	-39.01	-13	Pass

Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.208	CHP	/	/	/	/	/
1910	1911	0.208	CHP	1	1910.040	-30.43	-13	Pass
1911	1930	1	CHP	2	1911.520	-25.25	-13	Pass