

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	Gain (dBi)	E(I)RP (dBm)	Limit (dBm)	Verdict
n12	15	5	DFT-BPSK	L	Inner_1RB_Left	23.36	0.7	21.91	34.8	PASS
n12	15	5	DFT-BPSK	L	Inner_1RB_Right	23.26	0.7	21.81	34.8	PASS
n12	15	5	DFT-BPSK	L	Inner_Full	23.38	0.7	21.93	34.8	PASS
n12	15	5	DFT-BPSK	L	Outer_Full	22.79	0.7	21.34	34.8	PASS
n12	15	5	DFT-QPSK	L	Inner_1RB_Left	23.33	0.7	21.88	34.8	PASS
n12	15	5	DFT-QPSK	L	Inner_1RB_Right	23.26	0.7	21.81	34.8	PASS
n12	15	5	DFT-QPSK	L	Inner_Full	23.32	0.7	21.87	34.8	PASS
n12	15	5	DFT-QPSK	L	Outer_Full	22.78	0.7	21.33	34.8	PASS
n12	15	5	DFT-16QAM	L	Inner_1RB_Left	22.36	0.7	20.91	34.8	PASS
n12	15	5	DFT-16QAM	L	Inner_1RB_Right	22.19	0.7	20.74	34.8	PASS
n12	15	5	DFT-16QAM	L	Inner_Full	22.39	0.7	20.94	34.8	PASS
n12	15	5	DFT-16QAM	L	Outer_Full	19.92	0.7	18.47	34.8	PASS
n12	15	5	DFT-64QAM	L	Inner_1RB_Left	20.92	0.7	19.47	34.8	PASS
n12	15	5	DFT-64QAM	L	Inner_1RB_Right	20.88	0.7	19.43	34.8	PASS
n12	15	5	DFT-64QAM	L	Inner_Full	20.86	0.7	19.41	34.8	PASS
n12	15	5	DFT-64QAM	L	Outer_Full	19.19	0.7	17.74	34.8	PASS
n12	15	5	DFT-256QAM	L	Inner_1RB_Left	18.3	0.7	16.85	34.8	PASS
n12	15	5	DFT-256QAM	L	Inner_1RB_Right	18.25	0.7	16.8	34.8	PASS
n12	15	5	DFT-256QAM	L	Inner_Full	18.88	0.7	17.43	34.8	PASS
n12	15	5	DFT-256QAM	L	Outer_Full	16.07	0.7	14.62	34.8	PASS
n12	15	5	DFT-BPSK	M	Inner_1RB_Left	23.26	0.7	21.81	34.8	PASS
n12	15	5	DFT-BPSK	M	Inner_1RB_Right	23.07	0.7	21.62	34.8	PASS
n12	15	5	DFT-BPSK	M	Inner_Full	23.24	0.7	21.79	34.8	PASS
n12	15	5	DFT-BPSK	M	Outer_Full	22.71	0.7	21.26	34.8	PASS
n12	15	5	DFT-QPSK	M	Inner_1RB_Left	23.27	0.7	21.82	34.8	PASS
n12	15	5	DFT-QPSK	M	Inner_1RB_Right	23.14	0.7	21.69	34.8	PASS
n12	15	5	DFT-QPSK	M	Inner_Full	23.24	0.7	21.79	34.8	PASS
n12	15	5	DFT-QPSK	M	Outer_Full	22.78	0.7	21.33	34.8	PASS
n12	15	5	DFT-16QAM	M	Inner_1RB_Left	22.23	0.7	20.78	34.8	PASS
n12	15	5	DFT-16QAM	M	Inner_1RB_Right	22.16	0.7	20.71	34.8	PASS
n12	15	5	DFT-16QAM	M	Inner_Full	22.06	0.7	20.61	34.8	PASS
n12	15	5	DFT-16QAM	M	Outer_Full	19.64	0.7	18.19	34.8	PASS
n12	15	5	DFT-64QAM	M	Inner_1RB_Left	20.98	0.7	19.53	34.8	PASS
n12	15	5	DFT-64QAM	M	Inner_1RB_Right	20.81	0.7	19.36	34.8	PASS
n12	15	5	DFT-64QAM	M	Inner_Full	20.8	0.7	19.35	34.8	PASS
n12	15	5	DFT-64QAM	M	Outer_Full	19.14	0.7	17.69	34.8	PASS

n12	15	5	DFT-256QAM	M	Inner_1RB_Left	18.12	0.7	16.67	34.8	PASS
n12	15	5	DFT-256QAM	M	Inner_1RB_Right	18.1	0.7	16.65	34.8	PASS
n12	15	5	DFT-256QAM	M	Inner_Full	18.78	0.7	17.33	34.8	PASS
n12	15	5	DFT-256QAM	M	Outer_Full	16.18	0.7	14.73	34.8	PASS
n12	15	5	DFT-BPSK	H	Inner_1RB_Left	23.06	0.7	21.61	34.8	PASS
n12	15	5	DFT-BPSK	H	Inner_1RB_Right	23	0.7	21.55	34.8	PASS
n12	15	5	DFT-BPSK	H	Inner_Full	23.14	0.7	21.69	34.8	PASS
n12	15	5	DFT-BPSK	H	Outer_Full	22.51	0.7	21.06	34.8	PASS
n12	15	5	DFT-QPSK	H	Inner_1RB_Left	23.04	0.7	21.59	34.8	PASS
n12	15	5	DFT-QPSK	H	Inner_1RB_Right	23.04	0.7	21.59	34.8	PASS
n12	15	5	DFT-QPSK	H	Inner_Full	23.05	0.7	21.6	34.8	PASS
n12	15	5	DFT-QPSK	H	Outer_Full	22.57	0.7	21.12	34.8	PASS
n12	15	5	DFT-16QAM	H	Inner_1RB_Left	22.1	0.7	20.65	34.8	PASS
n12	15	5	DFT-16QAM	H	Inner_1RB_Right	21.94	0.7	20.49	34.8	PASS
n12	15	5	DFT-16QAM	H	Inner_Full	22.14	0.7	20.69	34.8	PASS
n12	15	5	DFT-16QAM	H	Outer_Full	19.57	0.7	18.12	34.8	PASS
n12	15	5	DFT-64QAM	H	Inner_1RB_Left	20.67	0.7	19.22	34.8	PASS
n12	15	5	DFT-64QAM	H	Inner_1RB_Right	20.71	0.7	19.26	34.8	PASS
n12	15	5	DFT-64QAM	H	Inner_Full	20.72	0.7	19.27	34.8	PASS
n12	15	5	DFT-64QAM	H	Outer_Full	19.05	0.7	17.6	34.8	PASS
n12	15	5	DFT-256QAM	H	Inner_1RB_Left	18.05	0.7	16.6	34.8	PASS
n12	15	5	DFT-256QAM	H	Inner_1RB_Right	18.04	0.7	16.59	34.8	PASS
n12	15	5	DFT-256QAM	H	Inner_Full	18.57	0.7	17.12	34.8	PASS
n12	15	5	DFT-256QAM	H	Outer_Full	15.94	0.7	14.49	34.8	PASS
n12	15	10	DFT-BPSK	L	Inner_1RB_Left	23.31	0.7	21.86	34.8	PASS
n12	15	10	DFT-BPSK	L	Inner_1RB_Right	23.13	0.7	21.68	34.8	PASS
n12	15	10	DFT-BPSK	L	Inner_Full	23.29	0.7	21.84	34.8	PASS
n12	15	10	DFT-BPSK	L	Outer_Full	22.79	0.7	21.34	34.8	PASS
n12	15	10	DFT-QPSK	L	Inner_1RB_Left	23.17	0.7	21.72	34.8	PASS
n12	15	10	DFT-QPSK	L	Inner_1RB_Right	22.97	0.7	21.52	34.8	PASS
n12	15	10	DFT-QPSK	L	Inner_Full	23.14	0.7	21.69	34.8	PASS
n12	15	10	DFT-QPSK	L	Outer_Full	22.56	0.7	21.11	34.8	PASS
n12	15	10	DFT-16QAM	L	Inner_1RB_Left	22.34	0.7	20.89	34.8	PASS
n12	15	10	DFT-16QAM	L	Inner_1RB_Right	22.1	0.7	20.65	34.8	PASS
n12	15	10	DFT-16QAM	L	Inner_Full	22.17	0.7	20.72	34.8	PASS
n12	15	10	DFT-16QAM	L	Outer_Full	19.7	0.7	18.25	34.8	PASS
n12	15	10	DFT-64QAM	L	Inner_1RB_Left	20.87	0.7	19.42	34.8	PASS
n12	15	10	DFT-64QAM	L	Inner_1RB_Right	20.73	0.7	19.28	34.8	PASS
n12	15	10	DFT-64QAM	L	Inner_Full	20.68	0.7	19.23	34.8	PASS
n12	15	10	DFT-64QAM	L	Outer_Full	19.18	0.7	17.73	34.8	PASS
n12	15	10	DFT-256QAM	L	Inner_1RB_Left	18.18	0.7	16.73	34.8	PASS

n12	15	10	DFT-256QAM	L	Inner_1RB_Right	18.13	0.7	16.68	34.8	PASS
n12	15	10	DFT-256QAM	L	Inner_Full	18.59	0.7	17.14	34.8	PASS
n12	15	10	DFT-256QAM	L	Outer_Full	16.13	0.7	14.68	34.8	PASS
n12	15	10	DFT-BPSK	M	Inner_1RB_Left	23.23	0.7	21.78	34.8	PASS
n12	15	10	DFT-BPSK	M	Inner_1RB_Right	23.16	0.7	21.71	34.8	PASS
n12	15	10	DFT-BPSK	M	Inner_Full	23.16	0.7	21.71	34.8	PASS
n12	15	10	DFT-BPSK	M	Outer_Full	22.69	0.7	21.24	34.8	PASS
n12	15	10	DFT-QPSK	M	Inner_1RB_Left	23.21	0.7	21.76	34.8	PASS
n12	15	10	DFT-QPSK	M	Inner_1RB_Right	23.17	0.7	21.72	34.8	PASS
n12	15	10	DFT-QPSK	M	Inner_Full	23.22	0.7	21.77	34.8	PASS
n12	15	10	DFT-QPSK	M	Outer_Full	22.65	0.7	21.2	34.8	PASS
n12	15	10	DFT-16QAM	M	Inner_1RB_Left	22.21	0.7	20.76	34.8	PASS
n12	15	10	DFT-16QAM	M	Inner_1RB_Right	22.12	0.7	20.67	34.8	PASS
n12	15	10	DFT-16QAM	M	Inner_Full	22.19	0.7	20.74	34.8	PASS
n12	15	10	DFT-16QAM	M	Outer_Full	19.67	0.7	18.22	34.8	PASS
n12	15	10	DFT-64QAM	M	Inner_1RB_Left	20.97	0.7	19.52	34.8	PASS
n12	15	10	DFT-64QAM	M	Inner_1RB_Right	20.79	0.7	19.34	34.8	PASS
n12	15	10	DFT-64QAM	M	Inner_Full	20.7	0.7	19.25	34.8	PASS
n12	15	10	DFT-64QAM	M	Outer_Full	19.25	0.7	17.8	34.8	PASS
n12	15	10	DFT-256QAM	M	Inner_1RB_Left	18.15	0.7	16.7	34.8	PASS
n12	15	10	DFT-256QAM	M	Inner_1RB_Right	18.1	0.7	16.65	34.8	PASS
n12	15	10	DFT-256QAM	M	Inner_Full	18.62	0.7	17.17	34.8	PASS
n12	15	10	DFT-256QAM	M	Outer_Full	16.14	0.7	14.69	34.8	PASS
n12	15	10	DFT-BPSK	H	Inner_1RB_Left	23.23	0.7	21.78	34.8	PASS
n12	15	10	DFT-BPSK	H	Inner_1RB_Right	23.03	0.7	21.58	34.8	PASS
n12	15	10	DFT-BPSK	H	Inner_Full	23.12	0.7	21.67	34.8	PASS
n12	15	10	DFT-BPSK	H	Outer_Full	22.61	0.7	21.16	34.8	PASS
n12	15	10	DFT-QPSK	H	Inner_1RB_Left	23.22	0.7	21.77	34.8	PASS
n12	15	10	DFT-QPSK	H	Inner_1RB_Right	23.07	0.7	21.62	34.8	PASS
n12	15	10	DFT-QPSK	H	Inner_Full	23.1	0.7	21.65	34.8	PASS
n12	15	10	DFT-QPSK	H	Outer_Full	22.59	0.7	21.14	34.8	PASS
n12	15	10	DFT-16QAM	H	Inner_1RB_Left	22.18	0.7	20.73	34.8	PASS
n12	15	10	DFT-16QAM	H	Inner_1RB_Right	21.98	0.7	20.53	34.8	PASS
n12	15	10	DFT-16QAM	H	Inner_Full	22.15	0.7	20.7	34.8	PASS
n12	15	10	DFT-16QAM	H	Outer_Full	19.61	0.7	18.16	34.8	PASS
n12	15	10	DFT-64QAM	H	Inner_1RB_Left	20.92	0.7	19.47	34.8	PASS
n12	15	10	DFT-64QAM	H	Inner_1RB_Right	20.69	0.7	19.24	34.8	PASS
n12	15	10	DFT-64QAM	H	Inner_Full	20.68	0.7	19.23	34.8	PASS
n12	15	10	DFT-64QAM	H	Outer_Full	19.09	0.7	17.64	34.8	PASS
n12	15	10	DFT-256QAM	H	Inner_1RB_Left	18.02	0.7	16.57	34.8	PASS
n12	15	10	DFT-256QAM	H	Inner_1RB_Right	18.03	0.7	16.58	34.8	PASS

n12	15	10	DFT-256QAM	H	Inner_Full	18.51	0.7	17.06	34.8	PASS
n12	15	10	DFT-256QAM	H	Outer_Full	15.99	0.7	14.54	34.8	PASS
n12	15	15	DFT-BPSK	L	Inner_1RB_Left	23.37	0.7	21.92	34.8	PASS
n12	15	15	DFT-BPSK	L	Inner_1RB_Right	23.15	0.7	21.7	34.8	PASS
n12	15	15	DFT-BPSK	L	Inner_Full	23.11	0.7	21.66	34.8	PASS
n12	15	15	DFT-BPSK	L	Outer_Full	22.69	0.7	21.24	34.8	PASS
n12	15	15	DFT-QPSK	L	Inner_1RB_Left	23.27	0.7	21.82	34.8	PASS
n12	15	15	DFT-QPSK	L	Inner_1RB_Right	23.19	0.7	21.74	34.8	PASS
n12	15	15	DFT-QPSK	L	Inner_Full	23.16	0.7	21.71	34.8	PASS
n12	15	15	DFT-QPSK	L	Outer_Full	22.17	0.7	20.72	34.8	PASS
n12	15	15	DFT-16QAM	L	Inner_1RB_Left	22.23	0.7	20.78	34.8	PASS
n12	15	15	DFT-16QAM	L	Inner_1RB_Right	22.07	0.7	20.62	34.8	PASS
n12	15	15	DFT-16QAM	L	Inner_Full	22.19	0.7	20.74	34.8	PASS
n12	15	15	DFT-16QAM	L	Outer_Full	19.75	0.7	18.3	34.8	PASS
n12	15	15	DFT-64QAM	L	Inner_1RB_Left	20.99	0.7	19.54	34.8	PASS
n12	15	15	DFT-64QAM	L	Inner_1RB_Right	20.72	0.7	19.27	34.8	PASS
n12	15	15	DFT-64QAM	L	Inner_Full	20.67	0.7	19.22	34.8	PASS
n12	15	15	DFT-64QAM	L	Outer_Full	19.29	0.7	17.84	34.8	PASS
n12	15	15	DFT-256QAM	L	Inner_1RB_Left	18.27	0.7	16.82	34.8	PASS
n12	15	15	DFT-256QAM	L	Inner_1RB_Right	18.15	0.7	16.7	34.8	PASS
n12	15	15	DFT-256QAM	L	Inner_Full	18.59	0.7	17.14	34.8	PASS
n12	15	15	DFT-256QAM	L	Outer_Full	16.08	0.7	14.63	34.8	PASS
n12	15	15	DFT-BPSK	M	Inner_1RB_Left	23.3	0.7	21.85	34.8	PASS
n12	15	15	DFT-BPSK	M	Inner_1RB_Right	23.07	0.7	21.62	34.8	PASS
n12	15	15	DFT-BPSK	M	Inner_Full	23.17	0.7	21.72	34.8	PASS
n12	15	15	DFT-BPSK	M	Outer_Full	22.69	0.7	21.24	34.8	PASS
n12	15	15	DFT-QPSK	M	Inner_1RB_Left	23.28	0.7	21.83	34.8	PASS
n12	15	15	DFT-QPSK	M	Inner_1RB_Right	23.08	0.7	21.63	34.8	PASS
n12	15	15	DFT-QPSK	M	Inner_Full	23.15	0.7	21.7	34.8	PASS
n12	15	15	DFT-QPSK	M	Outer_Full	22.49	0.7	21.04	34.8	PASS
n12	15	15	DFT-16QAM	M	Inner_1RB_Left	22.22	0.7	20.77	34.8	PASS
n12	15	15	DFT-16QAM	M	Inner_1RB_Right	22.01	0.7	20.56	34.8	PASS
n12	15	15	DFT-16QAM	M	Inner_Full	22.14	0.7	20.69	34.8	PASS
n12	15	15	DFT-16QAM	M	Outer_Full	19.69	0.7	18.24	34.8	PASS
n12	15	15	DFT-64QAM	M	Inner_1RB_Left	20.97	0.7	19.52	34.8	PASS
n12	15	15	DFT-64QAM	M	Inner_1RB_Right	20.76	0.7	19.31	34.8	PASS
n12	15	15	DFT-64QAM	M	Inner_Full	20.7	0.7	19.25	34.8	PASS
n12	15	15	DFT-64QAM	M	Outer_Full	19.23	0.7	17.78	34.8	PASS
n12	15	15	DFT-256QAM	M	Inner_1RB_Left	18.29	0.7	16.84	34.8	PASS
n12	15	15	DFT-256QAM	M	Inner_1RB_Right	18.07	0.7	16.62	34.8	PASS
n12	15	15	DFT-256QAM	M	Inner_Full	18.64	0.7	17.19	34.8	PASS

n12	15	15	DFT-256QAM	M	Outer_Full	16.11	0.7	14.66	34.8	PASS
n12	15	15	DFT-BPSK	H	Inner_1RB_Left	23.27	0.7	21.82	34.8	PASS
n12	15	15	DFT-BPSK	H	Inner_1RB_Right	23.03	0.7	21.58	34.8	PASS
n12	15	15	DFT-BPSK	H	Inner_Full	23.17	0.7	21.72	34.8	PASS
n12	15	15	DFT-BPSK	H	Outer_Full	22.69	0.7	21.24	34.8	PASS
n12	15	15	DFT-QPSK	H	Inner_1RB_Left	23.16	0.7	21.71	34.8	PASS
n12	15	15	DFT-QPSK	H	Inner_1RB_Right	23.04	0.7	21.59	34.8	PASS
n12	15	15	DFT-QPSK	H	Inner_Full	23.13	0.7	21.68	34.8	PASS
n12	15	15	DFT-QPSK	H	Outer_Full	22.61	0.7	21.16	34.8	PASS
n12	15	15	DFT-16QAM	H	Inner_1RB_Left	22.22	0.7	20.77	34.8	PASS
n12	15	15	DFT-16QAM	H	Inner_1RB_Right	22.06	0.7	20.61	34.8	PASS
n12	15	15	DFT-16QAM	H	Inner_Full	22.15	0.7	20.7	34.8	PASS
n12	15	15	DFT-16QAM	H	Outer_Full	19.7	0.7	18.25	34.8	PASS
n12	15	15	DFT-64QAM	H	Inner_1RB_Left	20.95	0.7	19.5	34.8	PASS
n12	15	15	DFT-64QAM	H	Inner_1RB_Right	20.61	0.7	19.16	34.8	PASS
n12	15	15	DFT-64QAM	H	Inner_Full	20.66	0.7	19.21	34.8	PASS
n12	15	15	DFT-64QAM	H	Outer_Full	19.25	0.7	17.8	34.8	PASS
n12	15	15	DFT-256QAM	H	Inner_1RB_Left	18.19	0.7	16.74	34.8	PASS
n12	15	15	DFT-256QAM	H	Inner_1RB_Right	18.05	0.7	16.6	34.8	PASS
n12	15	15	DFT-256QAM	H	Inner_Full	18.59	0.7	17.14	34.8	PASS
n12	15	15	DFT-256QAM	H	Outer_Full	16.12	0.7	14.67	34.8	PASS


Peak-to-Average Ratio for SA

Peak-to-Average Ratio(CCDF)


Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result(dB)	Limit(dB)	Verdict
n12	15	5	DFT-BPSK	M	Outer_Full	4.48	≤13	PASS
n12	15	5	DFT-QPSK	M	Outer_Full	5.64	≤13	PASS
n12	15	5	DFT-16QAM	M	Outer_Full	6.7	≤13	PASS
n12	15	5	DFT-64QAM	M	Outer_Full	6.86	≤13	PASS
n12	15	5	DFT-256QAM	M	Outer_Full	6.5	≤13	PASS
n12	15	10	DFT-BPSK	M	Outer_Full	4.44	≤13	PASS
n12	15	10	DFT-QPSK	M	Outer_Full	5.14	≤13	PASS
n12	15	10	DFT-16QAM	M	Outer_Full	6.12	≤13	PASS
n12	15	10	DFT-64QAM	M	Outer_Full	6.52	≤13	PASS
n12	15	10	DFT-256QAM	M	Outer_Full	6.82	≤13	PASS
n12	15	15	DFT-BPSK	M	Outer_Full	4.46	≤13	PASS
n12	15	15	DFT-QPSK	M	Outer_Full	5.52	≤13	PASS
n12	15	15	DFT-16QAM	M	Outer_Full	6.26	≤13	PASS
n12	15	15	DFT-64QAM	M	Outer_Full	6.68	≤13	PASS
n12	15	15	DFT-256QAM	M	Outer_Full	6.7	≤13	PASS


Test Graphs




NTNV-n12-PC3-15-5-M-DFT-BPSK-Outer_Full-PASS




NTNV-n12-PC3-15-5-M-DFT-QPSK-Outer_Full-PASS




NTNV-n12-PC3-15-5-M-DFT-16QAM-Outer_Full-PASS




NTNV-n12-PC3-15-5-M-DFT-64QAM-Outer_Full-PASS




NTNV-n12-PC3-15-5-M-DFT-256QAM-Outer_Full-PASS




NTNV-n12-PC3-15-10-M-DFT-BPSK-Outer_Full-PASS




NTNV-n12-PC3-15-10-M-DFT-QPSK-Outer_Full-PASS




NTNV-n12-PC3-15-10-M-DFT-16QAM-Outer_Full-PASS




NTNV-n12-PC3-15-10-M-DFT-64QAM-Outer_Full-PASS




NTNV-n12-PC3-15-10-M-DFT-256QAM-Outer_Full-PASS




NTNV-n12-PC3-15-15-M-DFT-BPSK-Outer_Full-PASS




NTNV-n12-PC3-15-15-M-DFT-QPSK-Outer_Full-PASS



NTNV-n12-PC3-15-15-M-DFT-16QAM-Outer_Full-PASS



NTNV-n12-PC3-15-15-M-DFT-64QAM-Outer_Full-PASS



NTNV-n12-PC3-15-15-M-DFT-256QAM-Outer_Full-PASS

26dB Bandwidth and Occupied Bandwidth for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n12	15	5	CP-QPSK	M	Outer_Full	4.4808	5.042	PASS
n12	15	5	CP-16QAM	M	Outer_Full	4.4833	5.020	PASS
n12	15	5	CP-64QAM	M	Outer_Full	4.4815	5.018	PASS
n12	15	5	CP-256QAM	M	Outer_Full	4.4826	4.988	PASS
n12	15	10	CP-QPSK	M	Outer_Full	9.2599	10.00	PASS
n12	15	10	CP-16QAM	M	Outer_Full	9.2503	9.977	PASS
n12	15	10	CP-64QAM	M	Outer_Full	9.2571	9.937	PASS
n12	15	10	CP-256QAM	M	Outer_Full	9.2935	9.970	PASS
n12	15	15	CP-QPSK	M	Outer_Full	14.086	14.99	PASS
n12	15	15	CP-16QAM	M	Outer_Full	14.076	14.90	PASS
n12	15	15	CP-64QAM	M	Outer_Full	14.080	14.99	PASS
n12	15	15	CP-256QAM	M	Outer_Full	14.077	14.95	PASS

Test Graphs



NTNV-n12-PC3-15-5-M-CP-QPSK-Outet_Full-Ant1-PASS



NTNV-n12-PC3-15-5-M-CP-16QAM-Outet_Full-Ant1-PASS



NTNV-n12-PC3-15-5-M-CP-64QAM-Outet_Full-Ant1-PASS



NTNV-n12-PC3-15-5-M-CP-256QAM-Outet_Full-Ant1-PASS



NTNV-n12-PC3-15-10-M-CP-QPSK-Outet_Full-Ant1-PASS



NTNV-n12-PC3-15-10-M-CP-16QAM-Outet_Full-Ant1-PASS



NTNV-n12-PC3-15-10-M-CP-64QAM-Outet_Full-Ant1-PASS



NTNV-n12-PC3-15-10-M-CP-256QAM-Outet_Full-Ant1-PASS



NTNV-n12-PC3-15-15-M-CP-QPSK-Outet_Full-Ant1-PASS



NTNV-n12-PC3-15-15-M-CP-16QAM-Outet_Full-Ant1-PASS




NTNV-n12-PC3-15-15-M-CP-64QAM-Outet_Full-Ant1-PASS



NTNV-n12-PC3-15-15-M-CP-256QAM-Outet_Full-Ant1-PASS



Band Edge for SA

Test Graphs





NTNV-n12-PC3-15-5-L-DFT-BPSK-Edge_1RB_Left-PASS

NTNV-n12-PC3-15-5-L-DFT-BPSK-Outer_Full-PASS





NTNV-n12-PC3-15-5-L-DFT-QPSK-Edge_1RB_Left-PASS

NTNV-n12-PC3-15-5-L-DFT-QPSK-Outer_Full-PASS




NTNV-n12-PC3-15-5-H-DFT-BPSK-Edge_1RB_Right-PASS

NTNV-n12-PC3-15-5-H-DFT-BPSK-Outer_Full-PASS




NTNV-n12-PC3-15-5-H-DFT-QPSK-Edge_1RB_Right-PASS


NTNV-n12-PC3-15-5-H-DFT-QPSK-Outer_Full-PASS




NTNV-n12-PC3-15-10-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n12-PC3-15-10-L-DFT-BPSK-Outer_Full-PASS




NTNV-n12-PC3-15-10-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n12-PC3-15-10-L-DFT-QPSK-Outer_Full-PASS




NTNV-n12-PC3-15-10-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n12-PC3-15-10-H-DFT-BPSK-Outer_Full-PASS




NTNV-n12-PC3-15-10-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n12-PC3-15-10-H-DFT-QPSK-Outer_Full-PASS




NTNV-n12-PC3-15-15-L-DFT-BPSK-Edge_1RB_Left-PASS



NTNV-n12-PC3-15-15-L-DFT-BPSK-Outer_Full-PASS




NTNV-n12-PC3-15-15-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n12-PC3-15-15-L-DFT-QPSK-Outer_Full-PASS



NTNV-n12-PC3-15-15-H-DFT-BPSK-Edge_1RB_Right-PASS



NTNV-n12-PC3-15-15-H-DFT-BPSK-Outer_Full-PASS



NTNV-n12-PC3-15-15-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n12-PC3-15-15-H-DFT-QPSK-Outer_Full-PASS

Conducted Spurious Emission for SA

Test Graphs

NTNV-n12-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-0.009-0.15-P ASS	NTNV-n12-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS
NTNV-n12-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-30-1000-PAS S	NTNV-n12-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS
NTNV-n12-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-3000-12000- PASS	NTNV-n12-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-12000-20000- PASS
NTNV-n12-PC3-15-5-L-DFT-BPSK-Inner_1RB_Right-0.009-0.15- PASS	NTNV-n12-PC3-15-5-L-DFT-BPSK-Inner_1RB_Right-0.15-30-PAS S



NTVN-n12-PC3-15-5-L-DFT-BPSK-Inner_1RB_Right-30-1000-PA
SS



NTVN-n12-PC3-15-5-L-DFT-BPSK-Inner_1RB_Right-1000-3000-P
ASS




NTVN-n12-PC3-15-5-L-DFT-BPSK-Inner_1RB_Right-3000-12000
-PASS




NTVN-n12-PC3-15-5-L-DFT-BPSK-Inner_1RB_Right-12000-2000
0-PASS



NTVN-n12-PC3-15-5-L-DFT-QPSK-Inner_1RB_Left-0.009-0.15-P
ASS



NTVN-n12-PC3-15-5-L-DFT-QPSK-Inner_1RB_Left-0.15-30-PASS



NTVN-n12-PC3-15-5-L-DFT-QPSK-Inner_1RB_Left-30-1000-PA
SS



NTVN-n12-PC3-15-5-L-DFT-QPSK-Inner_1RB_Left-1000-3000-PA
SS




NTNV-n12-PC3-15-5-L-DFT-QPSK-Inner_1RB_Left-3000-12000-PASS




NTNV-n12-PC3-15-5-L-DFT-QPSK-Inner_1RB_Left-12000-20000-PASS



NTNV-n12-PC3-15-5-L-DFT-QPSK-Inner_1RB_Right-0.009-0.15-PASS



NTNV-n12-PC3-15-5-L-DFT-QPSK-Inner_1RB_Right-0.15-30-PASS



NTNV-n12-PC3-15-5-L-DFT-QPSK-Inner_1RB_Right-30-1000-PASS



NTNV-n12-PC3-15-5-L-DFT-QPSK-Inner_1RB_Right-1000-3000-PASS




NTNV-n12-PC3-15-5-L-DFT-QPSK-Inner_1RB_Right-3000-12000-PASS




NTNV-n12-PC3-15-5-L-DFT-QPSK-Inner_1RB_Right-12000-20000-PASS



NTNV-n12-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-0.009-0.15-P
ASS



NTNV-n12-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-0.15-30-PAS
S



NTNV-n12-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-30-1000-PASS
SS



NTNV-n12-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-1000-3000-P
ASS




NTNV-n12-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS
PASS




NTNV-n12-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-12000-20000-PASS
PASS



NTNV-n12-PC3-15-5-M-DFT-BPSK-Inner_1RB_Right-0.009-0.15
-PASS



NTNV-n12-PC3-15-5-M-DFT-BPSK-Inner_1RB_Right-0.15-30-PASS
SS



NTNV-n12-PC3-15-5-M-DFT-BPSK-Inner_1RB_Right-30-1000-P
ASS



NTNV-n12-PC3-15-5-M-DFT-BPSK-Inner_1RB_Right-1000-3000-P
PASS




NTNV-n12-PC3-15-5-M-DFT-BPSK-Inner_1RB_Right-3000-1200
0-PASS




NTNV-n12-PC3-15-5-M-DFT-BPSK-Inner_1RB_Right-12000-2000
0-PASS



NTNV-n12-PC3-15-5-M-DFT-QPSK-Inner_1RB_Left-0.009-0.15-PASS



NTNV-n12-PC3-15-5-M-DFT-QPSK-Inner_1RB_Left-0.15-30-PASS



NTNV-n12-PC3-15-5-M-DFT-QPSK-Inner_1RB_Left-30-1000-PASS



NTNV-n12-PC3-15-5-M-DFT-QPSK-Inner_1RB_Left-1000-3000-PASS




NTNV-n12-PC3-15-5-M-DFT-QPSK-Inner_1RB_Left-3000-12000
-PASS




NTNV-n12-PC3-15-5-M-DFT-QPSK-Inner_1RB_Left-12000-20000
-PASS



NTNV-n12-PC3-15-5-M-DFT-QPSK-Inner_1RB_Right-0.009-0.15
-PASS



NTNV-n12-PC3-15-5-M-DFT-QPSK-Inner_1RB_Right-0.15-30-PA
SS



NTNV-n12-PC3-15-5-M-DFT-QPSK-Inner_1RB_Right-30-1000-P
ASS



NTNV-n12-PC3-15-5-M-DFT-QPSK-Inner_1RB_Right-1000-3000-
PASS




NTNV-n12-PC3-15-5-M-DFT-QPSK-Inner_1RB_Right-3000-1200
0-PASS




NTNV-n12-PC3-15-5-M-DFT-QPSK-Inner_1RB_Right-12000-2000
0-PASS



NTNV-n12-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS



NTNV-n12-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS



NTNV-n12-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-30-1000-PASS



NTNV-n12-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS



NTNV-n12-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS



NTNV-n12-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-12000-20000-PASS



NTNV-n12-PC3-15-5-H-DFT-BPSK-Inner_1RB_Right-0.009-0.15-PASS



NTNV-n12-PC3-15-5-H-DFT-BPSK-Inner_1RB_Right-0.15-30-PASS