

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	Gain (dBi)	E(I)RP (dBm)	Limit (dBm)	Verdict
n38	30	20	DFT-BPSK	L	Outer_Full	22.72	2	24.72	33	PASS
n38	30	20	DFT-BPSK	L	Inner_Full	22.91	2	24.91	33	PASS
n38	30	20	DFT-BPSK	L	Inner_1RB_Left	22.81	2	24.81	33	PASS
n38	30	20	DFT-BPSK	L	Inner_1RB_Right	22.85	2	24.85	33	PASS
n38	30	20	DFT-QPSK	L	Outer_Full	22.77	2	24.77	33	PASS
n38	30	20	DFT-QPSK	L	Inner_Full	22.84	2	24.84	33	PASS
n38	30	20	DFT-QPSK	L	Inner_1RB_Left	22.77	2	24.77	33	PASS
n38	30	20	DFT-QPSK	L	Inner_1RB_Right	22.7	2	24.7	33	PASS
n38	30	20	DFT-16QAM	L	Outer_Full	21.63	2	23.63	33	PASS
n38	30	20	DFT-16QAM	L	Inner_Full	22.79	2	24.79	33	PASS
n38	30	20	DFT-16QAM	L	Inner_1RB_Left	22.94	2	24.94	33	PASS
n38	30	20	DFT-16QAM	L	Inner_1RB_Right	22.69	2	24.69	33	PASS
n38	30	20	DFT-64QAM	L	Outer_Full	21.27	2	23.27	33	PASS
n38	30	20	DFT-64QAM	L	Inner_Full	21.4	2	23.4	33	PASS
n38	30	20	DFT-64QAM	L	Inner_1RB_Left	21.1	2	23.1	33	PASS
n38	30	20	DFT-64QAM	L	Inner_1RB_Right	21.02	2	23.02	33	PASS
n38	30	20	DFT-256QAM	L	Outer_Full	19.12	2	21.12	33	PASS
n38	30	20	DFT-256QAM	L	Inner_Full	19.23	2	21.23	33	PASS
n38	30	20	DFT-256QAM	L	Inner_1RB_Left	19.39	2	21.39	33	PASS
n38	30	20	DFT-256QAM	L	Inner_1RB_Right	19.26	2	21.26	33	PASS
n38	30	20	DFT-BPSK	M	Outer_Full	22.68	2	24.68	33	PASS
n38	30	20	DFT-BPSK	M	Inner_Full	22.71	2	24.71	33	PASS
n38	30	20	DFT-BPSK	M	Inner_1RB_Left	22.84	2	24.84	33	PASS
n38	30	20	DFT-BPSK	M	Inner_1RB_Right	22.7	2	24.7	33	PASS
n38	30	20	DFT-QPSK	M	Outer_Full	22.59	2	24.59	33	PASS
n38	30	20	DFT-QPSK	M	Inner_Full	22.69	2	24.69	33	PASS
n38	30	20	DFT-QPSK	M	Inner_1RB_Left	22.6	2	24.6	33	PASS
n38	30	20	DFT-QPSK	M	Inner_1RB_Right	22.67	2	24.67	33	PASS
n38	30	20	DFT-16QAM	M	Outer_Full	21.67	2	23.67	33	PASS
n38	30	20	DFT-16QAM	M	Inner_Full	22.54	2	24.54	33	PASS
n38	30	20	DFT-16QAM	M	Inner_1RB_Left	22.71	2	24.71	33	PASS
n38	30	20	DFT-16QAM	M	Inner_1RB_Right	22.71	2	24.71	33	PASS
n38	30	20	DFT-64QAM	M	Outer_Full	21.07	2	23.07	33	PASS
n38	30	20	DFT-64QAM	M	Inner_Full	21.17	2	23.17	33	PASS
n38	30	20	DFT-64QAM	M	Inner_1RB_Left	21.05	2	23.05	33	PASS
n38	30	20	DFT-64QAM	M	Inner_1RB_Right	21.11	2	23.11	33	PASS

n38	30	20	DFT-256QAM	M	Outer_Full	19.1	2	21.1	33	PASS
n38	30	20	DFT-256QAM	M	Inner_Full	19.23	2	21.23	33	PASS
n38	30	20	DFT-256QAM	M	Inner_1RB_Left	19.28	2	21.28	33	PASS
n38	30	20	DFT-256QAM	M	Inner_1RB_Right	19.39	2	21.39	33	PASS
n38	30	20	DFT-BPSK	H	Outer_Full	22.77	2	24.77	33	PASS
n38	30	20	DFT-BPSK	H	Inner_Full	22.72	2	24.72	33	PASS
n38	30	20	DFT-BPSK	H	Inner_1RB_Left	22.76	2	24.76	33	PASS
n38	30	20	DFT-BPSK	H	Inner_1RB_Right	22.82	2	24.82	33	PASS
n38	30	20	DFT-QPSK	H	Outer_Full	22.71	2	24.71	33	PASS
n38	30	20	DFT-QPSK	H	Inner_Full	22.76	2	24.76	33	PASS
n38	30	20	DFT-QPSK	H	Inner_1RB_Left	22.25	2	24.25	33	PASS
n38	30	20	DFT-QPSK	H	Inner_1RB_Right	22.42	2	24.42	33	PASS
n38	30	20	DFT-16QAM	H	Outer_Full	21.74	2	23.74	33	PASS
n38	30	20	DFT-16QAM	H	Inner_Full	22.75	2	24.75	33	PASS
n38	30	20	DFT-16QAM	H	Inner_1RB_Left	22.42	2	24.42	33	PASS
n38	30	20	DFT-16QAM	H	Inner_1RB_Right	22.53	2	24.53	33	PASS
n38	30	20	DFT-64QAM	H	Outer_Full	21.2	2	23.2	33	PASS
n38	30	20	DFT-64QAM	H	Inner_Full	21.39	2	23.39	33	PASS
n38	30	20	DFT-64QAM	H	Inner_1RB_Left	21.24	2	23.24	33	PASS
n38	30	20	DFT-64QAM	H	Inner_1RB_Right	21.45	2	23.45	33	PASS
n38	30	20	DFT-256QAM	H	Outer_Full	19.21	2	21.21	33	PASS
n38	30	20	DFT-256QAM	H	Inner_Full	19.47	2	21.47	33	PASS
n38	30	20	DFT-256QAM	H	Inner_1RB_Left	19.1	2	21.1	33	PASS
n38	30	20	DFT-256QAM	H	Inner_1RB_Right	19.53	2	21.53	33	PASS
n38	30	30	DFT-BPSK	L	Outer_Full	22.66	2	24.66	33	PASS
n38	30	30	DFT-BPSK	L	Inner_Full	22.68	2	24.68	33	PASS
n38	30	30	DFT-BPSK	L	Inner_1RB_Left	22.89	2	24.89	33	PASS
n38	30	30	DFT-BPSK	L	Inner_1RB_Right	22.82	2	24.82	33	PASS
n38	30	30	DFT-QPSK	L	Outer_Full	22.68	2	24.68	33	PASS
n38	30	30	DFT-QPSK	L	Inner_Full	22.73	2	24.73	33	PASS
n38	30	30	DFT-QPSK	L	Inner_1RB_Left	22.71	2	24.71	33	PASS
n38	30	30	DFT-QPSK	L	Inner_1RB_Right	22.6	2	24.6	33	PASS
n38	30	30	DFT-16QAM	L	Outer_Full	21.81	2	23.81	33	PASS
n38	30	30	DFT-16QAM	L	Inner_Full	22.8	2	24.8	33	PASS
n38	30	30	DFT-16QAM	L	Inner_1RB_Left	23.09	2	25.09	33	PASS
n38	30	30	DFT-16QAM	L	Inner_1RB_Right	22.87	2	24.87	33	PASS
n38	30	30	DFT-64QAM	L	Outer_Full	21.37	2	23.37	33	PASS
n38	30	30	DFT-64QAM	L	Inner_Full	21.16	2	23.16	33	PASS
n38	30	30	DFT-64QAM	L	Inner_1RB_Left	21.42	2	23.42	33	PASS
n38	30	30	DFT-64QAM	L	Inner_1RB_Right	21.53	2	23.53	33	PASS
n38	30	30	DFT-256QAM	L	Outer_Full	19.31	2	21.31	33	PASS

n38	30	30	DFT-256QAM	L	Inner_Full	19.36	2	21.36	33	PASS
n38	30	30	DFT-256QAM	L	Inner_1RB_Left	19.43	2	21.43	33	PASS
n38	30	30	DFT-256QAM	L	Inner_1RB_Right	19.11	2	21.11	33	PASS
n38	30	30	DFT-BPSK	M	Outer_Full	22.76	2	24.76	33	PASS
n38	30	30	DFT-BPSK	M	Inner_Full	22.71	2	24.71	33	PASS
n38	30	30	DFT-BPSK	M	Inner_1RB_Left	22.72	2	24.72	33	PASS
n38	30	30	DFT-BPSK	M	Inner_1RB_Right	22.8	2	24.8	33	PASS
n38	30	30	DFT-QPSK	M	Outer_Full	22.67	2	24.67	33	PASS
n38	30	30	DFT-QPSK	M	Inner_Full	22.63	2	24.63	33	PASS
n38	30	30	DFT-QPSK	M	Inner_1RB_Left	22.91	2	24.91	33	PASS
n38	30	30	DFT-QPSK	M	Inner_1RB_Right	22.91	2	24.91	33	PASS
n38	30	30	DFT-16QAM	M	Outer_Full	21.77	2	23.77	33	PASS
n38	30	30	DFT-16QAM	M	Inner_Full	22.73	2	24.73	33	PASS
n38	30	30	DFT-16QAM	M	Inner_1RB_Left	22.83	2	24.83	33	PASS
n38	30	30	DFT-16QAM	M	Inner_1RB_Right	22.87	2	24.87	33	PASS
n38	30	30	DFT-64QAM	M	Outer_Full	21.29	2	23.29	33	PASS
n38	30	30	DFT-64QAM	M	Inner_Full	21.25	2	23.25	33	PASS
n38	30	30	DFT-64QAM	M	Inner_1RB_Left	21.06	2	23.06	33	PASS
n38	30	30	DFT-64QAM	M	Inner_1RB_Right	21.12	2	23.12	33	PASS
n38	30	30	DFT-256QAM	M	Outer_Full	19.34	2	21.34	33	PASS
n38	30	30	DFT-256QAM	M	Inner_Full	19.06	2	21.06	33	PASS
n38	30	30	DFT-256QAM	M	Inner_1RB_Left	19.43	2	21.43	33	PASS
n38	30	30	DFT-256QAM	M	Inner_1RB_Right	19.45	2	21.45	33	PASS
n38	30	30	DFT-BPSK	H	Outer_Full	22.69	2	24.69	33	PASS
n38	30	30	DFT-BPSK	H	Inner_Full	22.68	2	24.68	33	PASS
n38	30	30	DFT-BPSK	H	Inner_1RB_Left	22.63	2	24.63	33	PASS
n38	30	30	DFT-BPSK	H	Inner_1RB_Right	22.67	2	24.67	33	PASS
n38	30	30	DFT-QPSK	H	Outer_Full	22.79	2	24.79	33	PASS
n38	30	30	DFT-QPSK	H	Inner_Full	22.71	2	24.71	33	PASS
n38	30	30	DFT-QPSK	H	Inner_1RB_Left	22.81	2	24.81	33	PASS
n38	30	30	DFT-QPSK	H	Inner_1RB_Right	23.02	2	25.02	33	PASS
n38	30	30	DFT-16QAM	H	Outer_Full	21.69	2	23.69	33	PASS
n38	30	30	DFT-16QAM	H	Inner_Full	22.78	2	24.78	33	PASS
n38	30	30	DFT-16QAM	H	Inner_1RB_Left	22.5	2	24.5	33	PASS
n38	30	30	DFT-16QAM	H	Inner_1RB_Right	22.63	2	24.63	33	PASS
n38	30	30	DFT-64QAM	H	Outer_Full	21.31	2	23.31	33	PASS
n38	30	30	DFT-64QAM	H	Inner_Full	21.22	2	23.22	33	PASS
n38	30	30	DFT-64QAM	H	Inner_1RB_Left	21.33	2	23.33	33	PASS
n38	30	30	DFT-64QAM	H	Inner_1RB_Right	21.28	2	23.28	33	PASS
n38	30	30	DFT-256QAM	H	Outer_Full	19.12	2	21.12	33	PASS
n38	30	30	DFT-256QAM	H	Inner_Full	19.15	2	21.15	33	PASS

n38	30	30	DFT-256QAM	H	Inner_1RB_Left	19.34	2	21.34	33	PASS
n38	30	30	DFT-256QAM	H	Inner_1RB_Right	19.57	2	21.57	33	PASS
n38	30	40	DFT-BPSK	L	Outer_Full	22.7	2	24.7	33	PASS
n38	30	40	DFT-BPSK	L	Inner_Full	22.6	2	24.6	33	PASS
n38	30	40	DFT-BPSK	L	Inner_1RB_Left	22.85	2	24.85	33	PASS
n38	30	40	DFT-BPSK	L	Inner_1RB_Right	22.87	2	24.87	33	PASS
n38	30	40	DFT-QPSK	L	Outer_Full	22.75	2	24.75	33	PASS
n38	30	40	DFT-QPSK	L	Inner_Full	22.61	2	24.61	33	PASS
n38	30	40	DFT-QPSK	L	Inner_1RB_Left	22.74	2	24.74	33	PASS
n38	30	40	DFT-QPSK	L	Inner_1RB_Right	22.73	2	24.73	33	PASS
n38	30	40	DFT-16QAM	L	Outer_Full	21.76	2	23.76	33	PASS
n38	30	40	DFT-16QAM	L	Inner_Full	22.7	2	24.7	33	PASS
n38	30	40	DFT-16QAM	L	Inner_1RB_Left	22.64	2	24.64	33	PASS
n38	30	40	DFT-16QAM	L	Inner_1RB_Right	22.72	2	24.72	33	PASS
n38	30	40	DFT-64QAM	L	Outer_Full	21.17	2	23.17	33	PASS
n38	30	40	DFT-64QAM	L	Inner_Full	21.27	2	23.27	33	PASS
n38	30	40	DFT-64QAM	L	Inner_1RB_Left	21.22	2	23.22	33	PASS
n38	30	40	DFT-64QAM	L	Inner_1RB_Right	21.13	2	23.13	33	PASS
n38	30	40	DFT-256QAM	L	Outer_Full	19.31	2	21.31	33	PASS
n38	30	40	DFT-256QAM	L	Inner_Full	19.04	2	21.04	33	PASS
n38	30	40	DFT-256QAM	L	Inner_1RB_Left	19.15	2	21.15	33	PASS
n38	30	40	DFT-256QAM	L	Inner_1RB_Right	19.11	2	21.11	33	PASS
n38	30	40	DFT-BPSK	M	Outer_Full	22.66	2	24.66	33	PASS
n38	30	40	DFT-BPSK	M	Inner_Full	22.7	2	24.7	33	PASS
n38	30	40	DFT-BPSK	M	Inner_1RB_Left	22.78	2	24.78	33	PASS
n38	30	40	DFT-BPSK	M	Inner_1RB_Right	22.64	2	24.64	33	PASS
n38	30	40	DFT-QPSK	M	Outer_Full	22.68	2	24.68	33	PASS
n38	30	40	DFT-QPSK	M	Inner_Full	22.58	2	24.58	33	PASS
n38	30	40	DFT-QPSK	M	Inner_1RB_Left	22.8	2	24.8	33	PASS
n38	30	40	DFT-QPSK	M	Inner_1RB_Right	22.87	2	24.87	33	PASS
n38	30	40	DFT-16QAM	M	Outer_Full	21.75	2	23.75	33	PASS
n38	30	40	DFT-16QAM	M	Inner_Full	22.65	2	24.65	33	PASS
n38	30	40	DFT-16QAM	M	Inner_1RB_Left	22.93	2	24.93	33	PASS
n38	30	40	DFT-16QAM	M	Inner_1RB_Right	23.04	2	25.04	33	PASS
n38	30	40	DFT-64QAM	M	Outer_Full	21.25	2	23.25	33	PASS
n38	30	40	DFT-64QAM	M	Inner_Full	21.11	2	23.11	33	PASS
n38	30	40	DFT-64QAM	M	Inner_1RB_Left	21.37	2	23.37	33	PASS
n38	30	40	DFT-64QAM	M	Inner_1RB_Right	21.32	2	23.32	33	PASS
n38	30	40	DFT-256QAM	M	Outer_Full	19.23	2	21.23	33	PASS
n38	30	40	DFT-256QAM	M	Inner_Full	19.03	2	21.03	33	PASS
n38	30	40	DFT-256QAM	M	Inner_1RB_Left	19.23	2	21.23	33	PASS

n38	30	40	DFT-256QAM	M	Inner_1RB_Right	19.28	2	21.28	33	PASS
n38	30	40	DFT-BPSK	H	Outer_Full	22.79	2	24.79	33	PASS
n38	30	40	DFT-BPSK	H	Inner_Full	22.82	2	24.82	33	PASS
n38	30	40	DFT-BPSK	H	Inner_1RB_Left	22.77	2	24.77	33	PASS
n38	30	40	DFT-BPSK	H	Inner_1RB_Right	22.81	2	24.81	33	PASS
n38	30	40	DFT-QPSK	H	Outer_Full	22.61	2	24.61	33	PASS
n38	30	40	DFT-QPSK	H	Inner_Full	22.68	2	24.68	33	PASS
n38	30	40	DFT-QPSK	H	Inner_1RB_Left	22.79	2	24.79	33	PASS
n38	30	40	DFT-QPSK	H	Inner_1RB_Right	22.69	2	24.69	33	PASS
n38	30	40	DFT-16QAM	H	Outer_Full	21.67	2	23.67	33	PASS
n38	30	40	DFT-16QAM	H	Inner_Full	22.63	2	24.63	33	PASS
n38	30	40	DFT-16QAM	H	Inner_1RB_Left	23.04	2	25.04	33	PASS
n38	30	40	DFT-16QAM	H	Inner_1RB_Right	22.85	2	24.85	33	PASS
n38	30	40	DFT-64QAM	H	Outer_Full	21.2	2	23.2	33	PASS
n38	30	40	DFT-64QAM	H	Inner_Full	21.22	2	23.22	33	PASS
n38	30	40	DFT-64QAM	H	Inner_1RB_Left	21.15	2	23.15	33	PASS
n38	30	40	DFT-64QAM	H	Inner_1RB_Right	21.35	2	23.35	33	PASS
n38	30	40	DFT-256QAM	H	Outer_Full	19.24	2	21.24	33	PASS
n38	30	40	DFT-256QAM	H	Inner_Full	19.11	2	21.11	33	PASS
n38	30	40	DFT-256QAM	H	Inner_1RB_Left	19.27	2	21.27	33	PASS
n38	30	40	DFT-256QAM	H	Inner_1RB_Right	19.18	2	21.18	33	PASS


Peak-to-Average Ratio for SA

Peak-to-Average Ratio(CCDF)


Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (dB)	Limit (dB)	Verdict
n38	30	20	DFT-BPSK	M	Outer_Full	4.08	≤13	PASS
n38	30	20	DFT-QPSK	M	Outer_Full	5.06	≤13	PASS
n38	30	20	DFT-16QAM	M	Outer_Full	5.94	≤13	PASS
n38	30	20	DFT-64QAM	M	Outer_Full	6.32	≤13	PASS
n38	30	20	DFT-256QAM	M	Outer_Full	6.52	≤13	PASS
n38	30	30	DFT-BPSK	M	Outer_Full	4	≤13	PASS
n38	30	30	DFT-QPSK	M	Outer_Full	4.9	≤13	PASS
n38	30	30	DFT-16QAM	M	Outer_Full	5.86	≤13	PASS
n38	30	30	DFT-64QAM	M	Outer_Full	6.18	≤13	PASS
n38	30	30	DFT-256QAM	M	Outer_Full	6.6	≤13	PASS
n38	30	40	DFT-BPSK	M	Outer_Full	4.1	≤13	PASS
n38	30	40	DFT-QPSK	M	Outer_Full	5.08	≤13	PASS
n38	30	40	DFT-16QAM	M	Outer_Full	6.04	≤13	PASS
n38	30	40	DFT-64QAM	M	Outer_Full	6.28	≤13	PASS
n38	30	40	DFT-256QAM	M	Outer_Full	6.6	≤13	PASS


Test Graphs




NTNV-n38-PC3-30-20-M-DFT-BPSK-Outer_Full-PASS




NTNV-n38-PC3-30-20-M-DFT-QPSK-Outer_Full-PASS




NTNV-n38-PC3-30-20-M-DFT-16QAM-Outer_Full-PASS




NTNV-n38-PC3-30-20-M-DFT-64QAM-Outer_Full-PASS




NTNV-n38-PC3-30-20-M-DFT-256QAM-Outer_Full-PASS




NTNV-n38-PC3-30-30-M-DFT-BPSK-Outer_Full-PASS




NTNV-n38-PC3-30-30-M-DFT-QPSK-Outer_Full-PASS




NTNV-n38-PC3-30-30-M-DFT-16QAM-Outer_Full-PASS




NTNV-n38-PC3-30-30-M-DFT-64QAM-Outer_Full-PASS




NTNV-n38-PC3-30-30-M-DFT-256QAM-Outer_Full-PASS




NTNV-n38-PC3-30-40-M-DFT-BPSK-Outer_Full-PASS




NTNV-n38-PC3-30-40-M-DFT-QPSK-Outer_Full-PASS



NTNV-n38-PC3-30-40-M-DFT-16QAM-Outer_Full-PASS



NTNV-n38-PC3-30-40-M-DFT-64QAM-Outer_Full-PASS



NTNV-n38-PC3-30-40-M-DFT-256QAM-Outer_Full-PASS

26dB Bandwidth and Occupied Bandwidth for SA

Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n38	30	20	CP-QPSK	M	Outer_Full	18.229	19.80	PASS
n38	30	20	CP-16QAM	M	Outer_Full	18.251	19.75	PASS
n38	30	20	CP-64QAM	M	Outer_Full	18.231	19.64	PASS
n38	30	20	CP-256QAM	M	Outer_Full	18.265	19.73	PASS
n38	30	30	CP-QPSK	M	Outer_Full	27.889	29.69	PASS
n38	30	30	CP-16QAM	M	Outer_Full	27.888	29.72	PASS
n38	30	30	CP-64QAM	M	Outer_Full	27.920	29.70	PASS
n38	30	30	CP-256QAM	M	Outer_Full	27.889	29.63	PASS
n38	30	40	CP-QPSK	M	Outer_Full	37.893	39.95	PASS
n38	30	40	CP-16QAM	M	Outer_Full	37.879	40.06	PASS
n38	30	40	CP-64QAM	M	Outer_Full	37.950	40.14	PASS
n38	30	40	CP-256QAM	M	Outer_Full	37.901	39.88	PASS

Test Graphs





NTNV-n38-PC3-30-20-M-CP-QPSK-Outet_Full-Ant1-PASS

NTNV-n38-PC3-30-20-M-CP-16QAM-Outet_Full-Ant1-PASS



NTNV-n38-PC3-30-20-M-CP-64QAM-Outet_Full-Ant1-PASS

NTNV-n38-PC3-30-20-M-CP-256QAM-Outet_Full-Ant1-PASS



NTNV-n38-PC3-30-30-M-CP-QPSK-Outet_Full-Ant1-PASS

NTNV-n38-PC3-30-30-M-CP-16QAM-Outet_Full-Ant1-PASS





NTNV-n38-PC3-30-30-M-CP-64QAM-Outet_Full-Ant1-PASS

NTNV-n38-PC3-30-30-M-CP-256QAM-Outet_Full-Ant1-PASS



NTNV-n38-PC3-30-40-M-CP-QPSK-Outet_Full-Ant1-PASS

NTNV-n38-PC3-30-40-M-CP-16QAM-Outet_Full-Ant1-PASS





NTNV-n38-PC3-30-40-M-CP-64QAM-Outet_Full-Ant1-PASS

NTNV-n38-PC3-30-40-M-CP-256QAM-Outet_Full-Ant1-PASS



Band Edge for SA

Test Graphs





NTNV-n38-PC3-30-20-L-DFT-BPSK-Edge_1RB_Left-PASS

NTNV-n38-PC3-30-20-L-DFT-BPSK-Outer_Full-PASS





NTNV-n38-PC3-30-20-L-DFT-QPSK-Edge_1RB_Left-PASS

NTNV-n38-PC3-30-20-L-DFT-QPSK-Outer_Full-PASS




NTNV-n38-PC3-30-20-H-DFT-BPSK-Edge_1RB_Right-PASS

NTNV-n38-PC3-30-20-H-DFT-BPSK-Outer_Full-PASS




NTNV-n38-PC3-30-20-H-DFT-QPSK-Edge_1RB_Right-PASS


NTNV-n38-PC3-30-20-H-DFT-QPSK-Outer_Full-PASS




NTNV-n38-PC3-30-30-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n38-PC3-30-30-L-DFT-BPSK-Outer_Full-PASS




NTNV-n38-PC3-30-30-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n38-PC3-30-30-L-DFT-QPSK-Outer_Full-PASS




NTNV-n38-PC3-30-30-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n38-PC3-30-30-H-DFT-BPSK-Outer_Full-PASS




NTNV-n38-PC3-30-30-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n38-PC3-30-30-H-DFT-QPSK-Outer_Full-PASS




NTNV-n38-PC3-30-40-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n38-PC3-30-40-L-DFT-BPSK-Outer_Full-PASS




NTNV-n38-PC3-30-40-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n38-PC3-30-40-L-DFT-QPSK-Outer_Full-PASS




NTNV-n38-PC3-30-40-H-DFT-BPSK-Edge_1RB_Right-PASS



NTNV-n38-PC3-30-40-H-DFT-BPSK-Outer_Full-PASS




NTNV-n38-PC3-30-40-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n38-PC3-30-40-H-DFT-QPSK-Outer_Full-PASS

Conducted Spurious Emission for SA

Test Graphs




NTNV-n38-PC3-30-20-L-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PAS
S




NTNV-n38-PC3-30-20-L-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS



NTNV-n38-PC3-30-20-L-DFT-BPSK-Inner_1RB_Left-30-1000-PASS



NTNV-n38-PC3-30-20-L-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS



NTNV-n38-PC3-30-20-L-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS
SS




NTNV-n38-PC3-30-20-L-DFT-BPSK-Inner_1RB_Left-12000-26500-PASS
SS




NTNV-n38-PC3-30-20-L-DFT-BPSK-Inner_1RB_Right-0.009-0.15-PASS
SS



NTNV-n38-PC3-30-20-L-DFT-BPSK-Inner_1RB_Right-0.15-30-PASS



NTNV-n38-PC3-30-20-L-DFT-BPSK-Inner_1RB_Right-30-1000-PASS


NTNV-n38-PC3-30-20-L-DFT-BPSK-Inner_1RB_Right-1000-3000-PASS
S

NTNV-n38-PC3-30-20-L-DFT-BPSK-Inner_1RB_Right-3000-12000-PASS
ASS


NTNV-n38-PC3-30-20-L-DFT-BPSK-Inner_1RB_Right-12000-26500-PASS
ASS

NTNV-n38-PC3-30-20-L-DFT-QPSK-Inner_1RB_Left-0.009-0.15-PASS
S


NTNV-n38-PC3-30-20-L-DFT-QPSK-Inner_1RB_Left-0.15-30-PASS




NTNV-n38-PC3-30-20-L-DFT-QPSK-Inner_1RB_Left-30-1000-PASS



NTNV-n38-PC3-30-20-L-DFT-QPSK-Inner_1RB_Left-1000-3000-PASS



NTNV-n38-PC3-30-20-L-DFT-QPSK-Inner_1RB_Left-3000-12000-PA
SS

NTNV-n38-PC3-30-20-L-DFT-QPSK-Inner_1RB_Left-12000-26500-PA
SS

NTNV-n38-PC3-30-20-L-DFT-QPSK-Inner_1RB_Right-0.009-0.15-PA
SS


NTNV-n38-PC3-30-20-L-DFT-QPSK-Inner_1RB_Right-0.15-30-PASS





NTNV-n38-PC3-30-20-L-DFT-QPSK-Inner_1RB_Right-30-1000-PASS



NTNV-n38-PC3-30-20-L-DFT-QPSK-Inner_1RB_Right-1000-3000-PAS
S

NTNV-n38-PC3-30-20-L-DFT-QPSK-Inner_1RB_Right-3000-12000-P
ASS

NTNV-n38-PC3-30-20-L-DFT-QPSK-Inner_1RB_Right-12000-26500-P
ASS


NTNV-n38-PC3-30-20-M-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PAS
S



NTNV-n38-PC3-30-20-M-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS




NTNV-n38-PC3-30-20-M-DFT-BPSK-Inner_1RB_Left-30-1000-PASS


NTNV-n38-PC3-30-20-M-DFT-BPSK-Inner_1RB_Left-1000-3000-PAS
S

NTNV-n38-PC3-30-20-M-DFT-BPSK-Inner_1RB_Left-3000-12000-PA
SS


NTNV-n38-PC3-30-20-M-DFT-BPSK-Inner_1RB_Left-12000-26500-PA
SS

NTNV-n38-PC3-30-20-M-DFT-BPSK-Inner_1RB_Right-0.009-0.15-PA
SS


NTNV-n38-PC3-30-20-M-DFT-BPSK-Inner_1RB_Right-0.15-30-PASS



NTNV-n38-PC3-30-20-M-DFT-BPSK-Inner_1RB_Right-30-1000-PAS

S



NTNV-n38-PC3-30-20-M-DFT-BPSK-Inner_1RB_Right-1000-3000-PA

SS




NTNV-n38-PC3-30-20-M-DFT-BPSK-Inner_1RB_Right-3000-12000-P

ASS



NTNV-n38-PC3-30-20-M-DFT-BPSK-Inner_1RB_Right-12000-26500-P

ASS



NTNV-n38-PC3-30-20-M-DFT-QPSK-Inner_1RB_Left-0.009-0.15-PA

SS



NTNV-n38-PC3-30-20-M-DFT-QPSK-Inner_1RB_Left-0.15-30-PASS



NTNV-n38-PC3-30-20-M-DFT-QPSK-Inner_1RB_Left-30-1000-PASS



NTNV-n38-PC3-30-20-M-DFT-QPSK-Inner_1RB_Left-1000-3000-PAS


S


NTNV-n38-PC3-30-20-M-DFT-QPSK-Inner_1RB_Left-3000-12000-PA
SS

NTNV-n38-PC3-30-20-M-DFT-QPSK-Inner_1RB_Left-12000-26500-PA
SS

NTNV-n38-PC3-30-20-M-DFT-QPSK-Inner_1RB_Right-0.009-0.15-P
ASS



NTNV-n38-PC3-30-20-M-DFT-QPSK-Inner_1RB_Right-0.15-30-PASS


NTNV-n38-PC3-30-20-M-DFT-QPSK-Inner_1RB_Right-30-1000-PAS
S


NTNV-n38-PC3-30-20-M-DFT-QPSK-Inner_1RB_Right-1000-3000-PA
SS

NTNV-n38-PC3-30-20-M-DFT-QPSK-Inner_1RB_Right-3000-12000-P
ASS


NTNV-n38-PC3-30-20-M-DFT-QPSK-Inner_1RB_Right-12000-26500-P
ASS



NTNV-n38-PC3-30-20-H-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PAS
S



NTNV-n38-PC3-30-20-H-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS



NTNV-n38-PC3-30-20-H-DFT-BPSK-Inner_1RB_Left-30-1000-PASS




NTNV-n38-PC3-30-20-H-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS



NTNV-n38-PC3-30-20-H-DFT-BPSK-Inner_1RB_Left-3000-12000-PA
SS



NTNV-n38-PC3-30-20-H-DFT-BPSK-Inner_1RB_Left-12000-26500-PA
SS



NTNV-n38-PC3-30-20-H-DFT-BPSK-Inner_1RB_Right-0.009-0.15-PAS
SS



NTNV-n38-PC3-30-20-H-DFT-BPSK-Inner_1RB_Right-0.15-30-PASS