

Maximum eirp Density

Test Result

Band	SC S	Bandwidth	Modulation	Channel	RB Config	Result (dBm/10M Hz)	Gain(dBi)	EIRP(dBm/10M Hz)	Limit (dBm/10M Hz)	Verdict
DC_2A-n48A	30	5+10	DFT-BPSK	M+L	Outer_Full	22.55	-3.6	18.95	23	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+M	Outer_Full	21.8	-3.6	18.2	23	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+M	Inner_Full	21.62	-3.6	18.02	23	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+M	Inner_1RB_Left	21.64	-3.6	18.04	23	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+M	Inner_1RB_Right	21.59	-3.6	17.99	23	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+L	Inner_Full	21.39	-3.6	17.79	23	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+L	Inner_1RB_Left	21.47	-3.6	17.87	23	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+L	Inner_1RB_Right	21.69	-3.6	18.09	23	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+L	Outer_Full	21.43	-3.6	17.83	23	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+L	Inner_Full	21.35	-3.6	17.75	23	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+L	Inner_1RB_Left	21.56	-3.6	17.96	23	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+L	Inner_1RB_Right	21.8	-3.6	18.2	23	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+L	Outer_Full	20.29	-3.6	16.69	23	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+L	Inner_Full	21.35	-3.6	17.75	23	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+L	Inner_1RB_Left	21.03	-3.6	17.43	23	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+L	Inner_1RB_Right	21.19	-3.6	17.59	23	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+L	Outer_Full	20.05	-3.6	16.45	23	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+L	Inner_Full	19.96	-3.6	16.36	23	PASS

DC_2A-n4 8A	30	5+10	DFT-64QA M	M+L	Inner_1RB_Le ft	19.49	-3.6	15.89	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-64QA M	M+L	Inner_1RB_Ri ght	19.83	-3.6	16.23	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-256Q AM	M+L	Outer_Full	18.08	-3.6	14.48	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-256Q AM	M+L	Inner_Full	17.94	-3.6	14.34	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-256Q AM	M+L	Inner_1RB_Le ft	17.62	-3.6	14.02	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-256Q AM	M+L	Inner_1RB_Ri ght	17.86	-3.6	14.26	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-QPSK	M+M	Outer_Full	21.61	-3.6	18.01	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-QPSK	M+M	Inner_Full	21.63	-3.6	18.03	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-QPSK	M+M	Inner_1RB_Le ft	21.46	-3.6	17.86	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-QPSK	M+M	Inner_1RB_Ri ght	21.45	-3.6	17.85	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-16QA M	M+M	Outer_Full	20.62	-3.6	17.02	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-16QA M	M+M	Inner_Full	21.62	-3.6	18.02	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-16QA M	M+M	Inner_1RB_Le ft	21.71	-3.6	18.11	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-16QA M	M+M	Inner_1RB_Ri ght	22	-3.6	18.4	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-64QA M	M+M	Outer_Full	20	-3.6	16.4	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-64QA M	M+M	Inner_Full	20.27	-3.6	16.67	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-64QA M	M+M	Inner_1RB_Le ft	19.88	-3.6	16.28	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-64QA M	M+M	Inner_1RB_Ri ght	19.85	-3.6	16.25	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-256Q AM	M+M	Outer_Full	18.34	-3.6	14.74	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-256Q AM	M+M	Inner_Full	18.1	-3.6	14.5	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-256Q AM	M+M	Inner_1RB_Le ft	17.97	-3.6	14.37	23	PAS S

DC_2A-n4 8A	30	5+10	DFT-256Q AM	M+M	Inner_1RB_Ri ght	18.05	-3.6	14.45	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-BPSK	M+H	Outer_Full	21.65	-3.6	18.05	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-BPSK	M+H	Inner_Full	21.61	-3.6	18.01	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-BPSK	M+H	Inner_1RB_Le ft	21.6	-3.6	18	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-BPSK	M+H	Inner_1RB_Ri ght	21.74	-3.6	18.14	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-QPSK	M+H	Outer_Full	21.78	-3.6	18.18	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-QPSK	M+H	Inner_Full	21.55	-3.6	17.95	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-QPSK	M+H	Inner_1RB_Le ft	21.61	-3.6	18.01	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-QPSK	M+H	Inner_1RB_Ri ght	21.83	-3.6	18.23	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-16QA M	M+H	Outer_Full	20.73	-3.6	17.13	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-16QA M	M+H	Inner_Full	21.69	-3.6	18.09	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-16QA M	M+H	Inner_1RB_Le ft	21.44	-3.6	17.84	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-16QA M	M+H	Inner_1RB_Ri ght	21.45	-3.6	17.85	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-64QA M	M+H	Outer_Full	20.12	-3.6	16.52	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-64QA M	M+H	Inner_Full	20.1	-3.6	16.5	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-64QA M	M+H	Inner_1RB_Le ft	19.72	-3.6	16.12	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-64QA M	M+H	Inner_1RB_Ri ght	19.86	-3.6	16.26	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-256Q AM	M+H	Outer_Full	18.22	-3.6	14.62	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-256Q AM	M+H	Inner_Full	18.15	-3.6	14.55	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-256Q AM	M+H	Inner_1RB_Le ft	17.96	-3.6	14.36	23	PAS S
DC_2A-n4 8A	30	5+10	DFT-256Q AM	M+H	Inner_1RB_Ri ght	18.09	-3.6	14.49	23	PAS S

DC_2A-n4 8A	30	5+20	DFT-BPSK	M+L	Outer_Full	21.63	-3.6	18.03	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-BPSK	M+L	Inner_Full	21.31	-3.6	17.71	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-BPSK	M+L	Inner_1RB_Le ft	21.53	-3.6	17.93	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-BPSK	M+L	Inner_1RB_Ri ght	21.79	-3.6	18.19	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-QPSK	M+L	Outer_Full	21.55	-3.6	17.95	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-QPSK	M+L	Inner_Full	21.32	-3.6	17.72	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-QPSK	M+L	Inner_1RB_Le ft	21.53	-3.6	17.93	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-QPSK	M+L	Inner_1RB_Ri ght	21.78	-3.6	18.18	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-16QA M	M+L	Outer_Full	20.57	-3.6	16.97	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-16QA M	M+L	Inner_Full	21.34	-3.6	17.74	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-16QA M	M+L	Inner_1RB_Le ft	21.5	-3.6	17.9	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-16QA M	M+L	Inner_1RB_Ri ght	21.55	-3.6	17.95	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-64QA M	M+L	Outer_Full	19.9	-3.6	16.3	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-64QA M	M+L	Inner_Full	20.01	-3.6	16.41	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-64QA M	M+L	Inner_1RB_Le ft	19.93	-3.6	16.33	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-64QA M	M+L	Inner_1RB_Ri ght	19.85	-3.6	16.25	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-256Q AM	M+L	Outer_Full	17.77	-3.6	14.17	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-256Q AM	M+L	Inner_Full	17.93	-3.6	14.33	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-256Q AM	M+L	Inner_1RB_Le ft	17.91	-3.6	14.31	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-256Q AM	M+L	Inner_1RB_Ri ght	18.03	-3.6	14.43	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-BPSK	M+M	Outer_Full	21.74	-3.6	18.14	23	PAS S

DC_2A-n4 8A	30	5+20	DFT-BPSK	M+M	Inner_Full	21.75	-3.6	18.15	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-BPSK	M+M	Inner_1RB_Le ft	21.43	-3.6	17.83	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-BPSK	M+M	Inner_1RB_Ri ght	21.55	-3.6	17.95	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-QPSK	M+M	Outer_Full	21.55	-3.6	17.95	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-QPSK	M+M	Inner_Full	21.48	-3.6	17.88	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-QPSK	M+M	Inner_1RB_Le ft	21.46	-3.6	17.86	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-QPSK	M+M	Inner_1RB_Ri ght	21.37	-3.6	17.77	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-16QA M	M+M	Outer_Full	20.56	-3.6	16.96	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-16QA M	M+M	Inner_Full	21.46	-3.6	17.86	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-16QA M	M+M	Inner_1RB_Le ft	21.35	-3.6	17.75	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-16QA M	M+M	Inner_1RB_Ri ght	21.8	-3.6	18.2	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-64QA M	M+M	Outer_Full	20.26	-3.6	16.66	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-64QA M	M+M	Inner_Full	20.22	-3.6	16.62	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-64QA M	M+M	Inner_1RB_Le ft	19.88	-3.6	16.28	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-64QA M	M+M	Inner_1RB_Ri ght	20.05	-3.6	16.45	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-256Q AM	M+M	Outer_Full	17.98	-3.6	14.38	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-256Q AM	M+M	Inner_Full	17.97	-3.6	14.37	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-256Q AM	M+M	Inner_1RB_Le ft	17.79	-3.6	14.19	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-256Q AM	M+M	Inner_1RB_Ri ght	18.04	-3.6	14.44	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-BPSK	M+H	Outer_Full	21.4	-3.6	17.8	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-BPSK	M+H	Inner_Full	21.49	-3.6	17.89	23	PAS S

DC_2A-n4 8A	30	5+20	DFT-BPSK	M+H	Inner_1RB_Le ft	21.27	-3.6	17.67	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-BPSK	M+H	Inner_1RB_Ri ght	21.28	-3.6	17.68	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-QPSK	M+H	Outer_Full	21.2	-3.6	17.6	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-QPSK	M+H	Inner_Full	21.42	-3.6	17.82	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-QPSK	M+H	Inner_1RB_Le ft	20.79	-3.6	17.19	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-QPSK	M+H	Inner_1RB_Ri ght	21.05	-3.6	17.45	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-16QA M	M+H	Outer_Full	20.5	-3.6	16.9	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-16QA M	M+H	Inner_Full	21.42	-3.6	17.82	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-16QA M	M+H	Inner_1RB_Le ft	21.04	-3.6	17.44	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-16QA M	M+H	Inner_1RB_Ri ght	21.27	-3.6	17.67	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-64QA M	M+H	Outer_Full	19.76	-3.6	16.16	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-64QA M	M+H	Inner_Full	19.93	-3.6	16.33	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-64QA M	M+H	Inner_1RB_Le ft	19.94	-3.6	16.34	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-64QA M	M+H	Inner_1RB_Ri ght	19.75	-3.6	16.15	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-256Q AM	M+H	Outer_Full	17.96	-3.6	14.36	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-256Q AM	M+H	Inner_Full	17.68	-3.6	14.08	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-256Q AM	M+H	Inner_1RB_Le ft	18.09	-3.6	14.49	23	PAS S
DC_2A-n4 8A	30	5+20	DFT-256Q AM	M+H	Inner_1RB_Ri ght	18.21	-3.6	14.61	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-BPSK	M+L	Outer_Full	23.03	-3.6	19.43	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-BPSK	M+L	Inner_Full	21.5	-3.6	17.9	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-BPSK	M+L	Inner_1RB_Le ft	21.49	-3.6	17.89	23	PAS S

DC_2A-n4 8A	30	5+40	DFT-BPSK	M+L	Inner_1RB_Ri ght	21.56	-3.6	17.96	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-QPSK	M+L	Outer_Full	23.54	-3.6	19.94	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-QPSK	M+L	Inner_Full	21.35	-3.6	17.75	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-QPSK	M+L	Inner_1RB_Le ft	21.38	-3.6	17.78	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-QPSK	M+L	Inner_1RB_Ri ght	22.01	-3.6	18.41	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-16QA M	M+L	Outer_Full	18.43	-3.6	14.83	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-16QA M	M+L	Inner_Full	21.46	-3.6	17.86	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-16QA M	M+L	Inner_1RB_Le ft	21.28	-3.6	17.68	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-16QA M	M+L	Inner_1RB_Ri ght	21.81	-3.6	18.21	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-64QA M	M+L	Outer_Full	18.41	-3.6	14.81	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-64QA M	M+L	Inner_Full	19.95	-3.6	16.35	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-64QA M	M+L	Inner_1RB_Le ft	20.02	-3.6	16.42	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-64QA M	M+L	Inner_1RB_Ri ght	20.32	-3.6	16.72	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-256Q AM	M+L	Outer_Full	17.8	-3.6	14.2	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-256Q AM	M+L	Inner_Full	18.2	-3.6	14.6	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-256Q AM	M+L	Inner_1RB_Le ft	17.74	-3.6	14.14	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-256Q AM	M+L	Inner_1RB_Ri ght	18.16	-3.6	14.56	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-BPSK	M+M	Outer_Full	21.6	-3.6	18	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-BPSK	M+M	Inner_Full	21.34	-3.6	17.74	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-BPSK	M+M	Inner_1RB_Le ft	21.46	-3.6	17.86	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-BPSK	M+M	Inner_1RB_Ri ght	21.62	-3.6	18.02	23	PAS S

DC_2A-n4 8A	30	5+40	DFT-QPSK	M+M	Outer_Full	21.56	-3.6	17.96	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-QPSK	M+M	Inner_Full	21.67	-3.6	18.07	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-QPSK	M+M	Inner_1RB_Le ft	21.81	-3.6	18.21	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-QPSK	M+M	Inner_1RB_Ri ght	21.68	-3.6	18.08	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-16QA M	M+M	Outer_Full	19.69	-3.6	16.09	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-16QA M	M+M	Inner_Full	21.38	-3.6	17.78	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-16QA M	M+M	Inner_1RB_Le ft	21.55	-3.6	17.95	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-16QA M	M+M	Inner_1RB_Ri ght	21.64	-3.6	18.04	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-64QA M	M+M	Outer_Full	19.75	-3.6	16.15	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-64QA M	M+M	Inner_Full	20.14	-3.6	16.54	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-64QA M	M+M	Inner_1RB_Le ft	19.63	-3.6	16.03	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-64QA M	M+M	Inner_1RB_Ri ght	19.58	-3.6	15.98	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-256Q AM	M+M	Outer_Full	18.06	-3.6	14.46	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-256Q AM	M+M	Inner_Full	18.02	-3.6	14.42	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-256Q AM	M+M	Inner_1RB_Le ft	18.29	-3.6	14.69	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-256Q AM	M+M	Inner_1RB_Ri ght	18.69	-3.6	15.09	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-BPSK	M+H	Outer_Full	21.41	-3.6	17.81	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-BPSK	M+H	Inner_Full	21.38	-3.6	17.78	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-BPSK	M+H	Inner_1RB_Le ft	21.21	-3.6	17.61	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-BPSK	M+H	Inner_1RB_Ri ght	21.19	-3.6	17.59	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-QPSK	M+H	Outer_Full	21.34	-3.6	17.74	23	PAS S

DC_2A-n4 8A	30	5+40	DFT-QPSK	M+H	Inner_Full	21.12	-3.6	17.52	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-QPSK	M+H	Inner_1RB_Le ft	21.36	-3.6	17.76	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-QPSK	M+H	Inner_1RB_Ri ght	21.38	-3.6	17.78	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-16QA M	M+H	Outer_Full	21.44	-3.6	17.84	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-16QA M	M+H	Inner_Full	21.11	-3.6	17.51	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-16QA M	M+H	Inner_1RB_Le ft	21.07	-3.6	17.47	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-16QA M	M+H	Inner_1RB_Ri ght	21.18	-3.6	17.58	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-64QA M	M+H	Outer_Full	21.22	-3.6	17.62	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-64QA M	M+H	Inner_Full	19.91	-3.6	16.31	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-64QA M	M+H	Inner_1RB_Le ft	19.94	-3.6	16.34	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-64QA M	M+H	Inner_1RB_Ri ght	19.85	-3.6	16.25	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-256Q AM	M+H	Outer_Full	17.89	-3.6	14.29	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-256Q AM	M+H	Inner_Full	17.75	-3.6	14.15	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-256Q AM	M+H	Inner_1RB_Le ft	17.77	-3.6	14.17	23	PAS S
DC_2A-n4 8A	30	5+40	DFT-256Q AM	M+H	Inner_1RB_Ri ght	17.9	-3.6	14.3	23	PAS S


Peak-to-Average Ratio for ENDC

Peak-to-Average Ratio(CCDF)


Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result(dB)	Limit(dB)	Verdict
DC_2A-n48A	30	5+10	DFT-BPSK	M+M	Outer_Full	4.38	≤13	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+M	Outer_Full	5.38	≤13	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+M	Outer_Full	6.26	≤13	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+M	Outer_Full	6.64	≤13	PASS
DC_2A-n48A	30	5+10	DFT-256QAM	M+M	Outer_Full	6.76	≤13	PASS
DC_2A-n48A	30	5+20	DFT-BPSK	M+M	Outer_Full	4.22	≤13	PASS
DC_2A-n48A	30	5+20	DFT-QPSK	M+M	Outer_Full	5.2	≤13	PASS
DC_2A-n48A	30	5+20	DFT-16QAM	M+M	Outer_Full	6.2	≤13	PASS
DC_2A-n48A	30	5+20	DFT-64QAM	M+M	Outer_Full	6.6	≤13	PASS
DC_2A-n48A	30	5+20	DFT-256QAM	M+M	Outer_Full	6.6	≤13	PASS
DC_2A-n48A	30	5+40	DFT-BPSK	M+M	Outer_Full	4.5	≤13	PASS
DC_2A-n48A	30	5+40	DFT-QPSK	M+M	Outer_Full	5.24	≤13	PASS
DC_2A-n48A	30	5+40	DFT-16QAM	M+M	Outer_Full	6.4	≤13	PASS
DC_2A-n48A	30	5+40	DFT-64QAM	M+M	Outer_Full	6.38	≤13	PASS
DC_2A-n48A	30	5+40	DFT-256QAM	M+M	Outer_Full	6.64	≤13	PASS


Test Graphs




NTNV-DC_2A-n48A-PC3-30-5+10-M+M-QPSK-IDLE-DFT-BPSK-O
uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+M-QPSK-IDLE-DFT-QPSK-O
uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+M-QPSK-IDLE-DFT-16QAM-
Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+M-QPSK-IDLE-DFT-64QAM-
Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+M-QPSK-IDLE-DFT-256QAM
-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+M-QPSK-IDLE-DFT-BPSK-O
uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+M-QPSK-IDLE-DFT-QPSK-O
uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+M-QPSK-IDLE-DFT-16QAM-
Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+M-QPSK-IDLE-DFT-64QAM-Outter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+M-QPSK-IDLE-DFT-256QAM-Outter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+40-M+M-QPSK-IDLE-DFT-BPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+40-M+M-QPSK-IDLE-DFT-QPSK-Outer_Full-PASS



NTNV-DC_2A-n48A-PC3-30-5+40-M+M-QPSK-IDLE-DFT-16QAM-Outter_Full-PASS



NTNV-DC_2A-n48A-PC3-30-5+40-M+M-QPSK-IDLE-DFT-64QAM-Outter_Full-PASS



NTNV-DC_2A-n48A-PC3-30-5+40-M+M-QPSK-IDLE-DFT-256QAM-Outter_Full-PASS

26dB Bandwidth and Occupied Bandwidth for ENDC

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
DC_2A-n48A	30	5+10	CP-QPSK	M+M	Outer_Full	8.5859	9.730	PASS
DC_2A-n48A	30	5+10	CP-16QAM	M+M	Outer_Full	8.6088	9.669	PASS
DC_2A-n48A	30	5+10	CP-64QAM	M+M	Outer_Full	8.6248	9.704	PASS
DC_2A-n48A	30	5+10	CP-256QAM	M+M	Outer_Full	8.5993	9.628	PASS
DC_2A-n48A	30	5+20	CP-QPSK	M+M	Outer_Full	18.237	20.41	PASS
DC_2A-n48A	30	5+20	CP-16QAM	M+M	Outer_Full	18.235	19.74	PASS
DC_2A-n48A	30	5+20	CP-64QAM	M+M	Outer_Full	18.255	19.72	PASS
DC_2A-n48A	30	5+20	CP-256QAM	M+M	Outer_Full	18.233	19.72	PASS
DC_2A-n48A	30	5+40	CP-QPSK	M+M	Outer_Full	37.834	39.90	PASS
DC_2A-n48A	30	5+40	CP-16QAM	M+M	Outer_Full	37.808	40.03	PASS
DC_2A-n48A	30	5+40	CP-64QAM	M+M	Outer_Full	37.933	40.07	PASS
DC_2A-n48A	30	5+40	CP-256QAM	M+M	Outer_Full	37.808	39.90	PASS

Test Graphs



NTNV-DC_2A-n48A-PC3-30-5+10-M+M-QPSK-IDLE-CP-QPSK-O
uter_Full-Ant1-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+M-QPSK-IDLE-CP-16QAM-O
uter_Full-Ant1-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+M-QPSK-IDLE-CP-64QAM-
Outer_Full-Ant1-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+M-QPSK-IDLE-CP-256QAM-
Outer_Full-Ant1-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+M-QPSK-IDLE-CP-QPSK-O
uter_Full-Ant1-PASS



NTNV-DC_2A-n48A-PC3-30-5+20-M+M-QPSK-IDLE-CP-16QAM-O
uter_Full-Ant1-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+M-QPSK-IDLE-CP-64QAM-
Outer_Full-Ant1-PASS



NTNV-DC_2A-n48A-PC3-30-5+20-M+M-QPSK-IDLE-CP-256QAM-
Outer_Full-Ant1-PASS




NTNV-DC_2A-n48A-PC3-30-5+40-M+M-QPSK-IDLE-CP-QPSK-O
uter Full-Ant1-PASS



NTNV-DC_2A-n48A-PC3-30-5+40-M+M-QPSK-IDLE-CP-16QAM-O
uter Full-Ant1-PASS



NTNV-DC_2A-n48A-PC3-30-5+40-M+M-QPSK-IDLE-CP-64QAM-
Outer Full-Ant1-PASS



NTNV-DC_2A-n48A-PC3-30-5+40-M+M-QPSK-IDLE-CP-256QAM-Outer Full-Ant1-PASS

Adjacent Channel Leakage Ratio for ENDC

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (dBm)	Limit (dBm)	Verdict
DC_2A-n48A	30	5+10	DFT-BPSK	M+L	Edge_1RB_Left	-39.73	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+L	Edge_1RB_Left	-57.21	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+L	Edge_1RB_Right	-57.65	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+L	Edge_1RB_Right	-42.88	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+L	Outer_Full	-45.58	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+L	Outer_Full	-45.94	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+L	Edge_1RB_Left	-39.76	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+L	Edge_1RB_Left	-57.27	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+L	Edge_1RB_Right	-57.62	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+L	Edge_1RB_Right	-40.1	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+L	Outer_Full	-43.31	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+L	Outer_Full	-44.39	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+L	Edge_1RB_Left	-42.79	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+L	Edge_1RB_Left	-56.42	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+L	Edge_1RB_Right	-57.33	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+L	Edge_1RB_Right	-42.43	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+L	Outer_Full	-43.27	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+L	Outer_Full	-44.64	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+L	Edge_1RB_Left	-39.7	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+L	Edge_1RB_Left	-56.62	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+L	Edge_1RB_Right	-57.46	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+L	Edge_1RB_Right	-40.39	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+L	Outer_Full	-43.16	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+L	Outer_Full	-44.66	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-256QAM	M+L	Edge_1RB_Left	-42.39	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-256QAM	M+L	Edge_1RB_Left	-54.96	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-256QAM	M+L	Edge_1RB_Right	-55.14	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-256QAM	M+L	Edge_1RB_Right	-40.91	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-256QAM	M+L	Outer_Full	-44.16	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-256QAM	M+L	Outer_Full	-45.86	≤-30	PASS
DC_2A-n48A	30	5+10	CP-QPSK	M+L	Edge_1RB_Left	-39.65	≤-30	PASS
DC_2A-n48A	30	5+10	CP-QPSK	M+L	Edge_1RB_Left	-56.05	≤-30	PASS
DC_2A-n48A	30	5+10	CP-QPSK	M+L	Edge_1RB_Right	-56.41	≤-30	PASS
DC_2A-n48A	30	5+10	CP-QPSK	M+L	Edge_1RB_Right	-40.95	≤-30	PASS
DC_2A-n48A	30	5+10	CP-QPSK	M+L	Outer_Full	-41.39	≤-30	PASS
DC_2A-n48A	30	5+10	CP-QPSK	M+L	Outer_Full	-43.07	≤-30	PASS
DC_2A-n48A	30	5+10	CP-16QAM	M+L	Edge_1RB_Left	-41.87	≤-30	PASS

DC_2A-n48A	30	5+10	CP-16QAM	M+L	Edge_1RB_Left	-56.3	≤-30	PASS
DC_2A-n48A	30	5+10	CP-16QAM	M+L	Edge_1RB_Right	-56.15	≤-30	PASS
DC_2A-n48A	30	5+10	CP-16QAM	M+L	Edge_1RB_Right	-41.59	≤-30	PASS
DC_2A-n48A	30	5+10	CP-16QAM	M+L	Outer_Full	-41.6	≤-30	PASS
DC_2A-n48A	30	5+10	CP-16QAM	M+L	Outer_Full	-43.21	≤-30	PASS
DC_2A-n48A	30	5+10	CP-64QAM	M+L	Edge_1RB_Left	-41.68	≤-30	PASS
DC_2A-n48A	30	5+10	CP-64QAM	M+L	Edge_1RB_Left	-56.29	≤-30	PASS
DC_2A-n48A	30	5+10	CP-64QAM	M+L	Edge_1RB_Right	-56.46	≤-30	PASS
DC_2A-n48A	30	5+10	CP-64QAM	M+L	Edge_1RB_Right	-42.31	≤-30	PASS
DC_2A-n48A	30	5+10	CP-64QAM	M+L	Outer_Full	-41.94	≤-30	PASS
DC_2A-n48A	30	5+10	CP-64QAM	M+L	Outer_Full	-44.01	≤-30	PASS
DC_2A-n48A	30	5+10	CP-256QAM	M+L	Edge_1RB_Left	-41.39	≤-30	PASS
DC_2A-n48A	30	5+10	CP-256QAM	M+L	Edge_1RB_Left	-53.6	≤-30	PASS
DC_2A-n48A	30	5+10	CP-256QAM	M+L	Edge_1RB_Right	-53.94	≤-30	PASS
DC_2A-n48A	30	5+10	CP-256QAM	M+L	Edge_1RB_Right	-41.73	≤-30	PASS
DC_2A-n48A	30	5+10	CP-256QAM	M+L	Outer_Full	-43.5	≤-30	PASS
DC_2A-n48A	30	5+10	CP-256QAM	M+L	Outer_Full	-45.61	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+H	Edge_1RB_Left	-39.66	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+H	Edge_1RB_Left	-54.42	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+H	Edge_1RB_Right	-54.49	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+H	Edge_1RB_Right	-43.82	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+H	Outer_Full	-47.94	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-BPSK	M+H	Outer_Full	-47.49	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+H	Edge_1RB_Left	-43.27	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+H	Edge_1RB_Left	-54.41	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+H	Edge_1RB_Right	-54.39	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+H	Edge_1RB_Right	-42.87	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+H	Outer_Full	-45.44	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-QPSK	M+H	Outer_Full	-47.16	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+H	Edge_1RB_Left	-39.36	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+H	Edge_1RB_Left	-53.62	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+H	Edge_1RB_Right	-54.13	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+H	Edge_1RB_Right	-42.22	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+H	Outer_Full	-45.89	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-16QAM	M+H	Outer_Full	-47.58	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+H	Edge_1RB_Left	-38.78	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+H	Edge_1RB_Left	-53.24	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+H	Edge_1RB_Right	-52.99	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+H	Edge_1RB_Right	-39.64	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+H	Outer_Full	-45.71	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-64QAM	M+H	Outer_Full	-46.65	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-256QAM	M+H	Edge_1RB_Left	-40.6	≤-30	PASS

DC_2A-n48A	30	5+10	DFT-256QAM	M+H	Edge_1RB_Left	-51.16	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-256QAM	M+H	Edge_1RB_Right	-51.43	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-256QAM	M+H	Edge_1RB_Right	-39.93	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-256QAM	M+H	Outer_Full	-46.45	≤-30	PASS
DC_2A-n48A	30	5+10	DFT-256QAM	M+H	Outer_Full	-47.74	≤-30	PASS
DC_2A-n48A	30	5+10	CP-QPSK	M+H	Edge_1RB_Left	-39.61	≤-30	PASS
DC_2A-n48A	30	5+10	CP-QPSK	M+H	Edge_1RB_Left	-52.83	≤-30	PASS
DC_2A-n48A	30	5+10	CP-QPSK	M+H	Edge_1RB_Right	-52.96	≤-30	PASS
DC_2A-n48A	30	5+10	CP-QPSK	M+H	Edge_1RB_Right	-40.35	≤-30	PASS
DC_2A-n48A	30	5+10	CP-QPSK	M+H	Outer_Full	-43.84	≤-30	PASS
DC_2A-n48A	30	5+10	CP-QPSK	M+H	Outer_Full	-44.99	≤-30	PASS
DC_2A-n48A	30	5+10	CP-16QAM	M+H	Edge_1RB_Left	-40.7	≤-30	PASS
DC_2A-n48A	30	5+10	CP-16QAM	M+H	Edge_1RB_Left	-53.23	≤-30	PASS
DC_2A-n48A	30	5+10	CP-16QAM	M+H	Edge_1RB_Right	-52.89	≤-30	PASS
DC_2A-n48A	30	5+10	CP-16QAM	M+H	Edge_1RB_Right	-41.45	≤-30	PASS
DC_2A-n48A	30	5+10	CP-16QAM	M+H	Outer_Full	-43.49	≤-30	PASS
DC_2A-n48A	30	5+10	CP-16QAM	M+H	Outer_Full	-44.7	≤-30	PASS
DC_2A-n48A	30	5+10	CP-64QAM	M+H	Edge_1RB_Left	-40.51	≤-30	PASS
DC_2A-n48A	30	5+10	CP-64QAM	M+H	Edge_1RB_Left	-51.85	≤-30	PASS
DC_2A-n48A	30	5+10	CP-64QAM	M+H	Edge_1RB_Right	-51.72	≤-30	PASS
DC_2A-n48A	30	5+10	CP-64QAM	M+H	Edge_1RB_Right	-42.94	≤-30	PASS
DC_2A-n48A	30	5+10	CP-64QAM	M+H	Outer_Full	-44.49	≤-30	PASS
DC_2A-n48A	30	5+10	CP-64QAM	M+H	Outer_Full	-46.66	≤-30	PASS
DC_2A-n48A	30	5+10	CP-256QAM	M+H	Edge_1RB_Left	-40.01	≤-30	PASS
DC_2A-n48A	30	5+10	CP-256QAM	M+H	Edge_1RB_Left	-49.77	≤-30	PASS
DC_2A-n48A	30	5+10	CP-256QAM	M+H	Edge_1RB_Right	-49.77	≤-30	PASS
DC_2A-n48A	30	5+10	CP-256QAM	M+H	Edge_1RB_Right	-40.98	≤-30	PASS
DC_2A-n48A	30	5+10	CP-256QAM	M+H	Outer_Full	-45.66	≤-30	PASS
DC_2A-n48A	30	5+10	CP-256QAM	M+H	Outer_Full	-46.84	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-BPSK	M+L	Edge_1RB_Left	-40.75	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-BPSK	M+L	Edge_1RB_Left	-54.4	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-BPSK	M+L	Edge_1RB_Right	-55.45	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-BPSK	M+L	Edge_1RB_Right	-43.48	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-BPSK	M+L	Outer_Full	-47.62	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-BPSK	M+L	Outer_Full	-43.64	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-QPSK	M+L	Edge_1RB_Left	-41.31	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-QPSK	M+L	Edge_1RB_Left	-54.29	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-QPSK	M+L	Edge_1RB_Right	-55.75	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-QPSK	M+L	Edge_1RB_Right	-43.87	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-QPSK	M+L	Outer_Full	-45.17	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-QPSK	M+L	Outer_Full	-41.8	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-16QAM	M+L	Edge_1RB_Left	-42.7	≤-30	PASS

DC_2A-n48A	30	5+20	DFT-16QAM	M+L	Edge_1RB_Left	-53.89	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-16QAM	M+L	Edge_1RB_Right	-54.88	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-16QAM	M+L	Edge_1RB_Right	-42.74	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-16QAM	M+L	Outer_Full	-45.13	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-16QAM	M+L	Outer_Full	-41.73	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-64QAM	M+L	Edge_1RB_Left	-42.64	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-64QAM	M+L	Edge_1RB_Left	-53.34	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-64QAM	M+L	Edge_1RB_Right	-54.47	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-64QAM	M+L	Edge_1RB_Right	-42.64	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-64QAM	M+L	Outer_Full	-45.04	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-64QAM	M+L	Outer_Full	-41.73	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-256QAM	M+L	Edge_1RB_Left	-43.44	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-256QAM	M+L	Edge_1RB_Left	-52.43	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-256QAM	M+L	Edge_1RB_Right	-53.44	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-256QAM	M+L	Edge_1RB_Right	-43.26	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-256QAM	M+L	Outer_Full	-45.46	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-256QAM	M+L	Outer_Full	-43.35	≤-30	PASS
DC_2A-n48A	30	5+20	CP-QPSK	M+L	Edge_1RB_Left	-42.51	≤-30	PASS
DC_2A-n48A	30	5+20	CP-QPSK	M+L	Edge_1RB_Left	-53.21	≤-30	PASS
DC_2A-n48A	30	5+20	CP-QPSK	M+L	Edge_1RB_Right	-53.67	≤-30	PASS
DC_2A-n48A	30	5+20	CP-QPSK	M+L	Edge_1RB_Right	-43.09	≤-30	PASS
DC_2A-n48A	30	5+20	CP-QPSK	M+L	Outer_Full	-43.7	≤-30	PASS
DC_2A-n48A	30	5+20	CP-QPSK	M+L	Outer_Full	-41.22	≤-30	PASS
DC_2A-n48A	30	5+20	CP-16QAM	M+L	Edge_1RB_Left	-40.13	≤-30	PASS
DC_2A-n48A	30	5+20	CP-16QAM	M+L	Edge_1RB_Left	-53.32	≤-30	PASS
DC_2A-n48A	30	5+20	CP-16QAM	M+L	Edge_1RB_Right	-53.74	≤-30	PASS
DC_2A-n48A	30	5+20	CP-16QAM	M+L	Edge_1RB_Right	-42.59	≤-30	PASS
DC_2A-n48A	30	5+20	CP-16QAM	M+L	Outer_Full	-43.56	≤-30	PASS
DC_2A-n48A	30	5+20	CP-16QAM	M+L	Outer_Full	-40.55	≤-30	PASS
DC_2A-n48A	30	5+20	CP-64QAM	M+L	Edge_1RB_Left	-43.63	≤-30	PASS
DC_2A-n48A	30	5+20	CP-64QAM	M+L	Edge_1RB_Left	-52.53	≤-30	PASS
DC_2A-n48A	30	5+20	CP-64QAM	M+L	Edge_1RB_Right	-53.47	≤-30	PASS
DC_2A-n48A	30	5+20	CP-64QAM	M+L	Edge_1RB_Right	-42.61	≤-30	PASS
DC_2A-n48A	30	5+20	CP-64QAM	M+L	Outer_Full	-43.86	≤-30	PASS
DC_2A-n48A	30	5+20	CP-64QAM	M+L	Outer_Full	-41.69	≤-30	PASS
DC_2A-n48A	30	5+20	CP-256QAM	M+L	Edge_1RB_Left	-40.6	≤-30	PASS
DC_2A-n48A	30	5+20	CP-256QAM	M+L	Edge_1RB_Left	-50.65	≤-30	PASS
DC_2A-n48A	30	5+20	CP-256QAM	M+L	Edge_1RB_Right	-50.84	≤-30	PASS
DC_2A-n48A	30	5+20	CP-256QAM	M+L	Edge_1RB_Right	-41.9	≤-30	PASS
DC_2A-n48A	30	5+20	CP-256QAM	M+L	Outer_Full	-45.13	≤-30	PASS
DC_2A-n48A	30	5+20	CP-256QAM	M+L	Outer_Full	-43.42	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-BPSK	M+H	Edge_1RB_Left	-41.79	≤-30	PASS


DC_2A-n48A	30	5+20	DFT-BPSK	M+H	Edge_1RB_Left	-51.7	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-BPSK	M+H	Edge_1RB_Right	-51.98	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-BPSK	M+H	Edge_1RB_Right	-41.41	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-BPSK	M+H	Outer_Full	-48.45	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-BPSK	M+H	Outer_Full	-45.81	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-QPSK	M+H	Edge_1RB_Left	-41.96	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-QPSK	M+H	Edge_1RB_Left	-51.27	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-QPSK	M+H	Edge_1RB_Right	-51.64	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-QPSK	M+H	Edge_1RB_Right	-42.51	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-QPSK	M+H	Outer_Full	-47.38	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-QPSK	M+H	Outer_Full	-44.38	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-16QAM	M+H	Edge_1RB_Left	-40.11	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-16QAM	M+H	Edge_1RB_Left	-50.73	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-16QAM	M+H	Edge_1RB_Right	-51.05	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-16QAM	M+H	Edge_1RB_Right	-43.27	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-16QAM	M+H	Outer_Full	-46.47	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-16QAM	M+H	Outer_Full	-44.19	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-64QAM	M+H	Edge_1RB_Left	-39.71	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-64QAM	M+H	Edge_1RB_Left	-50.05	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-64QAM	M+H	Edge_1RB_Right	-50.46	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-64QAM	M+H	Edge_1RB_Right	-43.57	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-64QAM	M+H	Outer_Full	-47.04	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-64QAM	M+H	Outer_Full	-44.79	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-256QAM	M+H	Edge_1RB_Left	-40.57	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-256QAM	M+H	Edge_1RB_Left	-48.45	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-256QAM	M+H	Edge_1RB_Right	-49.09	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-256QAM	M+H	Edge_1RB_Right	-42.29	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-256QAM	M+H	Outer_Full	-46.4	≤-30	PASS
DC_2A-n48A	30	5+20	DFT-256QAM	M+H	Outer_Full	-45.12	≤-30	PASS
DC_2A-n48A	30	5+20	CP-QPSK	M+H	Edge_1RB_Left	-42.61	≤-30	PASS
DC_2A-n48A	30	5+20	CP-QPSK	M+H	Edge_1RB_Left	-49.92	≤-30	PASS
DC_2A-n48A	30	5+20	CP-QPSK	M+H	Edge_1RB_Right	-49.6	≤-30	PASS
DC_2A-n48A	30	5+20	CP-QPSK	M+H	Edge_1RB_Right	-41.08	≤-30	PASS
DC_2A-n48A	30	5+20	CP-QPSK	M+H	Outer_Full	-43.02	≤-30	PASS
DC_2A-n48A	30	5+20	CP-QPSK	M+H	Outer_Full	-41.19	≤-30	PASS
DC_2A-n48A	30	5+20	CP-16QAM	M+H	Edge_1RB_Left	-43.57	≤-30	PASS
DC_2A-n48A	30	5+20	CP-16QAM	M+H	Edge_1RB_Left	-49.71	≤-30	PASS
DC_2A-n48A	30	5+20	CP-16QAM	M+H	Edge_1RB_Right	-49.84	≤-30	PASS
DC_2A-n48A	30	5+20	CP-16QAM	M+H	Edge_1RB_Right	-43.31	≤-30	PASS
DC_2A-n48A	30	5+20	CP-16QAM	M+H	Outer_Full	-42.76	≤-30	PASS
DC_2A-n48A	30	5+20	CP-16QAM	M+H	Outer_Full	-41.33	≤-30	PASS
DC_2A-n48A	30	5+20	CP-64QAM	M+H	Edge_1RB_Left	-43.54	≤-30	PASS

DC_2A-n48A	30	5+20	CP-64QAM	M+H	Edge_1RB_Left	-49.39	≤-30	PASS
DC_2A-n48A	30	5+20	CP-64QAM	M+H	Edge_1RB_Right	-49.28	≤-30	PASS
DC_2A-n48A	30	5+20	CP-64QAM	M+H	Edge_1RB_Right	-42.3	≤-30	PASS
DC_2A-n48A	30	5+20	CP-64QAM	M+H	Outer_Full	-44.48	≤-30	PASS
DC_2A-n48A	30	5+20	CP-64QAM	M+H	Outer_Full	-43.11	≤-30	PASS
DC_2A-n48A	30	5+20	CP-256QAM	M+H	Edge_1RB_Left	-39.89	≤-30	PASS
DC_2A-n48A	30	5+20	CP-256QAM	M+H	Edge_1RB_Left	-46.81	≤-30	PASS
DC_2A-n48A	30	5+20	CP-256QAM	M+H	Edge_1RB_Right	-46.44	≤-30	PASS
DC_2A-n48A	30	5+20	CP-256QAM	M+H	Edge_1RB_Right	-41.21	≤-30	PASS
DC_2A-n48A	30	5+20	CP-256QAM	M+H	Outer_Full	-44.91	≤-30	PASS
DC_2A-n48A	30	5+20	CP-256QAM	M+H	Outer_Full	-44.22	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-BPSK	M+L	Edge_1RB_Left	-44.37	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-BPSK	M+L	Edge_1RB_Left	-48.38	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-BPSK	M+L	Edge_1RB_Right	-48.68	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-BPSK	M+L	Edge_1RB_Right	-42.46	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-BPSK	M+L	Outer_Full	-43.43	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-BPSK	M+L	Outer_Full	-42.59	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-QPSK	M+L	Edge_1RB_Left	-42.26	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-QPSK	M+L	Edge_1RB_Left	-45.59	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-QPSK	M+L	Edge_1RB_Right	-45.7	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-QPSK	M+L	Edge_1RB_Right	-42.67	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-QPSK	M+L	Outer_Full	-42.63	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-QPSK	M+L	Outer_Full	-41.36	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-16QAM	M+L	Edge_1RB_Left	-42.26	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-16QAM	M+L	Edge_1RB_Left	-45.46	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-16QAM	M+L	Edge_1RB_Right	-45.81	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-16QAM	M+L	Edge_1RB_Right	-43	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-16QAM	M+L	Outer_Full	-42.44	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-16QAM	M+L	Outer_Full	-40.93	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-64QAM	M+L	Edge_1RB_Left	-41.54	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-64QAM	M+L	Edge_1RB_Left	-45.91	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-64QAM	M+L	Edge_1RB_Right	-46.14	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-64QAM	M+L	Edge_1RB_Right	-42.43	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-64QAM	M+L	Outer_Full	-42.21	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-64QAM	M+L	Outer_Full	-40.72	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-256QAM	M+L	Edge_1RB_Left	-42.03	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-256QAM	M+L	Edge_1RB_Left	-44.39	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-256QAM	M+L	Edge_1RB_Right	-45.43	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-256QAM	M+L	Edge_1RB_Right	-42.67	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-256QAM	M+L	Outer_Full	-42.26	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-256QAM	M+L	Outer_Full	-41.29	≤-30	PASS
DC_2A-n48A	30	5+40	CP-QPSK	M+L	Edge_1RB_Left	-42.52	≤-30	PASS


DC_2A-n48A	30	5+40	CP-QPSK	M+L	Edge_1RB_Left	-46.48	≤-30	PASS
DC_2A-n48A	30	5+40	CP-QPSK	M+L	Edge_1RB_Right	-46.97	≤-30	PASS
DC_2A-n48A	30	5+40	CP-QPSK	M+L	Edge_1RB_Right	-43.4	≤-30	PASS
DC_2A-n48A	30	5+40	CP-QPSK	M+L	Outer_Full	-41.22	≤-30	PASS
DC_2A-n48A	30	5+40	CP-QPSK	M+L	Outer_Full	-40.05	≤-30	PASS
DC_2A-n48A	30	5+40	CP-16QAM	M+L	Edge_1RB_Left	-42.67	≤-30	PASS
DC_2A-n48A	30	5+40	CP-16QAM	M+L	Edge_1RB_Left	-46.44	≤-30	PASS
DC_2A-n48A	30	5+40	CP-16QAM	M+L	Edge_1RB_Right	-46.57	≤-30	PASS
DC_2A-n48A	30	5+40	CP-16QAM	M+L	Edge_1RB_Right	-43.29	≤-30	PASS
DC_2A-n48A	30	5+40	CP-16QAM	M+L	Outer_Full	-41.12	≤-30	PASS
DC_2A-n48A	30	5+40	CP-16QAM	M+L	Outer_Full	-39.98	≤-30	PASS
DC_2A-n48A	30	5+40	CP-64QAM	M+L	Edge_1RB_Left	-42.05	≤-30	PASS
DC_2A-n48A	30	5+40	CP-64QAM	M+L	Edge_1RB_Left	-46.19	≤-30	PASS
DC_2A-n48A	30	5+40	CP-64QAM	M+L	Edge_1RB_Right	-46.99	≤-30	PASS
DC_2A-n48A	30	5+40	CP-64QAM	M+L	Edge_1RB_Right	-42.8	≤-30	PASS
DC_2A-n48A	30	5+40	CP-64QAM	M+L	Outer_Full	-41.06	≤-30	PASS
DC_2A-n48A	30	5+40	CP-64QAM	M+L	Outer_Full	-39.93	≤-30	PASS
DC_2A-n48A	30	5+40	CP-256QAM	M+L	Edge_1RB_Left	-41.23	≤-30	PASS
DC_2A-n48A	30	5+40	CP-256QAM	M+L	Edge_1RB_Left	-43.32	≤-30	PASS
DC_2A-n48A	30	5+40	CP-256QAM	M+L	Edge_1RB_Right	-43.1	≤-30	PASS
DC_2A-n48A	30	5+40	CP-256QAM	M+L	Edge_1RB_Right	-40.88	≤-30	PASS
DC_2A-n48A	30	5+40	CP-256QAM	M+L	Outer_Full	-41.24	≤-30	PASS
DC_2A-n48A	30	5+40	CP-256QAM	M+L	Outer_Full	-40.56	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-BPSK	M+H	Edge_1RB_Left	-41.57	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-BPSK	M+H	Edge_1RB_Left	-48.37	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-BPSK	M+H	Edge_1RB_Right	-48.12	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-BPSK	M+H	Edge_1RB_Right	-42.61	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-BPSK	M+H	Outer_Full	-44.61	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-BPSK	M+H	Outer_Full	-44.01	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-QPSK	M+H	Edge_1RB_Left	-43.49	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-QPSK	M+H	Edge_1RB_Left	-46.5	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-QPSK	M+H	Edge_1RB_Right	-45.86	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-QPSK	M+H	Edge_1RB_Right	-42.56	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-QPSK	M+H	Outer_Full	-43.82	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-QPSK	M+H	Outer_Full	-42.96	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-16QAM	M+H	Edge_1RB_Left	-43.03	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-16QAM	M+H	Edge_1RB_Left	-46.55	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-16QAM	M+H	Edge_1RB_Right	-46.08	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-16QAM	M+H	Edge_1RB_Right	-43.65	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-16QAM	M+H	Outer_Full	-43.34	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-16QAM	M+H	Outer_Full	-42.6	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-64QAM	M+H	Edge_1RB_Left	-41.49	≤-30	PASS

DC_2A-n48A	30	5+40	DFT-64QAM	M+H	Edge_1RB_Left	-45.14	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-64QAM	M+H	Edge_1RB_Right	-47.23	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-64QAM	M+H	Edge_1RB_Right	-44.51	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-64QAM	M+H	Outer_Full	-43.46	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-64QAM	M+H	Outer_Full	-42.58	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-256QAM	M+H	Edge_1RB_Left	-43.02	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-256QAM	M+H	Edge_1RB_Left	-46.21	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-256QAM	M+H	Edge_1RB_Right	-44.41	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-256QAM	M+H	Edge_1RB_Right	-40.82	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-256QAM	M+H	Outer_Full	-43.47	≤-30	PASS
DC_2A-n48A	30	5+40	DFT-256QAM	M+H	Outer_Full	-42.99	≤-30	PASS
DC_2A-n48A	30	5+40	CP-QPSK	M+H	Edge_1RB_Left	-42.38	≤-30	PASS
DC_2A-n48A	30	5+40	CP-QPSK	M+H	Edge_1RB_Left	-47.37	≤-30	PASS
DC_2A-n48A	30	5+40	CP-QPSK	M+H	Edge_1RB_Right	-46.89	≤-30	PASS
DC_2A-n48A	30	5+40	CP-QPSK	M+H	Edge_1RB_Right	-43.89	≤-30	PASS
DC_2A-n48A	30	5+40	CP-QPSK	M+H	Outer_Full	-41.99	≤-30	PASS
DC_2A-n48A	30	5+40	CP-QPSK	M+H	Outer_Full	-41.6	≤-30	PASS
DC_2A-n48A	30	5+40	CP-16QAM	M+H	Edge_1RB_Left	-41.22	≤-30	PASS
DC_2A-n48A	30	5+40	CP-16QAM	M+H	Edge_1RB_Left	-46.98	≤-30	PASS
DC_2A-n48A	30	5+40	CP-16QAM	M+H	Edge_1RB_Right	-46.32	≤-30	PASS
DC_2A-n48A	30	5+40	CP-16QAM	M+H	Edge_1RB_Right	-43.12	≤-30	PASS
DC_2A-n48A	30	5+40	CP-16QAM	M+H	Outer_Full	-41.95	≤-30	PASS
DC_2A-n48A	30	5+40	CP-16QAM	M+H	Outer_Full	-41.45	≤-30	PASS
DC_2A-n48A	30	5+40	CP-64QAM	M+H	Edge_1RB_Left	-41.97	≤-30	PASS
DC_2A-n48A	30	5+40	CP-64QAM	M+H	Edge_1RB_Left	-46.71	≤-30	PASS
DC_2A-n48A	30	5+40	CP-64QAM	M+H	Edge_1RB_Right	-45.63	≤-30	PASS
DC_2A-n48A	30	5+40	CP-64QAM	M+H	Edge_1RB_Right	-41.63	≤-30	PASS
DC_2A-n48A	30	5+40	CP-64QAM	M+H	Outer_Full	-41.54	≤-30	PASS
DC_2A-n48A	30	5+40	CP-64QAM	M+H	Outer_Full	-41.12	≤-30	PASS
DC_2A-n48A	30	5+40	CP-256QAM	M+H	Edge_1RB_Left	-41.41	≤-30	PASS
DC_2A-n48A	30	5+40	CP-256QAM	M+H	Edge_1RB_Left	-43.71	≤-30	PASS
DC_2A-n48A	30	5+40	CP-256QAM	M+H	Edge_1RB_Right	-43.22	≤-30	PASS
DC_2A-n48A	30	5+40	CP-256QAM	M+H	Edge_1RB_Right	-41.93	≤-30	PASS
DC_2A-n48A	30	5+40	CP-256QAM	M+H	Outer_Full	-41.92	≤-30	PASS
DC_2A-n48A	30	5+40	CP-256QAM	M+H	Outer_Full	-41.84	≤-30	PASS


Test Graphs



NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-BPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-BPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-QPSK-Edge_1RB_Right-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-QPSK-Edge_1RB_Right-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-QPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-QPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-16QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-16QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-16QAM-Edge_1RB_Right-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-16QAM-Edge_1RB_Right-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-16QAM-Outer_Full-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-16QAM-Outer_Full-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-64QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-64QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-64QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-64QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-64QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-64QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-256QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-256QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-256QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-256QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-256QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-DFT-256QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-QPSK-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-QPSK-Edge_1RB_Left-PASS




NTN-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-QPSK-Edge_1RB_Right-PASS



NTN-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-QPSK-Edge_1RB_Right-PASS



NTN-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-QPSK-Outer_Full-PASS




NTN-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-QPSK-Outer_Full-PASS




NTN-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-16QAM-Edge_1RB_Left-PASS




NTN-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-16QAM-Edge_1RB_Left-PASS




NTN-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-16QAM-Edge_1RB_Right-PASS




NTN-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-16QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-16QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-16QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-64QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-64QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-64QAM-Edge_1RB_Right-PASS











NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-64QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-64QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-64QAM-Outer_Full-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-256QAM-
Edge_1RB_Left-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-256QAM-
Edge_1RB_Left-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-256QAM-
Edge_1RB_Right-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-256QAM-
Edge_1RB_Right-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-256QAM-
Outer_Full-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+L-QPSK-IDLE-CP-256QAM-
Outer_Full-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-BPSK-E
dge_1RB_Left-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-BPSK-E
dge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-BPSK-E
dge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-BPSK-E
dge_1RB_Right-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-BPSK-O
uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-BPSK-O
uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-QPSK-E
dge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-QPSK-E
dge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-QPSK-E
dge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-QPSK-E
dge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-QPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-QPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-16QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-16QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-16QAM-Edge_1RB_Right-PASS











NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-16QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-16QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-16QAM-Outer_Full-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-64QAM-
Edge_1RB_Left-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-64QAM-
Edge_1RB_Left-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-64QAM-
Edge_1RB_Right-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-64QAM-
Edge_1RB_Right-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-64QAM-
Outer_Full-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-64QAM-
Outer_Full-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-256QAM
-Edge_1RB_Left-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-256QAM
-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-256QAM
-Edge_1RB_Right-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-256QAM
-Edge_1RB_Right-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-256QAM
-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-DFT-256QAM
-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-QPSK-Ed
ge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-QPSK-Ed
ge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-QPSK-Ed
ge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-QPSK-Ed
ge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-QPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-QPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-16QAM-edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-16QAM-edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-16QAM-edge_1RB_Right-PASS











NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-16QAM-edge_1RB_Right-PASS












NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-16QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-16QAM-Outer_Full-PASS


NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-64QAM-E
dge_1RB_Left-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-64QAM-E
dge_1RB_Left-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-64QAM-E
dge_1RB_Right-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-64QAM-E
dge_1RB_Right-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-64QAM-O
uter_Full-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-64QAM-O
uter_Full-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-256QAM-
Edge_1RB_Left-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-256QAM-
Edge_1RB_Left-PASS



NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-256QAM-
Edge_1RB_Right-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-256QAM-
Edge_1RB_Right-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-256QAM-
Outer_Full-PASS

NTNV-DC_2A-n48A-PC3-30-5+10-M+H-QPSK-IDLE-CP-256QAM-
Outer_Full-PASS

NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-BPSK-Ed
ge_1RB_Left-PASS

NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-BPSK-Ed
ge_1RB_Left-PASS

NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-BPSK-Ed
ge_1RB_Right-PASS

NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-BPSK-Ed
ge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-BPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-BPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-QPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-QPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-16QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-16QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-16QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-16QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-16QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-16QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-64QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-64QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-64QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-64QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-64QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-64QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-256QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-256QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-256QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-256QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-256QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-DFT-256QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-QPSK-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-QPSK-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-QPSK-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-QPSK-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-QPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-QPSK-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-16QAM-E
dge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-16QAM-E
dge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-16QAM-E
dge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-16QAM-E
dge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-16QAM-O
uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-16QAM-O
uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-64QAM-E
dge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-64QAM-E
dge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-64QAM-E
dge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-64QAM-E
dge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-64QAM-O
uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-64QAM-O
uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-256QAM-
Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-256QAM-
Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-256QAM-
Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-256QAM-
Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-256QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+L-QPSK-IDLE-CP-256QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-BPSK-E dge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-BPSK-E dge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-BPSK-E dge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-BPSK-E dge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-BPSK-O uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-BPSK-O uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-QPSK-E
dge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-QPSK-E
dge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-QPSK-E
dge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-QPSK-E
dge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-QPSK-O
uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-QPSK-O
uter_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-16QAM-
Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-16QAM-
Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-16QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-16QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-16QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-16QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-64QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-64QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-64QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-64QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-64QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-64QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-256QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-256QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-256QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-256QAM-Edge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-256QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-DFT-256QAM-Outer_Full-PASS




NTN-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-QPSK-Edge_1RB_Left-PASS




NTN-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-QPSK-Edge_1RB_Left-PASS




NTN-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-QPSK-Edge_1RB_Right-PASS




NTN-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-QPSK-Edge_1RB_Right-PASS




NTN-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-QPSK-Outer_Full-PASS











NTN-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-QPSK-Outer_Full-PASS




NTN-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-16QAM-Edge_1RB_Left-PASS




NTN-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-16QAM-Edge_1RB_Left-PASS



NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-16QAM-E
dge_1RB_Right-PASS

NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-16QAM-E
dge_1RB_Right-PASS

NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-16QAM-O
uter_Full-PASS

NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-16QAM-O
uter_Full-PASS

NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-64QAM-E
dge_1RB_Left-PASS

NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-64QAM-E
dge_1RB_Left-PASS

NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-64QAM-E
dge_1RB_Right-PASS

NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-64QAM-E
dge_1RB_Right-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-64QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-64QAM-Outer_Full-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-256QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-256QAM-Edge_1RB_Left-PASS




NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-256QAM-Edge_1RB_Right-PASS



NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-256QAM-Edge_1RB_Right-PASS



NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-256QAM-Outer_Full-PASS



NTNV-DC_2A-n48A-PC3-30-5+20-M+H-QPSK-IDLE-CP-256QAM-Outer_Full-PASS