

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-53.46	-13	Pass	401
0.15	30	0.01	Peak	0.28	-50.64	-13	Pass	2986
30	500	0.1	Peak	487.9	-42.86	-13	Pass	4701
500	1000	0.1	Peak	824.1	32.96	-13	N/A	5001
1000	10000	1	Peak	7122	-20.94	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.99	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.68	-13	Pass	2986
30	500	0.1	Peak	353	-43.53	-13	Pass	4701
500	1000	0.1	Peak	836.6	32.94	-13	N/A	5001
1000	10000	1	Peak	8511	-21.12	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-53.65	-13	Pass	401
0.15	30	0.01	Peak	0.2	-53.33	-13	Pass	2986
30	500	0.1	Peak	471.8	-43.41	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.97	-13	N/A	5001
1000	10000	1	Peak	9315	-21.32	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-18.51	-13	Pass	2986
30	1000	0.1	Peak	936.7	-46.6	-13	Pass	9701
1000	3000	1	Peak	1851	26.19	-13	N/A	2001
3000	20000	1	Peak	19792	-38.08	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-26.64	-13	Pass	401
0.15	30	0.01	Peak	0.16	-17.89	-13	Pass	2986
30	1000	0.1	Peak	882.7	-47.31	-13	Pass	9701
1000	3000	1	Peak	1881	27.46	-13	N/A	2001
3000	20000	1	Peak	19997	-38.29	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-26.16	-13	Pass	401
0.15	30	0.01	Peak	0.15	-18.96	-13	Pass	2986
30	1000	0.1	Peak	907.8	-46.83	-13	Pass	9701
1000	3000	1	Peak	1910	29.24	-13	N/A	2001
3000	20000	1	Peak	19335	-38.27	-13	Pass	17001



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-55.06	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.72	-13	Pass	2986
30	500	0.1	Peak	342.2	-43.18	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.49	-13	N/A	5001
1000	10000	1	Peak	9563	-21.07	-13	Pass	9002




3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-52.24	-13	Pass	401
0.15	30	0.01	Peak	0.17	-53.56	-13	Pass	2986
30	500	0.1	Peak	399.2	-43.71	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.86	-13	N/A	5001
1000	10000	1	Peak	9189	-20.61	-13	Pass	9002



3.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-53.5	-13	Pass	401
0.15	30	0.01	Peak	0.46	-52.78	-13	Pass	2986
30	500	0.1	Peak	475.7	-43.19	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.89	-13	N/A	5001
1000	10000	1	Peak	9070	-20.7	-13	Pass	9002



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-25.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-17.66	-13	Pass	2986
30	1000	0.1	Peak	854	-47.29	-13	Pass	9701
1000	3000	1	Peak	1850	29.22	-13	N/A	2001
3000	20000	1	Peak	19996	-38.51	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-27.76	-13	Pass	401
0.15	30	0.01	Peak	0.15	-17.45	-13	Pass	2986
30	1000	0.1	Peak	950.7	-47.29	-13	Pass	9701
1000	3000	1	Peak	1880	29.07	-13	N/A	2001
3000	20000	1	Peak	19994	-38.41	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-24.66	-13	Pass	401
0.15	30	0.01	Peak	0.15	-17.83	-13	Pass	2986
30	1000	0.1	Peak	922.2	-47.09	-13	Pass	9701
1000	3000	1	Peak	1910	29.05	-13	N/A	2001
3000	20000	1	Peak	19986	-38.22	-13	Pass	17001



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-23.41	-13	Pass	2986
30	1000	0.1	Peak	981.3	-51.01	-13	Pass	9701
1000	3000	1	Peak	1851	23.21	-13	N/A	2001
3000	20000	1	Peak	19788	-16.26	-13	Pass	17001




5.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.94	-13	Pass	401
0.15	30	0.01	Peak	0.15	-22.04	-13	Pass	2986
30	1000	0.1	Peak	885.3	-50.02	-13	Pass	9701
1000	3000	1	Peak	1881	23.31	-13	N/A	2001
3000	20000	1	Peak	19998	-16.53	-13	Pass	17001



5.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-30.64	-13	Pass	401
0.15	30	0.01	Peak	0.15	-23.34	-13	Pass	2986
30	1000	0.1	Peak	882.1	-51.61	-13	Pass	9701
1000	3000	1	Peak	1906	23.55	-13	N/A	2001
3000	20000	1	Peak	19385	-16.71	-13	Pass	17001



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.13	-13	Pass	401
0.15	30	0.01	Peak	0.15	-22.02	-13	Pass	2986
30	1000	0.1	Peak	917.7	-51.12	-13	Pass	9701
1000	3000	1	Peak	1711	23.19	-13	N/A	2001
3000	20000	1	Peak	19782	-17.31	-13	Pass	17001




6.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-32.37	-13	Pass	401
0.15	30	0.01	Peak	0.16	-22.39	-13	Pass	2986
30	1000	0.1	Peak	932	-51.18	-13	Pass	9701
1000	3000	1	Peak	1731	23.35	-13	N/A	2001
3000	20000	1	Peak	19759	-16.73	-13	Pass	17001



6.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-30.82	-13	Pass	401
0.15	30	0.01	Peak	0.16	-24.96	-13	Pass	2986
30	1000	0.1	Peak	929.6	-51.1	-13	Pass	9701
1000	3000	1	Peak	1751	23.31	-13	N/A	2001
3000	20000	1	Peak	19759	-16.9	-13	Pass	17001



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-29.24	-13	Pass	401
0.15	30	0.01	Peak	0.16	-23.58	-13	Pass	2986
30	500	0.1	Peak	491.4	-52.76	-13	Pass	4701
500	1000	0.1	Peak	827	17.35	-13	N/A	5001
1000	10000	1	Peak	9556	-30.99	-13	Pass	9001




7.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-31.56	-13	Pass	401
0.15	30	0.01	Peak	0.16	-23.56	-13	Pass	2986
30	500	0.1	Peak	449.2	-53.27	-13	Pass	4701
500	1000	0.1	Peak	835.9	17.18	-13	N/A	5001
1000	10000	1	Peak	8225	-30.95	-13	Pass	9001



7.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-30.66	-13	Pass	401
0.15	30	0.01	Peak	0.17	-22.66	-13	Pass	2986
30	500	0.1	Peak	355	-53.37	-13	Pass	4701
500	1000	0.1	Peak	847.3	17.1	-13	N/A	5001
1000	10000	1	Peak	8161	-31.1	-13	Pass	9001



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.89	-13	Pass	2986
30	1000	0.1	RMS	923.3	-61.68	-13	Pass	9701
1000	1840	1	RMS	1840	-50.3	-13	Pass	841
1840	1920	1	RMS	1850.2	23.47	60	Pass	401
1920	3000	1	RMS	2645	-46.71	-13	Pass	1081
3000	12000	1	RMS	11846	-39.98	-13	Pass	9001
12000	20000	1	RMS	19996	-27.11	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.94	-13	Pass	2986
30	1000	0.1	RMS	933	-61.94	-13	Pass	9701
1000	1840	1	RMS	1840	-50.48	-13	Pass	841
1840	1920	1	RMS	1850.2	22.42	60	Pass	401
1920	3000	1	RMS	2644	-46.72	-13	Pass	1081
3000	12000	1	RMS	11849	-40.09	-13	Pass	9001
12000	20000	1	RMS	20000	-27.04	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-37.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.43	-13	Pass	2986
30	1000	0.1	RMS	930.2	-62.15	-13	Pass	9701
1000	1840	1	RMS	1836	-50.6	-13	Pass	841
1840	1920	1	RMS	1879.6	23.51	60	Pass	401
1920	3000	1	RMS	2649	-46.67	-13	Pass	1081
3000	12000	1	RMS	11845	-40.14	-13	Pass	9001
12000	20000	1	RMS	20000	-27.06	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-37.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.99	-13	Pass	2986
30	1000	0.1	RMS	919	-62.13	-13	Pass	9701
1000	1840	1	RMS	1839	-50.61	-13	Pass	841
1840	1920	1	RMS	1879.6	22.54	60	Pass	401
1920	3000	1	RMS	2642	-46.74	-13	Pass	1081
3000	12000	1	RMS	11852	-40.04	-13	Pass	9001
12000	20000	1	RMS	19999	-27.1	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.72	-13	Pass	2986
30	1000	0.1	RMS	921	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-50.58	-13	Pass	841
1840	1920	1	RMS	1908.8	23.67	60	Pass	401
1920	3000	1	RMS	2652	-46.68	-13	Pass	1081
3000	12000	1	RMS	11843	-40.01	-13	Pass	9001
12000	20000	1	RMS	19999	-27.15	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.06	-13	Pass	2986
30	1000	0.1	RMS	926.7	-62	-13	Pass	9701
1000	1840	1	RMS	1837	-50.57	-13	Pass	841
1840	1920	1	RMS	1908.8	22.74	60	Pass	401
1920	3000	1	RMS	2648	-46.64	-13	Pass	1081
3000	12000	1	RMS	11851	-40.08	-13	Pass	9001
12000	20000	1	RMS	20000	-27.12	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-38.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.32	-13	Pass	2986
30	1000	0.1	RMS	919.5	-62.15	-13	Pass	9701
1000	1840	1	RMS	1840	-50.27	-13	Pass	841
1840	1920	1	RMS	1850.2	23.47	60	Pass	401
1920	3000	1	RMS	2648	-46.69	-13	Pass	1081
3000	12000	1	RMS	11850	-40.01	-13	Pass	9001
12000	20000	1	RMS	20000	-27.12	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.61	-13	Pass	2986
30	1000	0.1	RMS	927.4	-62.14	-13	Pass	9701
1000	1840	1	RMS	1840	-49.96	-13	Pass	841
1840	1920	1	RMS	1850.2	22.61	60	Pass	401
1920	3000	1	RMS	2653	-46.7	-13	Pass	1081
3000	12000	1	RMS	11852	-40.04	-13	Pass	9001
12000	20000	1	RMS	20000	-27.14	-13	Pass	8001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.11	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.11	-13	Pass	9701
1000	1840	1	RMS	1837	-50.57	-13	Pass	841
1840	1920	1	RMS	1878.8	23.51	60	Pass	401
1920	3000	1	RMS	2644	-46.69	-13	Pass	1081
3000	12000	1	RMS	11854	-40.09	-13	Pass	9001
12000	20000	1	RMS	20000	-27.09	-13	Pass	8001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.92	-13	Pass	2986
30	1000	0.1	RMS	924.6	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.73	-13	Pass	841
1840	1920	1	RMS	1878.8	22.48	60	Pass	401
1920	3000	1	RMS	2651	-46.8	-13	Pass	1081
3000	12000	1	RMS	11845	-40.11	-13	Pass	9001
12000	20000	1	RMS	19998	-27.03	-13	Pass	8001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-38.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.67	-13	Pass	2986
30	1000	0.1	RMS	935.2	-61.94	-13	Pass	9701
1000	1840	1	RMS	1835	-50.65	-13	Pass	841
1840	1920	1	RMS	1907.2	23.5	60	Pass	401
1920	3000	1	RMS	2658	-46.78	-13	Pass	1081
3000	12000	1	RMS	11857	-40.1	-13	Pass	9001
12000	20000	1	RMS	20000	-27.1	-13	Pass	8001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.92	-13	Pass	2986
30	1000	0.1	RMS	896.7	-62.09	-13	Pass	9701
1000	1840	1	RMS	1840	-50.71	-13	Pass	841
1840	1920	1	RMS	1907.2	22.65	60	Pass	401
1920	3000	1	RMS	2645	-46.79	-13	Pass	1081
3000	12000	1	RMS	11847	-40.03	-13	Pass	9001
12000	20000	1	RMS	19999	-27.08	-13	Pass	8001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.26	-13	Pass	2986
30	1000	0.1	RMS	929.1	-61.99	-13	Pass	9701
1000	1840	1	RMS	1840	-50.07	-13	Pass	841
1840	1920	1	RMS	1850.4	23.18	60	Pass	401
1920	3000	1	RMS	2636	-46.79	-13	Pass	1081
3000	12000	1	RMS	11856	-40.03	-13	Pass	9001
12000	20000	1	RMS	19999	-27.05	-13	Pass	8001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-30.7	-13	Pass	2986
30	1000	0.1	RMS	925.6	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.22	-13	Pass	841
1840	1920	1	RMS	1850.4	22.23	60	Pass	401
1920	3000	1	RMS	2641	-46.8	-13	Pass	1081
3000	12000	1	RMS	11852	-40.06	-13	Pass	9001
12000	20000	1	RMS	19999	-27.13	-13	Pass	8001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.85	-13	Pass	2986
30	1000	0.1	RMS	902.5	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	Pass	841
1840	1920	1	RMS	1877.8	23.29	60	Pass	401
1920	3000	1	RMS	2651	-46.82	-13	Pass	1081
3000	12000	1	RMS	11843	-40.07	-13	Pass	9001
12000	20000	1	RMS	19998	-27.07	-13	Pass	8001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.73	-13	Pass	2986
30	1000	0.1	RMS	930.5	-62.06	-13	Pass	9701
1000	1840	1	RMS	1838	-50.72	-13	Pass	841
1840	1920	1	RMS	1877.8	22.45	60	Pass	401
1920	3000	1	RMS	2656	-46.78	-13	Pass	1081
3000	12000	1	RMS	11852	-40.1	-13	Pass	9001
12000	20000	1	RMS	20000	-27.04	-13	Pass	8001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-39.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31	-13	Pass	2986
30	1000	0.1	RMS	931.9	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.7	-13	Pass	841
1840	1920	1	RMS	1905.4	23.36	60	Pass	401
1920	3000	1	RMS	2651	-46.8	-13	Pass	1081
3000	12000	1	RMS	11854	-40.12	-13	Pass	9001
12000	20000	1	RMS	20000	-27	-13	Pass	8001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.45	-13	Pass	2986
30	1000	0.1	RMS	937.9	-62.13	-13	Pass	9701
1000	1840	1	RMS	1832	-50.71	-13	Pass	841
1840	1920	1	RMS	1905.4	22.61	60	Pass	401
1920	3000	1	RMS	2642	-46.8	-13	Pass	1081
3000	12000	1	RMS	11842	-40.08	-13	Pass	9001
12000	20000	1	RMS	19997	-27.1	-13	Pass	8001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.78	-13	Pass	2986
30	1000	0.1	RMS	927.3	-62.08	-13	Pass	9701
1000	1840	1	RMS	1833	-39.41	-13	Pass	841
1840	1920	1	RMS	1850.6	23.31	60	Pass	401
1920	3000	1	RMS	2646	-46.76	-13	Pass	1081
3000	12000	1	RMS	11844	-40.14	-13	Pass	9001
12000	20000	1	RMS	19999	-27.04	-13	Pass	8001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-38.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-30.44	-13	Pass	2986
30	1000	0.1	RMS	927.8	-62.14	-13	Pass	9701
1000	1840	1	RMS	1833	-40.38	-13	Pass	841
1840	1920	1	RMS	1850.6	22.43	60	Pass	401
1920	3000	1	RMS	2656	-46.8	-13	Pass	1081
3000	12000	1	RMS	11849	-40.13	-13	Pass	9001
12000	20000	1	RMS	20000	-27.1	-13	Pass	8001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.34	-13	Pass	2986
30	1000	0.1	RMS	929.5	-62.05	-13	Pass	9701
1000	1840	1	RMS	1840	-50.62	-13	Pass	841
1840	1920	1	RMS	1875.6	23.1	60	Pass	401
1920	3000	1	RMS	2648	-46.8	-13	Pass	1081
3000	12000	1	RMS	11849	-40.09	-13	Pass	9001
12000	20000	1	RMS	19995	-27.06	-13	Pass	8001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.62	-13	Pass	2986
30	1000	0.1	RMS	934.9	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.7	-13	Pass	841
1840	1920	1	RMS	1875.6	22.4	60	Pass	401
1920	3000	1	RMS	2642	-46.78	-13	Pass	1081
3000	12000	1	RMS	11850	-40	-13	Pass	9001
12000	20000	1	RMS	19998	-27.07	-13	Pass	8001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.39	-13	Pass	2986
30	1000	0.1	RMS	954	-62.08	-13	Pass	9701
1000	1840	1	RMS	1833	-50.58	-13	Pass	841
1840	1920	1	RMS	1900.6	23.35	60	Pass	401
1920	3000	1	RMS	2642	-46.72	-13	Pass	1081
3000	12000	1	RMS	11847	-39.99	-13	Pass	9001
12000	20000	1	RMS	20000	-27.01	-13	Pass	8001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.98	-13	Pass	2986
30	1000	0.1	RMS	944.7	-61.95	-13	Pass	9701
1000	1840	1	RMS	1839	-50.63	-13	Pass	841
1840	1920	1	RMS	1900.6	22.65	60	Pass	401
1920	3000	1	RMS	2639	-46.72	-13	Pass	1081
3000	12000	1	RMS	11851	-39.95	-13	Pass	9001
12000	20000	1	RMS	19999	-27.02	-13	Pass	8001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-30.5	-13	Pass	2986
30	1000	0.1	RMS	909.5	-62.2	-13	Pass	9701
1000	1840	1	RMS	1838	-44.6	-13	Pass	841
1840	1920	1	RMS	1850.8	23.27	60	Pass	401
1920	3000	1	RMS	2649	-46.73	-13	Pass	1081
3000	12000	1	RMS	11837	-39.97	-13	Pass	9001
12000	20000	1	RMS	19999	-27	-13	Pass	8001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.95	-13	Pass	2986
30	1000	0.1	RMS	938.7	-62.01	-13	Pass	9701
1000	1840	1	RMS	1838	-44.96	-13	Pass	841
1840	1920	1	RMS	1850.8	22.45	60	Pass	401
1920	3000	1	RMS	2652	-46.73	-13	Pass	1081
3000	12000	1	RMS	11847	-40.01	-13	Pass	9001
12000	20000	1	RMS	19999	-27	-13	Pass	8001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.92	-13	Pass	2986
30	1000	0.1	RMS	909.6	-62.05	-13	Pass	9701
1000	1840	1	RMS	1838	-50.49	-13	Pass	841
1840	1920	1	RMS	1873.4	23.1	60	Pass	401
1920	3000	1	RMS	2642	-46.69	-13	Pass	1081
3000	12000	1	RMS	11853	-40.01	-13	Pass	9001
12000	20000	1	RMS	19998	-26.98	-13	Pass	8001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.03	-13	Pass	2986
30	1000	0.1	RMS	918.8	-62	-13	Pass	9701
1000	1840	1	RMS	1839	-50.56	-13	Pass	841
1840	1920	1	RMS	1873.4	22.31	60	Pass	401
1920	3000	1	RMS	2654	-46.68	-13	Pass	1081
3000	12000	1	RMS	11852	-39.98	-13	Pass	9001
12000	20000	1	RMS	19997	-27	-13	Pass	8001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.16	-13	Pass	2986
30	1000	0.1	RMS	914	-62	-13	Pass	9701
1000	1840	1	RMS	1838	-50.62	-13	Pass	841
1840	1920	1	RMS	1895.8	23.47	60	Pass	401
1920	3000	1	RMS	1922	-33.8	-13	Pass	1081
3000	12000	1	RMS	11851	-39.94	-13	Pass	9001
12000	20000	1	RMS	19999	-27	-13	Pass	8001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.22	-13	Pass	2986
30	1000	0.1	RMS	921.6	-61.96	-13	Pass	9701
1000	1840	1	RMS	1839	-50.65	-13	Pass	841
1840	1920	1	RMS	1895.8	22.6	60	Pass	401
1920	3000	1	RMS	1922	-34.16	-13	Pass	1081
3000	12000	1	RMS	11846	-39.98	-13	Pass	9001
12000	20000	1	RMS	19999	-27.05	-13	Pass	8001



8.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.4	-13	Pass	2986
30	1000	0.1	RMS	931.8	-62	-13	Pass	9701
1000	1840	1	RMS	1833	-44.93	-13	Pass	841
1840	1920	1	RMS	1851	22.87	60	Pass	401
1920	3000	1	RMS	2654	-46.69	-13	Pass	1081
3000	12000	1	RMS	11847	-39.98	-13	Pass	9001
12000	20000	1	RMS	20000	-27	-13	Pass	8001



8.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.21	-13	Pass	2986
30	1000	0.1	RMS	928.2	-61.89	-13	Pass	9701
1000	1840	1	RMS	1833	-45.47	-13	Pass	841
1840	1920	1	RMS	1851.2	22.17	60	Pass	401
1920	3000	1	RMS	2650	-46.7	-13	Pass	1081
3000	12000	1	RMS	11848	-40.02	-13	Pass	9001
12000	20000	1	RMS	19999	-27.04	-13	Pass	8001



8.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.02	-13	Pass	2986
30	1000	0.1	RMS	941.6	-62.11	-13	Pass	9701
1000	1840	1	RMS	1835	-39.32	-13	Pass	841
1840	1920	1	RMS	1871	22.94	60	Pass	401
1920	3000	1	RMS	2651	-46.7	-13	Pass	1081
3000	12000	1	RMS	11847	-40	-13	Pass	9001
12000	20000	1	RMS	19999	-26.93	-13	Pass	8001



8.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-38.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.74	-13	Pass	2986
30	1000	0.1	RMS	935.3	-62.11	-13	Pass	9701
1000	1840	1	RMS	1835	-40.75	-13	Pass	841
1840	1920	1	RMS	1871	22.03	60	Pass	401
1920	3000	1	RMS	2649	-46.71	-13	Pass	1081
3000	12000	1	RMS	11843	-39.96	-13	Pass	9001
12000	20000	1	RMS	19999	-27.02	-13	Pass	8001



8.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.96	-13	Pass	2986
30	1000	0.1	RMS	866.3	-62.13	-13	Pass	9701
1000	1840	1	RMS	1838	-50.62	-13	Pass	841
1840	1920	1	RMS	1891	23.03	60	Pass	401
1920	3000	1	RMS	1922	-45.62	-13	Pass	1081
3000	12000	1	RMS	11853	-40.05	-13	Pass	9001
12000	20000	1	RMS	19994	-26.96	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-39.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.72	-13	Pass	2986
30	1000	0.1	RMS	918.7	-61.98	-13	Pass	9701
1000	1840	1	RMS	1840	-50.66	-13	Pass	841
1840	1920	1	RMS	1891	22.18	60	Pass	401
1920	3000	1	RMS	1922	-45.79	-13	Pass	1081
3000	12000	1	RMS	11846	-39.86	-13	Pass	9001
12000	20000	1	RMS	19994	-26.9	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.59	-13	Pass	2986
30	1000	0.1	RMS	918.8	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-49.9	-13	Pass	701
1700	1765	1	RMS	1710.238	22.83	60	Pass	401
1765	3000	1	RMS	2640	-46.66	-13	Pass	1236
3000	12000	1	RMS	11841	-40.01	-13	Pass	9001
12000	20000	1	RMS	19999	-26.99	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.54	-13	Pass	2986
30	1000	0.1	RMS	929.9	-62.04	-13	Pass	9701
1000	1700	1	RMS	1699	-50.89	-13	Pass	701
1700	1765	1	RMS	1710.238	21.88	60	Pass	401
1765	3000	1	RMS	2649	-46.74	-13	Pass	1236
3000	12000	1	RMS	11850	-40	-13	Pass	9001
12000	20000	1	RMS	19998	-27	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.86	-13	Pass	2986
30	1000	0.1	RMS	989.1	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-51.23	-13	Pass	701
1700	1765	1	RMS	1732.013	23.25	60	Pass	401
1765	3000	1	RMS	2647	-46.82	-13	Pass	1236
3000	12000	1	RMS	11850	-40.1	-13	Pass	9001
12000	20000	1	RMS	19997	-27.17	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.22	-13	Pass	2986
30	1000	0.1	RMS	919	-62.16	-13	Pass	9701
1000	1700	1	RMS	1582	-51.28	-13	Pass	701
1700	1765	1	RMS	1732.013	22.2	60	Pass	401
1765	3000	1	RMS	2644	-46.8	-13	Pass	1236
3000	12000	1	RMS	11850	-40.04	-13	Pass	9001
12000	20000	1	RMS	20000	-27.09	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.19	-13	Pass	2986
30	1000	0.1	RMS	925.4	-62.13	-13	Pass	9701
1000	1700	1	RMS	1690	-51.19	-13	Pass	701
1700	1765	1	RMS	1753.788	22.82	60	Pass	401
1765	3000	1	RMS	2652	-46.78	-13	Pass	1236
3000	12000	1	RMS	11849	-40.1	-13	Pass	9001
12000	20000	1	RMS	19990	-27.07	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-37.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.99	-13	Pass	2986
30	1000	0.1	RMS	936.7	-62.1	-13	Pass	9701
1000	1700	1	RMS	1698	-51.23	-13	Pass	701
1700	1765	1	RMS	1753.788	21.82	60	Pass	401
1765	3000	1	RMS	2652	-46.75	-13	Pass	1236
3000	12000	1	RMS	11850	-40.04	-13	Pass	9001
12000	20000	1	RMS	20000	-27.1	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.55	-13	Pass	2986
30	1000	0.1	RMS	915.7	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	Pass	701
1700	1765	1	RMS	1710.238	22.81	60	Pass	401
1765	3000	1	RMS	2639	-46.81	-13	Pass	1236
3000	12000	1	RMS	11853	-40.12	-13	Pass	9001
12000	20000	1	RMS	19996	-27.14	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.07	-13	Pass	2986
30	1000	0.1	RMS	923	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-50.23	-13	Pass	701
1700	1765	1	RMS	1710.238	21.94	60	Pass	401
1765	3000	1	RMS	2645	-46.84	-13	Pass	1236
3000	12000	1	RMS	11855	-40.11	-13	Pass	9001
12000	20000	1	RMS	20000	-27.15	-13	Pass	8001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.04	-13	Pass	2986
30	1000	0.1	RMS	922.5	-62.06	-13	Pass	9701
1000	1700	1	RMS	1699	-50.72	-13	Pass	701
1700	1765	1	RMS	1731.2	23.25	60	Pass	401
1765	3000	1	RMS	2653	-46.77	-13	Pass	1236
3000	12000	1	RMS	11850	-40.15	-13	Pass	9001
12000	20000	1	RMS	19999	-27.13	-13	Pass	8001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.85	-13	Pass	2986
30	1000	0.1	RMS	899.9	-62.1	-13	Pass	9701
1000	1700	1	RMS	1699	-51.17	-13	Pass	701
1700	1765	1	RMS	1731.2	22.28	60	Pass	401
1765	3000	1	RMS	2660	-46.79	-13	Pass	1236
3000	12000	1	RMS	11848	-40.1	-13	Pass	9001
12000	20000	1	RMS	19996	-27.18	-13	Pass	8001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.61	-13	Pass	2986
30	1000	0.1	RMS	921.6	-62.17	-13	Pass	9701
1000	1700	1	RMS	1681	-51.19	-13	Pass	701
1700	1765	1	RMS	1752.163	22.7	60	Pass	401
1765	3000	1	RMS	2639	-46.78	-13	Pass	1236
3000	12000	1	RMS	11848	-40.15	-13	Pass	9001
12000	20000	1	RMS	20000	-27.18	-13	Pass	8001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.38	-13	Pass	2986
30	1000	0.1	RMS	914.2	-62.04	-13	Pass	9701
1000	1700	1	RMS	1695	-51.24	-13	Pass	701
1700	1765	1	RMS	1752.325	21.84	60	Pass	401
1765	3000	1	RMS	2648	-46.79	-13	Pass	1236
3000	12000	1	RMS	11848	-40.09	-13	Pass	9001
12000	20000	1	RMS	19999	-27.18	-13	Pass	8001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.21	-13	Pass	2986
30	1000	0.1	RMS	917.2	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-50.64	-13	Pass	701
1700	1765	1	RMS	1710.4	22.64	60	Pass	401
1765	3000	1	RMS	2646	-46.8	-13	Pass	1236
3000	12000	1	RMS	11849	-40.11	-13	Pass	9001
12000	20000	1	RMS	19995	-27.11	-13	Pass	8001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.45	-13	Pass	2986
30	1000	0.1	RMS	901.5	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-50.76	-13	Pass	701
1700	1765	1	RMS	1710.4	21.75	60	Pass	401
1765	3000	1	RMS	2640	-46.78	-13	Pass	1236
3000	12000	1	RMS	11851	-40.05	-13	Pass	9001
12000	20000	1	RMS	19994	-27.19	-13	Pass	8001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-38.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.59	-13	Pass	2986
30	1000	0.1	RMS	921.3	-62.05	-13	Pass	9701
1000	1700	1	RMS	1699	-50.79	-13	Pass	701
1700	1765	1	RMS	1730.388	23.01	60	Pass	401
1765	3000	1	RMS	2655	-46.75	-13	Pass	1236
3000	12000	1	RMS	11850	-40.14	-13	Pass	9001
12000	20000	1	RMS	19997	-27.14	-13	Pass	8001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.85	-13	Pass	2986
30	1000	0.1	RMS	929	-61.96	-13	Pass	9701
1000	1700	1	RMS	1693	-51.24	-13	Pass	701
1700	1765	1	RMS	1730.388	22.35	60	Pass	401
1765	3000	1	RMS	2647	-46.8	-13	Pass	1236
3000	12000	1	RMS	11857	-40.09	-13	Pass	9001
12000	20000	1	RMS	19996	-27.17	-13	Pass	8001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.67	-13	Pass	2986
30	1000	0.1	RMS	923.3	-62.1	-13	Pass	9701
1000	1700	1	RMS	1698	-51.22	-13	Pass	701
1700	1765	1	RMS	1750.375	22.65	60	Pass	401
1765	3000	1	RMS	2654	-46.78	-13	Pass	1236
3000	12000	1	RMS	11851	-40.02	-13	Pass	9001
12000	20000	1	RMS	20000	-27.07	-13	Pass	8001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.52	-13	Pass	2986
30	1000	0.1	RMS	928.4	-62.09	-13	Pass	9701
1000	1700	1	RMS	1696	-51.26	-13	Pass	701
1700	1765	1	RMS	1750.375	22.33	60	Pass	401
1765	3000	1	RMS	2652	-46.78	-13	Pass	1236
3000	12000	1	RMS	11849	-40.1	-13	Pass	9001
12000	20000	1	RMS	19997	-27.15	-13	Pass	8001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.4	-13	Pass	2986
30	1000	0.1	RMS	935.1	-62.03	-13	Pass	9701
1000	1700	1	RMS	1693	-42.51	-13	Pass	701
1700	1765	1	RMS	1710.563	22.78	60	Pass	401
1765	3000	1	RMS	2656	-46.8	-13	Pass	1236
3000	12000	1	RMS	11844	-40.04	-13	Pass	9001
12000	20000	1	RMS	20000	-27.11	-13	Pass	8001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.79	-13	Pass	2986
30	1000	0.1	RMS	906	-62.08	-13	Pass	9701
1000	1700	1	RMS	1693	-43.65	-13	Pass	701
1700	1765	1	RMS	1710.563	21.95	60	Pass	401
1765	3000	1	RMS	2652	-46.79	-13	Pass	1236
3000	12000	1	RMS	11844	-39.99	-13	Pass	9001
12000	20000	1	RMS	20000	-27.05	-13	Pass	8001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.38	-13	Pass	2986
30	1000	0.1	RMS	910.9	-62.12	-13	Pass	9701
1000	1700	1	RMS	1699	-51.27	-13	Pass	701
1700	1765	1	RMS	1728.113	22.87	60	Pass	401
1765	3000	1	RMS	2646	-46.77	-13	Pass	1236
3000	12000	1	RMS	11848	-40.07	-13	Pass	9001
12000	20000	1	RMS	19999	-27.11	-13	Pass	8001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.23	-13	Pass	2986
30	1000	0.1	RMS	933.4	-62.09	-13	Pass	9701
1000	1700	1	RMS	1699	-51.23	-13	Pass	701
1700	1765	1	RMS	1728.113	22.33	60	Pass	401
1765	3000	1	RMS	2647	-46.81	-13	Pass	1236
3000	12000	1	RMS	11851	-40.05	-13	Pass	9001
12000	20000	1	RMS	19998	-27.08	-13	Pass	8001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-38.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.33	-13	Pass	2986
30	1000	0.1	RMS	920.1	-62.12	-13	Pass	9701
1000	1700	1	RMS	1698	-51.2	-13	Pass	701
1700	1765	1	RMS	1745.663	22.73	60	Pass	401
1765	3000	1	RMS	2663	-46.82	-13	Pass	1236
3000	12000	1	RMS	11840	-40.15	-13	Pass	9001
12000	20000	1	RMS	19999	-27.1	-13	Pass	8001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-30.32	-13	Pass	2986
30	1000	0.1	RMS	940.3	-61.98	-13	Pass	9701
1000	1700	1	RMS	1694	-51.27	-13	Pass	701
1700	1765	1	RMS	1745.663	21.98	60	Pass	401
1765	3000	1	RMS	2651	-46.79	-13	Pass	1236
3000	12000	1	RMS	11847	-40.05	-13	Pass	9001
12000	20000	1	RMS	19998	-27.05	-13	Pass	8001



9.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.65	-13	Pass	2986
30	1000	0.1	RMS	904.8	-62.12	-13	Pass	9701
1000	1700	1	RMS	1698	-43.7	-13	Pass	701
1700	1765	1	RMS	1710.888	23.23	60	Pass	401
1765	3000	1	RMS	2649	-46.74	-13	Pass	1236
3000	12000	1	RMS	11849	-40.07	-13	Pass	9001
12000	20000	1	RMS	19999	-27.13	-13	Pass	8001



9.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.15	-13	Pass	2986
30	1000	0.1	RMS	937.8	-62.02	-13	Pass	9701
1000	1700	1	RMS	1698	-44.3	-13	Pass	701
1700	1765	1	RMS	1710.888	22.38	60	Pass	401
1765	3000	1	RMS	2650	-46.73	-13	Pass	1236
3000	12000	1	RMS	11844	-40.07	-13	Pass	9001
12000	20000	1	RMS	20000	-27.11	-13	Pass	8001



9.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.32	-13	Pass	2986
30	1000	0.1	RMS	955.2	-62.05	-13	Pass	9701
1000	1700	1	RMS	1699	-43.47	-13	Pass	701
1700	1765	1	RMS	1725.838	23.28	60	Pass	401
1765	3000	1	RMS	2648	-46.75	-13	Pass	1236
3000	12000	1	RMS	11848	-40.08	-13	Pass	9001
12000	20000	1	RMS	19997	-27.09	-13	Pass	8001



9.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-30.41	-13	Pass	2986
30	1000	0.1	RMS	935.6	-61.96	-13	Pass	9701
1000	1700	1	RMS	1699	-44.61	-13	Pass	701
1700	1765	1	RMS	1725.838	22.31	60	Pass	401
1765	3000	1	RMS	2648	-46.75	-13	Pass	1236
3000	12000	1	RMS	11854	-40.07	-13	Pass	9001
12000	20000	1	RMS	19994	-27.1	-13	Pass	8001



9.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30	-13	Pass	2986
30	1000	0.1	RMS	901	-61.99	-13	Pass	9701
1000	1700	1	RMS	1689	-51.24	-13	Pass	701
1700	1765	1	RMS	1740.788	23.07	60	Pass	401
1765	3000	1	RMS	1767	-27.18	-13	Pass	1236
3000	12000	1	RMS	11864	-40.11	-13	Pass	9001
12000	20000	1	RMS	19997	-27.12	-13	Pass	8001



9.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-38.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.67	-13	Pass	2986
30	1000	0.1	RMS	925.6	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-51.23	-13	Pass	701
1700	1765	1	RMS	1740.788	22.05	60	Pass	401
1765	3000	1	RMS	1767	-28.62	-13	Pass	1236
3000	12000	1	RMS	11848	-40.07	-13	Pass	9001
12000	20000	1	RMS	19999	-27.16	-13	Pass	8001



9.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.03	-13	Pass	2986
30	1000	0.1	RMS	917.1	-61.97	-13	Pass	9701
1000	1700	1	RMS	1693	-46.16	-13	Pass	701
1700	1765	1	RMS	1711.05	22.51	60	Pass	401
1765	3000	1	RMS	2649	-46.77	-13	Pass	1236
3000	12000	1	RMS	11848	-40.02	-13	Pass	9001
12000	20000	1	RMS	19992	-27.12	-13	Pass	8001



9.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.13	-13	Pass	2986
30	1000	0.1	RMS	927.5	-62.06	-13	Pass	9701
1000	1700	1	RMS	1693	-47.45	-13	Pass	701
1700	1765	1	RMS	1711.05	21.7	60	Pass	401
1765	3000	1	RMS	2643	-46.79	-13	Pass	1236
3000	12000	1	RMS	11851	-40.12	-13	Pass	9001
12000	20000	1	RMS	19999	-27.17	-13	Pass	8001



9.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.35	-13	Pass	2986
30	1000	0.1	RMS	934.2	-62.05	-13	Pass	9701
1000	1700	1	RMS	1688	-49.22	-13	Pass	701
1700	1765	1	RMS	1723.563	22.6	60	Pass	401
1765	3000	1	RMS	2640	-46.75	-13	Pass	1236
3000	12000	1	RMS	11852	-40.05	-13	Pass	9001
12000	20000	1	RMS	19998	-27.17	-13	Pass	8001



9.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.8	-13	Pass	2986
30	1000	0.1	RMS	912.2	-62.05	-13	Pass	9701
1000	1700	1	RMS	1688	-49.91	-13	Pass	701
1700	1765	1	RMS	1723.563	21.61	60	Pass	401
1765	3000	1	RMS	2656	-46.81	-13	Pass	1236
3000	12000	1	RMS	11848	-40.06	-13	Pass	9001
12000	20000	1	RMS	19997	-27.1	-13	Pass	8001



9.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.42	-13	Pass	2986
30	1000	0.1	RMS	924.2	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-41.94	-13	Pass	701
1700	1765	1	RMS	1736.075	22.52	60	Pass	401
1765	3000	1	RMS	1772	-27.61	-13	Pass	1236
3000	12000	1	RMS	11850	-40.1	-13	Pass	9001
12000	20000	1	RMS	19994	-27.14	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.23	-13	Pass	2986
30	1000	0.1	RMS	928.9	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-43.66	-13	Pass	701
1700	1765	1	RMS	1736.075	21.48	60	Pass	401
1765	3000	1	RMS	1772	-29.43	-13	Pass	1236
3000	12000	1	RMS	11854	-40.1	-13	Pass	9001
12000	20000	1	RMS	19997	-27.04	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-35.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.26	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.21	-13	Pass	7841
814	860	0.1	RMS	824.3	19.56	60	Pass	461
860	1000	0.1	RMS	916.6	-62.44	-13	Pass	1401
1000	3000	1	RMS	2647	-46.69	-13	Pass	2001
3000	10000	1	RMS	7734	-42.38	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.73	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.37	-13	Pass	7841
814	860	0.1	RMS	824.3	18.64	60	Pass	461
860	1000	0.1	RMS	995.9	-62.44	-13	Pass	1401
1000	3000	1	RMS	2650	-46.71	-13	Pass	2001
3000	10000	1	RMS	7732	-42.37	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.89	-13	Pass	2986
30	814	0.1	RMS	812	-62.36	-13	Pass	7841
814	860	0.1	RMS	836.1	19.69	60	Pass	461
860	1000	0.1	RMS	916	-62.31	-13	Pass	1401
1000	3000	1	RMS	2643	-46.73	-13	Pass	2001
3000	10000	1	RMS	7732	-42.3	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.74	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.21	-13	Pass	7841
814	860	0.1	RMS	836.1	18.73	60	Pass	461
860	1000	0.1	RMS	890.2	-62.47	-13	Pass	1401
1000	3000	1	RMS	2648	-46.68	-13	Pass	2001
3000	10000	1	RMS	7723	-42.36	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-38.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.84	-13	Pass	2986
30	814	0.1	RMS	810	-62.45	-13	Pass	7841
814	860	0.1	RMS	847.9	19.85	60	Pass	461
860	1000	0.1	RMS	940.8	-62.37	-13	Pass	1401
1000	3000	1	RMS	2644	-46.7	-13	Pass	2001
3000	10000	1	RMS	7730	-42.4	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.04	-13	Pass	2986
30	814	0.1	RMS	807.2	-62.51	-13	Pass	7841
814	860	0.1	RMS	847.9	18.87	60	Pass	461
860	1000	0.1	RMS	916.2	-62.49	-13	Pass	1401
1000	3000	1	RMS	2647	-46.73	-13	Pass	2001
3000	10000	1	RMS	7725	-42.39	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-30.76	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.98	-13	Pass	7841
814	860	0.1	RMS	824.2	19.79	60	Pass	461
860	1000	0.1	RMS	919.8	-62.43	-13	Pass	1401
1000	3000	1	RMS	2659	-46.73	-13	Pass	2001
3000	10000	1	RMS	7738	-42.42	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.35	-13	Pass	2986
30	814	0.1	RMS	812.6	-62.23	-13	Pass	7841
814	860	0.1	RMS	824.2	18.9	60	Pass	461
860	1000	0.1	RMS	915	-62.4	-13	Pass	1401
1000	3000	1	RMS	2644	-46.74	-13	Pass	2001
3000	10000	1	RMS	7726	-42.38	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.88	-13	Pass	2986
30	814	0.1	RMS	810.7	-62.33	-13	Pass	7841
814	860	0.1	RMS	835.2	19.9	60	Pass	461
860	1000	0.1	RMS	888.1	-62.46	-13	Pass	1401
1000	3000	1	RMS	2651	-46.7	-13	Pass	2001
3000	10000	1	RMS	7721	-42.4	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.9	-13	Pass	2986
30	814	0.1	RMS	808.2	-62.32	-13	Pass	7841
814	860	0.1	RMS	835.2	18.97	60	Pass	461
860	1000	0.1	RMS	920	-62.31	-13	Pass	1401
1000	3000	1	RMS	2641	-46.71	-13	Pass	2001
3000	10000	1	RMS	7731	-42.34	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.06	-13	Pass	2986
30	814	0.1	RMS	811.6	-62.34	-13	Pass	7841
814	860	0.1	RMS	846.2	20.02	60	Pass	461
860	1000	0.1	RMS	931.2	-62.33	-13	Pass	1401
1000	3000	1	RMS	2650	-46.73	-13	Pass	2001
3000	10000	1	RMS	7732	-42.4	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.52	-13	Pass	2986
30	814	0.1	RMS	801.7	-62.41	-13	Pass	7841
814	860	0.1	RMS	846.2	19.1	60	Pass	461
860	1000	0.1	RMS	949	-62.37	-13	Pass	1401
1000	3000	1	RMS	2648	-46.73	-13	Pass	2001
3000	10000	1	RMS	9551	-42.37	-13	Pass	7001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.17	-13	Pass	2986
30	814	0.1	RMS	814	-61.9	-13	Pass	7841
814	860	0.1	RMS	824.3	19.7	60	Pass	461
860	1000	0.1	RMS	926.2	-62.37	-13	Pass	1401
1000	3000	1	RMS	2644	-46.7	-13	Pass	2001
3000	10000	1	RMS	7732	-42.37	-13	Pass	7001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.87	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.94	-13	Pass	7841
814	860	0.1	RMS	824.3	18.72	60	Pass	461
860	1000	0.1	RMS	939.6	-62.45	-13	Pass	1401
1000	3000	1	RMS	2642	-46.74	-13	Pass	2001
3000	10000	1	RMS	7727	-42.46	-13	Pass	7001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.3	-13	Pass	2986
30	814	0.1	RMS	812	-62.45	-13	Pass	7841
814	860	0.1	RMS	834.3	19.74	60	Pass	461
860	1000	0.1	RMS	921.3	-62.44	-13	Pass	1401
1000	3000	1	RMS	2644	-46.74	-13	Pass	2001
3000	10000	1	RMS	7730	-42.41	-13	Pass	7001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.14	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.22	-13	Pass	7841
814	860	0.1	RMS	834.3	19	60	Pass	461
860	1000	0.1	RMS	910.6	-62.49	-13	Pass	1401
1000	3000	1	RMS	2646	-46.7	-13	Pass	2001
3000	10000	1	RMS	7722	-42.34	-13	Pass	7001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.74	-13	Pass	2986
30	814	0.1	RMS	800.2	-62.39	-13	Pass	7841
814	860	0.1	RMS	844.3	19.99	60	Pass	461
860	1000	0.1	RMS	917.8	-62.45	-13	Pass	1401
1000	3000	1	RMS	2643	-46.72	-13	Pass	2001
3000	10000	1	RMS	7741	-42.46	-13	Pass	7001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.96	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.44	-13	Pass	7841
814	860	0.1	RMS	844.3	19.19	60	Pass	461
860	1000	0.1	RMS	933	-62.47	-13	Pass	1401
1000	3000	1	RMS	2644	-46.72	-13	Pass	2001
3000	10000	1	RMS	7736	-42.4	-13	Pass	7001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.62	-13	Pass	2986
30	814	0.1	RMS	807	-49.05	-13	Pass	7841
814	860	0.1	RMS	824.6	20.18	60	Pass	461
860	1000	0.1	RMS	905.6	-62.41	-13	Pass	1401
1000	3000	1	RMS	2646	-46.71	-13	Pass	2001
3000	10000	1	RMS	7729	-42.36	-13	Pass	7001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.46	-13	Pass	2986
30	814	0.1	RMS	807	-51.18	-13	Pass	7841
814	860	0.1	RMS	824.6	19.44	60	Pass	461
860	1000	0.1	RMS	913.9	-62.47	-13	Pass	1401
1000	3000	1	RMS	2644	-46.75	-13	Pass	2001
3000	10000	1	RMS	7730	-42.36	-13	Pass	7001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.36	-13	Pass	2986
30	814	0.1	RMS	814	-60.45	-13	Pass	7841
814	860	0.1	RMS	832.1	20.38	60	Pass	461
860	1000	0.1	RMS	928.2	-62.3	-13	Pass	1401
1000	3000	1	RMS	2646	-46.7	-13	Pass	2001
3000	10000	1	RMS	7738	-42.33	-13	Pass	7001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.42	-13	Pass	2986
30	814	0.1	RMS	814	-61.54	-13	Pass	7841
814	860	0.1	RMS	832.1	19.31	60	Pass	461
860	1000	0.1	RMS	925.3	-62.48	-13	Pass	1401
1000	3000	1	RMS	2647	-46.72	-13	Pass	2001
3000	10000	1	RMS	7738	-42.42	-13	Pass	7001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.01	-13	Pass	2986
30	814	0.1	RMS	809.6	-62.31	-13	Pass	7841
814	860	0.1	RMS	839.6	20.45	60	Pass	461
860	1000	0.1	RMS	921.1	-62.43	-13	Pass	1401
1000	3000	1	RMS	2643	-46.69	-13	Pass	2001
3000	10000	1	RMS	7729	-42.31	-13	Pass	7001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.21	-13	Pass	2986
30	814	0.1	RMS	809.6	-62.31	-13	Pass	7841
814	860	0.1	RMS	839.6	19.54	60	Pass	461
860	1000	0.1	RMS	907.3	-62.4	-13	Pass	1401
1000	3000	1	RMS	2654	-46.74	-13	Pass	2001
3000	10000	1	RMS	7720	-42.36	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.13	-25	Pass	401
0.15	30	0.01	RMS	5.22	-67.52	-25	Pass	2986
30	1000	0.1	RMS	868.213	-58.21	-25	Pass	9701
1000	2490	1	RMS	2490	-46.41	-25	Pass	1491
2490	2580	1	RMS	2500.125	23.68	60	Pass	401
2580	3000	1	RMS	2978	-45.77	-25	Pass	421
3000	12000	1	RMS	7191	-50.5	-25	Pass	9002
12000	26000	1	RMS	20079	-42.53	-25	Pass	14002




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.51	-25	Pass	401
0.15	30	0.01	RMS	19.38	-66.91	-25	Pass	2986
30	1000	0.1	RMS	859.707	-59.06	-25	Pass	9701
1000	2490	1	RMS	2490	-46.48	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.89	60	Pass	401
2580	3000	1	RMS	2964	-45.64	-25	Pass	421
3000	12000	1	RMS	11455	-56.28	-25	Pass	9002
12000	26000	1	RMS	25852	-44.53	-25	Pass	14002




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.8	-25	Pass	401
0.15	30	0.01	RMS	23.46	-67.39	-25	Pass	2986
30	1000	0.1	RMS	850.401	-57.99	-25	Pass	9701
1000	2490	1	RMS	2488	-46.97	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.23	60	Pass	401
2580	3000	1	RMS	2963	-45.62	-25	Pass	421
3000	12000	1	RMS	11848	-56	-25	Pass	9002
12000	26000	1	RMS	25100	-44.58	-25	Pass	14002




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-72.49	-25	Pass	401
0.15	30	0.01	RMS	23.69	-69.01	-25	Pass	2986
30	1000	0.1	RMS	373.5	-58.62	-25	Pass	9701
1000	2490	1	RMS	2489	-46.84	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.52	60	Pass	401
2580	3000	1	RMS	2965	-45.68	-25	Pass	421
3000	12000	1	RMS	11850	-56.3	-25	Pass	9002
12000	26000	1	RMS	25100	-44.64	-25	Pass	14002




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.65	-25	Pass	401
0.15	30	0.01	RMS	29.25	-69.18	-25	Pass	2986
30	1000	0.1	RMS	900.434	-59.2	-25	Pass	9701
1000	2490	1	RMS	2489	-46.95	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.03	60	Pass	401
2580	3000	1	RMS	2959	-45.9	-25	Pass	421
3000	12000	1	RMS	11843	-56.46	-25	Pass	9002
12000	26000	1	RMS	25092	-44.63	-25	Pass	14002




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.4	-25	Pass	401
0.15	30	0.01	RMS	22.43	-69.02	-25	Pass	2986
30	1000	0.1	RMS	915.644	-59.21	-25	Pass	9701
1000	2490	1	RMS	2481	-46.93	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.08	60	Pass	401
2580	3000	1	RMS	2955	-45.84	-25	Pass	421
3000	12000	1	RMS	11728	-49.92	-25	Pass	9002
12000	26000	1	RMS	21009	-40.04	-25	Pass	14002




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.96	-25	Pass	401
0.15	30	0.01	RMS	23.11	-68.79	-25	Pass	2986
30	1000	0.1	RMS	906.238	-58.93	-25	Pass	9701
1000	2490	1	RMS	2483	-38.72	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.25	60	Pass	401
2580	3000	1	RMS	2932	-45.96	-25	Pass	421
3000	12000	1	RMS	3551	-52.96	-25	Pass	9002
12000	26000	1	RMS	25801	-44.64	-25	Pass	14002




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.34	-25	Pass	401
0.15	30	0.01	RMS	11.01	-69.38	-25	Pass	2986
30	1000	0.1	RMS	903.936	-59.14	-25	Pass	9701
1000	2490	1	RMS	2483	-39.37	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.49	60	Pass	401
2580	3000	1	RMS	2965	-45.85	-25	Pass	421
3000	12000	1	RMS	11866	-56.48	-25	Pass	9002
12000	26000	1	RMS	25890	-44.63	-25	Pass	14002



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.78	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.74	-25	Pass	2986
30	1000	0.1	RMS	867.012	-59.13	-25	Pass	9701
1000	2490	1	RMS	2488	-46.89	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.36	60	Pass	401
2580	3000	1	RMS	2962	-45.91	-25	Pass	421
3000	12000	1	RMS	11861	-56.4	-25	Pass	9002
12000	26000	1	RMS	25738	-44.67	-25	Pass	14002



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-25	Pass	401
0.15	30	0.01	RMS	12.55	-68.94	-25	Pass	2986
30	1000	0.1	RMS	908.74	-58.92	-25	Pass	9701
1000	2490	1	RMS	2482	-47.23	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.37	60	Pass	401
2580	3000	1	RMS	2975	-45.9	-25	Pass	421
3000	12000	1	RMS	11850	-56.42	-25	Pass	9002
12000	26000	1	RMS	25108	-44.7	-25	Pass	14002



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.74	-25	Pass	401
0.15	30	0.01	RMS	11.69	-68.94	-25	Pass	2986
30	1000	0.1	RMS	908.74	-59.02	-25	Pass	9701
1000	2490	1	RMS	2488	-46.88	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.24	60	Pass	401
2580	3000	1	RMS	2970	-45.9	-25	Pass	421
3000	12000	1	RMS	11723	-49.85	-25	Pass	9002
12000	26000	1	RMS	20997	-41.17	-25	Pass	14002



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.39	-25	Pass	401
0.15	30	0.01	RMS	14.29	-68.66	-25	Pass	2986
30	1000	0.1	RMS	908.74	-59.18	-25	Pass	9701
1000	2490	1	RMS	2481	-47.06	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.31	60	Pass	401
2580	3000	1	RMS	2957	-45.86	-25	Pass	421
3000	12000	1	RMS	11506	-56.5	-25	Pass	9002
12000	26000	1	RMS	25104	-44.65	-25	Pass	14002



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.65	-25	Pass	401
0.15	30	0.01	RMS	29.7	-68.84	-25	Pass	2986
30	1000	0.1	RMS	880.421	-59.09	-25	Pass	9701
1000	2490	1	RMS	2488	-41.64	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.19	60	Pass	401
2580	3000	1	RMS	2960	-45.86	-25	Pass	421
3000	12000	1	RMS	3543	-54.08	-25	Pass	9002
12000	26000	1	RMS	25101	-44.4	-25	Pass	14002



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.58	-25	Pass	401
0.15	30	0.01	RMS	1.13	-68.69	-25	Pass	2986
30	1000	0.1	RMS	897.732	-59.12	-25	Pass	9701
1000	2490	1	RMS	2488	-41.79	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.39	60	Pass	401
2580	3000	1	RMS	2959	-45.77	-25	Pass	421
3000	12000	1	RMS	11845	-56.29	-25	Pass	9002
12000	26000	1	RMS	25100	-44.56	-25	Pass	14002



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-73.7	-25	Pass	401
0.15	30	0.01	RMS	0.78	-68.65	-25	Pass	2986
30	1000	0.1	RMS	901.735	-59	-25	Pass	9701
1000	2490	1	RMS	2489	-46.89	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.25	60	Pass	401
2580	3000	1	RMS	2959	-45.82	-25	Pass	421
3000	12000	1	RMS	11853	-56.31	-25	Pass	9002
12000	26000	1	RMS	25101	-44.51	-25	Pass	14002



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-73.38	-25	Pass	401
0.15	30	0.01	RMS	0.93	-69.03	-25	Pass	2986
30	1000	0.1	RMS	922.449	-59.12	-25	Pass	9701
1000	2490	1	RMS	2488	-46.96	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.28	60	Pass	401
2580	3000	1	RMS	2969	-45.82	-25	Pass	421
3000	12000	1	RMS	11723	-49.03	-25	Pass	9002
12000	26000	1	RMS	20991	-40.29	-25	Pass	14002



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.35	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.54	-25	Pass	2986
30	1000	0.1	RMS	904.537	-59.23	-25	Pass	9701
1000	2490	1	RMS	2481	-46.98	-25	Pass	1491
2490	2595	1	RMS	2555.625	23.14	60	Pass	401
2595	3000	1	RMS	2958	-45.94	-25	Pass	406
3000	12000	1	RMS	11851	-56.46	-25	Pass	9002
12000	26000	1	RMS	25833	-44.68	-25	Pass	14002



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.47	-25	Pass	2986
30	1000	0.1	RMS	897.832	-59.36	-25	Pass	9701
1000	2490	1	RMS	2489	-47.05	-25	Pass	1491
2490	2595	1	RMS	2555.625	22.31	60	Pass	401
2595	3000	1	RMS	2984	-45.81	-25	Pass	406
3000	12000	1	RMS	11850	-56.48	-25	Pass	9002
12000	26000	1	RMS	25096	-44.5	-25	Pass	14002



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-25	Pass	401
0.15	30	0.01	RMS	0.34	-67.53	-25	Pass	2986
30	1000	0.1	RMS	908.94	-59.28	-25	Pass	9701
1000	2490	1	RMS	2483	-43.19	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.08	60	Pass	401
2580	3000	1	RMS	2962	-45.85	-25	Pass	421
3000	12000	1	RMS	3533	-53.2	-25	Pass	9002
12000	26000	1	RMS	25096	-44.7	-25	Pass	14002



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-72.15	-25	Pass	401
0.15	30	0.01	RMS	2.85	-68.89	-25	Pass	2986
30	1000	0.1	RMS	882.422	-59.12	-25	Pass	9701
1000	2490	1	RMS	2483	-43.85	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.27	60	Pass	401
2580	3000	1	RMS	2977	-45.84	-25	Pass	421
3000	12000	1	RMS	11445	-56.38	-25	Pass	9002
12000	26000	1	RMS	25099	-44.63	-25	Pass	14002



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.78	-25	Pass	401
0.15	30	0.01	RMS	26.68	-69.13	-25	Pass	2986
30	1000	0.1	RMS	893.63	-59.17	-25	Pass	9701
1000	2490	1	RMS	2490	-46.97	-25	Pass	1491
2490	2580	1	RMS	2526	23.06	60	Pass	401
2580	3000	1	RMS	2959	-45.91	-25	Pass	421
3000	12000	1	RMS	11702	-49.43	-25	Pass	9002
12000	26000	1	RMS	20965	-40.72	-25	Pass	14002



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.55	-25	Pass	401
0.15	30	0.01	RMS	13.8	-68.7	-25	Pass	2986
30	1000	0.1	RMS	879.32	-59.32	-25	Pass	9701
1000	2490	1	RMS	2490	-42.46	-25	Pass	1491
2490	2580	1	RMS	2526	22.08	60	Pass	401
2580	3000	1	RMS	2963	-45.87	-25	Pass	421
3000	12000	1	RMS	11472	-56.51	-25	Pass	9002
12000	26000	1	RMS	25105	-44.68	-25	Pass	14002



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-73	-25	Pass	401
0.15	30	0.01	RMS	14.18	-68.79	-25	Pass	2986
30	1000	0.1	RMS	911.341	-59.14	-25	Pass	9701
1000	2490	1	RMS	2489	-47.11	-25	Pass	1491
2490	2580	1	RMS	2550.975	23.03	60	Pass	401
2580	3000	1	RMS	2586	-31.62	-25	Pass	421
3000	12000	1	RMS	11845	-56.45	-25	Pass	9002
12000	26000	1	RMS	25090	-44.63	-25	Pass	14002



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.83	-25	Pass	401
0.15	30	0.01	RMS	0.58	-68.18	-25	Pass	2986
30	1000	0.1	RMS	883.123	-59.12	-25	Pass	9701
1000	2490	1	RMS	2489	-47.1	-25	Pass	1491
2490	2580	1	RMS	2550.975	21.77	60	Pass	401
2580	3000	1	RMS	2586	-32.48	-25	Pass	421
3000	12000	1	RMS	3513	-52.51	-25	Pass	9002
12000	26000	1	RMS	25101	-44.57	-25	Pass	14002



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-35.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.63	-13	Pass	2986
30	689	0.1	RMS	506.7	-63.39	-13	Pass	6591
689	726	0.1	RMS	699.268	20.3	60	Pass	401
726	1000	0.1	RMS	920.1	-62.23	-13	Pass	2741
1000	3000	1	RMS	2643	-46.71	-13	Pass	2001
3000	10000	1	RMS	7729	-42.37	-13	Pass	7001




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.68	-13	Pass	2986
30	689	0.1	RMS	660.9	-63.53	-13	Pass	6591
689	726	0.1	RMS	699.268	19.3	60	Pass	401
726	1000	0.1	RMS	930.3	-62.21	-13	Pass	2741
1000	3000	1	RMS	2650	-46.73	-13	Pass	2001
3000	10000	1	RMS	7731	-42.36	-13	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.3	-13	Pass	2986
30	689	0.1	RMS	683.6	-63.35	-13	Pass	6591
689	726	0.1	RMS	707.038	20.3	60	Pass	401
726	1000	0.1	RMS	934.2	-62.15	-13	Pass	2741
1000	3000	1	RMS	2651	-46.7	-13	Pass	2001
3000	10000	1	RMS	7721	-42.43	-13	Pass	7001




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.69	-13	Pass	2986
30	689	0.1	RMS	522	-63.49	-13	Pass	6591
689	726	0.1	RMS	707.038	19.25	60	Pass	401
726	1000	0.1	RMS	923.8	-62.13	-13	Pass	2741
1000	3000	1	RMS	2651	-46.73	-13	Pass	2001
3000	10000	1	RMS	7729	-42.39	-13	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.94	-13	Pass	2986
30	689	0.1	RMS	686.9	-63.48	-13	Pass	6591
689	726	0.1	RMS	714.808	19.81	60	Pass	401
726	1000	0.1	RMS	883.7	-62.21	-13	Pass	2741
1000	3000	1	RMS	2653	-46.7	-13	Pass	2001
3000	10000	1	RMS	7732	-42.34	-13	Pass	7001




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.95	-13	Pass	2986
30	689	0.1	RMS	513.7	-63.54	-13	Pass	6591
689	726	0.1	RMS	714.9	18.74	60	Pass	401
726	1000	0.1	RMS	926.9	-62.05	-13	Pass	2741
1000	3000	1	RMS	2650	-46.75	-13	Pass	2001
3000	10000	1	RMS	7744	-42.35	-13	Pass	7001




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.69	-13	Pass	2986
30	689	0.1	RMS	513	-63.36	-13	Pass	6591
689	726	0.1	RMS	699.268	20.24	60	Pass	401
726	1000	0.1	RMS	898.8	-62.22	-13	Pass	2741
1000	3000	1	RMS	2643	-46.72	-13	Pass	2001
3000	10000	1	RMS	7731	-42.39	-13	Pass	7001




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.1	-13	Pass	2986
30	689	0.1	RMS	688.8	-63.44	-13	Pass	6591
689	726	0.1	RMS	699.268	19.42	60	Pass	401
726	1000	0.1	RMS	930.1	-62.29	-13	Pass	2741
1000	3000	1	RMS	2650	-46.72	-13	Pass	2001
3000	10000	1	RMS	7728	-42.39	-13	Pass	7001



12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.61	-13	Pass	2986
30	689	0.1	RMS	687.2	-63.41	-13	Pass	6591
689	726	0.1	RMS	706.205	20.05	60	Pass	401
726	1000	0.1	RMS	932.3	-62.17	-13	Pass	2741
1000	3000	1	RMS	2649	-46.7	-13	Pass	2001
3000	10000	1	RMS	9551	-42.38	-13	Pass	7001



12.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.86	-13	Pass	2986
30	689	0.1	RMS	681.4	-63.47	-13	Pass	6591
689	726	0.1	RMS	706.205	19.03	60	Pass	401
726	1000	0.1	RMS	905.4	-62.23	-13	Pass	2741
1000	3000	1	RMS	2652	-46.84	-13	Pass	2001
3000	10000	1	RMS	7733	-42.49	-13	Pass	7001



12.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.72	-13	Pass	2986
30	689	0.1	RMS	6812.6	-63.47	-13	Pass	6591
689	726	0.1	RMS	713.235	20.43	60	Pass	401
726	1000	0.1	RMS	931.9	-62.21	-13	Pass	2741
1000	3000	1	RMS	2653	-46.83	-13	Pass	2001
3000	10000	1	RMS	7733	-42.52	-13	Pass	7001



12.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.04	-13	Pass	2986
30	689	0.1	RMS	686.7	-63.4	-13	Pass	6591
689	726	0.1	RMS	713.235	19.7	60	Pass	401
726	1000	0.1	RMS	916.6	-62.19	-13	Pass	2741
1000	3000	1	RMS	2649	-46.8	-13	Pass	2001
3000	10000	1	RMS	7723	-42.47	-13	Pass	7001



12.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.63	-13	Pass	2986
30	689	0.1	RMS	525.9	-63.47	-13	Pass	6591
689	726	0.1	RMS	699.36	20.1	60	Pass	401
726	1000	0.1	RMS	894.7	-62.32	-13	Pass	2741
1000	3000	1	RMS	2647	-46.81	-13	Pass	2001
3000	10000	1	RMS	7739	-42.52	-13	Pass	7001



12.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.54	-13	Pass	2986
30	689	0.1	RMS	682.3	-63.57	-13	Pass	6591
689	726	0.1	RMS	699.36	19.35	60	Pass	401
726	1000	0.1	RMS	903.2	-62.17	-13	Pass	2741
1000	3000	1	RMS	2653	-46.87	-13	Pass	2001
3000	10000	1	RMS	7733	-42.5	-13	Pass	7001



12.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.07	-13	Pass	2986
30	689	0.1	RMS	681.2	-63.47	-13	Pass	6591
689	726	0.1	RMS	705.373	19.98	60	Pass	401
726	1000	0.1	RMS	948	-62.07	-13	Pass	2741
1000	3000	1	RMS	2649	-46.82	-13	Pass	2001
3000	10000	1	RMS	7713	-42.46	-13	Pass	7001



12.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.14	-13	Pass	2986
30	689	0.1	RMS	686.7	-63.5	-13	Pass	6591
689	726	0.1	RMS	705.373	19.18	60	Pass	401
726	1000	0.1	RMS	902.5	-62.17	-13	Pass	2741
1000	3000	1	RMS	2646	-46.83	-13	Pass	2001
3000	10000	1	RMS	7728	-42.45	-13	Pass	7001



12.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-35.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.77	-13	Pass	2986
30	689	0.1	RMS	505	-63.48	-13	Pass	6591
689	726	0.1	RMS	711.293	19.7	60	Pass	401
726	1000	0.1	RMS	908.6	-62.21	-13	Pass	2741
1000	3000	1	RMS	2648	-46.86	-13	Pass	2001
3000	10000	1	RMS	7729	-42.51	-13	Pass	7001



12.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-35.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.75	-13	Pass	2986
30	689	0.1	RMS	515.3	-63.48	-13	Pass	6591
689	726	0.1	RMS	711.293	19.09	60	Pass	401
726	1000	0.1	RMS	898	-62.31	-13	Pass	2741
1000	3000	1	RMS	2640	-46.85	-13	Pass	2001
3000	10000	1	RMS	7740	-42.49	-13	Pass	7001



12.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.63	-13	Pass	2986
30	689	0.1	RMS	689	-63.48	-13	Pass	6591
689	726	0.1	RMS	699.545	19.92	60	Pass	401
726	1000	0.1	RMS	921.8	-62.19	-13	Pass	2741
1000	3000	1	RMS	2650	-46.86	-13	Pass	2001
3000	10000	1	RMS	7732	-42.49	-13	Pass	7001



12.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-38.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.57	-13	Pass	2986
30	689	0.1	RMS	687.1	-63.25	-13	Pass	6591
689	726	0.1	RMS	699.638	19.34	60	Pass	401
726	1000	0.1	RMS	911.6	-62.33	-13	Pass	2741
1000	3000	1	RMS	2640	-46.86	-13	Pass	2001
3000	10000	1	RMS	7735	-42.47	-13	Pass	7001



12.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.5	-13	Pass	2986
30	689	0.1	RMS	684.4	-63.48	-13	Pass	6591
689	726	0.1	RMS	703.06	20.1	60	Pass	401
726	1000	0.1	RMS	929.1	-62.28	-13	Pass	2741
1000	3000	1	RMS	2650	-46.82	-13	Pass	2001
3000	10000	1	RMS	7730	-42.43	-13	Pass	7001



12.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.71	-13	Pass	2986
30	689	0.1	RMS	513.2	-63.5	-13	Pass	6591
689	726	0.1	RMS	703.06	19.31	60	Pass	401
726	1000	0.1	RMS	904.9	-62.36	-13	Pass	2741
1000	3000	1	RMS	2645	-46.83	-13	Pass	2001
3000	10000	1	RMS	7731	-42.51	-13	Pass	7001



12.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-37.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.14	-13	Pass	2986
30	689	0.1	RMS	504.5	-63.43	-13	Pass	6591
689	726	0.1	RMS	706.575	20.33	60	Pass	401
726	1000	0.1	RMS	878.4	-62.1	-13	Pass	2741
1000	3000	1	RMS	2652	-46.84	-13	Pass	2001
3000	10000	1	RMS	7736	-42.49	-13	Pass	7001



12.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.71	-13	Pass	2986
30	689	0.1	RMS	689	-63.5	-13	Pass	6591
689	726	0.1	RMS	706.575	19.59	60	Pass	401
726	1000	0.1	RMS	917.4	-62.19	-13	Pass	2741
1000	3000	1	RMS	2650	-46.86	-13	Pass	2001
3000	10000	1	RMS	7737	-42.52	-13	Pass	7001



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.64	-13	Pass	2986
30	694	0.1	RMS	694	-63.34	-13	Pass	6641
694	726	0.1	RMS	704.32	20.7	60	Pass	401
726	1000	0.1	RMS	928.2	-62.23	-13	Pass	2741
1000	3000	1	RMS	2646	-46.82	-13	Pass	2001
3000	10000	1	RMS	7728	-42.43	-13	Pass	7001




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.41	-13	Pass	2986
30	694	0.1	RMS	693.8	-63.37	-13	Pass	6641
694	726	0.1	RMS	704.32	19.79	60	Pass	401
726	1000	0.1	RMS	906.5	-62.1	-13	Pass	2741
1000	3000	1	RMS	2648	-46.86	-13	Pass	2001
3000	10000	1	RMS	7730	-42.42	-13	Pass	7001




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.34	-13	Pass	2986
30	694	0.1	RMS	693.6	-62.68	-13	Pass	6641
694	726	0.1	RMS	707.84	20.77	60	Pass	401
726	1000	0.1	RMS	892.1	-62.12	-13	Pass	2741
1000	3000	1	RMS	2647	-46.86	-13	Pass	2001
3000	10000	1	RMS	7728	-42.48	-13	Pass	7001




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.85	-13	Pass	2986
30	694	0.1	RMS	692.7	-63.46	-13	Pass	6641
694	726	0.1	RMS	707.84	20.03	60	Pass	401
726	1000	0.1	RMS	918.4	-62.27	-13	Pass	2741
1000	3000	1	RMS	2655	-46.87	-13	Pass	2001
3000	10000	1	RMS	7734	-42.48	-13	Pass	7001




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.32	-13	Pass	2986
30	694	0.1	RMS	686.5	-63.36	-13	Pass	6641
694	726	0.1	RMS	711.36	20.54	60	Pass	401
726	1000	0.1	RMS	934.8	-62.25	-13	Pass	2741
1000	3000	1	RMS	2643	-46.83	-13	Pass	2001
3000	10000	1	RMS	7724	-42.47	-13	Pass	7001




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.75	-13	Pass	2986
30	694	0.1	RMS	693.3	-63.38	-13	Pass	6641
694	726	0.1	RMS	711.36	19.93	60	Pass	401
726	1000	0.1	RMS	917.6	-62.18	-13	Pass	2741
1000	3000	1	RMS	2654	-46.83	-13	Pass	2001
3000	10000	1	RMS	7731	-42.46	-13	Pass	7001




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.59	-13	Pass	2986
30	694	0.1	RMS	694	-62.54	-13	Pass	6641
694	726	0.1	RMS	704.56	20.71	60	Pass	401
726	1000	0.1	RMS	907.2	-62.21	-13	Pass	2741
1000	3000	1	RMS	2640	-46.83	-13	Pass	2001
3000	10000	1	RMS	7723	-42.38	-13	Pass	7001




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.43	-13	Pass	2986
30	694	0.1	RMS	694	-62.78	-13	Pass	6641
694	726	0.1	RMS	704.56	19.82	60	Pass	401
726	1000	0.1	RMS	907.9	-62.16	-13	Pass	2741
1000	3000	1	RMS	2645	-46.81	-13	Pass	2001
3000	10000	1	RMS	7735	-42.43	-13	Pass	7001



13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.96	-13	Pass	2986
30	694	0.1	RMS	693.9	-62.92	-13	Pass	6641
694	726	0.1	RMS	705.6	20.91	60	Pass	401
726	1000	0.1	RMS	930.1	-62.23	-13	Pass	2741
1000	3000	1	RMS	2650	-46.81	-13	Pass	2001
3000	10000	1	RMS	7726	-42.5	-13	Pass	7001



13.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.77	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.3	-13	Pass	6641
694	726	0.1	RMS	705.6	19.92	60	Pass	401
726	1000	0.1	RMS	893.5	-62.29	-13	Pass	2741
1000	3000	1	RMS	2642	-46.86	-13	Pass	2001
3000	10000	1	RMS	7728	-42.41	-13	Pass	7001



13.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.36	-13	Pass	2986
30	694	0.1	RMS	693.7	-62.83	-13	Pass	6641
694	726	0.1	RMS	706.56	20.62	60	Pass	401
726	1000	0.1	RMS	913.9	-62.04	-13	Pass	2741
1000	3000	1	RMS	2643	-46.81	-13	Pass	2001
3000	10000	1	RMS	7730	-42.52	-13	Pass	7001



13.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.06	-13	Pass	2986
30	694	0.1	RMS	690.2	-63.52	-13	Pass	6641
694	726	0.1	RMS	706.56	19.74	60	Pass	401
726	1000	0.1	RMS	884.9	-62.3	-13	Pass	2741
1000	3000	1	RMS	2648	-46.83	-13	Pass	2001
3000	10000	1	RMS	7732	-42.42	-13	Pass	7001



14. LTE_Band38


14.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.6	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.09	-25	Pass	2986
30	1000	0.1	RMS	898.132	-57.1	-25	Pass	9701
1000	2560	1	RMS	2558	-42.19	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.65	60	Pass	401
2630	3000	1	RMS	2959.3	-42.94	-25	Pass	401
3000	12000	1	RMS	7227	-49.6	-25	Pass	9002
12000	26500	1	RMS	20162	-41.06	-25	Pass	14502




14.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.92	-25	Pass	401
0.15	30	0.01	RMS	0.21	-66.13	-25	Pass	2986
30	1000	0.1	RMS	902.635	-56.81	-25	Pass	9701
1000	2560	1	RMS	2560	-41.76	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.16	60	Pass	401
2630	3000	1	RMS	2980.575	-42.92	-25	Pass	401
3000	12000	1	RMS	11889	-53.58	-25	Pass	9002
12000	26500	1	RMS	25106	-42.39	-25	Pass	14502




14.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.37	-25	Pass	2986
30	1000	0.1	RMS	882.122	-57.19	-25	Pass	9701
1000	2560	1	RMS	2556	-43.96	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.98	60	Pass	401
2630	3000	1	RMS	2964.85	-42.89	-25	Pass	401
3000	12000	1	RMS	11854	-53.49	-25	Pass	9002
12000	26500	1	RMS	25808	-42.37	-25	Pass	14502




14.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.65	-25	Pass	401
0.15	30	0.01	RMS	0.25	-66.56	-25	Pass	2986
30	1000	0.1	RMS	905.537	-57.2	-25	Pass	9701
1000	2560	1	RMS	2507	-43.92	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.76	60	Pass	401
2630	3000	1	RMS	2963.925	-42.91	-25	Pass	401
3000	12000	1	RMS	11860	-53.5	-25	Pass	9002
12000	26500	1	RMS	25844	-42.4	-25	Pass	14502




14.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.51	-25	Pass	401
0.15	30	0.01	RMS	0.28	-65.91	-25	Pass	2986
30	1000	0.1	RMS	999.3	-56.11	-25	Pass	9701
1000	2560	1	RMS	2500	-43.08	-25	Pass	1561
2560	2630	1	RMS	2615.3	24.51	60	Pass	401
2630	3000	1	RMS	2963	-42.07	-25	Pass	401
3000	12000	1	RMS	11457	-52.64	-25	Pass	9002
12000	26500	1	RMS	25107	-41.55	-25	Pass	14502




14.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-69.47	-25	Pass	401
0.15	30	0.01	RMS	0.73	-65.47	-25	Pass	2986
30	1000	0.1	RMS	869.814	-55.75	-25	Pass	9701
1000	2560	1	RMS	2516	-43.12	-25	Pass	1561
2560	2630	1	RMS	2615.125	23.33	60	Pass	401
2630	3000	1	RMS	2961.15	-42.06	-25	Pass	401
3000	12000	1	RMS	11785	-46.44	-25	Pass	9002
12000	26500	1	RMS	21124	-37.17	-25	Pass	14502




14.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.62	-25	Pass	401
0.15	30	0.01	RMS	1.03	-64.92	-25	Pass	2986
30	1000	0.1	RMS	904.937	-55.73	-25	Pass	9701
1000	2560	1	RMS	2552	-36.69	-25	Pass	1561
2560	2630	1	RMS	2570.5	24.38	60	Pass	401
2630	3000	1	RMS	2972.25	-42.06	-25	Pass	401
3000	12000	1	RMS	3596	-51.36	-25	Pass	9002
12000	26500	1	RMS	25091	-41.6	-25	Pass	14502




14.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.32	-25	Pass	401
0.15	30	0.01	RMS	29.45	-64.83	-25	Pass	2986
30	1000	0.1	RMS	909.94	-55.5	-25	Pass	9701
1000	2560	1	RMS	2552	-37.62	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.14	60	Pass	401
2630	3000	1	RMS	2964.85	-42.08	-25	Pass	401
3000	12000	1	RMS	11865	-52.51	-25	Pass	9002
12000	26500	1	RMS	25794	-41.57	-25	Pass	14502



14.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.04	-25	Pass	401
0.15	30	0.01	RMS	0.37	-65.01	-25	Pass	2986
30	1000	0.1	RMS	911.141	-55.54	-25	Pass	9701
1000	2560	1	RMS	2560	-42.92	-25	Pass	1561
2560	2630	1	RMS	2590.45	24.47	60	Pass	401
2630	3000	1	RMS	2957.45	-42.09	-25	Pass	401
3000	12000	1	RMS	11852	-52.55	-25	Pass	9002
12000	26500	1	RMS	25100	-41.66	-25	Pass	14502



14.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.1	-25	Pass	401
0.15	30	0.01	RMS	0.41	-64.94	-25	Pass	2986
30	1000	0.1	RMS	927.652	-55.65	-25	Pass	9701
1000	2560	1	RMS	2507	-42.84	-25	Pass	1561
2560	2630	1	RMS	2590.625	23.26	60	Pass	401
2630	3000	1	RMS	2961.15	-41.95	-25	Pass	401
3000	12000	1	RMS	11860	-52.42	-25	Pass	9002
12000	26500	1	RMS	25877	-41.67	-25	Pass	14502



14.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.131	-69.05	-25	Pass	401
0.15	30	0.01	RMS	0.39	-64.98	-25	Pass	2986
30	1000	0.1	RMS	905.838	-55.73	-25	Pass	9701
1000	2560	1	RMS	2558	-42.85	-25	Pass	1561
2560	2630	1	RMS	2610.4	23.97	60	Pass	401
2630	3000	1	RMS	2953.75	-41.97	-25	Pass	401
3000	12000	1	RMS	11458	-52.41	-25	Pass	9002
12000	26500	1	RMS	25103	-41.52	-25	Pass	14502



14.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.15	-25	Pass	401
0.15	30	0.01	RMS	28.46	-63.47	-25	Pass	2986
30	1000	0.1	RMS	895.731	-54.41	-25	Pass	9701
1000	2560	1	RMS	2495	-42.79	-25	Pass	1561
2560	2630	1	RMS	2610.4	23.5	60	Pass	401
2630	3000	1	RMS	2961.15	-41.74	-25	Pass	401
3000	12000	1	RMS	7168	-46.52	-25	Pass	9002
12000	26500	1	RMS	20078	-37.73	-25	Pass	14502



14.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.53	-25	Pass	401
0.15	30	0.01	RMS	0.36	-64.82	-25	Pass	2986
30	1000	0.1	RMS	877.719	-55.62	-25	Pass	9701
1000	2560	1	RMS	2544	-33.09	-25	Pass	1561
2560	2630	1	RMS	2570.675	24.42	60	Pass	401
2630	3000	1	RMS	2964.85	-42	-25	Pass	401
3000	12000	1	RMS	3554	-50.77	-25	Pass	9002
12000	26500	1	RMS	25101	-41.51	-25	Pass	14502



14.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.84	-25	Pass	401
0.15	30	0.01	RMS	8.54	-64.9	-25	Pass	2986
30	1000	0.1	RMS	997.799	-55.66	-25	Pass	9701
1000	2560	1	RMS	2558	-36.54	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.33	60	Pass	401
2630	3000	1	RMS	2949.125	-41.94	-25	Pass	401
3000	12000	1	RMS	11849	-52.32	-25	Pass	9002
12000	26500	1	RMS	25903	-41.55	-25	Pass	14502



14.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.145	-69.15	-25	Pass	401
0.15	30	0.01	RMS	0.2	-64.59	-25	Pass	2986
30	1000	0.1	RMS	929.653	-55.31	-25	Pass	9701
1000	2560	1	RMS	2560	-42.93	-25	Pass	1561
2560	2630	1	RMS	2588.35	24.45	60	Pass	401
2630	3000	1	RMS	2963.925	-41.96	-25	Pass	401
3000	12000	1	RMS	11859	-52.47	-25	Pass	9002
12000	26500	1	RMS	25398	-41.67	-25	Pass	14502



14.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-69.4	-25	Pass	401
0.15	30	0.01	RMS	24.03	-65.08	-25	Pass	2986
30	1000	0.1	RMS	843.8	-55.43	-25	Pass	9701
1000	2560	1	RMS	2517	-42.98	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.46	60	Pass	401
2630	3000	1	RMS	2959.3	-42	-25	Pass	401
3000	12000	1	RMS	11850	-52.5	-25	Pass	9002
12000	26500	1	RMS	25098	-41.65	-25	Pass	14502



14.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.09	-25	Pass	401
0.15	30	0.01	RMS	0.31	-64.93	-25	Pass	2986
30	1000	0.1	RMS	637.1	-55.49	-25	Pass	9701
1000	2560	1	RMS	2503	-42.93	-25	Pass	1561
2560	2645	1	RMS	2605.688	24.53	60	Pass	401
2645	3000	1	RMS	2963.613	-41.9	-25	Pass	401
3000	12000	1	RMS	11728	-45.01	-25	Pass	9002
12000	26500	1	RMS	25091	-41.56	-25	Pass	14502



14.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.93	-25	Pass	401
0.15	30	0.01	RMS	10.29	-64.96	-25	Pass	2986
30	1000	0.1	RMS	908.94	-55.47	-25	Pass	9701
1000	2560	1	RMS	2516	-42.84	-25	Pass	1561
2560	2645	1	RMS	2605.9	23.16	60	Pass	401
2645	3000	1	RMS	2960.95	-41.93	-25	Pass	401
3000	12000	1	RMS	11862	-52.38	-25	Pass	9002
12000	26500	1	RMS	20059	-38.23	-25	Pass	14502



14.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-69.05	-25	Pass	401
0.15	30	0.01	RMS	0.28	-65.19	-25	Pass	2986
30	1000	0.1	RMS	866.211	-55.45	-25	Pass	9701
1000	2560	1	RMS	2536	-34.81	-25	Pass	1561
2560	2630	1	RMS	2571.025	24.19	60	Pass	401
2630	3000	1	RMS	2976.875	-41.94	-25	Pass	401
3000	12000	1	RMS	3556	-50.76	-25	Pass	9002
12000	26500	1	RMS	25813	-41.53	-25	Pass	14502



14.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.84	-25	Pass	401
0.15	30	0.01	RMS	9.86	-65.19	-25	Pass	2986
30	1000	0.1	RMS	883.723	-55.33	-25	Pass	9701
1000	2560	1	RMS	2553	-35.65	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.93	60	Pass	401
2630	3000	1	RMS	2960.225	-41.85	-25	Pass	401
3000	12000	1	RMS	11869	-52.3	-25	Pass	9002
12000	26500	1	RMS	25094	-41.48	-25	Pass	14502



14.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.86	-25	Pass	401
0.15	30	0.01	RMS	0.99	-65.01	-25	Pass	2986
30	1000	0.1	RMS	911.541	-55.44	-25	Pass	9701
1000	2560	1	RMS	2550	-33.95	-25	Pass	1561
2560	2630	1	RMS	2586.075	24.2	60	Pass	401
2630	3000	1	RMS	2978.725	-42	-25	Pass	401
3000	12000	1	RMS	11838	-52.6	-25	Pass	9002
12000	26500	1	RMS	25088	-41.58	-25	Pass	14502



14.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.3	-25	Pass	401
0.15	30	0.01	RMS	6.06	-64.89	-25	Pass	2986
30	1000	0.1	RMS	871.115	-55.21	-25	Pass	9701
1000	2560	1	RMS	2550	-36.47	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.34	60	Pass	401
2630	3000	1	RMS	2970.4	-41.97	-25	Pass	401
3000	12000	1	RMS	11853	-52.56	-25	Pass	9002
12000	26500	1	RMS	25102	-41.49	-25	Pass	14502



14.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.12	-25	Pass	401
0.15	30	0.01	RMS	0.21	-64.86	-25	Pass	2986
30	1000	0.1	RMS	852.502	-55.51	-25	Pass	9701
1000	2560	1	RMS	2511	-42.86	-25	Pass	1561
2560	2645	1	RMS	2601.013	24.35	60	Pass	401
2645	3000	1	RMS	2957.4	-41.89	-25	Pass	401
3000	12000	1	RMS	11866	-52.6	-25	Pass	9002
12000	26500	1	RMS	21035	-37.8	-25	Pass	14502



14.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-67.87	-25	Pass	401
0.15	30	0.01	RMS	0.28	-64.82	-25	Pass	2986
30	1000	0.1	RMS	921.148	-55.25	-25	Pass	9701
1000	2560	1	RMS	2512	-42.7	-25	Pass	1561
2560	2645	1	RMS	2601.013	22.5	60	Pass	401
2645	3000	1	RMS	2960.95	-41.93	-25	Pass	401
3000	12000	1	RMS	11874	-52.49	-25	Pass	9002
12000	26500	1	RMS	25817	-41.55	-25	Pass	14502



15. LTE_Band41 full


15.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.51	-25	Pass	401
0.15	30	0.01	RMS	4.35	-65.18	-25	Pass	2986
30	1000	0.1	RMS	884.924	-55.36	-25	Pass	9701
1000	2486	1	RMS	2485	-41.52	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.34	60	Pass	401
2700	3000	1	RMS	2964	-42	-25	Pass	401
3000	12000	1	RMS	4993	-50.37	-25	Pass	9002
12000	27000	1	RMS	26178	-40.7	-25	Pass	15002




15.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.28	-25	Pass	401
0.15	30	0.01	RMS	0.42	-65.21	-25	Pass	2986
30	1000	0.1	RMS	898.233	-55.34	-25	Pass	9701
1000	2486	1	RMS	2485	-41.33	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.56	60	Pass	401
2700	3000	1	RMS	2961	-41.97	-25	Pass	401
3000	12000	1	RMS	7128	-46.51	-25	Pass	9002
12000	27000	1	RMS	25099	-40.77	-25	Pass	15002




15.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.02	-25	Pass	401
0.15	30	0.01	RMS	0.33	-64.74	-25	Pass	2986
30	1000	0.1	RMS	881.321	-55.34	-25	Pass	9701
1000	2486	1	RMS	2481	-43.16	-25	Pass	1487
2486	2700	1	RMS	2590.325	23.13	60	Pass	401
2700	3000	1	RMS	2949.75	-41.88	-25	Pass	401
3000	12000	1	RMS	11864	-52.53	-25	Pass	9002
12000	27000	1	RMS	20071	-38.05	-25	Pass	15002




15.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.36	-25	Pass	401
0.15	30	0.01	RMS	16.26	-65.33	-25	Pass	2986
30	1000	0.1	RMS	918.346	-55.39	-25	Pass	9701
1000	2486	1	RMS	2483	-43.08	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.55	60	Pass	401
2700	3000	1	RMS	2958.75	-41.84	-25	Pass	401
3000	12000	1	RMS	3549	-49.64	-25	Pass	9002
12000	27000	1	RMS	25771	-40.56	-25	Pass	15002




15.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.38	-25	Pass	401
0.15	30	0.01	RMS	0.84	-64.92	-25	Pass	2986
30	1000	0.1	RMS	880.02	-55.52	-25	Pass	9701
1000	2486	1	RMS	2484	-43.29	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.92	60	Pass	401
2700	3000	1	RMS	2958	-41.92	-25	Pass	401
3000	12000	1	RMS	11457	-52.37	-25	Pass	9002
12000	27000	1	RMS	25101	-40.47	-25	Pass	15002




15.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-68.65	-25	Pass	401
0.15	30	0.01	RMS	0.99	-64.64	-25	Pass	2986
30	1000	0.1	RMS	913.243	-55.31	-25	Pass	9701
1000	2486	1	RMS	2485	-43.27	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.3	60	Pass	401
2700	3000	1	RMS	2961.75	-41.88	-25	Pass	401
3000	12000	1	RMS	7138	-45.27	-25	Pass	9002
12000	27000	1	RMS	25102	-40.48	-25	Pass	15002




15.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.78	-25	Pass	401
0.15	30	0.01	RMS	0.69	-64.81	-25	Pass	2986
30	1000	0.1	RMS	885.624	-55.29	-25	Pass	9701
1000	2486	1	RMS	2479	-39.16	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.2	60	Pass	401
2700	3000	1	RMS	2963.25	-42	-25	Pass	401
3000	12000	1	RMS	4994	-50.03	-25	Pass	9002
12000	27000	1	RMS	20058	-37.62	-25	Pass	15002




15.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-68.54	-25	Pass	401
0.15	30	0.01	RMS	4.18	-64.93	-25	Pass	2986
30	1000	0.1	RMS	896.932	-55.4	-25	Pass	9701
1000	2486	1	RMS	2478	-39.21	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.96	60	Pass	401
2700	3000	1	RMS	2973	-41.92	-25	Pass	401
3000	12000	1	RMS	3516	-49.42	-25	Pass	9002
12000	27000	1	RMS	25100	-40.54	-25	Pass	15002



15.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.46	-25	Pass	401
0.15	30	0.01	RMS	20.18	-64.95	-25	Pass	2986
30	1000	0.1	RMS	879.62	-55.37	-25	Pass	9701
1000	2486	1	RMS	2478	-43.09	-25	Pass	1487
2486	2700	1	RMS	2588.185	24.11	60	Pass	401
2700	3000	1	RMS	2967	-41.82	-25	Pass	401
3000	12000	1	RMS	11718	-44.95	-25	Pass	9002
12000	27000	1	RMS	25112	-40.6	-25	Pass	15002



15.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.28	-25	Pass	401
0.15	30	0.01	RMS	28.13	-64.97	-25	Pass	2986
30	1000	0.1	RMS	898.533	-55.3	-25	Pass	9701
1000	2486	1	RMS	2485	-43.08	-25	Pass	1487
2486	2700	1	RMS	2588.72	21.63	60	Pass	401
2700	3000	1	RMS	2955	-41.83	-25	Pass	401
3000	12000	1	RMS	11872	-52.38	-25	Pass	9002
12000	27000	1	RMS	25095	-40.52	-25	Pass	15002



15.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.62	-25	Pass	401
0.15	30	0.01	RMS	1.12	-64.41	-25	Pass	2986
30	1000	0.1	RMS	881.421	-55.25	-25	Pass	9701
1000	2486	1	RMS	2486	-43.16	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.79	60	Pass	401
2700	3000	1	RMS	2979	-41.88	-25	Pass	401
3000	12000	1	RMS	11858	-52.36	-25	Pass	9002
12000	27000	1	RMS	20080	-37.34	-25	Pass	15002



15.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.71	-25	Pass	401
0.15	30	0.01	RMS	22.41	-65.28	-25	Pass	2986
30	1000	0.1	RMS	922.749	-55.41	-25	Pass	9701
1000	2486	1	RMS	2483	-43.21	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.45	60	Pass	401
2700	3000	1	RMS	2931	-41.94	-25	Pass	401
3000	12000	1	RMS	3543	-50.16	-25	Pass	9002
12000	27000	1	RMS	25107	-40.54	-25	Pass	15002



15.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.38	-25	Pass	401
0.15	30	0.01	RMS	6.83	-65.21	-25	Pass	2986
30	1000	0.1	RMS	910.341	-55.54	-25	Pass	9701
1000	2486	1	RMS	2485	-39.8	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.77	60	Pass	401
2700	3000	1	RMS	2960.25	-41.8	-25	Pass	401
3000	12000	1	RMS	4994	-46.43	-25	Pass	9002
12000	27000	1	RMS	25093	-40.59	-25	Pass	15002



15.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.32	-25	Pass	401
0.15	30	0.01	RMS	6.74	-64.81	-25	Pass	2986
30	1000	0.1	RMS	984.79	-55.48	-25	Pass	9701
1000	2486	1	RMS	2486	-38.93	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.97	60	Pass	401
2700	3000	1	RMS	2961	-41.86	-25	Pass	401
3000	12000	1	RMS	4994	-48.92	-25	Pass	9002
12000	27000	1	RMS	25964	-40.65	-25	Pass	15002



15.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.68	-25	Pass	401
0.15	30	0.01	RMS	0.88	-64.69	-25	Pass	2986
30	1000	0.1	RMS	870.914	-55.44	-25	Pass	9701
1000	2486	1	RMS	2486	-43.18	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.98	60	Pass	401
2700	3000	1	RMS	2959.5	-41.83	-25	Pass	401
3000	12000	1	RMS	11849	-52.41	-25	Pass	9002
12000	27000	1	RMS	20049	-36.76	-25	Pass	15002



15.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.27	-25	Pass	401
0.15	30	0.01	RMS	29.65	-65	-25	Pass	2986
30	1000	0.1	RMS	910.741	-55.44	-25	Pass	9701
1000	2486	1	RMS	2486	-43.26	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.11	60	Pass	401
2700	3000	1	RMS	2955.75	-41.93	-25	Pass	401
3000	12000	1	RMS	3535	-49.49	-25	Pass	9002
12000	27000	1	RMS	25103	-40.62	-25	Pass	15002



15.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.56	-25	Pass	401
0.15	30	0.01	RMS	0.44	-66.66	-25	Pass	2986
30	1000	0.1	RMS	902.435	-57.72	-25	Pass	9701
1000	2486	1	RMS	2484	-44.46	-25	Pass	1487
2486	2715	1	RMS	2675.498	22.71	60	Pass	401
2715	3000	1	RMS	2951.55	-43.24	-25	Pass	401
3000	12000	1	RMS	10374	-54.16	-25	Pass	9002
12000	27000	1	RMS	25837	-41.73	-25	Pass	15002



15.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.38	-25	Pass	2986
30	1000	0.1	RMS	896.131	-57.82	-25	Pass	9701
1000	2486	1	RMS	2484	-44.47	-25	Pass	1487
2486	2715	1	RMS	2675.498	22.22	60	Pass	401
2715	3000	1	RMS	2955.825	-43.23	-25	Pass	401
3000	12000	1	RMS	10343	-54.25	-25	Pass	9002
12000	27000	1	RMS	26209	-41.6	-25	Pass	15002



15.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.94	-25	Pass	401
0.15	30	0.01	RMS	0.22	-64.36	-25	Pass	2986
30	1000	0.1	RMS	883.323	-55.36	-25	Pass	9701
1000	2486	1	RMS	2486	-39.1	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.61	60	Pass	401
2700	3000	1	RMS	2977.5	-41.94	-25	Pass	401
3000	12000	1	RMS	3548	-49.83	-25	Pass	9002
12000	27000	1	RMS	25095	-40.56	-25	Pass	15002



15.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.6	-25	Pass	401
0.15	30	0.01	RMS	1.15	-64.52	-25	Pass	2986
30	1000	0.1	RMS	923.749	-55.4	-25	Pass	9701
1000	2486	1	RMS	2486	-39.67	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.12	60	Pass	401
2700	3000	1	RMS	2967	-41.92	-25	Pass	401
3000	12000	1	RMS	7148	-45.05	-25	Pass	9002
12000	27000	1	RMS	25100	-40.68	-25	Pass	15002



15.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.18	-25	Pass	401
0.15	30	0.01	RMS	1.08	-65.03	-25	Pass	2986
30	1000	0.1	RMS	891.728	-55.37	-25	Pass	9701
1000	2486	1	RMS	2484	-43.18	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.18	60	Pass	401
2700	3000	1	RMS	2952	-41.84	-25	Pass	401
3000	12000	1	RMS	11848	-52.31	-25	Pass	9002
12000	27000	1	RMS	25105	-40.59	-25	Pass	15002



15.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.48	-25	Pass	401
0.15	30	0.01	RMS	0.16	-64.47	-25	Pass	2986
30	1000	0.1	RMS	830	-55.51	-25	Pass	9701
1000	2486	1	RMS	2485	-43.1	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.1	60	Pass	401
2700	3000	1	RMS	2934.75	-41.79	-25	Pass	401
3000	12000	1	RMS	11840	-52.35	-25	Pass	9002
12000	27000	1	RMS	20105	-36.62	-25	Pass	15002



15.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.31	-25	Pass	401
0.15	30	0.01	RMS	0.44	-66.47	-25	Pass	2986
30	1000	0.1	RMS	994.696	-57.86	-25	Pass	9701
1000	2486	1	RMS	2482	-44.43	-25	Pass	1487
2486	2715	1	RMS	2670.918	24.01	60	Pass	401
2715	3000	1	RMS	2967.225	-43.26	-25	Pass	401
3000	12000	1	RMS	10358	-54.14	-25	Pass	9002
12000	27000	1	RMS	26166	-41.66	-25	Pass	15002



15.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.31	-25	Pass	401
0.15	30	0.01	RMS	0.44	-66.47	-25	Pass	2986
30	1000	0.1	RMS	994.696	-57.86	-25	Pass	9701
1000	2486	1	RMS	2482	-44.43	-25	Pass	1487
2486	2715	1	RMS	2670.918	24.01	60	Pass	401
2715	3000	1	RMS	2967.225	-43.26	-25	Pass	401
3000	12000	1	RMS	10358	-54.14	-25	Pass	9002
12000	27000	1	RMS	26166	-41.66	-25	Pass	15002



16. LTE_Band66


16.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-37.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.16	-13	Pass	2986
30	1000	0.1	RMS	988.2	-62.21	-13	Pass	9701
1000	1700	1	RMS	1699	-50.35	-13	Pass	701
1700	1790	1	RMS	1710.125	23.13	60	Pass	401
1790	3000	1	RMS	2657	-46.78	-13	Pass	1211
3000	12000	1	RMS	11860	-40.15	-13	Pass	9001
12000	20000	1	RMS	19997	-27.25	-13	Pass	8001




16.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.56	-13	Pass	2986
30	1000	0.1	RMS	930.1	-62.2	-13	Pass	9701
1000	1700	1	RMS	1697	-50.84	-13	Pass	701
1700	1790	1	RMS	1710.125	22.14	60	Pass	401
1790	3000	1	RMS	2659	-46.81	-13	Pass	1211
3000	12000	1	RMS	11848	-40.12	-13	Pass	9001
12000	20000	1	RMS	19998	-27.17	-13	Pass	8001




16.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.4	-13	Pass	2986
30	1000	0.1	RMS	911.1	-62.15	-13	Pass	9701
1000	1700	1	RMS	1689	-51.28	-13	Pass	701
1700	1790	1	RMS	1744.55	23.13	60	Pass	401
1790	3000	1	RMS	2650	-46.84	-13	Pass	1211
3000	12000	1	RMS	11851	-40.12	-13	Pass	9001
12000	20000	1	RMS	20000	-27.16	-13	Pass	8001




16.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.9	-13	Pass	2986
30	1000	0.1	RMS	932.6	-62.02	-13	Pass	9701
1000	1700	1	RMS	1685	-51.29	-13	Pass	701
1700	1790	1	RMS	1744.55	22.37	60	Pass	401
1790	3000	1	RMS	2650	-46.84	-13	Pass	1211
3000	12000	1	RMS	11850	-40.1	-13	Pass	9001
12000	20000	1	RMS	20000	-27.26	-13	Pass	8001




16.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.11	-13	Pass	2986
30	1000	0.1	RMS	925	-62.17	-13	Pass	9701
1000	1700	1	RMS	1695	-51.28	-13	Pass	701
1700	1790	1	RMS	1778.75	23.23	60	Pass	401
1790	3000	1	RMS	2651	-46.85	-13	Pass	1211
3000	12000	1	RMS	11846	-40.19	-13	Pass	9001
12000	20000	1	RMS	19998	-27.17	-13	Pass	8001




16.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.95	-13	Pass	2986
30	1000	0.1	RMS	919	-62.14	-13	Pass	9701
1000	1700	1	RMS	1697	-51.29	-13	Pass	701
1700	1790	1	RMS	1778.75	22.32	60	Pass	401
1790	3000	1	RMS	2659	-46.84	-13	Pass	1211
3000	12000	1	RMS	11837	-40.14	-13	Pass	9001
12000	20000	1	RMS	19997	-27.21	-13	Pass	8001




16.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.08	-13	Pass	2986
30	1000	0.1	RMS	951.3	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-50.03	-13	Pass	701
1700	1790	1	RMS	1710.35	23.03	60	Pass	401
1790	3000	1	RMS	2655	-46.84	-13	Pass	1211
3000	12000	1	RMS	11845	-40.14	-13	Pass	9001
12000	20000	1	RMS	19997	-27.17	-13	Pass	8001




16.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.44	-13	Pass	2986
30	1000	0.1	RMS	925.2	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-50.38	-13	Pass	701
1700	1790	1	RMS	1710.35	22.26	60	Pass	401
1790	3000	1	RMS	2648	-46.83	-13	Pass	1211
3000	12000	1	RMS	11858	-40.14	-13	Pass	9001
12000	20000	1	RMS	19997	-27.23	-13	Pass	8001



16.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.54	-13	Pass	2986
30	1000	0.1	RMS	945.1	-62.27	-13	Pass	9701
1000	1700	1	RMS	1700	-51.28	-13	Pass	701
1700	1790	1	RMS	1743.65	23.14	60	Pass	401
1790	3000	1	RMS	2649	-46.87	-13	Pass	1211
3000	12000	1	RMS	11855	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.2	-13	Pass	8001



16.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.09	-13	Pass	2986
30	1000	0.1	RMS	925	-62.19	-13	Pass	9701
1000	1700	1	RMS	1681	-51.32	-13	Pass	701
1700	1790	1	RMS	1743.65	22.25	60	Pass	401
1790	3000	1	RMS	2647	-46.81	-13	Pass	1211
3000	12000	1	RMS	11844	-40.16	-13	Pass	9001
12000	20000	1	RMS	19993	-27.24	-13	Pass	8001



16.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.49	-13	Pass	2986
30	1000	0.1	RMS	911.6	-62.12	-13	Pass	9701
1000	1700	1	RMS	1682	-51.28	-13	Pass	701
1700	1790	1	RMS	1777.175	23.39	60	Pass	401
1790	3000	1	RMS	2648	-46.84	-13	Pass	1211
3000	12000	1	RMS	11849	-40.15	-13	Pass	9001
12000	20000	1	RMS	19999	-27.25	-13	Pass	8001



16.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.47	-13	Pass	2986
30	1000	0.1	RMS	929.6	-62.23	-13	Pass	9701
1000	1700	1	RMS	1697	-51.33	-13	Pass	701
1700	1790	1	RMS	1777.175	22.42	60	Pass	401
1790	3000	1	RMS	2638	-46.85	-13	Pass	1211
3000	12000	1	RMS	11852	-40.2	-13	Pass	9001
12000	20000	1	RMS	19999	-27.2	-13	Pass	8001



16.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.64	-13	Pass	2986
30	1000	0.1	RMS	940.4	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-50.61	-13	Pass	701
1700	1790	1	RMS	1710.35	22.84	60	Pass	401
1790	3000	1	RMS	2657	-46.86	-13	Pass	1211
3000	12000	1	RMS	11844	-40.16	-13	Pass	9001
12000	20000	1	RMS	20000	-27.06	-13	Pass	8001



16.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.58	-13	Pass	2986
30	1000	0.1	RMS	936.9	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-50.64	-13	Pass	701
1700	1790	1	RMS	1710.35	22.39	60	Pass	401
1790	3000	1	RMS	2646	-46.84	-13	Pass	1211
3000	12000	1	RMS	11850	-40.13	-13	Pass	9001
12000	20000	1	RMS	20000	-27.24	-13	Pass	8001



16.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.55	-13	Pass	2986
30	1000	0.1	RMS	928.4	-62.09	-13	Pass	9701
1000	1700	1	RMS	1697	-51.29	-13	Pass	701
1700	1790	1	RMS	1742.75	23.08	60	Pass	401
1790	3000	1	RMS	2646	-46.86	-13	Pass	1211
3000	12000	1	RMS	11853	-40.19	-13	Pass	9001
12000	20000	1	RMS	19996	-27.2	-13	Pass	8001



16.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-37.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.75	-13	Pass	2986
30	1000	0.1	RMS	925.7	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-51.27	-13	Pass	701
1700	1790	1	RMS	1742.75	22.34	60	Pass	401
1790	3000	1	RMS	2649	-46.82	-13	Pass	1211
3000	12000	1	RMS	11850	-40.14	-13	Pass	9001
12000	20000	1	RMS	19997	-27.24	-13	Pass	8001



16.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.25	-13	Pass	2986
30	1000	0.1	RMS	918.2	-62.23	-13	Pass	9701
1000	1700	1	RMS	1688	-51.27	-13	Pass	701
1700	1790	1	RMS	1775.375	23.14	60	Pass	401
1790	3000	1	RMS	2647	-46.85	-13	Pass	1211
3000	12000	1	RMS	11845	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.24	-13	Pass	8001



16.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.57	-13	Pass	2986
30	1000	0.1	RMS	951.6	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-51.33	-13	Pass	701
1700	1790	1	RMS	1775.375	22.46	60	Pass	401
1790	3000	1	RMS	2646	-46.84	-13	Pass	1211
3000	12000	1	RMS	11850	-40.14	-13	Pass	9001
12000	20000	1	RMS	20000	-27.23	-13	Pass	8001



16.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.3	-13	Pass	2986
30	1000	0.1	RMS	926.4	-62.24	-13	Pass	9701
1000	1700	1	RMS	1693	-42.09	-13	Pass	701
1700	1790	1	RMS	1710.575	22.98	60	Pass	401
1790	3000	1	RMS	2651	-46.81	-13	Pass	1211
3000	12000	1	RMS	11842	-40.19	-13	Pass	9001
12000	20000	1	RMS	19998	-27.3	-13	Pass	8001



16.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.83	-13	Pass	2986
30	1000	0.1	RMS	913.7	-62.19	-13	Pass	9701
1000	1700	1	RMS	1693	-42.52	-13	Pass	701
1700	1790	1	RMS	1710.575	22.6	60	Pass	401
1790	3000	1	RMS	2651	-46.85	-13	Pass	1211
3000	12000	1	RMS	11848	-40.13	-13	Pass	9001
12000	20000	1	RMS	19998	-27.32	-13	Pass	8001



16.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-37.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.32	-13	Pass	2986
30	1000	0.1	RMS	900.9	-62.17	-13	Pass	9701
1000	1700	1	RMS	1681	-51.27	-13	Pass	701
1700	1790	1	RMS	1740.5	23.23	60	Pass	401
1790	3000	1	RMS	2652	-46.78	-13	Pass	1211
3000	12000	1	RMS	11850	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-27.25	-13	Pass	8001



16.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.4	-13	Pass	2986
30	1000	0.1	RMS	917.8	-62.16	-13	Pass	9701
1000	1700	1	RMS	1689	-51.31	-13	Pass	701
1700	1790	1	RMS	1740.5	22.3	60	Pass	401
1790	3000	1	RMS	2651	-46.89	-13	Pass	1211
3000	12000	1	RMS	11844	-40.2	-13	Pass	9001
12000	20000	1	RMS	19999	-27.23	-13	Pass	8001



16.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.94	-13	Pass	2986
30	1000	0.1	RMS	919.9	-62.04	-13	Pass	9701
1000	1700	1	RMS	1699	-51.23	-13	Pass	701
1700	1790	1	RMS	1770.65	23.18	60	Pass	401
1790	3000	1	RMS	2657	-46.82	-13	Pass	1211
3000	12000	1	RMS	11842	-40.15	-13	Pass	9001
12000	20000	1	RMS	20000	-27.25	-13	Pass	8001



16.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.81	-13	Pass	2986
30	1000	0.1	RMS	926.7	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-51.3	-13	Pass	701
1700	1790	1	RMS	1770.65	22.21	60	Pass	401
1790	3000	1	RMS	2655	-46.83	-13	Pass	1211
3000	12000	1	RMS	11848	-40.18	-13	Pass	9001
12000	20000	1	RMS	19997	-27.24	-13	Pass	8001



16.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-38.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-29.59	-13	Pass	2986
30	1000	0.1	RMS	940.3	-62.24	-13	Pass	9701
1000	1700	1	RMS	1698	-45.92	-13	Pass	701
1700	1790	1	RMS	1710.8	22.85	60	Pass	401
1790	3000	1	RMS	2647	-46.86	-13	Pass	1211
3000	12000	1	RMS	11849	-40.2	-13	Pass	9001
12000	20000	1	RMS	19992	-27.28	-13	Pass	8001



16.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.22	-13	Pass	2986
30	1000	0.1	RMS	933.8	-62.18	-13	Pass	9701
1000	1700	1	RMS	1698	-46.17	-13	Pass	701
1700	1790	1	RMS	1710.8	22.16	60	Pass	401
1790	3000	1	RMS	2649	-46.8	-13	Pass	1211
3000	12000	1	RMS	11844	-40.11	-13	Pass	9001
12000	20000	1	RMS	19997	-27.24	-13	Pass	8001



16.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.89	-13	Pass	2986
30	1000	0.1	RMS	913.4	-62.18	-13	Pass	9701
1000	1700	1	RMS	1690	-51.24	-13	Pass	701
1700	1790	1	RMS	1738.25	23.26	60	Pass	401
1790	3000	1	RMS	2652	-46.8	-13	Pass	1211
3000	12000	1	RMS	11850	-40.2	-13	Pass	9001
12000	20000	1	RMS	19999	-27.24	-13	Pass	8001



16.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.87	-13	Pass	2986
30	1000	0.1	RMS	935.5	-62.17	-13	Pass	9701
1000	1700	1	RMS	1698	-51.31	-13	Pass	701
1700	1790	1	RMS	1738.25	22.25	60	Pass	401
1790	3000	1	RMS	2651	-46.84	-13	Pass	1211
3000	12000	1	RMS	11858	-40.15	-13	Pass	9001
12000	20000	1	RMS	19998	-27.26	-13	Pass	8001



16.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.72	-13	Pass	2986
30	1000	0.1	RMS	919.9	-62.12	-13	Pass	9701
1000	1700	1	RMS	1685	-51.25	-13	Pass	701
1700	1790	1	RMS	1765.925	23.07	60	Pass	401
1790	3000	1	RMS	1793	-29.51	-13	Pass	1211
3000	12000	1	RMS	11845	-40.13	-13	Pass	9001
12000	20000	1	RMS	19997	-27.27	-13	Pass	8001



16.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-28.88	-13	Pass	2986
30	1000	0.1	RMS	930.7	-61.96	-13	Pass	9701
1000	1700	1	RMS	1590	-51.32	-13	Pass	701
1700	1790	1	RMS	1765.925	22.33	60	Pass	401
1790	3000	1	RMS	1792	-30.18	-13	Pass	1211
3000	12000	1	RMS	11850	-40.01	-13	Pass	9001
12000	20000	1	RMS	19998	-27.22	-13	Pass	8001



16.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.61	-13	Pass	2986
30	1000	0.1	RMS	916.2	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-47.19	-13	Pass	701
1700	1790	1	RMS	1711.025	22.7	60	Pass	401
1790	3000	1	RMS	2650	-46.8	-13	Pass	1211
3000	12000	1	RMS	11853	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-27.24	-13	Pass	8001



16.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29.27	-13	Pass	2986
30	1000	0.1	RMS	924.6	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-47.27	-13	Pass	701
1700	1790	1	RMS	1711.025	21.97	60	Pass	401
1790	3000	1	RMS	2644	-46.79	-13	Pass	1211
3000	12000	1	RMS	11846	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.2	-13	Pass	8001



16.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-35.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.4	-13	Pass	2986
30	1000	0.1	RMS	902.8	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-40.97	-13	Pass	701
1700	1790	1	RMS	1736	23.12	60	Pass	401
1790	3000	1	RMS	2641	-46.85	-13	Pass	1211
3000	12000	1	RMS	11847	-40.15	-13	Pass	9001
12000	20000	1	RMS	20000	-27.24	-13	Pass	8001



16.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-27.61	-13	Pass	2986
30	1000	0.1	RMS	905.3	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-42.6	-13	Pass	701
1700	1790	1	RMS	1736	22.1	60	Pass	401
1790	3000	1	RMS	2640	-46.85	-13	Pass	1211
3000	12000	1	RMS	11849	-40.18	-13	Pass	9001
12000	20000	1	RMS	20000	-27.25	-13	Pass	8001



16.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-28.53	-13	Pass	2986
30	1000	0.1	RMS	925.6	-62.15	-13	Pass	9701
1000	1700	1	RMS	1697	-51.28	-13	Pass	701
1700	1790	1	RMS	1761.2	22.64	60	Pass	401
1790	3000	1	RMS	1797	-29.77	-13	Pass	1211
3000	12000	1	RMS	11856	-40.25	-13	Pass	9001
12000	20000	1	RMS	20000	-27.28	-13	Pass	8001



16.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-29	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-51.27	-13	Pass	701
1700	1790	1	RMS	1761.2	21.66	60	Pass	401
1790	3000	1	RMS	1797	-31.65	-13	Pass	1211
3000	12000	1	RMS	11843	-40.14	-13	Pass	9001
12000	20000	1	RMS	20000	-27.28	-13	Pass	8001



--BLANK BELOW--