



Appendix O Test Data for E-UTRA Band 25

Product Name: Model 6s

Test Model: Model 6s

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



O.1 Conducted Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	23.07	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	23.15	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	23.37	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	23.32	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	23.41	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	23.39	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	23.37	PASS
Band25	1.4MHz	16QAM	26047	3RB#0	23.26	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	23.34	PASS
Band25	1.4MHz	16QAM	26047	3RB#1	23.33	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	23.19	PASS
Band25	1.4MHz	16QAM	26047	3RB#3	23.21	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	23.20	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	23.19	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	21.54	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	21.35	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	21.45	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	21.47	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	21.74	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	21.39	PASS
Band25	1.4MHz	QPSK	26365	3RB#0	21.70	PASS
Band25	1.4MHz	16QAM	26365	3RB#0	20.81	PASS
Band25	1.4MHz	QPSK	26365	3RB#1	21.67	PASS
Band25	1.4MHz	16QAM	26365	3RB#1	20.71	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	21.68	PASS
Band25	1.4MHz	16QAM	26365	3RB#3	20.68	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	20.95	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	20.39	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	21.76	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	21.11	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	21.78	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	21.55	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	21.63	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	21.41	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band25	1.4MHz	QPSK	26683	3RB#0	21.82	PASS
Band25	1.4MHz	16QAM	26683	3RB#0	20.87	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	21.83	PASS
Band25	1.4MHz	16QAM	26683	3RB#1	20.70	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	21.74	PASS
Band25	1.4MHz	16QAM	26683	3RB#3	20.62	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	20.92	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	20.36	PASS
Band25	3MHz	QPSK	26055	1RB#0	21.31	PASS
Band25	3MHz	16QAM	26055	1RB#0	20.67	PASS
Band25	3MHz	QPSK	26055	1RB#8	21.28	PASS
Band25	3MHz	16QAM	26055	1RB#8	20.68	PASS
Band25	3MHz	QPSK	26055	1RB#14	21.23	PASS
Band25	3MHz	16QAM	26055	1RB#14	20.69	PASS
Band25	3MHz	QPSK	26055	8RB#0	20.69	PASS
Band25	3MHz	16QAM	26055	8RB#0	20.13	PASS
Band25	3MHz	QPSK	26055	8RB#4	20.60	PASS
Band25	3MHz	16QAM	26055	8RB#4	20.09	PASS
Band25	3MHz	QPSK	26055	8RB#7	20.66	PASS
Band25	3MHz	16QAM	26055	8RB#7	20.23	PASS
Band25	3MHz	QPSK	26055	15RB#0	20.60	PASS
Band25	3MHz	16QAM	26055	15RB#0	19.99	PASS
Band25	3MHz	QPSK	26365	1RB#0	21.63	PASS
Band25	3MHz	16QAM	26365	1RB#0	20.97	PASS
Band25	3MHz	QPSK	26365	1RB#8	21.60	PASS
Band25	3MHz	16QAM	26365	1RB#8	20.90	PASS
Band25	3MHz	QPSK	26365	1RB#14	21.62	PASS
Band25	3MHz	16QAM	26365	1RB#14	20.94	PASS
Band25	3MHz	QPSK	26365	8RB#0	21.08	PASS
Band25	3MHz	16QAM	26365	8RB#0	20.54	PASS
Band25	3MHz	QPSK	26365	8RB#4	20.98	PASS
Band25	3MHz	16QAM	26365	8RB#4	20.55	PASS
Band25	3MHz	QPSK	26365	8RB#7	20.94	PASS
Band25	3MHz	16QAM	26365	8RB#7	20.30	PASS
Band25	3MHz	QPSK	26365	15RB#0	20.97	PASS
Band25	3MHz	16QAM	26365	15RB#0	20.22	PASS
Band25	3MHz	QPSK	26675	1RB#0	21.85	PASS
Band25	3MHz	16QAM	26675	1RB#0	20.86	PASS
Band25	3MHz	QPSK	26675	1RB#8	21.86	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band25	3MHz	16QAM	26675	1RB#8	21.01	PASS
Band25	3MHz	QPSK	26675	1RB#14	21.55	PASS
Band25	3MHz	16QAM	26675	1RB#14	20.98	PASS
Band25	3MHz	QPSK	26675	8RB#0	21.11	PASS
Band25	3MHz	16QAM	26675	8RB#0	20.30	PASS
Band25	3MHz	QPSK	26675	8RB#4	21.05	PASS
Band25	3MHz	16QAM	26675	8RB#4	20.31	PASS
Band25	3MHz	QPSK	26675	8RB#7	21.12	PASS
Band25	3MHz	16QAM	26675	8RB#7	20.27	PASS
Band25	3MHz	QPSK	26675	15RB#0	21.05	PASS
Band25	3MHz	16QAM	26675	15RB#0	20.23	PASS
Band25	5MHz	QPSK	26065	1RB#0	21.42	PASS
Band25	5MHz	16QAM	26065	1RB#0	20.28	PASS
Band25	5MHz	QPSK	26065	1RB#12	21.43	PASS
Band25	5MHz	16QAM	26065	1RB#12	20.25	PASS
Band25	5MHz	QPSK	26065	1RB#24	21.43	PASS
Band25	5MHz	16QAM	26065	1RB#24	20.23	PASS
Band25	5MHz	QPSK	26065	12RB#0	20.59	PASS
Band25	5MHz	16QAM	26065	12RB#0	19.95	PASS
Band25	5MHz	QPSK	26065	12RB#6	20.59	PASS
Band25	5MHz	16QAM	26065	12RB#6	19.95	PASS
Band25	5MHz	QPSK	26065	12RB#13	20.62	PASS
Band25	5MHz	16QAM	26065	12RB#13	19.95	PASS
Band25	5MHz	QPSK	26065	25RB#0	20.56	PASS
Band25	5MHz	16QAM	26065	25RB#0	20.02	PASS
Band25	5MHz	QPSK	26365	1RB#0	21.73	PASS
Band25	5MHz	16QAM	26365	1RB#0	20.65	PASS
Band25	5MHz	QPSK	26365	1RB#12	21.69	PASS
Band25	5MHz	16QAM	26365	1RB#12	20.52	PASS
Band25	5MHz	QPSK	26365	1RB#24	21.81	PASS
Band25	5MHz	16QAM	26365	1RB#24	20.42	PASS
Band25	5MHz	QPSK	26365	12RB#0	21.11	PASS
Band25	5MHz	16QAM	26365	12RB#0	20.32	PASS
Band25	5MHz	QPSK	26365	12RB#6	21.02	PASS
Band25	5MHz	16QAM	26365	12RB#6	20.32	PASS
Band25	5MHz	QPSK	26365	12RB#13	20.93	PASS
Band25	5MHz	16QAM	26365	12RB#13	20.23	PASS
Band25	5MHz	QPSK	26365	25RB#0	20.98	PASS
Band25	5MHz	16QAM	26365	25RB#0	20.30	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band25	5MHz	QPSK	26665	1RB#0	21.97	PASS
Band25	5MHz	16QAM	26665	1RB#0	20.59	PASS
Band25	5MHz	QPSK	26665	1RB#12	21.98	PASS
Band25	5MHz	16QAM	26665	1RB#12	20.62	PASS
Band25	5MHz	QPSK	26665	1RB#24	21.43	PASS
Band25	5MHz	16QAM	26665	1RB#24	20.55	PASS
Band25	5MHz	QPSK	26665	12RB#0	21.09	PASS
Band25	5MHz	16QAM	26665	12RB#0	20.24	PASS
Band25	5MHz	QPSK	26665	12RB#6	21.11	PASS
Band25	5MHz	16QAM	26665	12RB#6	20.22	PASS
Band25	5MHz	QPSK	26665	12RB#13	21.11	PASS
Band25	5MHz	16QAM	26665	12RB#13	20.23	PASS
Band25	5MHz	QPSK	26665	25RB#0	21.07	PASS
Band25	5MHz	16QAM	26665	25RB#0	20.23	PASS
Band25	10MHz	QPSK	26090	1RB#0	21.38	PASS
Band25	10MHz	16QAM	26090	1RB#0	20.75	PASS
Band25	10MHz	QPSK	26090	1RB#24	21.31	PASS
Band25	10MHz	16QAM	26090	1RB#24	20.77	PASS
Band25	10MHz	QPSK	26090	1RB#49	21.46	PASS
Band25	10MHz	16QAM	26090	1RB#49	20.92	PASS
Band25	10MHz	QPSK	26090	25RB#0	20.63	PASS
Band25	10MHz	16QAM	26090	25RB#0	20.01	PASS
Band25	10MHz	QPSK	26090	25RB#12	20.66	PASS
Band25	10MHz	16QAM	26090	25RB#12	20.01	PASS
Band25	10MHz	QPSK	26090	25RB#25	20.69	PASS
Band25	10MHz	16QAM	26090	25RB#25	20.05	PASS
Band25	10MHz	QPSK	26090	50RB#0	20.67	PASS
Band25	10MHz	16QAM	26090	50RB#0	20.06	PASS
Band25	10MHz	QPSK	26365	1RB#0	21.73	PASS
Band25	10MHz	16QAM	26365	1RB#0	21.32	PASS
Band25	10MHz	QPSK	26365	1RB#24	21.65	PASS
Band25	10MHz	16QAM	26365	1RB#24	21.13	PASS
Band25	10MHz	QPSK	26365	1RB#49	21.53	PASS
Band25	10MHz	16QAM	26365	1RB#49	20.69	PASS
Band25	10MHz	QPSK	26365	25RB#0	21.04	PASS
Band25	10MHz	16QAM	26365	25RB#0	20.25	PASS
Band25	10MHz	QPSK	26365	25RB#12	21.05	PASS
Band25	10MHz	16QAM	26365	25RB#12	20.26	PASS
Band25	10MHz	QPSK	26365	25RB#25	20.94	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band25	10MHz	16QAM	26365	25RB#25	20.13	PASS
Band25	10MHz	QPSK	26365	50RB#0	21.02	PASS
Band25	10MHz	16QAM	26365	50RB#0	20.25	PASS
Band25	10MHz	QPSK	26640	1RB#0	21.85	PASS
Band25	10MHz	16QAM	26640	1RB#0	21.15	PASS
Band25	10MHz	QPSK	26640	1RB#24	21.88	PASS
Band25	10MHz	16QAM	26640	1RB#24	21.08	PASS
Band25	10MHz	QPSK	26640	1RB#49	21.81	PASS
Band25	10MHz	16QAM	26640	1RB#49	20.86	PASS
Band25	10MHz	QPSK	26640	25RB#0	21.03	PASS
Band25	10MHz	16QAM	26640	25RB#0	20.18	PASS
Band25	10MHz	QPSK	26640	25RB#12	21.06	PASS
Band25	10MHz	16QAM	26640	25RB#12	20.19	PASS
Band25	10MHz	QPSK	26640	25RB#25	21.07	PASS
Band25	10MHz	16QAM	26640	25RB#25	20.19	PASS
Band25	10MHz	QPSK	26640	50RB#0	21.12	PASS
Band25	10MHz	16QAM	26640	50RB#0	20.26	PASS
Band25	15MHz	QPSK	26115	1RB#0	21.36	PASS
Band25	15MHz	16QAM	26115	1RB#0	20.75	PASS
Band25	15MHz	QPSK	26115	1RB#38	21.44	PASS
Band25	15MHz	16QAM	26115	1RB#38	20.94	PASS
Band25	15MHz	QPSK	26115	1RB#74	21.69	PASS
Band25	15MHz	16QAM	26115	1RB#74	21.12	PASS
Band25	15MHz	QPSK	26115	38RB#0	20.79	PASS
Band25	15MHz	16QAM	26115	38RB#0	20.79	PASS
Band25	15MHz	QPSK	26115	38RB#18	20.79	PASS
Band25	15MHz	16QAM	26115	38RB#18	20.78	PASS
Band25	15MHz	QPSK	26115	38RB#37	20.78	PASS
Band25	15MHz	16QAM	26115	38RB#37	20.78	PASS
Band25	15MHz	QPSK	26115	75RB#0	20.87	PASS
Band25	15MHz	16QAM	26115	75RB#0	20.16	PASS
Band25	15MHz	QPSK	26365	1RB#0	21.69	PASS
Band25	15MHz	16QAM	26365	1RB#0	21.15	PASS
Band25	15MHz	QPSK	26365	1RB#38	21.53	PASS
Band25	15MHz	16QAM	26365	1RB#38	20.90	PASS
Band25	15MHz	QPSK	26365	1RB#74	21.48	PASS
Band25	15MHz	16QAM	26365	1RB#74	20.81	PASS
Band25	15MHz	QPSK	26365	38RB#0	21.07	PASS
Band25	15MHz	16QAM	26365	38RB#0	21.06	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band25	15MHz	QPSK	26365	38RB#18	21.08	PASS
Band25	15MHz	16QAM	26365	38RB#18	21.08	PASS
Band25	15MHz	QPSK	26365	38RB#37	21.08	PASS
Band25	15MHz	16QAM	26365	38RB#37	21.08	PASS
Band25	15MHz	QPSK	26365	75RB#0	21.08	PASS
Band25	15MHz	16QAM	26365	75RB#0	20.32	PASS
Band25	15MHz	QPSK	26615	1RB#0	21.79	PASS
Band25	15MHz	16QAM	26615	1RB#0	20.98	PASS
Band25	15MHz	QPSK	26615	1RB#38	21.96	PASS
Band25	15MHz	16QAM	26615	1RB#38	21.19	PASS
Band25	15MHz	QPSK	26615	1RB#74	21.66	PASS
Band25	15MHz	16QAM	26615	1RB#74	21.08	PASS
Band25	15MHz	QPSK	26615	38RB#0	21.05	PASS
Band25	15MHz	16QAM	26615	38RB#0	21.06	PASS
Band25	15MHz	QPSK	26615	38RB#18	21.06	PASS
Band25	15MHz	16QAM	26615	38RB#18	21.06	PASS
Band25	15MHz	QPSK	26615	38RB#37	21.06	PASS
Band25	15MHz	16QAM	26615	38RB#37	21.06	PASS
Band25	15MHz	QPSK	26615	75RB#0	21.06	PASS
Band25	15MHz	16QAM	26615	75RB#0	20.29	PASS
Band25	20MHz	QPSK	26140	1RB#0	21.36	PASS
Band25	20MHz	16QAM	26140	1RB#0	20.66	PASS
Band25	20MHz	QPSK	26140	1RB#49	21.54	PASS
Band25	20MHz	16QAM	26140	1RB#49	20.77	PASS
Band25	20MHz	QPSK	26140	1RB#99	22.23	PASS
Band25	20MHz	16QAM	26140	1RB#99	21.30	PASS
Band25	20MHz	QPSK	26140	50RB#0	20.78	PASS
Band25	20MHz	16QAM	26140	50RB#0	20.24	PASS
Band25	20MHz	QPSK	26140	50RB#25	20.81	PASS
Band25	20MHz	16QAM	26140	50RB#25	20.28	PASS
Band25	20MHz	QPSK	26140	50RB#50	21.07	PASS
Band25	20MHz	16QAM	26140	50RB#50	20.55	PASS
Band25	20MHz	QPSK	26140	100RB#0	20.92	PASS
Band25	20MHz	16QAM	26140	100RB#0	20.42	PASS
Band25	20MHz	QPSK	26365	1RB#0	22.08	PASS
Band25	20MHz	16QAM	26365	1RB#0	21.55	PASS
Band25	20MHz	QPSK	26365	1RB#49	21.95	PASS
Band25	20MHz	16QAM	26365	1RB#49	21.21	PASS
Band25	20MHz	QPSK	26365	1RB#99	21.85	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band25	20MHz	16QAM	26365	1RB#99	21.06	PASS
Band25	20MHz	QPSK	26365	50RB#0	21.18	PASS
Band25	20MHz	16QAM	26365	50RB#0	20.55	PASS
Band25	20MHz	QPSK	26365	50RB#25	21.19	PASS
Band25	20MHz	16QAM	26365	50RB#25	20.55	PASS
Band25	20MHz	QPSK	26365	50RB#50	20.91	PASS
Band25	20MHz	16QAM	26365	50RB#50	20.25	PASS
Band25	20MHz	QPSK	26365	100RB#0	21.12	PASS
Band25	20MHz	16QAM	26365	100RB#0	20.25	PASS
Band25	20MHz	QPSK	26590	1RB#0	21.90	PASS
Band25	20MHz	16QAM	26590	1RB#0	20.95	PASS
Band25	20MHz	QPSK	26590	1RB#49	22.27	PASS
Band25	20MHz	16QAM	26590	1RB#49	21.07	PASS
Band25	20MHz	QPSK	26590	1RB#99	22.13	PASS
Band25	20MHz	16QAM	26590	1RB#99	20.81	PASS
Band25	20MHz	QPSK	26590	50RB#0	21.10	PASS
Band25	20MHz	16QAM	26590	50RB#0	20.19	PASS
Band25	20MHz	QPSK	26590	50RB#25	21.04	PASS
Band25	20MHz	16QAM	26590	50RB#25	20.28	PASS
Band25	20MHz	QPSK	26590	50RB#50	21.09	PASS
Band25	20MHz	16QAM	26590	50RB#50	20.36	PASS
Band25	20MHz	QPSK	26590	100RB#0	21.13	PASS
Band25	20MHz	16QAM	26590	100RB#0	20.20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



O.2 Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	3.76	13	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	4.31	13	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	4.48	13	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	5.09	13	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	3.45	13	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	4.03	13	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	4.35	13	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	4.98	13	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	3.32	13	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	3.93	13	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	4.13	13	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	4.83	13	PASS
Band25	3MHz	QPSK	26055	1RB#0	3.76	13	PASS
Band25	3MHz	16QAM	26055	1RB#0	4.42	13	PASS
Band25	3MHz	QPSK	26055	15RB#0	4.52	13	PASS
Band25	3MHz	16QAM	26055	15RB#0	5.16	13	PASS
Band25	3MHz	QPSK	26365	1RB#0	3.51	13	PASS
Band25	3MHz	16QAM	26365	1RB#0	4.22	13	PASS
Band25	3MHz	QPSK	26365	15RB#0	4.30	13	PASS
Band25	3MHz	16QAM	26365	15RB#0	5.03	13	PASS
Band25	3MHz	QPSK	26675	1RB#0	3.33	13	PASS
Band25	3MHz	16QAM	26675	1RB#0	4.27	13	PASS
Band25	3MHz	QPSK	26675	15RB#0	4.16	13	PASS
Band25	3MHz	16QAM	26675	15RB#0	4.92	13	PASS
Band25	5MHz	QPSK	26065	1RB#0	3.86	13	PASS
Band25	5MHz	16QAM	26065	1RB#0	4.55	13	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.95	13	PASS
Band25	5MHz	16QAM	26065	25RB#0	5.50	13	PASS
Band25	5MHz	QPSK	26365	1RB#0	3.54	13	PASS
Band25	5MHz	16QAM	26365	1RB#0	4.40	13	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.84	13	PASS
Band25	5MHz	16QAM	26365	25RB#0	5.41	13	PASS
Band25	5MHz	QPSK	26665	1RB#0	3.55	13	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band25	5MHz	16QAM	26665	1RB#0	4.45	13	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.75	13	PASS
Band25	5MHz	16QAM	26665	25RB#0	5.37	13	PASS
Band25	10MHz	QPSK	26090	1RB#0	3.83	13	PASS
Band25	10MHz	16QAM	26090	1RB#0	4.47	13	PASS
Band25	10MHz	QPSK	26090	50RB#0	5.01	13	PASS
Band25	10MHz	16QAM	26090	50RB#0	5.63	13	PASS
Band25	10MHz	QPSK	26365	1RB#0	3.42	13	PASS
Band25	10MHz	16QAM	26365	1RB#0	4.15	13	PASS
Band25	10MHz	QPSK	26365	50RB#0	4.83	13	PASS
Band25	10MHz	16QAM	26365	50RB#0	5.45	13	PASS
Band25	10MHz	QPSK	26640	1RB#0	3.63	13	PASS
Band25	10MHz	16QAM	26640	1RB#0	4.50	13	PASS
Band25	10MHz	QPSK	26640	50RB#0	4.81	13	PASS
Band25	10MHz	16QAM	26640	50RB#0	5.49	13	PASS
Band25	15MHz	QPSK	26115	1RB#0	3.82	13	PASS
Band25	15MHz	16QAM	26115	1RB#0	4.45	13	PASS
Band25	15MHz	QPSK	26115	75RB#0	5.30	13	PASS
Band25	15MHz	16QAM	26115	75RB#0	5.74	13	PASS
Band25	15MHz	QPSK	26365	1RB#0	3.51	13	PASS
Band25	15MHz	16QAM	26365	1RB#0	4.12	13	PASS
Band25	15MHz	QPSK	26365	75RB#0	5.07	13	PASS
Band25	15MHz	16QAM	26365	75RB#0	5.57	13	PASS
Band25	15MHz	QPSK	26615	1RB#0	3.58	13	PASS
Band25	15MHz	16QAM	26615	1RB#0	4.35	13	PASS
Band25	15MHz	QPSK	26615	75RB#0	5.12	13	PASS
Band25	15MHz	16QAM	26615	75RB#0	5.60	13	PASS
Band25	20MHz	QPSK	26140	1RB#0	3.53	13	PASS
Band25	20MHz	16QAM	26140	1RB#0	4.27	13	PASS
Band25	20MHz	QPSK	26140	100RB#0	4.98	13	PASS
Band25	20MHz	16QAM	26140	100RB#0	5.61	13	PASS
Band25	20MHz	QPSK	26365	1RB#0	3.27	13	PASS
Band25	20MHz	16QAM	26365	1RB#0	3.78	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	4.83	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	5.47	13	PASS
Band25	20MHz	QPSK	26590	1RB#0	3.28	13	PASS
Band25	20MHz	16QAM	26590	1RB#0	4.09	13	PASS
Band25	20MHz	QPSK	26590	100RB#0	4.88	13	PASS
Band25	20MHz	16QAM	26590	100RB#0	5.58	13	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Test Graphs




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-1.4MHz-16QAM-26047-6RB#0-PASS



Band25-1.4MHz-QPSK-26365-1RB#0-PASS



Band25-1.4MHz-16QAM-26365-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-1.4MHz-QPSK-26365-6RB#0-PASS



Band25-1.4MHz-16QAM-26365-6RB#0-PASS



Band25-1.4MHz-QPSK-26683-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-1.4MHz-16QAM-26683-1RB#0-PASS



Band25-1.4MHz-QPSK-26683-6RB#0-PASS



Band25-1.4MHz-16QAM-26683-6RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-3MHz-QPSK-26055-1RB#0-PASS



Band25-3MHz-16QAM-26055-1RB#0-PASS



Band25-3MHz-QPSK-26055-15RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-3MHz-16QAM-26055-15RB#0-PASS



Band25-3MHz-QPSK-26365-1RB#0-PASS



Band25-3MHz-16QAM-26365-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-3MHz-QPSK-26365-15RB#0-PASS



Band25-3MHz-16QAM-26365-15RB#0-PASS



Band25-3MHz-QPSK-26675-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-3MHz-16QAM-26675-1RB#0-PASS



Band25-3MHz-QPSK-26675-15RB#0-PASS



Band25-3MHz-16QAM-26675-15RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-5MHz-QPSK-26065-1RB#0-PASS



Band25-5MHz-16QAM-26065-1RB#0-PASS



Band25-5MHz-QPSK-26065-25RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-5MHz-16QAM-26065-25RB#0-PASS



Band25-5MHz-QPSK-26365-1RB#0-PASS



Band25-5MHz-16QAM-26365-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-5MHz-QPSK-26365-25RB#0-PASS



Band25-5MHz-16QAM-26365-25RB#0-PASS



Band25-5MHz-QPSK-26665-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-5MHz-16QAM-26665-1RB#0-PASS



Band25-5MHz-QPSK-26665-25RB#0-PASS



Band25-5MHz-16QAM-26665-25RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-10MHz-QPSK-26090-1RB#0-PASS



Band25-10MHz-16QAM-26090-1RB#0-PASS



Band25-10MHz-QPSK-26090-50RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-10MHz-QPSK-26365-50RB#0-PASS



Band25-10MHz-16QAM-26365-50RB#0-PASS



Band25-10MHz-QPSK-26640-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-15MHz-QPSK-26115-1RB#0-PASS



Band25-15MHz-16QAM-26115-1RB#0-PASS



Band25-15MHz-QPSK-26115-75RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-15MHz-16QAM-26115-75RB#0-PASS



Band25-15MHz-QPSK-26365-1RB#0-PASS



Band25-15MHz-16QAM-26365-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-15MHz-QPSK-26365-75RB#0-PASS



Band25-15MHz-16QAM-26365-75RB#0-PASS



Band25-15MHz-QPSK-26615-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-20MHz-QPSK-26140-1RB#0-PASS



Band25-20MHz-16QAM-26140-1RB#0-PASS



Band25-20MHz-QPSK-26140-100RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-20MHz-16QAM-26140-100RB#0-PASS



Band25-20MHz-QPSK-26365-1RB#0-PASS



Band25-20MHz-16QAM-26365-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-20MHz-QPSK-26365-100RB#0-PASS



Band25-20MHz-16QAM-26365-100RB#0-PASS



Band25-20MHz-QPSK-26590-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-20MHz-16QAM-26590-1RB#0-PASS



Band25-20MHz-QPSK-26590-100RB#0-PASS



Band25-20MHz-16QAM-26590-100RB#0-PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



0.3 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	1.0954	1.314	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1.1017	1.353	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.0986	1.447	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.1062	1.358	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.0996	1.449	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.1072	1.379	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.7092	3.088	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.7047	3.124	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.7196	3.149	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.7021	3.128	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.7277	3.135	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.7044	3.166	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.5275	5.413	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.5178	5.334	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.5234	5.373	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.5243	5.295	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.5367	5.433	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.5179	5.236	PASS
Band25	10MHz	QPSK	26090	50RB#0	9.0104	10.02	PASS
Band25	10MHz	16QAM	26090	50RB#0	9.0185	10.30	PASS
Band25	10MHz	QPSK	26365	50RB#0	9.0055	10.04	PASS
Band25	10MHz	16QAM	26365	50RB#0	9.0225	10.27	PASS
Band25	10MHz	QPSK	26640	50RB#0	9.0093	9.984	PASS
Band25	10MHz	16QAM	26640	50RB#0	9.0087	10.20	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.517	15.30	PASS
Band25	15MHz	16QAM	26115	75RB#0	13.523	15.14	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.536	15.40	PASS
Band25	15MHz	16QAM	26365	75RB#0	13.503	15.14	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.494	15.66	PASS
Band25	15MHz	16QAM	26615	75RB#0	13.477	14.92	PASS
Band25	20MHz	QPSK	26140	100RB#0	18.001	20.07	PASS
Band25	20MHz	16QAM	26140	100RB#0	18.051	20.14	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band25	20MHz	QPSK	26365	100RB#0	18.017	19.96	PASS
Band25	20MHz	16QAM	26365	100RB#0	18.028	20.10	PASS
Band25	20MHz	QPSK	26590	100RB#0	17.998	20.12	PASS
Band25	20MHz	16QAM	26590	100RB#0	18.065	19.94	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




Test Graphs



Band25-1.4MHz-QPSK-26047-6RB#0-PASS



Band25-1.4MHz-16QAM-26047-6RB#0-PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




Band25-1.4MHz-QPSK-26365-6RB#0-PASS



Band25-1.4MHz-16QAM-26365-6RB#0-PASS



Band25-1.4MHz-QPSK-26683-6RB#0-PASS



Band25-1.4MHz-16QAM-26683-6RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-3MHz-QPSK-26055-15RB#0-PASS



Band25-3MHz-16QAM-26055-15RB#0-PASS



Band25-3MHz-QPSK-26365-15RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-3MHz-16QAM-26365-15RB#0-PASS



Band25-3MHz-QPSK-26675-15RB#0-PASS



Band25-3MHz-16QAM-26675-15RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-5MHz-QPSK-26065-25RB#0-PASS



Band25-5MHz-16QAM-26065-25RB#0-PASS



Band25-5MHz-QPSK-26365-25RB#0-PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-10MHz-QPSK-26090-50RB#0-PASS



Band25-10MHz-16QAM-26090-50RB#0-PASS



Band25-10MHz-QPSK-26365-50RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-10MHz-16QAM-26365-50RB#0-PASS



Band25-10MHz-QPSK-26640-50RB#0-PASS



Band25-10MHz-16QAM-26640-50RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-15MHz-QPSK-26115-75RB#0-PASS



Band25-15MHz-16QAM-26115-75RB#0-PASS



Band25-15MHz-QPSK-26365-75RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-15MHz-16QAM-26365-75RB#0-PASS



Band25-15MHz-QPSK-26615-75RB#0-PASS



Band25-15MHz-16QAM-26615-75RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-20MHz-QPSK-26140-100RB#0-PASS



Band25-20MHz-16QAM-26140-100RB#0-PASS



Band25-20MHz-QPSK-26365-100RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25-20MHz-16QAM-26365-100RB#0-PASS



Band25-20MHz-QPSK-26590-100RB#0-PASS



Band25-20MHz-16QAM-26590-100RB#0-PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



0.4 Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Peak Frequency	Result(dBm)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	1849.96	-26.23	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1849.96	-25.91	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1915.07	-24.25	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1915.04	-25.78	PASS
Band25	3MHz	QPSK	26055	15RB#0	1849.97	-24.29	PASS
Band25	3MHz	16QAM	26055	15RB#0	1849.99	-23.71	PASS
Band25	3MHz	QPSK	26675	15RB#0	1915.00	-23.34	PASS
Band25	3MHz	16QAM	26675	15RB#0	1915.00	-23.62	PASS
Band25	5MHz	QPSK	26065	25RB#0	1849.99	-26.20	PASS
Band25	5MHz	16QAM	26065	25RB#0	1849.98	-27.20	PASS
Band25	5MHz	QPSK	26665	25RB#0	1915.05	-25.48	PASS
Band25	5MHz	16QAM	26665	25RB#0	1915.01	-27.26	PASS
Band25	10MHz	QPSK	26090	50RB#0	1849.98	-27.19	PASS
Band25	10MHz	16QAM	26090	50RB#0	1849.99	-28.69	PASS
Band25	10MHz	QPSK	26640	50RB#0	1915.08	-27.52	PASS
Band25	10MHz	16QAM	26640	50RB#0	1915.02	-29.12	PASS
Band25	15MHz	QPSK	26115	75RB#0	1849.98	-26.16	PASS
Band25	15MHz	16QAM	26115	75RB#0	1849.90	-28.04	PASS
Band25	15MHz	QPSK	26615	75RB#0	1915.06	-27.28	PASS
Band25	15MHz	16QAM	26615	75RB#0	1915.02	-28.95	PASS
Band25	20MHz	QPSK	26140	100RB#0	1849.97	-27.01	PASS
Band25	20MHz	16QAM	26140	100RB#0	1849.99	-28.14	PASS
Band25	20MHz	QPSK	26590	100RB#0	1915.03	-27.45	PASS
Band25	20MHz	16QAM	26590	100RB#0	1915.12	-29.83	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Test Graphs




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_1.4MHz_16QAM_26683_6RB#0



Band25_3MHz_QPSK_26055_15RB#0



Band25_3MHz_16QAM_26055_15RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_3MHz_QPSK_26675_15RB#0



Band25_3MHz_16QAM_26675_15RB#0



Band25_5MHz_QPSK_26065_25RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_5MHz_16QAM_26065_25RB#0



Band25_5MHz_QPSK_26665_25RB#0



Band25_5MHz_16QAM_26665_25RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_10MHz_QPSK_26090_50RB#0



Band25_10MHz_16QAM_26090_50RB#0



Band25_10MHz_QPSK_26640_50RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_10MHz_16QAM_26640_50RB#0



Band25_15MHz_QPSK_26115_75RB#0



Band25_15MHz_16QAM_26115_75RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_15MHz_QPSK_26615_75RB#0



Band25_15MHz_16QAM_26615_75RB#0



Band25_20MHz_QPSK_26140_100RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_20MHz_16QAM_26140_100RB#0



Band25_20MHz_QPSK_26590_100RB#0



Band25_20MHz_16QAM_26590_100RB#0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



0.5 Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	0.009~0.15	-59.73	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	0.15~30	-53.21	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	30~1000	-61.53	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	1000~3000	-26.52	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	3000~20000	-33.27	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	0.009~0.15	-57.21	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	0.15~30	-52.21	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	30~1000	-61.85	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	1000~3000	-26.33	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	3000~20000	-33.18	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	0.009~0.15	-58.78	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	0.15~30	-53.02	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	30~1000	-62.03	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	1000~3000	-21.93	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	3000~20000	-32.96	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	0.009~0.15	-59.19	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	0.15~30	-50.82	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	30~1000	-62.04	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	1000~3000	-23.87	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	3000~20000	-33.10	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	0.009~0.15	-53.92	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	0.15~30	-52.26	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	30~1000	-62.06	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	1000~3000	-24.73	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	3000~20000	-33.19	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	0.009~0.15	-55.62	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	0.15~30	-55.49	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	30~1000	-62.22	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	1000~3000	-22.85	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	3000~20000	-33.18	PASS
Band25	3MHz	QPSK	26055	1RB#0	0.009~0.15	-57.64	PASS
Band25	3MHz	QPSK	26055	1RB#0	0.15~30	-52.65	PASS
Band25	3MHz	QPSK	26055	1RB#0	30~1000	-62.27	PASS
Band25	3MHz	QPSK	26055	1RB#0	1000~3000	-29.89	PASS
Band25	3MHz	QPSK	26055	1RB#0	3000~20000	-33.18	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band25	3MHz	16QAM	26055	1RB#0	0.009~0.15	-57.26	PASS
Band25	3MHz	16QAM	26055	1RB#0	0.15~30	-53.26	PASS
Band25	3MHz	16QAM	26055	1RB#0	30~1000	-62.24	PASS
Band25	3MHz	16QAM	26055	1RB#0	1000~3000	-29.87	PASS
Band25	3MHz	16QAM	26055	1RB#0	3000~20000	-32.89	PASS
Band25	3MHz	QPSK	26365	1RB#0	0.009~0.15	-59.74	PASS
Band25	3MHz	QPSK	26365	1RB#0	0.15~30	-52.46	PASS
Band25	3MHz	QPSK	26365	1RB#0	30~1000	-62.16	PASS
Band25	3MHz	QPSK	26365	1RB#0	1000~3000	-25.69	PASS
Band25	3MHz	QPSK	26365	1RB#0	3000~20000	-33.18	PASS
Band25	3MHz	16QAM	26365	1RB#0	0.009~0.15	-57.08	PASS
Band25	3MHz	16QAM	26365	1RB#0	0.15~30	-52.17	PASS
Band25	3MHz	16QAM	26365	1RB#0	30~1000	-62.24	PASS
Band25	3MHz	16QAM	26365	1RB#0	1000~3000	-28.52	PASS
Band25	3MHz	16QAM	26365	1RB#0	3000~20000	-32.93	PASS
Band25	3MHz	QPSK	26675	1RB#0	0.009~0.15	-54.52	PASS
Band25	3MHz	QPSK	26675	1RB#0	0.15~30	-53.61	PASS
Band25	3MHz	QPSK	26675	1RB#0	30~1000	-62.32	PASS
Band25	3MHz	QPSK	26675	1RB#0	1000~3000	-28.91	PASS
Band25	3MHz	QPSK	26675	1RB#0	3000~20000	-31.48	PASS
Band25	3MHz	16QAM	26675	1RB#0	0.009~0.15	-53.89	PASS
Band25	3MHz	16QAM	26675	1RB#0	0.15~30	-53.00	PASS
Band25	3MHz	16QAM	26675	1RB#0	30~1000	-62.16	PASS
Band25	3MHz	16QAM	26675	1RB#0	1000~3000	-27.42	PASS
Band25	3MHz	16QAM	26675	1RB#0	3000~20000	-32.87	PASS
Band25	5MHz	QPSK	26065	1RB#0	0.009~0.15	-55.59	PASS
Band25	5MHz	QPSK	26065	1RB#0	0.15~30	-52.76	PASS
Band25	5MHz	QPSK	26065	1RB#0	30~1000	-61.95	PASS
Band25	5MHz	QPSK	26065	1RB#0	1000~3000	-39.21	PASS
Band25	5MHz	QPSK	26065	1RB#0	3000~20000	-33.40	PASS
Band25	5MHz	16QAM	26065	1RB#0	0.009~0.15	-54.21	PASS
Band25	5MHz	16QAM	26065	1RB#0	0.15~30	-52.35	PASS
Band25	5MHz	16QAM	26065	1RB#0	30~1000	-62.29	PASS
Band25	5MHz	16QAM	26065	1RB#0	1000~3000	-36.78	PASS
Band25	5MHz	16QAM	26065	1RB#0	3000~20000	-33.28	PASS
Band25	5MHz	QPSK	26365	1RB#0	0.009~0.15	-56.77	PASS
Band25	5MHz	QPSK	26365	1RB#0	0.15~30	-51.90	PASS
Band25	5MHz	QPSK	26365	1RB#0	30~1000	-62.21	PASS
Band25	5MHz	QPSK	26365	1RB#0	1000~3000	-38.64	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band25	5MHz	QPSK	26365	1RB#0	3000~20000	-33.31	PASS
Band25	5MHz	16QAM	26365	1RB#0	0.009~0.15	-57.12	PASS
Band25	5MHz	16QAM	26365	1RB#0	0.15~30	-51.63	PASS
Band25	5MHz	16QAM	26365	1RB#0	30~1000	-62.04	PASS
Band25	5MHz	16QAM	26365	1RB#0	1000~3000	-40.48	PASS
Band25	5MHz	16QAM	26365	1RB#0	3000~20000	-32.74	PASS
Band25	5MHz	QPSK	26665	1RB#0	0.009~0.15	-58.72	PASS
Band25	5MHz	QPSK	26665	1RB#0	0.15~30	-51.96	PASS
Band25	5MHz	QPSK	26665	1RB#0	30~1000	-61.99	PASS
Band25	5MHz	QPSK	26665	1RB#0	1000~3000	-42.83	PASS
Band25	5MHz	QPSK	26665	1RB#0	3000~20000	-30.92	PASS
Band25	5MHz	16QAM	26665	1RB#0	0.009~0.15	-57.67	PASS
Band25	5MHz	16QAM	26665	1RB#0	0.15~30	-52.62	PASS
Band25	5MHz	16QAM	26665	1RB#0	30~1000	-62.33	PASS
Band25	5MHz	16QAM	26665	1RB#0	1000~3000	-40.48	PASS
Band25	5MHz	16QAM	26665	1RB#0	3000~20000	-32.01	PASS
Band25	10MHz	QPSK	26090	1RB#0	0.009~0.15	-58.60	PASS
Band25	10MHz	QPSK	26090	1RB#0	0.15~30	-51.76	PASS
Band25	10MHz	QPSK	26090	1RB#0	30~1000	-61.91	PASS
Band25	10MHz	QPSK	26090	1RB#0	1000~3000	-47.65	PASS
Band25	10MHz	QPSK	26090	1RB#0	3000~20000	-33.48	PASS
Band25	10MHz	16QAM	26090	1RB#0	0.009~0.15	-56.51	PASS
Band25	10MHz	16QAM	26090	1RB#0	0.15~30	-52.80	PASS
Band25	10MHz	16QAM	26090	1RB#0	30~1000	-62.14	PASS
Band25	10MHz	16QAM	26090	1RB#0	1000~3000	-46.75	PASS
Band25	10MHz	16QAM	26090	1RB#0	3000~20000	-33.11	PASS
Band25	10MHz	QPSK	26365	1RB#0	0.009~0.15	-56.09	PASS
Band25	10MHz	QPSK	26365	1RB#0	0.15~30	-50.79	PASS
Band25	10MHz	QPSK	26365	1RB#0	30~1000	-62.11	PASS
Band25	10MHz	QPSK	26365	1RB#0	1000~3000	-47.82	PASS
Band25	10MHz	QPSK	26365	1RB#0	3000~20000	-33.30	PASS
Band25	10MHz	16QAM	26365	1RB#0	0.009~0.15	-59.02	PASS
Band25	10MHz	16QAM	26365	1RB#0	0.15~30	-53.03	PASS
Band25	10MHz	16QAM	26365	1RB#0	30~1000	-61.94	PASS
Band25	10MHz	16QAM	26365	1RB#0	1000~3000	-47.78	PASS
Band25	10MHz	16QAM	26365	1RB#0	3000~20000	-33.13	PASS
Band25	10MHz	QPSK	26640	1RB#0	0.009~0.15	-56.67	PASS
Band25	10MHz	QPSK	26640	1RB#0	0.15~30	-53.54	PASS
Band25	10MHz	QPSK	26640	1RB#0	30~1000	-62.17	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band25	10MHz	QPSK	26640	1RB#0	1000~3000	-47.62	PASS
Band25	10MHz	QPSK	26640	1RB#0	3000~20000	-30.92	PASS
Band25	10MHz	16QAM	26640	1RB#0	0.009~0.15	-57.91	PASS
Band25	10MHz	16QAM	26640	1RB#0	0.15~30	-52.13	PASS
Band25	10MHz	16QAM	26640	1RB#0	30~1000	-62.12	PASS
Band25	10MHz	16QAM	26640	1RB#0	1000~3000	-47.84	PASS
Band25	10MHz	16QAM	26640	1RB#0	3000~20000	-33.31	PASS
Band25	15MHz	QPSK	26115	1RB#0	0.009~0.15	-62.02	PASS
Band25	15MHz	QPSK	26115	1RB#0	0.15~30	-51.62	PASS
Band25	15MHz	QPSK	26115	1RB#0	30~1000	-61.87	PASS
Band25	15MHz	QPSK	26115	1RB#0	1000~3000	-47.60	PASS
Band25	15MHz	QPSK	26115	1RB#0	3000~20000	-32.75	PASS
Band25	15MHz	16QAM	26115	1RB#0	0.009~0.15	-56.27	PASS
Band25	15MHz	16QAM	26115	1RB#0	0.15~30	-51.89	PASS
Band25	15MHz	16QAM	26115	1RB#0	30~1000	-61.93	PASS
Band25	15MHz	16QAM	26115	1RB#0	1000~3000	-47.98	PASS
Band25	15MHz	16QAM	26115	1RB#0	3000~20000	-33.12	PASS
Band25	15MHz	QPSK	26365	1RB#0	0.009~0.15	-58.67	PASS
Band25	15MHz	QPSK	26365	1RB#0	0.15~30	-53.70	PASS
Band25	15MHz	QPSK	26365	1RB#0	30~1000	-62.09	PASS
Band25	15MHz	QPSK	26365	1RB#0	1000~3000	-47.38	PASS
Band25	15MHz	QPSK	26365	1RB#0	3000~20000	-33.25	PASS
Band25	15MHz	16QAM	26365	1RB#0	0.009~0.15	-57.12	PASS
Band25	15MHz	16QAM	26365	1RB#0	0.15~30	-52.84	PASS
Band25	15MHz	16QAM	26365	1RB#0	30~1000	-61.81	PASS
Band25	15MHz	16QAM	26365	1RB#0	1000~3000	-47.35	PASS
Band25	15MHz	16QAM	26365	1RB#0	3000~20000	-32.51	PASS
Band25	15MHz	QPSK	26615	1RB#0	0.009~0.15	-61.19	PASS
Band25	15MHz	QPSK	26615	1RB#0	0.15~30	-53.05	PASS
Band25	15MHz	QPSK	26615	1RB#0	30~1000	-62.14	PASS
Band25	15MHz	QPSK	26615	1RB#0	1000~3000	-47.99	PASS
Band25	15MHz	QPSK	26615	1RB#0	3000~20000	-31.05	PASS
Band25	15MHz	16QAM	26615	1RB#0	0.009~0.15	-54.55	PASS
Band25	15MHz	16QAM	26615	1RB#0	0.15~30	-54.17	PASS
Band25	15MHz	16QAM	26615	1RB#0	30~1000	-62.13	PASS
Band25	15MHz	16QAM	26615	1RB#0	1000~3000	-47.78	PASS
Band25	15MHz	16QAM	26615	1RB#0	3000~20000	-32.99	PASS
Band25	20MHz	QPSK	26140	1RB#0	0.009~0.15	-57.13	PASS
Band25	20MHz	QPSK	26140	1RB#0	0.15~30	-53.01	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band25	20MHz	QPSK	26140	1RB#0	30~1000	-62.08	PASS
Band25	20MHz	QPSK	26140	1RB#0	1000~3000	-40.08	PASS
Band25	20MHz	QPSK	26140	1RB#0	3000~20000	-33.33	PASS
Band25	20MHz	16QAM	26140	1RB#0	0.009~0.15	-57.72	PASS
Band25	20MHz	16QAM	26140	1RB#0	0.15~30	-52.68	PASS
Band25	20MHz	16QAM	26140	1RB#0	30~1000	-62.05	PASS
Band25	20MHz	16QAM	26140	1RB#0	1000~3000	-41.22	PASS
Band25	20MHz	16QAM	26140	1RB#0	3000~20000	-33.20	PASS
Band25	20MHz	QPSK	26365	1RB#0	0.009~0.15	-58.74	PASS
Band25	20MHz	QPSK	26365	1RB#0	0.15~30	-51.71	PASS
Band25	20MHz	QPSK	26365	1RB#0	30~1000	-61.97	PASS
Band25	20MHz	QPSK	26365	1RB#0	1000~3000	-47.95	PASS
Band25	20MHz	QPSK	26365	1RB#0	3000~20000	-33.34	PASS
Band25	20MHz	16QAM	26365	1RB#0	0.009~0.15	-57.45	PASS
Band25	20MHz	16QAM	26365	1RB#0	0.15~30	-50.87	PASS
Band25	20MHz	16QAM	26365	1RB#0	30~1000	-62.27	PASS
Band25	20MHz	16QAM	26365	1RB#0	1000~3000	-47.88	PASS
Band25	20MHz	16QAM	26365	1RB#0	3000~20000	-33.33	PASS
Band25	20MHz	QPSK	26590	1RB#0	0.009~0.15	-59.73	PASS
Band25	20MHz	QPSK	26590	1RB#0	0.15~30	-52.11	PASS
Band25	20MHz	QPSK	26590	1RB#0	30~1000	-62.12	PASS
Band25	20MHz	QPSK	26590	1RB#0	1000~3000	-47.53	PASS
Band25	20MHz	QPSK	26590	1RB#0	3000~20000	-32.61	PASS
Band25	20MHz	16QAM	26590	1RB#0	0.009~0.15	-58.83	PASS
Band25	20MHz	16QAM	26590	1RB#0	0.15~30	-50.80	PASS
Band25	20MHz	16QAM	26590	1RB#0	30~1000	-62.14	PASS
Band25	20MHz	16QAM	26590	1RB#0	1000~3000	-47.65	PASS
Band25	20MHz	16QAM	26590	1RB#0	3000~20000	-32.91	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




Test Graphs



Band25_1.4MHz_QPSK_26047_1RB#0_0.009~0.15_0.009~0.15



Band25_1.4MHz_QPSK_26047_1RB#0_0.15~30_0.15~30



Band25_1.4MHz_QPSK_26047_1RB#0_30~1000_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_1.4MHz_QPSK_26047_1RB#0_1000~3000_1000~3000



Band25_1.4MHz_QPSK_26047_1RB#0_3000~20000_3000~20000



Band25_1.4MHz_16QAM_26047_1RB#0_0.009~0.15_0.009~0.15




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_1.4MHz_16QAM_26047_1RB#0_0.15~30_0.15~30



Band25_1.4MHz_16QAM_26047_1RB#0_30~1000_30~1000



Band25_1.4MHz_16QAM_26047_1RB#0_1000~3000_1000~3000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_1.4MHz_16QAM_26047_1RB#0_3000~20000_3000~20000



Band25_1.4MHz_QPSK_26365_1RB#0_0.009~0.15_0.009~0.15



Band25_1.4MHz_QPSK_26365_1RB#0_0.15~30_0.15~30




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_1.4MHz_QPSK_26365_1RB#0_30~1000_30~1000



Band25_1.4MHz_QPSK_26365_1RB#0_1000~3000_1000~3000



Band25_1.4MHz_QPSK_26365_1RB#0_3000~20000_3000~20000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_1.4MHz_16QAM_26365_1RB#0_0.009~0.15_0.009~0.15



Band25_1.4MHz_16QAM_26365_1RB#0_0.15~30_0.15~30



Band25_1.4MHz_16QAM_26365_1RB#0_30~1000_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_1.4MHz_16QAM_26365_1RB#0_1000~3000_1000~3000



Band25_1.4MHz_16QAM_26365_1RB#0_3000~20000_3000~20000



Band25_1.4MHz_QPSK_26683_1RB#0_0.009~0.15_0.009~0.15




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band25_1.4MHz_QPSK_26683_1RB#0_0.15~30_0.15~30



Band25_1.4MHz_QPSK_26683_1RB#0_30~1000_30~1000



Band25_1.4MHz_QPSK_26683_1RB#0_1000~3000_1000~3000



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity