


Annex A.5 GSM Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-27.91	-13	Pass	401
0.15	30	0.01	Peak	0.15	-19.81	-13	Pass	2986
30	500	0.1	Peak	470.1	-42.94	-13	Pass	4701
500	1000	0.1	Peak	824.2	31.56	-13	N/A	5001
1000	10000	1	Peak	7754	-39.91	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-29.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-18.72	-13	Pass	2986
30	500	0.1	Peak	331.4	-43.1	-13	Pass	4701
500	1000	0.1	Peak	836.7	30.58	-13	N/A	5001
1000	10000	1	Peak	9507	-40.01	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-29.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-21.83	-13	Pass	2986
30	500	0.1	Peak	475	-42.96	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.04	-13	N/A	5001
1000	10000	1	Peak	7743	-39.54	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-34.72	-13	Pass	401
0.15	30	0.01	Peak	0.15	-26.36	-13	Pass	2986
30	1000	0.1	Peak	951.6	-47.47	-13	Pass	9701
1000	3000	1	Peak	1850	28.64	-13	N/A	2001
3000	20000	1	Peak	19985	-39.26	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.5	-13	Pass	401
0.15	30	0.01	Peak	0.16	-27.46	-13	Pass	2986
30	1000	0.1	Peak	920.6	-47.34	-13	Pass	9701
1000	3000	1	Peak	1880	28.54	-13	N/A	2001
3000	20000	1	Peak	19738	-39.79	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-34.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-27.07	-13	Pass	2986
30	1000	0.1	Peak	906.8	-46.07	-13	Pass	9701
1000	3000	1	Peak	1910	27.84	-13	N/A	2001
3000	20000	1	Peak	19979	-38.84	-13	Pass	17001



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-28.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-21.09	-13	Pass	2986
30	500	0.1	Peak	424.7	-42.86	-13	Pass	4701
500	1000	0.1	Peak	824.3	26.77	-13	N/A	5001
1000	10000	1	Peak	7396	-39	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-29.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-20.59	-13	Pass	2986
30	500	0.1	Peak	416.9	-42.67	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.4	-13	N/A	5001
1000	10000	1	Peak	7698	-40.29	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-28.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-20.67	-13	Pass	2986
30	500	0.1	Peak	469.9	-42.83	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.11	-13	N/A	5001
1000	10000	1	Peak	8155	-39.75	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-34.69	-13	Pass	401
0.15	30	0.01	Peak	0.16	-26.07	-13	Pass	2986
30	1000	0.1	Peak	798.4	-46.98	-13	Pass	9701
1000	3000	1	Peak	1851	22.47	-13	N/A	2001
3000	20000	1	Peak	19985	-39.2	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-34.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-26.84	-13	Pass	2986
30	1000	0.1	Peak	826.2	-46.81	-13	Pass	9701
1000	3000	1	Peak	1880	27.22	-13	N/A	2001
3000	20000	1	Peak	19965	-39.51	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-26.31	-13	Pass	2986
30	1000	0.1	Peak	889.3	-47.19	-13	Pass	9701
1000	3000	1	Peak	1910	27.08	-13	N/A	2001
3000	20000	1	Peak	19782	-39.17	-13	Pass	17001



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-38.98	-13	Pass	401
0.15	30	0.01	Peak	0.16	-30.59	-13	Pass	2986
30	1000	0.1	Peak	992.9	-50.97	-13	Pass	9701
1000	3000	1	Peak	1851	22.61	-13	N/A	2001
3000	20000	1	Peak	19900	-25.52	-13	Pass	17001




5.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.17	-13	Pass	401
0.15	30	0.01	Peak	0.16	-28.83	-13	Pass	2986
30	1000	0.1	Peak	986.7	-51.26	-13	Pass	9701
1000	3000	1	Peak	1881	22.37	-13	N/A	2001
3000	20000	1	Peak	19792	-25.51	-13	Pass	17001



5.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.4	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.23	-13	Pass	2986
30	1000	0.1	Peak	969.4	-50.46	-13	Pass	9701
1000	3000	1	Peak	1906	22.3	-13	N/A	2001
3000	20000	1	Peak	19761	-25.13	-13	Pass	17001



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-38.85	-13	Pass	401
0.15	30	0.01	Peak	0.16	-30.94	-13	Pass	2986
30	1000	0.1	Peak	785.7	-50.45	-13	Pass	9701
1000	3000	1	Peak	1714	22.87	-13	N/A	2001
3000	20000	1	Peak	19992	-25.51	-13	Pass	17001




6.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.28	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.88	-13	Pass	2986
30	1000	0.1	Peak	962.6	-51.28	-13	Pass	9701
1000	3000	1	Peak	1731	22.93	-13	N/A	2001
3000	20000	1	Peak	19735	-24.8	-13	Pass	17001



6.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-27.16	-13	Pass	2986
30	1000	0.1	Peak	845.1	-50.96	-13	Pass	9701
1000	3000	1	Peak	1754	22.77	-13	N/A	2001
3000	20000	1	Peak	19370	-25.74	-13	Pass	17001



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.85	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.8	-13	Pass	2986
30	500	0.1	Peak	421.2	-53.14	-13	Pass	4701
500	1000	0.1	Peak	825.8	18.14	-13	N/A	5001
1000	10000	1	Peak	6041	-30.44	-13	Pass	9001




7.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-37.18	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.74	-13	Pass	2986
30	500	0.1	Peak	404	-53.18	-13	Pass	4701
500	1000	0.1	Peak	837.6	18.34	-13	N/A	5001
1000	10000	1	Peak	9518	-30.87	-13	Pass	9001



7.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-37.91	-13	Pass	401
0.15	30	0.01	Peak	0.16	-30.45	-13	Pass	2986
30	500	0.1	Peak	420.8	-53.33	-13	Pass	4701
500	1000	0.1	Peak	847.6	17.61	-13	N/A	5001
1000	10000	1	Peak	7707	-30.06	-13	Pass	9001



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.54	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.16	-13	Pass	9701
1000	1840	1	RMS	1839	-48.61	-13	Pass	841
1840	1920	1	RMS	1850.2	22.29	60	Pass	401
1920	3000	1	RMS	2648	-46.3	-13	Pass	1081
3000	12000	1	RMS	11944	-40.24	-13	Pass	9001
12000	20000	1	RMS	19992	-27.91	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-39.24	-13	Pass	2986
30	1000	0.1	RMS	930.4	-62.06	-13	Pass	9701
1000	1840	1	RMS	1839	-48.93	-13	Pass	841
1840	1920	1	RMS	1850.2	21.5	60	Pass	401
1920	3000	1	RMS	3000	-46.28	-13	Pass	1081
3000	12000	1	RMS	11856	-40.29	-13	Pass	9001
12000	20000	1	RMS	20000	-27.8	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.33	-13	Pass	2986
30	1000	0.1	RMS	939.5	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-50.39	-13	Pass	841
1840	1920	1	RMS	1879.6	21.87	60	Pass	401
1920	3000	1	RMS	2660	-46.32	-13	Pass	1081
3000	12000	1	RMS	11953	-40.28	-13	Pass	9001
12000	20000	1	RMS	19999	-27.82	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.5	-13	Pass	2986
30	1000	0.1	RMS	952.6	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1920	1	RMS	1879.6	21.08	60	Pass	401
1920	3000	1	RMS	2657	-46.3	-13	Pass	1081
3000	12000	1	RMS	11951	-40.24	-13	Pass	9001
12000	20000	1	RMS	19999	-27.81	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-39.65	-13	Pass	2986
30	1000	0.1	RMS	923.9	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-50.46	-13	Pass	841
1840	1920	1	RMS	1908.8	22.01	60	Pass	401
1920	3000	1	RMS	2656	-46.31	-13	Pass	1081
3000	12000	1	RMS	11949	-40.25	-13	Pass	9001
12000	20000	1	RMS	20000	-27.82	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.78	-13	Pass	2986
30	1000	0.1	RMS	938	-62.12	-13	Pass	9701
1000	1840	1	RMS	1832	-50.52	-13	Pass	841
1840	1920	1	RMS	1908.8	21.15	60	Pass	401
1920	3000	1	RMS	2999	-46.36	-13	Pass	1081
3000	12000	1	RMS	11929	-40.26	-13	Pass	9001
12000	20000	1	RMS	20000	-27.77	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.26	-13	Pass	2986
30	1000	0.1	RMS	925.2	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-47.62	-13	Pass	841
1840	1920	1	RMS	1850.2	22.43	60	Pass	401
1920	3000	1	RMS	3000	-46.32	-13	Pass	1081
3000	12000	1	RMS	11960	-40.22	-13	Pass	9001
12000	20000	1	RMS	19996	-27.82	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-39.77	-13	Pass	2986
30	1000	0.1	RMS	924.4	-62.22	-13	Pass	9701
1000	1840	1	RMS	1838	-48.67	-13	Pass	841
1840	1920	1	RMS	1850.2	21.74	60	Pass	401
1920	3000	1	RMS	2652	-46.31	-13	Pass	1081
3000	12000	1	RMS	11836	-40.23	-13	Pass	9001
12000	20000	1	RMS	19999	-27.83	-13	Pass	8001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.23	-13	Pass	2986
30	1000	0.1	RMS	930.9	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.44	-13	Pass	841
1840	1920	1	RMS	1878.8	22.05	60	Pass	401
1920	3000	1	RMS	2651	-46.35	-13	Pass	1081
3000	12000	1	RMS	11846	-40.23	-13	Pass	9001
12000	20000	1	RMS	20000	-27.81	-13	Pass	8001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.8	-13	Pass	2986
30	1000	0.1	RMS	920.7	-62.15	-13	Pass	9701
1000	1840	1	RMS	1838	-50.48	-13	Pass	841
1840	1920	1	RMS	1878.8	21.09	60	Pass	401
1920	3000	1	RMS	2649	-46.38	-13	Pass	1081
3000	12000	1	RMS	11993	-40.23	-13	Pass	9001
12000	20000	1	RMS	20000	-27.79	-13	Pass	8001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.48	-13	Pass	2986
30	1000	0.1	RMS	998.8	-62.23	-13	Pass	9701
1000	1840	1	RMS	1836	-50.52	-13	Pass	841
1840	1920	1	RMS	1907.2	22.09	60	Pass	401
1920	3000	1	RMS	2651	-46.34	-13	Pass	1081
3000	12000	1	RMS	11821	-40.24	-13	Pass	9001
12000	20000	1	RMS	19998	-27.7	-13	Pass	8001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.84	-13	Pass	2986
30	1000	0.1	RMS	926.2	-62.14	-13	Pass	9701
1000	1840	1	RMS	1834	-50.5	-13	Pass	841
1840	1920	1	RMS	1907.2	21.26	60	Pass	401
1920	3000	1	RMS	2996	-46.35	-13	Pass	1081
3000	12000	1	RMS	11886	-40.26	-13	Pass	9001
12000	20000	1	RMS	19998	-27.82	-13	Pass	8001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.57	-13	Pass	2986
30	1000	0.1	RMS	950.1	-62.1	-13	Pass	9701
1000	1840	1	RMS	1840	-47.73	-13	Pass	841
1840	1920	1	RMS	1850.4	22.47	60	Pass	401
1920	3000	1	RMS	2651	-46.32	-13	Pass	1081
3000	12000	1	RMS	11954	-40.24	-13	Pass	9001
12000	20000	1	RMS	19999	-27.86	-13	Pass	8001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.5	-13	Pass	2986
30	1000	0.1	RMS	904.8	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-48.94	-13	Pass	841
1840	1920	1	RMS	1850.4	21.7	60	Pass	401
1920	3000	1	RMS	2656	-46.31	-13	Pass	1081
3000	12000	1	RMS	11955	-40.22	-13	Pass	9001
12000	20000	1	RMS	19994	-27.81	-13	Pass	8001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.72	-13	Pass	2986
30	1000	0.1	RMS	913.1	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1920	1	RMS	1877.8	22.14	60	Pass	401
1920	3000	1	RMS	2643	-46.31	-13	Pass	1081
3000	12000	1	RMS	11821	-40.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.76	-13	Pass	8001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.56	-13	Pass	2986
30	1000	0.1	RMS	918.7	-62.13	-13	Pass	9701
1000	1840	1	RMS	1839	-50.38	-13	Pass	841
1840	1920	1	RMS	1877.8	21.41	60	Pass	401
1920	3000	1	RMS	2652	-46.35	-13	Pass	1081
3000	12000	1	RMS	11947	-40.28	-13	Pass	9001
12000	20000	1	RMS	20000	-27.77	-13	Pass	8001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.07	-13	Pass	2986
30	1000	0.1	RMS	928.9	-62.22	-13	Pass	9701
1000	1840	1	RMS	1836	-50.53	-13	Pass	841
1840	1920	1	RMS	1905.4	22.01	60	Pass	401
1920	3000	1	RMS	2650	-46.33	-13	Pass	1081
3000	12000	1	RMS	11856	-40.27	-13	Pass	9001
12000	20000	1	RMS	19998	-27.7	-13	Pass	8001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.65	-13	Pass	2986
30	1000	0.1	RMS	912.3	-62.2	-13	Pass	9701
1000	1840	1	RMS	1832	-50.56	-13	Pass	841
1840	1920	1	RMS	1905.4	21.5	60	Pass	401
1920	3000	1	RMS	2999	-46.34	-13	Pass	1081
3000	12000	1	RMS	11842	-40.29	-13	Pass	9001
12000	20000	1	RMS	19997	-27.82	-13	Pass	8001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.44	-13	Pass	2986
30	1000	0.1	RMS	908.2	-62.09	-13	Pass	9701
1000	1840	1	RMS	1838	-48.82	-13	Pass	841
1840	1920	1	RMS	1850.6	22.56	60	Pass	401
1920	3000	1	RMS	3000	-46.3	-13	Pass	1081
3000	12000	1	RMS	11954	-40.21	-13	Pass	9001
12000	20000	1	RMS	19997	-27.84	-13	Pass	8001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.86	-13	Pass	2986
30	1000	0.1	RMS	944.5	-62.1	-13	Pass	9701
1000	1840	1	RMS	1840	-49.04	-13	Pass	841
1840	1920	1	RMS	1850.6	21.57	60	Pass	401
1920	3000	1	RMS	2659	-46.33	-13	Pass	1081
3000	12000	1	RMS	11940	-40.24	-13	Pass	9001
12000	20000	1	RMS	19999	-27.76	-13	Pass	8001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.6	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.02	-13	Pass	9701
1000	1840	1	RMS	1840	-50.44	-13	Pass	841
1840	1920	1	RMS	1875.6	22.2	60	Pass	401
1920	3000	1	RMS	2646	-46.28	-13	Pass	1081
3000	12000	1	RMS	11962	-40.24	-13	Pass	9001
12000	20000	1	RMS	19999	-27.88	-13	Pass	8001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-39.04	-13	Pass	2986
30	1000	0.1	RMS	960.1	-62.22	-13	Pass	9701
1000	1840	1	RMS	1839	-50.46	-13	Pass	841
1840	1920	1	RMS	1875.6	21.47	60	Pass	401
1920	3000	1	RMS	2648	-46.37	-13	Pass	1081
3000	12000	1	RMS	11954	-40.21	-13	Pass	9001
12000	20000	1	RMS	19994	-27.92	-13	Pass	8001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.62	-13	Pass	2986
30	1000	0.1	RMS	901.4	-62.17	-13	Pass	9701
1000	1840	1	RMS	1836	-50.51	-13	Pass	841
1840	1920	1	RMS	1900.6	22.02	60	Pass	401
1920	3000	1	RMS	2647	-46.31	-13	Pass	1081
3000	12000	1	RMS	11843	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.67	-13	Pass	8001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.95	-13	Pass	2986
30	1000	0.1	RMS	939.8	-62.17	-13	Pass	9701
1000	1840	1	RMS	1838	-50.44	-13	Pass	841
1840	1920	1	RMS	1900.6	21.32	60	Pass	401
1920	3000	1	RMS	2653	-46.28	-13	Pass	1081
3000	12000	1	RMS	11939	-40.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.82	-13	Pass	8001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.79	-13	Pass	2986
30	1000	0.1	RMS	914.8	-62.07	-13	Pass	9701
1000	1840	1	RMS	1838	-46.2	-13	Pass	841
1840	1920	1	RMS	1850.8	22.35	60	Pass	401
1920	3000	1	RMS	2656	-46.3	-13	Pass	1081
3000	12000	1	RMS	11925	-40.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.85	-13	Pass	8001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.88	-13	Pass	2986
30	1000	0.1	RMS	918	-62.03	-13	Pass	9701
1000	1840	1	RMS	1838	-47.14	-13	Pass	841
1840	1920	1	RMS	1850.8	21.62	60	Pass	401
1920	3000	1	RMS	2647	-46.32	-13	Pass	1081
3000	12000	1	RMS	11950	-40.15	-13	Pass	9001
12000	20000	1	RMS	19998	-27.84	-13	Pass	8001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-39.67	-13	Pass	2986
30	1000	0.1	RMS	929.9	-62.07	-13	Pass	9701
1000	1840	1	RMS	1839	-50.4	-13	Pass	841
1840	1920	1	RMS	1873.4	22.12	60	Pass	401
1920	3000	1	RMS	2651	-46.26	-13	Pass	1081
3000	12000	1	RMS	11935	-40.29	-13	Pass	9001
12000	20000	1	RMS	20000	-27.79	-13	Pass	8001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.2	-13	Pass	2986
30	1000	0.1	RMS	932.5	-62.18	-13	Pass	9701
1000	1840	1	RMS	1839	-50.54	-13	Pass	841
1840	1920	1	RMS	1873.4	21.47	60	Pass	401
1920	3000	1	RMS	2999	-46.34	-13	Pass	1081
3000	12000	1	RMS	11852	-40.2	-13	Pass	9001
12000	20000	1	RMS	20000	-27.71	-13	Pass	8001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.34	-13	Pass	2986
30	1000	0.1	RMS	907	-62.2	-13	Pass	9701
1000	1840	1	RMS	1836	-50.47	-13	Pass	841
1840	1920	1	RMS	1895.8	22.17	60	Pass	401
1920	3000	1	RMS	2998	-46.3	-13	Pass	1081
3000	12000	1	RMS	11869	-40.26	-13	Pass	9001
12000	20000	1	RMS	19999	-27.87	-13	Pass	8001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.82	-13	Pass	2986
30	1000	0.1	RMS	947.5	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-50.57	-13	Pass	841
1840	1920	1	RMS	1895.8	21.32	60	Pass	401
1920	3000	1	RMS	2648	-46.34	-13	Pass	1081
3000	12000	1	RMS	11858	-40.23	-13	Pass	9001
12000	20000	1	RMS	19994	-27.83	-13	Pass	8001



8.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-39.47	-13	Pass	2986
30	1000	0.1	RMS	939.6	-62.09	-13	Pass	9701
1000	1840	1	RMS	1840	-46.23	-13	Pass	841
1840	1920	1	RMS	1851	22.35	60	Pass	401
1920	3000	1	RMS	3000	-46.36	-13	Pass	1081
3000	12000	1	RMS	11957	-40.25	-13	Pass	9001
12000	20000	1	RMS	19998	-27.82	-13	Pass	8001



8.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.4	-13	Pass	2986
30	1000	0.1	RMS	920.2	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-48.12	-13	Pass	841
1840	1920	1	RMS	1851.2	21.79	60	Pass	401
1920	3000	1	RMS	2644	-46.34	-13	Pass	1081
3000	12000	1	RMS	11856	-40.23	-13	Pass	9001
12000	20000	1	RMS	20000	-27.75	-13	Pass	8001



8.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.76	-13	Pass	2986
30	1000	0.1	RMS	966.8	-62.16	-13	Pass	9701
1000	1840	1	RMS	1838	-50.34	-13	Pass	841
1840	1920	1	RMS	1871	22.14	60	Pass	401
1920	3000	1	RMS	2652	-46.34	-13	Pass	1081
3000	12000	1	RMS	11932	-40.28	-13	Pass	9001
12000	20000	1	RMS	19999	-27.86	-13	Pass	8001



8.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.64	-13	Pass	2986
30	1000	0.1	RMS	921.5	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.39	-13	Pass	841
1840	1920	1	RMS	1871	21.18	60	Pass	401
1920	3000	1	RMS	2660	-46.34	-13	Pass	1081
3000	12000	1	RMS	11944	-40.22	-13	Pass	9001
12000	20000	1	RMS	19998	-27.83	-13	Pass	8001



8.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.47	-13	Pass	2986
30	1000	0.1	RMS	935.2	-62.14	-13	Pass	9701
1000	1840	1	RMS	1826	-50.52	-13	Pass	841
1840	1920	1	RMS	1891	22.06	60	Pass	401
1920	3000	1	RMS	3000	-46.27	-13	Pass	1081
3000	12000	1	RMS	11963	-40.25	-13	Pass	9001
12000	20000	1	RMS	19992	-27.83	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.3	-13	Pass	2986
30	1000	0.1	RMS	914.1	-62.14	-13	Pass	9701
1000	1840	1	RMS	1839	-50.48	-13	Pass	841
1840	1920	1	RMS	1891	21.12	60	Pass	401
1920	3000	1	RMS	2653	-46.32	-13	Pass	1081
3000	12000	1	RMS	11943	-40.28	-13	Pass	9001
12000	20000	1	RMS	19996	-27.83	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.54	-13	Pass	2986
30	1000	0.1	RMS	905.9	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-49.92	-13	Pass	701
1700	1765	1	RMS	1710.238	22.57	60	Pass	401
1765	3000	1	RMS	2649	-46.32	-13	Pass	1236
3000	12000	1	RMS	11943	-40.21	-13	Pass	9001
12000	20000	1	RMS	19996	-27.82	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.07	-13	Pass	2986
30	1000	0.1	RMS	937.4	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-50.27	-13	Pass	701
1700	1765	1	RMS	1710.238	21.67	60	Pass	401
1765	3000	1	RMS	2651	-46.3	-13	Pass	1236
3000	12000	1	RMS	11917	-40.24	-13	Pass	9001
12000	20000	1	RMS	19994	-27.82	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.71	-13	Pass	2986
30	1000	0.1	RMS	923.9	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-51.04	-13	Pass	701
1700	1765	1	RMS	1732.013	22.68	60	Pass	401
1765	3000	1	RMS	2652	-46.32	-13	Pass	1236
3000	12000	1	RMS	11944	-40.26	-13	Pass	9001
12000	20000	1	RMS	20000	-27.83	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.3	-13	Pass	2986
30	1000	0.1	RMS	915.4	-62.08	-13	Pass	9701
1000	1700	1	RMS	1614	-51.09	-13	Pass	701
1700	1765	1	RMS	1732.013	21.72	60	Pass	401
1765	3000	1	RMS	2653	-46.24	-13	Pass	1236
3000	12000	1	RMS	11940	-40.28	-13	Pass	9001
12000	20000	1	RMS	19999	-27.79	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.58	-13	Pass	2986
30	1000	0.1	RMS	919.4	-62.06	-13	Pass	9701
1000	1700	1	RMS	1680	-51.07	-13	Pass	701
1700	1765	1	RMS	1753.788	22.56	60	Pass	401
1765	3000	1	RMS	2647	-46.26	-13	Pass	1236
3000	12000	1	RMS	11950	-40.26	-13	Pass	9001
12000	20000	1	RMS	19997	-27.81	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-39.11	-13	Pass	2986
30	1000	0.1	RMS	933.1	-62.01	-13	Pass	9701
1000	1700	1	RMS	1616	-51.14	-13	Pass	701
1700	1765	1	RMS	1753.788	21.6	60	Pass	401
1765	3000	1	RMS	2657	-46.3	-13	Pass	1236
3000	12000	1	RMS	11955	-40.24	-13	Pass	9001
12000	20000	1	RMS	19999	-27.76	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.76	-13	Pass	2986
30	1000	0.1	RMS	925.6	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-49.93	-13	Pass	701
1700	1765	1	RMS	1710.238	22.7	60	Pass	401
1765	3000	1	RMS	2654	-46.18	-13	Pass	1236
3000	12000	1	RMS	11849	-40.27	-13	Pass	9001
12000	20000	1	RMS	19999	-27.8	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.15	-13	Pass	2986
30	1000	0.1	RMS	953.9	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-50.09	-13	Pass	701
1700	1765	1	RMS	1710.238	22.02	60	Pass	401
1765	3000	1	RMS	2650	-46.29	-13	Pass	1236
3000	12000	1	RMS	11961	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.83	-13	Pass	8001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.41	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-50.97	-13	Pass	701
1700	1765	1	RMS	1731.2	22.71	60	Pass	401
1765	3000	1	RMS	2648	-46.32	-13	Pass	1236
3000	12000	1	RMS	11873	-40.28	-13	Pass	9001
12000	20000	1	RMS	19999	-27.83	-13	Pass	8001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.84	-13	Pass	2986
30	1000	0.1	RMS	960.5	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	Pass	701
1700	1765	1	RMS	1731.2	21.85	60	Pass	401
1765	3000	1	RMS	2641	-46.31	-13	Pass	1236
3000	12000	1	RMS	11936	-40.24	-13	Pass	9001
12000	20000	1	RMS	19996	-27.83	-13	Pass	8001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.99	-13	Pass	2986
30	1000	0.1	RMS	902.2	-62.19	-13	Pass	9701
1000	1700	1	RMS	1689	-51.13	-13	Pass	701
1700	1765	1	RMS	1752.163	22.6	60	Pass	401
1765	3000	1	RMS	2654	-46.21	-13	Pass	1236
3000	12000	1	RMS	11915	-40.28	-13	Pass	9001
12000	20000	1	RMS	19999	-27.84	-13	Pass	8001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.52	-13	Pass	2986
30	1000	0.1	RMS	931.5	-61.99	-13	Pass	9701
1000	1700	1	RMS	1694	-51.08	-13	Pass	701
1700	1765	1	RMS	1752.163	21.76	60	Pass	401
1765	3000	1	RMS	2650	-46.31	-13	Pass	1236
3000	12000	1	RMS	11954	-40.24	-13	Pass	9001
12000	20000	1	RMS	19995	-27.8	-13	Pass	8001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.58	-13	Pass	2986
30	1000	0.1	RMS	911.8	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-49.87	-13	Pass	701
1700	1765	1	RMS	1710.4	22.68	60	Pass	401
1765	3000	1	RMS	2650	-46.28	-13	Pass	1236
3000	12000	1	RMS	11952	-40.3	-13	Pass	9001
12000	20000	1	RMS	20000	-27.7	-13	Pass	8001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.17	-13	Pass	2986
30	1000	0.1	RMS	922.8	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-50.09	-13	Pass	701
1700	1765	1	RMS	1710.4	21.94	60	Pass	401
1765	3000	1	RMS	2653	-46.26	-13	Pass	1236
3000	12000	1	RMS	11851	-40.24	-13	Pass	9001
12000	20000	1	RMS	20000	-27.77	-13	Pass	8001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.37	-13	Pass	2986
30	1000	0.1	RMS	923.7	-62.08	-13	Pass	9701
1000	1700	1	RMS	1699	-51.06	-13	Pass	701
1700	1765	1	RMS	1730.388	22.69	60	Pass	401
1765	3000	1	RMS	2653	-46.27	-13	Pass	1236
3000	12000	1	RMS	11874	-40.25	-13	Pass	9001
12000	20000	1	RMS	19998	-27.65	-13	Pass	8001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.91	-13	Pass	2986
30	1000	0.1	RMS	955.5	-62.05	-13	Pass	9701
1000	1700	1	RMS	1698	-51.1	-13	Pass	701
1700	1765	1	RMS	1730.388	21.95	60	Pass	401
1765	3000	1	RMS	2658	-46.3	-13	Pass	1236
3000	12000	1	RMS	11954	-40.25	-13	Pass	9001
12000	20000	1	RMS	19997	-27.86	-13	Pass	8001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.93	-13	Pass	2986
30	1000	0.1	RMS	907.6	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	Pass	701
1700	1765	1	RMS	1750.375	22.77	60	Pass	401
1765	3000	1	RMS	3000	-46.24	-13	Pass	1236
3000	12000	1	RMS	11948	-40.3	-13	Pass	9001
12000	20000	1	RMS	19998	-27.83	-13	Pass	8001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.97	-13	Pass	2986
30	1000	0.1	RMS	930.2	-62.02	-13	Pass	9701
1000	1700	1	RMS	1647	-51.12	-13	Pass	701
1700	1765	1	RMS	1750.375	22.01	60	Pass	401
1765	3000	1	RMS	2656	-46.23	-13	Pass	1236
3000	12000	1	RMS	11946	-40.29	-13	Pass	9001
12000	20000	1	RMS	19998	-27.85	-13	Pass	8001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-45.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.69	-13	Pass	2986
30	1000	0.1	RMS	928.4	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-49.65	-13	Pass	701
1700	1765	1	RMS	1710.563	22.74	60	Pass	401
1765	3000	1	RMS	2652	-46.26	-13	Pass	1236
3000	12000	1	RMS	11964	-40.24	-13	Pass	9001
12000	20000	1	RMS	19997	-27.78	-13	Pass	8001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.99	-13	Pass	2986
30	1000	0.1	RMS	910.3	-62.02	-13	Pass	9701
1000	1700	1	RMS	1699	-49.93	-13	Pass	701
1700	1765	1	RMS	1710.563	21.92	60	Pass	401
1765	3000	1	RMS	2649	-46.29	-13	Pass	1236
3000	12000	1	RMS	11862	-40.23	-13	Pass	9001
12000	20000	1	RMS	19993	-27.77	-13	Pass	8001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.27	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.18	-13	Pass	9701
1000	1700	1	RMS	1698	-51.04	-13	Pass	701
1700	1765	1	RMS	1728.113	22.83	60	Pass	401
1765	3000	1	RMS	2662	-46.28	-13	Pass	1236
3000	12000	1	RMS	11851	-40.24	-13	Pass	9001
12000	20000	1	RMS	19998	-27.83	-13	Pass	8001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.52	-13	Pass	2986
30	1000	0.1	RMS	925.8	-62.01	-13	Pass	9701
1000	1700	1	RMS	1699	-51.02	-13	Pass	701
1700	1765	1	RMS	1728.113	21.86	60	Pass	401
1765	3000	1	RMS	2652	-46.3	-13	Pass	1236
3000	12000	1	RMS	11936	-40.23	-13	Pass	9001
12000	20000	1	RMS	19995	-27.8	-13	Pass	8001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.55	-13	Pass	2986
30	1000	0.1	RMS	923.8	-62.17	-13	Pass	9701
1000	1700	1	RMS	1695	-51	-13	Pass	701
1700	1765	1	RMS	1745.5	22.85	60	Pass	401
1765	3000	1	RMS	3000	-46.26	-13	Pass	1236
3000	12000	1	RMS	11953	-40.24	-13	Pass	9001
12000	20000	1	RMS	19998	-27.8	-13	Pass	8001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.67	-13	Pass	2986
30	1000	0.1	RMS	910.9	-62.13	-13	Pass	9701
1000	1700	1	RMS	1699	-51.09	-13	Pass	701
1700	1765	1	RMS	1745.5	21.95	60	Pass	401
1765	3000	1	RMS	2655	-46.26	-13	Pass	1236
3000	12000	1	RMS	11958	-40.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001



9.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.35	-13	Pass	2986
30	1000	0.1	RMS	953.1	-62.22	-13	Pass	9701
1000	1700	1	RMS	1698	-48.22	-13	Pass	701
1700	1765	1	RMS	1710.888	22.87	60	Pass	401
1765	3000	1	RMS	2647	-46.27	-13	Pass	1236
3000	12000	1	RMS	11932	-40.25	-13	Pass	9001
12000	20000	1	RMS	19998	-27.83	-13	Pass	8001



9.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.97	-13	Pass	2986
30	1000	0.1	RMS	958.3	-62.03	-13	Pass	9701
1000	1700	1	RMS	1697	-48.67	-13	Pass	701
1700	1765	1	RMS	1710.888	21.97	60	Pass	401
1765	3000	1	RMS	2999	-46.28	-13	Pass	1236
3000	12000	1	RMS	11938	-40.28	-13	Pass	9001
12000	20000	1	RMS	19997	-27.85	-13	Pass	8001



9.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.78	-13	Pass	2986
30	1000	0.1	RMS	913.7	-62.11	-13	Pass	9701
1000	1700	1	RMS	1699	-50.67	-13	Pass	701
1700	1765	1	RMS	1725.838	23.01	60	Pass	401
1765	3000	1	RMS	2652	-46.25	-13	Pass	1236
3000	12000	1	RMS	11846	-40.28	-13	Pass	9001
12000	20000	1	RMS	20000	-27.77	-13	Pass	8001



9.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.04	-13	Pass	2986
30	1000	0.1	RMS	936.7	-62.11	-13	Pass	9701
1000	1700	1	RMS	1699	-50.83	-13	Pass	701
1700	1765	1	RMS	1725.838	22.09	60	Pass	401
1765	3000	1	RMS	2652	-46.3	-13	Pass	1236
3000	12000	1	RMS	11953	-40.23	-13	Pass	9001
12000	20000	1	RMS	19999	-27.81	-13	Pass	8001



9.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.12	-13	Pass	2986
30	1000	0.1	RMS	921.9	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-51.1	-13	Pass	701
1700	1765	1	RMS	1740.788	22.9	60	Pass	401
1765	3000	1	RMS	2998	-46.24	-13	Pass	1236
3000	12000	1	RMS	11945	-40.14	-13	Pass	9001
12000	20000	1	RMS	20000	-27.78	-13	Pass	8001



9.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.25	-13	Pass	2986
30	1000	0.1	RMS	900.6	-62.17	-13	Pass	9701
1000	1700	1	RMS	1698	-51.1	-13	Pass	701
1700	1765	1	RMS	1740.788	21.92	60	Pass	401
1765	3000	1	RMS	2647	-46.3	-13	Pass	1236
3000	12000	1	RMS	11944	-40.2	-13	Pass	9001
12000	20000	1	RMS	19993	-27.82	-13	Pass	8001



9.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.75	-13	Pass	2986
30	1000	0.1	RMS	938.9	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-47.13	-13	Pass	701
1700	1765	1	RMS	1711.05	22.93	60	Pass	401
1765	3000	1	RMS	2650	-46.25	-13	Pass	1236
3000	12000	1	RMS	11846	-40.2	-13	Pass	9001
12000	20000	1	RMS	19996	-27.88	-13	Pass	8001



9.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.78	-13	Pass	2986
30	1000	0.1	RMS	941.1	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-49.2	-13	Pass	701
1700	1765	1	RMS	1711.05	22.08	60	Pass	401
1765	3000	1	RMS	2654	-46.3	-13	Pass	1236
3000	12000	1	RMS	11938	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.81	-13	Pass	8001



9.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.93	-13	Pass	2986
30	1000	0.1	RMS	936	-61.99	-13	Pass	9701
1000	1700	1	RMS	1700	-50.89	-13	Pass	701
1700	1765	1	RMS	1723.563	22.91	60	Pass	401
1765	3000	1	RMS	2649	-46.27	-13	Pass	1236
3000	12000	1	RMS	11951	-40.24	-13	Pass	9001
12000	20000	1	RMS	19992	-27.82	-13	Pass	8001



9.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.02	-13	Pass	2986
30	1000	0.1	RMS	934.9	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-50.97	-13	Pass	701
1700	1765	1	RMS	1723.563	22.02	60	Pass	401
1765	3000	1	RMS	2652	-46.3	-13	Pass	1236
3000	12000	1	RMS	11946	-40.25	-13	Pass	9001
12000	20000	1	RMS	19994	-27.73	-13	Pass	8001



9.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.85	-13	Pass	2986
30	1000	0.1	RMS	960.1	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-50.75	-13	Pass	701
1700	1765	1	RMS	1736.075	23	60	Pass	401
1765	3000	1	RMS	3000	-46.28	-13	Pass	1236
3000	12000	1	RMS	11957	-40.25	-13	Pass	9001
12000	20000	1	RMS	19996	-27.89	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.35	-13	Pass	2986
30	1000	0.1	RMS	934	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-50.77	-13	Pass	701
1700	1765	1	RMS	1736.075	21.97	60	Pass	401
1765	3000	1	RMS	2645	-46.31	-13	Pass	1236
3000	12000	1	RMS	11976	-40.31	-13	Pass	9001
12000	20000	1	RMS	19999	-27.79	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.72	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.08	-13	Pass	7841
814	860	0.1	RMS	824.2	19.9	60	Pass	461
860	1000	0.1	RMS	911.5	-62.25	-13	Pass	1401
1000	3000	1	RMS	2651	-46.29	-13	Pass	2001
3000	10000	1	RMS	7734	-41.9	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.06	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.05	-13	Pass	7841
814	860	0.1	RMS	824.3	18.98	60	Pass	461
860	1000	0.1	RMS	937.1	-62.29	-13	Pass	1401
1000	3000	1	RMS	2650	-46.29	-13	Pass	2001
3000	10000	1	RMS	7736	-41.97	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.41	-13	Pass	2986
30	814	0.1	RMS	781.2	-62.39	-13	Pass	7841
814	860	0.1	RMS	836.1	20.02	60	Pass	461
860	1000	0.1	RMS	961.9	-62.42	-13	Pass	1401
1000	3000	1	RMS	2650	-46.31	-13	Pass	2001
3000	10000	1	RMS	7734	-41.95	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38	-13	Pass	2986
30	814	0.1	RMS	810.6	-62.32	-13	Pass	7841
814	860	0.1	RMS	836	19.03	60	Pass	461
860	1000	0.1	RMS	934.6	-62.44	-13	Pass	1401
1000	3000	1	RMS	2653	-46.27	-13	Pass	2001
3000	10000	1	RMS	7751	-41.98	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.56	-13	Pass	2986
30	814	0.1	RMS	778.8	-62.37	-13	Pass	7841
814	860	0.1	RMS	847.9	19.96	60	Pass	461
860	1000	0.1	RMS	954.6	-62.43	-13	Pass	1401
1000	3000	1	RMS	2650	-46.31	-13	Pass	2001
3000	10000	1	RMS	7731	-41.96	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.19	-13	Pass	2986
30	814	0.1	RMS	807.7	-62.37	-13	Pass	7841
814	860	0.1	RMS	847.8	19.13	60	Pass	461
860	1000	0.1	RMS	915.2	-62.45	-13	Pass	1401
1000	3000	1	RMS	2655	-46.31	-13	Pass	2001
3000	10000	1	RMS	7735	-41.92	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.27	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.2	-13	Pass	7841
814	860	0.1	RMS	824.2	20.25	60	Pass	461
860	1000	0.1	RMS	921.2	-62.5	-13	Pass	1401
1000	3000	1	RMS	2656	-46.31	-13	Pass	2001
3000	10000	1	RMS	7734	-41.94	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.3	-13	Pass	2986
30	814	0.1	RMS	814	-62.08	-13	Pass	7841
814	860	0.1	RMS	824.2	19.69	60	Pass	461
860	1000	0.1	RMS	933.9	-62.45	-13	Pass	1401
1000	3000	1	RMS	2651	-46.29	-13	Pass	2001
3000	10000	1	RMS	7731	-41.91	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.17	-13	Pass	2986
30	814	0.1	RMS	804	-62.41	-13	Pass	7841
814	860	0.1	RMS	835.2	20.4	60	Pass	461
860	1000	0.1	RMS	940.7	-62.4	-13	Pass	1401
1000	3000	1	RMS	2654	-46.31	-13	Pass	2001
3000	10000	1	RMS	7742	-41.96	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.13	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.39	-13	Pass	7841
814	860	0.1	RMS	835.2	19.53	60	Pass	461
860	1000	0.1	RMS	926.8	-62.51	-13	Pass	1401
1000	3000	1	RMS	2652	-46.32	-13	Pass	2001
3000	10000	1	RMS	7743	-42	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.2	-13	Pass	2986
30	814	0.1	RMS	813.1	-62.16	-13	Pass	7841
814	860	0.1	RMS	846.2	20.3	60	Pass	461
860	1000	0.1	RMS	932	-62.4	-13	Pass	1401
1000	3000	1	RMS	2658	-46.32	-13	Pass	2001
3000	10000	1	RMS	7736	-42.03	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-45.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.63	-13	Pass	2986
30	814	0.1	RMS	807.6	-62.35	-13	Pass	7841
814	860	0.1	RMS	846.2	19.37	60	Pass	461
860	1000	0.1	RMS	930.5	-62.52	-13	Pass	1401
1000	3000	1	RMS	2658	-46.34	-13	Pass	2001
3000	10000	1	RMS	7733	-41.93	-13	Pass	7001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.98	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.1	-13	Pass	7841
814	860	0.1	RMS	824.3	20.21	60	Pass	461
860	1000	0.1	RMS	940	-62.37	-13	Pass	1401
1000	3000	1	RMS	2652	-46.29	-13	Pass	2001
3000	10000	1	RMS	7742	-41.92	-13	Pass	7001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.32	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.15	-13	Pass	7841
814	860	0.1	RMS	824.3	19.31	60	Pass	461
860	1000	0.1	RMS	931.1	-62.44	-13	Pass	1401
1000	3000	1	RMS	2654	-46.33	-13	Pass	2001
3000	10000	1	RMS	7742	-42	-13	Pass	7001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-45.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.17	-13	Pass	2986
30	814	0.1	RMS	801.9	-62.25	-13	Pass	7841
814	860	0.1	RMS	834.3	20.36	60	Pass	461
860	1000	0.1	RMS	902.5	-62.42	-13	Pass	1401
1000	3000	1	RMS	2652	-46.31	-13	Pass	2001
3000	10000	1	RMS	9544	-42.05	-13	Pass	7001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.22	-13	Pass	2986
30	814	0.1	RMS	809.3	-62.23	-13	Pass	7841
814	860	0.1	RMS	834.3	19.79	60	Pass	461
860	1000	0.1	RMS	928.2	-62.35	-13	Pass	1401
1000	3000	1	RMS	2650	-46.28	-13	Pass	2001
3000	10000	1	RMS	7735	-41.97	-13	Pass	7001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.86	-13	Pass	2986
30	814	0.1	RMS	806.8	-62.4	-13	Pass	7841
814	860	0.1	RMS	844.3	20.29	60	Pass	461
860	1000	0.1	RMS	951.7	-62.46	-13	Pass	1401
1000	3000	1	RMS	2650	-46.36	-13	Pass	2001
3000	10000	1	RMS	7737	-41.93	-13	Pass	7001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.31	-13	Pass	2986
30	814	0.1	RMS	790.2	-62.38	-13	Pass	7841
814	860	0.1	RMS	844.3	19.82	60	Pass	461
860	1000	0.1	RMS	934.4	-62.47	-13	Pass	1401
1000	3000	1	RMS	3000	-46.38	-13	Pass	2001
3000	10000	1	RMS	7735	-42	-13	Pass	7001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.14	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.99	-13	Pass	7841
814	860	0.1	RMS	824.6	20.6	60	Pass	461
860	1000	0.1	RMS	920.6	-62.49	-13	Pass	1401
1000	3000	1	RMS	2656	-46.36	-13	Pass	2001
3000	10000	1	RMS	7734	-41.97	-13	Pass	7001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.46	-13	Pass	2986
30	814	0.1	RMS	811.1	-62.17	-13	Pass	7841
814	860	0.1	RMS	824.6	19.78	60	Pass	461
860	1000	0.1	RMS	939.1	-62.41	-13	Pass	1401
1000	3000	1	RMS	2650	-46.4	-13	Pass	2001
3000	10000	1	RMS	7752	-41.99	-13	Pass	7001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.31	-13	Pass	2986
30	814	0.1	RMS	810	-62.18	-13	Pass	7841
814	860	0.1	RMS	832.1	20.78	60	Pass	461
860	1000	0.1	RMS	947.4	-62.43	-13	Pass	1401
1000	3000	1	RMS	2657	-46.38	-13	Pass	2001
3000	10000	1	RMS	7731	-42	-13	Pass	7001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.59	-13	Pass	2986
30	814	0.1	RMS	811	-62.41	-13	Pass	7841
814	860	0.1	RMS	832.1	20.27	60	Pass	461
860	1000	0.1	RMS	932.7	-62.44	-13	Pass	1401
1000	3000	1	RMS	2650	-46.39	-13	Pass	2001
3000	10000	1	RMS	7732	-41.92	-13	Pass	7001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.62	-13	Pass	2986
30	814	0.1	RMS	795	-62.39	-13	Pass	7841
814	860	0.1	RMS	839.6	20.88	60	Pass	461
860	1000	0.1	RMS	915.7	-62.45	-13	Pass	1401
1000	3000	1	RMS	2648	-46.36	-13	Pass	2001
3000	10000	1	RMS	7733	-41.91	-13	Pass	7001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.77	-13	Pass	2986
30	814	0.1	RMS	809.4	-62.41	-13	Pass	7841
814	860	0.1	RMS	839.6	19.94	60	Pass	461
860	1000	0.1	RMS	951.5	-62.45	-13	Pass	1401
1000	3000	1	RMS	2653	-46.39	-13	Pass	2001
3000	10000	1	RMS	7735	-41.97	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.43	-25	Pass	2986
30	1000	0.1	RMS	928.8	-62.19	-25	Pass	9701
1000	2490	1	RMS	2490	-46.08	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.64	60	Pass	401
2580	3000	1	RMS	2652	-46.41	-25	Pass	421
3000	12000	1	RMS	11851	-63.66	-25	Pass	9001
12000	26000	1	RMS	25011	-45.66	-25	Pass	14001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.78	-25	Pass	2986
30	1000	0.1	RMS	938.4	-62.21	-25	Pass	9701
1000	2490	1	RMS	2490	-46.06	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.92	60	Pass	401
2580	3000	1	RMS	3000	-46.42	-25	Pass	421
3000	12000	1	RMS	11860	-63.59	-25	Pass	9001
12000	26000	1	RMS	25012	-40.88	-25	Pass	14001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-38.31	-25	Pass	2986
30	1000	0.1	RMS	928.7	-62.12	-25	Pass	9701
1000	2490	1	RMS	2489	-47.68	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.9	60	Pass	401
2580	3000	1	RMS	3000	-46.39	-25	Pass	421
3000	12000	1	RMS	11859	-63.68	-25	Pass	9001
12000	26000	1	RMS	25012	-40.82	-25	Pass	14001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-38.03	-25	Pass	2986
30	1000	0.1	RMS	938.3	-62.16	-25	Pass	9701
1000	2490	1	RMS	2489	-47.63	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.14	60	Pass	401
2580	3000	1	RMS	2649	-46.42	-25	Pass	421
3000	12000	1	RMS	11851	-63.63	-25	Pass	9001
12000	26000	1	RMS	25010	-40.94	-25	Pass	14001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-37.32	-25	Pass	2986
30	1000	0.1	RMS	915.2	-62.15	-25	Pass	9701
1000	2490	1	RMS	2486	-47.68	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.97	60	Pass	401
2580	3000	1	RMS	2650	-46.42	-25	Pass	421
3000	12000	1	RMS	11845	-63.67	-25	Pass	9001
12000	26000	1	RMS	25015	-40.97	-25	Pass	14001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.35	-25	Pass	2986
30	1000	0.1	RMS	924	-62.08	-25	Pass	9701
1000	2490	1	RMS	2484	-47.76	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.36	60	Pass	401
2580	3000	1	RMS	3000	-46.4	-25	Pass	421
3000	12000	1	RMS	11850	-63.65	-25	Pass	9001
12000	26000	1	RMS	25019	-40.93	-25	Pass	14001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.74	-25	Pass	2986
30	1000	0.1	RMS	887.3	-62.25	-25	Pass	9701
1000	2490	1	RMS	2490	-45.49	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.73	60	Pass	401
2580	3000	1	RMS	2999	-46.37	-25	Pass	421
3000	12000	1	RMS	11849	-63.61	-25	Pass	9001
12000	26000	1	RMS	25012	-40.99	-25	Pass	14001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.88	-25	Pass	2986
30	1000	0.1	RMS	898.2	-62.22	-25	Pass	9701
1000	2490	1	RMS	2489	-45.72	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.9	60	Pass	401
2580	3000	1	RMS	2648	-46.41	-25	Pass	421
3000	12000	1	RMS	11863	-63.65	-25	Pass	9001
12000	26000	1	RMS	25010	-40.92	-25	Pass	14001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-38.19	-25	Pass	2986
30	1000	0.1	RMS	934.3	-62.18	-25	Pass	9701
1000	2490	1	RMS	2490	-47.67	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.85	60	Pass	401
2580	3000	1	RMS	2651	-46.42	-25	Pass	421
3000	12000	1	RMS	11848	-63.64	-25	Pass	9001
12000	26000	1	RMS	25012	-40.99	-25	Pass	14001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.39	-25	Pass	2986
30	1000	0.1	RMS	915.6	-61.97	-25	Pass	9701
1000	2490	1	RMS	2490	-47.71	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.9	60	Pass	401
2580	3000	1	RMS	2656	-46.4	-25	Pass	421
3000	12000	1	RMS	11850	-63.56	-25	Pass	9001
12000	26000	1	RMS	25011	-40.78	-25	Pass	14001



11.11. LTE Spurious Emission at Antenna

Terminals Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-37.97	-25	Pass	2986
30	1000	0.1	RMS	927.7	-62.24	-25	Pass	9701
1000	2490	1	RMS	2486	-47.69	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.17	60	Pass	401
2580	3000	1	RMS	3000	-46.37	-25	Pass	421
3000	12000	1	RMS	11849	-63.68	-25	Pass	9001
12000	26000	1	RMS	25013	-40.85	-25	Pass	14001



11.12. LTE Spurious Emission at Antenna

Terminals Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.51	-25	Pass	2986
30	1000	0.1	RMS	940	-62.18	-25	Pass	9701
1000	2490	1	RMS	2489	-47.67	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.17	60	Pass	401
2580	3000	1	RMS	2655	-46.41	-25	Pass	421
3000	12000	1	RMS	11853	-63.62	-25	Pass	9001
12000	26000	1	RMS	25012	-40.94	-25	Pass	14001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-38.33	-25	Pass	2986
30	1000	0.1	RMS	937.8	-62.09	-25	Pass	9701
1000	2490	1	RMS	2488	-45.65	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.72	60	Pass	401
2580	3000	1	RMS	3000	-46.39	-25	Pass	421
3000	12000	1	RMS	11864	-63.59	-25	Pass	9001
12000	26000	1	RMS	25012	-41	-25	Pass	14001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.07	-25	Pass	401
0.15	30	0.01	RMS	0.16	-38.14	-25	Pass	2986
30	1000	0.1	RMS	931.7	-62.22	-25	Pass	9701
1000	2490	1	RMS	2487	-46.03	-25	Pass	1491
2490	2580	1	RMS	2500.8	22	60	Pass	401
2580	3000	1	RMS	2652	-46.39	-25	Pass	421
3000	12000	1	RMS	11852	-63.66	-25	Pass	9001
12000	26000	1	RMS	25020	-40.93	-25	Pass	14001



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.57	-25	Pass	2986
30	1000	0.1	RMS	948.3	-62.18	-25	Pass	9701
1000	2490	1	RMS	2489	-47.63	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.93	60	Pass	401
2580	3000	1	RMS	2650	-46.39	-25	Pass	421
3000	12000	1	RMS	11857	-63.66	-25	Pass	9001
12000	26000	1	RMS	25019	-40.88	-25	Pass	14001



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.2	-25	Pass	2986
30	1000	0.1	RMS	932.4	-62.08	-25	Pass	9701
1000	2490	1	RMS	2490	-47.65	-25	Pass	1491
2490	2580	1	RMS	2528.475	21.96	60	Pass	401
2580	3000	1	RMS	2647	-46.41	-25	Pass	421
3000	12000	1	RMS	11858	-63.62	-25	Pass	9001
12000	26000	1	RMS	25012	-40.96	-25	Pass	14001



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.73	-25	Pass	2986
30	1000	0.1	RMS	924.5	-62.27	-25	Pass	9701
1000	2490	1	RMS	2489	-47.66	-25	Pass	1491
2490	2595	1	RMS	2555.888	23.26	60	Pass	401
2595	3000	1	RMS	3000	-46.4	-25	Pass	406
3000	12000	1	RMS	11843	-63.56	-25	Pass	9001
12000	26000	1	RMS	25012	-40.86	-25	Pass	14001



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.74	-25	Pass	2986
30	1000	0.1	RMS	937.6	-62.1	-25	Pass	9701
1000	2490	1	RMS	2489	-47.63	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.33	60	Pass	401
2595	3000	1	RMS	2998	-46.43	-25	Pass	406
3000	12000	1	RMS	11857	-63.66	-25	Pass	9001
12000	26000	1	RMS	25009	-40.89	-25	Pass	14001



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.36	-25	Pass	401
0.15	30	0.01	RMS	0.16	-38.35	-25	Pass	2986
30	1000	0.1	RMS	919	-62.16	-25	Pass	9701
1000	2490	1	RMS	2490	-45.17	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.48	60	Pass	401
2580	3000	1	RMS	2656	-46.39	-25	Pass	421
3000	12000	1	RMS	11851	-63.59	-25	Pass	9001
12000	26000	1	RMS	25012	-40.94	-25	Pass	14001



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-38.04	-25	Pass	2986
30	1000	0.1	RMS	918.3	-62.23	-25	Pass	9701
1000	2490	1	RMS	2490	-45.86	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.95	60	Pass	401
2580	3000	1	RMS	2650	-46.41	-25	Pass	421
3000	12000	1	RMS	11851	-63.67	-25	Pass	9001
12000	26000	1	RMS	25016	-40.9	-25	Pass	14001



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.45	-25	Pass	2986
30	1000	0.1	RMS	917.2	-62.11	-25	Pass	9701
1000	2490	1	RMS	2490	-47.62	-25	Pass	1491
2490	2580	1	RMS	2526	22.85	60	Pass	401
2580	3000	1	RMS	2654	-46.4	-25	Pass	421
3000	12000	1	RMS	11855	-63.67	-25	Pass	9001
12000	26000	1	RMS	25009	-41	-25	Pass	14001



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.82	-25	Pass	2986
30	1000	0.1	RMS	921.6	-62.2	-25	Pass	9701
1000	2490	1	RMS	2487	-47.6	-25	Pass	1491
2490	2580	1	RMS	2526	21.98	60	Pass	401
2580	3000	1	RMS	2653	-46.4	-25	Pass	421
3000	12000	1	RMS	11866	-63.54	-25	Pass	9001
12000	26000	1	RMS	25014	-40.88	-25	Pass	14001



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.62	-25	Pass	2986
30	1000	0.1	RMS	914.1	-62.04	-25	Pass	9701
1000	2490	1	RMS	2487	-47.69	-25	Pass	1491
2490	2595	1	RMS	2551.163	23.16	60	Pass	401
2595	3000	1	RMS	2653	-46.41	-25	Pass	406
3000	12000	1	RMS	11879	-63.7	-25	Pass	9001
12000	26000	1	RMS	25012	-40.85	-25	Pass	14001



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.9	-25	Pass	2986
30	1000	0.1	RMS	943.4	-62.17	-25	Pass	9701
1000	2490	1	RMS	2487	-47.69	-25	Pass	1491
2490	2595	1	RMS	2551.163	22.26	60	Pass	401
2595	3000	1	RMS	3000	-46.39	-25	Pass	406
3000	12000	1	RMS	11849	-63.67	-25	Pass	9001
12000	26000	1	RMS	25019	-40.91	-25	Pass	14001



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.29	-13	Pass	2986
30	689	0.1	RMS	687.9	-63.22	-13	Pass	6591
689	726	0.1	RMS	699.268	20.77	60	Pass	401
726	1000	0.1	RMS	892.6	-62.08	-13	Pass	2741
1000	3000	1	RMS	3000	-46.37	-13	Pass	2001
3000	10000	1	RMS	7733	-42.01	-13	Pass	7001




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.62	-13	Pass	2986
30	689	0.1	RMS	689	-63.26	-13	Pass	6591
689	726	0.1	RMS	699.268	19.79	60	Pass	401
726	1000	0.1	RMS	910.7	-62.18	-13	Pass	2741
1000	3000	1	RMS	2651	-46.36	-13	Pass	2001
3000	10000	1	RMS	7731	-42.01	-13	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.88	-13	Pass	2986
30	689	0.1	RMS	687.1	-63.24	-13	Pass	6591
689	726	0.1	RMS	707.038	20.85	60	Pass	401
726	1000	0.1	RMS	895.2	-62.35	-13	Pass	2741
1000	3000	1	RMS	2656	-46.31	-13	Pass	2001
3000	10000	1	RMS	7739	-42.01	-13	Pass	7001




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.6	-13	Pass	2986
30	689	0.1	RMS	506.5	-63.42	-13	Pass	6591
689	726	0.1	RMS	707.038	19.93	60	Pass	401
726	1000	0.1	RMS	818.8	-62.15	-13	Pass	2741
1000	3000	1	RMS	2654	-46.36	-13	Pass	2001
3000	10000	1	RMS	7728	-41.96	-13	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.95	-13	Pass	2986
30	689	0.1	RMS	687.2	-63.28	-13	Pass	6591
689	726	0.1	RMS	714.808	20.3	60	Pass	401
726	1000	0.1	RMS	987	-62.11	-13	Pass	2741
1000	3000	1	RMS	2647	-46.31	-13	Pass	2001
3000	10000	1	RMS	7741	-41.93	-13	Pass	7001




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.43	-13	Pass	2986
30	689	0.1	RMS	688.1	-63.33	-13	Pass	6591
689	726	0.1	RMS	714.808	19.43	60	Pass	401
726	1000	0.1	RMS	918.9	-62.19	-13	Pass	2741
1000	3000	1	RMS	2650	-46.36	-13	Pass	2001
3000	10000	1	RMS	7727	-42.02	-13	Pass	7001




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.1	-13	Pass	2986
30	689	0.1	RMS	688.4	-63.13	-13	Pass	6591
689	726	0.1	RMS	699.268	20.76	60	Pass	401
726	1000	0.1	RMS	921	-62.15	-13	Pass	2741
1000	3000	1	RMS	2654	-46.33	-13	Pass	2001
3000	10000	1	RMS	7744	-42.02	-13	Pass	7001




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.42	-13	Pass	2986
30	689	0.1	RMS	688.7	-63.18	-13	Pass	6591
689	726	0.1	RMS	699.268	19.96	60	Pass	401
726	1000	0.1	RMS	969.3	-62.31	-13	Pass	2741
1000	3000	1	RMS	2652	-46.32	-13	Pass	2001
3000	10000	1	RMS	7731	-41.99	-13	Pass	7001



12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.29	-13	Pass	2986
30	689	0.1	RMS	687.4	-63.27	-13	Pass	6591
689	726	0.1	RMS	706.205	20.54	60	Pass	401
726	1000	0.1	RMS	988.1	-62.17	-13	Pass	2741
1000	3000	1	RMS	2653	-46.37	-13	Pass	2001
3000	10000	1	RMS	7731	-42	-13	Pass	7001



12.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.81	-13	Pass	2986
30	689	0.1	RMS	685.4	-63.35	-13	Pass	6591
689	726	0.1	RMS	706.205	19.63	60	Pass	401
726	1000	0.1	RMS	954	-62.22	-13	Pass	2741
1000	3000	1	RMS	2653	-46.37	-13	Pass	2001
3000	10000	1	RMS	7746	-42	-13	Pass	7001



12.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.14	-13	Pass	2986
30	689	0.1	RMS	682.2	-63.36	-13	Pass	6591
689	726	0.1	RMS	713.235	20.95	60	Pass	401
726	1000	0.1	RMS	914.4	-62.07	-13	Pass	2741
1000	3000	1	RMS	2650	-46.34	-13	Pass	2001
3000	10000	1	RMS	7735	-42.01	-13	Pass	7001



12.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.04	-13	Pass	2986
30	689	0.1	RMS	536.7	-63.35	-13	Pass	6591
689	726	0.1	RMS	713.235	20.05	60	Pass	401
726	1000	0.1	RMS	957.3	-62.12	-13	Pass	2741
1000	3000	1	RMS	2650	-46.36	-13	Pass	2001
3000	10000	1	RMS	7740	-42.02	-13	Pass	7001



12.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.72	-13	Pass	2986
30	689	0.1	RMS	687.1	-63.28	-13	Pass	6591
689	726	0.1	RMS	699.36	20.73	60	Pass	401
726	1000	0.1	RMS	921.6	-62.29	-13	Pass	2741
1000	3000	1	RMS	2650	-46.35	-13	Pass	2001
3000	10000	1	RMS	7724	-42.01	-13	Pass	7001



12.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.16	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.13	-13	Pass	6591
689	726	0.1	RMS	699.36	20.17	60	Pass	401
726	1000	0.1	RMS	932.1	-62.27	-13	Pass	2741
1000	3000	1	RMS	2653	-46.37	-13	Pass	2001
3000	10000	1	RMS	7731	-42.04	-13	Pass	7001



12.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.72	-13	Pass	2986
30	689	0.1	RMS	516.7	-63.37	-13	Pass	6591
689	726	0.1	RMS	705.373	20.64	60	Pass	401
726	1000	0.1	RMS	942.8	-62.15	-13	Pass	2741
1000	3000	1	RMS	2649	-46.35	-13	Pass	2001
3000	10000	1	RMS	7738	-41.99	-13	Pass	7001



12.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.54	-13	Pass	2986
30	689	0.1	RMS	682.1	-63.41	-13	Pass	6591
689	726	0.1	RMS	705.373	19.86	60	Pass	401
726	1000	0.1	RMS	906.3	-62.03	-13	Pass	2741
1000	3000	1	RMS	2650	-46.34	-13	Pass	2001
3000	10000	1	RMS	7747	-41.95	-13	Pass	7001



12.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.58	-13	Pass	2986
30	689	0.1	RMS	536.3	-63.35	-13	Pass	6591
689	726	0.1	RMS	711.293	20.3	60	Pass	401
726	1000	0.1	RMS	898.6	-62.18	-13	Pass	2741
1000	3000	1	RMS	2658	-46.37	-13	Pass	2001
3000	10000	1	RMS	7741	-42.03	-13	Pass	7001



12.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.87	-13	Pass	2986
30	689	0.1	RMS	499.9	-63.42	-13	Pass	6591
689	726	0.1	RMS	711.293	19.53	60	Pass	401
726	1000	0.1	RMS	925.4	-62.12	-13	Pass	2741
1000	3000	1	RMS	2647	-46.32	-13	Pass	2001
3000	10000	1	RMS	7732	-41.99	-13	Pass	7001



12.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.71	-13	Pass	2986
30	689	0.1	RMS	688.5	-63	-13	Pass	6591
689	726	0.1	RMS	699.545	20.43	60	Pass	401
726	1000	0.1	RMS	940.3	-62	-13	Pass	2741
1000	3000	1	RMS	2651	-46.34	-13	Pass	2001
3000	10000	1	RMS	7755	-41.92	-13	Pass	7001



12.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.23	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.22	-13	Pass	6591
689	726	0.1	RMS	699.638	19.73	60	Pass	401
726	1000	0.1	RMS	880.7	-62.29	-13	Pass	2741
1000	3000	1	RMS	2650	-46.34	-13	Pass	2001
3000	10000	1	RMS	9541	-42.02	-13	Pass	7001



12.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.76	-13	Pass	2986
30	689	0.1	RMS	510.3	-63.21	-13	Pass	6591
689	726	0.1	RMS	703.06	20.59	60	Pass	401
726	1000	0.1	RMS	933.7	-62.01	-13	Pass	2741
1000	3000	1	RMS	2643	-46.36	-13	Pass	2001
3000	10000	1	RMS	7736	-41.97	-13	Pass	7001



12.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.47	-13	Pass	2986
30	689	0.1	RMS	678.6	-63.34	-13	Pass	6591
689	726	0.1	RMS	703.06	19.68	60	Pass	401
726	1000	0.1	RMS	896.6	-62.29	-13	Pass	2741
1000	3000	1	RMS	2657	-46.37	-13	Pass	2001
3000	10000	1	RMS	7739	-41.95	-13	Pass	7001



12.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.63	-13	Pass	2986
30	689	0.1	RMS	511.9	-63.32	-13	Pass	6591
689	726	0.1	RMS	706.575	20.81	60	Pass	401
726	1000	0.1	RMS	932.4	-62.09	-13	Pass	2741
1000	3000	1	RMS	2653	-46.33	-13	Pass	2001
3000	10000	1	RMS	7726	-42.03	-13	Pass	7001



12.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.93	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.33	-13	Pass	6591
689	726	0.1	RMS	706.575	20.1	60	Pass	401
726	1000	0.1	RMS	938.9	-62.17	-13	Pass	2741
1000	3000	1	RMS	2651	-46.35	-13	Pass	2001
3000	10000	1	RMS	7729	-41.99	-13	Pass	7001



13. LTE_Band14


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.86	-13	Pass	2986
30	778	0.1	RMS	777.6	-62.49	-13	Pass	7481
778	808	0.1	RMS	788.35	20.97	60	Pass	401
808	1000	0.1	RMS	939.2	-62.28	-13	Pass	1921
1000	3000	1	RMS	2655	-46.31	-13	Pass	2001
3000	10000	1	RMS	7736	-42.03	-13	Pass	7001




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23305, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.05	-13	Pass	2986
30	778	0.1	RMS	777.2	-62.46	-13	Pass	7481
778	808	0.1	RMS	788.35	20.13	60	Pass	401
808	1000	0.1	RMS	928.7	-62.38	-13	Pass	1921
1000	3000	1	RMS	2650	-46.31	-13	Pass	2001
3000	10000	1	RMS	7733	-41.95	-13	Pass	7001




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.55	-13	Pass	2986
30	778	0.1	RMS	772.3	-62.53	-13	Pass	7481
778	808	0.1	RMS	790.825	20.81	60	Pass	401
808	1000	0.1	RMS	911.1	-62.12	-13	Pass	1921
1000	3000	1	RMS	2651	-46.3	-13	Pass	2001
3000	10000	1	RMS	7728	-42.01	-13	Pass	7001




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23330, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38	-13	Pass	2986
30	778	0.1	RMS	777	-62.43	-13	Pass	7481
778	808	0.1	RMS	790.825	20.19	60	Pass	401
808	1000	0.1	RMS	945.5	-62.33	-13	Pass	1921
1000	3000	1	RMS	3000	-46.35	-13	Pass	2001
3000	10000	1	RMS	7748	-41.94	-13	Pass	7001




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.93	-13	Pass	2986
30	778	0.1	RMS	768.9	-62.55	-13	Pass	7481
778	808	0.1	RMS	793.3	20.6	60	Pass	401
808	1000	0.1	RMS	810.6	-62.16	-13	Pass	1921
1000	3000	1	RMS	2656	-46.32	-13	Pass	2001
3000	10000	1	RMS	7732	-41.97	-13	Pass	7001




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.99	-13	Pass	2986
30	778	0.1	RMS	766.6	-62.53	-13	Pass	7481
778	808	0.1	RMS	793.375	19.85	60	Pass	401
808	1000	0.1	RMS	925.8	-62.33	-13	Pass	1921
1000	3000	1	RMS	2654	-46.32	-13	Pass	2001
3000	10000	1	RMS	7734	-41.93	-13	Pass	7001




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.94	-13	Pass	2986
30	778	0.1	RMS	777.1	-62.43	-13	Pass	7481
778	808	0.1	RMS	788.575	21.03	60	Pass	401
808	1000	0.1	RMS	919.8	-62.29	-13	Pass	1921
1000	3000	1	RMS	3000	-46.34	-13	Pass	2001
3000	10000	1	RMS	7751	-41.96	-13	Pass	7001



13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.92	-13	Pass	2986
30	778	0.1	RMS	771.8	-62.48	-13	Pass	7481
778	808	0.1	RMS	788.575	20.18	60	Pass	401
808	1000	0.1	RMS	897.3	-62.25	-13	Pass	1921
1000	3000	1	RMS	3000	-46.35	-13	Pass	2001
3000	10000	1	RMS	9542	-42.02	-13	Pass	7001



14. LTE_Band17


14.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.68	-13	Pass	2986
30	694	0.1	RMS	691.2	-62.43	-13	Pass	6641
694	726	0.1	RMS	704.32	20.42	60	Pass	401
726	1000	0.1	RMS	927.4	-62.2	-13	Pass	2741
1000	3000	1	RMS	2651	-46.35	-13	Pass	2001
3000	10000	1	RMS	7734	-41.95	-13	Pass	7001




14.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.7	-13	Pass	2986
30	694	0.1	RMS	691.2	-62.34	-13	Pass	6641
694	726	0.1	RMS	704.32	19.62	60	Pass	401
726	1000	0.1	RMS	946.6	-62.27	-13	Pass	2741
1000	3000	1	RMS	2651	-46.31	-13	Pass	2001
3000	10000	1	RMS	7741	-42.01	-13	Pass	7001




14.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.19	-13	Pass	2986
30	694	0.1	RMS	691.2	-62.71	-13	Pass	6641
694	726	0.1	RMS	707.84	20.88	60	Pass	401
726	1000	0.1	RMS	919.7	-62.14	-13	Pass	2741
1000	3000	1	RMS	3000	-46.35	-13	Pass	2001
3000	10000	1	RMS	7736	-41.99	-13	Pass	7001




14.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.83	-13	Pass	2986
30	694	0.1	RMS	691.2	-62.37	-13	Pass	6641
694	726	0.1	RMS	707.84	20.23	60	Pass	401
726	1000	0.1	RMS	907.9	-62.28	-13	Pass	2741
1000	3000	1	RMS	2652	-46.37	-13	Pass	2001
3000	10000	1	RMS	7730	-41.98	-13	Pass	7001




14.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.62	-13	Pass	2986
30	694	0.1	RMS	691.2	-62.76	-13	Pass	6641
694	726	0.1	RMS	711.36	20.63	60	Pass	401
726	1000	0.1	RMS	927.2	-62.14	-13	Pass	2741
1000	3000	1	RMS	2654	-46.35	-13	Pass	2001
3000	10000	1	RMS	7738	-41.99	-13	Pass	7001




14.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.28	-13	Pass	2986
30	694	0.1	RMS	691.2	-62.54	-13	Pass	6641
694	726	0.1	RMS	711.36	20.11	60	Pass	401
726	1000	0.1	RMS	918.3	-62.09	-13	Pass	2741
1000	3000	1	RMS	2651	-46.33	-13	Pass	2001
3000	10000	1	RMS	7735	-41.97	-13	Pass	7001




14.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.31	-13	Pass	2986
30	694	0.1	RMS	693.8	-62.68	-13	Pass	6641
694	726	0.1	RMS	704.56	20.63	60	Pass	401
726	1000	0.1	RMS	955.2	-62.16	-13	Pass	2741
1000	3000	1	RMS	2653	-46.35	-13	Pass	2001
3000	10000	1	RMS	7734	-41.98	-13	Pass	7001




14.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.66	-13	Pass	2986
30	694	0.1	RMS	693.4	-62.88	-13	Pass	6641
694	726	0.1	RMS	704.56	19.76	60	Pass	401
726	1000	0.1	RMS	884.8	-62.33	-13	Pass	2741
1000	3000	1	RMS	2649	-46.35	-13	Pass	2001
3000	10000	1	RMS	7732	-41.94	-13	Pass	7001



14.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.77	-13	Pass	2986
30	694	0.1	RMS	691.2	-62.84	-13	Pass	6641
694	726	0.1	RMS	705.6	21.04	60	Pass	401
726	1000	0.1	RMS	924.8	-62.08	-13	Pass	2741
1000	3000	1	RMS	2645	-46.37	-13	Pass	2001
3000	10000	1	RMS	7744	-41.93	-13	Pass	7001



14.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.88	-13	Pass	2986
30	694	0.1	RMS	693.2	-63.06	-13	Pass	6641
694	726	0.1	RMS	705.6	20.06	60	Pass	401
726	1000	0.1	RMS	936.8	-62.28	-13	Pass	2741
1000	3000	1	RMS	2655	-46.35	-13	Pass	2001
3000	10000	1	RMS	7736	-41.95	-13	Pass	7001



14.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.48	-13	Pass	2986
30	694	0.1	RMS	694	-62.87	-13	Pass	6641
694	726	0.1	RMS	706.56	20.8	60	Pass	401
726	1000	0.1	RMS	928	-62.09	-13	Pass	2741
1000	3000	1	RMS	2651	-46.32	-13	Pass	2001
3000	10000	1	RMS	7736	-41.99	-13	Pass	7001



14.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.77	-13	Pass	2986
30	694	0.1	RMS	693.8	-62.89	-13	Pass	6641
694	726	0.1	RMS	706.56	19.89	60	Pass	401
726	1000	0.1	RMS	899.9	-62.13	-13	Pass	2741
1000	3000	1	RMS	2654	-46.36	-13	Pass	2001
3000	10000	1	RMS	7735	-41.94	-13	Pass	7001



15. LTE_Band25


15.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.94	-13	Pass	2986
30	1000	0.1	RMS	926	-62.17	-13	Pass	9701
1000	1840	1	RMS	1839	-48.5	-13	Pass	841
1840	1925	1	RMS	1850.2	22.28	60	Pass	401
1925	3000	1	RMS	2653	-46.33	-13	Pass	1076
3000	12000	1	RMS	11947	-40.26	-13	Pass	9001
12000	20000	1	RMS	19996	-27.75	-13	Pass	8001




15.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.51	-13	Pass	2986
30	1000	0.1	RMS	933.5	-62.19	-13	Pass	9701
1000	1840	1	RMS	1839	-48.93	-13	Pass	841
1840	1925	1	RMS	1850.2	21.41	60	Pass	401
1925	3000	1	RMS	2995	-46.37	-13	Pass	1076
3000	12000	1	RMS	11852	-40.26	-13	Pass	9001
12000	20000	1	RMS	20000	-27.8	-13	Pass	8001




15.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.22	-13	Pass	2986
30	1000	0.1	RMS	926.3	-62.24	-13	Pass	9701
1000	1840	1	RMS	1838	-50.51	-13	Pass	841
1840	1925	1	RMS	1882.075	22.08	60	Pass	401
1925	3000	1	RMS	2646	-46.34	-13	Pass	1076
3000	12000	1	RMS	11927	-40.27	-13	Pass	9001
12000	20000	1	RMS	19996	-27.83	-13	Pass	8001




15.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.79	-13	Pass	2986
30	1000	0.1	RMS	929.2	-62.07	-13	Pass	9701
1000	1840	1	RMS	1839	-50.47	-13	Pass	841
1840	1925	1	RMS	1882.075	21.17	60	Pass	401
1925	3000	1	RMS	2644	-46.35	-13	Pass	1076
3000	12000	1	RMS	11922	-40.24	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001




15.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.03	-13	Pass	2986
30	1000	0.1	RMS	945.9	-62.18	-13	Pass	9701
1000	1840	1	RMS	1838	-50.53	-13	Pass	841
1840	1925	1	RMS	1913.95	22.08	60	Pass	401
1925	3000	1	RMS	2655	-46.33	-13	Pass	1076
3000	12000	1	RMS	11889	-40.24	-13	Pass	9001
12000	20000	1	RMS	19998	-27.86	-13	Pass	8001




15.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.04	-13	Pass	2986
30	1000	0.1	RMS	937	-62.17	-13	Pass	9701
1000	1840	1	RMS	1837	-50.48	-13	Pass	841
1840	1925	1	RMS	1913.95	21.21	60	Pass	401
1925	3000	1	RMS	2654	-46.31	-13	Pass	1076
3000	12000	1	RMS	11925	-40.29	-13	Pass	9001
12000	20000	1	RMS	19999	-27.77	-13	Pass	8001




15.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.8	-13	Pass	2986
30	1000	0.1	RMS	887	-62	-13	Pass	9701
1000	1840	1	RMS	1840	-48.69	-13	Pass	841
1840	1925	1	RMS	1850.2	22.45	60	Pass	401
1925	3000	1	RMS	2649	-46.3	-13	Pass	1076
3000	12000	1	RMS	11939	-40.25	-13	Pass	9001
12000	20000	1	RMS	19998	-27.82	-13	Pass	8001




15.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.16	-13	Pass	2986
30	1000	0.1	RMS	907.8	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-48.99	-13	Pass	841
1840	1925	1	RMS	1850.2	21.59	60	Pass	401
1925	3000	1	RMS	2655	-46.37	-13	Pass	1076
3000	12000	1	RMS	11855	-40.24	-13	Pass	9001
12000	20000	1	RMS	19999	-27.85	-13	Pass	8001



15.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.72	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.14	-13	Pass	9701
1000	1840	1	RMS	1835	-50.46	-13	Pass	841
1840	1925	1	RMS	1881.225	22.15	60	Pass	401
1925	3000	1	RMS	2651	-46.31	-13	Pass	1076
3000	12000	1	RMS	11836	-40.3	-13	Pass	9001
12000	20000	1	RMS	19998	-27.83	-13	Pass	8001



15.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.49	-13	Pass	2986
30	1000	0.1	RMS	919	-62.13	-13	Pass	9701
1000	1840	1	RMS	1839	-50.47	-13	Pass	841
1840	1925	1	RMS	1881.225	21.28	60	Pass	401
1925	3000	1	RMS	2653	-46.38	-13	Pass	1076
3000	12000	1	RMS	11975	-40.26	-13	Pass	9001
12000	20000	1	RMS	19995	-27.84	-13	Pass	8001



15.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.46	-13	Pass	2986
30	1000	0.1	RMS	924.7	-62.15	-13	Pass	9701
1000	1840	1	RMS	1831	-50.5	-13	Pass	841
1840	1925	1	RMS	1912.25	22.3	60	Pass	401
1925	3000	1	RMS	2648	-46.34	-13	Pass	1076
3000	12000	1	RMS	11940	-40.25	-13	Pass	9001
12000	20000	1	RMS	19998	-27.76	-13	Pass	8001



15.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.64	-13	Pass	2986
30	1000	0.1	RMS	882.5	-61.98	-13	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	Pass	841
1840	1925	1	RMS	1912.25	21.4	60	Pass	401
1925	3000	1	RMS	3000	-46.33	-13	Pass	1076
3000	12000	1	RMS	11941	-40.25	-13	Pass	9001
12000	20000	1	RMS	20000	-27.7	-13	Pass	8001



15.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37	-13	Pass	2986
30	1000	0.1	RMS	913.7	-62.14	-13	Pass	9701
1000	1840	1	RMS	1838	-48.6	-13	Pass	841
1840	1925	1	RMS	1850.413	22.45	60	Pass	401
1925	3000	1	RMS	2648	-46.33	-13	Pass	1076
3000	12000	1	RMS	11845	-40.26	-13	Pass	9001
12000	20000	1	RMS	19999	-27.75	-13	Pass	8001



15.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.64	-13	Pass	2986
30	1000	0.1	RMS	915.8	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-47.76	-13	Pass	841
1840	1925	1	RMS	1850.413	21.76	60	Pass	401
1925	3000	1	RMS	2657	-46.32	-13	Pass	1076
3000	12000	1	RMS	11948	-40.24	-13	Pass	9001
12000	20000	1	RMS	19993	-27.81	-13	Pass	8001



15.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.45	-13	Pass	2986
30	1000	0.1	RMS	937.9	-62.18	-13	Pass	9701
1000	1840	1	RMS	1838	-50.49	-13	Pass	841
1840	1925	1	RMS	1880.375	22.13	60	Pass	401
1925	3000	1	RMS	2647	-46.31	-13	Pass	1076
3000	12000	1	RMS	11949	-40.28	-13	Pass	9001
12000	20000	1	RMS	19998	-27.74	-13	Pass	8001



15.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.99	-13	Pass	2986
30	1000	0.1	RMS	916.3	-62.14	-13	Pass	9701
1000	1840	1	RMS	1840	-50.45	-13	Pass	841
1840	1925	1	RMS	1880.375	21.46	60	Pass	401
1925	3000	1	RMS	2660	-46.29	-13	Pass	1076
3000	12000	1	RMS	11952	-40.23	-13	Pass	9001
12000	20000	1	RMS	20000	-27.77	-13	Pass	8001



15.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.66	-13	Pass	2986
30	1000	0.1	RMS	908.1	-62.2	-13	Pass	9701
1000	1840	1	RMS	1838	-50.41	-13	Pass	841
1840	1925	1	RMS	1910.338	22.33	60	Pass	401
1925	3000	1	RMS	2998	-46.31	-13	Pass	1076
3000	12000	1	RMS	11949	-40.25	-13	Pass	9001
12000	20000	1	RMS	20000	-27.81	-13	Pass	8001



15.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.98	-13	Pass	2986
30	1000	0.1	RMS	931.3	-62.08	-13	Pass	9701
1000	1840	1	RMS	1839	-50.47	-13	Pass	841
1840	1925	1	RMS	1910.338	21.7	60	Pass	401
1925	3000	1	RMS	2654	-46.29	-13	Pass	1076
3000	12000	1	RMS	11940	-40.25	-13	Pass	9001
12000	20000	1	RMS	19997	-27.83	-13	Pass	8001



15.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.59	-13	Pass	2986
30	1000	0.1	RMS	918.9	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-48.49	-13	Pass	841
1840	1925	1	RMS	1850.625	22.58	60	Pass	401
1925	3000	1	RMS	2655	-46.28	-13	Pass	1076
3000	12000	1	RMS	11946	-40.21	-13	Pass	9001
12000	20000	1	RMS	19999	-27.77	-13	Pass	8001



15.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.72	-13	Pass	2986
30	1000	0.1	RMS	934.6	-62.11	-13	Pass	9701
1000	1840	1	RMS	1839	-48.84	-13	Pass	841
1840	1925	1	RMS	1850.625	21.78	60	Pass	401
1925	3000	1	RMS	2654	-46.25	-13	Pass	1076
3000	12000	1	RMS	11967	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.78	-13	Pass	8001



15.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.82	-13	Pass	2986
30	1000	0.1	RMS	947.6	-62.12	-13	Pass	9701
1000	1840	1	RMS	1840	-50.43	-13	Pass	841
1840	1925	1	RMS	1878.038	22.44	60	Pass	401
1925	3000	1	RMS	2647	-46.26	-13	Pass	1076
3000	12000	1	RMS	11992	-40.25	-13	Pass	9001
12000	20000	1	RMS	19999	-27.8	-13	Pass	8001



15.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.62	-13	Pass	2986
30	1000	0.1	RMS	930.3	-62.03	-13	Pass	9701
1000	1840	1	RMS	1839	-50.46	-13	Pass	841
1840	1925	1	RMS	1878.038	21.46	60	Pass	401
1925	3000	1	RMS	2653	-46.26	-13	Pass	1076
3000	12000	1	RMS	11846	-40.24	-13	Pass	9001
12000	20000	1	RMS	20000	-27.8	-13	Pass	8001



15.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.54	-13	Pass	2986
30	1000	0.1	RMS	913.7	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.45	-13	Pass	841
1840	1925	1	RMS	1905.663	22.27	60	Pass	401
1925	3000	1	RMS	2652	-46.3	-13	Pass	1076
3000	12000	1	RMS	11850	-40.24	-13	Pass	9001
12000	20000	1	RMS	19997	-27.77	-13	Pass	8001



15.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.99	-13	Pass	2986
30	1000	0.1	RMS	952.9	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1925	1	RMS	1905.663	21.46	60	Pass	401
1925	3000	1	RMS	2648	-46.29	-13	Pass	1076
3000	12000	1	RMS	11942	-40.23	-13	Pass	9001
12000	20000	1	RMS	19999	-27.79	-13	Pass	8001



15.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.41	-13	Pass	2986
30	1000	0.1	RMS	919.2	-62.19	-13	Pass	9701
1000	1840	1	RMS	1838	-46.95	-13	Pass	841
1840	1925	1	RMS	1850.838	22.61	60	Pass	401
1925	3000	1	RMS	2652	-46.27	-13	Pass	1076
3000	12000	1	RMS	11955	-40.23	-13	Pass	9001
12000	20000	1	RMS	20000	-27.85	-13	Pass	8001



15.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.96	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62.08	-13	Pass	9701
1000	1840	1	RMS	1838	-47.51	-13	Pass	841
1840	1925	1	RMS	1850.838	21.87	60	Pass	401
1925	3000	1	RMS	2646	-46.31	-13	Pass	1076
3000	12000	1	RMS	11979	-40.23	-13	Pass	9001
12000	20000	1	RMS	19995	-27.86	-13	Pass	8001



15.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.25	-13	Pass	2986
30	1000	0.1	RMS	908	-62.09	-13	Pass	9701
1000	1840	1	RMS	1839	-50.4	-13	Pass	841
1840	1925	1	RMS	1875.913	22.27	60	Pass	401
1925	3000	1	RMS	3000	-46.2	-13	Pass	1076
3000	12000	1	RMS	11968	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001



15.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.71	-13	Pass	2986
30	1000	0.1	RMS	928.6	-62.1	-13	Pass	9701
1000	1840	1	RMS	1839	-50.43	-13	Pass	841
1840	1925	1	RMS	1875.913	21.32	60	Pass	401
1925	3000	1	RMS	2654	-46.33	-13	Pass	1076
3000	12000	1	RMS	11952	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.85	-13	Pass	8001



15.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.7	-13	Pass	2986
30	1000	0.1	RMS	892.5	-62.15	-13	Pass	9701
1000	1840	1	RMS	1832	-50.49	-13	Pass	841
1840	1925	1	RMS	1900.775	22.29	60	Pass	401
1925	3000	1	RMS	2655	-46.28	-13	Pass	1076
3000	12000	1	RMS	11911	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001



15.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.88	-13	Pass	2986
30	1000	0.1	RMS	900	-62.18	-13	Pass	9701
1000	1840	1	RMS	1839	-50.48	-13	Pass	841
1840	1925	1	RMS	1900.775	21.63	60	Pass	401
1925	3000	1	RMS	2645	-46.28	-13	Pass	1076
3000	12000	1	RMS	11925	-40.27	-13	Pass	9001
12000	20000	1	RMS	19996	-27.76	-13	Pass	8001



15.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-37.6	-13	Pass	2986
30	1000	0.1	RMS	942.8	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-46.25	-13	Pass	841
1840	1925	1	RMS	1851.05	22.58	60	Pass	401
1925	3000	1	RMS	2652	-46.27	-13	Pass	1076
3000	12000	1	RMS	11859	-40.29	-13	Pass	9001
12000	20000	1	RMS	20000	-27.78	-13	Pass	8001



15.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.21	-13	Pass	2986
30	1000	0.1	RMS	921.5	-62.06	-13	Pass	9701
1000	1840	1	RMS	1840	-48.02	-13	Pass	841
1840	1925	1	RMS	1851.05	21.83	60	Pass	401
1925	3000	1	RMS	2651	-46.31	-13	Pass	1076
3000	12000	1	RMS	11847	-40.27	-13	Pass	9001
12000	20000	1	RMS	19989	-27.85	-13	Pass	8001



15.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.22	-13	Pass	2986
30	1000	0.1	RMS	927.7	-62.12	-13	Pass	9701
1000	1840	1	RMS	1839	-50.37	-13	Pass	841
1840	1925	1	RMS	1873.575	22.3	60	Pass	401
1925	3000	1	RMS	2999	-46.32	-13	Pass	1076
3000	12000	1	RMS	11937	-40.23	-13	Pass	9001
12000	20000	1	RMS	19996	-27.84	-13	Pass	8001



15.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.05	-13	Pass	2986
30	1000	0.1	RMS	910.5	-61.94	-13	Pass	9701
1000	1840	1	RMS	1839	-50.45	-13	Pass	841
1840	1925	1	RMS	1873.575	21.59	60	Pass	401
1925	3000	1	RMS	3000	-46.27	-13	Pass	1076
3000	12000	1	RMS	11959	-40.21	-13	Pass	9001
12000	20000	1	RMS	19992	-27.83	-13	Pass	8001



15.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.58	-13	Pass	2986
30	1000	0.1	RMS	915.9	-61.93	-13	Pass	9701
1000	1840	1	RMS	1837	-50.46	-13	Pass	841
1840	1925	1	RMS	1896.1	22.35	60	Pass	401
1925	3000	1	RMS	2651	-46.27	-13	Pass	1076
3000	12000	1	RMS	11840	-40.23	-13	Pass	9001
12000	20000	1	RMS	19995	-27.78	-13	Pass	8001



15.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.63	-13	Pass	2986
30	1000	0.1	RMS	952.2	-62.15	-13	Pass	9701
1000	1840	1	RMS	1839	-50.43	-13	Pass	841
1840	1925	1	RMS	1896.1	21.6	60	Pass	401
1925	3000	1	RMS	2649	-46.28	-13	Pass	1076
3000	12000	1	RMS	11938	-40.22	-13	Pass	9001
12000	20000	1	RMS	19999	-27.84	-13	Pass	8001



16. LTE_Band26(part22)


16.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37	-13	Pass	2986
30	814	0.1	RMS	811.8	-62	-13	Pass	7841
814	860	0.1	RMS	824.2	19.94	60	Pass	461
860	1000	0.1	RMS	941.9	-62.35	-13	Pass	1401
1000	3000	1	RMS	2651	-46.24	-13	Pass	2001
3000	10000	1	RMS	7740	-41.95	-13	Pass	7001




16.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-37.7	-13	Pass	2986
30	814	0.1	RMS	814	-62.21	-13	Pass	7841
814	860	0.1	RMS	824.3	19.09	60	Pass	461
860	1000	0.1	RMS	922	-62.48	-13	Pass	1401
1000	3000	1	RMS	3000	-46.27	-13	Pass	2001
3000	10000	1	RMS	7723	-42.03	-13	Pass	7001




16.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-39.04	-13	Pass	2986
30	814	0.1	RMS	803.5	-62.2	-13	Pass	7841
814	860	0.1	RMS	836.1	20.06	60	Pass	461
860	1000	0.1	RMS	921.4	-62.44	-13	Pass	1401
1000	3000	1	RMS	2652	-46.3	-13	Pass	2001
3000	10000	1	RMS	7734	-41.97	-13	Pass	7001




16.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.21	-13	Pass	2986
30	814	0.1	RMS	810.6	-62.26	-13	Pass	7841
814	860	0.1	RMS	836.1	19.12	60	Pass	461
860	1000	0.1	RMS	928.1	-62.48	-13	Pass	1401
1000	3000	1	RMS	3000	-46.3	-13	Pass	2001
3000	10000	1	RMS	7730	-41.98	-13	Pass	7001




16.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.83	-13	Pass	2986
30	814	0.1	RMS	780.2	-62.42	-13	Pass	7841
814	860	0.1	RMS	847.9	20.08	60	Pass	461
860	1000	0.1	RMS	933.1	-62.35	-13	Pass	1401
1000	3000	1	RMS	2648	-46.31	-13	Pass	2001
3000	10000	1	RMS	7731	-41.98	-13	Pass	7001




16.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.3	-13	Pass	2986
30	814	0.1	RMS	810.2	-62.38	-13	Pass	7841
814	860	0.1	RMS	847.8	19.16	60	Pass	461
860	1000	0.1	RMS	917.6	-62.46	-13	Pass	1401
1000	3000	1	RMS	2649	-46.28	-13	Pass	2001
3000	10000	1	RMS	7731	-42	-13	Pass	7001




16.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.17	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.15	-13	Pass	7841
814	860	0.1	RMS	824.2	20.25	60	Pass	461
860	1000	0.1	RMS	941.5	-62.53	-13	Pass	1401
1000	3000	1	RMS	2999	-46.3	-13	Pass	2001
3000	10000	1	RMS	7728	-42.02	-13	Pass	7001




16.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.55	-13	Pass	2986
30	814	0.1	RMS	810	-62.02	-13	Pass	7841
814	860	0.1	RMS	824.2	19.46	60	Pass	461
860	1000	0.1	RMS	925	-62.36	-13	Pass	1401
1000	3000	1	RMS	2658	-46.3	-13	Pass	2001
3000	10000	1	RMS	7742	-41.97	-13	Pass	7001



16.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.93	-13	Pass	2986
30	814	0.1	RMS	810.4	-62.37	-13	Pass	7841
814	860	0.1	RMS	835.2	20.34	60	Pass	461
860	1000	0.1	RMS	921.7	-62.43	-13	Pass	1401
1000	3000	1	RMS	2656	-46.31	-13	Pass	2001
3000	10000	1	RMS	7730	-41.94	-13	Pass	7001



16.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.16	-13	Pass	2986
30	814	0.1	RMS	810.9	-62.48	-13	Pass	7841
814	860	0.1	RMS	835.2	19.54	60	Pass	461
860	1000	0.1	RMS	889.8	-62.51	-13	Pass	1401
1000	3000	1	RMS	2654	-46.27	-13	Pass	2001
3000	10000	1	RMS	9543	-41.97	-13	Pass	7001



16.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-39.02	-13	Pass	2986
30	814	0.1	RMS	794.1	-62.25	-13	Pass	7841
814	860	0.1	RMS	846.2	20.44	60	Pass	461
860	1000	0.1	RMS	940.5	-62.41	-13	Pass	1401
1000	3000	1	RMS	2650	-46.29	-13	Pass	2001
3000	10000	1	RMS	7733	-41.98	-13	Pass	7001



16.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.51	-13	Pass	2986
30	814	0.1	RMS	813.1	-62.27	-13	Pass	7841
814	860	0.1	RMS	846.2	19.48	60	Pass	461
860	1000	0.1	RMS	910.7	-62.4	-13	Pass	1401
1000	3000	1	RMS	2650	-46.3	-13	Pass	2001
3000	10000	1	RMS	7739	-41.96	-13	Pass	7001



16.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.93	-13	Pass	2986
30	814	0.1	RMS	813.1	-61.92	-13	Pass	7841
814	860	0.1	RMS	824.3	20.24	60	Pass	461
860	1000	0.1	RMS	919.6	-62.43	-13	Pass	1401
1000	3000	1	RMS	2647	-46.28	-13	Pass	2001
3000	10000	1	RMS	7731	-41.95	-13	Pass	7001



16.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.06	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.11	-13	Pass	7841
814	860	0.1	RMS	824.3	19.4	60	Pass	461
860	1000	0.1	RMS	912.3	-62.52	-13	Pass	1401
1000	3000	1	RMS	2650	-46.25	-13	Pass	2001
3000	10000	1	RMS	7737	-41.99	-13	Pass	7001



16.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.44	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.36	-13	Pass	7841
814	860	0.1	RMS	834.3	20.45	60	Pass	461
860	1000	0.1	RMS	949.9	-62.47	-13	Pass	1401
1000	3000	1	RMS	2650	-46.3	-13	Pass	2001
3000	10000	1	RMS	9547	-41.96	-13	Pass	7001



16.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.23	-13	Pass	2986
30	814	0.1	RMS	810.5	-62.37	-13	Pass	7841
814	860	0.1	RMS	834.3	19.63	60	Pass	461
860	1000	0.1	RMS	940.3	-62.54	-13	Pass	1401
1000	3000	1	RMS	2647	-46.29	-13	Pass	2001
3000	10000	1	RMS	7754	-42.05	-13	Pass	7001



16.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.54	-13	Pass	2986
30	814	0.1	RMS	793.7	-62.37	-13	Pass	7841
814	860	0.1	RMS	844.3	20.41	60	Pass	461
860	1000	0.1	RMS	932.7	-62.31	-13	Pass	1401
1000	3000	1	RMS	2655	-46.24	-13	Pass	2001
3000	10000	1	RMS	7733	-41.99	-13	Pass	7001



16.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.07	-13	Pass	2986
30	814	0.1	RMS	805.9	-62.44	-13	Pass	7841
814	860	0.1	RMS	844.3	19.66	60	Pass	461
860	1000	0.1	RMS	899.6	-62.47	-13	Pass	1401
1000	3000	1	RMS	2649	-46.31	-13	Pass	2001
3000	10000	1	RMS	7737	-42.02	-13	Pass	7001



16.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.8	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.01	-13	Pass	7841
814	860	0.1	RMS	824.6	21.11	60	Pass	461
860	1000	0.1	RMS	938	-62.39	-13	Pass	1401
1000	3000	1	RMS	2653	-46.3	-13	Pass	2001
3000	10000	1	RMS	7731	-41.93	-13	Pass	7001



16.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-45.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-37.65	-13	Pass	2986
30	814	0.1	RMS	812	-62.13	-13	Pass	7841
814	860	0.1	RMS	824.6	19.9	60	Pass	461
860	1000	0.1	RMS	920.7	-62.43	-13	Pass	1401
1000	3000	1	RMS	2650	-46.27	-13	Pass	2001
3000	10000	1	RMS	7747	-41.94	-13	Pass	7001



16.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.3	-13	Pass	2986
30	814	0.1	RMS	814	-62.32	-13	Pass	7841
814	860	0.1	RMS	832.1	21.02	60	Pass	461
860	1000	0.1	RMS	940.5	-62.4	-13	Pass	1401
1000	3000	1	RMS	2649	-46.25	-13	Pass	2001
3000	10000	1	RMS	7730	-42.01	-13	Pass	7001



16.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.59	-13	Pass	2986
30	814	0.1	RMS	811.8	-62.36	-13	Pass	7841
814	860	0.1	RMS	832.1	20	60	Pass	461
860	1000	0.1	RMS	887.5	-62.35	-13	Pass	1401
1000	3000	1	RMS	2653	-46.32	-13	Pass	2001
3000	10000	1	RMS	7735	-42.02	-13	Pass	7001



16.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.67	-13	Pass	2986
30	814	0.1	RMS	797	-62.35	-13	Pass	7841
814	860	0.1	RMS	839.6	20.86	60	Pass	461
860	1000	0.1	RMS	976.7	-62.39	-13	Pass	1401
1000	3000	1	RMS	2656	-46.27	-13	Pass	2001
3000	10000	1	RMS	9544	-41.98	-13	Pass	7001



16.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.6	-13	Pass	2986
30	814	0.1	RMS	811.3	-62.46	-13	Pass	7841
814	860	0.1	RMS	839.6	20.07	60	Pass	461
860	1000	0.1	RMS	943.3	-62.33	-13	Pass	1401
1000	3000	1	RMS	2654	-46.33	-13	Pass	2001
3000	10000	1	RMS	7748	-41.92	-13	Pass	7001



16.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.36	-13	Pass	2986
30	814	0.1	RMS	810.6	-59.98	-13	Pass	7841
814	860	0.1	RMS	824.8	20.27	60	Pass	461
860	1000	0.1	RMS	944.2	-62.47	-13	Pass	1401
1000	3000	1	RMS	2646	-46.29	-13	Pass	2001
3000	10000	1	RMS	7735	-41.94	-13	Pass	7001



16.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.72	-13	Pass	2986
30	814	0.1	RMS	810.8	-61.16	-13	Pass	7841
814	860	0.1	RMS	824.8	19.39	60	Pass	461
860	1000	0.1	RMS	915.5	-62.49	-13	Pass	1401
1000	3000	1	RMS	2650	-46.29	-13	Pass	2001
3000	10000	1	RMS	7740	-41.96	-13	Pass	7001



16.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.32	-13	Pass	2986
30	814	0.1	RMS	814	-62.15	-13	Pass	7841
814	860	0.1	RMS	829.8	20.24	60	Pass	461
860	1000	0.1	RMS	937.7	-62.39	-13	Pass	1401
1000	3000	1	RMS	2651	-46.31	-13	Pass	2001
3000	10000	1	RMS	7736	-42.01	-13	Pass	7001



16.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.99	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.17	-13	Pass	7841
814	860	0.1	RMS	829.8	19.37	60	Pass	461
860	1000	0.1	RMS	968.9	-62.5	-13	Pass	1401
1000	3000	1	RMS	2651	-46.3	-13	Pass	2001
3000	10000	1	RMS	7752	-42.02	-13	Pass	7001



16.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.68	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.29	-13	Pass	7841
814	860	0.1	RMS	834.8	20.23	60	Pass	461
860	1000	0.1	RMS	930.9	-62.42	-13	Pass	1401
1000	3000	1	RMS	2654	-46.28	-13	Pass	2001
3000	10000	1	RMS	7734	-42.02	-13	Pass	7001



16.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.83	-13	Pass	2986
30	814	0.1	RMS	809.4	-62.28	-13	Pass	7841
814	860	0.1	RMS	834.8	19.59	60	Pass	461
860	1000	0.1	RMS	901.1	-62.49	-13	Pass	1401
1000	3000	1	RMS	2648	-46.32	-13	Pass	2001
3000	10000	1	RMS	7741	-41.98	-13	Pass	7001



17. LTE_Band26(part90)


17.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-39.66	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.16	-13	Pass	2986
30	809	0.1	Peak	808.9	-46.19	-13	Pass	7791
809	829	0.1	Peak	814.3	25.33	60	Pass	401
829	1000	0.1	Peak	830.3	-51.2	-13	Pass	1711
1000	3000	1	Peak	2640	-35	-13	Pass	2001
3000	10000	1	Peak	7752	-29.74	-13	Pass	7001




17.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.91	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.29	-13	Pass	2986
30	809	0.1	Peak	809	-51.4	-13	Pass	7791
809	829	0.1	Peak	814.2	26.29	60	Pass	401
829	1000	0.1	Peak	973.3	-51.84	-13	Pass	1711
1000	3000	1	Peak	2956	-35.04	-13	Pass	2001
3000	10000	1	Peak	9548	-29.46	-13	Pass	7001




**17.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3,
Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.98	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.87	-13	Pass	2986
30	809	0.1	Peak	796.1	-51.97	-13	Pass	7791
809	829	0.1	Peak	818.5	25.27	60	Pass	401
829	1000	0.1	Peak	831.2	-49.7	-13	Pass	1711
1000	3000	1	Peak	2997	-34.6	-13	Pass	2001
3000	10000	1	Peak	7716	-30.16	-13	Pass	7001




17.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.97	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.15	-13	Pass	2986
30	809	0.1	Peak	801.5	-51.48	-13	Pass	7791
809	829	0.1	Peak	818.55	25.87	60	Pass	401
829	1000	0.1	Peak	834	-50.15	-13	Pass	1711
1000	3000	1	Peak	2959	-34.44	-13	Pass	2001
3000	10000	1	Peak	7769	-30.05	-13	Pass	7001




**17.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.53	-13	Pass	401
0.15	30	0.01	Peak	0.16	-30.7	-13	Pass	2986
30	809	0.1	Peak	764.6	-51.17	-13	Pass	7791
809	829	0.1	Peak	822.9	25.23	60	Pass	401
829	1000	0.1	Peak	831.8	-44.74	-13	Pass	1711
1000	3000	1	Peak	2984	-34.86	-13	Pass	2001
3000	10000	1	Peak	8057	-30.63	-13	Pass	7001




17.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.82	-13	Pass	2986
30	809	0.1	Peak	692.2	-51.46	-13	Pass	7791
809	829	0.1	Peak	822.85	25.83	60	Pass	401
829	1000	0.1	Peak	829.2	-46.35	-13	Pass	1711
1000	3000	1	Peak	2985	-34.06	-13	Pass	2001
3000	10000	1	Peak	7760	-30.8	-13	Pass	7001




17.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-39.22	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.17	-13	Pass	2986
30	809	0.1	Peak	808.9	-45.93	-13	Pass	7791
809	829	0.1	Peak	814.3	25.27	60	Pass	401
829	1000	0.1	Peak	833.5	-49.96	-13	Pass	1711
1000	3000	1	Peak	2782	-34.46	-13	Pass	2001
3000	10000	1	Peak	7740	-29.77	-13	Pass	7001




17.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.67	-13	Pass	2986
30	809	0.1	Peak	808.4	-44.25	-13	Pass	7791
809	829	0.1	Peak	814.2	26.06	60	Pass	401
829	1000	0.1	Peak	908.2	-50.98	-13	Pass	1711
1000	3000	1	Peak	2672	-34.8	-13	Pass	2001
3000	10000	1	Peak	7340	-30.33	-13	Pass	7001




17.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-39.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-29.43	-13	Pass	2986
30	809	0.1	Peak	790.6	-50.96	-13	Pass	7791
809	829	0.1	Peak	817.75	25.49	60	Pass	401
829	1000	0.1	Peak	832.6	-48.82	-13	Pass	1711
1000	3000	1	Peak	2893	-35.11	-13	Pass	2001
3000	10000	1	Peak	7661	-30.34	-13	Pass	7001




17.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-38.13	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.12	-13	Pass	2986
30	809	0.1	Peak	801.4	-52.25	-13	Pass	7791
809	829	0.1	Peak	817.75	25.86	60	Pass	401
829	1000	0.1	Peak	902.8	-51.84	-13	Pass	1711
1000	3000	1	Peak	2992	-34.78	-13	Pass	2001
3000	10000	1	Peak	7729	-29.93	-13	Pass	7001




17.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.71	-13	Pass	2986
30	809	0.1	Peak	731	-51.57	-13	Pass	7791
809	829	0.1	Peak	821.3	25.23	60	Pass	401
829	1000	0.1	Peak	829.3	-49	-13	Pass	1711
1000	3000	1	Peak	2956	-34.72	-13	Pass	2001
3000	10000	1	Peak	7766	-30.56	-13	Pass	7001




17.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.76	-13	Pass	401
0.15	30	0.01	Peak	0.15	-29.51	-13	Pass	2986
30	809	0.1	Peak	794	-51.17	-13	Pass	7791
809	829	0.1	Peak	821.25	25.94	60	Pass	401
829	1000	0.1	Peak	831.1	-46.03	-13	Pass	1711
1000	3000	1	Peak	2912	-34.63	-13	Pass	2001
3000	10000	1	Peak	7763	-30.03	-13	Pass	7001




17.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.9	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.18	-13	Pass	2986
30	809	0.1	Peak	807.9	-48.06	-13	Pass	7791
809	829	0.1	Peak	814.3	25.48	60	Pass	401
829	1000	0.1	Peak	900.4	-51.83	-13	Pass	1711
1000	3000	1	Peak	2671	-34.26	-13	Pass	2001
3000	10000	1	Peak	7678	-30.29	-13	Pass	7001




17.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.74	-13	Pass	401
0.15	30	0.01	Peak	0.17	-31.7	-13	Pass	2986
30	809	0.1	Peak	808.7	-50.18	-13	Pass	7791
809	829	0.1	Peak	814.3	26.16	60	Pass	401
829	1000	0.1	Peak	967	-51.62	-13	Pass	1711
1000	3000	1	Peak	2892	-35.09	-13	Pass	2001
3000	10000	1	Peak	7752	-30.06	-13	Pass	7001




17.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-40.22	-13	Pass	401
0.15	30	0.01	Peak	0.16	-32.08	-13	Pass	2986
30	809	0.1	Peak	807.8	-51.69	-13	Pass	7791
809	829	0.1	Peak	816.9	25.33	60	Pass	401
829	1000	0.1	Peak	830.4	-48.65	-13	Pass	1711
1000	3000	1	Peak	2653	-34.86	-13	Pass	2001
3000	10000	1	Peak	8336	-30.47	-13	Pass	7001




17.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.61	-13	Pass	401
0.15	30	0.01	Peak	0.16	-29.56	-13	Pass	2986
30	809	0.1	Peak	786.7	-50.35	-13	Pass	7791
809	829	0.1	Peak	816.8	26.13	60	Pass	401
829	1000	0.1	Peak	829.1	-50.1	-13	Pass	1711
1000	3000	1	Peak	2896	-34.74	-13	Pass	2001
3000	10000	1	Peak	7519	-30.39	-13	Pass	7001




17.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-37.61	-13	Pass	401
0.15	30	0.01	Peak	0.17	-31.33	-13	Pass	2986
30	809	0.1	Peak	801.7	-51.53	-13	Pass	7791
809	829	0.1	Peak	819.3	25.3	60	Pass	401
829	1000	0.1	Peak	833.6	-43.53	-13	Pass	1711
1000	3000	1	Peak	2984	-34.63	-13	Pass	2001
3000	10000	1	Peak	7713	-29.89	-13	Pass	7001




17.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.56	-13	Pass	401
0.15	30	0.01	Peak	0.16	-30.64	-13	Pass	2986
30	809	0.1	Peak	807	-51.95	-13	Pass	7791
809	829	0.1	Peak	819.35	25.92	60	Pass	401
829	1000	0.1	Peak	831.1	-50.98	-13	Pass	1711
1000	3000	1	Peak	2786	-34.86	-13	Pass	2001
3000	10000	1	Peak	7767	-30.21	-13	Pass	7001




**17.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-39.13	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.13	-13	Pass	2986
30	809	0.1	Peak	808.2	-47.81	-13	Pass	7791
809	829	0.1	Peak	814.6	25.47	60	Pass	401
829	1000	0.1	Peak	956.3	-51.51	-13	Pass	1711
1000	3000	1	Peak	2962	-33.86	-13	Pass	2001
3000	10000	1	Peak	7711	-30.15	-13	Pass	7001



17.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.76	-13	Pass	401
0.15	30	0.01	Peak	0.15	-29.42	-13	Pass	2986
30	809	0.1	Peak	808.2	-37.49	-13	Pass	7791
809	829	0.1	Peak	814.55	26.18	60	Pass	401
829	1000	0.1	Peak	833.3	-49.26	-13	Pass	1711
1000	3000	1	Peak	2747	-35.14	-13	Pass	2001
3000	10000	1	Peak	9683	-29.98	-13	Pass	7001



18. LTE_Band41 full


18.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.77	-25	Pass	2986
30	1000	0.1	RMS	938.4	-58.22	-25	Pass	9701
1000	2486	1	RMS	2484	-42.67	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.36	60	Pass	401
2700	3000	1	RMS	2998.5	-42.35	-25	Pass	401
3000	12000	1	RMS	7489	-59.66	-25	Pass	9001
12000	27000	1	RMS	25012	-37	-25	Pass	15001




18.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-32.23	-25	Pass	2986
30	1000	0.1	RMS	947.5	-58.27	-25	Pass	9701
1000	2486	1	RMS	2485	-42.95	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.98	60	Pass	401
2700	3000	1	RMS	3000	-42.33	-25	Pass	401
3000	12000	1	RMS	11845	-59.66	-25	Pass	9001
12000	27000	1	RMS	25015	-37.01	-25	Pass	15001




18.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.11	-25	Pass	2986
30	1000	0.1	RMS	909.5	-58.06	-25	Pass	9701
1000	2486	1	RMS	2485	-43.67	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.43	60	Pass	401
2700	3000	1	RMS	2998.5	-42.34	-25	Pass	401
3000	12000	1	RMS	11846	-59.6	-25	Pass	9001
12000	27000	1	RMS	25013	-36.82	-25	Pass	15001




18.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.61	-25	Pass	2986
30	1000	0.1	RMS	896	-58.11	-25	Pass	9701
1000	2486	1	RMS	2485	-43.72	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.12	60	Pass	401
2700	3000	1	RMS	2998.5	-42.36	-25	Pass	401
3000	12000	1	RMS	11843	-59.66	-25	Pass	9001
12000	27000	1	RMS	25012	-36.94	-25	Pass	15001




18.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.11	-25	Pass	2986
30	1000	0.1	RMS	937.5	-58.17	-25	Pass	9701
1000	2486	1	RMS	2485	-43.66	-25	Pass	1487
2486	2700	1	RMS	2685.555	22.73	60	Pass	401
2700	3000	1	RMS	3000	-42.36	-25	Pass	401
3000	12000	1	RMS	11844	-59.64	-25	Pass	9001
12000	27000	1	RMS	25015	-36.91	-25	Pass	15001




18.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.61	-25	Pass	2986
30	1000	0.1	RMS	928.2	-58.13	-25	Pass	9701
1000	2486	1	RMS	2486	-43.66	-25	Pass	1487
2486	2700	1	RMS	2685.555	22.05	60	Pass	401
2700	3000	1	RMS	2999.25	-42.34	-25	Pass	401
3000	12000	1	RMS	11845	-59.64	-25	Pass	9001
12000	27000	1	RMS	25014	-36.83	-25	Pass	15001




18.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.49	-25	Pass	2986
30	1000	0.1	RMS	929.2	-58.22	-25	Pass	9701
1000	2486	1	RMS	2484	-42.06	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.35	60	Pass	401
2700	3000	1	RMS	3000	-42.3	-25	Pass	401
3000	12000	1	RMS	11856	-59.65	-25	Pass	9001
12000	27000	1	RMS	25015	-36.96	-25	Pass	15001




18.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.36	-25	Pass	2986
30	1000	0.1	RMS	948	-58.16	-25	Pass	9701
1000	2486	1	RMS	2484	-42.86	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.82	60	Pass	401
2700	3000	1	RMS	2998.5	-42.36	-25	Pass	401
3000	12000	1	RMS	11857	-59.66	-25	Pass	9001
12000	27000	1	RMS	25009	-36.81	-25	Pass	15001



18.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-34.18	-25	Pass	2986
30	1000	0.1	RMS	904.9	-58.06	-25	Pass	9701
1000	2486	1	RMS	2485	-43.73	-25	Pass	1487
2486	2700	1	RMS	2588.72	23.45	60	Pass	401
2700	3000	1	RMS	3000	-42.37	-25	Pass	401
3000	12000	1	RMS	11849	-59.68	-25	Pass	9001
12000	27000	1	RMS	25012	-36.96	-25	Pass	15001



18.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.27	-25	Pass	2986
30	1000	0.1	RMS	922.4	-58.14	-25	Pass	9701
1000	2486	1	RMS	2483	-43.65	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.26	60	Pass	401
2700	3000	1	RMS	3000	-42.34	-25	Pass	401
3000	12000	1	RMS	11854	-59.56	-25	Pass	9001
12000	27000	1	RMS	25011	-37.03	-25	Pass	15001



18.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.92	-25	Pass	2986
30	1000	0.1	RMS	936.4	-58.18	-25	Pass	9701
1000	2486	1	RMS	2485	-43.65	-25	Pass	1487
2486	2700	1	RMS	2680.74	22.71	60	Pass	401
2700	3000	1	RMS	3000	-42.29	-25	Pass	401
3000	12000	1	RMS	11863	-59.61	-25	Pass	9001
12000	27000	1	RMS	25013	-36.91	-25	Pass	15001



18.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.45	-25	Pass	2986
30	1000	0.1	RMS	917.5	-58.02	-25	Pass	9701
1000	2486	1	RMS	2486	-43.65	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.35	60	Pass	401
2700	3000	1	RMS	3000	-42.34	-25	Pass	401
3000	12000	1	RMS	11854	-59.72	-25	Pass	9001
12000	27000	1	RMS	25016	-36.96	-25	Pass	15001



18.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-35.07	-25	Pass	2986
30	1000	0.1	RMS	905	-58.18	-25	Pass	9701
1000	2486	1	RMS	2486	-42.65	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.5	60	Pass	401
2700	3000	1	RMS	2999.25	-42.35	-25	Pass	401
3000	12000	1	RMS	11853	-59.65	-25	Pass	9001
12000	27000	1	RMS	25016	-36.98	-25	Pass	15001



18.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.3	-25	Pass	2986
30	1000	0.1	RMS	932.1	-58.22	-25	Pass	9701
1000	2486	1	RMS	2486	-42.45	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.71	60	Pass	401
2700	3000	1	RMS	2997.75	-42.36	-25	Pass	401
3000	12000	1	RMS	11853	-59.67	-25	Pass	9001
12000	27000	1	RMS	25013	-36.76	-25	Pass	15001



18.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-32.95	-25	Pass	2986
30	1000	0.1	RMS	932.3	-58.26	-25	Pass	9701
1000	2486	1	RMS	2486	-43.64	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.08	60	Pass	401
2700	3000	1	RMS	3000	-42.32	-25	Pass	401
3000	12000	1	RMS	11854	-59.63	-25	Pass	9001
12000	27000	1	RMS	25014	-36.88	-25	Pass	15001



18.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.01	-25	Pass	2986
30	1000	0.1	RMS	930.4	-58.03	-25	Pass	9701
1000	2486	1	RMS	2485	-43.64	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.63	60	Pass	401
2700	3000	1	RMS	3000	-42.35	-25	Pass	401
3000	12000	1	RMS	11851	-59.65	-25	Pass	9001
12000	27000	1	RMS	25012	-36.97	-25	Pass	15001



18.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-32.82	-25	Pass	2986
30	1000	0.1	RMS	944.6	-58.2	-25	Pass	9701
1000	2486	1	RMS	2484	-43.66	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.24	60	Pass	401
2700	3000	1	RMS	3000	-42.32	-25	Pass	401
3000	12000	1	RMS	11853	-59.67	-25	Pass	9001
12000	27000	1	RMS	25012	-36.91	-25	Pass	15001



18.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.47	-25	Pass	2986
30	1000	0.1	RMS	896.1	-58.2	-25	Pass	9701
1000	2486	1	RMS	2484	-43.66	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.25	60	Pass	401
2700	3000	1	RMS	3000	-42.33	-25	Pass	401
3000	12000	1	RMS	11850	-59.64	-25	Pass	9001
12000	27000	1	RMS	25016	-36.89	-25	Pass	15001



18.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.94	-25	Pass	2986
30	1000	0.1	RMS	917.5	-58.14	-25	Pass	9701
1000	2486	1	RMS	2486	-41.82	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.4	60	Pass	401
2700	3000	1	RMS	3000	-42.39	-25	Pass	401
3000	12000	1	RMS	11854	-59.56	-25	Pass	9001
12000	27000	1	RMS	25013	-36.87	-25	Pass	15001



18.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.22	-25	Pass	2986
30	1000	0.1	RMS	919.8	-58.08	-25	Pass	9701
1000	2486	1	RMS	2485	-42.33	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.97	60	Pass	401
2700	3000	1	RMS	2997.75	-42.32	-25	Pass	401
3000	12000	1	RMS	11851	-59.65	-25	Pass	9001
12000	27000	1	RMS	25011	-36.96	-25	Pass	15001



18.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.13	-25	Pass	2986
30	1000	0.1	RMS	919.4	-58.25	-25	Pass	9701
1000	2486	1	RMS	2486	-43.65	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.76	60	Pass	401
2700	3000	1	RMS	2999.25	-42.34	-25	Pass	401
3000	12000	1	RMS	11850	-59.61	-25	Pass	9001
12000	27000	1	RMS	25011	-36.79	-25	Pass	15001



18.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.57	-25	Pass	2986
30	1000	0.1	RMS	917.6	-58.24	-25	Pass	9701
1000	2486	1	RMS	2486	-43.67	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.37	60	Pass	401
2700	3000	1	RMS	3000	-42.28	-25	Pass	401
3000	12000	1	RMS	11853	-59.59	-25	Pass	9001
12000	27000	1	RMS	25012	-36.87	-25	Pass	15001



18.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.52	-25	Pass	2986
30	1000	0.1	RMS	941.4	-58.07	-25	Pass	9701
1000	2486	1	RMS	2485	-43.7	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.04	60	Pass	401
2700	3000	1	RMS	3000	-42.35	-25	Pass	401
3000	12000	1	RMS	11855	-59.66	-25	Pass	9001
12000	27000	1	RMS	25015	-36.94	-25	Pass	15001



18.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-34.6	-25	Pass	2986
30	1000	0.1	RMS	921.9	-58.06	-25	Pass	9701
1000	2486	1	RMS	2484	-43.66	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.52	60	Pass	401
2700	3000	1	RMS	3000	-42.3	-25	Pass	401
3000	12000	1	RMS	11851	-59.63	-25	Pass	9001
12000	27000	1	RMS	25011	-36.96	-25	Pass	15001



19. LTE_Band42 3450-3550


19.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.98	-13	Pass	401
0.15	30	0.01	RMS	18.04	-65.87	-13	Pass	2986
30	1000	0.1	RMS	909.94	-55.93	-13	Pass	9701
1000	3000	1	RMS	2950	-41.68	-13	Pass	2001
3000	3430	1	RMS	3399	-37.97	-13	Pass	431
3430	3570	1	RMS	3449.95	23.89	60	Pass	401
3570	6500	1	RMS	6475	-38.03	-13	Pass	2931
6500	26500	1	RMS	20470	-38.65	-13	Pass	20003




19.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.76	-13	Pass	401
0.15	30	0.01	RMS	0.34	-64.52	-13	Pass	2986
30	1000	0.1	RMS	899.934	-55.83	-13	Pass	9701
1000	3000	1	RMS	2990	-41.74	-13	Pass	2001
3000	3430	1	RMS	3402	-37.89	-13	Pass	431
3430	3570	1	RMS	3450.3	23.03	60	Pass	401
3570	6500	1	RMS	6477	-38.1	-13	Pass	2931
6500	26500	1	RMS	25094	-41.73	-13	Pass	20003



19.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:42590, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.85	-13	Pass	401
0.15	30	0.01	RMS	0.33	-64.87	-13	Pass	2986
30	1000	0.1	RMS	985.691	-55.68	-13	Pass	9701
1000	3000	1	RMS	2976	-41.76	-13	Pass	2001
3000	3430	1	RMS	3400	-37.94	-13	Pass	431
3430	3570	1	RMS	3497.55	23.96	60	Pass	401
3570	6500	1	RMS	6462	-38.09	-13	Pass	2931
6500	26500	1	RMS	26167	-41.68	-13	Pass	20003



19.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:42590, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.2	-13	Pass	401
0.15	30	0.01	RMS	9.95	-65.59	-13	Pass	2986
30	1000	0.1	RMS	880.821	-56.09	-13	Pass	9701
1000	3000	1	RMS	2956	-41.69	-13	Pass	2001
3000	3430	1	RMS	3401	-37.85	-13	Pass	431
3430	3570	1	RMS	3497.55	23.28	60	Pass	401
3570	6500	1	RMS	6481	-38.02	-13	Pass	2931
6500	26500	1	RMS	25822	-41.72	-13	Pass	20003

